

PARIS TEXAS

HARDWARETM

April 2023

Retail* Price List & Product Information Guide

*10% tariff has been included.

Contents

General Information »

Production Time, Pricing & Terms, Returns, Changes & Cancellations, Shipping, Installation, Dimension Key, Materials, Finishes, PTH Perfect Match™	
Portfolio Collection »	
1 1/8" Diameter Finial Collections Modern, Clean Deco, Transitional Luxe, Bohemian Chic, Rustic Retreat	7
1 3/8" Finial Collections Modern, Today's Traditional, Heritage Classics	14
2 ¼" Finial Collections Today's Traditional, Heritage Classics	22
Traverse Systems »	
1 3/8" Motorized Metal Traverse R-TEC Automation® Motorized System	32
Motorized Heavy Duty Traverse R-TEC Automation® or Somfy®	42
Metal Manual Baton Draw Traverse 1 1/8" - 1 3/8" Diameters, Baton Draw	63
Heavy Duty Manual Traverse 1 3/8" - 2 1/4" Diameters, Corded or Baton	74
Quick Ship Collection »	
1 ⅓" Diameter Finial Collections Modern, Clean Deco, Transitional Luxe	87
1 3/8" Finial Collections Modern, Today's Traditional, Heritage Classics	93
2 ¼" Finial Collections Today's Traditional, Heritage Classics	102
Sales Tools »	106

106

Designed to Inspire.

For over 30 years, Paris Texas Hardware has been dedicated to evolving our legacy of providing exceptional design and superior service. Our in-house design team places you at the center of the design process while staying true to our heritage of curating designs that are uniquely our own.



We respect the important relationship between style and function in design and are excited to introduce many customized solutions that are perfectly balanced to inspire your vision into a reality.

Whether it's a Modern finial silhouette that has never been seen before, a Heritage Classic with a new twist or a customized traverse solution integrated with the latest smart home technology, we promise to provide you with something different - a collective style designed to inspire that you cannot find anywhere else in the world.



Trusted Heritage

In celebration of our 30 year anniversary, we promise to deliver on our rich legacy of providing high quality products, unique & elegant designs, a wide selection of finishes and superior service combined with designer expertise to elevate your design vision.



Wide Selection of Finishes

With a choice between our 35 Hand Painted Portfolio Finishes, 6 Quick Ship Metal Finishes, 5 Quick Ship Wood & Resin Finishes and PTH Perfect Match™, the possibilities are endless. Our talented artisans enjoy the challenge of creating any finish that you can envision.



Superior Service

Paris Texas Hardware promises to offer an enjoyable customer experience that includes honest dialogue and responsive feedback.



High Quality Products

Our products are tailored specifically to your needs and designed to be unrivaled in their ability to stand alone as the perfect combination of smart, decorative, durable and functional.



Available Stock | Quick Ship

When you need products to complete a project in a hurry, our Quick Ship Collection offers products that are in stock and ship within 24 hours. Available in 6 plated metal finish options, 5 wood & resin finish options, over 50 finial designs and many bracket and accessory styles.




Designer Expertise





Our talented team, with years of experience, are ready to help design the perfect window treatment solution for your project. Look for the icon throughout the catalog for tips, techniques and inspiration provided by our design experts, and download the full booklet using the QR code above, or by visiting: bit.ly/PTH-DE

Dimension Key

Poles Finials







Materials

Some finials, brackets, holdbacks and rings are made of resin composite materials. Resin may be damaged by cutting, drilling or attempting to alter the size or shape of products. Some items are made of cast aluminum or stamped steel. Wood poles and wood rings are made of various hardwoods. Metal poles and metal rings are made of metal or steel.

Poles & Rods

Wood poles may be spliced together using a dowel splicing screw, which is included with each pole. Metal poles may be spliced together using our pole splice, sold separately, or a dowel splicing screw where plastic inserts are included. We recommend a center support bracket for pole lengths in excess of four feet. We cannot guarantee against sagging caused by unsupported spans greater than our recommended four feet.

Finials

All finials are sold as pairs. Most resin finial bases have a \%" recess for a clean pole fit. Resin finials are fitted with a dowel screw that may not be removed without damaging the finial. 1 \%" metal finials are supplied with plastic inserts to attach the finials. 1 \%" metal finials are fitted with a set screw, which can be tightened using an allen wrench provided.

Brackets

Brackets are sold individually. Depending on the style of the bracket, there are three wall mounting styles; key lock, round mounting plate or front drill. Some heavier treatments may require stronger fasteners (mollies and screws) than those included with the brackets. Brackets should be installed securely into wall studs.

Rings

Rings are sold individually. Eyelets are not detachable from rings. Excessive movement of rings on the top of the pole will naturally abrade the finish. We recommend three to four rings per foot of finished pole length, or six to seven rings per width of fabric.

General Information

Production Time

Purchase orders are processed once they are received by Paris Texas Hardware. Incomplete information will delay processing and shipping. Quick Ship collections are in stock and ship within 24 hours. Quick Ship orders received before noon CST ship the same day. Portfolio custom collection is hand finished and ships within 10-15 business days.

Heavy Duty Corded or Baton & Motorized Traverse Systems Heavy duty traverse systems are available with or without decorative wood fascia, available in 1 3/6" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7/6" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns, in Portfolio, PTH Perfect Match™ and Quick Ship Wood & Resin. Production time for traverse system orders is 10-15 business days. Please refer to pages 49 & 77 for available fascia styles, sizes and finishes.

Metal Baton Draw & Motorized Traverse Systems
Metal traverse systems are available in 1 ⅓" and 1 ⅙"
Portfolio (except Antique Gold Leaf), PTH Perfect Match™,
Quick Ship Metal and Quick Ship Wood & Resin. All 1 ⅙"
and Wood & Resin 1 ⅙" require Transitional Cuff / Finial
Adapters to attach finials, sold separately. Production
time for traverse system orders is 10-15 business days.
Please refer to pages 32 - 41 and 63 - 73 for available metal
track sizes and finishes.

Pricing & Terms

Pricing found in the Paris Texas Hardware Price List are our Suggested Retail Prices. Prices are subject to change without notice. Due to the U.S. government's current policy on China tariffs, all products are subject to a tariff surcharge as of September 1, 2019. Prices are quoted exclusive of Freight and Packaging. The Buyer should always inspect the product upon receipt.

IMPORTANT: Please note that your order will be placed with an authorized Paris Texas Hardware Distributor. While most of the following will generally apply, your distributor may have terms and conditions of the sale that will vary from what is stated here.

Returns, Changes & Cancellations

All Portfolio and PTH Perfect Match™ products are custom painted and may not be Returned. Orders may not be changed or canceled once production has begun.

Quick Ship items may be Returned if poles are uncut and all products are received in sellable condition. A restocking fee of 40% will apply and the customer will prepay freight. All Returns must be authorized by the Paris Texas Hardware customer service department, and are authorized at our discretion, given the circumstances and nature of each order. A Return Authorization Number (RA#) must be issued by customer service, and the RA#

must be noted on all Return packages. Return Credit is issued on Returned goods that are inspected and deemed undamaged. Customers should exercise care to adequately package Return goods. Return Credit will not be issued for unauthorized Returns or damaged Returns.

Shipping (NET Fees)

All hardware orders are shipped FOB Dallas, Texas. Standard size orders ship using normal guidelines via UPS or FedEx ground. Average transit time is three to seven business days. Three Day Select, Second-Day or Next-Day Air services may be requested. Poles over 92" MUST be shipped by common carrier. For current common carrier freight rates and orders subject to actual freight costs, visit www.paristexashardware.com/freight-rate. Shipments exceeding these limits will require a special freight quote. Expedited shipments are not available in all areas. Any additional charges for expedited shipments will be in addition to the published net fees. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

Packaging Fees (NET Fees)

A net packaging fee of \$10.00 per order will apply to any order that has a pole. A net packaging fee of \$10.00 will apply to any order with a traverse rod less than 16 feet. The net packaging fee increases to \$25.00 for all orders with rods with returns; motorized traverse track; or poles, rods and corded traversing track 16 feet or longer.

Damaged Goods & Freight Claims

Immediately upon receipt, your order should be inspected to ensure that there is no damage from shipping. To report a claim, contact your Paris Texas Hardware distributor. <u>Damage and freight claims must be made within 15 days</u> of receipt of goods. Claims reported after 15 days will not be accepted. To expedite the claim process, please provide your distributor with the following information: purchase order number, Paris Texas Hardware order number, shipping phone number and address, a complete list of damaged items and a picture of the box/packaging. Freight companies require all packaging materials and damaged items to be kept for inspection. Merchandise damaged in shipping will be replaced. Our policy is that we replace damaged product per the original order. Please note on the Bill of Lading if there is any possibility of damage. If shipping through a 3rd party, distributor is responsible for claiming damages and the remakes will be at charge.

Installation

We recommend using a professional installer. Installation hardware is included. The fasteners (screws and mollies) may not be appropriate for every installation or wall material. Brackets and holdbacks should be installed securely into wall studs when possible. Paris Texas Hardware will not assume responsibility for damages incurred by improperly mounted or inadequately supported hardware.

Po	ortfolio Finishes		
АМ	Amulet		
AND	Andiron		
AG	Antique Gold		
AGL	Antique Gold Leaf		
AB	Art Bronze		
BW	Barnwood		
BL	Black		
BLU	Blush		
ВР	Bronzed Pewter		
СО	Concrete		
COU	Couture		
DC	Dark Chocolate		
FL	Firelight		
GOS	Gossamer		
GRE	Greige		
НА	Halo		
JA	Java		
LIN	Linen		
LU	Luminous		
MA	Manor		
MK	Mink		
ML			
	Moonlight		
MYS	Mystic		
NAB	New Age Bronze		
PAT	Patina		
SH	Shimmer		
SM	Silver Maple		
SPW	Spicewood		
SPG	Spun Gold		
STA	Stardust		
ST	Starlet		
TTM	Titanium		
TRU	Truffle		
URB	Urban Bronze		
WH	White		
Quick Ship Wood	& Resin 1 3/8" and 2 1/4" Finishes		
AB	Antique Brass		
ORB	Oil Rubbed Bronze		
PL	Platinum		
RG	Rose Gold		
WAL	Walnut		
Quick Ship Me	etal 1 1/8" and 1 3/8" Finishes		
BZ	Brushed Bronze		
BN	Brushed Nickel		
CZ	Charcoal Zinc		
MK	Matte Black		
RGD	Rose Gold		
SG	Satin Gold		
	fect Match™ Finishes		
PPMEF	Eggshell Sheen Level		
PPMHGF	High-Gloss Sheen Level		
PPMGLITTER	Glitter Highlights		
PPMGOLD	Gold Highlights		
PPMROSEGOLD	Rose Gold Highlights		
PPMSILVER	Silver Highlights		

Finishes

Finishes with antiquing, dusting or glazing will vary from product to product depending on the level of detail. Areas with deeper recesses will appear darker than smooth areas.

For the best possible finish match, refer to the 2022 Paris Texas Hardware Finish Chips. These chips have smooth, fluted and carved detailed areas, enabling you to see the beautiful shadings and highlights that make our finishes so special.

Portfolio

Portfolio Strike-offs: For a fee of \$50 (net) per finish / strike-off, Paris Texas Hardware will provide a sample of your Portfolio finish on any 6" wood or metal pole as requested. Customer approval of the strike-off sample is required before production will begin.

Portfolio Touch up paint: For a fee of \$20 per vial, touch-up paint can be sent to the customer on request.

PTH Perfect Match™

On your purchase order, specify the following:

- · Benjamin Moore® color name and number
- · Sheen level: high-gloss or eggshell
- · Highlight color, if desired (silver, gold, rose gold or glitter)

Each color specified (every time we purchase paint) will be subject to a separate minimum. If you have different colors for different rooms of hardware, please put them on separate purchase orders. Purchase includes 1 oz of touch-up paint. If there is enough of your Benjamin Moore® paint leftover, we'll keep it for 30 days. After 30 days, we'll dispose of it using an environmentally responsible paint service.

Single Color - No Highlight:

10% upcharge or \$100 minimum (net)


Strike-off available: For a fee of \$50 (net) per color, a sample of your Benjamin Moore® paint will be provided on a PTH sample chip. When you place your order, we will credit \$25 of this fee toward your order with that paint color.

Single Color - With Highlight:

15% upcharge or \$150 minimum (net)

Strike-off available: For a fee of \$60 (net) per color with highlight, a sample of your Benjamin Moore® paint with highlight will be provided on a PTH sample chip. When you place your order, we will credit \$30 of this fee toward your order with that paint color.

Order must be received within 30 days or strike-off paint will be disposed and no credit will be Issued. In lieu of purchasing strike-offs, we encourage you to use your Benjamin Moore® paint deck for color reference.



Knox - Crystal

1 1/4" L x 2 5/8" W

Crystal, Metal Pole

Reese - Crystal

2 ³/₄" L x 2 ¹/₂" W

Crystal, Metal Pole

$1\% \\ \text{Modern Finial Collection fits 1\% poles. Finial adapters are required to adapt to 1\% metal traverse, sold separately on page 10.}$



Lex

Metal

1 %" L x 2" W



\$37.40 pair*

Evan End Cap

3/4" L x 1 3/4" W

Metal



London - Crystal

1 %" L x 3" W

Metal / Crystal



PO118VIFI	PO118WRFI	PO118WIFI	PO118ZAEC
Viktor	Wren	Wright - Crystal	Zane End Cap
1½"Lx2¾"W Metal/Acrylic	2" L x 1 7/8" W Metal	2 ½" L x 2 ¾" W Metal / Crystal	5%" L x 2 3%" W Metal
\$101.20 pair*	\$101.20 pair*	\$183.70 pair*	\$50.60 pair*

1 1/8" Transitional Luxe Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 10.

		i .	· · · · · · · · · · · · · · · · · · ·	
	Top view showing Marble Finish			
PO118BEEC	PO118CAFI	PO118FBFI	PO118HUEC	PO118JUFI 77
Beale End Cap	Callie	Fairbanks	Hudson End Cap	Jules
½" L x 2" W Resin	1 ½" L x 2 5/8" W Resin	3 ½" L x 2" W Resin	7⁄8" L x 1 7⁄8" W Resin	2 7/8" L x 2 3/4" W Resin
\$44.00 pair*	\$114.40 pair*	\$114.40 pair*	\$50.60 pair*	\$114.40 pair*
		-		400
			M-	
PO118KEFI	PO118NLFI	PO118NOFI	PO118NOFIGL	PO118PIFI
PO118KEFI Kensington - Crystal	PO118NLFI Nola	PO118NOFI Nora	PO118NOFIGL Nora - Mercury Glass	PO118PIFI Piper
			直数数	



See page 10 for our 1 1/8" Finial Accessories!

- · Mix & Match finishes and materials for the ultimate customized style, or use to adapt your 11/8" Finial to work with Baton Draw Metal Traverse on pages 63 - 67
- Transitional Style » Transitional Cuff / Finial Adapter PO118CUFF
- · Need Some Glamour? » Crystal Band PO118CRMEBAND
- · Clean Deco Style » Deco Cuff / Finial Adapter PO118DECUFF

1 1/8" Bohemian Chic Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on page 10.






1 1/8" Rustic Retreat Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 10.






1%" French Returns fit the 1%" pole. Look for coordinating brackets on pages 11 - 12 marked with the fR icon.





1 %" Mix & Match create an even more customized design!





Transitional and Deco Cuffs / Finial Adapters

Style Meets Function

1 1/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 1/8" Finials across five style categories using either Cuff / Finial Adapter. See pages 63 - 67.







1 1/8" Modern Metal Brackets fit the 1 1/8" pole.

Note: Return indicates distance from wall to center of pole.

PO118DESBK

Declan Single


2" DIA backplate, 3 ½" return

\$55.00 each

Look for coordinating brackets for French Returns marked with the FR icon.


\$66.00 each






\$60.50 each








of cradle and into 1 1/8" pole 2" DIA backplate, 3 ½" return, 2" DIA backplate, 6 ½" front to secure it. use with Caden C-Rings return and 3 ½" back return, Declan Brackets must be installed at each end to

%16" clearance above backplate, use with Caden C-Rings \$55.00 each \$66.00 each




1 13/16" DIA backplate x 1 1/4" D.

3/16" thick backplate per bracket

\$66.00 pair*

secure 1 1/8" pole.



11/8" Metal Pole

1 1/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12!. 1 1/18" metal poles are supplied with plastic inserts to attach the finials.


Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.


PO118ME02	PO118ME04	PO118ME06	PO118ME08	PO118ME10	PO118ME12
2'	4'	6'	8'	10'	12'
\$31.90 each	\$63.80 each	\$95.70 each	\$127.60 each	\$159.50 each	\$191.40 each



11/8" Metal Rings fit the 11/8" pole.


Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1 1/8" Metal Accessories









1 3/8" Modern Finial Collection fits the 1 3/8" metal pole and metal traverse.



136" French Returns fit the 136" pole. Look for coordinating brackets on pages 15.8 19 marked with the fR icon.



13/8" Modern Metal Brackets fit the 13/8" pole.

Note: Return indicates distance from wall to center of pole.

Look for coordinating brackets for French Returns marked with the FR icon.



PO138GASBK Grant Single



2 ½" DIA backplate, 3 ½" return

PO138GAS6BK Grant 6" Single

2 ½" DIA backplate, 6" return

PO138GADBK **Grant Double**


2 ½" DIA backplate, 6 ½" front return and

3 ½" back return

\$60.50 each

\$66.00 each

\$71.50 each





FR

\$60.50 each

PO138GGSBK Gage Single

2 ½" DIA backplate, 3 ½" return

\$66.00 each

PO138GGS6BK Gage 6" Single

2 ½" DIA backplate, 6" return




PO138GGDBK Gage Double

2 ½" DIA backplate, 6 ½" front return and


3 ½" back return

\$71.50 each

Designer Expertise » Use Gage Brackets for ceiling mount!



6" return Gage 6" Single



Gage Double

Bypass Support Brackets Use with Calla C-Ring.

*CAUTION: Talon Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1 3/8" pole to secure it.

Grant Brackets must be installed at each end to secure 1 3/8" pole.



PO138TASBK Talon Single

2 ½" DIA backplate, 3 ½" return, use with Calla C-Rings

\$60.50 each

FR

PO138TADBK Talon Double

2 ½" DIA backplate, 6 ½" front return and 3 ½" back return, 3/8" clearance above backplate, use with Calla C-Rings


\$71.50 each




PO138IMBK Inside Mount

2" DIA backplate x 1 9/16" D, 1/4" thick backplate per bracket

\$71.50 pair*





^{*}Sold in pairs only.

1%" Metal Pole | 1%" Acrylic Pole

13/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'. 13% metal poles are supplied with plastic inserts to attach wood & resin finials, if desired. Acrylic poles only work with the 1 3/8" Modern Finial Collection.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

PO138ME02	PO138ME04	PO138ME06	PO138ME08	PO138ME10	PO138ME12
2'	4'	6'	8'	10'	12'
\$38.50 each	\$77.00 each	\$115.50 each	\$154.00 each	\$192.50 each	\$231.00 each




PO138AC02	PO138AC04	PO138AC06	PO138AC08	PO138AC10	PO138AC12
2'	4'	6'	8'	10'	12'
\$84.70 each	\$169.40 each	\$254.10 each	\$338.80 each	\$423.50 each	\$508.20 each



13/8" Metal Rings fit the 13/8" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1%" Metal Accessories







2" L each side when bent Metal

\$56.10 each



4 3/4" L, must be ordered separately

\$6.60 each

1 3/8" Today's Traditional Finial Collection fits the 13/8" wood poles and heavy duty traverse.





13/8" Heritage Classics Finial Collection fits the 13/6" wood poles and heavy duty traverse.








1 ³/₈" Transitional Cuff / Finial Adapter PO138CUFF

See next page for more details

- $\cdot \, ^{3}/_{4}$ " L x 1 $^{1}/_{2}$ " W
- · Metal, Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™
- Mix & Match finishes and materials for the ultimate customized style, or use to adapt your $1\frac{3}{8}$ " Today's Traditional or Heritage Classics Finial to work with R-TEC Automation® Metal Traverse on pages 32 41 and Baton Draw Metal Traverse on pages 68 73. Finial Adapters required, sold separately.

\$42.90 pair*

13/8" Mix & Match create an even more customized design!



3/4" L x 1 1/2" W

- · Metal, Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™
- · Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$42.90 pair*

13/8" R-TEC and Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 13/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff/ Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



*Transitional Cuff/Finial Adapter PO138CUFF not required with Metal Traverse Systems on pages 32 - 41 and 68 - 73



*Requires Transitional Cuff / Finial Adapter PO138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73




*Requires Transitional Cuff/Finial Adapter PO138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73



13/8" Metal Brackets fit the 13/8" wood poles.

Look for coordinating brackets for French Returns marked with the FR icon.





1" W x 3 1/4" H backplate, 3 1/2" - 5" adjustable return

\$60.50 each


Ceiling Single


2 3/4 H, 2" DIA backplate, 2 5/8" drop

Inside Mount


1" W x 1 1/4" H x 1 7/8" D, 1/4" thick backplate per bracket

\$88.00 pair*





\$60.50 each



Inside Mount



*CAUTION: Gregory Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1 3/8" pole to secure it.

Winston Brackets must be installed at each end to secure 1 3/8" pole.



FR

PO138GRSBK **Gregory Single**

3/4" W x 3 3/4" H backplate, 3 ½" return, use with Medium

\$60.50 each



PO138GRS6BK Gregory 6" Single

3/4" W x 3 3/4" H backplate, 6" return, use with Medium C-Rings

\$66.00 each



PO138GRDBK **Gregory Double**

3/4" W x 3 3/4" H backplate, 6" front return and 3" back return, use with Medium C-Rings


\$71.50 each



PO138GRSHBK FR Gregory 3 1/2" Horizontal Single

2 3/8" W x 3/4" H backplate, 3 ½" return, use with Medium C-Rings


\$60.50 each




13/8" Wood & Resin Brackets fit the 13/8" wood poles.

Note: Return indicates distance from wall to center of pole.









13/8" Wood Poles

1 3/8" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 16'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

PO138SM02	PO138SM04	PO138SM06	PO138SM08	PO138SM10	PO138SM12	PO138SM14	PO138SM16
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	Smooth - 14'	Smooth - 16'
\$66.00 each	\$132.00 each	\$198.00 each	\$264.00 each	\$330.00 each	\$396.00 each	\$462.00 each	\$528.00 each
PO138GR02	PO138GR04	PO138GR06	PO138GR08	PO138GR10	PO138GR12	PO138GR14	PO138GR16
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	Grooved / Fluted - 14'	Grooved / Fluted - 16'
\$66.00 each	\$132.00 each	\$198.00 each	\$264.00 each	\$330.00 each	\$396.00 each	\$462.00 each	\$528.00 each
PO138RE02	PO138RE04	PO138RE06	PO138RE08	PO138RE10	PO138RE12	PO138RE14	PO138RE16
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	Reeded - 14'	Reeded - 16'
\$66.00 each	\$132.00 each	\$198.00 each	\$264.00 each	\$330.00 each	\$396.00 each	\$462.00 each	\$528.00 each












Reeded




Smooth Grooved / Fluted

13/8" Wood & Metal Rings fit the 13/6" wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.*





EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.




1 3/8" Accessories





2 1/4" Today's Traditional Finial Collection fits the 2 1/4" wood poles and heavy duty traverse.







21/4" Heritage Classics Finial Collection fits the 21/4" wood poles and heavy duty traverse.









2 1/4" Metal Brackets fit the 2 1/4" wood poles.


Note: Return indicates distance from wall to center of pole.



















21/4" Wood & Resin Brackets fit the 21/4" wood poles.

Note: Return indicates distance from wall to center of pole.









21/4" Wood Poles

2 1/4" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 16'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

				0 0 1			
PO214SM02	PO214SM04	PO214SM06	PO214SM08	PO214SM10	PO214SM12	PO214SM14	PO214SM16
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	Smooth - 14'	Smooth - 16'
\$88.00 each	\$176.00 each	\$264.00 each	\$352.00 each	\$440.00 each	\$528.00 each	\$616.00 each	\$704.00 each
PO214GR02	PO214GR04	PO214GR06	PO214GR08	PO214GR10	PO214GR12	PO214GR14	PO214GR16
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	Grooved / Fluted - 14'	Grooved / Fluted - 16'
\$88.00 each	\$176.00 each	\$264.00 each	\$352.00 each	\$440.00 each	\$528.00 each	\$616.00 each	\$704.00 each
PO214RE02	PO214RE04	PO214RE06	PO214RE08	PO214RE10	PO214RE12	PO214RE14	PO214RE16
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	Reeded - 14'	Reeded - 16'
\$88.00 each	\$176.00 each	\$264.00 each	\$352.00 each	\$440.00 each	\$528.00 each	\$616.00 each	\$704.00 each



Smooth Wood Pole PO214SM



Grooved / Fluted Wood Pole PO214GR



Reeded Wood Pole PO214RE

EZ Glide Tape


Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.



$2 \frac{1}{4}$ " Rings fit the $2 \frac{1}{4}$ " wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





2 1/4" Accessories









Modern Holdback Medallions fit modern or transitional resin holdback stems.



Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



« Don't forget to order your **Holdback Stems** separately

$Holdback\ Arms\ {\it May be used with any 1\%" metal or resin finial without Cuff.\ Finials are sold separately.}$



7" W, ½" DIA stem 1 5/8" H backplate, 5 ½" D, 4 ½" PROJ Metal

\$66.00 pair*



Holdback Arm shown with Achilles Finial (sold separately) Metal

Holdback Medallion Bands Attaches any Holdback Medallion to the front of a pole. Holdback Medallions sold separately.



\$37.40 pair*

PO138MEBAND 13/8" Band 3/4" W, 1 7/₁₆" ID, 1 5/8" OD Metal

PO214MEBAND 2 1/4" Band 3/4" W, 2 5/16" ID, 2 ½" OD Metal \$48.40 pair*

Common uses for Medallion Bands:

- Repeated decorative embellishment along the length
- 2. Hold gathered rod pocket drapery panel in place.
- Ring stop.





\$42.90 pair*

Transitional Holdback Medallions fit modern or transitional resin holdback stems.



POISHB	POLYHB	РОМІНВ	POMRHB	POSWHB	POTRHB
Isabelle	Lyon	Miranda	Mirna	Swindon	Trudy
5 ½" DIA, 1 ¾" TH Resin	4 ³ ⁄ ₄ " DIA, 2 ¹ ⁄ ₂ " TH Resin	5" DIA, 1 ½" TH Resin	4 ½" DIA, 1 ¼" TH Resin	5 1/8" DIA, 1 1/4" TH Resin	4 ¾" DIA, ¾" TH Resin
\$99.00 pair*	\$132.00 pair*	\$99.00 pair*	\$132.00 pair*	\$99.00 pair*	\$99.00 pair*

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



« Don't forget to order your Holdback Stems separately





Traverse



Featuring the RIEC AUTOMATION® Slim Drapery Motor.

Designed to install seamlessly behind the drapery panel, providing the ultimate integrated functionality without compromising the look of your window treatment.



RIEO AUTOMATION° 1 3/8" Motorized Metal Traverse Systems

Motorized 1 3/8" Metal traverse systems create smart design solutions for both residential and commercial environments.

The slim drapery motor is designed to install seamlessly behind the drapery panel with quiet start / stop operation, the ability to easily charge without having to remove the motor and up to 500 open and close cycles per charge, providing the ultimate integrated functionality without compromising the look of your window treatment.

Finials may be ordered separately from 1 ½" Diameter Collections. Modern Finial Collection do not require use of Cuff and attach using set screw. Today's Traditional and Heritage Classics Finial Collections require the use of the Transitional Cuff / Finial Adapter (sold separately). See page 40.

Select from 35 Portfolio hand painted finishes **(except Antique Gold Leaf)**, 6 Quick Ship Metal finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.



Single Traverse System, Wall Mount

- · Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately



Double Traverse System, Wall Mount

- · Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 13/8" collection finials and additional remote options sold separately



Single Traverse System, Ceiling Mount

- Ceiling bracket: 3 11/16" drop
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 13/8" collection finials and additional remote options sold separately



Double Traverse System, Ceiling Mount


- · Ceiling bracket: 4" drop, 4 ½" between centers of tracks
- Traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- · 13%" collection finials and additional remote options sold separately



Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 ½" drop
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately





Motor & Power Options



Slim Drapery Motor RTMLDSS50







Battery Charger **RTMLDSSBC**



USB Charger Cable RTMLDSSUSB



110v AC/DC Power Transformer 10' (plug included) RTMDSSPT

Motor Weight Capacity

Use the Motor Weight Capacity chart below to determine if the slim drapery motor accommodates your length of track and your drapery weight. The System Features chart on page 34 lists the varied functions of the motor.

	maximum drapery weight per total length of system (lbs)			
Motor	18' or less	20'	22'	24'
AUTOMATION* Slim Drapery Motor	77	77	77	77

Note: 77 lbs. is the maximum weight for one-way or center draw panels for each track on single and double traverse systems. Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance.



System Features	R-TEC Automation® Slim Drapery Motor
System Features	
Center Draw or One-Way Draw Available	×
White or Bronze Track, Components & Brackets Available	Х
Track Maximum Length	24'
Maximum Number of Track Splices	2
Motor Features	
Battery Power Option	X
Motor Cord Length as Purchased	10' (custom length up to 20' available)
2-Way RF Communication	×
Adjustable Speed	X
Preferred Open / Close Position	×
Favorite Position	X
Obstruction Detection	X
Manual Override	×
Quiet Operation	X
Soft Start / Stop	X
Average Linear Speed	5.5" (14 cm)/sec
Motorized Track Noise Level	44 dB
Maximum Weight	77 lbs
Motor Unit can be Installed on Either End of Track	×
Control Options	
Sun Control	×
Digital Technology	ARC™
Solar Power	x
Installation Features	
Programming Buttons on Motor Unit	x
Power Supply	Li-Ion Battery or 110v AC/DC Power Transformer
Amperage	1.3 A
Power Consumption	20 W
Power Cable Type	3 Conductor Male Plug
Standard Accessories Included with System	
5 Channel Handheld Remote with Wall Mount (Remote Control; White)	Х
Carrier Features	
White or Bronze Pinch Pleat Glides	×
White or Bronze Ripplefold Glides (Choose 60%, 80%, 100% or 120% Fullness)	X

R-TEC Automation® App - Control your window coverings with a smartphone or tablet Our App enables simple, intuitive control and system configuration from your smartphone or tablet.



bit.ly/R-TEC-Automation-Rowley



Google Play bit.ly/R-TEC-Automation-Rowley-Android


Pair the R-TEC Hub and App with these systems (not sold by Rowley):











Additional R-TEC Smart Controls

can be ordered at additional cost




RTMHUB2 R-TEC Hub 2-way RF; Wi-Fi built in

- · 4 ½" H x 1 ¼" W x 4 ½" D
- · Range: 60'



- ·5 3/16" H X 1 1/4" W X 1/2" D
- · Range: 65'
- · Available in White



RTMHR5C Push5 Handheld Remote with Wall Mount, 5 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in Off-White



RTMHRP15C (/K) Push15 Handheld Remote with Wall Mount, 15 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in White or Black



RTMHR15C Handheld Remote with Wall Mount, 15 Channel

- \cdot 5 %6" H x 1 %1" W x %2" D
- · Range: 65'
- · Available in White



RTMWSR5C Surface Mount Wall Switch, 5 Channel

- \cdot 4 ½" H x 2 ¾" W x %" D
- · Range: 65'
- · Available in White



RTMWCR1C RTMWCR2C RTMWSR15C Cut-In Wall Mount Switch, 1, 2 or 15 Channel

- · 4 ½" H x 2 ¾" W x 1" D
- · Range: 65'
- · Available in White
- · RTMSMB/W required for installation



RTMISS Interior Sun Sensor

- ·13/4" H x 13/4" W x 5/8" D
- · Range: 65'
- · Available in White



RTMUSR ARC™ USB Signal Repeater

- · 2" L x 2 ½" L with USB x 1 1/6" W
- · Extends the wireless range of the R-TEC Hub and remotes up to 60'
- · Maximum 2 repeaters per system or network
- Available in White (color may vary)



· Available in White (color may vary)

RTMSOLAR2 Solar Panel Battery Charger

- · 4 %" H x 12 %6" W x 1 %8" D
- · Includes I-bracket, cables & fastener







$1 \frac{3}{8}$ " Motorized Metal Traverse Systems Finishes

35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect Match™, 6 Quick Ship Metal finishes or 5 Quick Ship Wood & Resin finishes.

Diameter	Track Finish	Component Color	Max. Continuous Length
1 3/8"	Amulet	White	12'
1 ³⁄8"	Andiron	White	12'
] 3/8"	Antique Gold	White	12'
] ³ /8"	Art Bronze	Bronze	12'
1 ³ /8"	Barnwood	Bronze	12'
] ³ /8"	Black	Bronze	12'
] ³ /8"	Blush	White	12'
] 3/8"	Bronzed Pewter	Bronze	12'
] ³ ⁄8"	Concrete	White	12'
] ³ /8"	Couture	White	12'
] ³ ⁄8"	Dark Chocolate	Bronze	12'
] ³ ⁄8"	Firelight	White	12'
] ³ /8"	Gossamer	Bronze	12'
1 ³ /8"	Greige	White	12'
1 ³ /8"	Halo	White	12'
] ³ /8"	Java	Bronze	12'
] ³ /s"	Linen	White	12'
] ³ ⁄8"	Luminous	Bronze	12'
] 3/8"	Manor	White	12'
] ³ / ₈ "	Mink	Bronze	12'
] ³ / ₈ "	Moonlight	Bronze	12'
] ³ ⁄8"	Mystic	White	12'
1 ³ /8"	New Age Bronze	Bronze	12'
1 ³ /8"	Patina	White	12'
1 ³ /8"	Shimmer	Bronze	12'
1 ³ /8"	Silver Maple	White	12'
1 ³ /8"	Spicewood	Bronze	12'
1 ³⁄8"	Spun Gold	White	12'
] ³ /8"	Stardust	White	12'
] ³ /8"	Starlet	White	12'
] ³ / ₈ "	Titanium	White	12'
] ³ /8"	Truffle	Bronze	12'
] ³ ⁄8"	Urban Bronze	Bronze	12'
1 ³ /8"	White	White	12'
1 ³ /8"	PTH Perfect Match™	please specify	12'
1 ³ /8"	Brushed Nickel	White	12'
1 ³ /8"	Brushed Bronze	Bronze	8'
1 ³ /8"	Charcoal Zinc	White	8'
1 ³ /8"	Matte Black	White	12'
] ³ /8"	Rose Gold	White	8'
1 ³ /8"	Satin Gold	White	8'
1 ³ /8"	Antique Brass	White	12'
1 ³ /8"	Oil Rubbed Bronze	Bronze	12'
1 ³ /8"	Platinum	White	12'
1 ³ /8"	Rose Gold	White	12'
1 3/8"	Walnut	Bronze	12'



$1\,{}^3\!/\!{}_8$ " Motorized Metal Traverse Systems Pricing

Orders with R-TEC motorized traverse systems will incur a \$25 packaging fee. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

Li-ion Battery or 110v AC/DC Power, Ripplefold or Pinch Pleat

Systems are sold in 1 ft increments

Item # 4' 5' 6' 7' 8' 9' 10' 11' 12' price per ft										
Item #	4	<u>5</u>	О	/	8	9	10	!!	IΖ	price per i
$Single\ Traverse\ System,\ Wall\ Mount,\ 3\frac{1}{2}"\ return\ \ (includes\ track,\ motor,\ power\ option,\ brackets,\ Ainsley\ end\ caps,\ 5\ channel\ remote\ \&\ components)$										
CSRPTHM138400	\$1,669.80	\$1,756.70	\$1,843.60	\$1,930.50	\$2,017.40	\$2,104.30	\$2,191.20	\$2,278.10	\$2,365.00	\$86.90
Single Traverse System, Wall Mount, 6" return (includes track, motor, power option, brackets, Ainsley end caps, 5 channel remote & components)										
CSRPTHM138401	\$1,753.40	\$1,850.20	\$1,947.00	\$2,043.80	\$2,140.60	\$2,237.40	\$2,334.20	\$2,431.00	\$2,527.80	\$96.80
				I	I		ı		1	1
Double Traverse S	System, Wa	all Mount (i	ncludes tracks,	motors, power	options, bracke	ets, Ainsley end	caps, 5 channe	l remote & com	ponents)	
CSRPTHM138402	\$3,339.60	\$3,513.40	\$3,687.20	\$3,861.00	\$4,034.80	\$4,208.60	\$4,382.40	\$4,556.20	\$4,730.00	\$173.80
				I.					I	
Single Traverse Sy	/stem, Ceili	ing Mount	(includes track	k, motor, power	option, bracket	s, Ainsley end c	aps, 5 channel :	remote & comp	onents)	
CSRPTHM138403	\$1,669.80	\$1,756.70	\$1,843.60	\$1,930.50	\$2,017.40	\$2,104.30	\$2,191.20	\$2,278.10	\$2,365.00	\$86.90
Double Traverse System, Ceiling Mount (includes tracks, motors, power options, brackets, Ainsley end caps, 5 channel remote & components)										
CSRPTHM138404	\$3,339.60	\$3,513.40	\$3,687.20	\$3,861.00	\$4,034.80	\$4,208.60	\$4,382.40	\$4,556.20	\$4,730.00	\$173.80
Single Traverse System, Low-Profile Ceiling Mount (includes track, motor, power option, brackets, Ainsley end caps, 5 channel remote & components)										
CSRPTHM138406	\$1,669.80	\$1,756.70	\$1,843.60	\$1,930.50	\$2,017.40	\$2,104.30	\$2,191.20	\$2,278.10	\$2,365.00	\$86.90
	1							-		

Item #	Name	NET Price			
R-TEC Automation® Motor Kits					
RTMLDKIT	Slim Drapery Motor with Li-ion Battery, Wall Charger & USB Cable (included)	\$350.00			
RTMLDS2KIT	Slim Drapery Motor with Li-ion Battery & Solar Panel Charger	\$470.00			
RTMLDACKIT	Slim Drapery Motor with 110v AC/DC Power Transformer 10' with 3 Conductor Male Plug	\$295.00			

Item #	Name	NET Price			
R-TEC Motor & Components					
RTMLDSS50	Slim Drapery Motor	\$200.00			
RTMLDSSB	Li-ion Battery	\$120.00			
RTMLDSSBC	Battery Wall Charger	\$15.00			
RTMLDSSUSB	USB Cable	\$15.00			
RTMDSSPT	110v AC/DC Power Transformer 10' with 3 Conductor Male Plug	\$70.00			
RTMDSSPTCS	110v AC/DC Power Transformer 20' (plug RTMP sold separately) specify ft.	\$75.00			
RTMP	3 Conductor Male Plug	\$25.00			


Item #	Name		Color	NET Price
P-TFC Sm	art Controls	Duch E Handh	old or Wall N	10 unt

TEC Smart Controls	Push5 Handhe Remote - 5 ch	
		-

RTMHRIC	Handheld Remote with Wall Mount, 1 ch	White	\$65.00
RTMHR5C	Push5 Handheld Remote with Wall Mount, 5 ch	Off- White	\$70.00
RTMHRP15C RTMHRP15C/K	Push15 Handheld Remote with Wall Mount, 15 ch	White or Black	\$75.00
RTMHR15C	Handheld Remote with Wall Mount, 15 ch	White	\$85.00
RTMWSR5C	Surface Wall Mount Switch, 5 ch	White	\$70.00
RTMWCR1C	Cut-In Wall Mount Switch, 1 ch*	White	\$50.64
RTMWCR2C	Cut-In Wall Mount Switch, 2 ch*	White	\$56.59
RTMWSR15C	Cut-In Wall Mount Switch, 15 ch*	White	\$75.00
RTMSMB/W	*Surface Mount Wall Back Box	White	\$8.50
RTMHUB2	Wi-Fi to ARC Bridge Hub-2-Way RF-includes USB Power Cord, Power Plug & Ethernet Cable	White	\$255.00
RTMISS	Interior Sun Sensor	White	\$45.00
RTMUSR	ARC USB Signal Repeater	White	\$120.00
RTMLDSSBC	Wall Charger for USB Signal Repeater	White	\$15.00
RTMSOLAR2	Solar Panel Battery Charger- includes L-Bracket, Cables & Fastener	Black	\$120.00

^{*}RTMSMB/W required for installation.





Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'	21'	22'	23'	24'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8	8	8	8	8

PTH Motorized Traverse Tips

- \cdot Specified custom system length is from drapery return to drapery return including pulleys. Ainsley end caps included with the system, and will add $\frac{1}{2}$ " at each end, totaling 1".
- · Track will be spliced in the center of overall length.
- R-TEC Motorized Traverse Systems carry a 5 year warranty; WARNING: Modifications of internal components will void R-TEC warranty.

Motorized Stack Back Calculation (each drapery panel)

R-TEC: master carrier + (# carriers on panel x carrier width) + 3.75" = stack per drapery panel

Ex: R-TEC 20 ft. one-way draw, Ripplefold® style 80% fullness 6.75" + (98 x .563") + 3.375" = 65.3" stack, underlap master panel *BEFORE drapery fabric is installed*

Please note: Calculations result in stack back width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.





$1 \, {}^3\!/\!{}_8$ " Motorized Metal Traverse Systems Information


1 ³/₈" Brackets & Connectors for additional brackets. See below for diagrams/dimensions.

























Carriers for additional carriers.

Pinch Pleat Glides





Pinch Pleat Glides CP40 CP40/BR

Wheel for smooth movement. Available in white or bronze /BR.

Included in system; additional glides may be ordered separately.

\$3.25 NET pack (10 pieces)

Ripplefold® Style Glides






Ripplefold® Style Glides R4060/P R4060/P/BR /BR R4080/P R4080/P/BR R4100/P R4100/P/BR R4120/P R4120/P/BR

Ripplefold Glides with detachable pendents. 60%, 80%, 100% or 120% fullness - specify fullness on order. Available in white or bronze /BR.


Included in system; additional glides may be ordered separately.

\$0.63 NET each

R-TEC pinch pleat glide 4 per foot, unless otherwise specified







60% carrier fullness: 2 5/8" spacing 80% carrier fullness: 2 5/8" spacing 100% carrier fullness: 2 1/8" spacing 120% carrier fullness: 1 7/8" spacing

Snap tape*: 41/4" spacing *Snap tape not included with system

IMPORTANT: Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold glides.

R-TEC Automation® Ripplefold glides are compatible with Rowley R-TEX and clear Ripplefold snap tapes. Kirsch Ripplefold snap tapes may also fit.

Master carrier body is required for each master carrier arm - sold separately; look for the /BR icon for components available in bronze and add /BR at the end of the item number to order. See page 53 for measurements & diagrams.





Upgrade your End Cap with Finial Styles

13/8" R-TEC Motorized Metal Traverse Systems include End Caps, but are designed to work with all 13/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.




Portfolio page 14 | Quick Ship page 93 | *Transitional Cuff/Finial Adapter PO138CUFF not required



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



3/4" L x 1 1/2" W

- · Metal, Available in any of our 35 Portfolio Hand Painted Finishes, 5 Quick Ship Wood & Resin Finishes or PTH Perfect Match™
- · Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)





Metal Motorized Traverse Order Form



	PO #		Side Mark		Ship via		Date	
Company Information				Shipping Information	uc			
Company Name		Acct #		Company Name		Acct #		
Contact Person				Contact Person				
Street Address				Street Address				
City		State	ZIP	City		State	ZIP	
Email				Email				
Phone	Fax			Phone	Fax			

MOTORIZED TRAVENSE STSTEMS - Consult Frice List for detailed specifications. Specified custom cut length indicates track length including pulleys.	rack leng	consult Frice List for detailed a gth including pulleys.	specification	:							
	R-TEC	Power Option **see additional R-TEC options below	Custom System Cut Length Length		Finish	Draw Preference	ø,	Glides pinch pleat OR			
Item #	Motor		(sold by 1') (inches)			Center Motor Location	One-Way	Ripplefold [®] style*	Qty	Price per Unit	Subtotal
	Slim	☐ Li-ion Battery ☐ 110v AC/DC Power				_ L _ R	_ L _ R	L C R C R			
	Slim	☐ Li-ion Battery ☐ 110v AC/DC Power					_ L _	L			
	Slin	☐ Li-ion Battery ☐ 110v AC/DC Power					_ L _ R	L C R C C R			
	Slim	☐ Li-ion Battery ☐ 110v AC/DC Power				_ L _ R	_ L _ R	L			
MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL FEES	RDINAT	TING ACCESSORIES AND AD	DITIONAL	. FEES		**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$120: 20' cord	s for R-TEC Mot plar panel \$120;	**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$120; 20' cord \$75 - specify total feet; plug \$25	ecify tota	l feet: pluq \$25	


	per Unit Subtotal		
	Qty Price per Unit		
	Description		
acrets and accessor	Finish Code		
Order impass, carrs & condits, additional practices and accessories freie.	Item #		

		_										Š	nondinesa	5								Ì	aty line per our	2000
Glide and Bracket Information																					*	When ordering	*When ordering Ripplefold carriers, answer these (nswer these
Quantity included per system based on cut track length	rack length	.4	5.	9.		6	9' 1(. 4	- 12	13	14	15.	16'	17.	18'	19.	20.	21.	22.	23.	10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 20' 21' 22' 23' 24'	. Select Ri	1. Select Ripplefold fullness:	[
Glides [4 per foot, includes master carriers & end caps (2)]		16 20		24 2	28 3	32 3	36 4	40 44	4 48	3 52	26	09	64	89	72	9/	80	84	88	92	96	%0 9 🗆	60%	%0ZI
Brackets		2	က	4	4	4	2	2	2	5 6	9	9	9	7	7	^	8	∞	∞	80	ω	Select Rip	2. Select Ripplefold masters:	
	-																					RI #	Ritt Master	


TOTAL

Fascia Profiles for Motorized Heavy Duty Systems


1 3/8"



2 1/4"




Flat



*Fascia Profile is not available for back track in double systems and does not accept finials.

Slim Round



*Fascia Profile is not available for back track in double systems and does not accept finials.

RIEO AUTOMATION[®] Motorized Heavy Duty Traverse Systems

Create a commercial look with the benefits of motorization using our R-TEC Automation® Track.

The slim drapery motor is designed to install seamlessly behind the drapery panel with quiet start / stop operation, the ability to easily charge without having to remove the motor and up to 500 open and close cycles per charge, providing the ultimate integrated functionality without compromising the look of your window treatment.

Decorative wood fascia available in 1 3/8" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7/8" slim round smooth profile, 2 $\frac{1}{4}$ " flat smooth profile with flush ends or mitered returns.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single



- Standard single brackets are adjustable: 2 1/8" 3 1/4" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- $1 \frac{3}{8}$ " and $2 \frac{1}{4}$ " finials and additional remote options sold separately

Single Traverse System With Mitered Returns

- Standard single brackets are adjustable: 2 1/8" 3 1/4" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- Additional remote options sold separately



- Standard single brackets are adjustable: 2 1/8" 3 1/4" return
- Standard double brackets are adjustable 4 5/8" 5 1/4" front return and adjustable 2" - 2 7/16" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track(s), motor(s), power option(s), drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Double



- Standard double brackets are 5 1/4" front return and 2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- 1 3/8" and 2 1/4" finials and additional remote options sold separately




- Standard double brackets are 5 1/4" front return and 2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- Additional remote options sold separately



Stationary Front Pole With Back Traverse

- Traverse system coordinates with all 2 1/4" round fascia profiles; flat and slim fascia may not be used
- Coordinates with 2 1/4" poles for stationary front pole; back track available with or without wood fascia.
- Stationary front pole and TBKT bracket are included
- Finials and additional remote options sold separately
- Full rings available on stationary



Motor & Power Options



Motor Weight Capacity

Use the Motor Weight Capacity chart below to determine if the slim drapery motor accommodates your length of track and your drapery weight. The System Features chart on the next page lists the varied functions of the motor.

			max	mum dı	rapery w	eight pe	er total l	ength of	fsystem	(lbs)	
	Motor	18' or less	20'	22'	24'	26'	28'	30'	32'	34'	36'
RIEO AUTOMATION°	Slim Drapery Motor	110	110	110	110	110	110	110	110	110	110

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately.



System Features	R-TEC Automation® Slim Drapery Motor
System Features	
Center Draw or One-Way Draw Available	X
White or Bronze Track, Components & Brackets Available	X
Track Maximum Length	36'
Maximum Number of Track Splices	2
Motor Features	
Battery Power Option	×
Motor Cord Length as Purchased	10' (custom length up to 20' available)
2-Way RF Communication	×
Adjustable Speed	×
Preferred Open / Close Position	×
Favorite Position	×
Obstruction Detection	×
Manual Override	X
Quiet Operation	X
Soft Start / Stop	×
Average Linear Speed	5.5" (14 cm)/sec
Motorized Track Noise Level	44 dB
Maximum Weight	110 lbs
Motor Unit can be Installed on Either End of Track	×
Control Options	
Sun Control	×
Digital Technology	ARC™
Solar Power	×
Installation Features	
Programming Buttons on Motor Unit	×
Power Supply	Li-lon Battery or 110v AC/DC Power Transformer
Amperage	1.3 A
Power Consumption	20 W
Power Cable Type	3 Conductor Male Plug
Standard Accessories Included with System	
5 Channel Handheld Remote with Wall Mount (Remote Control; White)	Х
Carrier Features	
White or Bronze Pinch Pleat Glides	X
White or Bronze Ripplefold Glides (Choose 60%, 80%, 100% or 120% Fullness)	Х

can be ordered at additional cost RTMHUB2 R



RTMHUB2 R-TEC Hub 2-way RF; Wi-Fi built in \cdot 4 $\frac{1}{2}$ " H x 1 $\frac{1}{4}$ " W x 4 $\frac{1}{2}$ " D

· Range: 60'

Additional R-TEC Smart Controls



RTMHRIC Handheld Remote with Wall Mount, I Channel

- ·5 ¾6" H X 1 ¼" W X ½" D
- · Range: 65'
- · Available in White



RTMHR5C Push5 Handheld Remote with Wall Mount, 5 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in Off-White



RTMHRP15C (/K) Push15 Handheld Remote with Wall Mount, 15 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in White or Black



RTMHR15C Handheld Remote with Wall Mount, 15 Channel

- ·5¾6" H x 1¼" W x ½" D
- · Range: 65'
- · Available in White



RTMWSR5C Surface Mount Wall Switch, 5 Channel

- \cdot 4 ½" H x 2 ¾" W x %" D
- · Range: 65'
- · Available in White



RTMWCR1C RTMWCR2C RTMWSR15C Cut-In Wall Mount Switch, 1, 2 or 15 Channel

- · 4 ½" H x 2 ¾" W x 1" D
- · Range: 65'
- · Available in White
- RTMSMB/W required for installation



RTMISS Interior Sun Sensor

- ·1¾" H x 1¾" W x 5%" D
- · Range: 65'
- · Available in White



RTMUSR ARC™ USB Signal Repeater

- · 2" L x 2 ½" L with USB x 1 5/16" W
- Extends the wireless range of the R-TEC Hub and remotes up to 60'
- · Maximum 2 repeaters per system or network

RTMLDSSBC Wall Charger

· Available in White (color may vary)



per system or network)

Pair the R-TEC Hub and App with these systems (not sold by Rowley):

R-TEC Automation® App - Control your window

configuration from your smartphone or tablet.

Our App enables simple, intuitive control and system

works with the Google Assistant

bit.ly/R-TEC-Automation-Rowley

bit.ly/R-TEC-Automation-Rowley-Android

Hub

amazon alexa

coverings with a smartphone or tablet

App Store

Google Play

IFTTT

Apple HomeKit

Slim Drapery Motor

ECO friendly

Remotes

for USB Signal Repeater \cdot 1 %6" W x 1 %6" L \cdot Available in White (color may vary)

RTMSOLAR2 Solar Panel Battery Charger

- · 4 5%" H x 12 %6" W x 1 3%" D
- · Includes I-bracket, cables & fastener



R-TEC Motorized Heavy Duty Traverse Systems Pricing

Li-ion Battery or 110v AC/DC Power, Ripplefold or Pinch Pleat

Item #	Name								
	verse System with Wo	nd Fasci	ia						
		4'	5'	6'	7'	8'	9'	10'	
	vith Wood Fascia for 1 3/8" round	·	_	_	,		_		
CSRPTH138WF	R-TEC Slim Drapery Motor	\$1,789.70	\$1,863.40	\$1,937.10	\$2,010.80	\$2,084.50	\$2,158.20	\$2,231.90	
Double Track System	ns with Wood Fascia Front Only fo	or 1 ³ / ₈ " round	l I	I	I	I	I	I	
CSRPTH138WFFDBL	R-TEC Slim Drapery Motor	\$3,180.10	\$3,297.80	\$3,415.50	\$3,533.20	\$3,650.90	\$3,768.60	\$3,886.30	
Double Track System	with Wood Fascia Front and Bac	ck for 1 ³ / ₈ " rc	ound						
CSRPTH138WFDBL	R-TEC Slim Drapery Motor	\$3,579.40	\$3,726.80	\$3,874.20	\$4,021.60	\$4,169.00	\$4,316.40	\$4,463.80	
Single Track System w	with Wood Fascia for 1 $^{7}/_{8}$ " slim, 2 $^{1}/_{4}$ "	flat smooth	or 2 1/4" rour	nd					
CSRPTH214WF	R-TEC Slim Drapery Motor	\$1,934.90	\$2,082.30	\$2,229.70	\$2,377.10	\$2,524.50	\$2,671.90	\$2,819.30	
Double Track System	ns with Wood Fascia Front Only fo	or 1 ⁷ / ₈ " slim, 2	2 1/4" flat sm	ooth or 2 1/4"	round				
CSRPTH214WFFDBL	R-TEC Slim Drapery Motor	\$3,325.30	\$3,516.70	\$3,708.10	\$3,899.50	\$4,090.90	\$4,282.30	\$4,473.70	
Double Track System	n with Wood Fascia Front and Bac	ck for 2 1/4" ro	ound						
CSRPTH214WFDBL	R-TEC Slim Drapery Motor	\$3,869.80	\$4,164.60	\$4,459.40	\$4,754.20	\$5,049.00	\$5,343.80	\$5,638.60	
Double Track System	ns with Stationary Front Only 2 1/4'	Wood Pole							
CSRPTH214SDBL	R-TEC Slim Drapery Motor	\$1,834.80	\$2,041.60	\$2,226.40	\$2,411.20	\$2,596.00	\$2,780.80	\$2,965.60	
Double Track System	ns with Stationary Front 2 1/4" Woo	d Pole & Wo	ood Fascia B	Back for 2 1/4'	round		•	•	
CSRPTH214WFBSDBL	R-TEC Slim Drapery Motor	\$2,401.30	\$2,689.50	\$2,977.70	\$3,265.90	\$3,554.10	\$3,842.30	\$4,130.50	
			•						
Motorized Trav	verse System without	vvood F	ascia						
Single Track System to	rack available in white and bronze	4'	5'	6'	7'	8'	9'	10'	
CSRPTHTRACK	R-TEC Slim Drapery Motor	\$1,390.40	\$1,434.40	\$1,478.40	\$1,522.40	\$1,566.40	\$1,610.40	\$1,654.40	
Double Track System	n track available in white and bron	nze							
CSRPTHTRACKDBL	R-TEC Slim Drapery Motor	\$2,780.80	\$2,868.80	\$2,956.80	\$3,044.80	\$3,132.80	\$3,220.80	\$3,308.80	
Additional D.TC	C Traverse Fees		Item #	Name			NET		

Additional R-TEC Traverse Fees		Item #	Name	NET Price
PTHFEEMITER-EACH Wood Fascia Mitered Return per return	\$80.00	R-TEC Aut	comation® Motor Kits	
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00	RTMI DKIT	Slim Drapery Motor with Li-ion Battery, Wall Charger & USB Cable	\$350.00
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection	\$65.00		(included)	7
PTHFEEBLEND Blended Fascia Splice per blend	\$108.00	RTMLDS2KIT	Slim Drapery Motor with Li-ion Battery & Solar Panel Charger	\$470.00
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia	,		, ,	
alone, order full pole and specify fascia fabrication) per Fascia	\$65.00	RTMLDACKIT	Slim Drapery Motor with 110v AC/DC Power Transformer 10' with 3	\$295.00
PTHFEERESTRING Restringing Fee per track	\$100.00		Conductor Male Plug	,
Standard 45 Fascia Splice	No Charge			

Quantity Per System

		4'	5'	6'	7'	8'	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'
Pir	nch Pleat Glides	21	27	33	38	44	50	55	61	67	72	78	84	89	95	100	106
Bra	ackets	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11

Motorized Stack Back Calculation (each drapery panel)

R-TEC: master carrier + (# glides on panel x carrier width) + 3.375" = stack per drapery panel

R-TEC Automation® 10ft. center draw, pinch pleat (standard 4 glides per ft.)

4.2" + [(40/2) x .563"] + 3.375" = 18.84" stack, for each panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.



Orders with R-TEC motorized traverse systems will incur a \$25 packaging fee.

Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

Available in all profiles for 1 %, 1 % and 2 1/4 diameter fascias or without a wood fascia.

Systems are sold in 1 ft increments

Pricing Includes R-TEC Automation® Track, Brackets, Components, Motor, Power Option & Push5 Channel Handheld Remote with Wall Mount

Spliced systems begin at 19'

							Sp	licea systems	pegin at 19
יוו	12'	13'	14'	15'	16'	17'	18'	19'	per add'l ft
\$2,305.60	\$2,379.30	\$2,453.00	\$2,526.70	\$2,600.40	\$2,674.10	\$2,747.80	\$2,821.50	\$2,895.20	\$73.70
\$4,004.00	\$4,121.70	\$4,239.40	\$4,357.10	\$4,474.80	\$4,592.50	\$4,710.20	\$4,827.90	\$4,945.60	\$117.70
\$4,611.20	\$4,758.60	\$4,906.00	\$5,053.40	\$5,200.80	\$5,348.20	\$5,495.60	\$5,643.00	\$5,790.40	\$147.40
				1		1	1		
\$2,966.70	\$3,114.10	\$3,261.50	\$3,408.90	\$3,556.30	\$3,703.70	\$3,851.10	\$3,998.50	\$4,145.90	\$147.40
\$4,665.10	\$4,856.50	\$5,047.90	\$5,239.30	\$5,430.70	\$5,622.10	\$5,813.50	\$6,004.90	\$6,196.30	\$191.40
\$5,933.40	\$6,228.20	\$6,523.00	\$6,817.80	\$7,112.60	\$7,407.40	\$7,702.20	\$7,997.00	\$8,291.80	\$294.80
					ı			ı	
\$3,150.40	\$3,335.20	\$3,520.00	\$3,704.80	\$3,889.60	\$4,074.40	\$4,259.20	\$4,444.00	\$4,628.80	\$184.80
\$4,418.70	\$4,706.90	\$4,995.10	\$5,283.30	\$5,571.50	\$5,859.70	\$6,147.90	\$6,436.10	\$ 6,724.30	\$288.20
							Sp	liced systems	begin at 19'
יוו	12'	13'	14'	15'	16'	17'	18'	19'	per add'l ft
\$1,698.40	\$1,742.40	\$1,786.40	\$1,830.40	\$1,874.40	\$1,918.40	\$1,962.40	\$2,006.40	\$2,050.40	\$44.00
\$3,396.80	\$3,484.80	\$3,572.80	\$3,660.80	\$3,748.80	\$3,836.80	\$3,924.80	\$4,012.80	\$4,100.80	\$88.00

Item #	Name	NET Price

R-TEC Motor & Components

RTMLDSS50	Slim Drapery Motor	\$200.00
RTMLDSSB	Li-ion Battery	\$120.00
RTMLDSSBC	Battery Wall Charger	\$15.00
RTMLDSSUSB	USB Cable	\$15.00
RTMDSSPT	110v AC/DC Power Transformer 10' with 3 Conductor Male Plug	\$70.00
RTMDSSPTCS	110v AC/DC Power Transformer 20' (plug RTMP sold separately) specify ft.	\$75.00
RTMP	3 Conductor Male Plug	\$25.00

PTH Motorized Traverse Tips

- Specified custom cut length indicates track length including drive gears; fascia will be 1/4" longer at each end of track (1/4" total); mitered fascia will add the following to the traverse system:

Fascia	Depth	+ to traverse system
1 3/8"	7/8"	2"
2 1/4"	1 3/8"	3"
Flat	3/4"	1 3/4"
Slim Round	5/0"	1 1/5"

- · Track and fascia will be spliced in the center of overall length.
- \cdot Blended fascia is available for an additional fee per blend; PTH will
- properly connect splice(s) and ship your fascia in one continuous length. · Back fascia can accommodate decorative end caps; decorative end
- caps sold separately.

 R-TEC Motorized Traverse Systems carry a 5 year warranty; WARNING Modifications of internal components will void R-TEC warranties.

Item #	Name		Color	NET
R-TEC Sm	art Controls	Push5 Handhe Mount - 5 chai		

Mount - 5 channel included						
RTMHRIC	RTMHRIC Handheld Remote with Wall Mount, 1 ch					
RTMHR5C	Push5 Handheld Remote with Wall Mount, 5 ch	Off- White	\$70.00			
RTMHRP15C RTMHRP15C/K	Push15 Handheld Remote with Wall Mount, 15 ch	White or Black	\$75.00			
RTMHR15C	Handheld Remote with Wall Mount, 15 ch	White	\$85.00			
RTMWSR5C	Surface Wall Mount Switch, 5 ch	White	\$70.00			
RTMWCRIC	Cut-In Wall Mount Switch, 1 ch*	White	\$50.64			
RTMWCR2C	Cut-In Wall Mount Switch, 2 ch*	White	\$56.59			
RTMWSR15C	Cut-In Wall Mount Switch, 15 ch*	White	\$75.00			
RTMSMB/W	*Surface Mount Wall Back Box	White	\$8.50			
RTMHUB2	Wi-Fi to ARC Bridge Hub-2-Way RF-includes USB Power Cord, Power Plug & Ethernet Cable	White	\$255.00			
RTMISS	Interior Sun Sensor	White	\$45.00			
RTMUSR	ARC USB Signal Repeater	White	\$120.00			
RTMLDSSBC	Wall Charger for USB Signal Repeater	White	\$15.00			
RTMSOLAR2	Solar Panel Battery Charger- includes L-Bracket, Cables & Fastener	Black	\$120.00			

*RTMSMB/W required for installation.




R-TEC Motorized Heavy Duty Traverse Systems Finishes

Decorative wood fascia available in 13/4" or 21/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 17/4" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns. See next page for Fascia Profiles. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Wood Fascia Finish	Track and Bracket* Color	Component Color	Max. Continuous Length
	Amulet	White	White	16'
	Andiron	White	White	16'
	Antique Gold	White	White	16'
	Antique Gold Leaf	White	White	16'
	Art Bronze	Bronze	Bronze	16'
	Barnwood	Bronze	Bronze	16'
	Black	Bronze	Bronze	16'
	Blush	White	White	16'
	Bronzed Pewter	Bronze	Bronze	16'
	Concrete	White	White	16'
	Couture	White	White	16'
	Dark Chocolate	Bronze	Bronze	16'
	Firelight	White	White	16'
	Gossamer	Bronze	Bronze	16'
	Greige	White	White	16'
1 3/8" or 2 1/4"	Halo	White	White	16'
smooth, reeded or	Java	Bronze	Bronze	16'
grooved/ fluted profiles	Linen	White	White	16'
with	Luminous	Bronze	Bronze	16'
coordinating finials	Manor	White	White	16'
1 %" slim round	Mink	Bronze	Bronze	16'
smooth profile	Moonlight	Bronze	Bronze	16'
2 ¼" flat	Mystic	White	White	16'
smooth profile	New Age Bronze	Bronze	Bronze	16'
With flush ends	Patina	White	White	16'
or mitered returns	Shimmer	Bronze	Bronze	16'
	Silver Maple	White	White	16'
	Spicewood	Bronze	Bronze	16'
	Spun Gold	White	White	16'
	Stardust	White	White	16'
	Starlet	White	White	16'
	Titanium	White	White	16'
	Truffle	Bronze	Bronze	16'
	Urban Bronze	Bronze	Bronze	16'
	White	White	White	16'
	PTH Perfect Match™	please specify	please specify	16'
	Antique Brass	White	White	12'
	Oil Rubbed Bronze	Bronze	Bronze	12'
	Platinum	White	White	12'
	Rose Gold	White	White	12'
	Walnut	Bronze	Bronze	12'



Motorized Heavy Duty Traverse Systems Fascia Profiles



Smooth

- · 13/8" and 2 1/4" diameters available with R-TEC Systems
- · 2 1/4" diameter available with Somfy Systems
- · See below for coordinating finial options

Reeded

- ·13/8" and 2 1/4" diameters available with R-TEC Systems
- · 2 1/4" diameter available with Somfy Systems
- · See below for coordinating finial options

Grooved / Fluted

- \cdot 13/8" and 2 1/4" diameters available with R-TEC Systems
- · 2 1/4" diameter available with Somfy Systems
- · See below for coordinating finial options

Slim Round Smooth, No Finials

 \cdot 1 %" diameter, available with flush ends or mitered returns

Flat Smooth, No Finials

· 2 1/4" height, available with flush ends or mitered returns

Mitered Returns (sold separately)

- \cdot 13/8", 17/8" and 2 1/4" diameters available
- · All profiles

Upgrade your Motorized HD Traverse with Finial Styles

Finials are sold separately. $1\frac{3}{8}$ " or $2\frac{1}{4}$ " Portfolio and Quick Ship Wood and Resin finials are compatible across two style categories. Somfy systems are not available with $1\frac{3}{8}$ " fascias and finials.













1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 22 | 2 1/4" Quick Ship page 102



13/8" Portfolio page 17 | 13/8" Quick Ship page 97 | 23/4" Portfolio page 23 | 23/4" Quick Ship page 102



R-TEC Motorized Heavy Duty Traverse Systems Brackets




TB035-R TB060-R TB100-R


	R-TEC Single TB035-R	2 $^{11}/_{16}$ " H x 1 $^{1}/_{2}$ " W backplate, adjustable up to 3 $^{1}/_{4}$ " return Available in white or bronze /BR.	\$31.63 each
	R-TEC Single or Double TB060-R /BR	$3^{5}/_{16}$ " H x $1^{1}/_{2}$ " W backplate, $5^{1}/_{4}$ " front return and 2" back return Available in white or bronze /BR.	\$50.60 each
R	R-TEC Single, Double or Triple TB100-R	4 ½" H x 1 ½" W backplate, adjustable up to 9" return Available in white or bronze /BR.	\$50.60 each
	Ceiling Mount Clip Single RTMDTBCM	$^{1}\!\!/_{4}$ " H x 2 $^{1}\!\!/_{4}$ " D x 1 $^{1}\!\!/_{16}$ " W May only be used in systems without fascia. For double ceiling mount installation, install two brackets into ceiling. Available in white.	\$3.00 NET each
	Fascia Mount Clip RTMDTFC	1/2" H x 1" W Use to attach fascia to traverse systems; included. Available in zinc.	\$2.50 NET each




R-TEC Single Motorized Bracket TB035-R



R-TEC Single or Double Motorized Bracket TB060-R




R-TEC Single, Double or Triple Motorized Bracket TB100-R



- * from 2-7/16" to 6-7/16" back return; 9" front return without fascia
- * from 2-7/16" to 5-3/4" back return; 9" front return with fascia

R-TEC Ceiling Mount Bracket **RTMDTBCM**

Please note: Ceiling Bracket will not accommodate fascia and finials.







Custom Over-**Bracket Single** TBKT214-R

 $3\frac{1}{2}$ " H x $\frac{3}{4}$ " W backplate, $7\frac{3}{8}$ " front return and 3" back return Use to combine 2 1/4 full wood pole with single traverse systems; includes traverse ceiling mount bracket attached onto the bottom of the over-bracket.

Steel

*Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™

\$88.55 each



Custom Ceiling Single CMTB-R

2 3/4" H x 3/4" W backplate

for double ceiling mount installation, install two brackets

into ceiling.

Steel

*Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood

& Resin finishes or PTH Perfect Match™

When ordering, specify:

A. Fascia diameter and profile.

B. Projection to carrier and/or to front of fascia.

Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).


D. Width of mounting plate if longer than 2 3/4".

\$75.90 each

R-TEC Custom Traverse Bracket


TBKT214-R

Available in any Portfolio or PTH Perfect Match™ painted finish, or our 5 Quick Ship Wood & Resin finishes.



R-TEC Custom Traverse Ceiling Bracket CMTB-R

Available in any Portfolio or PTH Perfect Match™ painted finish, or our 5 Quick Ship Wood & Resin finishes.



When ordering, specify:

A. Fascia diameter and profile.

B. Projection to carrier and/or to front of fascia.

Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling)

D. Width of mounting plate if longer than 2 3/4".



R-TEC Motorized Heavy Duty Traverse Systems Information

Carriers for additional carriers.

Pinch Pleat Glides





See page 39 for diagrams.

Pinch Pleat Glides CP40 CP40/BR /BR Wheel for smooth movement. Available in white or bronze /BR.

Included in system; additional glides may be ordered separately.

\$3.25 NET pack (10 pieces)

Ripplefold® Style Glides





See page 39 for diagrams.

Ripplefold® Style Glides R4060/P R4060/P/BR /BR R4080/P/BR R4080/P R4100/P R4100/P/BR R4120/P/BR R4120/P

Ripplefold Glides with detachable pendents. 60%, 80%, 100% or 120% fullness - specify fullness on order. Available in white or bronze /BR.

Included in system; additional glides may be ordered separately.

\$0.63 NET each

Master carrier body is required for each master carrier arm - sold separately; look for the /BR icon for components available in bronze and add /BR at the end of the item number to order.

Master Carrier Body RTMDTMCB RTMDTMCB/BR FER
Overlap Master Carrier Arms for Center Draw RTMDTCD
Tandem Master Carrier Arms for Center Draw RTMDTCDTAN
Master Carrier Arm for One-Way Draw RTMDTOR RTMDTOL
Ripplefold Butt Master Carrier Arms for Center Draw RTMDTCDB
Ripplefold Butt Master Carrier Arm for One-Way Draw RTMDTOB

RTMDTMCB/BR /BR
Overlap Master

Select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately. Available in white or bronze /BR.

\$4.75 NET

\$4.00 NET

each



Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.

pair*

Tandem Master	
Carrier Arms	Pair. Pinch pleat or Ripplefold; order two MC Bodies -
for Center Draw	separately. Available in Stainless Steel only.
RTMDTCDTAN	

- sold

\$7.00 NET pair*



Right (R) or Left (L). Pinch pleat or Ripplefold; order one MC Body - sold separately. Available in Stainless Steel only. \$2.75 NFT each



Pair. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.

\$4.75 NET pair*

lefold Butt er Carrier Arm ne-Way Draw

Right and left use. Ripplefold only; order one MC Body sold separately. Available in Stainless Steel only.


\$2.75 NET each

Tandem Alternative


Tandem alternative ARC™ motorized systems utilize two drapery motors and are used for draperies that exceed the maximum single motor capacity, available in center draw only. Use Tandem Center Draw Overlap Arms RTMDTCDTAN (for pinch pleat or ripplefold draperies) or two Butt Master One-Way Draw Arms RTMDTOB (for ripplefold draperies only).

R-TEC Motorized Carrier Diagrams


R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arms, Center Draw RTMDTCD




R-TEC Motorized Heavy Duty Traverse ONLY Universal Tandem Master Carrier Arms, Center Draw RTMDTCDTAN (see page 52 for details)




R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arm, One-Way Draw Right - RTMDTOR or Left - RTMDTOL



R-TEC Motorized Heavy Duty Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw, Right or Left - RTMDTOB




R-TEC Motorized Heavy Duty AND 1 3/8" Metal Traverse Ripplefold Butt Master Carrier Arms, Center Draw RTMDTCDB




13/8" R-TEC Motorized Metal Traverse ONLY


Pinch Pleat / Ripplefold Master Carrier Arms, Center Draw RTPTH138CD



1 %" R-TEC Motorized Metal Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw Right - RTPTH1380BR or Left - RTPTH1380BL



1 3/8" R-TEC Motorized Metal Traverse ONLY Pinch Pleat Master Carrier Arm, One-Way Draw Right - RTPTH138PPOR or Left - RTPTH138PPOL



R-TEC Automation® & Somfy Comparison

		•/	1		
System Features	R-TEC® Automation® Slim Drapery Motor	Somfy Glydea® Heavy Duty	ULTRA Motors Standard	Somfy Irism Standard	no™ Motors Mini
System Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
8' System Pricing (Single Track With 2¾" Wood Fascia)	\$2,295.00	\$3,550.00	\$3,105.00	\$3,550.00	\$3,105.00
Center Draw or One-Way Draw Available	X	X	X	X	X
White or Bronze Track Available	X	X	X	X	X
White or Bronze Components Available	X	X	X	X	X
Track Maximum Length	36'	36'	32'	33'	32'
Maximum Number of Track Splices	2	2	2	2	2
Minimum Curving Radius		11.8" (30 CM)	11.8" (30 CM)		11.8" (30 CM)
White or Bronze Wall Mount Brackets (Sgl & Dbl)	X	X	X	X	X
White Standard Ceiling Mount Bracket	X	X	X	X	X
1¾" Fascia Available	X				
Motor Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Motor Cord Length as Purchased	120" or specify length up to 240"	120"	120"	n/a	158.4"
Touch Motion	X	X	×	X	X
Manual Override	X	X	X	X	X
Soft Start	X	X	X	X	X
Soft Stop	X	X	X	X	X
Speed Control & Adjustment	X	X	X	X	X
Average Linear Speed	5.5 in./s - 8.25 in. /s	4.9 in./s - 7.86 in. /s (silent: 2.95 in. /s)	4.9 in./s - 7.86 in. /s (silent: 2.95 in. /s)	4.9 in./s - 7.86 in./s	4.9 in./s - 7.86 in./s
Motor Automatically Stops When System Reaches Fully Open or Fully Closed Position	X	×	×	×	X
Adjustable Limits	X	X	X	X	X
Intermediate Position	Favorite Position	My Position	My Position	My Position	My Position
Motorized Track Noise Level	44 db	38 dB in silent mode	38 dB in silent mode	44 dB	44 dB
Maximum Weight	110 lbs	132 lbs	77 lbs	99 lbs	77 lbs
Tandem Alternative Maximum Weight	220 lbs	266 lbs	154 lbs	198 lbs	154 lbs
Motor Unit can be Installed on Either End of Track	X	×	×	×	X
Inverse Mounting of Motor	X	X	X	X	X
Factory Reset	X	X	X	X	X
Control Options***	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Timer Control		X	X	X	X
Sun Control	X	X	X	X	X
Digital Communication Technology	ARC™		Radio Technolo	ogy Somfy (RTS)	
Solar Power	X				
Installation Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Programming Buttons on Motor Unit	X	X	X	X	X
Power Supply	Li-ion Battery or 110v AC/DC Power Transformer	12	0V	25.9 V DC Power (Li-ion Rechargeable)	24V DC Power Supply
Amperage	1.3 A	0.8 A	0.8 A	0.5 A	2 A
Power Consumption	20 W	96 W	96 W	60 W	48 W
Power Cable Type	3 conductor male plug	3 conductor male plug	3 conductor male plug	3 conductor male plug	3 conductor male plug
Certifications	CE		, CCC, CE	CE	CE
Standard Accessories Included With System	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
5 Channel Transmitter (Remote Control; White)	X	X	X	X	X
Carrier Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
White or Bronze Pinch Pleat or Ripplefold® Style Glides	Х	X	X	X	X
	I.	I	I	L.	I

^{*}components include: carriers, master carriers, drive gears, return hooks and fascia clips.

**maximum allowable charging current.

***DCT motors are available for Glydea Ultra 60e, 35e and Irismo 35. Special order required.

Somfy Motorized Heavy Duty Traverse Systems

Motorized System is perfect for all treatments - from lightweight sheers to heavily lined fabrics, and is the ideal solution for treatments mounted where corded systems are not easily reached.

Decorative wood fascia available in 2 1/4" smooth, reeded, grooved / fluted profiles with flush ends or mitered returns. Finials may be ordered separately from 2 1/4" Portfolio or Quick Ship Wood and Resin.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single



- Standard single bracket is adjustable 2 3/4" 3 5/8" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- 2 1/4" finials and additional remote options sold separately



- Standard single bracket is adjustable 2 3/4" 3 5/8" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- Additional remote options sold separately



- Standard single bracket is adjustable 2 3/4" 3 5/8" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, motor, power option, brackets, components and a standard 5 channel remote control
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Double



- Standard double brackets are adjustable 5" 5 3/6" front return and adjustable 1 3/4" - 2 3/8" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- 2 1/4" finials and additional remote options sold separately




- Standard double brackets are adjustable 5" 5 3/8" front return and adjustable 1 3/4" - 2 3/8" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- Additional remote options sold separately



- Standard double brackets are adjustable 5" 5 3/8" front return and adjustable 1 3/4" - 2 1/2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Single and Double Systems without Fascia can be curved for an additional fee:

Somfy Glydea®



Please note: Somfy Glydea® systems can be curved with a minimum 11.8" radius. All curves require a template. Curving track reduces weight capacity of motor. Please refer to motor specifications on page 56.

Somfy Motorized Heavy Duty Traverse Systems Information

Somfy Motorized Track

- · Track sold in 1 foot increments, 6' minimum
- · Maximum continuous length is 20'; spliced lengths up to 36'
- · Includes one motor, standard remote control 5-channel transmitter per track, and fascia with fascia clips when applicable
- · Available in white or bronze; track finish will complement fascia finish
- · End drive gears available in white
- · May be ordered with or without fascia options
- · Curved tracks available with minimum 11.8" radius; curving fees apply



Somfy Irismo™ 45 RTS Motor 1002353

- · Heavy duty motor, 1 per track
- · Maximum drapery weight for motor: 99 lbs
- · Maximum length for motor: 33'
- · 25.9V Li-ion Battery Power
- · Motor can be mounted on right or left for center draw,
- · Return hooks/snaps included; available in white
- · Available in white
- · 5 year warranty



Somfy Glydea® ULTRA 60e RTS Motor 1003159


- · Heavy duty motor, 1 per track
- · Maximum drapery weight for heavy duty motor: 132 lbs
- · Maximum length for heavy duty motor: 36'
- \cdot 110V Power Supply cord with plug: 120" cord length · Motor can be mounted on right or left for center draw, or top mounted; may also be hardwired
- · Return hooks/snaps included; available in white
- · Available in brushed aluminum
- \cdot 5 year warranty (warranty voided if hardwired)



Somfy Situo® standard remote control transmitter

1870575 (multi-channel handheld remote)

- · 5 1/4"H x 1 5/8"W
- · 1 remote control per track
- · 5 channels
- · Programmable My Position to set your favorite drapery position
- · Available in white



- · Maximum drapery weight for mini motor: 77 lbs
- · Maximum length for mini motor: 32
- \cdot 24V DC Power Supply cord with plug: 158.4" cord length
- · Motor can be mounted on right or left for center draw,
- · Return hooks/snaps included; available in white
- · Available in white
- · 5 year warranty




Somfy Glydea® ULTRA 35e RTS Motor

- · Light duty motor; 1 per track
- · Maximum drapery weight for light duty motor: 77 lbs
- · Maximum length for light duty motor: 32'
- · 110V Power Supply cord with plug: 120" cord length
- · Motor can be mounted on right or left for center draw, or top mounted; may also be hardwired
- · Return hooks/snaps included; available in white
- · Available in brushed aluminum
- \cdot 5 year warranty (warranty voided if hardwired)

Somfy Motorized Traverse System

includes 1 motor with power supply (1 per track), track(s) with components, brackets, and 1 standard 5 channel transmitter (1 per system), and fascia with fascia clips when



Motor Weight Capacity

Be sure to select the best motor for your window treatment. Use the Motor Weight Capacity chart below to determine which motor best accommodates your length of track and your drapery weight. The System Features chart on page 54 lists the varied functions of each motor.

		maximum drapery weight per total length of system (lbs)												
		Motor	18' or less	20'	22'	24'	26'	28'	30'	32'	34'	36'	38'	40'
s o mfy.	Std	Glydea® ULTRA 35	77	77	77	77	77	77	77	77	-	-	-	-
	HD	Glydea® ULTRA 60e	132	132	132	132	132	132	132	132	132	132	-	-
30111 %	Std	Irismo 45	99	99	99	99	99	99	99	99	-	-	-	-
	Mini	Irismo 35	77	77	77	77	77	77	77	77	-	-	-	-

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance. Curving: System curves reduce maximum drapery weight capacity by a minimum of 15% per bend. Please call us regarding weight capacity for your curved track. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately

Somfy Motorized Heavy Duty Traverse Systems Finishes

Decorative wood fascia available in 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 1/8" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns. See page 49 for Fascia Profiles. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Wood Fascia Finish	Track and Bracket* Color	Component Color	Max. Continuous Length
	Amulet	White	White	16'
	Andiron	White	White	16'
	Antique Gold	White	White	16'
	Antique Gold Leaf	White	White	16'
	Art Bronze	White	Bronze	16'
	Barnwood	Bronze	Bronze	16'
	Black	White	Bronze	16'
	Blush	White	White	16'
	Bronzed Pewter	Bronze	Bronze	16'
	Concrete	White	White	16'
	Couture	White	White	16'
	Dark Chocolate	Bronze	Bronze	16'
	Firelight	White	White	16'
	Gossamer	Bronze	Bronze	16'
	Greige	White	White	16'
2 1/4" smooth,	Halo	White	White	16'
reeded or grooved /	Java	White	Bronze	16'
fluted profiles	Linen	White	White	16'
with coordinating	Luminous	White	Bronze	16'
finials	Manor	White	White	16'
1%" slim round	Mink	Bronze	Bronze	16'
smooth profile	Moonlight	Bronze	Bronze	16'
2 ¼" flat smooth profile	Mystic	White	White	16'
	New Age Bronze	Bronze	Bronze	16'
With flush ends or mitered	Patina	White	White	16'
returns	Shimmer	Bronze	Bronze	16'
	Silver Maple	White	White	16'
	Spicewood	Bronze	Bronze	16'
	Spun Gold	White	White	16'
	Stardust	White	White	16'
	Starlet	White	White	16'
	Titanium	White	White	16'
	Truffle	Bronze	Bronze	16'
	Urban Bronze	White	Bronze	16'
	White	White	White	16'
	PTH Perfect Match™	please specify	please specify	16'
	Antique Brass	White	White	12'
	Oil Rubbed Bronze	White	Bronze	12'
	Platinum	White	White	12'
	Rose Gold	White	White	12'
	Walnut	Bronze	Bronze	12'

Somfy Motorized Heavy Duty Traverse Systems Pricing

•				•				
Item #	Name Pricing Includes Somfy® Motorized Traverse Tra	ck with Motor,	Remote and B	attery Charger	when orderin	g the Irismo™	45 Std Motor	
Motorized Travers	se System with Wood Fascia	6'	7'	8'	9'	10'	יוו	
Single Track System v	with Wood Fascia for 1 %" slim, 2 ¼" flat smootl	n and 2 ¾"	round	ı		1	1	
STRACKF2S6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,619.00	\$3,762.00	\$3,905.00	\$4,048.00	\$4,191.00	\$4,334.00	
STRACKF2S35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,129.50	\$3,272.50	\$3,415.50	\$3,558.50	\$3,701.50	\$3,844.50	
Double Track System	with Wood Fascia Front Only for 1 1/8" slim, 2 1/4	4" flat smoo	th and 2 1/4'	" round				
STRACKF2DF6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$6,891.50	\$7,128.00	\$7,364.50	\$7,601.00	\$7,837.50	\$8,074.00	
STRACKF2DF35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$5,912.50	\$6,149.00	\$6,385.50	\$6,622.00	\$6,858.50	\$7,095.00	
STRACKF2DFMix	Mixed Motors	\$6,402.00	\$6,638.50	\$6,875.00	\$7,111.50	\$7,348.00	\$7,584.50	
Double Track System	with Wood Fascia Front and Back for 2 1/4" rou	ind only						
STRACKF2DFB6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$7,238.00	\$7,524.00	\$7,810.00	\$8,096.00	\$8,382.00	\$8,668.00	
STRACKF2DFB35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$6,259.00	\$6,545.00	\$6,831.00	\$7,117.00	\$7,403.00	\$7,689.00	
STRACKF2DFBMix	Mixed Motors	\$6,748.50	\$7,034.50	\$7,320.50	\$7,606.50	\$7,892.50	\$8,178.50	
Double Track System with Stationary Front Wood Pole & No Back Fascia								
STRACKF2DSF6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,923.70	\$4,158.00	\$4,392.30	\$4,626.60	\$4,860.90	\$5,095.20	
STRACKF2DSF35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,434.20	\$3,668.50	\$3,902.80	\$4,137.10	\$4,371.40	\$4,605.70	
Double Track System with Stationary Front Wood Pole & Back Wood Fascia for 2 1/4" round only								
STRACKF2DSFB6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$4,270.20	\$4,554.00	\$4,837.80	\$5,121.60	\$5,405.40	\$5,689.20	
STRACKF2DSFB35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,780.70	\$4,064.50	\$4,348.30	\$4,632.10	\$4,915.90	\$5,199.70	
Motorized Traverse System without Wood Fascia								
Single Track System t	rack available in white or bronze	6'	7'	8'	9'	10'	יוו	
STRACK6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,272.50	\$3,366.00	\$3,459.50	\$3,553.00	\$3,646.50	\$3,740.00	
STRACK35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$2,783.00	\$2,876.50	\$2,970.00	\$3,063.50	\$3,157.00	\$3,250.50	
Double Track System	track available in white or bronze					'		
STRACKDBL6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$6,545.00	\$6,732.00	\$6,919.00	\$7,106.00	\$7,293.00	\$7,480.00	
STRACKDBL35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$5,566.00	\$5,753.00	\$5,940.00	\$6,127.00	\$6,314.00	\$6,501.00	
STRACKDBLMix	Mixed Motors	\$6,055.50	\$6,242.50	\$6,429.50	\$6,616.50	\$6,803.50	\$6,990.50	
0 11 0 6				D.T. I. A.		. —	—·	

Quantity Per System

	6'	7'	8'	9'	10'	11'	12'	13'	14'	15'	16'
Pinch Pleat Glides	24	28	32	36	40	44	48	52	56	60	64
Brackets	3	3	4	4	4	5	5	5	6	6	6

Somfy glides are 4 per foot | Somfy brackets are 1 every 3-4 feet

Motorized Stack Back Calculation (each drapery panel)

master carrier + (# glides on panel x carrier width) + 3.75" = stack per drapery panel

Ex: Somfy 10ft. center draw, pinch pleat (standard 4 glides per ft.)

 $4.67" + [(40/2) \times .563"] + 3.75" = 19.7" \text{ stack, panel with over arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" + [(40/2) \times .563"] + [(40$

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

PTH Motorized Traverse Tips


Specified custom cut length indicates track length including drive gears; fascia will be ¼" longer at each end of track (½" total); mitered fascia will add the following to the traverse system:

Fascia	Depth	+ to traverse system
1 3/8"	7/8"	2"
2 1/4"	13/8"	3"
Flat	3/4"	1 3/4"
Slim Round	5/8"	1 1/2"

- Track and fascia will be spliced in the center of overall length.
- Blended fascia is available for an additional fee per blend; PTH will properly connect splice(s) and ship your fascia in one continuous length.
- Back fascia can accommodate decorative end caps; decorative end caps sold separately.

Orders with Somfy motorized traverse systems will incur a \$25 packaging fee. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge. Available in all profiles for 1 1%" and 2 1/4" diameter fascias or without a wood fascia. 1 1/4" not available with Somfy Systems.

12'	13'	14	15'	16'	per add'l ft
			Systems are I	esola in iπi I	increments
\$4,477.00	\$4,620.00	\$4,763.00	\$4,906.00	\$5,049.00	\$143.00
\$3,987.50	\$4,130.50	\$4,273.50	\$4,416.50	\$4,559.50	\$143.00
\$8,310.50	\$8,547.00	\$8,783.50	\$9,020.00	\$9,256.50	\$236.50
 \$7,331.50	\$7,568.00	\$7,804.50	\$8,041.00	\$8,277.50	\$236.50
\$7,821.00	\$8,057.50	\$8,294.00	\$8,530.50	\$8,767.00	\$236.50
\$8,954.00	\$9,240.00	\$9,526.00	\$9,812.00	\$10,098.00	\$286.00
\$7,975.00	\$8,261.00	\$8,547.00	\$8,833.00	\$9,119.00	\$286.00
\$8,464.50	\$8,750.50	\$9,036.50	\$9,322.50	\$9,608.50	\$286.00
\$5,329.50	\$5,563.80	\$5,798.10	\$6,032.40	\$6,266.70	\$234.30
 \$4,840.00	\$5,074.30	\$5,308.60	\$5,542.90	\$5,777.20	\$234.30
\$5,973.00	\$6,256.80	\$6,540.60	\$6,824.40	\$7,108.20	\$283.80
\$5,483.50	\$5,767.30	\$6,051.10	\$6,334.90	\$6,618.70	\$283.80
			Systems are	sold in 1 ft i	increments
12'	13'	14'	15'	16'	per add'l ft
\$3,833.50	\$3,927.00	\$4,020.50	\$4,114.00	\$4,207.50	\$93.50
\$3,344.00	\$3,437.50	\$3,531.00	\$3,624.50	\$3,718.00	\$93.50
\$7,667.00	\$7,854.00	\$8,041.00	\$8,228.00	\$8,415.00	\$187.00
\$6,688.00	\$6,875.00	\$7,062.00	\$7,249.00	\$7,436.00	\$187.00
\$7,177.50	\$7,364.50	\$7,551.50	\$7,738.50	\$7,925.50	\$187.00



ltem #	Name	Color	Price
Somfy M	otors		
1003159	Somfy Glydea® ULTRA 60e Heav	y Duty Motor	\$1,518.00
1003152	Somfy Glydea® ULTRA 35e Std N	/lotor	\$1,246.03
1002353	Somfy Irismo™ 45 Std Motor**		\$1,518.00
1003004	Somfy Irismo™ 35 Mini Motor*		\$1,246.03

^{*} Transformers are included **Li-ion battery included; charger sold separately.

Motor Accessories

1003080	Battery Charger for Irismo™ 45 Std Motor	White	\$103.59
9026476	Rechargeable Li-ion Battery	White	\$221.38

Transmitters/Devices

	•		
1870575	Situo® Transmitter-5 channel (included)	White	\$284.63
1810652	Telis Transmitter-5 channel	Black	\$357.50
1870571	Situo® Transmitter-1 channel	White	\$192.50
1810639	Telis Transmitter-1 channel	Silver	\$286.00
1810650	Telis Transmitter-1 channel	Black	\$286.00
1811081	Telis16 RTS-16 channel	White	\$866.53
1811082	Telis16 RTS-16 channel	Silver	\$866.53
1810897	Wireless Wall Switch-1 channel	White	\$487.03
1810898	Wireless Wall Switch-1 channel	Ivory	\$487.03
1810899	Wireless Wall Switch-1 channel	Black	\$556.60
1810813	Wireless Wall Switch-5 channel	White	\$506.00
1810814	Wireless Wall Switch-5 channel	Ivory	\$506.00
1810830	Wireless Wall Switch-5 channel	Black	\$588.23
1811185	Table Top Accessory *	White	\$151.80
1810972	Table Top Accessory *	Silver	\$151.80
1811051	Table Top Accessory *	Black	\$151.80

^{*} use with Wireless Wall Switch

Programmable Timers

1811731 Somfy TaHoma® gateway \$251.74 NET
--

Additional Somfy Traverse Fees

PTHFEEMITER-EACH Wood Fascia Mitered Return per return	\$80.00
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection	\$65.00
PTHFEEBLEND Blended Fascia Splice per blend	\$108.00
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fascia	\$65.00
PTHFEERESTRING Restringing Fee per track	\$100.00
Standard 45 Fascia Splice	No Charge
Curving Fees (per bend, template required)	Quoted
Crating for Curved Track	\$75.00
Packaging fee per order	\$25.00

Somfy Motorized Heavy Duty Traverse Systems Information




TB035-S TB060-S TB100-S


Somfy Single TB035-S /BR	$2^{11}\!/_{16}$ " H x 1 ½" W backplate, adjustable 2 $^3\!4$ " - 3 $^5\!6$ " return. Available in white or bronze /BR and included in Single Systems.	\$31.63 each
Somfy Single or Double TB060-S BR	3 5/16" H x 1 ½" W backplate, adjustable 5" - 5 3%" front return and adjustable 1 3½" - 2 ½" back return. Available in white or bronze /BR and included in Double Systems. May be substituted for Single Systems when longer return is needed.	\$50.60 each
Somfy Single, Double or Triple TB100-S ER	$4\frac{1}{2}$ " H x 1 $\frac{1}{2}$ " W backplate, adjustable up to 9 $\frac{3}{16}$ " return. Available in white or bronze /BR.	\$50.60 each
Ceiling Mount Clip Single CMBC-S BR	$\frac{1}{4}$ " H x 1" W x 2" D May only be used in systems without fascia for Single or Double Systems. For double ceiling mount installation, install two brackets into ceiling. Available in white or bronze /BR.	\$25.30 each
Somfy Fascia Clip SOMFY CLIP	Use to attach fascia to traverse systems; included. Available in zinc.	\$25.30 each




Somfy Single Motorized Bracket TB035-S




Somfy Single or Double Motorized Bracket TB060-S



Somfy Single, Double or Triple Motorized Bracket TB100-S







Custom Over-Bracket Single

Custom

Ceiling

Single

CMTB-S

 $3\,1\!\!/\!\!_2$ " H x $3\!\!/\!\!_4$ " W backplate, 7 $7\!\!/\!\!_8$ front return and 3" back return. Use to combine 2 1/4" full wood pole with Single Traverse Systems. Traverse mounting bracket simply attaches directly into the bottom of the Over-Bracket. Available in 35 Portfolio and PTH Perfect Match™ finishes.

*Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™

tip: front pole ring must clear back fascia 1/4" For Ring Drops 3" back return see page 51 7-7/8" front return

Optional back fascia will be clipped to track. Diagram depicts ensemble when back fascia is desired.

TBKT214-S

2 3/4" H x 3/4" W backplate

May only be used in systems with fascia for Single or Double Systems. Available in 35 Portfolio, 5 Quick Ship Wood & Resin or PTH Perfect Match™ finishes. Steel

for double ceiling mount installation, install two brackets

*Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™

When ordering, specify: A. Fascia profile (only 2 ½" DIA available)


B. Projection to carrier and/or to front of fascia.

Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).


D. Width of mounting plate if longer than 2 3/4".

\$75.90 each

\$88.55 each




Carriers for additional carriers.




Somfy Pinch Pleat Glide

1781415 white 1782869 bronze 4 per foot, unless otherwise specified




Somfy Ripplefold Glide

1780901 white, 80% 1782870 bronze, 80% 1780902 white, 100% 1782871 bronze, 100% 1780903 white, 120% 1782872 bronze, 120%




IMPORTANT: Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold glides. Somfy Glydea® Ripplefold glides are only compatible with Kirsch Ripplefold snap tape. Other brand tapes are NOT COMPATIBLE with the Somfy Glydea® Motorized system.


Somfy Ripplefold Butt Master Carrier Arm - One-Way Draw 1782319



Somfy Ripplefold Butt Master Carrier Arm - Center Draw



Somfy Pinch Pleat or Ripplefold Master Carrier Arms - Center Draw







Motorized Traverse Order Form

1ATION®	
AUTON	

	Ž
HOME MOTION by	SOM

HANDWANE		# Od				Š	Side Mark					Ship via				Date	
Company Information									Shipp	ing Ini	Shipping Information	on					
Company Name				Acct	ct #				Compa	Company Name	Je				Acct #	t#	
Contact Person									Contact Person	t Perso	٦						
Street Address									Street Address	Address	,,						
City				ίζ	State		ZIP		City						State		ZIP
Email									Email								
Phone			Fax						Phone					Fax			
MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed specifications. Specified custom cut length indicates track length including drive gears; Mitered fascia will be up to 3" long	SE SYS	TEMS - Consu ck length including	It Price Lis drive gears;	st for de Mitered	etailed fascia wi	specifi d II be up t	:ations. o 3" longe	er than tra	ıck length, ı	dependii	ng on the	iled specifications. cia will be up to 3" longer than track length, depending on the profile ordered.	ed.				
Item #	Motor	Power Option **see additional R-TEC options below	ion R-TEC w	Fascia Type		System C Length Cu Up to 36' (per 1')	Custom Cut Track Length (inches)	Fascia Finish Code	Bracket Preference		Draw Preference Center One-M	raw erence One-Way	Motor Location	Glide Style pinch pleat or Ripplefold ®*	Qty	Price per Unit	nit Subtotal
		☐ Li-ion Battery ☐ 110	110v AC/DC Power									L	_ L _ R	PP			
		☐ Li-ion Battery ☐ 110	110v AC/DC Power									L	_ L _ R	PP			
		☐ Li-ion Battery ☐ 110	110v AC/DC Power									 	L	PP			
		☐ Li-ion Battery ☐ 110	110v AC/DC Power			-				\dashv		 	_ L	PP			
MOTORIZED TRAVERSE COORDINATING ACCESSORIES ANI Order finials, mitered returns, and accessories here.	E COO	RDINATING A	CCESSOI	RIES A	ND AE	OITIG	D ADDITIONAL FEES	ES		**Powe ADDIT	er Option IONAL: s	s for R-TEC olar panel	**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$120; 20' coro	**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$120; 20' cord \$75 - specify total feet; plug \$25	/ total fee	et; plug \$25	
Item #		Finish Code	de						Desc	Description				0	Qty Pr	Price per Unit	Subtotal
Additional Information			NOTE: N	NOTE: Minimum tra	track le	ngth for	R-TEC is	4' and fo	tck length for R-TEC is 4' and for Somfy is 6'	.9						TOTAL	
Quantity included per system based on cut track length	based on	n cut track length	4' 5'	6. 7	7. 8	9. 10	10. 11.	12' 13'	14' 15'	16.	17. 18.	19' 20'					
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	s master ca	arriers (2) & end caps (.	2)] 21 27	24	28 32	36 40	44	48 52	26 60	64	68 72	76 80					
Brackets (1 per every 3-4 feet)			3 4	4	4	4	2	5 2	9 9	9	7 7	7 8					
Special Instructions												*	hen orderin _e	g Ripplefold	carriers	* When ordering Ripplefold carriers, answer these questions:	e questions:
												£.	elect Ripple	1. Select Ripplefold fullness:	%09	80%]100%
												2. 8	elect Ripple	2. Select Ripplefold masters:		Overlap But	Butt Master
												1					

1 1/8" Baton Draw Metal Traverse Systems

The perfect modern solution for residential or commercial applications.

Finials may be ordered separately from 1 1/8" Diameter Collections and require the use of the Transitional or Deco Cuff / Finial Adapter (sold separately). See page 67.

Select from 35 Portfolio hand painted finishes (except Antique Gold Leaf), 6 Quick Ship Metal finishes or PTH Perfect Match™.




Single Traverse System, Wall Mount


- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately



- Ceiling bracket: 3 5/16" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately



Double Traverse System, Ceiling Mount

- Ceiling bracket: $3^{11}/_{16}$ " drop, $4^{1}/_{2}$ " between centers of tracks
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 3/16" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

1 1/8" Baton Draw Metal Traverse Systems Pricing

Orders with Baton Draw Metal traverse systems will incur a \$25 packaging fee.

Name & Item #	Price						Systems	s are sold	in 1 ft incr	ements
1 1/8" Baton Draw Metal Trave	erse Sy	ystem								
Single Traverse System Wall Mount 3 ½" Return	4'	5'	6'	7'	8'	9'	10'	יוו	12'	price per ft
CSPTHMT118400	\$264.00	\$330.00	\$396.00	\$462.00	\$528.00	\$594.00	\$660.00	\$726.00	\$792.00	\$66.00
Single Traverse System Wall Mount 6" Return										
CSPTHMT118401	\$299.20	\$374.00	\$448.80	\$523.60	\$598.40	\$673.20	\$748.00	\$822.80	\$897.60	\$74.80
Double Traverse System Wall Mount										
CSPTHMT118402	\$528.00	\$660.00	\$792.00	\$924.00	\$1,056.00	\$1,188.00	\$1,320.00	\$1,452.00	\$1,584.00	\$132.00
Single Traverse System Ceiling Mount										
CSPTHMT118403	\$264.00	\$330.00	\$396.00	\$462.00	\$528.00	\$594.00	\$660.00	\$726.00	\$792.00	\$66.00
Double Traverse System Ceiling Mount										
CSPTHMT118404	\$528.00	\$660.00	\$792.00	\$924.00	\$1,056.00	\$1,188.00	\$1,320.00	\$1,452.00	\$1,584.00	\$132.00
Single Traverse System Low-Profile Ceiling Moun	t									
CSPTHMT118406	\$211.20	\$264.00	\$316.80	\$369.60	\$422.40	\$475.20	\$528.00	\$580.80	\$633.60	\$52.80

1 1/8" Baton Draw Metal Traverse Systems Information

Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8

Batons sold separately.

Note: Metal Baton available in 6 Metal Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.

	C	C	\approx 0	\approx 0	\sim 0
36" Metal Baton 3⁄8" DIA, Metal	48" Metal Baton 3⁄8" DIA, Metal	60" Metal Baton 3⁄8" DIA, Metal	36" Clear Acrylic Baton ½" DIA, Acrylic	48" Clear Acrylic Baton ½" DIA, Acrylic	60" Clear Acrylic Baton ½" DIA, Acrylic
POME36WAND	POME48WAND	POME60WAND	AC36WAND	AC48WAND	AC60WAND
\$62.70 each	\$68.20 each	\$73.70 each	\$49.50 each	\$55.00 each	\$60.50 each
QSME36WAND	QSME48WAND	QSME60WAND			
\$55.00 each	\$60.50 each	\$66.00 each			

48" Handicap Metal Baton 4" Loop, ADA Compliant, Metal	60" Handicap Metal Baton 4" Loop, ADA Compliant, Metal
POME48HWAND	POME60HWAND
\$68.20 each	\$73.70 each
QSME48HWAND	QSME60HWAND
\$60.50 each	\$66.00 each




35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect Match™ and 6 Quick Ship Metal finishes


Diameter	Track Finish	Component Color	Max. Continuous Length
1 ½"	Amulet	White	12'
] ½"	Andiron	White	12'
] 1/8"	Antique Gold	White	12'
1 1/8"	Art Bronze	Bronze	12'
1 1/8"	Barnwood	Bronze	12'
] ½"	Black	Bronze	12'
1 1/8"	Blush	White	12'
] 1/8"	Bronzed Pewter	Bronze	12'
] 1/8"	Concrete	White	12'
] 1/8"	Couture	White	12'
] 1/8"	Dark Chocolate	Bronze	12'
] 1/8"	Firelight	White	12'
] 1/8"	Gossamer	Bronze	12'
] 1/8"	Greige	White	12'
] ½"	Halo	White	12'
] 1/8"	Java	Bronze	12'
] 1/8"	Linen	White	12'
] 1/8"	Luminous	Bronze	12'
] 1/8"	Manor	White	12'
] ½"	Mink	Bronze	12'
] 1/8"	Moonlight	Bronze	12'
] 1/8"	Mystic	White	12'
1 1/8"	New Age Bronze	Bronze	12'
1 1/8"	Patina	White	12'
] 1/8"	Shimmer	Bronze	12'
] 1/8"	Silver Maple	White	12'
] 1/8"	Spicewood	Bronze	12'
] 1/8"	Spun Gold	White	12'
] 1/8"	Stardust	White	12'
1 1/8"	Starlet	White	12'
1 1/8"	Titanium	White	12'
] 1/8"	Truffle	Bronze	12'
] 1/8"	Urban Bronze	Bronze	12'
] 1/8"	White	White	12'
] 1/8"	PTH Perfect Match™	please specify	12'
] 1/8"	Brushed Nickel	White	12'
] 1/8"	Brushed Bronze	Bronze	8'
] 1/8"	Charcoal Zinc	White	8'
] ½"	Matte Black	White	12'
] 1/8"	Rose Gold	White	8'
1 1/8"	Satin Gold	White	8'

1^{1} /8" Baton Draw Metal Traverse Systems Information


 $1\frac{1}{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions








Carriers for additional carriers.



Upgrade your End Caps with Finial Styles

1 1/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 1/8" Finials across five style categories using either Cuff / Finial Adapter.







Portfolio page 7 | Quick Ship page 87
*Requires Transitional or Deco Cuff / Finial Adapter



Portfolio page 7 | Quick Ship page 88 *Requires Transitional or Deco Cuff / Finial Adapter



Style

Bohemian

Chic

Portfolio page 8

Portfolio page 9
*Requires Transitional or Deco Cuff/Finial Adapter



Portfolio page 8 | Quick Ship page 88 *Requires Transitional or Deco Cuff / Finial Adapter



1 ³/₈" Baton Draw Metal Traverse Systems

The perfect modern solution for residential or commercial applications.

Finials may be ordered separately from 1 3/8" Diameter Collections. Today's Traditional and Heritage Classics Finial Collections require the use of the Transitional Cuff / Finial Adapter (sold separately). See page 72.

Select from 35 Portfolio hand painted finishes **(except Antique Gold Leaf)**, 6 Quick Ship Metal finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.



Single Traverse System, Wall Mount

- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/8" collection finials and additional remote options sold separately



Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Ainsley end caps
- · 13/8" collection finials and additional remote options sold separately



Single Traverse System, Ceiling Mount

- · Ceiling bracket: 3 11/16" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- · 13/8" collection finials and additional remote options sold separately



Double Traverse System, Ceiling Mount

- Ceiling bracket: 4" drop, 4 ½" between centers of tracks
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Ainsley end caps
- 13/8" collection finials and additional remote options sold separately

Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 ½" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 13/8" collection finials and additional remote options sold separately

$1\ ^3/8" \ Baton\ Draw\ Metal\ Traverse\ Systems\ Finishes$ 35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect MatchTM, 6 Quick Ship Metal finishes or 5 Quick Ship Wood & Resin finishes.

Diameter	Track Finish	Component Color	Max. Continuous Length
1 ³ ⁄8"	Amulet	White	12'
] ³ ⁄8"	Andiron	White	12'
1 ³ ⁄8"	Antique Gold	White	12'
1 3 ⁄8"	Art Bronze	Bronze	12'
] 3/8"	Barnwood	Bronze	12'
] ³ ⁄8"	Black	Bronze	12'
] ³ ⁄8"	Blush	White	12'
1 3 ⁄8"	Bronzed Pewter	Bronze	12'
1 3⁄8"	Concrete	White	12'
] 3/8"	Couture	White	12'
] ³ /8"	Dark Chocolate	Bronze	12'
1 ³ /8"	Firelight	White	12'
1 ¾s"	Gossamer	Bronze	12'
1 3/8"	Greige	White	12'
] ³ /8"	Halo	White	12'
1 ³ /8"	Java	Bronze	12'
1 ³ ⁄8"	Linen	White	12'
1 ³ /8"	Luminous	Bronze	12'
1 ³ ⁄8"	Manor	White	12'
1 ³ /8"	Mink	Bronze	12'
1 ³ /8"	Moonlight	Bronze	12'
1 ³ /8"	Mystic	White	12'
1 ³ /8"	New Age Bronze	Bronze	12'
1 ³ ⁄8"	Patina	White	12'
1 ³ /8"	Shimmer	Bronze	12'
1 ³ /8"	Silver Maple	White	12'
1 ³ /8"	Spicewood	Bronze	12'
1 ³ /8"	Spun Gold	White	12'
1 ³ ⁄8"	Stardust	White	12'
1 3/8"	Starlet	White	12'
1 3/8"	Titanium	White	12'
1 3/8"	Truffle	Bronze	12'
1 3/8"	Urban Bronze	Bronze	12'
1 3/8"	White	White	12'
1 3/8"	PTH Perfect Match™	please specify	12'
1 3/8"	Brushed Nickel	White	12'
1 3/8"	Brushed Bronze	Bronze	8'
1 3/8"	Charcoal Zinc	White	8'
1 3/8"	Matte Black	White	12'
1 3/8"	Rose Gold	White	8'
1 3/8"	Satin Gold	White	8'
1 3/8"	Antique Brass	White	12'
1 3/8"	Oil Rubbed Bronze		12'
		Bronze	
1 3/8"	Platinum Page Cold	White	12'
1 3/8"	Rose Gold	White	12'

1 ³/₈" Baton Draw Metal Traverse Systems Pricing

Orders with Baton Draw Metal traverse systems will incur a \$25 packaging fee.

Name & Item #	Price						Syster	ns are sol	d in 1 ft incr	rements
1 3/8" Baton Draw Metal Trav	erse S	Systen	\cap							
Single Traverse System Wall Mount 3 ½" Return	4'	5'	6'	7'	8'	9'	10'	11'	12'	price per ft
CSPTHMT138400	\$347.60	\$434.50	\$521.40	\$608.30	\$695.20	\$782.10	\$869.00	\$955.90	\$1,042.80	\$86.90
Single Traverse System Wall Mount 6" Return										
CSPTHMT138401	\$387.20	\$484.00	\$580.80	\$677.60	\$774.40	\$871.20	\$968.00	\$1,064.80	\$1,161.60	\$96.80
Double Traverse System Wall Mount										
CSPTHMT138402	\$695.20	\$869.00	\$1,042.80	\$1,216.60	\$1,390.40	\$1,564.20	\$1,738.00	\$1,911.80	\$2,085.60	\$173.80
Single Traverse System Ceiling Mount										
CSPTHMT138403	\$347.60	\$434.50	\$521.40	\$608.30	\$695.20	\$782.10	\$869.00	\$955.90	\$1,042.80	\$86.90
Double Traverse System Ceiling Mount										
CSPTHMT138404	\$695.20	\$869.00	\$1,042.80	\$1,216.60	\$1,390.40	\$1,564.20	\$1,738.00	\$1,911.80	\$2,085.60	\$173.80
Single Traverse System Low-Profile Ceiling Mou	unt									
CSPTHMT138406	\$277.20	\$346.50	\$415.80	\$485.10	\$554.40	\$623.70	\$693.00	\$762.30	\$831.60	\$69.30

1 ³/₈" Baton Draw Metal Traverse Systems Information

Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8

Batons sold separately.

Note: Metal Baton available in 6 Metal Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.

		C	\approx 0	\approx 0	\approx 0
36" Metal Baton 3⁄8" DIA, Metal	48" Metal Baton 3⁄8" DIA, Metal	60" Metal Baton %" DIA, Metal	36" Clear Acrylic Baton ½" DIA, Acrylic	48" Clear Acrylic Baton ½" DIA, Acrylic	60" Clear Acrylic Baton ½" DIA, Acrylic
POME36WAND	POME48WAND	POME60WAND	AC36WAND	AC48WAND	AC60WAND
\$62.70 each	\$68.20 each	\$73.70 each	\$49.50 each	\$55.00 each	\$60.50 each
QSME36WAND	QSME48WAND	QSME60WAND			
\$55.00 each	\$60.50 each	\$66.00 each			


48" Handicap Metal Baton 4" Loop, ADA Compliant, Metal	60" Handicap Metal Baton 4" Loop, ADA Compliant, Metal
POME48HWAND	POME60HWAND
\$68.20 each	\$73.70 each
QSME48HWAND	QSME60HWAND
\$60.50 each	\$66.00 each




$1 \frac{3}{8}$ " Baton Draw Metal Traverse Systems Information

 $1\sqrt[3]{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions







Carriers for additional carriers. for master carrier diagrams, see page 84.

\$2.95 NET pack (10 pieces)

or bronze /BR.

\$0.63 NET each



\$0.55 NET each

Available in white or bronze /BR and left or right

\$5.85 NET each

Upgrade your End Caps with Finial Styles

13/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 13/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff/ Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.




Portfolio page 14 | Quick Ship page 93 | *Transitional Cuff/Finial Adapter PO138CUFF not required



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter POI38CUFF or QSI38CUFF below



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



- · Metal, Available in any of our 35 Portfolio Hand Painted Finishes, 5 Quick Ship Wood & Resin Finishes or PTH Perfect Match™
- · Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)






Manual Metal Traverse Collection Order Form

				-					-						-		
	PO #			Side Mark	Nark				S	Ship via					Date		
Company Information	ı					Sh	Shipping Information	Inforn	natio								
Company Name		Ac	Acct #			ပိ	Company Name	ame						_ <	Acct #		
Contact Person						ပိ	Contact Person	.son									
Street Address						Str	Street Address	ess									
City		St	State	Z	ZIP	City								S	State	ZIP	
Email						En	Email										
Phone	Fax					-R	Phone						Рах				
METAL TRAVERSE SYSTEMS - Consult Price List for detailed	- Consult Price List	for detailec	l specifications.	ations.													
Item #		Finish Code		System Lenath	Custom Cut Length	<u> </u>	Draw Preference			H s blos	Baton (sold separately)		Pinch G	Glides Pinch Pleat or	Qt	Price per Unit	Subtotal
				(per 1.)	(inches)	Center	One-Way	Vay			(financia)		Ripk	Ripplefold*			
							_	~									
							_	~					B	□ R			
							_	~					P	RF			
							_ 	~					ВРР	RF			
METAL TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL FEES Order finials, cuffs, batons, additional brackets and accessories here.	TING ACCESSOR	IES AND A	DDITIO sories h	NAL FE ere.	ES												
Item #	Finish Code	- ope					Desc	Description						Qty	Price per Unit	Unit	Subtotal
Glide and Bracket Information														₹	Answer These Questions	se Questio	su
Quantity included per system based on cut track length	out track length 4'	5' 6' 7	80	9. 10.	11' 12' 13'	14.	15' 16'	17. 1	18' 19'	20,	21' 22'	23'	24 . 1. S	elect Ripple		,	
Glides [4 per foot, includes master carriers & end caps (2)]	caps (2)] 16	20 24 2	28 32 3	36 40	44 48 52	99	60 64	89	72 76	80	84 88	92	96	□ %09 □	%001 \(\tau \) \(\tau \) \(\tau \)	% 1120%	
Brackets	2	3 4	4	5	5	9 9	9	7	7 7	∞	8	80	8 2. \$	elect Ripplefold	2. Select Ripplefold masters:	8	
Cocciol Instanctions																	
special instructions													* *	ıst specify	*Must specify Ripplefold carrier fullness.	carrier fullne	sss.
															70.	TOTAL	

Fascia Profiles for Manual Heavy Duty Systems





C-Rings with Fascia

Scan the QR code to the right or visit bit.ly/PTH-C-Rings for diagrams of all C-Ring Systems »


draw track







13/8" Double *shown on baton top of fabric ______ 9/16" eyelet drop 2-1/4" back return from 5-1/4" to 6" front return with fascia



- · C-Rings available for 1 3/8" and 2 1/4"
- · Corded or baton draw systems
- · Pinch pleat only
- · Not available for traverse systems with mitered returns or stationary front pole
- · For double traverse systems, C-Rings are for the front track only
- · Available in any of our 35 Portfolio hand painted finishes, PTH Perfect Match™ or 5 Quick Ship Wood & Resin finishes to match your fascia finish

Heavy Duty Corded or Baton Traverse Systems

Heavy Duty System is recommended for heavier treatments with lining. Longer lengths are versatile for residential or commercial projects.

Decorative wood fascia available in $1\frac{3}{8}$ " or $2\frac{1}{4}$ " smooth, reeded or grooved / fluted profiles with coordinating finials, $1\frac{7}{8}$ " slim round smooth profile, $2\frac{1}{4}$ " flat smooth profile with flush ends or mitered returns.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single Traverse System

- · Coordinates with all fascia profiles or available with no fascia
- Standard corded single bracket has 3 %" 5 %" return; standard baton single bracket has adjustable 3 %" 4" return
- · Longer return bracket options may be substituted at no charge
- · Batons and finials sold separately
- C-Rings available for 1 3/8" and 2 1/4"



Double Traverse System

Back track available with or without wood fascia. Back track shown with fascia and end caps.


- · Coordinates with all fascia profiles or available with no fascia
- Standard corded double brackets have 3" back track and adjustable 6" 7 $\frac{1}{2}$ " front track return; standard baton double brackets have 2 $\frac{1}{4}$ " back track and adjustable 5 $\frac{1}{4}$ " 6" front track return
- · Longer return bracket options may be substituted at no charge
- · Batons and finials sold separately
- · C-Rings available for 1 3/8" and 2 1/4" (front track)



Single or Double Traverse System With Mitered Returns

Back track available with or without wood fascia. Finials and c-rings are not available with this option.

- · Coordinates with all fascia profiles
- Standard corded single bracket has 4" 5 ½" return; standard baton single bracket has adjustable 3 %" 4" return
- Standard corded double brackets have 3" back track and adjustable
 6" 7 ½" front track return; standard baton double brackets have 2 ¼" back track and adjustable 5 ¼" 6" front track return
- · Batons and mitered returns sold separately
- C-Rings not available



Stationary Front Pole With Back Traverse System


2½" wood poles can be used. Back track available with or without wood fascia. Back track shown with fascia and end caps.

- Traverse system coordinates with all 2 1/4" round fascia profiles; flat and slim fascia may not be used
- Coordinates with 2 ¼" poles for stationary front pole
- Stationary front pole and TBKT bracket finished to match pole are included
- · Batons and finials sold separately
- Full rings available on stationary front pole, sold separately;
 C-Rings not available



(if applicable, sold separately) Fiberglass or Clear Acrylic | Stainless Steel Clip 36", 48" or 60"

Note: Fiberglass Baton available in 5 Wood & Resin Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.





AC48HWAND 60" Handicap Clear Acrylic Baton 4" Loop, ADA

Compliant, Acrylic

AC60HWAND

72" Handicap Clear Acrylic Baton

4" Loop, ADA Compliant, Acrylic

\$66.00 each


\$60.50 each

Finishes

Decorative wood fascia available in 1 $\frac{3}{8}$ " or 2 $\frac{1}{4}$ " smooth, reeded or grooved / fluted profiles with coordinating finials, 1 1/8" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns - see next page. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diamotor	Fascia Finish	Track and	Component
Diameter		Bracket* Color	Color
	Amulet	White	White
	Andiron	White	White
	Antique Gold	White	White
	Antique Gold Leaf	White	White
	Art Bronze	Bronze	Bronze
	Barnwood	Bronze	Bronze
	Black	Bronze	Bronze
	Blush	White	White
	Bronzed Pewter	Bronze	Bronze
	Concrete	White	White
	Couture	White	White
	Dark Chocolate	Bronze	Bronze
	Firelight	White	White
	Gossamer	Bronze	Bronze
	Greige	White	White
1 3/8" or 2 1/4"	Halo	White	White
smooth, reeded or	Java	Bronze	Bronze
rooved/fluted	Linen	White	White
profiles with coordinating	Luminous	Bronze	Bronze
finials	Manor	White	White
%" slim round	Mink	Bronze	Bronze
smooth profile	Moonlight	Bronze	Bronze
1/4" flat smooth profile	Mystic	White	White
•	New Age Bronze	Bronze	Bronze
Vith flush ends or mitered	Patina	White	White
returns	Shimmer	Bronze	Bronze
	Silver Maple	White	White
	Spicewood	Bronze	Bronze
	Spun Gold	White	White
	Stardust	White	White
	Starlet	White	White
	Titanium	White	White
	Truffle	Bronze	Bronze
	Urban Bronze	Bronze	Bronze
	White	White	White
	PTH Perfect Match™	please specify	please specif
	Antique Brass	White	White
	Oil Rubbed Bronze	Bronze	Bronze
	Platinum	White	White
	Rose Gold	White	White
	Walnut	Bronze	Bronze

Heavy Duty Corded or Baton Traverse Systems Fascia Profiles



Smooth

- ·13/8" and 2 1/4" diameters available
- · See below for coordinating finial options

Reeded

- ·13/8" and 2 1/4" diameters available
- · See below for coordinating finial options

Grooved / Fluted

- ·13/8" and 2 1/4" diameters available
- · See below for coordinating finial options

Slim Round Smooth, No Finials

 \cdot 1 %" diameter, available with flush ends or mitered returns

Flat Smooth, No Finials

· 2 1/4" height, available with flush ends or mitered returns

Mitered Returns (sold separately)

- \cdot 13/8", 17/8" and 2 1/4" diameters available
- · All profiles

Upgrade your Manual HD Traverse with Finial Styles

Finials are sold separately. $1\frac{3}{8}$ " or $2\frac{1}{4}$ " Portfolio and Quick Ship Wood and Resin finials are compatible across two style categories. Somfy systems are not available with $1\frac{3}{8}$ " fascias and finials.



1%" Portfolio page 17 | 1%" Quick Ship page 97 | 2%" Portfolio page 22 | 2%" Quick Ship page 102



13/8" Portfolio page 17 | 13/8" Quick Ship page 97 | 21/4" Portfolio page 23 | 21/4" Quick Ship page 102

Heavy Duty Corded or Baton Traverse Systems Pricing

Item # for Corded System | Item # for Baton System

Manual Heavy Duty Corded or Baton Traverse System with Wood Fascia

Track System with Woo Corded Systems	od Fascia(s) for 1 3/8" round Baton Systems (baton		4'	6'	8'	10'	
CSPTHC138WF	CSPTHB138WF	Single with Fascia, No Rings	\$462.00	\$682.00	\$902.00	\$1,122.00	
CSPTHC138WFFDBL	CSPTHB138WFFDBL	Double with Front Fascia, No Rings	\$770.00	\$1,149.50	\$1,529.00	\$1,908.50	
CSPTHC138WFDBL	CSPTHB138WFDBL	Double with Front & Back Fascias, No Rings	\$924.00	\$1,364.00	\$1,804.00	\$2,244.00	
CSPTHC138WFC	CSPTHB138WFC	Single with Fascia, C-Rings	\$737.00	\$1,105.50	\$1,474.00	\$1,842.50	
CSPTHC138WFFCDBL	CSPTHB138WFFCDBL	Double with Front Fascia, C-Rings	\$1,045.00	\$1,573.00	\$2,101.00	\$2,629.00	
CSPTHC138WFCDBL	CSPTHB138WFCDBL	Double with Front & Back Fascias, C-Rings	\$1,199.00	\$1,787.50	\$2,376.00	\$2,964.50	

Track System with Wood Fascia(s) for 17/8" slim, 21/4" flat smooth, 21/4" round*


*available in 2 1/4" round only

Corded Systems	Baton Systems (batons	s sold separately)					
CSPTHC214WF	CSPTHB214WF	Single with Fascia, No Rings	\$599.50	\$896.50	\$1,193.50	\$1,490.50	
CSPTHC214WFFDBL	CSPTHB214WFFDBL	Double with Front Fascia, No Rings	\$907.50	\$1,364.00	\$1,490.50	\$2,277.00	
CSPTHC214WFDBL	CSPTHB214WFDBL	Double with Front & Back Fascias, No Rings *	\$1,199.00	\$1,793.00	\$2,387.00	\$2,981.00	
CSPTHC214WFC	CSPTHB214WFC	Single with Fascia, C-Rings*	\$880.00	\$1,320.00	\$1,760.00	\$2,200.00	
CSPTHC214WFFCDBL	CSPTHB214WFFCDBL	Double with Front Fascia, C-Rings *	\$1,188.00	\$1,787.50	\$2,387.00	\$2,986.50	
CSPTHC214WFCDBL	CSPTHB214WFCDBL	Double with Front & Back Fascias, C-Rings *	\$1,479.50	\$2,216.50	\$2,953.50	\$3,690.50	
CSPTHC214SDBL	CSPTHB214SDBL	Double with Stationary Front & No Fascia *	\$774.40	\$1,074.70	\$1,375.00	\$1,675.30	
CSPTHC214WFBSDBL	CSPTHB214WFBSDBL	Double with Stationary Front & Back Fascia *	\$1,065.90	\$1,503.70	\$1,941.50	\$2,379.30	

Manual Heavy Duty Corded or Baton Traverse System without Wood Fascia

Single Track System Corded Systems	track available in white and Baton Systems (batons s		4'	6'	8'	10'	
CSPTHCTRACK	CSPTHBTRACK	Single with No Fascia	\$308.00	\$467.50	\$627.00	\$786.50	
CSPTHCTRACKDBL	CSPTHBTRACKDBL	Double with No Fascia	\$616.00	\$935.00	\$1,254.00	\$1,573.00	

includes 1 track, components, your choice of brackets, and fascia with fascia clips when applicable.



Quantity per System

Quantity included per system based on cut track length	4'	6'	8'	10'	12'	14'	16'	18'	20'
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	16	24	32	40	48	56	64	72	80
Brackets (1 per every 3-4 feet)	2	3	4	4	5	6	6	7	8

Note: All orders with poles and/or traverse rods will incur a \$10.00 packaging fee per order.

Pricing Includes Track, Components and your choice of TB035-, TB060- or TB100- Brackets

Spliced systems begin at 16' for Corded and 20' for Baton

12'	14'	16'	18'	20'	per add'l 2 ft
\$1,342.00	\$1,562.00	\$1,782.00	\$2,002.00	\$2,222.00	\$220.00
\$2,288.00	\$2,667.50	\$3,047.00	\$3,426.50	\$3,806.00	\$379.50
\$2,684.00	\$3,124.00	\$3,564.00	\$4,004.00	\$4,444.00	\$440.00
\$2,211.00	\$2,579.50	\$2,948.00	\$3,316.50	\$3,685.00	\$368.50
\$3,157.00	\$3,685.00	\$4,213.00	\$4,741.00	\$5,269.00	\$528.00
\$3,553.00	\$4,141.50	\$4,730.00	\$5,318.50	\$5,907.00	\$588.50

\$1,787.50	\$2,084.50	\$2,381.50	\$2,678.50	\$2,975.50	\$297.00
\$2,733.50	\$3,190.00	\$3,646.50	\$4,103.00	\$4,559.50	\$456.50
\$3,575.00	\$4,169.00	\$4,763.00	\$5,357.00	\$5,951.00	\$594.00
\$2,640.00	\$3,080.00	\$3,520.00	\$3,960.00	\$4,400.00	\$440.00
\$3,586.00	\$4,185.50	\$4,785.00	\$5,384.50	\$5,984.00	\$599.50
\$4,427.50	\$5,164.50	\$5,901.50	\$6,638.50	\$7,375.50	\$737.00
\$1,975.60	\$2,275.90	\$2,576.20	\$2,876.50	\$3,176.80	\$300.30
\$2,817.10	\$3,254.90	\$3,692.70	\$4,130.50	\$4,568.30	\$437.80

Spliced systems begin at 16' for Corded and 20' for Baton

12'	14'	16'	18'	20'	per add'l 2 ft
\$946.00	\$1,105.50	\$1,265.00	\$1,424.50	\$1,584.00	\$159.50
\$1,892.00	\$2,211.00	\$2,530.00	\$2,849.00	\$3,168.00	\$319.00

Additional Heavy Duty Traverse Fees

PTHFEEMITER-EACH Wood Fascia Mitered Return per return	\$80.00
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection	\$65.00
PTHFEEBLEND Blended Fascia Splice per blend	\$108.00
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fascia	\$65.00
PTHFEERESTRING Restringing Fee per track	\$100.00
Standard 45 Fascia Splice	No Charge

Please specify:

- · Item number for track or track with wood fascia
- Track length (custom cut length is finished track length + 1/4" fascia on each end to receive finial)
- Track and matching bracket color (if not specified, we will select color to match fascia finish)
- · Bracket return: see page 80 for details.
- · Cord location: right or left
- · Draw: center, one-way stack right or one-way stack left
- Number of carriers if different than 4 per foot
- · Pinch pleat or Ripplefold® style carriers
- Cord drop (standard is 120")
- · Finish name for fascia, if selected

Component Colors

Colors	White	Bronze
Track	•	•
Master Carriers	•	•
Glides	•	•
Brackets	•	•
End Pulleys / Caps	•	•

Product information

- Single Corded or Baton traverse system price includes: traversing track, components, brackets (see system quantity chart on previous page) and 3 4 carriers per foot.
- Sold in 2' in increments, 4' minimum.
- · Cut to specified length. Fall off will not be saved or shipped.
- · Track maximum continuous length up to 240 inches (20'); splice lengths available up to 40' for center draw only.
- Track, bracket and components available in White or Bronze.
- Center or One-Way draw available.
- Fascia, if selected, in 1 3/8" or 2 1/4" wood pole profiles, available up to 16' in Portfolio or 12' in Quick Ship, is clipped onto traverse system track with a fascia L-bracket. Fascia over 16' in Portfolio finishes and 12' in Quick Ship finishes will be spliced.
- · Standard cord drop: 120"
- Mitered fascia will add the following to the traverse system:

Fascia	Depth	+ to traverse system
1 3/8"	7/8"	2"
2 1/4"	1 3/8"	3"
Flat	3/4"	1 3/4"
Slim Round	5/8"	1 ½"

Heavy Duty Stack Back Calculation (each drapery panel)

Heavy Duty pinch pleat: master carrier + (# glides on panel x .63") + 2.75" (0") = stack per drapery panel for cord draw (baton draw)

Heavy Duty Ripplefold*: master carrier + (# glides on panel x .563") + 2.75" (0") = stack per drapery panel for cord draw (baton draw)

*note: number of glides on panel depends on which fullness of Ripplefold tape being used. Consult your workroom for quantity.

EX: Heavy Duty pinch pleat, 20ft. one-way cord draw (standard 4 glides per ft.)


4.25" + [80 glides on panel x .63"] + 2.75" = 57.5" stack back, per drapery panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.


Heavy Duty Corded Traverse Systems Information

100	HD Corded Single	2 ¹¹ / _{16"} H x 1 ½" W backplate, adjustable up to 5 ¾" return	\$31.63 each
	TB035-H /BR	Available in white or bronze /BR.	фэ1.05 eac11
	HD Corded Single or Double TB060-H	3 $^5/_6$ " H x 1 12 " W backplate, adjustable 6" - 7 12 " front return and 3" back return Available in white or bronze /BR.	\$50.60 each
ТВ035-Н ТВ060-Н ТВ100-Н	HD Corded Single, Double or Triple TB100-H BR	4 ½" H x 1 ½" W backplate, adjustable up to 11 ¼" return Available in white or bronze /BR.	\$50.60 each
9	HD Corded Ceiling Mount Clip Single CD533	⁵ /s" H x 2 ⁵ /s" D x ⁷ /s" W May only be used in corded systems without fascia - <i>for</i> <i>double ceiling mount installation, install two brackets into</i> <i>ceiling.</i> Available in white.	\$3.15 NET each
	HD Corded Fascia Mount Clip CD4001FC	¹ / ₂ " H x 1" W Use to attach fascia to corded traverse systems; included. Available in zinc.	\$7.35 NET each
	Corded Pinch Pleat Master Carrier BR CD3300R or CD3300L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Corded Ripplefold Overlap Master Carrier FR CD3412R or CD3412L	Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Corded Ripplefold Butt Master Carrier CD3600R or CD3600L	Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to filter between draperies on center draw treatments. Must be specified for substitution. Available in white or bronze /BR and left or right.	\$5.85 NET each
	Corded Pinch Pleat C-Ring Master Carrier CD3500R or CD3500L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$4.75 NET each
•	Corded Universal End Pulley Body BOD4311R or CD4311L	Pendants sold separately. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Corded One-Way End Pulley Body BCD4310R or CD4310L	Pendants sold separately. Available in white or bronze /BR and left or right.	\$2.75 NET each
	HD Custom Over-Bracket Single Single TDUTOL USe incl bot any	e" H x ¾" W backplate, 7 ½" front return and 3" back return to combine 2 ¼ full wood pole with single traverse systems; ludes traverse ceiling mount bracket attached onto the tom of the over-bracket. Fascias sold separately. Available in v of our 35 hand painted Portfolio finishes, 5 Quick Ship Wood esin finishes or your own custom PTH Perfect Match™ finish.	\$88.55 each
	HD Custom inst Ceiling Single A. F CMTB-H B. F C. D	" H x ¾" W backplate. Specify drop: contingent upon which cia or finials are chosen - for double ceiling mount installation, call two brackets into ceiling. Steel en ordering, specify: ascia diameter and profile. Projection to carrier and/or to front of fascia. Drop from ceiling to carrier eyelet and/or from ceiling to top of ascia (tip: finial must clear ceiling). Width of mounting plate if longer than 2 ¾".	\$75.90 each

Single Corded Bracket TB035-H




Single or Double Corded Bracket TB060-H




Scan the QR code to the right or visit bit.ly/PTH-C-Rings for diagrams of C-Ring Systems »




Single, Double or Triple Corded Bracket TB100-H




Corded Single Ceiling Mount Bracket CD533



Custom Over-Bracket TBKT214-H




Custom Ceiling Bracket CMTB-H



When ordering, specify:

- A. Fascia diameter and profile.
- B. Projection to carrier and/or to front of fascia.
- C. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).
- D. Width of mounting plate if longer than 2 3/4".

Corded Track






ANSI Standards: Child Safety Warning Tags

ANSI Standard 100.1: Safety of Corded Window Coverings
Requires warning tags for child safety on all interior drapery hardware
and window covering products that incorporate cords, bead chains,
cord shrouds or any type of flexible loop control device in their operation
INCLUDING sales collateral materials.


Heavy Duty Baton Traverse Systems Information

TB035-HB	HD Baton Single TB035-HB	$2^{11}/_{16}$ " H x 1^{12} " W backplate, adjustable up to 4" return Available in white or bronze /BR.	\$31.63 each
	HD Baton Single or Double TB060-HB	$3\sqrt[3]{\epsilon}$ " H x $1\sqrt[4]{\epsilon}$ " W backplate, adjustable $5\sqrt[4]{\epsilon}$ - 6" front return and adjustable $2\sqrt[4]{\epsilon}$ - $3\sqrt[4]{\epsilon}$ back return Available in white or bronze /BR.	\$50.60 each
ТВ060-НВ ТВ100-НВ	HD Baton Single, Double or Triple TB100-HB	$4\frac{1}{2}$ " H x $1\frac{1}{2}$ " W backplate, adjustable up to $9\frac{3}{4}$ " return Available in white or bronze /BR.	\$50.60 each
ТВООО-НВ ТВТОО-НВ	HD Baton Ceiling Mount Clip Single BT5333	1/4" H x 2 1/4" D x 1" W May only be used in baton systems without fascia - for double ceiling mount installation, install two brackets into ceiling. Available in white.	\$1.00 NET each
	HD Baton Fascia Mount Clip BT4003NFC	$^{1}\!/_{2}$ " H x 1" W Use to attach fascia to baton traverse systems; included. Available in zinc.	\$7.35 NET each
	Baton Pinch Pleat Master Carrier BT3005R or BT3005L	smooth movement. Available in white or bronze	\$4.75 NET each
	Baton Ripplefold Overlap Master Carrier BT3125R or BT3125L	Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Baton Ripplefold Butt Master Carrier BR BT3600R or BT3600L	Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to filter between draperies on center draw treatments. Must be specified for substitution. Available in white or bronze /BR and left or right.	\$5.85 NET each
	Baton Pinch Pleat C-Ring Master Carrier BR BT3501R or BT3501L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$4.75 NET each
	Baton Pinch Pleat End Cap BT4013	Available in white or bronze /BR.	\$1.30 NET each
	Baton Pinch Pleat C-Ring End Cap BT4500	Right or Left. Pinch Pleat with C-Rings. Available in white or bronze /BR.	\$1.30 NET each
	Baton Ripplefold End Cap BT4123	Available in white or bronze /BR.	\$1.40 NET each
	HD Custom Over-Bracket Single TBKT214-HB Us in bo ar ar	H x ¾" W backplate, 7 %" front return and 3" back return se to combine 2 ¼ full wood pole with single traverse systems; cludes traverse ceiling mount bracket attached onto the ottom of the over-bracket. Fascias sold separately. Available in my of our 35 hand painted Portfolio finishes, 5 Quick Ship Wood Resin finishes or your own custom PTH Perfect Match™ finish.	\$88.55 each
	Ceiling Single in:	3/4" H x 3/4" W backplate. Specify drop: contingent upon which scia or finials are chosen - for double ceiling mount installation, stall two brackets into ceiling.	\$75.90 each

Single Baton Bracket TB035-HB




Single or Double Baton Bracket TB060-HB




Scan the QR code to the right or visit bit.ly/PTH-C-Rings for diagrams of C-Ring Systems »




Single, Double or Triple Baton Bracket **TB100-HB**




Baton Single Ceiling Mount Bracket



Custom Over-Bracket TBKT214-HB



Custom Ceiling Bracket CMTB-HB



When ordering, specify:

- A. Fascia diameter and profile.
- B. Projection to carrier and/or to front of fascia.
- C. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).
- D. Width of mounting plate if longer than 2 3/4".

Heavy Duty Corded or Baton Traverse Systems Information

Carriers for additional carriers.

Pinch Pleat





Pinch Pleat Glide CP10 or CP10/BR /BR

Ball Bearing Wheel for smooth movement. Available in white or bronze /BR.

Included in system pricing.

\$2.95 NET pack (10 pieces)

Ripplefold





Ripplefold Glide R4060/P/BR R4060/P R4060/P/BR R4080/P R4080/P/BR R4100/P R4100/P/BR R4120/P R4120/P/BR

Ripplefold Glides with detachable pendents. Available in 60%, 80%, 100% or 120% fullness specify fullness on order. Available in white or bronze /BR.

\$0.63 NET each

Pinch Pleat with C-Rings



For C-Ring System Diagrams, see page 74.



1 3/8" C-Rings carriers sold separately

| 138CR | 2" ID, 3 ½" OD

Available in all 35 Portfolio custom hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect MatchTM.

\$12.65 each



2 1/4" C-Rings carriers sold separately

214CR 3 1/8" ID, 4 3/8" OD

Available in all 35 Portfolio

Available in all 35 Portiollo custom hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect MatchTM.


\$18.98 each




\$1.80 NET pack (10 pieces)

See pages 80 & 82 for Master Carrier options.

Pinch Pleat Carriers




Ripplefold Carriers



Heavy Duty Butt Master Carriers







Drapery Return Bracket CP500

9/16" H x ½" W backplate, 1½" return Allows for return on track hardware in traverse systems; included. Available in zinc only.

\$3.25 NET pack (10 pieces)



Glide Stop BT4333

Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.

\$0.55 NET each

H	TEXAS	WARE
H)	PARIS	HARD

Heavy Duty Traverse Order Form


HAKDWAKE	PO #			Sid	Side Mark		Ship via				Date		
Company Information	ı					Shipping Information	tion						
Company Name			Acct #			Company Name				Acc	Acct #		
Contact Person						Contact Person							
Street Address						Street Address							
City			State		ZIP	City				State	ate	ZIP	
Email						Email							
Phone	Fax	×				Phone			Fax	×			
HEAVY-DUTY TRAVERSE SYSTEMS - Consult Price List for detailed specifications. Specified custom cut length includes pulleys or end caps. For mitered returns, see page 79.	TEMS - Consult so pulleys or end ca	Price List aps. For mi	for detaile tered retui	d specific ns, see pa	ations. ge 79.								
ltem#	Fascia Type	System Length (per 2')	Custom Cut Length (inches)	Fascia Finish Code	Bracket Preference	Draw Preference Center One-Way L	Cord (st	Cord Length B (standard L120") Op	Baton Pi Draw Pi Option*	Glides Pinch Pleat or Ripplefold*	Off,	Price per Unit	Subtotal
							L R			PP RF			
							L R			PP RF			
						☐ L ☐ R ☐]L			PP RF			
						□ L □ R □	L R			PP RF			
HEAVY-DUTY TRAVERSE COORDINATING ACCESSORIES A Order finials, mitered returns, and accessories here.	NEDINATING AC accessories here.	CESSOR	IES AND	ADDITIO	ND ADDITIONAL FEES								
Item#	Finish	Finish Code				Description				Qty	Price per Unit		Subtotal
Additional Information								* Baton	Iraw op	* Baton draw option available; batons sold separately.	; batons sc	old separat	ely.
Quantity included per system based on cut track length	cut track length	4. 6.	8' 10'	12' 14' 1	16' 18' 20'						TOTAL	7	
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	arriers (2) & end caps (2)] 16 24	32 40	48 56 (64 72 80								
Brackets (1 per every 3-4 feet)		2 3	4	9 2	6 7 8								
Special Instructions							*		raid pai	Joseph Carrior			, dionoi,



2. Select Ripplefold masters: Overlap Butt Master




1 1/8" Modern Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on page 89.









1 1/8" Clean Deco Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on next page.






1 1/8" Transitional Luxe Finial Collection fits 1/4" poles. Finial adapters are required to adapt to 1/4" metal traverse, sold separately on next page.



1 %" Mix & Match create an even more customized design!





Transitional and Deco Cuffs / Finial Adapters

Style Meets Function


1 1/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 1/8" Finials across five style categories using either Cuff / Finial Adapter. See pages 63 - 67.







1 1/8" Modern Metal Brackets fit the 1/8" pole.


Note: Return indicates distance from wall to center of pole.











Bypass Support Brackets Use with Caden C-Ring.

*CAUTION: Aiden Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1 1/8" pole to secure it.

Declan Brackets must be installed at each end to secure 1 1/8" pole.



QS118AESBK Aiden Single

2" DIA backplate, 3 ½" return, use with Caden C-Rings

\$49.50 each



OS118AEDBK Aiden Double

2" DIA backplate, 6 ½" front return and 3 ½" back return, %16" clearance above backplate, use with Caden C-Rings


\$60.50 each




QS118IMBK Inside Mount

1 13/16" DIA backplate x 1 1/4" D, $^{3}\!/_{16}$ " thick backplate per bracket

\$60.50 pair*





11/8" Metal Pole

1 1/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12' on BN, SG, CZ and MK finishes; up to 8' on RGD and BZ finishes. 1 1/8" metal poles are supplied with plastic inserts to attach the finials.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.


QS118ME02	QS118ME04	QS118ME06	QS118ME08	QS118ME10	QS118ME12
2'	4'	6'	8'	10'	12'
\$27.50 each	\$55.00 each	\$82.50 each	\$110.00 each	\$137.50 each	\$165.00 each



11/8" Metal Rings fit the 11/8" pole.


Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1 %" Metal Accessories

Metal Baton	Clear Acrylic Baton
¾a" DIA, Metal	½" DIA, Acrylic
QSME36WAND - 36" - \$55.00 each	AC36WAND - 36" - \$49.50 each
QSME48WAND - 48" - \$60.50 each	AC48WAND - 48" - \$55.00 each
QSME60WAND - 60" - \$66.00 each	AC60WAND - 60" - \$60.50 each







Modern Holdback Medallions fit modern holdback stems only.




Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.




« Don't forget to order your **Holdback Stems** separately

136" Modern Finial Collection fits the 136" metal pole and metal traverse.









13/8" Modern Metal Brackets fit the 13/8" pole.


Note: Return indicates distance from wall to center of pole.













*CAUTION: Talon Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1 3/8" pole to secure it

Grant Brackets must be installed at each end to secure 1 3/8" pole.



QS138TASBK Talon Single

2 ½" DIA backplate, 3 ½" return, use with Calla C-Rings

\$55.00 each



QS138TADBK Talon Double

2 ½" DIA backplate, 6 ½" front return and 3 ½" back return, 3/8" clearance above backplate, use with Calla C-Rings







QS138IMBK Inside Mount

2" DIA backplate, 1 %/16" D, 1/4" thick backplate per bracket

\$66.00 pair*





13/8" Metal Pole | 13/8" Acrylic Pole

1 3/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12' on BN, SG, CZ and MK finishes; up to 8' on RGD and BZ finishes. 1 3/6" metal poles are supplied with plastic inserts to attach wood & resin finials, if desired. Acrylic poles only work with the 1 3/8" Modern Finial Collection.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.


QS138ME02	QS138ME04	QS138ME06	QS138ME08	QS138ME10	QS138ME12
2'	4'	6'	8'	10'	12'
\$33.00 each	\$66.00 each	\$99.00 each	\$132.00 each	\$165.00 each	\$198.00 each
QS138AC02	QS138AC04	QS138AC06	QS138AC08	QS138AC10	QS138AC12
2'	4'	6'	8'	10'	12'
\$84.70 each	\$169.40 each	\$254.10 each	\$338.80 each	\$423.50 each	\$508.20 each



13/8" Metal Rings fit the 13/8" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1 3/8" Metal Accessories



Handicap Metal Baton	Handicap Clear Acrylic Baton
4" Loop, ADA Compliant, Metal	4" Loop, ADA Compliant, Acrylic
QSME48HWAND - 48" - \$60.50 each	AC48HWAND - 48" - \$55.00 each
QSME60HWAND - 60" - \$66.00 each	AC60HWAND - 60" - \$60.50 each
	AC72HWAND - 72" - \$66.00 each



QS138MEL Hinged Elbow

13/8" DIA, 27/8" overall length, 2" L each side when hent Metal

\$49.50 each



PSME138403 Pole Splice

4 3/4" L, must be ordered separately

\$6.60 each

Modern Holdback Medallions fit modern holdback stems only.



Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



« Don't forget to order your Holdback Stems separately

13/8" Today's Traditional Finial Collection fits the 13/8" wood poles and heavy duty traverse.


			[4]	
QS138AUEC	QS138BRFI 6 20	QS138EVFI	QS138JUFI 0.50	QS138LEFI
Aubrie End Cap	Bradford	Everette	June	Leo
3/4" L x 2 1/4" W Resin	3 ¼" L x 2 ¼" W Resin	2 %" L x 3 ¼" W [2 ½" square] Resin	2 ¾" L x 2 5%" W Resin	3 ½" L x 2 ¾" W Resin
\$44.00 pair*	\$77.00 pair*	\$77.00 pair*	\$77.00 pair*	\$77.00 pair*



13%" Heritage Classics Finial Collection fits the 136" wood poles and heavy duty traverse.



1 3/8" Mix & Match create an even more customized design!



3/4" L x 1 1/2" W

- · Metal, Available in any of our 5 Quick Ship Wood & Resin Finishes
- · Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$42.90 pair*

1 %" R-TEC and Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 %" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



*Transitional Cuff/Finial Adapter QS138CUFF not required with Metal Traverse Systems on pages 32 - 41 and 68 - 73



*Requires Transitional Cuff / Finial Adapter QS138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73




*Requires Transitional Cuff / Finial Adapter QS138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73



13/8" Wood & Resin Brackets fit the 13/8" wood poles.

Note: Return indicates distance from wall to center of pole.







13/8" Metal Brackets fit the 13/8" wood poles.

Note: Return indicates distance from wall to center of pole.







13/8" Wood Poles

13/8" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

	1				
QS138SM02	QS138SM04	QS138SM06	QS138SM08	QS138SM10	QS138SM12
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'
\$55.00 each	\$110.00 each	\$165.00 each	\$220.00 each	\$275.00 each	\$330.00 each
QS138GR02	QS138GR04	QS138GR06	QS138GR08	QS138GR10	QS138GR12
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'
\$55.00 each	\$110.00 each	\$165.00 each	\$220.00 each	\$275.00 each	\$330.00 each
QS138RE02	QS138RE04	QS138RE06	QS138RE08	QS138RE10	QS138RE12
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'
\$55.00 each	\$110.00 each	\$165.00 each	\$220.00 each	\$275.00 each	\$330.00 each









Smooth Wood Pole QS138SM Wood

Grooved / Fluted Wood Pole QS138GR Wood




Reeded Wood Pole QS138RE Wood

13/8" Wood & Metal Rings fit the 13/8" wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**






EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.



1 3/8" Accessories










Transitional Holdback Medallions

fit transitional holdback stems.





Don't forget to order your **Holdback Stems** separately ≥

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



2 1/4" Today's Traditional Finial Collection fits the 2 1/4" wood poles and heavy duty traverse.






2 ¼" Heritage Classics Finial Collection fits the 2 ¼" wood poles and heavy duty traverse.





21/4" Wood & Resin Brackets fit the 21/4" wood poles.


Note: Return indicates distance from wall to center of pole.



2 1/4" Metal Brackets fit the 2 1/4" wood poles.

*Sold in pairs only.

Note: Return indicates distance from wall to center of pole.



21/4" Wood Poles

2 1/4" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

		· · · · · · · · · · · · · · · · · · ·			
QS214SM02	QS214SM04	QS214SM06	QS214SM08	QS214SM10	QS214SM12
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'
\$77.00 each	\$154.00 each	\$231.00 each	\$308.00 each	\$385.00 each	\$462.00 each
QS214GR02	QS214GR04	QS214GR06	QS214GR08	QS214GR10	QS214GR12
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'
\$77.00 each	\$154.00 each	\$231.00 each	\$308.00 each	\$385.00 each	\$462.00 each
QS214RE02	QS214RE04	QS214RE06	QS214RE08	QS214RE10	QS214RE12
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'
\$77.00 each	\$154.00 each	\$231.00 each	\$308.00 each	\$385.00 each	\$462.00 each









Smooth Wood Pole QS214SM Wood

Grooved / Fluted Wood Pole QS214GR Wood






Reeded Wood Pole QS214RE Wood

$2 \frac{1}{4}$ " Rings fit the $2 \frac{1}{4}$ " wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.



2 1/4" Accessories










Transitional Holdback Medallions

fit transitional holdback stems.





Don't forget to order your **Holdback Stems** separately ≥

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



Sales Tools

Inspire your clients with professional sales tools designed to showcase Paris Texas Hardware™ and drive revenue for your business. Select from Wall Displays and Table Top Displays with the newest finial designs and finishes.



PTH22POMWDB

Portfolio Metal Wall Display Board 24" H x 24" W x 6 1/4" Deep Wall Mount

\$250.00 NET price



PTH22QSMWDB

Quick Ship Metal Wall Display Board 24" H x 24" W x 6 1/4" Deep Wall Mount

\$250.00 NET price



PTH22POWRDB

Portfolio Wood & Resin Wall Display Board 24" H x 24" W x 6" Deep Wall Mount


\$350.00 NET price



PTH22QSWRDB

Quick Ship Wood & Resin Wall Display Board 24" H x 24" W x 6" Deep Wall Mount

\$350.00 NET price



PTH22TDB

Traverse Wall Display Board 24" H x 24" W x 6" Deep Wall Mount

\$250.00 NET price



R-TEC Automation® Display Kit (case & kit*) RTMDK 30 1/4" H x 26 1/4" W x 8" Deep (case) *R-TEC Smart Controls not included; see page 45 for our selection.

\$300.00 NET price

Order Modules Separately:

- » R-TEC Automation® Motorized Metal Module RTMDK/FMH \$100.00
- » R-TEC Automation® Track Module with Fascia* RTMDK/TRACK \$100.00
 - *1 3/8" fascia included for reference only; see page 49 for a full list of fascia styles available in this collection, and choose from any of our 35 Portfolio Hand Painted Finishes, 5 Quick Ship Wood & Resin Finishes or your own PTH Perfect Match™ Finish.
- » Slim Drapery Motor + Battery Kit* RTMLDKIT \$350.00 *Works with motorized metal and track modules above.



PTH22TTPO

Portfolio Table Top Display 12" H x 20" W x 8" Deep

\$200.00 NET price



PTH22TTQS

Quick Ship Table Top Display 8 5/8" H x 20" W x 8" Deep

\$200.00 NET price





PARIS TEXAS HARDWARE™

FABRICUT°

9303 EAST 46TH STREET TULSA, OKLAHOMA 74145

PH: 800.763.1348 • FAX: 833.708.0401

FABRICUT.COM



ParisTexasHardware.com