3



PARIS TEXAS

 $HARDWARE^{M}$

June 2, 2025

Retail Price List & Product Information Guide

Contents

General Information »

Production Time, Pricing & Terms,

Returns, Changes & Cancellations, Shipping, Installation, Dimension Key, Materials, Finishes, PTH Perfect Match™	
Portfolio Collection »	
1 1/8" Diameter Finial Collections Modern, Clean Deco, Transitional Luxe, Bohemian Chic, Rustic Retreat	7
1 3/8" Finial Collections Modern, Today's Traditional, Heritage Classics	14
2 1/4" Finial Collections Today's Traditional, Heritage Classics	22
Traverse Systems »	
1 3/8" Motorized Metal Traverse R-TEC Automation® Motorized System	32
Motorized Heavy Duty Traverse R-TEC Automation® or Somfy®	42
Metal Manual Baton Draw Traverse 1 1/8" - 1 3/8" Diameters, Baton Draw	63
Heavy Duty Manual Traverse 1 3/8" - 2 1/4" Diameters, Corded or Baton	74
Quick Ship Collection »	
1 1/8" Diameter Finial Collections Modern, Clean Deco, Transitional Luxe	87
1 3/8" Finial Collections Modern, Today's Traditional, Heritage Classics	93
2 1/4" Finial Collections Today's Traditional, Heritage Classics	102
Sales Tools »	106

Designed to Inspire.

For over 30 years, Paris Texas Hardware has been dedicated to evolving our legacy of providing exceptional state. legacy of providing exceptional design and superior service. Our in-house design team places you at the center of the design process while staying true to our heritage of curating designs that are uniquely our own.



We respect the important relationship between style and function in design and are excited to introduce many customized solutions that are perfectly balanced to inspire your vision into a reality.

Whether it's a Modern finial silhouette that has never been seen before, a Heritage Classic with a new twist or a customized traverse solution integrated with the latest smart home technology, we promise to provide you with something different - a collective style designed to inspire that you cannot find anywhere else in the world.



Trusted Heritage

In celebration of our 30 year anniversary, we promise to deliver on our rich legacy of providing high quality products, unique & elegant designs, a wide selection of finishes and superior service combined with designer expertise to elevate your design vision.



Wide Selection of Finishes

With a choice between our 35 Hand Painted Portfolio Finishes, 6 Quick Ship Metal Finishes, 5 Quick Ship Wood & Resin Finishes and PTH Perfect Match™, the possibilities are endless. Our talented artisans enjoy the challenge of creating any finish that you can envision.



Superior Service

Paris Texas Hardware promises to offer an enjoyable customer experience that includes honest dialogue and responsive feedback.



High Quality Products

Our products are tailored specifically to your needs and designed to be unrivaled in their ability to stand alone as the perfect combination of smart, decorative, durable and functional.



Available Stock | Quick Ship

When you need products to complete a project in a hurry, our Quick Ship Collection offers products that are in stock and ship within 24 hours. Available in 6 plated metal finish options, 5 wood & resin finish options, over 50 finial designs and many bracket and accessory styles.




Designer Expertise 🎇




Our talented team, with years of experience, are ready to help design the perfect window treatment solution for your project. Look for the icon throughout the catalog for tips, techniques and inspiration provided by our design experts, and download the full booklet using the QR code above, or by visiting: bit.ly/PTH-DE

Dimension Key

Poles Finials



Wall Mount Brackets Ceiling Mount Brackets Inside Mount Brackets Elbows length each side when bent overall length when installed



projection

Materials

Some finials, brackets, holdbacks and rings are made of resin composite materials. Resin may be damaged by cutting, drilling or attempting to alter the size or shape of products. Some items are made of cast aluminum or stamped steel. Wood poles and wood rings are made of various hardwoods. Metal poles and metal rings are made of metal or steel.

Poles & Rods

Wood poles may be spliced together using a dowel splicing screw, which is included with each pole. Metal poles may be spliced together using our pole splice, sold separately, or a dowel splicing screw where plastic inserts are included. We recommend a center support bracket for pole lengths in excess of four feet. We cannot guarantee against sagging caused by unsupported spans greater than our recommended four feet.

Finials

All finials are sold as pairs. Most resin finial bases have a \%" recess for a clean pole fit. Resin finials are fitted with a dowel screw that may not be removed without damaging the finial. 1 \%" metal finials are supplied with plastic inserts to attach the finials. 1 \%" metal finials are fitted with a set screw, which can be tightened using an allen wrench provided.

Brackets

Brackets are sold individually. Depending on the style of the bracket, there are three wall mounting styles; key lock, round mounting plate or front drill. Some heavier treatments may require stronger fasteners (mollies and screws) than those included with the brackets. Brackets should be installed securely into wall studs.

Rings

Rings are sold individually. Eyelets are not detachable from rings. Excessive movement of rings on the top of the pole will naturally abrade the finish. We recommend three to four rings per foot of finished pole length, or six to seven rings per width of fabric.

General Information

Production Time

Purchase orders are processed once they are received by Paris Texas Hardware. Incomplete information will delay processing and shipping. Quick Ship collections are in stock and ship within 24 hours. Quick Ship orders received before noon CST ship the same day. Portfolio custom collection is hand finished and ships within 10-15 business days.

Heavy Duty Corded or Baton & Motorized Traverse Systems Heavy duty traverse systems are available with or without decorative wood fascia, available in 1 3/6" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7/8" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns, in Portfolio, PTH Perfect Match™ and Quick Ship Wood & Resin. Production time for traverse system orders is 10-15 business days. Please refer to pages 49 & 77 for available fascia styles, sizes and finishes.

Metal Baton Draw & Motorized Traverse Systems
Metal traverse systems are available in 1 ⅓" and 1 ⅙"
Portfolio (except Antique Gold Leaf), PTH Perfect Match™,
Quick Ship Metal and Quick Ship Wood & Resin. All 1 ⅙"
and Wood & Resin 1 ⅙" require Transitional Cuff / Finial
Adapters to attach finials, sold separately. Production
time for traverse system orders is 10-15 business days.
Please refer to pages 32 - 41 and 63 - 73 for available metal
track sizes and finishes.

Pricing & Terms

Pricing found in the Paris Texas Hardware Price List are our Suggested Retail Prices. Prices are effective June 2, 2025 and subject to change without notice. Due to the U.S. government's current policy on tariffs, all products are subject to a tariff surcharge. Effective June 2, 2025, the following adjustments will take effect: Due to the more complex retail list pricing for Drapery Hardware products, list prices will be raised 6% to offset the significant cost impact of the new tariffs. The existing 10% surcharge on Drapery Hardware products (in place since 2019) will remain. In addition, due to rising shipping costs the rates in our Flat Rate Shipping Program will increase by 10%, effective June 2, 2025. Prices are quoted exclusive of Freight and Packaging. The Buyer should always inspect the product upon receipt.

IMPORTANT: Please note that your order will be placed with an authorized Paris Texas Hardware Distributor. While most of the following will generally apply, your distributor may have terms and conditions of the sale that will vary from what is stated here.

Returns, Changes & Cancellations

All Portfolio and PTH Perfect Match™ products are custom painted and may not be Returned. Orders may not be changed or canceled once production has begun.

Quick Ship items may be Returned if poles are uncut and all products are received in sellable condition. A restocking fee of 40% will apply and the customer will prepay freight. All Returns must be authorized by the Paris Texas Hardware customer service department, and are authorized at our discretion, given the circumstances and nature of each order. A Return Authorization Number (RA#) must be issued by customer service, and the RA# must be noted on all Return packages. Return Credit is issued on Returned goods that are inspected and deemed undamaged. Customers should exercise care to adequately package Return goods. Return Credit will not be issued for unauthorized Returns or damaged Returns.

Shipping (NET Fees)

All hardware orders are shipped FOB Dallas, Texas. Take advantage of the Rowley® Flat Rate™ Shipping Program, which makes it simple, convenient and predictable to ship your Paris Texas Hardware™ products. This program applies to all orders shipped within the U.S.A. The Flat Rate Shipping Program rates do not apply if you are shipping using a 3rd party freight account. Due to rising shipping costs the rates in our Flat Rate Shipping Program will increase by 10%, effective June 2, 2025. For details, visit www.paristexashardware.com/freightrate. Expedited shipments are not available in all areas. Any additional charges for expedited shipments will be in addition to the published net fees. Orders that contain a Liion battery will be charged a \$25.00 shipping surcharge.

Packaging Fees (NET Fees)

A net packaging fee of \$10.00 per order will apply to any order that has a pole. A net packaging fee of \$10.00 will apply to any order with a traverse rod less than 16 feet. The net packaging fee increases to \$25.00 for all orders with rods with returns; motorized traverse track; or poles, rods and corded traversing track 16 feet or longer.

Damaged Goods & Freight Claims

Immediately upon receipt, your order should be inspected to ensure that there is no damage from shipping. To report a claim, contact your Paris Texas Hardware distributor. <u>Damage and freight claims must be made within 15 days</u> of receipt of goods. Claims reported after 15 days will not be accepted. To expedite the claim process, please provide your distributor with the following information: purchase order number, Paris Texas Hardware order number, shipping phone number and address, a complete list of damaged items and a picture of the box/packaging. Freight companies require all packaging materials and damaged items to be kept for inspection. Merchandise damaged in shipping will be replaced. Our policy is that we replace damaged product per the original order. Please note on the Bill of Lading if there is any possibility of damage. If shipping through a 3rd party, distributor is responsible for claiming damages and the remakes will be at charge.

Installation

We recommend using a professional installer. Installation hardware is included. The fasteners (screws and mollies) may not be appropriate for every installation or wall material. Brackets and holdbacks should be installed securely into wall studs when possible. Paris Texas Hardware will not assume responsibility for damages incurred by improperly mounted or inadequately supported hardware.

Portfolio Finishes							
AM	Amulet						
AND	Andiron						
AG	Antique Gold						
AGL	Antique Gold Leaf						
AB	Art Bronze						
BW	Barnwood						
BL	Black						
BLU	Blush						
ВР	Bronzed Pewter						
СО	Concrete						
COU	Couture						
DC	Dark Chocolate						
FL	Firelight						
GOS	Gossamer						
GRE	Greige						
НА	Halo						
JA	Java						
LIN	Linen						
LU	Luminous						
MA	Manor						
MK	Mink						
ML	Moonlight						
	-						
MYS	Mystic						
NAB	New Age Bronze						
PAT	Patina						
SH	Shimmer						
SM	Silver Maple						
SPW	Spicewood						
SPG	Spun Gold						
STA	Stardust						
ST	Starlet						
TTM	Titanium						
TRU	Truffle						
URB	Urban Bronze						
WH	White						
Quick Ship Wood	& Resin 1 3/8" and 2 1/4" Finishes						
AB	Antique Brass						
ORB	Oil Rubbed Bronze						
PL	Platinum						
RG	Rose Gold						
WAL	Walnut						
Ouick Ship Me	etal 1 1/8" and 1 3/8" Finishes						
BZ	Brushed Bronze						
BN	Brushed Nickel						
CZ	Charcoal Zinc						
MK	Matte Black						
RGD	Rose Gold						
SG Satin Gold							
PTH Peri	fect Match™ Finishes						
PPMEF	Eggshell Sheen Level						
PPMHGF	High-Gloss Sheen Level						
PPMGLITTER	Glitter Highlights						
PPMGOLD	Gold Highlights						
PPMROSEGOLD	Rose Gold Highlights						
PPMSILVER	Silver Highlights						

Finishes

Finishes with antiquing, dusting or glazing will vary from product to product depending on the level of detail. Areas with deeper recesses will appear darker than smooth areas.

For the best possible finish match, refer to the 2022 Paris Texas Hardware Finish Chips. These chips have smooth, fluted and carved detailed areas, enabling you to see the beautiful shadings and highlights that make our finishes so special.

Portfolio

Portfolio Strike-offs: For a fee of \$50.00 (net) per finish / strike-off, Paris Texas Hardware will provide a sample of your Portfolio finish on any 6" wood or metal pole as requested. Customer approval of the strike-off sample is required before production will begin.

Portfolio Touch up paint: For a fee of \$20.00 per vial, touch-up paint can be sent to the customer on request.

PTH Perfect Match™

On your purchase order, specify the following:

- · Benjamin Moore® color name and number
- · Sheen level: high-gloss or eggshell
- · Highlight color, if desired (silver, gold, rose gold or glitter)

Each color specified (every time we purchase paint) will be subject to a separate minimum. If you have different colors for different rooms of hardware, please put them on separate purchase orders. Purchase includes 1 oz of touch-up paint. If there is enough of your Benjamin Moore® paint leftover, we'll keep it for 30 days. After 30 days, we'll dispose of it using an environmentally responsible paint service.

Single Color - No Highlight:

10% upcharge or \$100.00 minimum (net)


Strike-off available: For a fee of \$50.00 (net) per color, a sample of your Benjamin Moore® paint will be provided on a PTH sample chip. When you place your order, we will credit \$25.00 of this fee toward your order with that paint color.

Single Color - With Highlight:

15% upcharge or \$150.00 minimum (net)

Strike-off available: For a fee of \$60.00 (net) per color with highlight, a sample of your Benjamin Moore® paint with highlight will be provided on a PTH sample chip. When you place your order, we will credit \$30.00 of this fee toward your order with that paint color.

Order must be received within 30 days or strike-off paint will be disposed and no credit will be Issued. In lieu of purchasing strike-offs, we encourage you to use your Benjamin Moore® paint deck for color reference.



Knox - Crystal

1 1/4" L x 2 5/8" W

Crystal, Metal Pole

Reese - Crystal

2 ³/₄" L x 2 ¹/₂" W

Crystal, Metal Pole

$1\% \\ \text{Modern Finial Collection fits 1\%" poles. Finial adapters are required to adapt to 1\%" metal traverse, sold separately on page 10.}$



Lex

Metal

1 %" L x 2" W



Evan End Cap

3/4" L x 1 3/4" W

Metal



London - Crystal

1 %" L x 3" W

Metal / Crystal

1 1/8" Clean Deco Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 10.



PO118VIFI		PO118WRFI	PO118WIFI		PO118ZAEC	
Viktor		Wren	Wright - Crystal		Zane End Cap	
1½"Lx2¾"W Metal/Acrylic		2" L x 1 1/8" W Metal	2 ½" L x 2 ¾" W Metal / Crystal		5%" L x 2 3/8" W Metal	
\$113.71 pair*	k	\$113.71 pair*	\$206.41 pair	*	\$56.85 pair	-*

1 1/8" Transitional Luxe Finial Collection fits 1/6" poles. Finial adapters are required to adapt to 1/6" metal traverse, sold separately on page 10.





See page 10 for our 1 1/8" Finial Accessories!

- · Mix & Match finishes and materials for the ultimate customized style, or use to adapt your 1 1/8" Finial to work with Baton Draw Metal Traverse on pages 63 - 67
- Transitional Style » Transitional Cuff / Finial Adapter PO118CUFF
- · Need Some Glamour? » Crystal Band PO118CRMEBAND
- · Clean Deco Style » Deco Cuff / Finial Adapter PO118DECUFF

1 1/8" Bohemian Chic Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on page 10.





1 1/8" Rustic Retreat Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 10.






1%" French Returns fit the 1%" pole. Look for coordinating brackets on pages 11 - 12 marked with the FR icon.


Also, check out our NEW French Returns for Traverse on page 67.





1 1/8" Mix & Match create an even more customized design!





Transitional and Deco Cuffs / Finial Adapters

Style Meets Function

 $1\frac{1}{8}$ " Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all $1\frac{1}{8}$ " Finials across five style categories using either Cuff / Finial Adapter. See pages 63 - 67.







11/8" Modern Metal Brackets fit the 11/8" pole.

Note: Return indicates distance from wall to center of pole.

Look for coordinating brackets for French Returns marked with the FR icon.




\$61.80 each

PO118DESBK


Declan Single


\$67.98 each

\$74.16 each









Use with Caden C-Ring.

*CAUTION: Aiden Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1 1/8" pole to secure it.

Declan Brackets must be installed at each end to secure 1 1/8" pole.



PO118AESBK Aiden Single

2" DIA backplate, 3 ½" return, use with Caden C-Rings

\$61.80 each

PO118AEDBK Aiden Double

2" DIA backplate, 6 ½" front return and 3 ½" back return, %16" clearance above backplate, use with Caden C-Rings


\$74.16 each





PO118IMBK Inside Mount

1 13/16" DIA backplate x 1 1/4" D. 3/16" thick backplate per bracket

\$74.16 pair*







1½" Metal Pole

1 1/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'. 1 1/8" metal poles are supplied with plastic inserts to attach the finials.


Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.


PO118ME02	P0118ME04	PO118ME06	PO118ME08	PO118ME10	PO118ME12
2'	4'	6'	8'	10'	12'
\$35.84 each	\$71.69 each	\$107.53 each	\$143.37 each	\$179.21 each	\$215.06 each



11/8" Metal Rings fit the 11/8" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1 1/8" Metal Accessories










1 3/8" Modern Finial Collection fits the 13/8" metal pole and metal traverse.



1 3/8" French Returns fit the 1 3/6" pole. Look for coordinating brackets on pages 15 & 19 marked with the 19 icon.



13/8" Modern Metal Brackets fit the 13/8" pole.

Note: Return indicates distance from wall to center of pole.

Look for coordinating brackets for French Returns marked with the FR icon.



PO138GASBK Grant Single



\$67.98 each

2 ½" DIA backplate, 3 ½" return

PO138GAS6BK Grant 6" Single

2 ½" DIA backplate, 6" return




PO138GADBK

Grant Double

2 ½" DIA backplate, 6 ½" front return and 3 ½" back return

\$74.16 each \$80.34 each





FR

\$67.98 each

PO138GGSBK Gage Single

2 ½" DIA backplate, 3 ½" return

\$74.16 each

PO138GGS6BK Gage 6" Single

2 ½" DIA backplate, 6" return




PO138GGDBK Gage Double

2 ½" DIA backplate, 6 ½" front return and

\$80.34 each

3 ½" back return

Designer Expertise » Use Gage Brackets for ceiling mount!



6" return Gage 6" Single

6-1/2" front return 3-1/2" back return both cradles fit 1-3/8" metal pole

Gage Double

Bypass Support Brackets Use with Calla C-Ring.

*CAUTION: Talon Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 13%" pole to secure it.

Grant Brackets must be installed at each end to secure 1 3/8" pole.



PO138TASBK Talon Single

2 ½" DIA backplate, 3 ½" return, use with Calla C-Rings

\$67.98 each

FR



PO138TADBK Talon Double

2 ½" DIA backplate, 6 ½" front return and 3 ½" back return, 3/8" clearance above backplate, use with Calla C-Rings


\$80.34 each




PO138IMBK Inside Mount

2" DIA backplate x 1 9/16" D, 1/4" thick backplate per bracket

\$80.34 pair*





^{*}Sold in pairs only.

1%" Metal Pole | 1%" Acrylic Pole

13/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'. 13/8" metal poles are supplied with plastic inserts to attach wood & resin finials, if desired. Acrylic poles only work with the 1 3/8" Modern Finial Collection.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

PO138ME02	PO138ME04	PO138ME06	PO138ME08	PO138ME10	PO138ME12
2'	4'	6'	8'	10'	12'
\$43.26 each	\$86.52 each	\$129.78 each	\$173.03 each	\$216.29 each	\$259.55 each




PO138AC02	PO138AC04	PO138AC06	PO138AC08	PO138AC10	PO138AC12
2'	4'	6'	8'	10'	12'
\$95.17 each	\$190.34 each	\$285.51 each	\$380.68 each	\$475.84 each	\$571.01 each




 $1\frac{3}{8}$ " Metal Rings fit the $1\frac{3}{8}$ " pole. Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1 3/8" Metal Accessories

Metal Baton	Clear Acrylic Baton
3/8" DIA, Metal	½" DIA, Acrylic
ромез6WAND - 36" - \$70.45 each	AC36WAND - 36" - \$55.62 each
POME48WAND - 48" - \$76.63 each	AC48WAND - 48" - \$61.80 each
POME60WAND - 60" - \$82.81 each	AC60WAND - 60" - \$67.98 each



	G
Handicap Metal Baton	Handicap Clea
4" Loop, ADA Compliant, Metal	4" Loop, ADA Co
POME48HWAND - 48" - \$76.63 each	AC48HWANE
роме60нwand - 60" - \$82.81 each	AC60HWANE
	AC72HWANI





\$8.65 each


13/8" Today's Traditional Finial Collection fits the 13/8" wood poles and heavy duty traverse.





13/8" Heritage Classics Finial Collection fits the 13/6" wood poles and heavy duty traverse.








13/8" Transitional Cuff / Finial Adapter PO138CUFF

See next page for more details

- $\cdot \, ^{3}/_{4}$ " L x 1 $^{1}/_{2}$ " W
- · Metal, Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™
- Mix & Match finishes and materials for the ultimate customized style, or use to adapt your $1^3/8$ " Today's Traditional or Heritage Classics Finial to work with R-TEC Automation® Metal Traverse on pages 32 41 and Baton Draw Metal Traverse on pages 68 73. Finial Adapters required, sold separately.

\$48.20 pair*

13/8" Mix & Match create an even more customized design!



3/4" L x 1 1/2" W

- · Metal, Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™
- · Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$48.20 pair*

13/8" R-TEC and Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 13/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff/ Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



*Transitional Cuff/Finial Adapter PO138CUFF not required with Metal Traverse Systems on pages 32 - 41 and 68 - 73



*Requires Transitional Cuff / Finial Adapter PO138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73




*Requires Transitional Cuff/Finial Adapter PO138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73



13/8" Metal Brackets fit the 13/8" wood poles.

Look for coordinating brackets for French Returns marked with the FR icon.






1" W x 3 1/4" H backplate, 3 1/2" - 5" adjustable return


2 3/4 H, 2" DIA backplate, 2 5/8" drop


1" W x 1 1/4" H x 1 7/8" D, 1/4" thick backplate per bracket

\$98.88 pair*

\$67.98 each \$67.98 each 3-1/2" - 5" adjustable return Top of 1-3/8" Pole Top of 1-3/8" Pole •







Inside Mount

Bypass Support Brackets Use with Medium C-Ring.

*CAUTION: Gregory Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1 3/8" pole to secure it.

Winston Brackets must be installed at each end to secure 1 3/8" pole.



FR

PO138GRSBK Gregory Single

3/4" W x 3 3/4" H backplate, 3 ½" return, use with Medium

\$67.98 each



PO138GRS6BK Gregory 6" Single

3/4" W x 3 3/4" H backplate, 6" return, use with Medium C-Rings

\$74.16 each



PO138GRDBK **Gregory Double**

3/4" W x 3 3/4" H backplate, 6" front return and 3" back return, use with Medium C-Rings


\$80.34 each



PO138GRSHBK FR Gregory 3 ½" Horizontal Single

2 3/8" W x 3/4" H backplate, 3 ½" return, use with Medium C-Rings

\$67.98 each




^{*}Sold in pairs only.


13/8" Wood & Resin Brackets fit the 13/8" wood poles.

Note: Return indicates distance from wall to center of pole.









13/8" Wood Poles

1 3/8" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 16'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

PO138SM02	PO138SM04	PO138SM06	PO138SM08	PO138SM10	PO138SM12	PO138SM14	PO138SM16
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	Smooth - 14'	Smooth - 16'
\$74.16 each	\$148.32 each	\$222.47 each	\$296.63 each	\$370.79 each	\$444.95 each	\$519.10 each	\$593.26 each
PO138GR02	PO138GR04	PO138GR06	PO138GR08	PO138GR10	PO138GR12	P0138GR14	PO138GR16
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	Grooved / Fluted - 14'	Grooved / Fluted - 16'
\$74.16 each	\$148.32 each	\$222.47 each	\$296.63 each	\$370.79 each	\$444.95 each	\$519.10 each	\$593.26 each
PO138RE02	PO138RE04	PO138RE06	PO138RE08	PO138RE10	PO138RE12	PO138RE14	PO138RE16
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	Reeded - 14'	Reeded - 16'
\$74.16 each	\$148.32 each	\$222.47 each	\$296.63 each	\$370.79 each	\$444.95 each	\$519.10 each	\$593.26 each











Reeded





Smooth

Grooved / Fluted

13/8" Wood & Metal Rings fit the 13/6" wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.*





EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.




1 3/8" Accessories





2 1/4" Today's Traditional Finial Collection fits the 2 1/4" wood poles and heavy duty traverse.







2 ¼" Heritage Classics Finial Collection fits the 2 ¼" wood poles and heavy duty traverse.










2 1/4" Metal Brackets fit the 2 1/4" wood poles.


Note: Return indicates distance from wall to center of pole.


















2 1/4" Wood & Resin Brackets fit the 2 1/4" wood poles.

Note: Return indicates distance from wall to center of pole.









21/4" Wood Poles

2 1/4" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 16'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

	total in ordere than percedurações arayes arayes arayes arayes a proceso para arayes per estado.						
PO214SM02	PO214SM04	PO214SM06	PO214SM08	PO214SM10	PO214SM12	PO214SM14	PO214SM16
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	Smooth - 14'	Smooth - 16'
\$98.88 each	\$197.75 each	\$296.63 each	\$395.51 each	\$494.38 each	\$593.26 each	\$692.14 each	\$791.01 each
PO214GR02	PO214GR04	PO214GR06	PO214GR08	PO214GR10	PO214GR12	PO214GR14	PO214GR16
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	Grooved / Fluted - 14'	Grooved / Fluted - 16'
\$98.88 each	\$197.75 each	\$296.63 each	\$395.51 each	\$494.38 each	\$593.26 each	\$692.14 each	\$791.01 each
PO214RE02	PO214RE04	PO214RE06	PO214RE08	PO214RE10	PO214RE12	PO214RE14	PO214RE16
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	Reeded - 14'	Reeded - 16'
\$98.88 each	\$197.75 each	\$296.63 each	\$395.51 each	\$494.38 each	\$593.26 each	\$692.14 each	\$791.01 each





Smooth Wood Pole PO214SM





Grooved / Fluted Wood Pole PO214GR



Reeded Wood Pole PO214RE

EZ Glide Tape


Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.



$2\frac{1}{4}$ " Rings fit the $2\frac{1}{4}$ " wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





2 1/4" Accessories









Modern Holdback Medallions fit modern or transitional resin holdback stems.



Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



« Don't forget to order your **Holdback Stems** separately

$Holdback\ Arms\ {\it May be used with any 1\%" metal or resin finial without Cuff.\ Finials are sold separately.}$



Holdback Arm

7" W, ½" DIA stem 1 %" H backplate,

5 ½" D, 4 ½" PROJ Metal

\$74.16 pair*



Holdback Arm shown with Achilles Finial (sold separately) Metal

Holdback Medallion Bands Attaches any Holdback Medallion to the front of a pole. Holdback Medallions sold separately.



PO118MEBAND 1 1/8" Band

3/4" W, 1 3/16" ID, 1 ⁵/₁₆" OD Metal

\$42.02 pair*



PO138MEBAND

13/8" Band 3/4" W, 1 7/₁₆" ID, 1 5/8" OD Metal

\$48.20 pair*



PO214MEBAND

2 1/4" Band 3/4" W, 2 5/16" ID, 2 ½" OD Metal

\$54.38 pair*

Common uses for Medallion Bands:

- Repeated decorative embellishment along the length
- 2. Hold gathered rod pocket drapery panel in place.
- Ring stop.





Transitional Holdback Medallions fit modern or transitional resin holdback stems.



POISHB	POLYHB	POMIHB	POMRHB	POSWHB	POTRHB
Isabelle	Lyon	Miranda	Mirna	Swindon	Trudy
5 ½" DIA, 1 ¼" TH Resin	4 ¾" DIA, 2 ½" TH Resin	5" DIA, 1 ½" TH Resin	4 ½" DIA, 1 ¼" TH Resin	5 1/8" DIA, 1 1/4" TH Resin	4 ¾" DIA, ¾" TH Resin
\$111.24 pair*	\$148.32 pair*	\$111.24 pair*	\$148.32 pair*	\$111.24 pair*	\$111.24 pair*

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.




« Don't forget to order your Holdback Stems separately





Traverse

Systems



Featuring the RITEC AUTOMATION® Slim Drapery Motor.

Designed to install seamlessly behind the drapery panel, providing the ultimate integrated functionality without compromising the look of your window treatment.



RIEO AUTOMATION° 1 3/8" Motorized Metal Traverse Systems

Motorized 1 3/8" Metal traverse systems create smart design solutions for both residential and commercial environments.

The slim drapery motor is designed to install seamlessly behind the drapery panel with quiet start / stop operation, the ability to easily charge without having to remove the motor and up to 500 open and close cycles per charge, providing the ultimate integrated functionality without compromising the look of your window treatment.

Our NEW French Returns for Traverse may be ordered separately. Finials may be ordered separately from 1 3/8" Diameter Collections. Modern Finial Collection do not require use of Cuff and attach using set screw. Today's Traditional and Heritage Classics Finial Collections require the use of the Transitional Cuff / Finial Adapter (sold separately). See page 40.

Select from 35 Portfolio hand painted finishes **(except Antique Gold Leaf)**, 6 Quick Ship Metal finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.



Single Traverse System, Wall Mount

- · Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 13/8" collection finials and additional remote options sold separately



Double Traverse System, Wall Mount

- · Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately



Single Traverse System, Ceiling Mount

- · Ceiling bracket: 3 11/16" drop
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 13/8" collection finials and additional remote options sold separately



Double Traverse System, Ceiling Mount


- · Ceiling bracket: 4" drop, 4 ½" between centers of tracks
- Traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- · 13%" collection finials and additional remote options sold separately



Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 ½" drop
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately





Drive

R-TEC Metal Traverse Track

- · Track sold in 1 foot increments, 4' minimum
- · Maximum continuous length is 12' on select finishes (see below bullets); spliced lengths up to 24' (maximum of 2 splices per metal traverse track system)
- · Maximum continuous length is 12' on 35 Portfolio Finishes (except Antique Gold Leaf), BN and MK Quick Ship Metal Finishes, 5 Quick Ship Wood & Resin Finishes and PTH Perfect Match™
- · Maximum continuous length is 8' on SG, RGD, BZ and CZ Quick Ship Metal Finishes

Handheld Remote with Wall Mount RTMHR5C

5 Channel Remote with simple buttons.

- · 4 ¾" H x 2" W x ¾" D
- · 1 Remote Control per system
- · Range: 65'
- · Programmable Favorite Position to set your favorite drapery position
- · Off-White

Motor & Power Options



Slim Drapery Motor RTMLDSS50

Li-ion

Battery

shown

(110v

AC/DC

Power

Transformer

option

available)







Li-ion Battery **RTMLDSSB**

Battery Charger RTMLDSSBC

USB Charger Cable RTMLDSSUSB

Recommended for use with track up to 14' & drapery weight up to 60 lbs.



110v AC/DC Power Transformer 10' (plug included) RTMDSSPT

Recommended for use with track over 14' & drapery weight over 60 lbs.

Motor Weight Capacity

Use the Motor Weight Capacity chart below to determine if the slim drapery motor accommodates your length of track and your drapery weight. The System Features chart on page 34 lists the varied functions of the motor.

		maximum drapery weight per total length of system (lbs)					
	Motor	18' or less	20'	22'	24'		
RIEO AUTOMATION°	Slim Drapery Motor	77	77	77	77		

Note: 77 lbs. is the maximum weight for one-way or center draw panels for each track on single and double traverse systems. Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance.



System Features	R-TEC Automation® Slim Drapery Motor
System Features	
Center Draw or One-Way Draw Available	×
White or Bronze Track, Components & Brackets Available	X
Track Maximum Length	24'
Maximum Number of Track Splices	2
Motor Features	
Battery Power Option	X
Motor Cord Length as Purchased	10' (custom length up to 20' available)
2-Way RF Communication	X
Adjustable Speed	X
Preferred Open / Close Position	X
Favorite Position	×
Obstruction Detection	×
Manual Override	X
Quiet Operation	X
Soft Start / Stop	X
Average Linear Speed	5.5" (14 cm)/sec
Motorized Track Noise Level	44 dB
Maximum Weight	77 lbs
Motor Unit can be Installed on Either End of Track	X
Control Options	
Sun Control	Х
Digital Technology	ARC™
Solar Power	X
Installation Features	
Programming Buttons on Motor Unit	×
Power Supply	Li-lon Battery or 110v AC/DC Power Transformer
Amperage	1.3 A
Power Consumption	20 W
Power Cable Type	3 Conductor Male Plug
Standard Accessories Included with System	
5 Channel Handheld Remote with Wall Mount (Remote Control; White)	X
Carrier Features	
White or Bronze Pinch Pleat Glides	X
White or Bronze Ripplefold Glides (Choose 60%, 80%, 100% or 120% Fullness)	X

Control your window coverings with a smartphone or tablet. The Automate® Pulse 2 App enables simple, intuitive control and system configuration from your smartphone or tablet.





Pair the Automate® Pulse 2 Hub and App with these systems:










(not sold by Rowley):





can be ordered at additional cost



MT02-0401-067001 Automate® Pulse 2 Hub; 2-way RF; Wi-Fi built in

- · 4 ½" H x 1 ¼" W x 4 ½" D
- · Range: 60'



- · Range: 65'
- · Available in White



RTMHR5C Push5 Handheld Remote with Wall Mount, 5 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in Off-White



RTMHRP15C (/K) Push15 Handheld Remote with Wall Mount, 15 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in White or Black



RTMHR15C Handheld Remote with Wall Mount, 15 Channel

- \cdot 5 %6" H x 1 %1" W x %2" D
- · Range: 65'
- · Available in White



RTMWSR5C Surface Mount Wall Switch, 5 Channel

- \cdot 4 $\frac{1}{2}$ " H x 2 $\frac{3}{4}$ " W x $\frac{7}{8}$ " D
- · Range: 65'
- · Available in White



RTMWCR1C RTMWCR2C RTMWSR15C Cut-In Wall Mount Switch, 1, 2 or 15 Channel

- · 4 ½" H x 2 ¾" W x 1" D
- · Range: 65'
- · Available in White
- · RTMSMB/W required for installation



RTMISS Interior Sun Sensor

- ·13/4" H x 13/4" W x 5/8" D
- · Range: 65'
- · Available in White



RTMUSR ARC™ USB Signal Repeater

- · 2" L x 2 ½" L with USB x 1 1/6" W
- · Extends the wireless range of the Hub and remotes up to 60'
- · Maximum 2 repeaters per system or network
- · Available in White (color may vary)



RTMLDSSBC Wall Charger for USB Signal Repeater

- · 1 7/16" W x 1 13/16" L
- · Available in White (color may vary)

RTMSOLAR2 Solar Panel Battery Charger

- · 4 %" H x 12 %6" W x 1 %8" D
- · Includes I-bracket, cables & fastener



$1\ ^3\!/\!\!\mathrm{s}"$ Motorized Metal Traverse Systems Finishes

35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect Match™, 6 Quick Ship Metal finishes or 5 Quick Ship Wood & Resin finishes.

Diameter	Track Finish	Component Color	Max. Continuous Length
1 3/8"	Amulet	White	12'
1 ³ /8"	Andiron	White	12'
1 ³ ⁄8"	Antique Gold	White	12'
] ³ ⁄8"	Art Bronze	Bronze	12'
] ³ ⁄8"	Barnwood	Bronze	12'
] ³ ⁄8"	Black	Bronze	12'
] ³ ⁄8"	Blush	White	12'
] ³ ⁄8"	Bronzed Pewter	Bronze	12'
] ³ ⁄8"	Concrete	White	12'
] ³ /8"	Couture	White	12'
] ³ /s"	Dark Chocolate	Bronze	12'
] ³ /s"	Firelight	White	12'
] ³ ⁄8"	Gossamer	Bronze	12'
1 ³ /8"	Greige	White	12'
1 3/8"	Halo	White	12'
] ³ /8"	Java	Bronze	12'
] ³ /s"	Linen	White	12'
] ³ ⁄8"	Luminous	Bronze	12'
] ³ ⁄8"	Manor	White	12'
] ³ /8"	Mink	Bronze	12'
] ³ / ₈ "	Moonlight	Bronze	12'
] ³ /8"	Mystic	White	12'
1 ³ /8"	New Age Bronze	Bronze	12'
1 ³ /8"	Patina	White	12'
1 ³ /8"	Shimmer	Bronze	12'
] ³ /s"	Silver Maple	White	12'
1 ³ /8"	Spicewood	Bronze	12'
1 ³ /8"	Spun Gold	White	12'
1 3/8"	Stardust	White	12'
] ³ /8"	Starlet	White	12'
] ³ /8"	Titanium	White	12'
1 3/8"	Truffle	Bronze	12'
1 ³ /8"	Urban Bronze	Bronze	12'
1 ³ /8"	White	White	12'
1 ³ /8"	PTH Perfect Match™	please specify	12'
1 ³ /8"	Brushed Nickel	White	12'
1 ³ /8"	Brushed Bronze	Bronze	8'
1 ³ /8"	Charcoal Zinc	White	8'
1 ³ /8"	Matte Black	White	12'
1 3/8"	Rose Gold	White	8'
1 3/8"	Satin Gold	White	8'
1 3/8"	Antique Brass	White	12'
1 3/8"	Oil Rubbed Bronze	Bronze	12'
1 3/8"	Platinum	White	12'
1 ³⁄8"	Rose Gold	White	12'
1 3/8"	Walnut	Bronze	12'



$1\,{}^3\!/\!{}_8$ " Motorized Metal Traverse Systems Pricing

Orders with R-TEC motorized traverse systems will incur a \$25.00 packaging fee. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

Li-ion Battery or 110v AC/DC Power, Ripplefold or Pinch Pleat

Systems are sold in 1 ft increments

Item #	4'	5'	6'	7'	8'	9'	10'	11'	12'	price per f
Single Traverse Sy	stem, Wal	l Mount, 3	½" return (includes track,	motor, power o	ption, brackets,	, Ainsley end ca	ps, 5 channel re	mote & compo	onents)
CSRPTHM138400	\$1,876.19	\$1,973.83	\$2,071.47	\$2,169.11	\$2,266.75	\$2,364.39	\$2,462.03	\$2,559.67	\$2,657.31	\$97.64
Single Traverse System, Wall Mount, 6" return (includes track, motor, power option, brackets, Ainsley end caps, 5 channel remote & components)										
CSRPTHM138401	\$1,970.12	\$2,078.88	\$2,187.65	\$2,296.41	\$2,405.18	\$2,513.94	\$2,622.71	\$2,731.47	\$2,840.24	\$108.76
Double Traverse S	System, Wa	all Mount (i	ncludes tracks,	, motors, power	options, bracke	ets, Ainsley end	caps, 5 channe	l remote & com	ponents)	
CSRPTHM138402	\$3,752.37	\$3,947.66	\$4,142.94	\$4,338.22	\$4,533.50	\$4,728.78	\$4,924.06	\$5,119.35	\$5,314.63	\$195.28
Single Traverse System, Ceiling Mount (includes track, motor, power option, brackets, Ainsley end caps, 5 channel remote & components)										
CSRPTHM138403	\$1,876.19	\$1,973.83	\$2,071.47	\$2,169.11	\$2,266.75	\$2,364.39	\$2,462.03	\$2,559.67	\$2,657.31	\$97.64
Double Traverse System, Ceiling Mount (includes tracks, motors, power options, brackets, Ainsley end caps, 5 channel remote & components)										
CSRPTHM138404	\$3,752.37	\$3,947.66	\$4,142.94	\$4,338.22	\$4,533.50	\$4,728.78	\$4,924.06	\$5,119.35	\$5,314.63	\$195.28
Single Traverse System, Low-Profile Ceiling Mount (includes track, motor, power option, brackets, Ainsley end caps, 5 channel remote & components)										
CSRPTHM138406	\$1,876.19	\$1,973.83	\$2,071.47	\$2,169.11	\$2,266.75	\$2,364.39	\$2,462.03	\$2,559.67	\$2,657.31	\$97.64

Item #	Name	NET Price
R-TEC Aut		
RTMLDKIT	Slim Drapery Motor with Li-ion Battery, Wall Charger & USB Cable (included)	\$393.26
RTMLDS2KIT	Slim Drapery Motor with Li-ion Battery & Solar Panel Charger	\$528.09
RTMLDACKIT	Slim Drapery Motor with 110v AC/DC Power Transformer 10' with 3 Conductor Male Plug	\$331.46

Item #	Name	NET Price		
R-TEC Motor & Components				
RTMLDSS50	Slim Drapery Motor	\$224.72		
RTMLDSSB	Li-ion Battery	\$134.83		
RTMLDSSBC	Battery Wall Charger	\$16.85		
RTMLDSSUSB	USB Cable	\$16.85		
RTMDSSPT	110v AC/DC Power Transformer 10' with 3 Conductor Male Plug	\$78.65		
RTMDSSPTCS	110v AC/DC Power Transformer 20' (plug RTMP sold separately) specify ft.	\$84.27		
RTMP	3 Conductor Male Plug	\$28.09		


Item #	Name	Color	NET Price
	_		

R-TEC Smart Controls Push5 Handheld or Wall Mount Remote - 5 channel included

RTMHRIC	Handheld Remote with Wall Mount, 1 ch	White	\$73.03
RTMHR5C	Push5 Handheld Remote with Wall Mount, 5 ch	Off- White	\$78.65
RTMHRP15C RTMHRP15C/K	Push15 Handheld Remote with Wall Mount, 15 ch	White or Black	\$84.27
RTMHR15C	Handheld Remote with Wall Mount, 15 ch	White	\$95.51
RTMWSR5C	Surface Wall Mount Switch, 5 ch	White	\$78.65
RTMWCR1C	Cut-In Wall Mount Switch, 1 ch*	White	\$56.90
RTMWCR2C	Cut-In Wall Mount Switch, 2 ch*	White	\$63.58
RTMWSR15C	Cut-In Wall Mount Switch, 15 ch*	White	\$84.27
RTMSMB/W	*Surface Mount Wall Back Box	White	\$9.55
MT02-0401- 067001	Wi-Fi to ARC Bridge Hub-2-Way RF-includes USB Power Cord, Power Plug & Ethernet Cable	White	\$286.52
RTMISS	Interior Sun Sensor	White	\$50.56
RTMUSR	ARC USB Signal Repeater	White	\$134.83
RTMLDSSBC	Wall Charger for USB Signal Repeater	White	\$16.85
RTMSOLAR2	Solar Panel Battery Charger- includes L-Bracket, Cables & Fastener	Black	\$134.83

^{*}RTMSMB/W required for installation.





Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'	21'	22'	23'	24'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8	8	8	8	8

PTH Motorized Traverse Tips

- \cdot Specified custom system length is from drapery return to drapery return including pulleys. Ainsley end caps included with the system, and will add $\frac{1}{2}$ " at each end, totaling 1".
- · Track will be spliced in the center of overall length.
- R-TEC Motorized Traverse Systems carry a 5 year warranty; WARNING: Modifications of internal components will void R-TEC warranty.

Motorized Stack Back Calculation (each drapery panel)

R-TEC: master carrier + (# carriers on panel x carrier width) + 3.75" = stack per drapery panel

Ex: R-TEC 20 ft. one-way draw, Ripplefold® style 80% fullness
6.75" + (98 x .563") + 3.375" = 65.3" stack, underlap master panel *BEFORE drapery fabric is installed*

Please note: Calculations result in stack back width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.





$1\,{}^3\!/\!{}_8$ " Motorized Metal Traverse Systems Information


1 ³/₈" Brackets & Connectors for additional brackets. See below for diagrams/dimensions.


















Ceiling Bracket Extender PTHMT138405



Low-Profile Single Ceiling PTHMT138406 13/4"



Carriers for additional carriers.

Pinch Pleat Glides





Pinch Pleat Glides CP40 CP40/BR

Wheel for smooth movement. Available in white or bronze /BR.

Included in system; additional glides may be ordered separately.

\$3.65 NET pack (10 pieces)

Ripplefold® Style Glides






Ripplefold® Style Glides R4060/P R4060/P/BR /BR R4080/P R4080/P/BR R4100/P R4100/P/BR R4120/P R4120/P/BR

Ripplefold Glides with detachable pendents. 60%, 80%, 100% or 120% fullness - specify fullness on order. Available in white or bronze /BR.


Included in system; additional glides may be ordered separately.

\$0.71 NET each

R-TEC pinch pleat glide 4 per foot, unless otherwise specified








60% carrier fullness: 2 5%" spacing 80% carrier fullness: 2 3%" spacing 100% carrier fullness: 2 1/8" spacing 120% carrier fullness: 1 7/8" spacing

Snap tape*: 41/4" spacing *Snap tape not included with system

IMPORTANT: Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold glides.

R-TEC Automation® Ripplefold glides are compatible with Rowley R-TEX and clear Ripplefold snap tapes. Kirsch Ripplefold snap tapes may also fit.

Master carrier body is required for each master carrier arm - sold separately; look for the /BR icon for components available in bronze and add /BR at the end of the item number to order. See page 53 for measurements & diagrams.






Upgrade your End Cap with French Returns or Finials

1 % "R-TEC Motorized Metal Traverse Systems include End Caps, but are designed to work with our NEW 1 % "French Returns for Traverse and all 1 % "Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.





PTHMT138440

French Return for Metal Traverse

(Includes 1 Return, 1 Splice, 1 French Return Ring to reduce sidelight, 4 End Stops, 4 Ripplefold Carriers, 2 Pinch Pleat Carriers, 1 Allen Wrench and 2 Extra Set Screws)

Metal, 3 ½" return, Ripplefold or Pinch Pleat Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™

\$108.44 each




Portfolio page 14 | Quick Ship page 93 | *Transitional Cuff/Finial Adapter PO138CUFF not required



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



³/₄" L x 1 ¹/₂" W

- · Metal, Available in any of our 35 Portfolio Hand Painted Finishes, 5 Quick Ship Wood & Resin Finishes or PTH Perfect Match™
- · Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$48.20 pair*



Metal Motorized Traverse Order Form



Date

Ship via

Side Mark

O4

Company Information						Sh	ipping	Shipping Information	u				
Company Name			Acct #			Co	Company Name	Vame				Acct #	
Contact Person						Cor	Contact Person	rson					
Street Address						Stre	Street Address	ress					
City			State	ZIP	۵	City					0)	State	ZIP
Email						Email	ail						
Phone		Fax				Phone	one			Fax			
MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed specifications. Specified custom cut length indicates track length including pulleys.	EMS - c	Consult Price List f th including pulleys.	or detailed s	pecificati	ons.					ı			
	R-TEC	Power Option **see additional R-TEC options below		System Length	Custom Cut Length	Finish		Draw Preference	40	Glides pinch pleat OR			
Item #	INIOLOI		="	(sold by 1')	(inches)	_	Senter N	Center Motor Location	One-Way	Ripplefold® style*	Qty	Price per Unit	Subtotal
	Slim	☐ Li-ion Battery ☐ 110	110v AC/DC Power					L		PP			
	Slim	☐ Li-ion Battery ☐ 110	110v AC/DC Power					L	L	PP RF			
	Slim	☐ Li-ion Battery ☐ 110	110v AC/DC Power					L	_ L _ R	PP RF			
	Slim	☐ Li-ion Battery ☐ 110v AC/DC Power	0v AC/DC Power					L	_ L _ R	PP RF			

MOTORIZED TRAVERSE COORDINATING ACCESSORIES AN Order finials, cuffs & collars, additional brackets and accessories here.	DINATING ACCES brackets and accessori	SORIES AND ADDITIONAL FEES ies here.	**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$127.20; 20' cord \$79.50 - specify total feet; plug \$26.50	50 - specifi	/ total feet; plug \$	26.50
Item #	Finish Code		Description	Qty	Qty Price per Unit Subtotal	Subtotal


MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL FEES

"When ordering kippieroid carriers, as	-	%001 \Rightarrow 80% \Rightarrow 1008	2. Select Ripplefold masters:	☐ Butt Master ☐ Overlap		TOTAL	
	24.	96	∞				
	23.	92	00				
	22.	88	∞				
	21.	84	00				
	20.	80	∞				
	19.	92	7				
	18.	72	7				
	5' 6' 7' 8 9' 10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 20'	89	7				
	16'	64	9				
	15.	09	9				
	14.	99	9				
	13.	52	9				
	12.	48	2				
	‡	44	2				
	10.	40	2				
	6	36	2				
	80	32	4				
	7.	28	4				
	.9	24	4				
	io	20	က				
	.4	16	2				
Glide and Bracket Information	Quantity included per system based on cut track length	Glides [4 per foot, includes master carriers & end caps (2)]	Brackets		Special Instructions		


□120%

Fascia Profiles for Motorized Heavy Duty Systems


$1 \frac{3}{8}$ "



$2^{1/4}$ "




Flat



*Fascia Profile is not available for back track in double systems and does not accept finials.

Slim Round



*Fascia Profile is not available for back track in double systems and does not accept finials.

RIEC AUTOMATION Motorized Heavy Duty Traverse Systems

Create a commercial look with the benefits of motorization using our R-TEC Automation® Track.

The slim drapery motor is designed to install seamlessly behind the drapery panel with quiet start / stop operation, the ability to easily charge without having to remove the motor and up to 500 open and close cycles per charge, providing the ultimate integrated functionality without compromising the look of your window treatment.

Decorative wood fascia available in 13/8" or 21/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 17/8" slim round smooth profile, 2 $\frac{1}{4}$ " flat smooth profile with flush ends or mitered returns.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single



- Standard single brackets are adjustable: 2 1/8" 3 1/4" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- 13/8" and 21/4" finials and additional remote options sold separately

Single Traverse System With Mitered Returns

- Standard single brackets are adjustable: 2 1/8" 3 1/4" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- Additional remote options sold separately



- Standard single brackets are adjustable: 2 1/8" 3 1/4" return
- Standard double brackets are adjustable 4 5/8" 5 1/4" front return and adjustable 2" - 2 7/16" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track(s), motor(s), power option(s), drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Double



- Standard double brackets are 5 1/4" front return and 2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- 1 3/8" and 2 1/4" finials and additional remote options sold separately




- Standard double brackets are 5 1/4" front return and 2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- Additional remote options sold separately



Stationary Front Pole With Back Traverse

- Traverse system coordinates with all 2 1/4" round fascia profiles; flat and slim fascia may not be used
- Coordinates with 2 1/4" poles for stationary front pole; back track available with or without wood fascia.
- Stationary front pole and TBKT bracket are included
- Finials and additional remote options sold separately
- Full rings available on stationary



Motor & Power Options





Recommended for use with track up to 24' & drapery weight up to 77 lbs.

Recommended for use with track over 24' & drapery weight over 77 lbs.

(plug included) RTMDSSPT

110v AC/DC Power Transformer 10'

Motor Weight Capacity

Use the Motor Weight Capacity chart below to determine if the slim drapery motor accommodates your length of track and your drapery weight. The System Features chart on the next page lists the varied functions of the motor.

			max	imum dı	rapery w	/eight p	er total l	ength o	f system	(lbs)	
	Motor	18' or less	20'	22'	24'	26'	28'	30'	32'	34'	36'
RIEO AUTOMATION*	Slim Drapery Motor	110	110	110	110	110	110	110	110	110	110

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately.



System Features	R-TEC Automation® Slim Drapery Motor
System Features	
Center Draw or One-Way Draw Available	X
White or Bronze Track, Components & Brackets Available	X
Track Maximum Length	36'
Maximum Number of Track Splices	2
Motor Features	
Battery Power Option	Х
Motor Cord Length as Purchased	10' (custom length up to 20' available)
2-Way RF Communication	X
Adjustable Speed	X
Preferred Open / Close Position	×
Favorite Position	×
Obstruction Detection	X
Manual Override	×
Quiet Operation	×
Soft Start / Stop	×
Average Linear Speed	5.5" (14 cm)/sec
Motorized Track Noise Level	44 dB
Maximum Weight	110 lbs
Motor Unit can be Installed on Either End of Track	X
Control Options	
Sun Control	×
Digital Technology	ARC™
Solar Power	X
Installation Features	
Programming Buttons on Motor Unit	×
Power Supply	Li-lon Battery or 110v AC/DC Power Transformer
Amperage	1.3 A
Power Consumption	20 W
Power Cable Type	3 Conductor Male Plug
Standard Accessories Included with System	
5 Channel Handheld Remote with Wall Mount (Remote Control; White)	х
Carrier Features	
White or Bronze Pinch Pleat Glides	×
White or Bronze Ripplefold Glides (Choose 60%, 80%, 100% or 120% Fullness)	Х



Control your window coverings with a smartphone or tablet. The Automate® Pulse 2 App enables simple, intuitive control and system configuration from your smartphone or tablet.





Pair the Automate® Pulse 2 Hub and App with these systems:










(not sold by Rowley):



Additional R-TEC Smart Controls

can be ordered at additional cost



MT02-0401-067001 Automate® Pulse 2 Hub; 2-way RF; Wi-Fi built in

· 4 ½" H x 1 ¼" W x 4 ½" D

· Range: 60'



RTMHRIC Handheld Remote with Wall Mount, 1 Channel

·5 3/16" H X 1 1/4" W X 1/2" D

· Range: 65'

· Available in White



RTMHR5C Push5 Handheld Remote with Wall Mount, 5 Channel

· 4 ¾" H x 2" W x ¾" D

· Range: 65'

· Available in Off-White



RTMHRP15C (/K) Push15 Handheld Remote with Wall Mount, 15 Channel

· 4 ¾" H x 2" W x ¾" D

· Range: 65'

· Available in White or Black



RTMHR15C Handheld Remote with Wall Mount, 15 Channel

·5¾6" H x 1¼" W x½" D

· Range: 65'

· Available in White



RTMWSR5C Surface Mount Wall Switch, 5 Channel

 \cdot 4 ½" H x 2 ¾" W x %" D

· Range: 65'

· Available in White



RTMWCRIC RTMWCR2C RTMWSR15C Cut-In Wall Mount Switch, 1, 2 or 15 Channel

 \cdot 4 $\frac{1}{2}$ " H x 2 $\frac{3}{4}$ " W x 1" D

· Range: 65'

· Available in White

· RTMSMB/W required for installation



RTMISS Interior Sun Sensor

·13/4" H x 13/4" W x 5/8" D

· Range: 65'

· Available in White



RTMUSR ARCTM USB Signal Repeater

· 2" L x 2 ½" L with USB x 1 1/6" W

· Extends the wireless range of the Hub and remotes up to 60'

· Maximum 2 repeaters per system or network

· Available in White (color may vary)



RTMLDSSBC Wall Charger for USB Signal Repeater

· 1 7/16" W x 1 13/16" L

· Available in White (color may vary)

RTMSOLAR2 Solar Panel Battery Charger

 \cdot 4 $\frac{5}{8}$ " H x 12 $\frac{9}{16}$ " W x 1 $\frac{3}{8}$ " D

· Includes I-bracket, cables & fastener



R-TEC Motorized Heavy Duty Traverse Systems Pricing

Li-ion Battery or 110v AC/DC Power, Ripplefold or Pinch Pleat

Single Track System v	verse System with Wo vith Wood Fascia for 1 3/8" round	4'	5'	6'	7'	8'	9'	10'	
CSRPTH138WF	R-TEC Slim Drapery Motor	\$2,010.91	\$2,093.72	\$2,176.53	\$2,259.33	\$2,342.14	\$2,424.95	\$2,507.76	
Double Track Syster	ns with Wood Fascia Front Only fo	or 1 ³ / ₈ " round	d						
CSRPTH138WFFDBL	R-TEC Slim Drapery Motor	\$3,573.16	\$3,705.41	\$3,837.66	\$3,969.90	\$4,102.15	\$4,234.40	\$4,366.65	
Double Track Syster	m with Wood Fascia Front and Ba	ck for 1 ³ / ₈ " rc	ound			,			
CSRPTH138WFDBL	R-TEC Slim Drapery Motor	\$4,021.81	\$4,187.43	\$4,353.05	\$4,518.67	\$4,684.29	\$4,849.91	\$5,015.53	
Single Track System v	vith Wood Fascia for 1 7/8" slim, 2 1/4"	flat smooth	or 2 1/4" rour	nd					
CSRPTH214WF	R-TEC Slim Drapery Motor	\$2,174.05	\$2,339.67	\$2,505.29	\$2,670.91	\$2,836.53	\$3,002.15	\$3,167.77	
Double Track Syster	ns with Wood Fascia Front Only fo	or 1 ⁷ / ₈ " slim, 2	2 1/4" flat sm	ooth or 2 1/4"	round				
CSRPTH214WFFDBL	R-TEC Slim Drapery Motor	\$3,736.31	\$3,951.36	\$4,166.42	\$4,381.48	\$4,596.54	\$4,811.59	\$5,026.65	
Double Track Syster	n with Wood Fascia Front and Bad	ck for 2 1/4" rd	ound						
CSRPTH214WFDBL	R-TEC Slim Drapery Motor	\$4,348.11	\$4,679.34	\$5,010.58	\$5,341.82	\$5,673.06	\$6,004.29	\$6,335.53	
Double Track Syster	ns with Stationary Front Only 2 1/4'	' Wood Pole							
CSRPTH214SDBL	R-TEC Slim Drapery Motor	\$2,086.30	\$2,293.94	\$2,501.58	\$2,709.22	\$2,916.87	\$3,124.51	\$3,332.15	
Double Track Syster	ms with Stationary Front 2 1/4" Woo	od Pole & Wo	ood Fascia E	Back for 2 1/4"	round				
CSRPTH214WFBSDBL	R-TEC Slim Drapery Motor	\$2,698.10	\$3,021.92	\$3,345.74	\$3,669.57	\$3,993.39	\$4,317.21	\$4,641.03	
Motorized Tra	verse System without	Wood F	ascia						
Single Track System t	rack available in white and bronze	4'	5'	6'	7'	8'	9'	10'	
CSRPTHTRACK	R-TEC Slim Drapery Motor	\$1,562.25	\$1,611.69	\$1,661.13	\$1,710.57	\$1,760.01	\$1,809.45	\$1,858.88	
Double Track Syster	m track available in white and bro	nze							
CSRPTHTRACKDBL	R-TEC Slim Drapery Motor	\$3,124.51	\$3,223.38	\$3,322.26	\$3,421.14	\$3,520.01	\$3,618.89	\$3,717.77	

Additional R-TEC Traverse Fees		ltem#	Name	NET Price
PTHFEEMITER-EACH Wood Fascia Mitered Return per return	\$80.00	R-TEC Aut	comation® Motor Kits	
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00	RTMI DKIT	Slim Drapery Motor with Li-ion Battery, Wall Charger & USB Cable	\$393.26
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection	\$65.00		(included)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
PTHFEEBLEND Blended Fascia Splice per blend	\$108.00	RTMLDS2KIT	Slim Drapery Motor with Li-ion Battery & Solar Panel Charger	\$528.09
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia	,		3	
alone, order full pole and specify fascia fabrication) per Fascia	\$65.00	RTMLDACKIT	Slim Drapery Motor with 110v AC/DC Power Transformer 10' with 3	\$331.46
PTHFEERESTRING Restringing Fee per track	\$100.00		Conductor Male Plug	
Standard 45 Fascia Splice	No Charge			

Quantity Per System

	4'	5'	6'	7'	8'	9'	10'	111'	12'	13'	14'	15'	16'	17'	18'	19'
Pinch Pleat Glides	21	27	33	38	44	50	55	61	67	72	78	84	89	95	100	106
Brackets	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11

Motorized Stack Back Calculation (each drapery panel)

R-TEC: master carrier + (# glides on panel x carrier width) + 3.375" = stack per drapery panel

R-TEC Automation® 10ft. center draw, pinch pleat (standard 4 glides per ft.)

 $4.2" + [(40/2) \times .563"] + 3.375" = 18.84"$ stack, for each panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.



Orders with R-TEC motorized traverse systems will incur a \$25.00 packaging fee. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge. Available in all profiles for 1 3/8", 1 3/8" and 2 1/4" diameter fascias or without a wood fascia.

Systems are sold in 1 ft increments

Pricing Includes R-TEC Automation® Track, Brackets, Components, Motor, Power Option & Push5 Channel Handheld Remote with Wall Mount

Spliced systen	ns begin at 19'
----------------	-----------------

							30	liced systems	begill at 15
11'	12'	13'	14'	15'	16'	17'	18'	19'	per add'l ft
\$2,590.57	\$2,673.38	\$2,756.19	\$2,839.00	\$2,921.81	\$3,004.62	\$3,087.43	\$3,170.24	\$3,253.05	\$82.81
\$4,498.89	\$4,631.14	\$4,763.39	\$4,895.64	\$5,027.89	\$5,160.13	\$5,292.38	\$5,424.63	\$5,556.88	\$132.25
\$5,181.14	\$5,346.76	\$5,512.38	\$5,678.00	\$5,843.62	\$6,009.24	\$6,174.86	\$6,340.47	\$6,506.09	\$165.62
		,							
\$3,333.38	\$3,499.00	\$3,664.62	\$3,830.24	\$3,995.86	\$4,161.48	\$4,327.10	\$4,492.71	\$4,658.33	\$165.62
					,				
\$5,241.71	\$5,456.76	\$5,671.82	\$5,886.88	\$6,101.93	\$6,316.99	\$6,532.05	\$6,747.11	\$6,962.16	\$215.06
\$6,666.77	\$6,998.01	\$7,329.24	\$7,660.48	\$7,991.72	\$8,322.95	\$8,654.19	\$8,985.43	\$9,316.67	\$331.24
				ı	1				
\$3,539.79	\$3,747.43	\$3,955.07	\$4,162.71	\$4,370.35	\$4,578.00	\$4,785.64	\$4,993.28	\$5,200.92	\$207.64
, ,				ı	1	ľ			1
\$4,964.85	\$5,288.67	\$5,612.49	\$5,936.32	\$6,260.14	\$6,583.96	\$6,907.78	\$7,231.60	\$7,555.42	\$323.82
							Sp	liced systems	begin at 19'
יוו	12'	13'	14'	15'	16'	17'	18'	19'	per add'l ft
\$1,908.32	\$1,957.76	\$2,007.20	\$2,056.64	\$2,106.08	\$2,155.51	\$2,204.95	\$2,254.39	\$2,303.83	\$49.44
\$3,816.64	\$3,915.52	\$4,014.40	\$4,113.27	\$4,212.15	\$4,311.03	\$4,409.91	\$4,508.78	\$4,607.66	\$98.88

item #	Name	NET Price

R-TEC Motor & Components

RTMLDSS50	Slim Drapery Motor	\$224.72
RTMLDSSB	Li-ion Battery	\$134.83
RTMLDSSBC	Battery Wall Charger	\$16.85
RTMLDSSUSB	USB Cable	\$16.85
RTMDSSPT	110v AC/DC Power Transformer 10' with 3 Conductor Male Plug	\$78.65
RTMDSSPTCS	110v AC/DC Power Transformer 20' (plug RTMP sold separately) specify ft.	\$84.27
RTMP	3 Conductor Male Plug	\$28.09

PTH Motorized Traverse Tips

- Specified custom cut length indicates track length including drive gears; fascia will be 1/4" longer at each end of track (1/4" total); mitered fascia will add the following to the traverse system:

Fascia	Depth	+ to traverse system
1 3/8"	7/8"	2"
2 1/4"	1 3/8"	3"
Flat	3/4"	1 3/4"
Slim Round	5/8"	1 1/5"

- · Track and fascia will be spliced in the center of overall length.
- \cdot Blended fascia is available for an additional fee per blend; PTH will
- properly connect splice(s) and ship your fascia in one continuous length. · Back fascia can accommodate decorative end caps; decorative end
- R-TEC Motorized Traverse Systems carry a 5 year warranty; WARNING Modifications of internal components will void R-TEC warranties.

Name R-TEC Smart Controls Push5 Handheld Remote with Wall

Mount - 5 channel included								
RTMHRIC	Handheld Remote with Wall Mount, 1 ch	White	\$73.03					
RTMHR5C	Push5 Handheld Remote with Wall Mount, 5 ch	Off- White	\$78.65					
RTMHRP15C RTMHRP15C/K	Push15 Handheld Remote with Wall Mount, 15 ch	White or Black	\$84.27					
RTMHR15C	Handheld Remote with Wall Mount, 15 ch	White	\$95.51					
RTMWSR5C	Surface Wall Mount Switch, 5 ch	White	\$78.65					
RTMWCR1C	Cut-In Wall Mount Switch, 1 ch*	White	\$56.90					
RTMWCR2C	Cut-In Wall Mount Switch, 2 ch*	White	\$63.58					
RTMWSR15C	Cut-In Wall Mount Switch, 15 ch*	White	\$84.27					
RTMSMB/W	*Surface Mount Wall Back Box	White	\$9.55					
MT02-0401- 067001	Wi-Fi to ARC Bridge Hub-2-Way RF-includes USB Power Cord, Power Plug & Ethernet Cable	White	\$286.52					
RTMISS	Interior Sun Sensor	White	\$50.56					
RTMUSR	ARC USB Signal Repeater	White	\$134.83					
RTMLDSSBC	Wall Charger for USB Signal Repeater	White	\$16.85					
RTMSOLAR2	Solar Panel Battery Charger- includes L-Bracket, Cables & Fastener	Black	\$134.83					

*RTMSMB/W required for installation.




R-TEC Motorized Heavy Duty Traverse Systems Finishes

Decorative wood fascia available in 13/4" or 21/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 17/4" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns. See next page for Fascia Profiles. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Wood Fascia Finish	Track and Bracket* Color	Component Color	Max. Continuous Length
	Amulet	White	White	16'
	Andiron	White	White	16'
	Antique Gold	White	White	16'
	Antique Gold Leaf	White	White	16'
	Art Bronze	Bronze	Bronze	16'
	Barnwood	Bronze	Bronze	16'
	Black	Bronze	Bronze	16'
	Blush	White	White	16'
	Bronzed Pewter	Bronze	Bronze	16'
	Concrete	White	White	16'
	Couture	White	White	16'
	Dark Chocolate	Bronze	Bronze	16'
	Firelight	White	White	16'
	Gossamer	Bronze	Bronze	16'
	Greige	White	White	16'
1 3/8" or 2 1/4"	Halo	White	White	16'
smooth, reeded or	Java	Bronze	Bronze	16'
grooved/ fluted profiles	Linen	White	White	16'
with	Luminous	Bronze	Bronze	16'
coordinating finials	Manor	White	White	16'
1 %" slim round	Mink	Bronze	Bronze	16'
smooth profile	Moonlight	Bronze	Bronze	16'
2 ¼" flat	Mystic	White	White	16'
smooth profile	New Age Bronze	Bronze	Bronze	16'
With flush ends	Patina	White	White	16'
or mitered returns	Shimmer	Bronze	Bronze	16'
	Silver Maple	White	White	16'
	Spicewood	Bronze	Bronze	16'
	Spun Gold	White	White	16'
	Stardust	White	White	16'
	Starlet	White	White	16'
	Titanium	White	White	16'
	Truffle	Bronze	Bronze	16'
	Urban Bronze	Bronze	Bronze	16'
	White	White	White	16'
	PTH Perfect Match™	please specify	please specify	16'
	Antique Brass	White	White	12'
	Oil Rubbed Bronze	Bronze	Bronze	12'
	Platinum	White	White	12'
	Rose Gold	White	White	12'
	Walnut	Bronze	Bronze	12'



Motorized Heavy Duty Traverse Systems Fascia Profiles



Smooth

- ·13/8" and 2 1/4" diameters available with R-TEC Systems
- · 2 1/4" diameter available with Somfy Systems
- · See below for coordinating finial options

Reeded

- ·13/8" and 2 1/4" diameters available with R-TEC Systems
- · 2 1/4" diameter available with Somfy Systems
- · See below for coordinating finial options

Grooved / Fluted

- $\cdot 13$ %" and 2 $\frac{1}{4}$ " diameters available with R-TEC Systems
- · 2 1/4" diameter available with Somfy Systems
- · See below for coordinating finial options

Slim Round Smooth, No Finials

·17/8" diameter, available with flush ends or mitered returns

Flat Smooth, No Finials

 \cdot 2 $\frac{1}{4}$ " height, available with flush ends or mitered returns

Mitered Returns (sold separately)

- \cdot 13/8", 17/8" and 2 1/4" diameters available
- · All profiles

Upgrade your Motorized HD Traverse with Finial Styles

Finials are sold separately. $1\frac{3}{8}$ " or $2\frac{1}{4}$ " Portfolio and Quick Ship Wood and Resin finials are compatible across two style categories. Somfy systems are not available with $1\frac{3}{8}$ " fascias and finials.



1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 22 | 2 1/4" Quick Ship page 102



13/8" Portfolio page 17 | 13/8" Quick Ship page 97 | 2 1/4" Portfolio page 23 | 2 1/4" Quick Ship page 102



R-TEC Motorized Heavy Duty Traverse Systems Brackets




TB035-R TB060-R TB100-R


	R-TEC Single TB035-R /BR	2 $^{11}/_{16}$ " H x 1 $^{1}/_{2}$ " W backplate, adjustable up to 3 $^{1}/_{4}$ " return Available in white or bronze /BR.	\$35.54 each
	R-TEC Single or Double TB060-R	3^{5} /16" H x 1^{1} /2" W backplate, 5^{1} /4" front return and 2" back return Available in white or bronze /BR.	\$56.85 each
2	R-TEC Single, Double or Triple TB100-R	4½" H x 1½" W backplate, adjustable up to 9" return Available in white or bronze/BR.	\$56.85 each
	Ceiling Mount Clip Single RTMDTBCM	1/4" H x 2 1/4" D x 1 1/16" W May only be used in systems without fascia. For double ceiling mount installation, install two brackets into ceiling. Available in white.	\$3.37 NET each
	Fascia Mount Clip RTMDTFC	1/2" H x 1" W Use to attach fascia to traverse systems; included. Available in zinc.	\$2.81 NET each




R-TEC Single Motorized Bracket TB035-R



R-TEC Single or Double Motorized Bracket TB060-R




R-TEC Single, Double or Triple Motorized Bracket TB100-R



- * from 2-7/16" to 6-7/16" back return; 9" front return without fascia
- * from 2-7/16" to 5-3/4" back return; 9" front return with fascia

R-TEC Ceiling Mount Bracket **RTMDTBCM**

Please note: Ceiling Bracket will not accommodate fascia and finials.







Custom Over-**Bracket Single** TBKT214-R

3 ½" H x ¾" W backplate, 7 %" front return and 3" back return Use to combine 2 1/4 full wood pole with single traverse systems; includes traverse ceiling mount bracket attached onto the bottom of the over-bracket.

Steel

*Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood

& Resin finishes or PTH Perfect Match™

\$99.49 each

\$85.28 each



Custom Ceiling Single CMTB-R

2 3/4" H x 3/4" W backplate

for double ceiling mount installation, install two brackets

into ceiling.

Steel

*Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood

& Resin finishes or PTH Perfect Match™

When ordering, specify:

A. Fascia diameter and profile.

B. Projection to carrier and/or to front of fascia.

Drop from ceiling to carrier eyelet and/or from ceiling to top of


fascia (tip: finial must clear ceiling).

D. Width of mounting plate if longer than 2 3/4".

R-TEC Custom Traverse Bracket


TBKT214-R

Available in any Portfolio or PTH Perfect Match™ painted finish, or our 5 Quick Ship Wood & Resin finishes.



R-TEC Custom Traverse Ceiling Bracket CMTB-R

Available in any Portfolio or PTH Perfect Match™ painted finish, or our 5 Quick Ship Wood & Resin finishes.



When ordering, specify:

A. Fascia diameter and profile.

B. Projection to carrier and/or to front of fascia.

Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling)

D. Width of mounting plate if longer than 2 3/4".



R-TEC Motorized Heavy Duty Traverse Systems Information

Carriers for additional carriers.

Pinch Pleat Glides





See page 39 for diagrams.

Pinch Pleat Glides CP40 CP40/BR /BR Wheel for smooth movement. Available in white or bronze /BR.

Included in system; additional glides may be ordered separately.

\$3.65 NET pack (10 pieces)

Ripplefold® Style Glides





See page 39 for diagrams.

Ripplefold® Style Glides R4060/P R4060/P/BR /BR R4080/P R4080/P/BR R4100/P R4100/P/BR R4120/P/BR R4120/P

Ripplefold Glides with detachable pendents. 60%, 80%, 100% or 120% fullness - specify fullness on order. Available in white or bronze /BR.

Included in system; additional glides may be ordered separately.

\$0.71 NET each

Master carrier body is required for each master carrier arm - sold separately; look for the /BR icon for components available in bronze and add /BR at the end of the item number to order.

L	

RTMDTMCB/BR /BR
Overlap Master Carrier Arms
for Center Draw

Master Carrier Body

RTMDTMCB

RTMDTCD

Select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately. Available in white or bronze /BR.

Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold

separately. Available in Stainless Steel only.

each \$5.34 NET

pair*

\$4.49 NET



RTMDTCDTAN

RTMDTOL

Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.

\$7.87 NET pair*



Master Carrier Arm for One-Way Draw RTMDTOR

Right (R) or Left (L). Pinch pleat or Ripplefold; order one MC Body - sold separately. Available in Stainless Steel only.

\$3.09 NFT each





Pair. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.

\$6.14 NET pair*



Ripplefold Butt Master Carrier Arm for One-Way Draw **RTMDTOB**

Right and left use. Ripplefold only; order one MC Body sold separately. Available in Stainless Steel only.


\$3.09 NET each

Tandem Alternative


Tandem alternative ARC™ motorized systems utilize two drapery motors and are used for draperies that exceed the maximum single motor capacity, available in center draw only. Use Tandem Center Draw Overlap Arms RTMDTCDTAN (for pinch pleat or ripplefold draperies) or two Butt Master One-Way Draw Arms RTMDTOB (for ripplefold draperies only).

R-TEC Motorized Carrier Diagrams


R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arms, Center Draw RTMDTCD




R-TEC Motorized Heavy Duty Traverse ONLY Universal Tandem Master Carrier Arms, Center Draw RTMDTCDTAN (see page 52 for details)




R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arm, One-Way Draw Right - RTMDTOR or Left - RTMDTOL




R-TEC Motorized Heavy Duty Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw, Right or Left - RTMDTOB




R-TEC Motorized Heavy Duty AND 1 3/8" Metal Traverse Ripplefold Butt Master Carrier Arms, Center Draw RTMDTCDB




1 3%" R-TEC Motorized Metal Traverse ONLY
Pinch Pleat / Ripplefold Master Carrier Arms, Center Draw
RTPTH138CD



1 %" R-TEC Motorized Metal Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw Right - RTPTH1380BR or Left - RTPTH1380BL



1 3/8" R-TEC Motorized Metal Traverse ONLY Pinch Pleat Master Carrier Arm, One-Way Draw Right - RTPTH138PPOR or Left - RTPTH138PPOL



R-TEC Automation® & Somfy Comparison

		•	1		
System Features	R-TEC® Automation® Slim Drapery Motor	Somfy Glydea® Heavy Duty	ULTRA Motors Standard	Somfy Irism Standard	no™ Motors Mini
System Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
8' System Pricing (Single Track With 2¾" Wood Fascia)	\$2,836.53	\$4,387.66	\$3,837.66	\$4,387.66	\$3,837.66
Center Draw or One-Way Draw Available	X	X	X	X	X
White or Bronze Track Available	X	X	X	X	X
White or Bronze Components Available	X	X	X	X	X
Track Maximum Length	36'	36'	32'	33'	32'
Maximum Number of Track Splices	2	2	2	2	2
Minimum Curving Radius		11.8" (30 CM)	11.8" (30 CM)		11.8" (30 CM)
White or Bronze Wall Mount Brackets (Sgl & Dbl)	X	X	X	X	X
White Standard Ceiling Mount Bracket	X	X	X	X	X
1 ⅓" Fascia Available	X				
Motor Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Motor Cord Length as Purchased	120" or specify length up to 240"	120"	120"	n/a	158.4"
Touch Motion	×	X	×	X	X
Manual Override	X	X	X	X	X
Soft Start	X	X	X	X	X
Soft Stop	×	X	X	X	X
Speed Control & Adjustment	X	X	X	X	X
Average Linear Speed	5.5 in./s - 8.25 in. /s	4.9 in./s - 7.86 in. /s (silent: 2.95 in. /s)	4.9 in./s - 7.86 in. /s (silent: 2.95 in. /s)	4.9 in./s - 7.86 in./s	4.9 in./s - 7.86 in./s
Motor Automatically Stops When System Reaches Fully Open or Fully Closed Position	X	×	×	×	X
Adjustable Limits	×	X	X	X	X
Intermediate Position	Favorite Position	My Position	My Position	My Position	My Position
Motorized Track Noise Level	44 db	38 dB in silent mode	38 dB in silent mode	44 dB	44 dB
Maximum Weight	110 lbs	132 lbs	77 lbs	99 lbs	77 lbs
Tandem Alternative Maximum Weight	220 lbs	266 lbs	154 lbs	198 lbs	154 lbs
Motor Unit can be Installed on Either End of Track	X	×	×	×	X
Inverse Mounting of Motor	×	X	X	X	X
Factory Reset	X	X	X	X	X
Control Options***	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Timer Control		X	X	X	X
Sun Control	×	X	X	X	X
Digital Communication Technology	ARC™		Radio Technolo	ogy Somfy (RTS)	
Solar Power	X				
Installation Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Programming Buttons on Motor Unit	X	X	X	X	X
Power Supply	Li-ion Battery or 110v AC/DC Power Transformer	12:	0V	25.9 V DC Power (Li-ion Rechargeable)	24V DC Power Supply
Amperage	1.3 A	0.8 A	0.8 A	0.5 A	2 A
Power Consumption	20 W	96 W	96 W	60 W	48 W
Power Cable Type	3 conductor male plug	3 conductor male plug	3 conductor male plug	3 conductor male plug	3 conductor male plug
Certifications	CE		, CCC, CE	CE	CE
Standard Accessories Included With System	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
5 Channel Transmitter (Remote Control; White)	X	X	X	X	X
Carrier Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
White or Bronze Pinch Pleat or Ripplefold® Style Glides	Х	X	X	X	X
	1	l	l	I .	I.

^{*}components include: carriers, master carriers, drive gears, return hooks and fascia clips.
**maximum allowable charging current.
***DCT motors are available for Glydea Ultra 60e, 35e and Irismo 35. Special order required.

Somfy Motorized Heavy Duty Traverse Systems

Motorized System is perfect for all treatments - from lightweight sheers to heavily lined fabrics, and is the ideal solution for treatments mounted where corded systems are not easily reached.

Decorative wood fascia available in 2 1/4" smooth, reeded, grooved / fluted profiles with flush ends or mitered returns. Finials may be ordered separately from 2 1/4" Portfolio or Quick Ship Wood and Resin.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single



- Standard single bracket is adjustable 2 3/4" 3 5/8" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- 2 1/4" finials and additional remote options sold separately



- Standard single bracket is adjustable 2 3/4" 3 5/8" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- Additional remote options sold separately



- Standard single bracket is adjustable 2 3/4" 3 5/8" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, motor, power option, brackets, components and a standard 5 channel remote control
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Double



- Standard double brackets are adjustable 5" 5 3%" front return and adjustable 1 3/4" - 2 3/8" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- 2 1/4" finials and additional remote options sold separately




- Standard double brackets are adjustable 5" 5 3/8" front return and adjustable 1 3/4" - 2 3/8" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- Additional remote options sold separately



- Standard double brackets are adjustable 5" 5 3/8" front return and adjustable 1 3/4" - 2 1/2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Single and Double Systems without Fascia can be curved for an additional fee:

Somfy Glydea®



Please note: Somfy Glydea® systems can be curved with a minimum 11.8" radius. All curves require a template. Curving track reduces weight capacity of motor. Please refer to motor specifications on page 56.

Somfy Motorized Heavy Duty Traverse Systems Information

Somfy Motorized Track

- · Track sold in 1 foot increments, 6' minimum
- · Maximum continuous length is 20'; spliced lengths up to 36'
- · Includes one motor, standard remote control 5-channel transmitter per track, and fascia with fascia clips when applicable
- · Available in white or bronze; track finish will complement fascia finish
- · End drive gears available in white
- · May be ordered with or without fascia options
- · Curved tracks available with minimum 11.8" radius; curving fees apply



Somfy Irismo™ 45 RTS Motor 1002353

- · Heavy duty motor, 1 per track
- · Maximum drapery weight for motor: 99 lbs
- · Maximum length for motor: 33'
- · 25.9V Li-ion Battery Power
- · Motor can be mounted on right or left for center draw,
- · Return hooks/snaps included; available in white
- · Available in white
- · 5 year warranty



Somfy Glydea® ULTRA 60e RTS Motor 1003159

- · Heavy duty motor, 1 per track
- · Maximum drapery weight for heavy duty motor: 132 lbs
- Maximum length for heavy duty motor: 36'
- \cdot 110V Power Supply cord with plug: 120" cord length · Motor can be mounted on right or left for center draw,
- or top mounted; may also be hardwired
- · Return hooks/snaps included; available in white
- · Available in brushed aluminum
- \cdot 5 year warranty (warranty voided if hardwired)



Somfy Situo® standard remote control transmitter

1870575 (multi-channel handheld remote)

- · 5 1/4"H x 1 5/8"W
- · 1 remote control per track
- · 5 channels
- · Programmable My Position to set your favorite drapery position
- · Available in white



- \cdot 24V DC Power Supply cord with plug: 158.4" cord length
- · Motor can be mounted on right or left for center draw,
- · Return hooks/snaps included; available in white
- · Available in white
- · 5 year warranty




Somfy Glydea® ULTRA 35e RTS Motor

- · Light duty motor; 1 per track
- · Maximum drapery weight for light duty motor: 77 lbs
- · Maximum length for light duty motor: 32'
- \cdot 110V Power Supply cord with plug: 120" cord length
- · Motor can be mounted on right or left for center draw, or top mounted; may also be hardwired
- · Return hooks/snaps included; available in white
- · Available in brushed aluminum
- \cdot 5 year warranty (warranty voided if hardwired)

Somfy Motorized Traverse System

includes 1 motor with power supply (1 per track), track(s) with components, brackets, and 1 standard 5 channel transmitter (1 per system), and fascia with fascia clips when applicable



Motor Weight Capacity

Be sure to select the best motor for your window treatment. Use the Motor Weight Capacity chart below to determine which motor best accommodates your length of track and your drapery weight. The System Features chart on page 54 lists the varied functions of each motor.

		maximum drapery weight per total length of system (lbs)												
	Motor		18' or less	20'	22'	24'	26'	28'	30'	32'	34'	36'	38'	40'
s o mfy.	Std	Glydea® ULTRA 35	77	77	77	77	77	77	77	77	-	-	-	-
	HD	Glydea® ULTRA 60e	132	132	132	132	132	132	132	132	132	132	-	-
	Std	Irismo 45	99	99	99	99	99	99	99	99	-	-	-	-
	Mini	Irismo 35	77	77	77	77	77	77	77	77	-	-	-	-

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance. Curving: System curves reduce maximum drapery weight capacity by a minimum of 15% per bend. Please call us regarding weight capacity for your curved track. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately

Somfy Motorized Heavy Duty Traverse Systems Finishes

Decorative wood fascia available in 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 1/8" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns. See page 49 for Fascia Profiles. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Wood Fascia Finish	Track and Bracket* Color	Component Color	Max. Continuous Length
	Amulet	White	White	16'
	Andiron	White	White	16'
	Antique Gold	White	White	16'
	Antique Gold Leaf	White	White	16'
	Art Bronze	White	Bronze	16'
	Barnwood	Bronze	Bronze	16'
	Black	White	Bronze	16'
	Blush	White	White	16'
	Bronzed Pewter	Bronze	Bronze	16'
	Concrete	White	White	16'
	Couture	White	White	16'
	Dark Chocolate	Bronze	Bronze	16'
	Firelight	White	White	16'
	Gossamer	Bronze	Bronze	16'
	Greige	White	White	16'
2 1/4" smooth,	Halo	White	White	16'
reeded or grooved /	Java	White	Bronze	16'
fluted profiles	Linen	White	White	16'
with coordinating	Luminous	White	Bronze	16'
finials	Manor	White	White	16'
1 %" slim round	Mink	Bronze	Bronze	16'
smooth profile	Moonlight	Bronze	Bronze	16'
2 ¼" flat smooth profile	Mystic	White	White	16'
	New Age Bronze	Bronze	Bronze	16'
With flush ends or mitered	Patina	White	White	16'
returns	Shimmer	Bronze	Bronze	16'
	Silver Maple	White	White	16'
	Spicewood	Bronze	Bronze	16'
	Spun Gold	White	White	16'
	Stardust	White	White	16'
	Starlet	White	White	16'
	Titanium	White	White	16'
	Truffle	Bronze	Bronze	16'
	Urban Bronze	White	Bronze	16'
	White	White	White	16'
	PTH Perfect Match™	please specify	please specify	16'
	Antique Brass	White	White	12'
	Oil Rubbed Bronze	White	Bronze	12'
	Platinum	White	White	12'
	Rose Gold	White	White	12'
	Walnut	Bronze	Bronze	12'

Somfy Motorized Heavy Duty Traverse Systems Pricing

•	•							
Item #	Name Pricing Includes Somfy® Motorized Traverse Tra	ck with Motor,	Remote and B	attery Charge	when orderin	g the Irismo™	45 Std Motor	
Motorized Travers	e System with Wood Fascia	6'	7'	8'	9'	10'	יוו	
Single Track System v	with Wood Fascia for 1 1/8" slim, 2 1/4" flat smoot	n and 2 ¾"	round					
STRACKF2S6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$4,066.31	\$4,226.98	\$4,387.66	\$4,548.33	\$4,709.01	\$4,869.68	
STRACKF2S35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,516.31	\$3,676.98	\$3,837.66	\$3,998.33	\$4,159.01	\$4,319.68	
Double Track System	with Wood Fascia Front Only for 1 1/8" slim, 2 1/4	4" flat smoo	th and 2 1/4'	" round				
STRACKF2DF6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$7,743.29	\$8,009.02	\$8,274.75	\$8,540.48	\$8,806.22	\$9,071.95	
STRACKF2DF35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$6,643.29	\$6,909.02	\$7,174.75	\$7,440.48	\$7,706.21	\$7,971.94	
STRACKF2DFMix	Mixed Motors	\$7,193.29	\$7,459.02	\$7,724.75	\$7,990.48	\$8,256.21	\$8,521.94	
Double Track System	with Wood Fascia Front and Back for 2 1/4" rou	ind only		<u>'</u>				
STRACKF2DFB6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$8,132.62	\$8,453.97	\$8,775.32	\$9,096.67	\$9,418.02	\$9,739.36	
STRACKF2DFB35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$7,032.61	\$7,353.96	\$7,675.31	\$7,996.66	\$8,318.01	\$8,639.36	
STRACKF2DFBMix	Mixed Motors	\$7,582.61	\$7,903.96	\$8,225.31	\$8,546.66	\$8,868.01	\$9,189.36	
Double Track System	with Stationary Front Wood Pole & No Back F.	ascia	'					
STRACKF2DSF6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$4,408.67	\$4,671.93	\$4,935.19	\$5,198.45	\$5,461.71	\$5,724.97	
STRACKF2DSF35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,858.67	\$4,121.93	\$4,385.19	\$4,648.45	\$4,911.71	\$5,174.96	
Double Track System	with Stationary Front Wood Pole & Back Woo	d Fascia for	2 ½" round	only				
STRACKF2DSFB6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$4,798.00	\$5,116.87	\$5,435.75	\$5,754.63	\$6,073.51	\$6,392.39	
STRACKF2DSFB35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$4,247.99	\$4,566.87	\$4,885.75	\$5,204.63	\$5,523.51	\$5,842.38	
Motorized Travers	se System without Wood Fascia				,			
	rack available in white or bronze	6'	7'	8'	9'	10'	יוו'	
STRACK6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,676.98	\$3,782.04	\$3,887.09	\$3,992.15	\$4,097.21	\$4,202.26	
STRACK35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,126.98	\$3,232.04	\$3,337.09	\$3,442.15	\$3,547.21	\$3,652.26	
Double Track System	track available in white or bronze							
STRACKDBL6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$7,353.96	\$7,564.08	\$7,774.19	\$7,984.30	\$8,194.41	\$8,404.53	
STRACKDBL35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$6,253.96	\$6,464.07	\$6,674.18	\$6,884.30	\$7,094.41	\$7,304.52	
STRACKDBLMix	Mixed Motors	\$6,803.96	\$7,014.07	\$7,224.19	\$7,434.30	\$7,644.41	\$7,854.53	
0 11 0 6				D.T.I. I. A		. —		

Quantity Per System

	6'	7'	8'	9'	10'	יוו	12'	13'	14'	15'	16'
Pinch Pleat Glides	24	28	32	36	40	44	48	52	56	60	64
Brackets	3	3	4	4	4	5	5	5	6	6	6

Somfy glides are 4 per foot | Somfy brackets are 1 every 3-4 feet

Motorized Stack Back Calculation (each drapery panel)

master carrier + (# glides on panel x carrier width) + 3.75" = stack per drapery panel

Ex: Somfy 10ft. center draw, pinch pleat (standard 4 glides per ft.)

 $4.67" + [(40/2) \times .563"] + 3.75" = 19.7"$ stack, panel with over arm BEFORE drapery fabric is installed $4.07" + [(40/2) \times .563"] + 3.75" = 19.1"$ stack, panel with under arm BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

PTH Motorized Traverse Tips


Specified custom cut length indicates track length including drive gears; fascia will be ¼" longer at each end of track (½" total); mitered fascia will add the following to the traverse system:

Fascia	Depth	+ to traverse system
1 3/8"	7/8"	2"
2 1/4"	1 3/8"	3"
Flat	3/4"	1 3/4"
Slim Round	5/8"	1 ½"

- Track and fascia will be spliced in the center of overall length.
- Blended fascia is available for an additional fee per blend; PTH will properly connect splice(s) and ship your fascia in one continuous length.
- Back fascia can accommodate decorative end caps; decorative end caps sold separately.

Orders with Somfy motorized traverse systems will incur a \$25.00 packaging fee. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge. Available in all profiles for 1 1%" and 2 1/4" diameter fascias or without a wood fascia. 1 3%" not available with Somfy Systems.

12'	13'	14	15'	16'	per add'l ft	
			Systems are	e sold in 1 ft i	increments	
\$5,030.36	\$5,191.03	\$5,351.71	\$5,512.38	\$5,673.06	\$160.67	
\$4,480.36	\$4,641.03	\$4,801.70	\$4,962.38	\$5,123.05	\$160.67	
\$9,337.68	\$9,603.41	\$9,869.14	\$10,134.87	\$10,400.60	\$265.73	
\$8,237.67	\$8,503.40	\$8,769.14	\$9,034.87	\$9,300.60	\$265.73	
\$8,787.68	\$9,053.41	\$9,319.14	\$9,584.87	\$9,850.60	\$265.73	
\$10,060.71	\$10,382.06	\$10,703.41	\$11,024.76	\$11,346.11	\$321.35	
\$8,960.71	\$9,282.06	\$9,603.41	\$9,924.76	\$10,246.11	\$321.35	
\$9,510.71	\$9,832.06	\$10,153.41	\$10,474.76	\$10,796.11	\$321.35	
\$5,988.23	\$6,251.49	\$6,514.75	\$6,778.00	\$7,041.26	\$263.26	
\$5,438.22	\$5,701.48	\$5,964.74	\$6,228.00	\$6,491.26	\$263.26	
				\$7,667.90 \$7,986.77		
\$6,711.26	\$7,030.14	\$7,349.02	\$7,667.90	\$7,986.77	\$318.88	
\$6,161.26	\$6,480.14	\$6,799.02	\$6,799.02 \$7,117.89 \$7,436.77		\$318.88	
			Systems are	e sold in 1 ft	increments	
12'	13'	14'	15'	16'	per add'l ft	
\$4,307.32	\$4,412.38	\$4,517.43	\$4,622.49	\$4,727.55	\$105.06	
\$3,757.32	\$3,862.38	\$3,967.43	\$4,072.49	\$4,177.54	\$105.06	
\$8,614.64	\$8,824.75	\$9,034.87	\$9,244.98	\$9,455.09	\$210.11	
\$7,514.64	\$7,724.75	\$7,934.86	\$8,144.98	\$8,355.09	\$210.11	
\$8,064.64	\$8,274.75	\$8,484.87	\$8,694.98	\$8,905.09	\$210.11	



Item #	Name	Color	Price
Somfy M	otors		
1003159	Somfy Glydea® ULTRA 60e Heav	y Duty Motor	\$1,705.62
1003152	Somfy Glydea® ULTRA 35e Std N	lotor	\$1,400.03
1002353	Somfy Irismo™ 45 Std Motor**		\$1,705.62
1003004	Somfy Irismo™ 35 Mini Motor*		\$1,400.03

^{*} Transformers are included **Li-ion battery included; charger sold separately.

Motor Accessories

1003080	Battery Charger for Irismo™ 45 Std Motor	White	\$116.39
9026476	Rechargeable Li-ion Battery	White	\$248.74

Transmitters/Devices

	1013/ B 0 11003		
1870575	Situo® Transmitter-5 channel (included)	White	\$319.80
1810652	Telis Transmitter-5 channel	Black	\$401.69
1870571	Situo® Transmitter-1 channel	White	\$216.29
1810639	Telis Transmitter-1 channel	Silver	\$321.35
1810650	Telis Transmitter-1 channel	Black	\$321.35
1811081	Telis16 RTS-16 channel	White	\$973.63
1811082	Telis16 RTS-16 channel	Silver	\$973.63
1810897	Wireless Wall Switch-1 channel	White	\$547.22
1810898	Wireless Wall Switch-1 channel	Ivory	\$547.22
1810899	Wireless Wall Switch-1 channel	Black	\$625.40
1810813	Wireless Wall Switch-5 channel	White	\$568.54
1810814	Wireless Wall Switch-5 channel	lvory	\$568.54
1810830	Wireless Wall Switch-5 channel	Black	\$660.93
1811185	Table Top Accessory *	White	\$170.56
1810972	Table Top Accessory *	Silver	\$170.56
1811051	Table Top Accessory *	Black	\$170.56

^{*} use with Wireless Wall Switch

Programmable Timers

1811731 Somfy TaHoma® gateway \$282.85 NET
--

Additional Somfy Traverse Fees

PTHFEEMITER-EACH Wood Fascia Mitered Return per return	\$80.00
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection	\$65.00
PTHFEEBLEND Blended Fascia Splice per blend	\$108.00
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fascia	\$65.00
PTHFEERESTRING Restringing Fee per track	\$100.00
Standard 45 Fascia Splice	No Charge
Curving Fees (per bend, template required)	Quoted
Crating for Curved Track	\$75.00
Packaging fee per order	\$25.00

Somfy Motorized Heavy Duty Traverse Systems Information




TB035-S TB060-S TB100-S


Somfy Single TB035-S /BR	$2^{1\!\!1}\!/_{16}$ " H x 1 $^{1\!\!2}\!/_{2}$ " W backplate, adjustable 2 $^{3\!\!4}$ " - 3 $^{5\!\!6}$ " return. Available in white or bronze /BR and included in Single Systems.	\$35.54 each
Somfy Single or Double TB060-S /BR	3 5/16" H x 1 ½" W backplate, adjustable 5" - 5 ¾" front return and adjustable 1 ¾" - 2 ½" back return. Available in white or bronze /BR and included in Double Systems. May be substituted for Single Systems when longer return is needed.	\$56.85 each
Somfy Single, Double or Triple TB100-S PR	$4\frac{1}{2}$ " H x 1 $\frac{1}{2}$ " W backplate, adjustable up to 9 $^3/_{16}$ " return. Available in white or bronze /BR.	\$56.85 each
Ceiling Mount Clip Single CMBC-S /BR	$^{1}4$ " H x 1" W x 2" D May only be used in systems without fascia for Single or Double Systems. For double ceiling mount installation, install two brackets into ceiling. Available in white or bronze /BR.	\$28.43 each
Somfy Fascia Clip SOMFY CLIP	Use to attach fascia to traverse systems; included. Available in zinc.	\$28.43 each




Somfy Single Motorized Bracket TB035-S




Somfy Single or Double Motorized Bracket TB060-S



Somfy Single, Double or Triple Motorized Bracket TB100-S







Custom Over-Bracket Single

Custom

Ceiling

Single

CMTB-S

 $3\,1\!\!/\!\!_2$ " H x $3\!\!/\!\!_4$ " W backplate, 7 $7\!\!/\!\!_8$ front return and 3" back return. Use to combine 2 1/4" full wood pole with Single Traverse Systems. Traverse mounting bracket simply attaches directly into the bottom of the Over-Bracket. Available in 35 Portfolio and PTH Perfect Match™ finishes.

*Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™

1/4" 3/4" eyelet drop For Ring Drops 3" back return see page 51

Optional back fascia will be clipped to track. Diagram depicts ensemble when back fascia is desired.

7-7/8" front return

tip: front pole ring must clear back fascia

TBKT214-S

2 3/4" H x 3/4" W backplate

May only be used in systems with fascia for Single or Double Systems. Available in 35 Portfolio, 5 Quick Ship Wood & Resin or PTH Perfect Match™ finishes. Steel

for double ceiling mount installation, install two brackets

*Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™

When ordering, specify: A. Fascia profile (only 2 ½" DIA available)


B. Projection to carrier and/or to front of fascia.

Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).


D. Width of mounting plate if longer than 2 3/4".

\$85.28 each

\$99.49 each




Carriers for additional carriers.




Somfy Pinch Pleat Glide

1781415 white 1782869 bronze 4 per foot, unless otherwise specified




Somfy Ripplefold Glide

1780901 white, 80% 1782870 bronze, 80% 1780902 white, 100% 1782871 bronze, 100% 1780903 white, 120% 1782872 bronze, 120%




IMPORTANT: Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold glides. Somfy Glydea® Ripplefold glides are only compatible with Kirsch Ripplefold snap tape. Other brand tapes are NOT COMPATIBLE with the Somfy Glydea® Motorized system.


Somfy Ripplefold Butt Master Carrier Arm - One-Way Draw 1782319



Somfy Ripplefold Butt Master Carrier Arm - Center Draw



Somfy Pinch Pleat or Ripplefold Master Carrier Arms - Center Draw







Motorized Traverse Order Form



	d		9		
ij	ú	1		1	
N Dy		Š			
0	4	-			
MEM	-	L	J)	
P		V	7		

HANDWANE		PO#				Side Mark	×				Ship via				Date		
Company Information								Ship	I buid	Shipping Information	tion						
Company Name				Acct #	#			Com	Company Name	ıme				Acc	Acct #		
Contact Person								Cont	Contact Person	on							
Street Address								Stree	Street Address	SS							
City				State		ZIP		City						State	te	ZIP	
Email								Email	_								
Phone		Fax						Phone	Ф				Fax				
MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed specifications. Specified custom cut length indicates track length including drive gears; Mitered fascia will be up to 3" long	SE SYS	TEMS - Consult Priverce length including drive	ce List 1 gears; Mi	for deta tered fas	iled spe cia will be	cification . up to 3" lor	S. ıger than tr	ack lengt	h, depen	ding on th	ailed specifications. scia will be up to 3" longer than track length, depending on the profile ordered.	red.					
Item #	Motor	Power Option **see additional R-TEC options below		Fascia Type	System Length Up to 36' (per 1')	Custom Cut Track Length (inches)	k Fascia Finish Code		ų.	D Pref Center	Draw Preference er One-Way	Motor Location	Glide Style pinch pleat or Ripplefold ® *	Ωŧγ	Price per Unit		Subtotal
		☐ Li-ion Battery ☐ 110v AC/DC Power	Power								L	r r	PPRF				
		☐ Li-ion Battery ☐ 110v AC/DC Power	Power								L	L R	PP				
		☐ Li-ion Battery ☐ 110v AC/DC Power	Power								L	L	PPRF				
		☐ Li-ion Battery ☐ 110v AC/DC Power	: Power								L R		PP				
MOTORIZED TRAVERSE COORDINATING ACCESSORIES AN Order finials, mitered returns, and accessories here.	SE COC	ORDINATING ACCE	SSORI	ES AN	o ADDI	ID ADDITIONAL FEES	FEES		**Pol	ver Optic TIONAL	ons for R-TE solar panel	**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$127.20; 20' c) sord \$79.50 -	specify t	**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$127.20; 20' cord \$79.50 - specify total feet; plug \$26.50	\$26.50	
Item #		Finish Code						De	Description	u				Qty P	Price per Unit	Sub	Subtotal
Additional Information		N	NOTE: Minimum tr	imum tra	ick length	ack length for R-TEC is 4' and for Somfy is 6'	is 4' and fe	or Somfy	is 6'						TOTAL		
Quantity included per system based on cut track length	based o	n cut track length 4'	25	./ .9	.6	10' 11'	12' 13'	14'	15' 16'	17' 18'	3' 19' 20'						
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	s master c	**	27	24 28	32 36	40 4			60 64	68 72	76 80						
Special Instructions					$-\parallel$	4	0	ρ 	0	$-\parallel$		airobro aod)	ologoladia s	, divisor	* When ordoving Displaced corrieges are use these autoesions.	93011003	.500
											<u></u>	1. Select Ripplefold fullness:	fold fullness	.: 060%	% Sussing	100%	120
											2	2. Select Ripplefold masters:	fold master		Overlap B	Butt Master	¥
]						

1 1/8" Baton Draw Metal Traverse Systems

The perfect modern solution for residential or commercial applications.

Our NEW French Returns for Traverse may be ordered separately. Finials may be ordered separately from 1 1/8" Diameter Collections and require the use of the Transitional or Deco Cuff / Finial Adapter (sold separately). See page 67.

Select from 35 Portfolio hand painted finishes (except Antique Gold Leaf), 6 Quick Ship Metal finishes or PTH Perfect Match™.




Single Traverse System, Wall Mount


- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately



- Ceiling bracket: 3 5/16" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately



Double Traverse System, Ceiling Mount

- Ceiling bracket: $3^{11}/_{16}$ " drop, $4^{1}/_{2}$ " between centers of tracks
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 3/16" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

1 1/8" Baton Draw Metal Traverse Systems Pricing

Orders with Baton Draw Metal traverse systems will incur a \$25.00 packaging fee.

Name & Item #	Price						Systems	s are sold	in 1 ft incr	ements
1 1/8" Baton Draw Metal Trave	erse Sy	ystem								
Single Traverse System Wall Mount 3 ½" Return	4'	5'	6'	7'	8'	9'	10'	11'	12'	price per ft
CSPTHMT118400	\$296.63	\$370.79	\$444.95	\$519.10	\$593.26	\$667.42	\$741.58	\$815.73	\$889.89	\$74.16
Single Traverse System Wall Mount 6" Return										
CSPTHMT118401	\$336.18	\$420.23	\$504.27	\$588.32	\$672.36	\$756.41	\$840.45	\$924.50	\$1,008.54	\$84.05
Double Traverse System Wall Mount										
CSPTHMT118402	\$593.26	\$741.58	\$889.89	\$1,038.21	\$1,186.52	\$1,334.84	\$1,483.15	\$1,631.47	\$1,779.78	\$148.32
Single Traverse System Ceiling Mount										
CSPTHMT118403	\$296.63	\$370.79	\$444.95	\$519.10	\$593.26	\$667.42	\$741.58	\$815.73	\$889.89	\$74.16
Double Traverse System Ceiling Mount										
CSPTHMT118404	\$593.26	\$741.58	\$889.89	\$1,038.21	\$1,186.52	\$1,334.84	\$1,483.15	\$1,631.47	\$1,779.78	\$148.32
Single Traverse System Low-Profile Ceiling Moun	it									
CSPTHMT118406	\$237.30	\$296.63	\$355.96	\$415.28	\$474.61	\$533.93	\$593.26	\$652.59	\$711.91	\$59.33

1 1/8" Baton Draw Metal Traverse Systems Information

Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8

Batons sold separately.

Note: Metal Baton available in 6 Metal Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.

			\sim	\sim	\sim 0
36" Metal Baton 3⁄8" DIA, Metal	48" Metal Baton 3⁄a" DIA, Metal	60" Metal Baton 3⁄8" DIA, Metal	36" Clear Acrylic Baton ½" DIA, Acrylic	48" Clear Acrylic Baton ½" DIA, Acrylic	60" Clear Acrylic Baton ½" DIA, Acrylic
POME36WAND	POME48WAND	POME60WAND	AC36WAND	AC48WAND	AC60WAND
\$70.45 each	\$76.63 each	\$82.81 each	\$55.62 each	\$61.80 each	\$67.98 each
QSME36WAND	QSME48WAND	QSME60WAND			
\$61.80 each	\$67.98 each	\$74.16 each			

48" Handicap Metal Baton 4" Loop, ADA Compliant, Metal	60" Handicap Metal Baton 4" Loop, ADA Compliant, Metal
POME48HWAND	POME60HWAND
\$76.63 each	\$82.81 each
QSME48HWAND	QSME60HWAND
\$67.98 each	\$74.16 each



$1 \frac{1}{8}$ " Baton Draw Metal Traverse Systems Finishes


35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect Match™ and 6 Quick Ship Metal finishes


Diameter	Track Finish	Component Color	Max. Continuous Length
1 1/8"	Amulet	White	12'
1 1/8"	Andiron	White	12'
1 1/8"	Antique Gold	White	12'
1 1/8"	Art Bronze	Bronze	12'
1 1/8"	Barnwood	Bronze	12'
1 1/8"	Black	Bronze	12'
1 1/8"	Blush	White	12'
] 1/8"	Bronzed Pewter	Bronze	12'
1 ½"	Concrete	White	12'
] 1/8"	Couture	White	12'
] ½"	Dark Chocolate	Bronze	12'
] ½"	Firelight	White	12'
] ½"	Gossamer	Bronze	12'
1 1/8"	Greige	White	12'
] ½"	Halo	White	12'
] ½"	Java	Bronze	12'
] ½"	Linen	White	12'
] ½"	Luminous	Bronze	12'
] ½"	Manor	White	12'
] ½"	Mink	Bronze	12'
] ½"	Moonlight	Bronze	12'
] 1/8"	Mystic	White	12'
1 1/8"	New Age Bronze	Bronze	12'
1 1/8"	Patina	White	12'
] ½"	Shimmer	Bronze	12'
] 1/8"	Silver Maple	White	12'
] 1/8"	Spicewood	Bronze	12'
] 1/8"	Spun Gold	White	12'
1 1/8"	Stardust	White	12'
] 1/8"	Starlet	White	12'
1 1/8"	Titanium	White	12'
1 1/8"	Truffle	Bronze	12'
] 1/8"	Urban Bronze	Bronze	12'
] ½"	White	White	12'
] ½"	PTH Perfect Match™	please specify	12'
] ½"	Brushed Nickel	White	12'
] ½"	Brushed Bronze	Bronze	8'
] ½"	Charcoal Zinc	White	8'
] ½"	Matte Black	White	12'
] ½"	Rose Gold	White	8'
] 1/8"	Satin Gold	White	8'

1 1/8" Baton Draw Metal Traverse Systems Information


11/8" Brackets & Connectors for additional brackets. See below for diagrams/dimensions








Carriers for additional carriers.



Upgrade your End Caps with French Returns or Finials

1 1/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with our NEW 1 1/8" French Returns for Traverse and all 1 1/8" Finials across five style categories using either Cuff / Finial Adapter.

PO \$42.02 | QS \$37.08 pair*



PTHMT118440

French Return for Metal Traverse

PO \$42.02 | QS \$37.08 pair*


(Includes 1 Return, 1 Splice, 1 French Return Ring to reduce sidelight, 4 End Stops, 4 Ripplefold Carriers, 2 Pinch Pleat Carriers, 1 Allen Wrench and 2 Extra Set Screws)

Metal, 3 ½" return, Ripplefold or Pinch Pleat Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™

\$85.12 each









Portfolio page 7 | Quick Ship page 87 *Requires Transitional or Deco Cuff / Finial Adapter



Portfolio page 7 | Quick Ship page 88 *Requires Transitional or Deco Cuff/Finial Adapter



Portfolio page 8 | Quick Ship page 88 *Requires Transitional or Deco Cuff / Finial Adapter



Portfolio page 8 *Requires Transitional or Deco Cuff/Finial Adapter



*Requires Transitional or Deco Cuff/Finial Adapter

1 ³/₈" Baton Draw Metal Traverse Systems

The perfect modern solution for residential or commercial applications.

Our NEW French Returns for Traverse may be ordered separately. Finials may be ordered separately from 1 3/8" Diameter Collections. Today's Traditional and Heritage Classics Finial Collections require the use of the Transitional Cuff / Finial Adapter (sold separately). See page 72.

Select from 35 Portfolio hand painted finishes **(except Antique Gold Leaf)**, 6 Quick Ship Metal finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.



Single Traverse System, Wall Mount

- · Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/8" collection finials and additional remote options sold separately




Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Ainsley end caps
- · 13/8" collection finials and additional remote options sold separately



Single Traverse System, Ceiling Mount

- · Ceiling bracket: 3 11/16" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/6" collection finials and additional remote options sold separately



Double Traverse System, Ceiling Mount

- Ceiling bracket: 4" drop, 4 ½" between centers of tracks
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Ainsley end caps
- 13/8" collection finials and additional remote options sold separately



Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 ½" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- · 13/8" collection finials and additional remote options sold separately

1 $^3/_8$ " Baton Draw Metal Traverse Systems Finishes 35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect MatchTM, 6 Quick Ship Metal finishes or 5 Quick Ship Wood & Resin finishes.

Diameter	Track Finish	Track Finish Component Color			
1 3/8"	Amulet	White	12'		
1 3/8"	Andiron	White	12'		
1 3/8"	Antique Gold	White	12'		
1 3/8"	Art Bronze	Bronze	12'		
1 3/8"	Barnwood	Bronze	12'		
1 3/8"	Black	Bronze	12'		
1 3/8"	Blush	White	12'		
1 3/8"	Bronzed Pewter	Bronze	12'		
1 3/8"	Concrete	White	12'		
1 3/8"	Couture	White	12'		
1 3/8"	Dark Chocolate	Bronze	12'		
1 3/8"	Firelight	White	12'		
] 3/8"	Gossamer	Bronze	12'		
1 3/8"	Greige	White	12'		
1 3/8"	Halo	White	12'		
1 3/8"	Java	Bronze	12'		
1 3/8"	Linen	White	12'		
1 3/8"	Luminous	Bronze	12'		
1 3/8"	Manor	White	12'		
1 3/8"	Mink	Bronze	12'		
1 3/8"	Moonlight	Bronze	12'		
1 3/8"	Mystic	White	12'		
1 3/8"	New Age Bronze	Bronze	12'		
1 3/8"	Patina	White	12'		
1 3/8"	Shimmer	Bronze	12'		
1 3/8"	Silver Maple	White	12'		
1 3/8"	Spicewood	Bronze	12'		
1 3/8"	Spun Gold	White	12'		
1 3/8"	Stardust	White	12'		
1 3/8"	Starlet	White	12'		
1 3/8"	Titanium	White	12'		
1 3/8"	Truffle	Bronze	12'		
1 3/8"	Urban Bronze	Bronze	12'		
1 3/8"	White	White	12'		
1 3/8"	PTH Perfect Match™	please specify	12'		
1 3/8"	Brushed Nickel	White	12'		
1 3/8"	Brushed Bronze	Bronze	8'		
1 3/8"	Charcoal Zinc	White	8'		
1 3/8"	Matte Black	White	12'		
1 3/8"	Rose Gold	White	8'		
1 3/8"	Satin Gold	White	8'		
1 3/8"	Antique Brass	White	12'		
1 3/8"	Oil Rubbed Bronze	Bronze	12'		
1 3/8"	Platinum	White	12'		
1 3/8"	Rose Gold	White	12'		
1 3/8"	Walnut	Bronze	12'		

1 ³/₈" Baton Draw Metal Traverse Systems Pricing

Orders with Baton Draw Metal traverse systems will incur a \$25.00 packaging fee.

Name & Item #	Price			Systems are sold in 1 ft increments						
1 3/8" Baton Draw Metal Traverse System										
Single Traverse System Wall Mount 3 ½" Return	4'	5'	6'	7'	8'	9'	10'	11'	12'	price per ft
CSPTHMT138400	\$390.56	\$488.20	\$585.85	\$683.49	\$781.13	\$878.77	\$976.41	\$1,074.05	\$1,171.69	\$97.64
Single Traverse System Wall Mount 6" Return										
CSPTHMT138401	\$435.06	\$543.82	\$652.59	\$761.35	\$870.12	\$978.88	\$1,087.64	\$1,196.41	\$1,305.17	\$108.76
Double Traverse System Wall Mount										
CSPTHMT138402	\$781.13	\$976.41	\$1,171.69	\$1,366.97	\$1,562.25	\$1,757.54	\$1,952.82	\$2,148.10	\$2,343.38	\$195.28
Single Traverse System Ceiling Mount										
CSPTHMT138403	\$390.56	\$488.20	\$585.85	\$683.49	\$781.13	\$878.77	\$976.41	\$1,074.05	\$1,171.69	\$97.64
Double Traverse System Ceiling Mount										
CSPTHMT138404	\$781.13	\$976.41	\$1,171.69	\$1,366.97	\$1,562.25	\$1,757.54	\$1,952.82	\$2,148.10	\$2,343.38	\$195.28
Single Traverse System Low-Profile Ceiling Mount										
CSPTHMT138406	\$311.46	\$389.33	\$467.19	\$545.06	\$622.92	\$700.79	\$778.65	\$856.52	\$934.39	\$77.87

1 ³/₈" Baton Draw Metal Traverse Systems Information

Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8

Batons sold separately.

Note: Metal Baton available in 6 Metal Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.

36" Metal Baton 3⁄a" DIA, Metal	48" Metal Baton 3⁄8" DIA, Metal	60" Metal Baton %" DIA, Metal	36" Clear Acrylic Baton ½" DIA, Acrylic	48" Clear Acrylic Baton ½" DIA, Acrylic	60" Clear Acrylic Baton ½" DIA, Acrylic
POME36WAND	POME48WAND	POME60WAND	AC36WAND	AC48WAND	AC60WAND
\$70.45 each	\$76.63 each	\$82.81 each	\$55.62 each	\$61.80 each	\$67.98 each
QSME36WAND	QSME48WAND	QSME60WAND			
\$61.80 each	\$67.98 each	\$74.16 each			


48" Handicap Metal Baton 4" Loop, ADA Compliant, Metal	60" Handicap Metal Baton 4" Loop, ADA Compliant, Metal
POME48HWAND	POME60HWAND
\$76.63 each	\$82.81 each
QSME48HWAND	QSME60HWAND
\$67.98 each	\$74.16 each




1 ³/₈" Baton Draw Metal Traverse Systems Information

 $1\sqrt[3]{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions.








Carriers for additional carriers. for master carrier diagrams, see page 84.

\$3.31 NET pack (10 pieces)



\$0.71 NET each



\$0.62 NET each

multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to

treatments. Must be specified for substitution.

Available in white or bronze /BR and left or right.


\$6.57 NET each

filter between draperies on center draw

Upgrade your End Caps with French Returns or Finials

1 % Baton Draw Metal Traverse Systems include End Caps, but are designed to work with our NEW 1 % French Returns for Traverse and all 1 % Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.





PTHMT138440

French Return for Metal Traverse

(Includes 1 Return, 1 Splice, 1 French Return Ring to reduce sidelight, 4 End Stops, 4 Ripplefold Carriers, 2 Pinch Pleat Carriers, 1 Allen Wrench and 2 Extra Set Screws)

Metal, 3 ½" return, Ripplefold or Pinch Pleat Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™

\$108.44 each




Portfolio page 14 | Quick Ship page 93 | *Transitional Cuff/Finial Adapter PO138CUFF not required



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter POI38CUFF or QSI38CUFF below



¾" L x 1 ½" W

- · Metal, Available in any of our 35 Portfolio Hand Painted Finishes, 5 Quick Ship Wood & Resin Finishes or PTH Perfect Match™
- \cdot Use to adapt your 1 $\frac{3}{8}$ " Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$48.20 pair*




Manual Metal Traverse Collection Order Form

PO #			Sid	Side Mark			Ship via			Date	e,	
Sompany Information					Shipping Information	Informati	no					
ompany Name		Acct #			Company Name	ame			_	Acct #		
contact Person					Contact Person	son						
treet Address					Street Address	SSS						
ity		State		ZIP	City				0,	State	ZIP	
mail					Email							
hone	Fax				Phone				Fax			
NETAL TRAVERSE SYSTEMS - Consult Price List for detailed	ce List for c	letailed spe	specifications.									
Item #		Finish Code	System Length	Custom Cut Length	Draw Preference	7.6	Baton (sold separately)	on arately)	Glides Pinch Pleat or Ripplefold*	aty	Price per Unit	Subtotal
			(Luad)	(inches)		R B			PP RF			
						8			PP RF			
						2			PP RF			
						8			PP RF			
NETAL TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL Order finials, cuffs, batons, additional brackets and accessories here.	SSORIES skets and		DDITIONAL FEES sories here.	EES								
Item # Fi	Finish Code				Descr	Description			Qty	Price per Unit		Subtotal
Slide and Bracket Information										Answer Th	Answer These Questions	SL
uantity included per system based on cut track length	4' 5'	.2 .9	8 9' 10'	11' 12' 1	13' 14' 15' 16'	17' 18' 19'	9' 20' 21'	22' 23' 24'	1. S	olefold fullnes	2	
ilides [4 per foot, includes master carriers & end caps (2)]	16 20	24 28	32 36 40	44 48	52 56 60 64	68 72 7	76 80 84	88 92 96	90%	%001 \(\tau \) %08 \(\tau \)	%0Z1.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
rackets	2 3	4	4 5 5	5 2	9 9 9 9	. 2 2	8 8 7	8 8	2. S	elect Ripplefold masters:	rs: irlap	
pecial Instructions									**************************************	Jofoladia V	* Must specify Dipologology	c
									inage spani	y nappierony		ò
										77	TOTAL	



Fascia Profiles for Manual Heavy Duty Systems



Heavy Duty Corded or Baton Traverse Systems

Heavy Duty System is recommended for heavier treatments with lining. Longer lengths are versatile for residential or commercial projects.

Decorative wood fascia available in $1\frac{3}{8}$ " or $2\frac{1}{4}$ " smooth, reeded or grooved / fluted profiles with coordinating finials, $1\frac{7}{8}$ " slim round smooth profile, $2\frac{1}{4}$ " flat smooth profile with flush ends or mitered returns.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single Traverse System

- · Coordinates with all fascia profiles or available with no fascia
- Standard corded single bracket has 3 % 5 % return;
 standard baton single bracket has adjustable 3 % 4 return
- · Longer return bracket options may be substituted at no charge
- · Batons and finials sold separately



Double Traverse System

Back track available with or without wood fascia. Back track shown with fascia and end caps.

- · Coordinates with all fascia profiles or available with no fascia
- \cdot Standard corded double brackets have 3" back track and adjustable 6" 7 ½" front track return; standard baton double brackets have 2 ½" back track and adjustable 5 ½" 6" front track return
- · Longer return bracket options may be substituted at no charge
- · Batons and finials sold separately



Single or Double Traverse System With Mitered Returns

Back track available with or without wood fascia. Finials are not available with this option.

- · Coordinates with all fascia profiles
- Standard corded single bracket has 4" 5 ½" return; standard baton single bracket has adjustable 3 ¾" - 4" return
- Standard corded double brackets have 3" back track and adjustable
 6" 7 ½" front track return; standard baton double brackets have 2 ½" back track and adjustable 5 ½" 6" front track return
- · Batons and mitered returns sold separately



Stationary Front Pole With Back Traverse System


2½" wood poles can be used. Back track available with or without wood fascia. Back track shown with fascia and end caps.

- Traverse system coordinates with all 2 1/4" round fascia profiles; flat and slim fascia may not be used
- · Coordinates with 2 $\frac{1}{4}$ " poles for stationary front pole
- Stationary front pole and TBKT bracket finished to match pole are included
- · Batons and finials sold separately
- · Full rings available on stationary front pole, sold separately



(if applicable, sold separately) Fiberglass or Clear Acrylic | Stainless Steel Clip 36", 48" or 60"

Note: Fiberglass Baton available in 5 Wood & Resin Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.





AC60HWAND

60" Handicap Clear Acrylic Baton

4" Loop, ADA Compliant, Acrylic

\$67.98 each

AC72HWAND

72" Handicap Clear Acrylic Baton

4" Loop, ADA Compliant, Acrylic


\$74.16 each

Finishes

Decorative wood fascia available in 1 $\frac{3}{8}$ " or 2 $\frac{1}{4}$ " smooth, reeded or grooved / fluted profiles with coordinating finials, 1 1/8" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns - see next page. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match[™] or 5 Quick Ship Wood and Resin Finishes.

Diameter	Fascia Finish	Track and Bracket* Color	Component
	Amulet	White	White
	Andiron	White	White
		White	White
	Antique Gold	White	White
	Antique Gold Leaf		
	Art Bronze	Bronze	Bronze
	Barnwood	Bronze	Bronze
	Black	Bronze	Bronze
	Blush	White	White
	Bronzed Pewter	Bronze	Bronze
	Concrete	White	White
	Couture	White	White
	Dark Chocolate	Bronze	Bronze
	Firelight	White	White
	Gossamer	Bronze	Bronze
	Greige	White	White
1 3/8" or 2 1/4" smooth.	Halo	White	White
reeded or	Java	Bronze	Bronze
rooved / fluted profiles with	Linen	White	White
coordinating finials	Luminous	Bronze	Bronze
	Manor	White	White
%" slim round smooth profile	Mink	Bronze	Bronze
•	Moonlight	Bronze	Bronze
1/4" flat smooth profile	Mystic	White	White
Vith flush ends	New Age Bronze	Bronze	Bronze
or mitered	Patina	White	White
returns	Shimmer	Bronze	Bronze
	Silver Maple	White	White
	Spicewood	Bronze	Bronze
	Spun Gold	White	White
	Stardust	White	White
	Starlet	White	White
	Titanium	White	White
	Truffle	Bronze	Bronze
	Urban Bronze	Bronze	Bronze
	White	White	White
	PTH Perfect Match™	please specify	please specif
	Antique Brass	White	White
	Oil Rubbed Bronze	Bronze	Bronze
	Platinum	White	White
	Rose Gold	White	White
	Walnut	Bronze	Bronze

Heavy Duty Corded or Baton Traverse Systems Fascia Profiles



Smooth

- ·13/8" and 2 1/4" diameters available
- · See below for coordinating finial options

Reeded

- ·13/8" and 2 1/4" diameters available
- · See below for coordinating finial options

Grooved / Fluted

- ·13/8" and 2 1/4" diameters available
- · See below for coordinating finial options

Slim Round Smooth, No Finials

 \cdot 1 %" diameter, available with flush ends or mitered returns

Flat Smooth, No Finials

· 2 1/4" height, available with flush ends or mitered returns

Mitered Returns (sold separately)

- \cdot 13/8", 17/8" and 2 1/4" diameters available
- · All profiles

Upgrade your Manual HD Traverse with Finial Styles

Finials are sold separately. $1\frac{3}{8}$ " or $2\frac{1}{4}$ " Portfolio and Quick Ship Wood and Resin finials are compatible across two style categories. Somfy systems are not available with $1\frac{3}{8}$ " fascias and finials.



1%" Portfolio page 17 | 1%" Quick Ship page 97 | 2%" Portfolio page 22 | 2%" Quick Ship page 102



1 % "Portfolio page 17 | 1 % "Quick Ship page 97 | 2 ¼ "Portfolio page 23 | 2 ¼ "Quick Ship page 102

Heavy Duty Corded or Baton Traverse Systems Pricing

Item # for Corded System | Item # for Baton System | Nam

Manual Heavy Duty Corded or Baton Traverse System with Wood Fascia

Track System with Wood Corded Systems	Fascia(s) for 1 3⁄8" round Baton Systems (batons s	old separately)	4'	6'	8'	10'	
CSPTHC138WF	CSPTHB138WF	Single with Fascia	\$519.10	\$766.30	\$1,013.49	\$1,260.68	
CSPTHC138WFFDBL	CSPTHB138WFFDBL	Double with Front Fascia	\$865.17	\$1,291.58	\$1,717.98	\$2,144.39	
CSPTHC138WFDBL	CSPTHB138WFDBL	Double with Front & Back Fascias	\$1,038.21	\$1,532.59	\$2,026.97	\$2,521.36	

Track System with Wood Fascia(s) for 17%" slim, 21/4" flat smooth, 21/4" round*


*available in 2 1/4" round only 17/6" slim and 2 1/4" flat smooth double systems are available in the front fascia option only

Corded Systems	Baton Systems (batons s	old separately)					
CSPTHC214WF	CSPTHB214WF	Single with Fascia	\$673.60	\$1,007.31	\$1,341.02	\$1,674.73	
CSPTHC214WFFDBL	CSPTHB214WFFDBL	Double with Front Fascia	\$1,019.67	\$1,532.59	\$2,045.51	\$2,558.44	
CSPTHC214WFDBL	CSPTHB214WFDBL	Double with Front & Back Fascias *	\$1,347.20	\$2,014.61	\$2,682.03	\$3,349.45	
CSPTHC214SDBL	CSPTHB214SDBL	Double with Stationary Front & No Fascia *	\$870.12	\$1,207.53	\$1,544.95	\$1,882.37	
CSPTHC214WFBSDBL	CSPTHB214WFBSDBL	Double with Stationary Front & Back Fascia *	\$1,197.65	\$1,689.56	\$2,181.47	\$2,673.38	

Manual Heavy Duty Corded or Baton Traverse System without Wood Fascia

Single Track System Corded Systems	track available in white and Baton Systems (batons s		4'	6'	8'	10'	
CSPTHCTRACK	CSPTHBTRACK	Single with No Fascia	\$346.07	\$525.28	\$704.50	\$883.71	
CSPTHCTRACKDBL	CSPTHBTRACKDBL	Double with No Fascia	\$692.14	\$1,050.57	\$1,408.99	\$1,767.42	

includes 1 track, components, your choice of brackets, and fascia with fascia clips when applicable.



Quantity per System

Quantity included per system based on cut track length	4'	6'	8'	10'	12'	14'	16'	18'	20'
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	16	24	32	40	48	56	64	72	80
Brackets (1 per every 3-4 feet)	2	3	4	4	5	6	6	7	8

Note: All orders with poles and/or traverse rods will incur a \$10.00 packaging fee per order.

Pricing Includes Track, Components and your choice of TB035-, TB060- or TB100- Brackets

12'	14'	16'	18'	20'	per add'l 2 ft
\$1,507.87	\$1,755.06	\$2,002.26	\$2,249.45	\$2,496.64	\$247.19
\$2,570.80	\$2,997.20	\$3,423.61	\$3,850.02	\$4,276.42	\$426.41
\$3,015.74	\$3,510.13	\$4,004.51	\$4,498.89	\$4,993.28	\$494.38

\$2,008.44	\$2,342.14	\$2,675.85	\$3,009.56	\$3,343.27	\$333.71
\$3,071.36	\$3,584.28	\$4,097.21	\$4,610.13	\$5,123.05	\$512.92
\$4,016.87	\$4,684.29	\$5,351.71	\$6,019.13	\$6,686.54	\$667.42
\$2,219.78	\$2,557.20	\$2,894.62	\$3,232.04	\$3,569.45	\$337.42
\$3,165.29	\$3,657.21	\$4,149.12	\$4,641.03	\$5,132.94	\$491.91

Spliced systems begin at 16' for Corded and 20' for Baton

12'	14'	16'	18'	20'	per add'l 2 ft
\$1,062.93	\$1,242.14	\$1,421.35	\$1,600.57	\$1,779.78	\$179.21
\$2,125.85	\$2,484.28	\$2,842.71	\$3,201.14	\$3,559.56	\$358.43

Additional Heavy Duty Traverse Fees

PTHFEEMITER-EACH Wood Fascia Mitered Return per return	\$80.00
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection	\$65.00
PTHFEEBLEND Blended Fascia Splice per blend	\$108.00
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fascia	\$65.00
PTHFEERESTRING Restringing Fee per track	\$100.00

No Charge

Please specify:

Standard 45 Fascia Splice

- · Item number for track or track with wood fascia
- Track length (custom cut length is finished track length + 1/4" fascia on each end to receive finial)
- Track and matching bracket color (if not specified, we will select color to match fascia finish)
- Bracket return: see page 80 for details.
- · Cord location: right or left
- Draw: center, one-way stack right or one-way stack left
- · Number of carriers if different than 4 per foot
- · Pinch pleat or Ripplefold® style carriers
- · Cord drop (standard is 120")
- · Finish name for fascia, if selected

Component

Component		
Colors	White	Bronze
Track	•	•
Master Carriers	•	•
Glides	•	•
Brackets	•	•
End Pulleys / Caps [

Product information

- Single Corded or Baton traverse system price includes: traversing track, components, brackets (see system quantity chart on previous page) and 3 - 4 carriers per foot.
- · Sold in 2' in increments, 4' minimum.
- · Cut to specified length. Fall off will not be saved or shipped.
- · Track maximum continuous length up to 240 inches (20¹); splice lengths available up to 40¹ for center draw only.
- \cdot $\;$ Track, bracket and components available in White or Bronze.
- · Center or One-Way draw available.
- Fascia, if selected, in 1 3/8" or 2 1/4" wood pole profiles, available up to 16' in Portfolio or 12' in Quick Ship, is clipped onto traverse system track with a fascia L-bracket. Fascia over 16' in Portfolio finishes and 12' in Quick Ship finishes will be spliced.
- · Standard cord drop: 120"
- \cdot $\,$ Mitered fascia will add the following to the traverse system:

Fascia	Depth	+ to traverse system
1 3/8"	7/8"	2"
2 1/4"	1 3/8"	3"
Flat	3/4"	1 3/4"
Slim Round	5/8"	1 1/2"

Heavy Duty Stack Back Calculation (each drapery panel)

Heavy Duty pinch pleat: master carrier + (# glides on panel x .63") + 2.75" (0") = stack per drapery panel for cord draw (baton draw)

Heavy Duty Ripplefold*: master carrier + (# glides on panel \times .563") + 2.75" (0") = stack per drapery panel for cord draw (baton draw)

*note: number of glides on panel depends on which fullness of Ripplefold tape being used. Consult your workroom for quantity.

EX: Heavy Duty pinch pleat, 20ft. one-way cord draw (standard 4 glides per ft.)


4.25" + [80 glides on panel x .63"] + 2.75" = 57.5" stack back, per drapery panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.


Heavy Duty Corded Traverse Systems Information

	HD Corded Single TB035-H	$2^{11/16}$ " H x 1 $1\frac{1}{2}$ " W backplate, adjustable up to 5 $\frac{3}{8}$ " return Available in white or bronze /BR.	\$35.54 each
	HD Corded Single or Double TB060-H BR	3 ⁵ /16" H x 1 ½" W backplate, adjustable 6" - 7 ½" front return and 3" back return Available in white or bronze /BR.	\$56.85 each
ТВ035-Н ТВ060-Н ТВ100-Н	HD Corded Single, Double or Triple TB100-H	$4\frac{1}{2}$ " H x $1\frac{1}{2}$ " W backplate, adjustable up to 11 $\frac{1}{4}$ " return Available in white or bronze /BR.	\$56.85 each
- 60	HD Corded Ceiling Mount Clip Single CD533	⁵ /8" H x 2 ⁵ /8" D x ⁷ /8" W May only be used in corded systems without fascia - for double ceiling mount installation, install two brackets into ceiling. Available in white.	\$3.54 NET each
	HD Corded Fascia Mount Clip CD4001FC	¹ / ₂ " H x 1" W Use to attach fascia to corded traverse systems; included. Available in zinc.	\$1.40 NET each
	Corded Pinch Pleat Master Carrier BR CD3300R or CD3300L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$6.35 NET each
	Corded Ripplefold Overlap Master Carrier ER CD3412R or CD3412L	Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$6.35 NET each
	Corded Ripplefold Butt Master Carrier CD3600R or CD3600L	Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to filter between draperies on center draw treatments. Must be specified for substitution. Available in white or bronze /BR and left or right.	\$6.57 NET each
0 0	Corded Universal End Pulley Body ER CD4311R or CD4311L	Pendants sold separately. Available in white or bronze /BR and left or right.	\$6.35 NET each
• •	Corded One-Way End Pulley Body ER CD4310R or CD4310L	Pendants sold separately. Available in white or bronze /BR and left or right.	\$3.09 NET each
	HD Custom Over-Bracket Single Single any	"H x ¾" W backplate, 7 ½" front return and 3" back return to combine 2 ¼ full wood pole with single traverse systems; udes traverse ceiling mount bracket attached onto the tom of the over-bracket. Fascias sold separately. Available in of our 35 hand painted Portfolio finishes, 5 Quick Ship Wood esin finishes or your own custom PTH Perfect Match™ finish.	\$99.49 each
	HD Custom inst Ceiling Single CMTB-H B. P C. D	" H x ³ / ₄ " W backplate. Specify drop: contingent upon which cia or finials are chosen - for double ceiling mount installation, all two brackets into ceiling. Steel en ordering, specify: asscia diameter and profile. rojection to carrier and/or to front of fascia. Prop from ceiling to carrier eyelet and/or from ceiling to top of asscia (tip: finial must clear ceiling). Vidth of mounting plate if longer than 2 ³ / ₄ ".	\$85.28 each


Single Corded Bracket TB035-H




Single or Double Corded Bracket TB060-H




Single, Double or Triple Corded Bracket TB100-H




Corded Single Ceiling Mount Bracket CD533



Custom Over-Bracket TBKT214-H




Custom Ceiling Bracket CMTB-H



When ordering, specify:

- A. Fascia diameter and profile.
- B. Projection to carrier and/or to front of fascia.
- C. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).
- D. Width of mounting plate if longer than 2 3/4".

Corded Track






ANSI Standards: Child Safety Warning Tags

ANSI Standard 100.1: Safety of Corded Window Coverings
Requires warning tags for child safety on all interior drapery hardware
and window covering products that incorporate cords, bead chains,
cord shrouds or any type of flexible loop control device in their operation
INCLUDING sales collateral materials.


Heavy Duty Baton Traverse Systems Information

TB035-HB	HD Baton Single TB035-HB /BR	2 ¹¹ /16" H x 1 ½" W backplate, adjustable up to 4" return Available in white or bronze /BR.	\$35.54 each
TBOSS TIE	HD Baton Single or Double TB060-HB	$3\sqrt[3]{8}$ " H x $1\sqrt[1]{2}$ " W backplate, adjustable $5\sqrt[1]{4}$ " - 6 " front return and adjustable $2\sqrt[1]{4}$ " - $3\sqrt[1]{8}$ " back return Available in white or bronze /BR.	\$56.85 each
TDOCO LIB TDIOO LIB	HD Baton Single, Double or Triple TB100-HB	4 ½" H x 1 ½" W backplate, adjustable up to 9 ¾" return Available in white or bronze /BR.	\$56.85 each
ТВ060-НВ ТВ100-НВ	HD Baton Ceiling Mount Clip Single BT5333	1/4" H x 2 1/4" D x 1" W May only be used in baton systems without fascia - for double ceiling mount installation, install two brackets into ceiling. Available in white.	\$1.12 NET each
- B	HD Baton Fascia Mount Clip BT4003NFC	¹ / ₂ " H x 1" W Use to attach fascia to baton traverse systems; included. Available in zinc.	\$1.40 NET each
	Baton Pinch Pleat Master Carrier BT3005R or BT3005L	smooth movement. Available in white or bronze	\$5.34 NET each
	Baton Ripplefold Overlap Master Carrier /BR BT3125R or BT3125L	Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$6.35 NET each
*	Baton Ripplefold Butt Master Carrier /BR BT3600R or BT3600L	Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to filter between draperies on center draw treatments. Must be specified for substitution. Available in white or bronze /BR and left or right.	\$6.57 NET each
T.	Baton Pinch Pleat End Cap BT4013 /BR	Available in white or bronze /BR.	\$1.46 NET each
	Baton Ripplefold End Cap BT4123	Available in white or bronze /BR.	\$1.57 NET each
	HD Custom Over-Bracket Single TBKT214-HB Us inc bo ar ar	9/2" H x ¾" W backplate, 7 %" front return and 3" back return se to combine 2 ¼ full wood pole with single traverse systems; cludes traverse ceiling mount bracket attached onto the ottom of the over-bracket. Fascias sold separately. Available in many of our 35 hand painted Portfolio finishes, 5 Quick Ship Wood Resin finishes or your own custom PTH Perfect Match™ finish.	\$99.49 each
	Ceiling Single fas	74" H x 34" W backplate. Specify drop: contingent upon which scia or finials are chosen - for double ceiling mount installation, stall two brackets into ceiling.	\$85.28 each


Single Baton Bracket TB035-HB




Single or Double Baton Bracket TB060-HB




Single, Double or Triple Baton Bracket **TB100-HB**




Baton Single Ceiling Mount Bracket BT5333



Custom Over-Bracket



Custom Ceiling Bracket CMTB-HB



When ordering, specify:

- A. Fascia diameter and profile.
- B. Projection to carrier and/or to front of fascia.
- Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).
- D. Width of mounting plate if longer than 2 3/4".

Heavy Duty Corded or Baton Traverse Systems Information

Carriers for additional carriers.

Pinch Pleat





Pinch Pleat Glide CP10 or CP10/BR /BR

Ball Bearing Wheel for smooth movement. Available in white or bronze/BR.

Included in system pricing.

\$3.31 NET pack (10 pieces)

Ripplefold






Ripplefold Glide
R4060/P R4060/P/BR
R4080/P R4080/P/BR
R4100/P R4100/P/BR
R4120/P R4120/P/BR

Ripplefold Glides with detachable pendents. Available in 60%, 80%, 100% or 120% fullness specify fullness on order. Available in white or bronze /BR.


\$0.71 NET each

See pages 80 & 82 for Master Carrier options.


Pinch Pleat Carriers



Ripplefold Carriers



Heavy Duty Butt Master Carriers





Drapery Return Bracket CP500

9/16" H x ½" W backplate, 1½" return Allows for return on track hardware in traverse systems; included. Available in zinc only.

\$3.65 NET pack (10 pieces)



Glide Stop BT4333

Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.

\$0.62 NET each



Heavy Duty Traverse Order Form


HANDWANE P	PO#			Sid	Side Mark		Ship via				Date		
Company Information	ı					Shipping Information	ation						
Company Name			Acct #			Company Name				◀	Acct #		
Contact Person						Contact Person							
Street Address						Street Address							
City			State		ZIP	City				S	State	ZIP	
Email						Email							
Phone	Fax					Phone			ш	Fax			
HEAVY-DUTY TRAVERSE SYSTEMS - Consult Price List for detailed specifications. Specified custom cut length includes pulleys or end caps. For mitered returns, see page 79.	EMS - Consult Poulleys or end cap	rice List f os. For mit	or detaile ered retur	d specific ns, see pa	ations. ge 79.								
ltem#	Fascia Type	System Length (per 2')	Custom Cut Length (inches)	Fascia Finish Code	Bracket Preference	Draw Preference Center One-Way	Cord (Location	Cord Length (standard 120")	Baton F Draw F Option*	Glides Pinch Pleat or Ripplefold*	Qty	Price per Unit	Subtotal
							L			PP RF			
						L	L			PP RF			
							L			PP RF			
							L			PP RF			
HEAVY-DUTY TRAVERSE COORDINATING ACCESSORIES A Order finials, mitered returns, and accessories here.	DINATING ACC cessories here.	ESSORI	ES AND	ADDITIO	ND ADDITIONAL FEES								
ltem#	Finish Code	Code				Description				Qty	Price per Unit		Subtotal
Additional Information								* Baton	draw o	* Baton draw option available; batons sold separately.	le; batons	sold separa	ately.
Quantity included per system based on cut track length	t track length	4' 6'	8, 10,	12' 14' 1	16' 18' 20'						707	TOTAL	
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	ers (2) & end caps (2)]	16 24	32 40	48 56 (64 72 80							ı	
Brackets (1 per every 3-4 feet)		2 3	4	9	6 7 8								
Special Instructions							*	When orde	erina Ric	* When ordering Ripplefold carriers answer these questions:	ers. answe	r these auc	stions.



2. Select Ripplefold masters: Overlap Butt Master




1 1/8" Modern Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on page 89.









1 1/8" Clean Deco Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on next page.






1 1/8" Transitional Luxe Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on next page.



1 %" Mix & Match create an even more customized design!





Transitional and Deco Cuffs / Finial Adapters

Style Meets Function

1 1/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 1/8" Finials across five style categories using either Cuff / Finial Adapter. See pages 63 - 67.





1 1/8" Modern Metal Brackets fit the 1/8" pole.

Note: Return indicates distance from wall to center of pole.



OS118DESBK Declan Single

2" DIA backplate, 3 ½" return

\$55.62 each

OS118DES6BK Declan 6" Single


2" DIA backplate, 6" return



OS118DEDBK Declan Double

2" DIA backplate, 6 1/2" front return and 3 ½" back return

\$67.98 each



\$61.80 each



QS118AXSBK **Axel Single**

2" DIA backplate, 3 ½" return

\$61.80 each

QS118AXS6BK Axel 6" Single

2" DIA backplate, 6" return


QS118AXDBK **Axel Double**

2" DIA backplate, 6 ½" front return and 3 ½" back return


\$67.98 each

Designer Expertise » Use Axel Brackets for ceiling mount!

\$55.62 each



Axel 6" Single



Axel Double

Bypass Support Brackets Use with Caden C-Ring.

*CAUTION: Aiden Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1 1/8" pole to secure it.

Declan Brackets must be installed at each end to secure 1 1/8" pole.



QS118AESBK Aiden Single

2" DIA backplate, 3 ½" return, use with Caden C-Rings

\$55.62 each



OS118AEDBK Aiden Double

2" DIA backplate, 6 ½" front return and 3 ½" back return, %16" clearance above backplate, use with Caden C-Rings


\$67.98 each




QS118IMBK Inside Mount

1 ¹³/₁₆" DIA backplate x 1 ¹/₄" D, $^{3}\!/_{16}$ " thick backplate per bracket

\$67.98 pair*





11/8" Metal Pole

1 1/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12' on BN, SG, CZ and MK finishes; up to 8' on RGD and BZ finishes. 1 1/8" metal poles are supplied with plastic inserts to attach the finials.


Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.


QS118ME02	QS118ME04	QS118ME06	QS118ME08	QS118ME10	QS118ME12
2'	4'	6'	8'	10'	12'
\$30.90 each	\$61.80 each	\$92.70 each	\$123.60 each	\$154.50 each	\$185.39 each



11/8" Metal Rings fit the 11/8" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1 %" Metal Accessories

Metal Baton	Clear Acrylic Baton
3⁄8" DIA, Metal	½" DIA, Acrylic
QSME36WAND - 36" - \$61.80 each	AC36WAND - 36" - \$55.62 each
QSME48WAND - 48" - \$67.98 each	AC48WAND - 48" - \$61.80 each
QSME60WAND - 60" - \$74.16 each	AC60WAND - 60" - \$67.98 each







Modern Holdback Medallions fit modern holdback stems only.




Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.




« Don't forget to order your **Holdback Stems** separately

1 3/8" Modern Finial Collection fits the 1 3/8" metal pole and metal traverse.









13/8" Modern Metal Brackets fit the 13/8" pole.


Note: Return indicates distance from wall to center of pole.











Bypass Support Brackets Use with Calla C-Ring.

*CAUTION: Talon Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1 3/8" pole to secure it

Grant Brackets must be installed at each end to secure 1 3/8" pole.



QS138TASBK Talon Single

2 ½" DIA backplate, 3 ½" return, use with Calla C-Rings

\$61.80 each

QS138TADBK Talon Double

2 ½" DIA backplate, 6 ½" front return and 3 ½" back return, 3/8" clearance above backplate, use with Calla C-Rings


\$74.16 each




QS138IMBK Inside Mount

2" DIA backplate, 1 %/16" D, 1/4" thick backplate per bracket

\$74.16 pair*





13/8" Metal Pole | 13/8" Acrylic Pole

13/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12' on BN, SG, CZ and MK finishes; up to 8' on RGD and BZ finishes. 1 3/6" metal poles are supplied with plastic inserts to attach wood & resin finials, if desired. Acrylic poles only work with the 1 3/8" Modern Finial Collection.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.


QS138ME02	QS138ME04	QS138ME06	QS138ME08	QS138ME10	QS138ME12
2'	4'	6'	8'	10'	12'
\$37.08 each	\$74.16 each	\$111.24 each	\$148.32 each	\$185.39 each	\$222.47 each
QS138AC02	QS138AC04	QS138AC06	QS138AC08	QS138AC10	QS138AC12
2'	4'	6'	8'	10'	12'
\$95.17 each	\$190.34 each	\$285.51 each	\$380.68 each	\$475.84 each	\$571.01 each



13/8" Metal Rings fit the 13/8" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1 3/8" Metal Accessories



Handicap Metal Baton	Handicap Clear Acrylic Baton
4" Loop, ADA Compliant, Metal	4" Loop, ADA Compliant, Acrylic
QSME48HWAND - 48" - \$67.98 each	AC48HWAND - 48" - \$61.80 each
QSME60HWAND - 60" - \$74.16 each	AC60HWAND - 60" - \$67.98 each
	AC72HWAND - 72" - \$74.16 each



QS138MEL Hinged Elbow

13/8" DIA, 27/8" overall length, 2" L each side when hent Metal

\$55.62 each



PSME138403 Pole Splice

4 3/4" L, must be ordered separately

\$8.65 each

Modern Holdback Medallions fit modern holdback stems only.



Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



« Don't forget to order your Holdback Stems separately

13/8" Today's Traditional Finial Collection fits the 13/8" wood poles and heavy duty traverse.


QS138AUEC	QS138BRFI	QS138EVFI	QS138JUFI	QS138LEFI
Aubrie End Cap	Bradford	Everette	June	Leo
3/4" L x 2 1/4" W Resin	3 ½" L x 2 ½" W Resin	2 %" L x 3 ¼" W [2 ½" square] Resin	2 ¾" L x 2 5/8" W Resin	3 ½" L x 2 ¾" W Resin
\$49.44 pair*	\$86.52 pair*	\$86.52 pair*	\$86.52 pair*	\$86.52 pair*



13/8" Heritage Classics Finial Collection fits the 13/8" wood poles and heavy duty traverse.



1 3/8" Mix & Match create an even more customized design!



3/4" L x 1 1/2" W

- · Metal, Available in any of our 5 Quick Ship Wood & Resin Finishes
- · Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$48.20 pair*

1 %" R-TEC and Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 %" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



*Transitional Cuff/Finial Adapter QS138CUFF not required with Metal Traverse Systems on pages 32 - 41 and 68 - 73



*Requires Transitional Cuff / Finial Adapter QS138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73




*Requires Transitional Cuff / Finial Adapter QS138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73



13/8" Wood & Resin Brackets fit the 13/8" wood poles.

Note: Return indicates distance from wall to center of pole.







13/8" Metal Brackets fit the 13/8" wood poles.

Note: Return indicates distance from wall to center of pole.







13/8" Wood Poles

13/8" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

QS138SM02	QS138SM04	QS138SM06	QS138SM08	QS138SM10	QS138SM12
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'
\$61.80 each	\$123.60 each	\$185.39 each	\$247.19 each	\$308.99 each	\$370.79 each
QS138GR02	QS138GR04	QS138GR06	QS138GR08	QS138GR10	QS138GR12
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'
\$61.80 each	\$123.60 each	\$185.39 each	\$247.19 each	\$308.99 each	\$370.79 each
QS138RE02	QS138RE04	QS138RE06	QS138RE08	QS138RE10	QS138RE12
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'
\$61.80 each	\$123.60 each	\$185.39 each	\$247.19 each	\$308.99 each	\$370.79 each










Smooth Wood Pole QS138SM Wood


Grooved / Fluted Wood Pole QS138GR Wood



Reeded Wood Pole QS138RE Wood

13/8" Wood & Metal Rings fit the 13/8" wood poles. Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.



1 3/8" Accessories










Transitional Holdback Medallions

fit transitional holdback stems





Don't forget to order your **Holdback Stems** separately ≥

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



2 1/4" Today's Traditional Finial Collection fits the 2 1/4" wood poles and heavy duty traverse.






2 ¼" Heritage Classics Finial Collection fits the 2 ¼" wood poles and heavy duty traverse.






2 1/4" Wood & Resin Brackets fit the 2 1/4" wood poles.

Note: Return indicates distance from wall to center of pole.



2 1/4" Metal Brackets fit the 2 1/4" wood poles.

Note: Return indicates distance from wall to center of pole.



21/4" Wood Poles

2 1/4" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

	*		3 3 1		
QS214SM02	QS214SM04	QS214SM06	QS214SM08	QS214SM10	QS214SM12
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'
\$86.52 each	\$173.03 each	\$259.55 each	\$346.07 each	\$432.59 each	\$519.10 each
QS214GR02	QS214GR04	QS214GR06	QS214GR08	QS214GR10	QS214GR12
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'
\$86.52 each	\$173.03 each	\$259.55 each	\$346.07 each	\$432.59 each	\$519.10 each
QS214RE02	QS214RE04	QS214RE06	QS214RE08	QS214RE10	QS214RE12
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'
\$86.52 each	\$173.03 each	\$259.55 each	\$346.07 each	\$432.59 each	\$519.10 each









Smooth Wood Pole QS214SM Wood

Grooved / Fluted Wood Pole QS214GR Wood






Reeded Wood Pole QS214RE Wood

$2 \frac{1}{4}$ " Rings fit the $2 \frac{1}{4}$ " wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**






EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.



2 1/4" Accessories










Transitional Holdback Medallions

fit transitional holdback stems





Don't forget to order your **Holdback Stems** separately ≥

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



Sales Tools

Inspire your clients with professional sales tools designed to showcase Paris Texas Hardware™ and drive revenue for your business. Select from Wall Displays and Table Top Displays with the newest finial designs and finishes.



PTH22POMWDB

Portfolio Metal Wall Display Board 24" H x 24" W x 6 1/4" Deep Wall Mount

\$250.00 NET price



PTH22QSMWDB

Quick Ship Metal Wall Display Board 24" H x 24" W x 6 1/4" Deep Wall Mount

\$250.00 NET price



PTH22POWRDB

Portfolio Wood & Resin Wall Display Board 24" H x 24" W x 6" Deep Wall Mount


\$350.00 NET price



PTH22QSWRDB

Quick Ship Wood & Resin Wall Display Board 24" H x 24" W x 6" Deep Wall Mount

\$350.00 NET price



PTH22TDB

Traverse Wall Display Board 24" H x 24" W x 6" Deep Wall Mount

\$250.00 NET price



R-TEC Automation® Display Kit (case & kit*) RTMDK 30 1/4" H x 26 1/4" W x 8" Deep (case) *R-TEC Smart Controls not included; see page 45 for our selection.

\$300.00 NET price

Order Modules Separately:

- » R-TEC Automation® Motorized Metal Module RTMDK/FMH \$100.00
- » R-TEC Automation® Track Module with Fascia* RTMDK/TRACK \$100.00
 - *1 3/8" fascia included for reference only; see page 49 for a full list of fascia styles available in this collection, and choose from any of our 35 Portfolio Hand Painted Finishes, 5 Quick Ship Wood & Resin Finishes or your own PTH Perfect Match™ Finish.
- » Slim Drapery Motor + Battery Kit* RTMLDKIT \$393.26 *Works with motorized metal and track modules above.



PTH22TTPO

Portfolio Table Top Display 12" H x 20" W x 8" Deep

\$200.00 NET price



PTH22TTQS

Quick Ship Table Top Display 8 5/8" H x 20" W x 8" Deep

\$200.00 NET price





PARIS TEXAS HARDWARE™

FABRICUT°

9303 EAST 46TH STREET TULSA, OKLAHOMA 74145

PH: 800.763.1348 • FAX: 833.708.0401

FABRICUT.COM



ParisTexasHardware.com