3



PARIS TEXAS

HARDWARETM

September 2024

Retail* Price List & Product Information Guide

*10% tariff has been included.

General Information »

Contents

| Returns, Changes & Cancellations, Shipping, Installation, Dimension Key, Materials, Finishes, PTH Perfect Match™ | |
|--|-----|
| Portfolio Collection » | |
| 1 1/8" Diameter Finial Collections Modern, Clean Deco, Transitional Luxe, Bohemian Chic, Rustic Retreat | 7 |
| 1 3/8" Finial Collections Modern, Today's Traditional, Heritage Classics | 14 |
| 2 ¼" Finial Collections Today's Traditional, Heritage Classics | 22 |
| Traverse Systems » | |
| 1 3/8" Motorized Metal Traverse R-TEC Automation® Motorized System | 32 |
| Motorized Heavy Duty Traverse R-TEC Automation® or Somfy® | 42 |
| Metal Manual Baton Draw Traverse 1 1/8" - 1 3/8" Diameters, Baton Draw | 63 |
| Heavy Duty Manual Traverse 1 3/8" - 2 1/4" Diameters, Corded or Baton | 74 |
| Quick Ship Collection » | |
| 1 1/8" Diameter Finial Collections Modern, Clean Deco, Transitional Luxe | 87 |
| 1 3/8" Finial Collections Modern, Today's Traditional, Heritage Classics | 93 |
| 2 ¼" Finial Collections Today's Traditional, Heritage Classics | 102 |
| Sales Tools » | 106 |

Designed to Inspire.

For over 30 years, Paris Texas Hardware has been dedicated to evolving our legacy of providing exceptional design and superior service. Our in-house design team places you at the center of the design process while staying true to our heritage of curating designs that are uniquely our own.



We respect the important relationship between style and function in design and are excited to introduce many customized solutions that are perfectly balanced to inspire your vision into a reality.

Whether it's a Modern finial silhouette that has never been seen before, a Heritage Classic with a new twist or a customized traverse solution integrated with the latest smart home technology, we promise to provide you with something different - a collective style designed to inspire that you cannot find anywhere else in the world.



Trusted Heritage

In celebration of our 30 year anniversary, we promise to deliver on our rich legacy of providing high quality products, unique & elegant designs, a wide selection of finishes and superior service combined with designer expertise to elevate your design vision.



Wide Selection of Finishes

With a choice between our 35 Hand Painted Portfolio Finishes, 6 Quick Ship Metal Finishes, 5 Quick Ship Wood & Resin Finishes and PTH Perfect Match™, the possibilities are endless. Our talented artisans enjoy the challenge of creating any finish that you can envision.



Superior Service

Paris Texas Hardware promises to offer an enjoyable customer experience that includes honest dialogue and responsive feedback.



High Quality Products

Our products are tailored specifically to your needs and designed to be unrivaled in their ability to stand alone as the perfect combination of smart, decorative, durable and functional.



Available Stock | Quick Ship

When you need products to complete a project in a hurry, our Quick Ship Collection offers products that are in stock and ship within 24 hours. Available in 6 plated metal finish options, 5 wood & resin finish options, over 50 finial designs and many bracket and accessory styles.




Designer Expertise 🎇





Our talented team, with years of experience, are ready to help design the perfect window treatment solution for your project. Look for the icon throughout the catalog for tips, techniques and inspiration provided by our design experts, and download the full booklet using the QR code above, or by visiting: bit.ly/PTH-DE

Dimension Key

Poles Finials







Materials

Some finials, brackets, holdbacks and rings are made of resin composite materials. Resin may be damaged by cutting, drilling or attempting to alter the size or shape of products. Some items are made of cast aluminum or stamped steel. Wood poles and wood rings are made of various hardwoods. Metal poles and metal rings are made of metal or steel.

Poles & Rods

Wood poles may be spliced together using a dowel splicing screw, which is included with each pole. Metal poles may be spliced together using our pole splice, sold separately, or a dowel splicing screw where plastic inserts are included. We recommend a center support bracket for pole lengths in excess of four feet. We cannot guarantee against sagging caused by unsupported spans greater than our recommended four feet.

Finials

All finials are sold as pairs. Most resin finial bases have a \%" recess for a clean pole fit. Resin finials are fitted with a dowel screw that may not be removed without damaging the finial. 1 \%" metal finials are supplied with plastic inserts to attach the finials. 1 \%" metal finials are fitted with a set screw, which can be tightened using an allen wrench provided.

Brackets

Brackets are sold individually. Depending on the style of the bracket, there are three wall mounting styles; key lock, round mounting plate or front drill. Some heavier treatments may require stronger fasteners (mollies and screws) than those included with the brackets. Brackets should be installed securely into wall studs.

Rings

Rings are sold individually. Eyelets are not detachable from rings. Excessive movement of rings on the top of the pole will naturally abrade the finish. We recommend three to four rings per foot of finished pole length, or six to seven rings per width of fabric.

General Information

Production Time

Purchase orders are processed once they are received by Paris Texas Hardware. Incomplete information will delay processing and shipping. Quick Ship collections are in stock and ship within 24 hours. Quick Ship orders received before noon CST ship the same day. Portfolio custom collection is hand finished and ships within 10-15 business days.

Heavy Duty Corded or Baton & Motorized Traverse Systems Heavy duty traverse systems are available with or without decorative wood fascia, available in 1 3/6" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7/6" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns, in Portfolio, PTH Perfect Match™ and Quick Ship Wood & Resin. Production time for traverse system orders is 10-15 business days. Please refer to pages 49 & 77 for available fascia styles, sizes and finishes.

Metal Baton Draw & Motorized Traverse Systems
Metal traverse systems are available in 1 ⅓" and 1 ⅙"
Portfolio (except Antique Gold Leaf), PTH Perfect Match™,
Quick Ship Metal and Quick Ship Wood & Resin. All 1 ⅙"
and Wood & Resin 1 ⅙" require Transitional Cuff / Finial
Adapters to attach finials, sold separately. Production
time for traverse system orders is 10-15 business days.
Please refer to pages 32 - 41 and 63 - 73 for available metal
track sizes and finishes.

Pricing & Terms

Pricing found in the Paris Texas Hardware Price List are our Suggested Retail Prices. Prices are subject to change without notice. Due to the U.S. government's current policy on China tariffs, all products are subject to a tariff surcharge as of September 1, 2019. Prices are quoted exclusive of Freight and Packaging. The Buyer should always inspect the product upon receipt.

IMPORTANT: Please note that your order will be placed with an authorized Paris Texas Hardware Distributor. While most of the following will generally apply, your distributor may have terms and conditions of the sale that will vary from what is stated here.

Returns, Changes & Cancellations

All Portfolio and PTH Perfect Match™ products are custom painted and may not be Returned. Orders may not be changed or canceled once production has begun.

Quick Ship items may be Returned if poles are uncut and all products are received in sellable condition. A restocking fee of 40% will apply and the customer will prepay freight. All Returns must be authorized by the Paris Texas Hardware customer service department, and are authorized at our discretion, given the circumstances and nature of each order. A Return Authorization Number (RA#) must be issued by customer service, and the RA#

must be noted on all Return packages. Return Credit is issued on Returned goods that are inspected and deemed undamaged. Customers should exercise care to adequately package Return goods. Return Credit will not be issued for unauthorized Returns or damaged Returns.

Shipping (NET Fees)

All hardware orders are shipped FOB Dallas, Texas. Standard size orders ship using normal guidelines via UPS or FedEx ground. Average transit time is three to seven business days. Three Day Select, Second-Day or Next-Day Air services may be requested. Poles over 92" MUST be shipped by common carrier. For current common carrier freight rates and orders subject to actual freight costs, visit www.paristexashardware.com/freight-rate. Shipments exceeding these limits will require a special freight quote. Expedited shipments are not available in all areas. Any additional charges for expedited shipments will be in addition to the published net fees. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

Packaging Fees (NET Fees)

A net packaging fee of \$10.00 per order will apply to any order that has a pole. A net packaging fee of \$10.00 will apply to any order with a traverse rod less than 16 feet. The net packaging fee increases to \$25.00 for all orders with rods with returns; motorized traverse track; or poles, rods and corded traversing track 16 feet or longer.

Damaged Goods & Freight Claims

Immediately upon receipt, your order should be inspected to ensure that there is no damage from shipping. To report a claim, contact your Paris Texas Hardware distributor. <u>Damage and freight claims must be made within 15 days</u> of receipt of goods. Claims reported after 15 days will not be accepted. To expedite the claim process, please provide your distributor with the following information: purchase order number, Paris Texas Hardware order number, shipping phone number and address, a complete list of damaged items and a picture of the box/packaging. Freight companies require all packaging materials and damaged items to be kept for inspection. Merchandise damaged in shipping will be replaced. Our policy is that we replace damaged product per the original order. Please note on the Bill of Lading if there is any possibility of damage. If shipping through a 3rd party, distributor is responsible for claiming damages and the remakes will be at charge.

Installation

We recommend using a professional installer. Installation hardware is included. The fasteners (screws and mollies) may not be appropriate for every installation or wall material. Brackets and holdbacks should be installed securely into wall studs when possible. Paris Texas Hardware will not assume responsibility for damages incurred by improperly mounted or inadequately supported hardware.

| Po | ortfolio Finishes | | | | |
|-----------------|------------------------------------|--|--|--|--|
| АМ | Amulet | | | | |
| AND | Andiron | | | | |
| AG | Antique Gold | | | | |
| AGL | Antique Gold Leaf | | | | |
| AB | Art Bronze | | | | |
| BW | Barnwood | | | | |
| BL | Black | | | | |
| BLU | Blush | | | | |
| ВР | Bronzed Pewter | | | | |
| СО | Concrete | | | | |
| COU | Couture | | | | |
| DC | Dark Chocolate | | | | |
| FL | Firelight | | | | |
| GOS | Gossamer | | | | |
| GRE | Greige | | | | |
| НА | Halo | | | | |
| JA | Java | | | | |
| LIN | Linen | | | | |
| LU | Luminous | | | | |
| MA | Manor | | | | |
| MK | Mink | | | | |
| ML | | | | | |
| | Moonlight | | | | |
| MYS | Mystic | | | | |
| NAB | New Age Bronze | | | | |
| PAT | Patina | | | | |
| SH | Shimmer | | | | |
| SM | Silver Maple | | | | |
| SPW | Spicewood | | | | |
| SPG | Spun Gold | | | | |
| STA | Stardust | | | | |
| ST | Starlet | | | | |
| TTM | Titanium | | | | |
| TRU | Truffle | | | | |
| URB | Urban Bronze | | | | |
| WH | White | | | | |
| Quick Ship Wood | & Resin 1 3/8" and 2 1/4" Finishes | | | | |
| AB | Antique Brass | | | | |
| ORB | Oil Rubbed Bronze | | | | |
| PL | Platinum | | | | |
| RG | Rose Gold | | | | |
| WAL | Walnut | | | | |
| Quick Ship Me | etal 1 1/8" and 1 3/8" Finishes | | | | |
| BZ | Brushed Bronze | | | | |
| BN | Brushed Nickel | | | | |
| CZ | Charcoal Zinc | | | | |
| MK | Matte Black | | | | |
| RGD | Rose Gold | | | | |
| SG | Satin Gold | | | | |
| | | | | | |
| | fect Match™ Finishes | | | | |
| PPMEF | Eggshell Sheen Level | | | | |
| PPMHGF | High-Gloss Sheen Level | | | | |
| PPMGLITTER | Glitter Highlights | | | | |
| PPMGOLD | Gold Highlights | | | | |
| PPMROSEGOLD | Rose Gold Highlights | | | | |
| PPMSILVER | Silver Highlights | | | | |

Finishes

Finishes with antiquing, dusting or glazing will vary from product to product depending on the level of detail. Areas with deeper recesses will appear darker than smooth areas.

For the best possible finish match, refer to the 2022 Paris Texas Hardware Finish Chips. These chips have smooth, fluted and carved detailed areas, enabling you to see the beautiful shadings and highlights that make our finishes so special.

Portfolio

Portfolio Strike-offs: For a fee of \$50 (net) per finish / strike-off, Paris Texas Hardware will provide a sample of your Portfolio finish on any 6" wood or metal pole as requested. Customer approval of the strike-off sample is required before production will begin.

Portfolio Touch up paint: For a fee of \$20 per vial, touch-up paint can be sent to the customer on request.

PTH Perfect Match™

On your purchase order, specify the following:

- · Benjamin Moore® color name and number
- · Sheen level: high-gloss or eggshell
- · Highlight color, if desired (silver, gold, rose gold or glitter)

Each color specified (every time we purchase paint) will be subject to a separate minimum. If you have different colors for different rooms of hardware, please put them on separate purchase orders. Purchase includes 1 oz of touch-up paint. If there is enough of your Benjamin Moore® paint leftover, we'll keep it for 30 days. After 30 days, we'll dispose of it using an environmentally responsible paint service.

Single Color - No Highlight:

10% upcharge or \$100 minimum (net)


Strike-off available: For a fee of \$50 (net) per color, a sample of your Benjamin Moore® paint will be provided on a PTH sample chip. When you place your order, we will credit \$25 of this fee toward your order with that paint color.

Single Color - With Highlight:

15% upcharge or \$150 minimum (net)

Strike-off available: For a fee of \$60 (net) per color with highlight, a sample of your Benjamin Moore® paint with highlight will be provided on a PTH sample chip. When you place your order, we will credit \$30 of this fee toward your order with that paint color.

Order must be received within 30 days or strike-off paint will be disposed and no credit will be Issued. In lieu of purchasing strike-offs, we encourage you to use your Benjamin Moore® paint deck for color reference.



1 1/4" L x 2 5/8" W

Crystal, Metal Pole

\$107.27 pair*

2 ¾" L x 2 ½" W

Crystal, Metal Pole

$1\% "Modern Finial Collection \ {\it fits} \ 1\% "poles. Finial adapters are required to adapt to 1\% "metal traverse, sold separately on page 10.$



1 %" L x 2" W

Metal



\$39.64 pair*

3/4" L x 1 3/4" W

Metal



1 %" L x 3" W

Metal / Crystal

1 1/8" Clean Deco Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 10.



\$194.72 pair*

\$53.64 pair*

\$107.27 pair*

1 1/8" Transitional Luxe Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 10.

| 176 Transitional E | | | | |
|------------------------------------|--|--------------------------|----------------------------------|--------------------------------------|
| | Top view showing Marble Finish | | | |
| PO118BEEC | PO118CAFI | PO118FBFI | PO118HUEC | PO118JUFI |
| Beale End Cap | Callie | Fairbanks | Hudson End Cap | Jules |
| ½" L x 2" W Resin | 1 ½" L x 2 5/8" W Resin | 3 ½" L x 2" W Resin | 7⁄8" L x 1 7⁄8" W Resin | 2 %" L x 2 ¾" W Resin |
| \$46.64 pair* | \$121.26 pair* | \$121.26 pair* | \$53.64 pair* | \$121.26 pair* |
| | | | | |
| PO118KEFI | PO118NLFI | PO118NOFI | PO118NOFIGL | PO118PIFI |
| Kensington - Crystal | Nola | Nora | Nora - Mercury Glass | Piper |
| 2 %" L x 2 %" W Resin / Crystal | 2 ³ / ₄ " L x 2 ³ / ₈ " W Resin | 2 ½" L x 2 ½" W Metal | 2 ½" L x 2 ½" W Metal / Glass | 3 1/8" L x 2 5/8" W Resin / Glass |
| \$194.72 pair* | \$121.26 pair* | \$107.27 pair* | \$167.90 pair* | \$167.90 pair* |



See page 10 for our 1 1/8" Finial Accessories!

- · Mix & Match finishes and materials for the ultimate customized style, or use to adapt your 11/8" Finial to work with Baton Draw Metal Traverse on pages 63 - 67
- Transitional Style » Transitional Cuff / Finial Adapter PO118CUFF
- · Need Some Glamour? » Crystal Band PO118CRMEBAND
- · Clean Deco Style » Deco Cuff / Finial Adapter PO118DECUFF

1 1/8" Bohemian Chic Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on page 10.





1 1/8" Rustic Retreat Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 10.






1%" French Returns fit the 1%" pole. Look for coordinating brackets on pages 11 - 12 marked with the FR icon.


Also, check out our NEW French Returns for Traverse on page 67.





1 %" Mix & Match create an even more customized design!





Transitional and Deco Cuffs / Finial Adapters

Style Meets Function

 $1 \frac{1}{8}$ " Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all $1 \frac{1}{8}$ " Finials across five style categories using either Cuff / Finial Adapter. See pages 63 - 67.







11/8" Modern Metal Brackets fit the 11/8" pole.


Note: Return indicates distance from wall to center of pole.

Look for coordinating brackets for French Returns marked with the FR icon.












2" DIA backplate, 3 ½" return, use with Caden C-Rings

2" DIA backplate, 6 ½" front return and 3 ½" back return, %16" clearance above backplate, use with Caden C-Rings


\$58.30 each


\$69.96 each



3/16" thick backplate per bracket

\$69.96 pair*





11/8" Metal Pole

1 1/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12!. 1 1/18" metal poles are supplied with plastic inserts to attach the finials.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.


| PO118ME02 | PO118ME04 | PO118ME06 | PO118ME08 | PO118ME10 | PO118ME12 |
|--------------|--------------|---------------|---------------|---------------|---------------|
| 2' | 4' | 6' | 8' | 10' | 12' |
| \$33.81 each | \$67.63 each | \$101.44 each | \$135.26 each | \$169.07 each | \$202.88 each |



11/8" Metal Rings fit the 11/8" pole.


Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1 1/8" Metal Accessories










1 3/8" Modern Finial Collection fits the 13/8" metal pole and metal traverse.



1 3/8" French Returns fit the 1 3/6" pole. Look for coordinating brackets on pages 15 & 19 marked with the FB icon.

Also, check out our NEW French Returns for Traverse on pages 40 & 72.



13/8" Modern Metal Brackets fit the 13/8" pole.

Note: Return indicates distance from wall to center of pole.

Look for coordinating brackets for French Returns marked with the FR icon.



PO138GASBK Grant Single



2 ½" DIA backplate, 3 ½" return

PO138GAS6BK

Grant 6" Single

2 ½" DIA backplate, 6" return

PO138GADBK Grant Double


2 ½" DIA backplate, 6 ½" front return and

3 ½" back return

\$64.13 each

\$69.96 each

\$75.79 each





PO138GGSBK Gage Single

2 ½" DIA backplate, 3 ½" return

FR

PO138GGS6BK Gage 6" Single

2 ½" DIA backplate, 6" return



PO138GGDBK Gage Double


2 ½" DIA backplate, 6 ½" front return and

3 ½" back return

\$69.96 each \$75.79 each


Designer Expertise » Use Gage Brackets for ceiling mount!

\$64.13 each



Gage 6" Single

6" return



Gage Double

Bypass Support Brackets Use with Calla C-Ring.

*CAUTION: Talon Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1 3/8" pole to secure it.

Grant Brackets must be installed at each end to secure 1 3/8" pole.



PO138TASBK Talon Single

2 ½" DIA backplate, 3 ½" return, use with Calla C-Rings

\$64.13 each

FR

PO138TADBK Talon Double

2 ½" DIA backplate, 6 ½" front return and 3 ½" back return, 3/8" clearance above backplate, use with Calla C-Rings


\$75.79 each




PO138IMBK Inside Mount

2" DIA backplate x 1 9/16" D, 1/4" thick backplate per bracket

\$75.79 pair*





^{*}Sold in pairs only.

1%" Metal Pole | 1%" Acrylic Pole

13/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'. 13% metal poles are supplied with plastic inserts to attach wood & resin finials, if desired. Acrylic poles only work with the 1 3/8" Modern Finial Collection.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

| PO138ME02 | PO138ME04 | PO138ME06 | PO138ME08 | PO138ME10 | PO138ME12 |
|--------------|--------------|---------------|---------------|---------------|---------------|
| 2' | 4' | 6' | 8' | 10' | 12' |
| \$40.81 each | \$81.62 each | \$122.43 each | \$163.24 each | \$204.05 each | \$244.86 each |
| | | | | | |




| PO138AC02 | PO138AC04 | PO138AC06 | PO138AC08 | PO138AC10 | PO138AC12 |
|--------------|---------------|---------------|---------------|---------------|---------------|
| 2' | 4' | 6' | 8' | 10' | 12' |
| \$89.78 each | \$179.56 each | \$269.35 each | \$359.13 each | \$448.91 each | \$538.69 each |




13/8" Metal Rings fit the 13/8" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1%" Metal Accessories





| ch |
|----|
| ch |
| ch |
| cł |




1 3/8" Today's Traditional Finial Collection fits the 13/8" wood poles and heavy duty traverse.





13/8" Heritage Classics Finial Collection fits the 13/8" wood poles and heavy duty traverse.








1 3/8" Transitional Cuff / Finial Adapter PO138CUFF

See next page for more details

- $\cdot \, ^{3}/_{4}$ " L x 1 $^{1}/_{2}$ " W
- · Metal, Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™
- Mix & Match finishes and materials for the ultimate customized style, or use to adapt your $1^3/8$ " Today's Traditional or Heritage Classics Finial to work with R-TEC Automation® Metal Traverse on pages 32 41 and Baton Draw Metal Traverse on pages 68 73. Finial Adapters required, sold separately.

\$45.47 pair*

13/8" Mix & Match create an even more customized design!



3/4" L x 1 1/2" W

- · Metal, Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™
- · Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$45.47 pair*

13/8" R-TEC and Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 13/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff/ Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



*Transitional Cuff/Finial Adapter PO138CUFF not required with Metal Traverse Systems on pages 32 - 41 and 68 - 73



*Requires Transitional Cuff / Finial Adapter PO138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73




*Requires Transitional Cuff/Finial Adapter PO138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73



13/8" Metal Brackets fit the 13/8" wood poles.


Look for coordinating brackets for French Returns marked with the FR icon.








FR



1/4" thick backplate per bracket











PO138GRSBK **Gregory Single**

3/4" W x 3 3/4" H backplate, 3 ½" return, use with Medium C-Rings

\$64.13 each

PO138GRS6BK Gregory 6" Single

3/4" W x 3 3/4" H backplate, 6" return, use with Medium C-Rings

\$69.96 each



PO138GRDBK **Gregory Double**

3/4" W x 3 3/4" H backplate, 6" front return and 3" back return, use with Medium C-Rings


\$75.79 each



PO138GRSHBK FR Gregory 3 1/2" Horizontal Single

2 3/8" W x 3/4" H backplate, 3 ½" return, use with Medium C-Rings


\$64.13 each





13/8" Wood & Resin Brackets fit the 13/8" wood poles.

Note: Return indicates distance from wall to center of pole.









13/8" Wood Poles

13/8" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 16'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

| PO138SM02 | PO138SM04 | PO138SM06 | PO138SM08 | PO138SM10 | PO138SM12 | PO138SM14 | PO138SM16 |
|--------------------------|--------------------------|--------------------------|-------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Smooth - 2' | Smooth - 4' | Smooth - 6' | Smooth - 8' | Smooth - 10' | Smooth - 12' | Smooth - 14' | Smooth - 16' |
| \$69.96 each | \$139.92 each | \$209.88 each | \$279.84 each | \$349.80 each | \$419.76 each | \$489.72 each | \$559.68 each |
| PO138GR02 | PO138GR04 | PO138GR06 | PO138GR08 | PO138GR10 | PO138GR12 | PO138GR14 | PO138GR16 |
| Grooved / Fluted - 2' | Grooved / Fluted - 4' | Grooved / Fluted - 6' | Grooved/ Fluted - 8' | Grooved / Fluted - 10' | Grooved / Fluted - 12' | Grooved / Fluted - 14' | Grooved / Fluted - 16' |
| \$69.96 each | \$139.92 each | \$209.88 each | \$279.84 each | \$349.80 each | \$419.76 each | \$489.72 each | \$559.68 each |
| PO138RE02 | PO138RE04 | PO138RE06 | PO138RE08 | PO138RE10 | PO138RE12 | PO138RE14 | PO138RE16 |
| Reeded - 2' | Reeded - 4' | Reeded - 6' | Reeded - 8' | Reeded - 10' | Reeded - 12' | Reeded - 14' | Reeded - 16' |
| \$69.96 each | \$139.92 each | \$209.88 each | \$279.84 each | \$349.80 each | \$419.76 each | \$489.72 each | \$559.68 each |












Reeded




Smooth Grooved / Fluted

13/8" Wood & Metal Rings fit the 13/6" wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.*





EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.



1 3/8" Accessories





2 1/4" Today's Traditional Finial Collection fits the 2 1/4" wood poles and heavy duty traverse.







2 ¼" Heritage Classics Finial Collection fits the 2 ¼" wood poles and heavy duty traverse.









2 1/4" Metal Brackets fit the 2 1/4" wood poles.


Note: Return indicates distance from wall to center of pole.


















2 1/4" Wood & Resin Brackets fit the 2 1/4" wood poles.

Note: Return indicates distance from wall to center of pole.









21/4" Wood Poles

2 1/4" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 16'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

| PO214SM02 | PO214SM04 | PO214SM06 | PO214SM08 | PO214SM10 | PO214SM12 | PO214SM14 | PO214SM16 |
|--------------------------|--------------------------|--------------------------|--------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Smooth - 2' | Smooth - 4' | Smooth - 6' | Smooth - 8' | Smooth - 10' | Smooth - 12' | Smooth - 14' | Smooth - 16' |
| \$93.28 each | \$186.56 each | \$279.84 each | \$373.12 each | \$466.40 each | \$559.68 each | \$652.96 each | \$746.24 each |
| | , | | | | | | |
| PO214GR02 | PO214GR04 | PO214GR06 | PO214GR08 | PO214GR10 | PO214GR12 | PO214GR14 | PO214GR16 |
| Grooved / Fluted - 2' | Grooved / Fluted - 4' | Grooved / Fluted - 6' | Grooved / Fluted - 8' | Grooved / Fluted - 10' | Grooved / Fluted - 12' | Grooved / Fluted - 14' | Grooved / Fluted - 16' |
| \$93.28 each | \$186.56 each | \$279.84 each | \$373.12 each | \$466.40 each | \$559.68 each | \$652.96 each | \$746.24 each |
| | | | | | | | |
| PO214RE02 | PO214RE04 | PO214RE06 | PO214RE08 | PO214RE10 | PO214RE12 | PO214RE14 | PO214RE16 |
| Reeded - 2' | Reeded - 4' | Reeded - 6' | Reeded - 8' | Reeded - 10' | Reeded - 12' | Reeded - 14' | Reeded - 16' |
| \$93.28 each | \$186.56 each | \$279.84 each | \$373.12 each | \$466.40 each | \$559.68 each | \$652.96 each | \$746.24 each |



Smooth Wood Pole PO214SM



Grooved / Fluted Wood Pole PO214GR



Reeded Wood Pole PO214RE

EZ Glide Tape


Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.



$2 \frac{1}{4}$ " Rings fit the $2 \frac{1}{4}$ " wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





2 1/4" Accessories



¾" DIA, Fiberglass

PORE36WAND - 36" - \$67.63 each

PORE48WAND - 48" - \$73.46 each

PORE60WAND - 60" - \$79.29 each







Modern Holdback Medallions fit modern or transitional resin holdback stems.



Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



« Don't forget to order your **Holdback Stems** separately

$Holdback\ Arms\ {\it May be used with any 1\%" metal or resin finial without Cuff.\ Finials are sold separately.}$



Holdback Arm

7" W, ½" DIA stem 1 5/8" H backplate, 5 ½" D, 4 ½" PROJ Metal

\$69.96 pair*



Holdback Arm shown with Achilles Finial (sold separately) Metal

Holdback Medallion Bands Attaches any Holdback Medallion to the front of a pole. Holdback Medallions sold separately.



\$39.64 pair*



PO138MEBAND 13/8" Band 3/4" W, 1 7/₁₆" ID, 1 5/8" OD Metal \$45.47 pair*



PO214MEBAND 2 1/4" Band 3/4" W, 2 5/16" ID, 2 ½" OD Metal \$51.30 pair*

Common uses for Medallion Bands:

- Repeated decorative embellishment along the length
- 2. Hold gathered rod pocket drapery panel in place.
- Ring stop.





Transitional Holdback Medallions fit modern or transitional resin holdback stems.



| POISHB | POLYHB | POMIHB | POMRHB | POSWHB | POTRHB |
|----------------------------|----------------------------|--------------------------|----------------------------|--------------------------------|--------------------------|
| Isabelle | Lyon | Miranda | Mirna | Swindon | Trudy |
| 5 ½" DIA, 1 ¼" TH Resin | 4 ¾" DIA, 2 ½" TH Resin | 5" DIA, 1 ½" TH Resin | 4 ½" DIA, 1 ¼" TH Resin | 5 1/8" DIA, 1 1/4" TH Resin | 4 ¾" DIA, ¾" TH Resin |
| \$104.94 pair* | \$139.92 pair* | \$104.94 pair* | \$139.92 pair* | \$104.94 pair* | \$104.94 pair* |

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



« Don't forget to order your Holdback Stems separately





Traverse

Systems



RIEO AUTOMATION° 1 3/8" Motorized Metal Traverse Systems

Motorized 1 3/8" Metal traverse systems create smart design solutions for both residential and commercial environments.

The slim drapery motor is designed to install seamlessly behind the drapery panel with quiet start / stop operation, the ability to easily charge without having to remove the motor and up to 500 open and close cycles per charge, providing the ultimate integrated functionality without compromising the look of your window treatment.

Our NEW French Returns for Traverse may be ordered separately. Finials may be ordered separately from 1 3/8" Diameter Collections. Modern Finial Collection do not require use of Cuff and attach using set screw. Today's Traditional and Heritage Classics Finial Collections require the use of the Transitional Cuff / Finial Adapter (sold separately). See page 40.

Select from 35 Portfolio hand painted finishes **(except Antique Gold Leaf)**, 6 Quick Ship Metal finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.



Single Traverse System, Wall Mount

- · Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 13/8" collection finials and additional remote options sold separately



Double Traverse System, Wall Mount

- · Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately



Single Traverse System, Ceiling Mount

- · Ceiling bracket: 3 11/16" drop
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately



Double Traverse System, Ceiling Mount


- · Ceiling bracket: 4" drop, 4 ½" between centers of tracks
- Traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately



Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 ½" drop
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately





Motor & Power Options



Slim Drapery Motor RTMLDSS50







Battery Charger **RTMLDSSBC**



USB Charger Cable RTMLDSSUSB



110v AC/DC Power Transformer 10' (plug included) RTMDSSPT

Motor Weight Capacity

Use the Motor Weight Capacity chart below to determine if the slim drapery motor accommodates your length of track and your drapery weight. The System Features chart on page 34 lists the varied functions of the motor.

| | maximum drapery weight per total length of system (lbs) | | | | |
|--------------------------------|---|-----|-----|-----|--|
| Motor | 18' or less | 20' | 22' | 24' | |
| AUTOMATION* Slim Drapery Motor | 77 | 77 | 77 | 77 | |

Note: 77 lbs. is the maximum weight for one-way or center draw panels for each track on single and double traverse systems. Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance.



| System Features | R-TEC Automation® Slim Drapery Motor |
|--|--|
| System Features | |
| Center Draw or One-Way Draw Available | × |
| White or Bronze Track, Components & Brackets Available | Х |
| Track Maximum Length | 24' |
| Maximum Number of Track Splices | 2 |
| Motor Features | |
| Battery Power Option | x |
| Motor Cord Length as Purchased | 10' (custom length up to 20' available) |
| 2-Way RF Communication | x |
| Adjustable Speed | x |
| Preferred Open / Close Position | x |
| Favorite Position | × |
| Obstruction Detection | × |
| Manual Override | x |
| Quiet Operation | × |
| Soft Start / Stop | × |
| Average Linear Speed | 5.5" (14 cm)/sec |
| Motorized Track Noise Level | 44 dB |
| Maximum Weight | 77 lbs |
| Motor Unit can be Installed on Either End of Track | × |
| Control Options | |
| Sun Control | × |
| Digital Technology | ARC™ |
| Solar Power | × |
| Installation Features | |
| Programming Buttons on Motor Unit | × |
| Power Supply | Li-Ion Battery or 110v AC/DC Power Transformer |
| Amperage | 1.3 A |
| Power Consumption | 20 W |
| Power Cable Type | 3 Conductor Male Plug |
| Standard Accessories Included with System | |
| 5 Channel Handheld Remote with Wall Mount (Remote Control; White) | х |
| Carrier Features | |
| White or Bronze Pinch Pleat Glides | x |
| | |

Control your window coverings with a smartphone or tablet. The Automate™ Pulse 2 App enables simple, intuitive control and system configuration from your smartphone or tablet.





Pair the Automate™ Pulse 2 Hub and App with these systems:










(not sold by Rowley):




Additional R-TEC Smart Controls

can be ordered at additional cost



MT02-0401-067001 Automate™ Pulse 2 Hub; 2-way RF; Wi-Fi built in

- · 4 ½" H x 1 ¼" W x 4 ½" D
- · Range: 60'



RTMHR1C Handheld Remote with Wall Mount,

- ·5 3/16" H X 1 1/4" W X 1/2" D
- · Available in White



RTMHR5C Push5 Handheld Remote with Wall Mount, 5 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in Off-White



RTMHRP15C (/K) Push15 Handheld Remote with Wall Mount, 15 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in White or Black



RTMHR15C Handheld Remote with Wall Mount, 15 Channel

- \cdot 5 %6" H x 1 %1" W x %2" D
- · Range: 65'
- · Available in White



RTMWSR5C Surface Mount Wall Switch, 5 Channel

- \cdot 4 ½" H x 2 ¾" W x %" D
- · Range: 65'
- · Available in White



RTMWCR1C RTMWCR2C RTMWSR15C Cut-In Wall Mount Switch, 1, 2 or 15 Channel

- · 4 ½" H x 2 ¾" W x 1" D
- · Range: 65'
- · Available in White
- · RTMSMB/W required for installation



RTMISS Interior Sun Sensor

- ·13/4" H x 13/4" W x 5/8" D
- · Range: 65'
- · Available in White



RTMUSR ARC™ USB Signal Repeater

- · 2" L x 2 ½" L with USB x 1 1/6" W
- · Extends the wireless range of the Hub and remotes up to 60'
- · Maximum 2 repeaters per system or network
- · Available in White (color may vary)



RTMLDSSBC Wall Charger for USB Signal Repeater

- · 1 7/16" W x 1 13/16" L
- · Available in White (color may vary)

RTMSOLAR2 Solar Panel Battery Charger

- · 4 %" H x 12 %6" W x 1 %8" D
- · Includes I-bracket, cables & fastener





$1 \frac{3}{8}$ " Motorized Metal Traverse Systems Finishes

35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect Match™, 6 Quick Ship Metal finishes or 5 Quick Ship Wood & Resin finishes.

| Diameter | Track Finish | Component Color | Max. Continuous Length | | |
|--------------------|--------------------|-----------------|------------------------|--|--|
| 1 3/8" | Amulet | White | 12' | | |
| 1 3⁄8" | Andiron | White | 12' | | |
|] 3/8" | Antique Gold | White | 12' | | |
| 1 ³ /8" | Art Bronze | Bronze | 12' | | |
| 1 ³⁄8" | Barnwood | Bronze | 12' | | |
| 1 3/8" | Black | Bronze | 12' | | |
|] 3/8" | Blush | White | 12' | | |
|] 3/8" | Bronzed Pewter | Bronze | 12' | | |
|] ³ ⁄8" | Concrete | White | 12' | | |
|] 3/8" | Couture | White | 12' | | |
|] ³ ⁄8" | Dark Chocolate | Bronze | 12' | | |
|] ³ ⁄8" | Firelight | White | 12' | | |
|] ³ /8" | Gossamer | Bronze | 12' | | |
| 1 ³⁄8" | Greige | White | 12' | | |
| 1 ³ ⁄8" | Halo | White | 12' | | |
|] ³ ⁄8" | Java | Bronze | 12' | | |
|] ³ /8" | Linen | White | 12' | | |
|] ³ /8" | Luminous | Bronze | 12' | | |
|] ³ /8" | Manor | White | 12' | | |
|] ³ /8" | Mink | Bronze | 12' | | |
|] ³ ⁄8" | Moonlight | Bronze | 12' | | |
|] ³ ⁄8" | Mystic | White | 12' | | |
| 1 ³ /8" | New Age Bronze | Bronze | 12' | | |
| 1 ³ /8" | Patina | White | 12' | | |
| 1 ³ /8" | Shimmer | Bronze | 12' | | |
| 1 ³ /8" | Silver Maple | White | 12' | | |
| 1 ³ /8" | Spicewood | Bronze | 12' | | |
| 1 ³ /8" | Spun Gold | White | 12' | | |
|] ³ ⁄8" | Stardust | White | 12' | | |
|] ³ ⁄8" | Starlet | White | 12' | | |
|] ³ /s" | Titanium | White | 12' | | |
|] ³ ⁄8" | Truffle | Bronze | 12' | | |
|] 3/8" | Urban Bronze | Bronze | 12' | | |
| 1 ³ /8" | White | White | 12' | | |
| 1 ³ /8" | PTH Perfect Match™ | please specify | 12' | | |
| 1 ³ /8" | Brushed Nickel | White | 12' | | |
| 1 ³ /8" | Brushed Bronze | Bronze | 8' | | |
| 1 ³ /8" | Charcoal Zinc | White | 8' | | |
| 1 ³ /8" | Matte Black | White | 12' | | |
| 1 ³ /8" | Rose Gold | White | 8' | | |
| 1 ³ /8" | Satin Gold | White | 8' | | |
| 1 ³ /8" | Antique Brass | White | 12' | | |
| 1 ³ /8" | Oil Rubbed Bronze | Bronze | 12' | | |
| 1 ³ /8" | Platinum | White | 12' | | |
| 1 ³ /8" | Rose Gold | White | 12' | | |
| 1 3/8" | Walnut | Bronze | 12' | | |



$1\,{}^3\!/\!{}_8$ " Motorized Metal Traverse Systems Pricing

Orders with R-TEC motorized traverse systems will incur a \$25 packaging fee. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

| Li-ion Battery or 110v AC/DC Power, Ripplefold or Pinch Pleat |
|---|
|---|

Systems are sold in 1 ft increments

| Item # | 4' | 5' | 6' | 7' | 8' | 9' | 10' | 11' | 12' | price per ft |
|--|------------|--------------|------------------|-----------------|------------------|------------------|-----------------|-----------------|---------------|--------------|
| Single Traverse System, Wall Mount, 3½" return (includes track, motor, power option, brackets, Ainsley end caps, 5 channel remote & components) | | | | | | | | | | |
| CSRPTHM138400 | \$1,769.99 | \$1,862.10 | \$1,954.21 | \$2,046.32 | \$2,138.43 | \$2,230.54 | \$2,322.65 | \$2,414.76 | \$2,506.87 | \$92.11 |
| | | | | | | | | | | |
| Single Traverse Sy | stem, Wal | l Mount, 6' | ' return (inc | ludes track, mo | otor, power opti | on, brackets, Ai | nsley end caps, | 5 channel rem | ote & compone | nts) |
| CSRPTHM138401 | \$1,858.60 | \$1,961.21 | \$2,063.82 | \$2,166.43 | \$2,269.04 | \$2,371.65 | \$2,474.26 | \$2,576.87 | \$2,679.48 | \$102.61 |
| | | | | | | | | | | |
| Double Traverse S | System, Wa | all Mount (i | ncludes tracks, | motors, power | options, bracke | ets, Ainsley end | caps, 5 channe | l remote & com | ponents) | |
| CSRPTHM138402 | \$3,539.98 | \$3,724.21 | \$3,908.44 | \$4,092.67 | \$4,276.90 | \$4,461.13 | \$4,645.36 | \$4,829.59 | \$5,013.82 | \$184.23 |
| | | | | | | | | | | |
| Single Traverse Sy | stem, Ceil | ing Mount | (includes track | k, motor, power | option, bracket | s, Ainsley end o | aps, 5 channel | remote & comp | onents) | |
| CSRPTHM138403 | \$1,769.99 | \$1,862.10 | \$1,954.22 | \$2,046.33 | \$2,138.44 | \$2,230.56 | \$2,322.67 | \$2,414.76 | \$2,506.87 | \$92.11 |
| | | | | | | | | | | |
| Double Traverse S | System, Ce | iling Mour | nt (includes tra | cks, motors, po | wer options, br | ackets, Ainsley | end caps, 5 cha | nnel remote & d | components) | |
| CSRPTHM138404 | \$3,539.98 | \$3,724.21 | \$3,908.44 | \$4,092.67 | \$4,276.90 | \$4,461.13 | \$4,645.36 | \$4,829.59 | \$5,013.82 | \$184.23 |
| | | | | | | | | | | |
| Single Traverse System, Low-Profile Ceiling Mount (includes track, motor, power option, brackets, Ainsley end caps, 5 channel remote & components) | | | | | | | | | | |
| CSRPTHM138406 | \$1,769.99 | \$1,862.10 | \$1,954.21 | \$2,046.32 | \$2,138.43 | \$2,230.54 | \$2,322.65 | \$2,414.76 | \$2,506.87 | \$92.11 |

| Item # | Name | NET Price | | | |
|------------------------------|---|-----------|--|--|--|
| R-TEC Automation® Motor Kits | | | | | |
| RTMLDKIT | Slim Drapery Motor with Li-ion Battery, Wall Charger & USB Cable (included) | \$371.00 | | | |
| RTMLDS2KIT | Slim Drapery Motor with Li-ion Battery & Solar Panel Charger | \$498.20 | | | |
| RTMLDACKIT | Slim Drapery Motor with 110v AC/DC Power Transformer 10' with 3 Conductor Male Plug | \$312.70 | | | |
| | | | | | |

| Item # | Name | NET Price | | |
|--------------------------|---|-----------|--|--|
| R-TEC Motor & Components | | | | |
| RTMLDSS50 | Slim Drapery Motor | \$212.00 | | |
| RTMLDSSB | Li-ion Battery | \$127.20 | | |
| RTMLDSSBC | Battery Wall Charger | \$15.90 | | |
| RTMLDSSUSB | USB Cable | \$15.90 | | |
| RTMDSSPT | 110v AC/DC Power Transformer 10' with 3 Conductor Male Plug | \$74.20 | | |
| RTMDSSPTCS | 110v AC/DC Power Transformer 20' (plug RTMP sold separately) specify ft. | \$79.50 | | |
| RTMP | 3 Conductor Male Plug | \$26.50 | | |


| Item # | Name | Color | NET Price |
|--------|------|-------|--------------|
| | | | |

R-TEC Smart Controls Push 5 Handheld or Wall Mount Remote - 5 channel included

| RTMHRIC | Handheld Remote with Wall Mount, 1 ch | White | \$68.90 |
|--------------------------|---|-------------------|----------|
| RTMHR5C | Push5 Handheld Remote with Wall Mount, 5 ch | Off- White | \$74.20 |
| RTMHRP15C RTMHRP15C/K | Push15 Handheld Remote with Wall Mount, 15 ch | White or Black | \$79.50 |
| RTMHR15C | Handheld Remote with Wall Mount, 15 ch | White | \$90.10 |
| RTMWSR5C | Surface Wall Mount Switch, 5 ch | White | \$74.20 |
| RTMWCR1C | Cut-In Wall Mount Switch, 1 ch* | White | \$53.68 |
| RTMWCR2C | Cut-In Wall Mount Switch, 2 ch* | White | \$59.99 |
| RTMWSR15C | Cut-In Wall Mount Switch, 15 ch* | White | \$79.50 |
| RTMSMB/W | *Surface Mount Wall Back Box | White | \$9.01 |
| MT02-0401- 067001 | Wi-Fi to ARC Bridge Hub-2-Way RF-includes USB Power Cord, Power Plug & Ethernet Cable | White | \$270.30 |
| RTMISS | Interior Sun Sensor | White | \$47.70 |
| RTMUSR | ARC USB Signal Repeater | White | \$127.20 |
| RTMLDSSBC | Wall Charger for USB Signal Repeater | White | \$15.90 |
| RTMSOLAR2 | Solar Panel Battery Charger- includes L-Bracket, Cables & Fastener | Black | \$127.20 |

^{*}RTMSMB/W required for installation.





Quantity Per System

| Quantity included per system based on cut track length | 4' | 5' | 6' | 7' | 8 | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' | 20' | 21' | 22' | 23' | 24' |
|--|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Glides [4 per foot, includes master carriers & end caps (2)] | 16 | 20 | 24 | 28 | 32 | 36 | 40 | 44 | 48 | 52 | 56 | 60 | 64 | 68 | 72 | 76 | 80 | 84 | 88 | 92 | 96 |
| Brackets | 2 | 3 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 |

PTH Motorized Traverse Tips

- \cdot Specified custom system length is from drapery return to drapery return including pulleys. Ainsley end caps included with the system, and will add $\frac{1}{2}$ " at each end, totaling 1".
- · Track will be spliced in the center of overall length.
- R-TEC Motorized Traverse Systems carry a 5 year warranty; WARNING: Modifications of internal components will void R-TEC warranty.

Motorized Stack Back Calculation (each drapery panel)

R-TEC: master carrier + (# carriers on panel x carrier width) + 3.75" = stack per drapery panel

Ex: R-TEC 20 ft. one-way draw, Ripplefold® style 80% fullness 6.75" + (98 x .563") + 3.375" = 65.3" stack, underlap master panel *BEFORE drapery fabric is installed*

Please note: Calculations result in stack back width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.





$1 \, {}^3\!/\!{}_8$ " Motorized Metal Traverse Systems Information


1 ³/₈" Brackets & Connectors for additional brackets. See below for diagrams/dimensions.

























Carriers for additional carriers.

Pinch Pleat Glides





Pinch Pleat Glides CP40 CP40/BR

Wheel for smooth movement. Available in white or bronze /BR.

Included in system; additional glides may be ordered separately.

\$3.45 NET pack (10 pieces)

Ripplefold® Style Glides






Ripplefold® Style Glides R4060/P R4060/P/BR /BR R4080/P R4080/P/BR R4100/P R4100/P/BR R4120/P R4120/P/BR

Ripplefold Glides with detachable pendents. 60%, 80%, 100% or 120% fullness - specify fullness on order. Available in white or bronze /BR.


Included in system; additional glides may be ordered separately.

\$0.67 NET each

R-TEC pinch pleat glide 4 per foot, unless otherwise specified








60% carrier fullness: 2 5/8" spacing 80% carrier fullness: 2 5/8" spacing 100% carrier fullness: 2 1/8" spacing 120% carrier fullness: 1 7/8" spacing

Snap tape*: 41/4" spacing *Snap tape not included with system

IMPORTANT: Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold glides.

R-TEC Automation® Ripplefold glides are compatible with Rowley R-TEX and clear Ripplefold snap tapes. Kirsch Ripplefold snap tapes may also fit.

Master carrier body is required for each master carrier arm - sold separately; look for the /BR icon for components available in bronze and add /BR at the end of the item number to order. See page 53 for measurements & diagrams.






Upgrade your End Cap with French Returns or Finials

13/8" R-TEC Motorized Metal Traverse Systems include End Caps, but are designed to work with our NEW 13/8" French Returns for Traverse and all 1 3/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.





PTHMT138440

French Return for Metal Traverse

(Includes 1 Return, 1 Splice, 1 French Return Ring to reduce sidelight, 4 End Stops, 4 Ripplefold Carriers, 2 Pinch Pleat Carriers, 1 Allen Wrench and 2 Extra Set Screws)

Metal, 3 ½" return, Ripplefold or Pinch Pleat Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™

\$102.30 each




Portfolio page 14 | Quick Ship page 93 | *Transitional Cuff/Finial Adapter PO138CUFF not required



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



- · Metal, Available in any of our 35 Portfolio Hand Painted Finishes, 5 Quick Ship Wood & Resin Finishes or PTH Perfect Match™
- Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$45.47 pair*



Metal Motorized Traverse Order Form



| | PO # | | Side Mark | | Ship via | | Date | |
|--|--------------------------|-------------------|-------------|----------------------|----------|--------|------|--|
| Company Information | | | | Shipping Information | ion | | | |
| Company Name | | Acct # | | Company Name | | Acct # | | |
| Contact Person | | | | Contact Person | | | | |
| Street Address | | | | Street Address | | | | |
| City | | State | ZIP | City | | State | ZIP | |
| Email | | | | Email | | | | |
| Phone | Fax | | | Phone | | Fax | | |
| MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed specifications. | EMS - Consult Price List | for detailed spec | ifications. | | | | | |

| | R-TEC | Power Option **see additional R-TEC options below | System Length | System Cut Length Length | Finish | | Draw Preference | Φ | Glides pinch pleat OR | | | |
|---|--------|---|------------------|-----------------------------|--------|--------|---------------------------------------|--------------|---------------------------------------|--------|----------------------|----------|
| Item # | MOTOL | | (sold by 1') | (sold by 1') (inches) | Code | Center | Center Motor Location One-Way | One-Way | Ripplefold® style* | Qty | Price per Unit | Subtotal |
| | Slim | ☐ Li-ion Battery ☐ 110v AC/DC Power | | | | | _ L _ R | L R | L R L R RF | | | |
| | Slim | ☐ Li-ion Battery ☐ 110v AC/DC Power | | | | | _ L _ R | _ L | L CR CLR PP RF | | | |
| | Slim | ☐ Li-ion Battery ☐ 110v AC/DC Power | | | | | _ L _ R | _ L _ R | | | | |
| | Slim | ☐ Li-ion Battery ☐ 110v AC/DC Power | | | | | _ L _ R | _ L _ R | | | | |
| MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND | RDINAT | TING ACCESSORIES AND AD | ADDITIONAL FEES | IL FEES | | ** | **Power Options for R-TEC Motor (NET) | for R-TEC Mo | **Power Options for R-TEC Motor (NET) | i cons | fiv total foot: plus | 426 EO |

| Order tinials, cutts & collars, additional brackets and accessories here. | prackets and accessori | Sold party to the property of | naade - o | y total leet, h |
|---|------------------------|---|-----------|-----------------|
| Item # | Finish Code | Description | Qty | Qty Price per U |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| Item # | Finish Code | | | | | | | | | | _ | Description | iptio | _ | | | | | | | Qty | / Price per Unit | Subtotal |
|--|--------------|------|-------|------|------|----|-----|----|-----|-----|-----|-------------|-------|-----|-------|----|----|---|-------|------|-------------|--|---------------------|
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Glide and Bracket Information | | | | | | | | | | | | | | | | | | | | | *When or | When ordering Ripplefold carriers, answer these ques | , answer these ques |
| Quantity included per system based on cut track length | track length | 4 5 | 9 | . 7 | 80 | 6 | 10. | 1. | 12. | 13. | 14. | 15' | 91 | 12. | 18. 1 | 9. | | 10' 11' 12' 13' 14' 15' 16' 17' 18' 19' 20' 21' 22' 23' 24' | 2. 2 | 3. 2 | | 1. Select Ripplefold fullness: | 30 |
| Glides [4 per foot, includes master carriers & end caps (2)] | | 16 2 | 20 24 | 4 28 | 3 32 | 36 | 40 | 44 | 48 | 52 | 99 | 09 | 64 | 89 | 72 | 92 | 08 | 84 8 | 88 92 | 2 96 | | □ 60% □ 80% □ 100% □ 120% | 120% |
| Brackets | | 2 | 3 | 4 | 4 | 2 | 2 | 2 | 2 | 9 | 9 | 9 | 9 | _ | 7 | 7 | 80 | 8 | 8 | 8 | 2. Selec | 2. Select Ripplefold masters: | |


| □120% | | |
|--------------------|-------------------------------|--|
| □ 60% □ 80% □ 100% | 2. Select Ripplefold masters: | |

TOTAL


Special Instructions

Fascia Profiles for Motorized Heavy Duty Systems


1 3/8"



2 1/4"




Flat



*Fascia Profile is not available for back track in double systems and does not accept finials.

Slim Round



*Fascia Profile is not available for back track in double systems and does not accept finials.

RIEO AUTOMATION[®] Motorized Heavy Duty Traverse Systems

Create a commercial look with the benefits of motorization using our R-TEC Automation® Track.

The slim drapery motor is designed to install seamlessly behind the drapery panel with quiet start / stop operation, the ability to easily charge without having to remove the motor and up to 500 open and close cycles per charge, providing the ultimate integrated functionality without compromising the look of your window treatment.

Decorative wood fascia available in 1 3/8" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7/8" slim round smooth profile, 2 $\frac{1}{4}$ " flat smooth profile with flush ends or mitered returns.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single



- Standard single brackets are adjustable: 2 1/8" 3 1/4" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- 1 3/8" and 2 1/4" finials and additional remote options sold separately

Single Traverse System With Mitered Returns

- Standard single brackets are adjustable: 2 1/8" 3 1/4" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- Additional remote options sold separately



- Standard single brackets are adjustable: 2 1/8" 3 1/4" return
- Standard double brackets are adjustable 4 5/8" 5 1/4" front return and adjustable 2" - 2 7/16" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track(s), motor(s), power option(s), drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Double



- Standard double brackets are 5 1/4" front return and 2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- 1 3/8" and 2 1/4" finials and additional remote options sold separately




- Standard double brackets are 5 1/4" front return and 2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- Additional remote options sold separately



Stationary Front Pole With Back Traverse

- Traverse system coordinates with all 2 1/4" round fascia profiles; flat and slim fascia may not be used
- Coordinates with 2 1/4" poles for stationary front pole; back track available with or without wood fascia.
- Stationary front pole and TBKT bracket are included
- Finials and additional remote options sold separately
- Full rings available on stationary



Motor & Power Options



Motor Weight Capacity

Use the Motor Weight Capacity chart below to determine if the slim drapery motor accommodates your length of track and your drapery weight. The System Features chart on the next page lists the varied functions of the motor.

| | | | max | mum dı | rapery w | eight pe | er total l | ength of | fsystem | (lbs) | |
|------------------|--------------------|-------------------|-----|--------|----------|----------|------------|----------|---------|-------|-----|
| | Motor | 18' or less | 20' | 22' | 24' | 26' | 28' | 30' | 32' | 34' | 36' |
| RIEO AUTOMATION° | Slim Drapery Motor | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 |

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately.



| System Features | R-TEC Automation® Slim Drapery Motor |
|--|--|
| System Features | |
| Center Draw or One-Way Draw Available | × |
| White or Bronze Track, Components & Brackets Available | X |
| Track Maximum Length | 36' |
| Maximum Number of Track Splices | 2 |
| Motor Features | |
| Battery Power Option | X |
| Motor Cord Length as Purchased | 10' (custom length up to 20' available) |
| 2-Way RF Communication | X |
| Adjustable Speed | × |
| Preferred Open / Close Position | × |
| Favorite Position | × |
| Obstruction Detection | × |
| Manual Override | X |
| Quiet Operation | × |
| Soft Start / Stop | × |
| Average Linear Speed | 5.5" (14 cm)/sec |
| Motorized Track Noise Level | 44 dB |
| Maximum Weight | 110 lbs |
| Motor Unit can be Installed on Either End of Track | X |
| Control Options | |
| Sun Control | × |
| Digital Technology | ARC™ |
| Solar Power | X |
| Installation Features | |
| Programming Buttons on Motor Unit | X |
| Power Supply | Li-Ion Battery or 110v AC/DC Power Transformer |
| Amperage | 1.3 A |
| Power Consumption | 20 W |
| Power Cable Type | 3 Conductor Male Plug |
| Standard Accessories Included with System | |
| 5 Channel Handheld Remote with Wall Mount (Remote Control; White) | X |
| Carrier Features | |
| White or Bronze Pinch Pleat Glides | X |
| White or Bronze Ripplefold Glides (Choose 60%, 80%, 100% or 120% Fullness) | X |



Control your window coverings with a smartphone or tablet. The Automate™ Pulse 2 App enables simple, intuitive control and system configuration from your smartphone or tablet.





Pair the Automate™ Pulse 2 Hub and App with these systems:










(not sold by Rowley):



Additional R-TEC Smart Controls

can be ordered at additional cost



MT02-0401-067001 Automate™ Pulse 2 Hub; 2-way RF; Wi-Fi built in

· 4 ½" H x 1 ¼" W x 4 ½" D

· Range: 60'



RTMHRIC Handheld Remote with Wall Mount, 1 Channel

·5 3/16" H X 1 1/4" W X 1/2" D

· Range: 65'

· Available in White



RTMHR5C Push5 Handheld Remote with Wall Mount, 5 Channel

· 4 ¾" H x 2" W x ¾" D

· Range: 65'

· Available in Off-White



RTMHRP15C (/K) Push15 Handheld Remote with Wall Mount, 15 Channel

· 4 ¾" H x 2" W x ¾" D

· Range: 65'

· Available in White or Black



RTMHR15C Handheld Remote with Wall Mount, 15 Channel

·5¾6" H x 1¼" W x ½" D

· Range: 65'

· Available in White



RTMWSR5C Surface Mount Wall Switch, 5 Channel

· 4 ½" H x 2 ¾" W x 1/8" D

· Range: 65'

· Available in White



RTMWCR1C RTMWCR2C RTMWSR15C Cut-In Wall Mount Switch, 1, 2 or 15 Channel

 \cdot 4 $\frac{1}{2}$ " H x 2 $\frac{3}{4}$ " W x 1" D

· Range: 65'

· Available in White

· RTMSMB/W required for installation



RTMISS Interior Sun Sensor

·1¾" H x 1¾" W x 5%" D

· Range: 65'

· Available in White



RTMUSR ARCTM USB Signal Repeater

· 2" L x 2 ½" L with USB x 1 1/6" W

· Extends the wireless range of the Hub and remotes up to 60'

· Maximum 2 repeaters per system or network

· Available in White (color may vary)



RTMLDSSBC Wall Charger for USB Signal Repeater

· 1 7/6" W x 1 13/6" L

· Available in White (color may vary)

RTMSOLAR2 Solar Panel Battery Charger

 \cdot 4 $\frac{5}{8}$ " H x 12 $\frac{9}{16}$ " W x 1 $\frac{3}{8}$ " D

· Includes I-bracket, cables & fastener



R-TEC Motorized Heavy Duty Traverse Systems Pricing

Li-ion Battery or 110v AC/DC Power, Ripplefold or Pinch Pleat

| Item # | Name | | | | | | | | |
|-----------------------|--|--|----------------|-----------------|------------|------------|------------|------------|--|
| Motorized Tra | verse System with Wo | od Fasci | ia | | | | | | |
| Single Track System v | vith Wood Fascia for 1 ³/8" round | 4' | 5' | 6' | 7' | 8' | 9' | 10' | |
| CSRPTH138WF | R-TEC Slim Drapery Motor | \$1,897.08 | \$1,975.20 | \$2,053.32 | \$2,131.44 | \$2,209.56 | \$2,287.68 | \$2,365.80 | |
| Double Track Syster | ns with Wood Fascia Front Only fo | or 1 ³ / ₈ " round | d | | | | | | |
| CSRPTH138WFFDBL | R-TEC Slim Drapery Motor | \$3,370.91 | \$3,495.67 | \$3,620.43 | \$3,745.19 | \$3,869.95 | \$3,994.71 | \$4,119.47 | |
| Double Track Syster | n with Wood Fascia Front and Ba | ck for 1 ³ / ₈ " rc | ound | | | | | | |
| CSRPTH138WFDBL | R-TEC Slim Drapery Motor | \$3,794.16 | \$3,950.40 | \$4,106.64 | \$4,262.88 | \$4,419.12 | \$4,575.36 | \$4,731.60 | |
| Single Track System v | vith Wood Fascia for 1 7/8" slim, 2 1/4" | flat sooth | or 2 1/4" rour | nd | | | | | |
| CSRPTH214WF | R-TEC Slim Drapery Motor | \$2,050.99 | \$2,207.23 | \$2,363.47 | \$2,519.71 | \$2,675.95 | \$2,832.19 | \$2,988.43 | |
| Double Track Syster | ns with Wood Fascia Front Only fo | or 1 ⁷ / ₈ " slim, 2 | 2 1/4" flat s | ooth or 2 1/4" | round | | | | |
| CSRPTH214WFFDBL | R-TEC Slim Drapery Motor | \$3,524.82 | \$3,727.70 | \$3,930.58 | \$4,133.46 | \$4,336.34 | \$4,539.22 | \$4,742.10 | |
| Double Track Syster | n with Wood Fascia Front and Ba | ck for 2 1/4" ro | ound | | | | | | |
| CSRPTH214WFDBL | R-TEC Slim Drapery Motor | \$4,101.99 | \$4,414.48 | \$4,726.97 | \$5,039.46 | \$5,351.95 | \$5,664.44 | \$5,976.93 | |
| Double Track Syster | ns with Stationary Front Only 2 1/4 | ' Wood Pole | | | | | | | |
| CSRPTH214SDBL | R-TEC Slim Drapery Motor | \$1,968.21 | \$2,164.10 | \$2,359.99 | \$2,555.88 | \$2,751.77 | \$2,947.66 | \$3,143.55 | |
| Double Track Syster | ns with Stationary Front 2 1/4" Woo | od Pole & Wo | od Fascia E | Back for 2 1/4' | round | | | | |
| CSRPTH214WFBSDBL | R-TEC Slim Drapery Motor | \$2,545.38 | \$2,850.87 | \$3,156.36 | \$3,461.85 | \$3,767.34 | \$4,072.83 | \$4,378.32 | |
| Motorized Tra | verse System without | Wood F | ascia | | | | | | |
| Single Track System t | rack available in white and bronze | 4' | 5' | 6' | 7' | 8' | 9' | 10' | |
| CSRPTHTRACK | R-TEC Slim Drapery Motor | \$1,473.82 | \$1,520.46 | \$1,567.10 | \$1,613.74 | \$1,660.38 | \$1,707.02 | \$1,753.66 | |
| Double Track Syster | n track available in white and bro | nze | | | | | | | |
| CSRPTHTRACKDBL | R-TEC Slim Drapery Motor | \$2,947.65 | \$3,040.93 | \$3,134.21 | \$3,227.49 | \$3,320.77 | \$3,414.05 | \$3,507.33 | |

| Additional R-TEC Traverse Fees | | Item# | Name | NET Price |
|---|-----------|------------|---|-----------|
| PTHFEEMITER-EACH Wood Fascia Mitered Return per return | \$80.00 | R-TEC Aut | comation® Motor Kits | |
| PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection | \$65.00 | RTMI DKIT | Slim Drapery Motor with Li-ion Battery, Wall Charger & USB Cable | \$371.00 |
| PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection | \$65.00 | | (included) | φονσσ |
| PTHFEEBLEND Blended Fascia Splice per blend | \$108.00 | RTMLDS2KIT | Slim Drapery Motor with Li-ion Battery & Solar Panel Charger | \$498.20 |
| PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia | ¢65.00 | | Slim Drapery Motor with 110v AC/DC | |
| alone, order full pole and specify fascia fabrication) per Fascia | 3 \$65.00 | RTMLDACKIT | Power Transformer 10' with 3 | \$312.70 |
| PTHFEERESTRING Restringing Fee per track | \$100.00 | | Conductor Male Plug | |
| Standard 45 Fascia Splice | No Charge | | | |

Quantity Per System

| | 4' | 5' | 6' | 7' | 8' | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' |
|--------------------|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Pinch Pleat Glides | 21 | 27 | 33 | 38 | 44 | 50 | 55 | 61 | 67 | 72 | 78 | 84 | 89 | 95 | 100 | 106 |
| Brackets | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 10 | 10 | 11 |

Motorized Stack Back Calculation (each drapery panel)

R-TEC: master carrier + (# glides on panel x carrier width) + 3.375" = stack per drapery panel

R-TEC Automation® 10ft. center draw, pinch pleat (standard 4 glides per ft.)

4.2" + [(40/2) x .563"] + 3.375" = 18.84" stack, for each panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.



Orders with R-TEC motorized traverse systems will incur a \$25 packaging fee.

Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

Available in all profiles for 1 %, 1 % and 2 1/4 diameter fascias or without a wood fascia.

Systems are sold in 1 ft increments

Pricing Includes R-TEC Automation® Track, Brackets, Components, Motor, Power Option & Push5 Channel Handheld Remote with Wall Mount

Spliced systems begin at 19'

| | | | | | | | SΡ | liced systems | begillatis |
|------------|------------|------------|------------|------------|------------|------------|------------|---------------|--------------|
| יוו | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' | per add'l ft |
| \$2,443.92 | \$2,522.04 | \$2,600.16 | \$2,678.28 | \$2,756.40 | \$2,834.52 | \$2,912.64 | \$2,990.76 | \$3,068.88 | \$78.12 |
| | | | | | | | | | |
| \$4,244.23 | \$4,368.99 | \$4,493.75 | \$4,618.51 | \$4,743.27 | \$4,868.03 | \$4,992.79 | \$5,117.55 | \$5,242.31 | \$124.76 |
| | | | | | | | | | |
| \$4,887.84 | \$5,044.08 | \$5,200.32 | \$5,356.56 | \$5,512.80 | \$5,669.04 | \$5,825.28 | \$5,981.52 | \$6,137.82 | \$156.24 |
| | | | | | | | | | |
| \$3,144.67 | \$3,300.91 | \$3,457.15 | \$3,613.39 | \$3,769.63 | \$3,925.87 | \$4,082.11 | \$4,238.35 | \$4,394.59 | \$156.24 |
| | | | | | | | | | |
| \$4,944.98 | \$5,147.86 | \$5,350.74 | \$5,553.62 | \$5,756.50 | \$5,959.38 | \$6,162.26 | \$6,365.14 | \$6,568.02 | \$202.88 |
| | | | | | | | | | |
| \$6,289.42 | \$6,601.91 | \$6,914.40 | \$7,226.89 | \$7,539.38 | \$7,851.87 | \$8,164.36 | \$8,476.85 | \$8,789.34 | \$312.49 |
| | | | | , | | | | | |
| \$3,339.44 | \$3,535.33 | \$3,731.22 | \$3,927.11 | \$4,123.00 | \$4,318.89 | \$4,514.78 | \$4,710.67 | \$4,906.56 | \$195.89 |
| | | | | _ | | | , | | |
| \$4,683.81 | \$4,989.30 | \$5,294.79 | \$5,600.28 | \$5,905.77 | \$6,211.26 | \$6,516.75 | \$6,822.24 | \$7,127.73 | \$305.49 |
| | | | | | | | Sp | liced systems | begin at 19' |
| 11' | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' | per add'l ft |
| \$1,800.30 | \$1,846.94 | \$1,893.58 | \$1,940.22 | \$1,986.86 | \$2,033.50 | \$2,080.14 | \$2,126.78 | \$2,173.42 | \$46.64 |
| | | | | | | | | | |
| \$3,600.61 | \$3,693.89 | \$3,787.17 | \$3,880.45 | \$3,973.73 | \$4,067.01 | \$4,160.29 | \$4,253.57 | \$4,346.85 | \$93.28 |
| | | | | | | | | | |

| Item # | Name | NET Price |
|--------|------|-----------|
| | | |

R-TEC Motor & Components

| RTMLDSS50 | Slim Drapery Motor | \$212.00 |
|------------|---|----------|
| RTMLDSSB | Li-ion Battery | \$127.20 |
| RTMLDSSBC | Battery Wall Charger | \$15.90 |
| RTMLDSSUSB | USB Cable | \$15.90 |
| RTMDSSPT | 110v AC/DC Power Transformer 10' with 3 Conductor Male Plug | \$74.20 |
| RTMDSSPTCS | 110v AC/DC Power Transformer 20' (plug RTMP sold separately) specify ft. | \$79.50 |
| RTMP | 3 Conductor Male Plug | \$26.50 |

PTH Motorized Traverse Tips

- Specified custom cut length indicates track length including drive gears; fascia will be $^{1}\sqrt{}$ longer at each end of track ($^{1}\sqrt{}$ " total); mitered fascia will add the following to the traverse system:

| Fascia | Depth | + to traverse system |
|------------|-------|----------------------|
| 1 3/8" | 7/8" | 2" |
| 2 1/4" | 13/8" | 3" |
| Flat | 3/4" | 1 3/4" |
| Slim Round | 5/8" | 1 1/5" |

- · Track and fascia will be spliced in the center of overall length.
- \cdot Blended fascia is available for an additional fee per blend; PTH will
- properly connect splice(s) and ship your fascia in one continuous length. · Back fascia can accommodate decorative end caps; decorative end
- R-TEC Motorized Traverse Systems carry a 5 year warranty; WARNING Modifications of internal components will void R-TEC warranties.

| Item # | Name | | Color | NEI |
|----------|--------------|-------------------------------|-------|-----|
| R-TEC Sm | art Controls | Push5 Handhe Mount - 5 cha | | |

| Mount - 5 channel included | | | | | | |
|----------------------------|---|-------------------|----------|--|--|--|
| RTMHRIC | Handheld Remote with Wall Mount, 1 ch | White | \$68.90 | | | |
| RTMHR5C | Push5 Handheld Remote with Wall Mount, 5 ch | Off- White | \$74.20 | | | |
| RTMHRP15C RTMHRP15C/K | Push15 Handheld Remote with Wall Mount, 15 ch | White or Black | \$79.50 | | | |
| RTMHR15C | Handheld Remote with Wall Mount, 15 ch | White | \$90.10 | | | |
| RTMWSR5C | Surface Wall Mount Switch, 5 ch | White | \$74.20 | | | |
| RTMWCRIC | Cut-In Wall Mount Switch, 1 ch* | White | \$53.68 | | | |
| RTMWCR2C | Cut-In Wall Mount Switch, 2 ch* | White | \$59.99 | | | |
| RTMWSR15C | Cut-In Wall Mount Switch, 15 ch* | White | \$79.50 | | | |
| RTMSMB/W | *Surface Mount Wall Back Box | White | \$9.01 | | | |
| MT02-0401- 067001 | Wi-Fi to ARC Bridge Hub-2-Way RF-includes USB Power Cord, Power Plug & Ethernet Cable | White | \$270.30 | | | |
| RTMISS | Interior Sun Sensor | White | \$47.70 | | | |
| RTMUSR | ARC USB Signal Repeater | White | \$127.20 | | | |
| RTMLDSSBC | Wall Charger for USB Signal Repeater | White | \$15.90 | | | |
| RTMSOLAR2 | Solar Panel Battery Charger- includes L-Bracket, Cables & Fastener | Black | \$127.20 | | | |

*RTMSMB/W required for installation.




R-TEC Motorized Heavy Duty Traverse Systems Finishes

Decorative wood fascia available in 13/4" or 21/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 17/4" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns. See next page for Fascia Profiles. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

| Diameter | Wood Fascia Finish | Track and Bracket* Color | Component Color | Max. Continuous Length |
|-----------------------------|--------------------|-----------------------------|-----------------|---------------------------|
| | Amulet | White | White | 16' |
| | Andiron | White | White | 16' |
| | Antique Gold | White | White | 16' |
| | Antique Gold Leaf | White | White | 16' |
| | Art Bronze | Bronze | Bronze | 16' |
| | Barnwood | Bronze | Bronze | 16' |
| | Black | Bronze | Bronze | 16' |
| | Blush | White | White | 16' |
| | Bronzed Pewter | Bronze | Bronze | 16' |
| | Concrete | White | White | 16' |
| | Couture | White | White | 16' |
| | Dark Chocolate | Bronze | Bronze | 16' |
| | Firelight | White | White | 16' |
| | Gossamer | Bronze | Bronze | 16' |
| | Greige | White | White | 16' |
| 1 3/8" or 2 1/4" | Halo | White | White | 16' |
| smooth, reeded or | Java | Bronze | Bronze | 16' |
| grooved/ fluted profiles | Linen | White | White | 16' |
| with | Luminous | Bronze | Bronze | 16' |
| coordinating finials | Manor | White | White | 16' |
| 1 %" slim round | Mink | Bronze | Bronze | 16' |
| smooth profile | Moonlight | Bronze | Bronze | 16' |
| 2 ¼" flat | Mystic | White | White | 16' |
| smooth profile | New Age Bronze | Bronze | Bronze | 16' |
| With flush ends | Patina | White | White | 16' |
| or mitered returns | Shimmer | Bronze | Bronze | 16' |
| | Silver Maple | White | White | 16' |
| | Spicewood | Bronze | Bronze | 16' |
| | Spun Gold | White | White | 16' |
| | Stardust | White | White | 16' |
| | Starlet | White | White | 16' |
| | Titanium | White | White | 16' |
| | Truffle | Bronze | Bronze | 16' |
| | Urban Bronze | Bronze | Bronze | 16' |
| | White | White | White | 16' |
| | PTH Perfect Match™ | please specify | please specify | 16' |
| | Antique Brass | White | White | 12' |
| | Oil Rubbed Bronze | Bronze | Bronze | 12' |
| | Platinum | White | White | 12' |
| | Rose Gold | White | White | 12' |
| | Walnut | Bronze | Bronze | 12' |



Motorized Heavy Duty Traverse Systems Fascia Profiles



Smooth

- ·13/8" and 2 1/4" diameters available with R-TEC Systems
- · 2 1/4" diameter available with Somfy Systems
- · See below for coordinating finial options

Reeded

- ·13/8" and 2 1/4" diameters available with R-TEC Systems
- · 2 1/4" diameter available with Somfy Systems
- · See below for coordinating finial options

Grooved / Fluted

- $\cdot 13\%$ " and 2 $\frac{1}{4}$ " diameters available with R-TEC Systems
- · 2 1/4" diameter available with Somfy Systems
- · See below for coordinating finial options

Slim Round Smooth, No Finials

·1 %" diameter, available with flush ends or mitered returns

Flat Smooth, No Finials

· 2 1/4" height, available with flush ends or mitered returns

Mitered Returns (sold separately)

- \cdot 13/8", 17/8" and 2 1/4" diameters available
- · All profiles

Upgrade your Motorized HD Traverse with Finial Styles

Finials are sold separately. $1\frac{3}{8}$ " or $2\frac{1}{4}$ " Portfolio and Quick Ship Wood and Resin finials are compatible across two style categories. Somfy systems are not available with $1\frac{3}{8}$ " fascias and finials.













1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 22 | 2 1/4" Quick Ship page 102



1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 23 | 2 1/4" Quick Ship page 102



R-TEC Motorized Heavy Duty Traverse Systems Brackets




TB035-R TB060-R TB100-R


| R-TEC Single TB035-R /BR | 2 $^{11}\!/_{16}$ " H x 1 $^{11}\!/_{2}$ " W backplate, adjustable up to 3 $^{11}\!/_{4}$ " return Available in white or bronze /BR. | \$33.52 each | |
|--|--|--------------------|--|
| R-TEC Single or Double TB060-R | $3^{5}/_{16}$ " H x $1^{1}/_{2}$ " W backplate, $5^{1}/_{4}$ " front return and 2" back return Available in white or bronze /BR. | \$53.64 each | |
| R-TEC Single, Double or Triple TB100-R | Double or Triple Available in white or bronze /BR. | | |
| Ceiling Mount Clip Single RTMDTBCM | 1/4" H x 2 1/4" D x 1 1/16" W May only be used in systems without fascia. For double ceiling mount installation, install two brackets into ceiling. Available in white. | \$3.18 NET each | |
| Fascia Mount Cli | ¹ / ₂ " H x 1" W p Use to attach fascia to traverse systems; included. Available in zinc. | \$2.65 NET each | |




R-TEC Single Motorized Bracket TB035-R



R-TEC Single or Double Motorized Bracket TB060-R




R-TEC Single, Double or Triple Motorized Bracket TB100-R



- * from 2-7/16" to 6-7/16" back return; 9" front return without fascia
- * from 2-7/16" to 5-3/4" back return; 9" front return with fascia

R-TEC Ceiling Mount Bracket **RTMDTBCM**

Please note: Ceiling Bracket will not accommodate fascia and finials.







Custom Over-**Bracket Single** TBKT214-R

 $3\frac{1}{2}$ " H x $\frac{3}{4}$ " W backplate, $7\frac{3}{8}$ " front return and 3" back return Use to combine 2 1/4 full wood pole with single traverse systems; includes traverse ceiling mount bracket attached onto the bottom of the over-bracket.

Steel

*Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood

& Resin finishes or PTH Perfect Match™

\$93.86 each

\$80.45 each



Custom Ceiling Single CMTB-R

2 3/4" H x 3/4" W backplate

for double ceiling mount installation, install two brackets

into ceiling.

Steel

*Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood

& Resin finishes or PTH Perfect Match™

When ordering, specify:

A. Fascia diameter and profile.

B. Projection to carrier and/or to front of fascia.


Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).

D. Width of mounting plate if longer than 2 3/4".

R-TEC Custom Traverse Bracket


TBKT214-R

Available in any Portfolio or PTH Perfect Match™ painted finish, or our 5 Quick Ship Wood & Resin finishes.



R-TEC Custom Traverse Ceiling Bracket CMTB-R

Available in any Portfolio or PTH Perfect Match™ painted finish, or our 5 Quick Ship Wood & Resin finishes.



When ordering, specify:

A. Fascia diameter and profile.

B. Projection to carrier and/or to front of fascia.

Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling)

D. Width of mounting plate if longer than 2 3/4".



R-TEC Motorized Heavy Duty Traverse Systems Information

Carriers for additional carriers.

Pinch Pleat Glides





Wheel for smooth movement. Available in white or bronze /BR.

Included in system; additional glides may be ordered separately.

\$3.45 NET pack (10 pieces)

Ripplefold® Style Glides





Ripplefold® Style Glides R4060/P/BR /BR R4080/P/BR R4100/P/BR R4120/P/BR

See page 39 for diagrams.

Ripplefold Glides with detachable pendents. 60%, 80%, 100% or 120% fullness - specify fullness on order. Available in white or bronze /BR.

Included in system; additional glides may be ordered separately.

\$0.67 NET each

\$4.24 NET

each

Master carrier body is required for each master carrier arm - sold separately; look for the /BR icon for components available in bronze and add /BR at the end of the item number to order.



RTMDTCDB

RTMDTOB

| separately. Available in white or bronze /BR. | cacii |
|---|---------------------|
| | |
| Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only. | \$5.04 NET pair* |
| | |
| Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only. | \$7.42 NET pair* |
| | |
| Right (R) or Left (L). Pinch pleat or Ripplefold; order one MC Body - sold separately. Available in Stainless Steel only. | \$2.92 NET each |
| | |
| Pair. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only. | \$5.79 NET pair* |
| | |



| Ripplefold Butt | |
|--------------------|--|
| Master Carrier Arm | Right and left use. Ripplefold only; order one MC Body - |
| for One-Way Draw | sold separately. Available in Stainless Steel only. |


\$2.92 NET each

Tandem Alternative


Tandem alternative ARC™ motorized systems utilize two drapery motors and are used for draperies that exceed the maximum single motor capacity, available in center draw only. Use Tandem Center Draw Overlap Arms RTMDTCDTAN (for pinch pleat or ripplefold draperies) or two Butt Master One-Way Draw Arms RTMDTOB (for ripplefold draperies only).

R-TEC Motorized Carrier Diagrams


R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arms, Center Draw RTMDTCD




R-TEC Motorized Heavy Duty Traverse ONLY Universal Tandem Master Carrier Arms, Center Draw RTMDTCDTAN (see page 52 for details)




R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arm, One-Way Draw Right - RTMDTOR or Left - RTMDTOL



R-TEC Motorized Heavy Duty Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw, Right or Left - RTMDTOB




R-TEC Motorized Heavy Duty AND 1 3/8" Metal Traverse Ripplefold Butt Master Carrier Arms, Center Draw RTMDTCDB




13/8" R-TEC Motorized Metal Traverse ONLY


Pinch Pleat / Ripplefold Master Carrier Arms, Center Draw RTPTH138CD



1 %" R-TEC Motorized Metal Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw Right - RTPTH1380BR or Left - RTPTH1380BL



1 3/8" R-TEC Motorized Metal Traverse ONLY Pinch Pleat Master Carrier Arm, One-Way Draw Right - RTPTH138PPOR or Left - RTPTH138PPOL



R-TEC Automation® & Somfy Comparison

| | | •/ | 1 | | |
|--|--|--|--|--|------------------------|
| System Features | R-TEC® Automation® Slim Drapery Motor | Somfy Glydea® Heavy Duty | ULTRA Motors Standard | Somfy Irism Standard | no™ Motors Mini |
| System Features | Slim Drapery Motor | Glydea® ULTRA 60e | Glydea® ULTRA 35e | Irismo™ 45 | Irismo™ 35 |
| 8' System Pricing (Single Track With 2¾" Wood Fascia) | \$2,675.97 | \$4,139.30 | \$3,620.43 | \$4,139.30 | \$3,620.43 |
| Center Draw or One-Way Draw Available | X | X | X | X | X |
| White or Bronze Track Available | X | X | X | X | X |
| White or Bronze Components Available | X | X | X | X | X |
| Track Maximum Length | 36' | 36' | 32' | 33' | 32' |
| Maximum Number of Track Splices | 2 | 2 | 2 | 2 | 2 |
| Minimum Curving Radius | | 11.8" (30 CM) | 11.8" (30 CM) | | 11.8" (30 CM) |
| White or Bronze Wall Mount Brackets (Sgl & Dbl) | X | X | X | X | X |
| White Standard Ceiling Mount Bracket | X | X | X | X | X |
| 1¾" Fascia Available | X | | | | |
| Motor Features | Slim Drapery Motor | Glydea® ULTRA 60e | Glydea® ULTRA 35e | Irismo™ 45 | Irismo™ 35 |
| Motor Cord Length as Purchased | 120" or specify length up to 240" | 120" | 120" | n/a | 158.4" |
| Touch Motion | X | X | X | X | X |
| Manual Override | X | X | X | X | X |
| Soft Start | X | X | X | X | X |
| Soft Stop | X | X | X | X | X |
| Speed Control & Adjustment | X | X | X | X | X |
| Average Linear Speed | 5.5 in./s - 8.25 in. /s | 4.9 in./s - 7.86 in. /s (silent: 2.95 in. /s) | 4.9 in./s - 7.86 in. /s (silent: 2.95 in. /s) | 4.9 in./s - 7.86 in./s | 4.9 in./s - 7.86 in./s |
| Motor Automatically Stops When System Reaches Fully Open or Fully Closed Position | X | × | × | × | X |
| Adjustable Limits | X | X | X | X | X |
| Intermediate Position | Favorite Position | My Position | My Position | My Position | My Position |
| Motorized Track Noise Level | 44 db | 38 dB in silent mode | 38 dB in silent mode | 44 dB | 44 dB |
| Maximum Weight | 110 lbs | 132 lbs | 77 lbs | 99 lbs | 77 lbs |
| Tandem Alternative Maximum Weight | 220 lbs | 266 lbs | 154 lbs | 198 lbs | 154 lbs |
| Motor Unit can be Installed on Either End of Track | X | × | × | × | X |
| Inverse Mounting of Motor | X | X | X | X | X |
| Factory Reset | X | X | X | X | X |
| Control Options*** | Slim Drapery Motor | Glydea® ULTRA 60e | Glydea® ULTRA 35e | Irismo™ 45 | Irismo™ 35 |
| Timer Control | | X | X | X | X |
| Sun Control | X | X | X | X | X |
| Digital Communication Technology | ARC™ | | Radio Technolo | ogy Somfy (RTS) | |
| Solar Power | X | | | | |
| Installation Features | Slim Drapery Motor | Glydea® ULTRA 60e | Glydea® ULTRA 35e | Irismo™ 45 | Irismo™ 35 |
| Programming Buttons on Motor Unit | X | X | X | X | X |
| Power Supply | Li-ion Battery or 110v AC/DC Power Transformer | 12: | 0V | 25.9 V DC Power (Li-ion Rechargeable) | 24V DC Power Supply |
| Amperage | 1.3 A | 0.8 A | 0.8 A | 0.5 A | 2 A |
| Power Consumption | 20 W | 96 W | 96 W | 60 W | 48 W |
| Power Cable Type | 3 conductor male plug | 3 conductor male plug | 3 conductor male plug | 3 conductor male plug | 3 conductor male plug |
| Certifications | CE | c TUV us | , CCC, CE | CE | CE |
| Standard Accessories Included With System | Slim Drapery Motor | Glydea® ULTRA 60e | Glydea® ULTRA 35e | Irismo™ 45 | Irismo™ 35 |
| 5 Channel Transmitter (Remote Control; White) | X | X | X | X | X |
| Carrier Features | Slim Drapery Motor | Glydea® ULTRA 60e | Glydea® ULTRA 35e | Irismo™ 45 | Irismo™ 35 |
| White or Bronze Pinch Pleat or Ripplefold® Style Glides | X | X | X | X | X |
| 0.1000 | | | | | |

^{*}components include: carriers, master carriers, drive gears, return hooks and fascia clips.

**maximum allowable charging current.

***DCT motors are available for Glydea Ultra 60e, 35e and Irismo 35. Special order required.

Somfy Motorized Heavy Duty Traverse Systems

Motorized System is perfect for all treatments - from lightweight sheers to heavily lined fabrics, and is the ideal solution for treatments mounted where corded systems are not easily reached.

Decorative wood fascia available in 2 1/4" smooth, reeded, grooved / fluted profiles with flush ends or mitered returns. Finials may be ordered separately from 2 1/4" Portfolio or Quick Ship Wood and Resin.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single



- Standard single bracket is adjustable 2 3/4" 3 5/8" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- 2 1/4" finials and additional remote options sold separately



- Standard single bracket is adjustable 2 3/4" 3 5/8" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- Additional remote options sold separately



- Standard single bracket is adjustable 2 3/4" 3 5/8" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, motor, power option, brackets, components and a standard 5 channel remote control
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Double



- Standard double brackets are adjustable 5" 5 3/6" front return and adjustable 1 3/4" - 2 3/8" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- 2 1/4" finials and additional remote options sold separately




- Standard double brackets are adjustable 5" 5 3/8" front return and adjustable 1 3/4" - 2 3/8" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- Additional remote options sold separately



- Standard double brackets are adjustable 5" 5 3/8" front return and adjustable 1 3/4" - 2 1/2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Single and Double Systems without Fascia can be curved for an additional fee:

Somfy Glydea®



Please note: Somfy Glydea® systems can be curved with a minimum 11.8" radius. All curves require a template. Curving track reduces weight capacity of motor. Please refer to motor specifications on page 56.

Somfy Motorized Heavy Duty Traverse Systems Information

Somfy Motorized Track

- · Track sold in 1 foot increments, 6' minimum
- · Maximum continuous length is 20'; spliced lengths up to 36'
- · Includes one motor, standard remote control 5-channel transmitter per track, and fascia with fascia clips when applicable
- · Available in white or bronze; track finish will complement fascia finish
- · End drive gears available in white
- · May be ordered with or without fascia options
- · Curved tracks available with minimum 11.8" radius; curving fees apply



Somfy Irismo™ 45 RTS Motor

- · Heavy duty motor, 1 per track
- · Maximum drapery weight for motor: 99 lbs
- · Maximum length for motor: 33'
- · 25.9V Li-ion Battery Power
- · Motor can be mounted on right or left for center draw,
- · Return hooks/snaps included; available in white
- · Available in white
- · 5 year warranty



Somfy Glydea® ULTRA 60e RTS Motor 1003159

- · Heavy duty motor, 1 per track
- · Maximum drapery weight for heavy duty motor: 132 lbs
- · Maximum length for heavy duty motor: 36'
- \cdot 110V Power Supply cord with plug: 120" cord length
- · Motor can be mounted on right or left for center draw, or top mounted; may also be hardwired
- · Return hooks/snaps included; available in white
- · Available in brushed aluminum
- \cdot 5 year warranty (warranty voided if hardwired)



Somfy Situo® standard remote control transmitter

1870575 (multi-channel handheld remote)

- · 5 1/4"H x 1 5/8"W
- · 1 remote control per track
- · 5 channels
- · Programmable My Position to set your favorite drapery position
- · Available in white



Somfy Irismo™ 35 Mini RTS Motor 1003004

· Mini motor, 1 per track

- · Maximum drapery weight for mini motor: 77 lbs
- · Maximum length for mini motor: 32
- \cdot 24V DC Power Supply cord with plug: 158.4" cord length
- · Motor can be mounted on right or left for center draw,
- · Return hooks/snaps included; available in white
- · Available in white
- · 5 year warranty




Somfy Glydea® ULTRA 35e RTS Motor

- · Light duty motor; 1 per track
- · Maximum drapery weight for light duty motor: 77 lbs
- · Maximum length for light duty motor: 32'
- · 110V Power Supply cord with plug: 120" cord length
- · Motor can be mounted on right or left for center draw, or top mounted; may also be hardwired
- · Return hooks/snaps included; available in white
- · Available in brushed aluminum
- \cdot 5 year warranty (warranty voided if hardwired)

Somfy Motorized Traverse System

includes 1 motor with power supply (1 per track), track(s) with components, brackets, and 1 standard 5 channel transmitter (1 per system), and fascia with fascia clips when applicable



Motor Weight Capacity

Be sure to select the best motor for your window treatment. Use the Motor Weight Capacity chart below to determine which motor best accommodates your length of track and your drapery weight. The System Features chart on page 54 lists the varied functions of each motor.

| | | maximum drapery weight per total length of system (lbs) | | | | | | | | | | | | |
|--------|------|---|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | Motor | 18' or less | 20' | 22' | 24' | 26' | 28' | 30' | 32' | 34' | 36' | 38' | 40' |
| | Std | Glydea® ULTRA 35 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | - | - | - | - |
| somfy. | HD | Glydea® ULTRA 60e | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | - | - |
| Som y | Std | Irismo 45 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | - | - | - | - |
| | Mini | Irismo 35 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | - | - | - | - |

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance. Curving: System curves reduce maximum drapery weight capacity by a minimum of 15% per bend. Please call us regarding weight capacity for your curved track. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately

Somfy Motorized Heavy Duty Traverse Systems Finishes

Decorative wood fascia available in 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 1/8" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns. See page 49 for Fascia Profiles. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

| Diameter | Wood Fascia Finish | Track and Bracket* Color | Component Color | Max. Continuous Length |
|-------------------------------|--------------------|-----------------------------|-----------------|---------------------------|
| | Amulet | White | White | 16' |
| | Andiron | White | White | 16' |
| | Antique Gold | White | White | 16' |
| | Antique Gold Leaf | White | White | 16' |
| | Art Bronze | White | Bronze | 16' |
| | Barnwood | Bronze | Bronze | 16' |
| | Black | White | Bronze | 16' |
| | Blush | White | White | 16' |
| | Bronzed Pewter | Bronze | Bronze | 16' |
| | Concrete | White | White | 16' |
| | Couture | White | White | 16' |
| | Dark Chocolate | Bronze | Bronze | 16' |
| | Firelight | White | White | 16' |
| | Gossamer | Bronze | Bronze | 16' |
| | Greige | White | White | 16' |
| 2 1/4" smooth, | Halo | White | White | 16' |
| reeded or grooved / | Java | White | Bronze | 16' |
| fluted profiles | Linen | White | White | 16' |
| with coordinating | Luminous | White | Bronze | 16' |
| finials | Manor | White | White | 16' |
| 1%" slim round | Mink | Bronze | Bronze | 16' |
| smooth profile | Moonlight | Bronze | Bronze | 16' |
| 2 ¼" flat smooth profile | Mystic | White | White | 16' |
| | New Age Bronze | Bronze | Bronze | 16' |
| With flush ends or mitered | Patina | White | White | 16' |
| returns | Shimmer | Bronze | Bronze | 16' |
| | Silver Maple | White | White | 16' |
| | Spicewood | Bronze | Bronze | 16' |
| | Spun Gold | White | White | 16' |
| | Stardust | White | White | 16' |
| | Starlet | White | White | 16' |
| | Titanium | White | White | 16' |
| | Truffle | Bronze | Bronze | 16' |
| | Urban Bronze | White | Bronze | 16' |
| | White | White | White | 16' |
| | PTH Perfect Match™ | please specify | please specify | 16' |
| | Antique Brass | White | White | 12' |
| | Oil Rubbed Bronze | White | Bronze | 12' |
| | Platinum | White | White | 12' |
| | Rose Gold | White | White | 12' |
| | Walnut | Bronze | Bronze | 12' |

Somfy Motorized Heavy Duty Traverse Systems Pricing

| | | | | • | | | · | |
|---------------------|---|-------------------|---------------|----------------|--------------|---------------|--------------|--|
| Item # | Name Pricing Includes Somfy® Motorized Traverse Tra | ck with Motor, | Remote and B | attery Charger | when orderin | g the Irismo™ | 45 Std Motor | |
| | se System with Wood Fascia | 6' | 7' | 8' | 9' | 10' | יוו | |
| Single Track System | with Wood Fascia for 1 7⁄8" slim, 2 1⁄4" flat smoot | h and 2 ¾" i T | round I | | | | | |
| STRACKF2S6045 | Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor | \$3,836.14 | \$3,987.72 | \$4,139.30 | \$4,290.88 | \$4,442.46 | \$4,594.04 | |
| STRACKF2S35 | Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor | \$3,317.27 | \$3,468.85 | \$3,620.43 | \$3,772.01 | \$3,923.59 | \$4,075.17 | |
| Double Track System | n with Wood Fascia Front Only for 1 1/8" slim, 2 ½ | 4" flat smoo | th and 2 1/4' | " round | | | | |
| STRACKF2DF6045 | Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor | \$7,304.99 | \$7,555.68 | \$7,806.37 | \$8,057.06 | \$8,307.75 | \$8,558.44 | |
| STRACKF2DF35 | Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor | \$6,267.25 | \$6,517.94 | \$6,768.63 | \$7,019.32 | \$7,270.01 | \$7,520.70 | |
| STRACKF2DFMix | Mixed Motors | \$6,786.12 | \$7,036.81 | \$7,287.50 | \$7,538.19 | \$7,788.88 | \$8,039.57 | |
| Double Track System | n with Wood Fascia Front and Back for 2 1/4" rou | und only | | | | | | |
| STRACKF2DFB6045 | Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor | \$7,672.28 | \$7,975.44 | \$8,278.60 | \$8,581.76 | \$8,884.92 | \$9,188.08 | |
| STRACKF2DFB35 | Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor | \$6,634.54 | \$6,937.70 | \$7,240.86 | \$7,544.02 | \$7,847.18 | \$8,150.34 | |
| STRACKF2DFBMix | Mixed Motors | \$7,153.41 | \$7,456.57 | \$7,759.73 | \$8,062.89 | \$8,366.05 | \$8,669.21 | |
| Double Track System | n with Stationary Front Wood Pole & No Back F | ascia | | | | | | |
| STRACKF2DSF6045 | Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor | \$4,159.12 | \$4,407.48 | \$4,655.84 | \$4,904.20 | \$5,152.55 | \$5,400.91 | |
| STRACKF2DSF35 | Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor | \$3,640.25 | \$3,888.61 | \$4,136.97 | \$4,385.33 | \$4,633.68 | \$4,882.04 | |
| Double Track System | n with Stationary Front Wood Pole & Back Woo | d Fascia for | 2 1/4" round | d only | | | | |
| STRACKF2DSFB6045 | Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor | \$4,526.41 | \$4,827.24 | \$5,128.07 | \$5,428.90 | \$5,729.72 | \$6,030.55 | |
| STRACKF2DSFB35 | Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor | \$4,007.54 | \$4,308.37 | \$4,609.20 | \$4,910.03 | \$5,210.85 | \$5,511.68 | |
| Motorized Travers | se System without Wood Fascia | | | | | | | |
| Single Track System | track available in white or bronze | 6' | 7' | 8' | 9' | 10' | 11' | |
| STRACK6045 | Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor | \$3,468.85 | \$3,567.30 | \$3,665.75 | \$3,764.20 | \$3,862.65 | \$3,961.10 | |
| STRACK35 | Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor | \$2,949.98 | \$3,048.43 | \$3,146.88 | \$3,245.33 | \$3,343.78 | \$3,442.23 | |
| Double Track System | n track available in white or bronze | | | | | | | |
| STRACKDBL6045 | Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor | \$6,937.70 | \$7,135.92 | \$7,334.14 | \$7,532.36 | \$7,730.58 | \$7,928.80 | |
| STRACKDBL35 | Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor | \$5,899.96 | \$6,098.18 | \$6,296.40 | \$6,494.62 | \$6,692.84 | \$6,891.06 | |
| STRACKDBLMix | Mixed Motors | \$6,418.83 | \$6,617.05 | \$6,815.27 | \$7,013.49 | \$7,211.71 | \$7,409.93 | |
| 0 | · . | | | DT: 1.1.4 | | | — · | |

Quantity Per System

| ı | | 6' | 7' | 8' | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' |
|---|--------------------|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|
| | Pinch Pleat Glides | 24 | 28 | 32 | 36 | 40 | 44 | 48 | 52 | 56 | 60 | 64 |
| | Brackets | 3 | 3 | 4 | 4 | 4 | 5 | 5 | 5 | 6 | 6 | 6 |

Somfy glides are 4 per foot | Somfy brackets are 1 every 3-4 feet

Motorized Stack Back Calculation (each drapery panel)

master carrier + (# glides on panel x carrier width) + 3.75" = stack per drapery panel

Ex: Somfy 10ft. center draw, pinch pleat (standard 4 glides per ft.)

 $4.67" + [(40/2) \times .563"] + 3.75" = 19.7" \text{ stack, panel with over arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" = 19.1" \text{ stack, panel with under arm BEFORE drapery fabric is installed} \\ 4.07" + [(40/2) \times .563"] + 3.75" + [(40/2) \times .563"] + [(40$

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

PTH Motorized Traverse Tips


Specified custom cut length indicates track length including drive gears; fascia will be ¼" longer at each end of track (½" total); mitered fascia will add the following to the traverse system:

| Fascia | Depth | + to traverse system |
|------------|-------|----------------------|
| 1 3/8" | 7/8" | 2" |
| 2 1/4" | 13/8" | 3" |
| Flat | 3/4" | 1 3/4" |
| Slim Round | 5/8" | 1 1/2" |

- Track and fascia will be spliced in the center of overall length.
- Blended fascia is available for an additional fee per blend; PTH will properly connect splice(s) and ship your fascia in one continuous length.
- Back fascia can accommodate decorative end caps; decorative end caps sold separately.

Orders with Somfy motorized traverse systems will incur a \$25 packaging fee. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge. Available in all profiles for 1 1%" and 2 14." diameter fascias or without a wood fascia. 1 3%" not available with Somfy Systems.

| 12' | 13' | 14 | 15' | 16' | per add'l ft |
|------------|------------|-------------|-------------|--------------|--------------|
| | | | Systems are | sola in iπ | Increments |
| \$4,745.62 | \$4,897.20 | \$5,048.78 | \$5,200.36 | \$5,351.94 | \$151.58 |
| \$4,226.75 | \$4,378.33 | \$4,529.91 | \$4,681.49 | \$4,833.07 | \$151.58 |
| | | | | | |
| \$8,809.13 | \$9,059.82 | \$9,310.51 | \$9,561.20 | \$9,811.89 | \$250.69 |
| \$7,771.39 | \$8,022.08 | \$8,272.77 | \$8,523.46 | \$8,774.15 | \$250.69 |
| \$8,290.26 | \$8,540.95 | \$8,791.64 | \$9,042.33 | \$9,293.02 | \$250.69 |
| | | | | | |
| \$9,491.24 | \$9,794.40 | \$10,097.56 | \$10,400.72 | \$10,703.88 | \$303.16 |
| \$8,453.50 | \$8,756.66 | \$9,059.82 | \$9,362.98 | \$9,666.14 | \$303.16 |
| \$8,972.37 | \$9,275.53 | \$9,578.69 | \$9,881.85 | \$10,185.01 | \$303.16 |
| | | | | | |
| \$5,649.27 | \$5,897.63 | \$6,145.99 | \$6,394.34 | \$6,642.70 | \$248.36 |
| \$5,130.40 | \$5,378.76 | \$5,627.12 | \$5,875.47 | \$6,123.83 | \$248.36 |
| | | | | | |
| \$6,331.38 | \$6,632.21 | \$6,933.04 | \$7,233.86 | \$7,534.69 | \$300.83 |
| \$5,812.51 | \$6,113.34 | \$6,414.17 | \$6,714.99 | \$7,015.82 | \$300.83 |
| | | | Systems are | sold in 1 ft | increments |
| 12' | 13' | 14' | 15' | 16' | per add'l ft |
| \$4,059.55 | \$4,158.00 | \$4,256.45 | \$4,354.90 | \$4,453.35 | \$98.45 |
| \$3,540.68 | \$3,639.13 | \$3,737.58 | \$3,836.03 | \$3,934.48 | \$98.45 |
| | | | | | |
| \$8,127.02 | \$8,325.24 | \$8,523.46 | \$8,721.68 | \$8,919.90 | \$198.22 |
| \$7,089.28 | \$7,287.50 | \$7,485.72 | \$7,683.94 | \$7,882.16 | \$198.22 |
| \$7,608.15 | \$7,806.37 | \$8,004.59 | \$8,202.81 | \$8,401.03 | \$198.22 |
| | | | | | |



Free app for iOS and Android:

App Store

| ltem# | Name | Color | Price |
|---------|-------------------------------|--------------|------------|
| Somfy M | otors | | |
| 1003159 | Somfy Glydea® ULTRA 60e Heav | y Duty Motor | \$1,609.08 |
| 1003152 | Somfy Glydea® ULTRA 35e Std N | /lotor | \$1,320.79 |
| 1002353 | Somfy Irismo™ 45 Std Motor** | | \$1,609.08 |
| 1003004 | Somfy Irismo™ 35 Mini Motor* | | \$1,320.79 |

^{*} Transformers are included **Li-ion battery included; charger sold separately.

Motor Accessories

| 1003080 | Battery Charger for Irismo™ 45 Std Motor | White | \$109.80 |
|---------|---|-------|----------|
| 9026476 | Rechargeable Li-ion Battery | White | \$234.66 |

Transmitters/Devices

| Transini | | | |
|----------|---|--------|----------|
| 1870575 | Situo® Transmitter-5 channel (included) | White | \$301.70 |
| 1810652 | Telis Transmitter-5 channel | Black | \$378.95 |
| 1870571 | Situo® Transmitter-1 channel | White | \$204.05 |
| 1810639 | Telis Transmitter-1 channel | Silver | \$303.16 |
| 1810650 | Telis Transmitter-1 channel | Black | \$303.16 |
| 1811081 | Telis16 RTS-16 channel | White | \$918.52 |
| 1811082 | Telis16 RTS-16 channel | Silver | \$918.52 |
| 1810897 | Wireless Wall Switch-1 channel | White | \$516.25 |
| 1810898 | Wireless Wall Switch-1 channel | lvory | \$516.25 |
| 1810899 | Wireless Wall Switch-1 channel | Black | \$590.00 |
| 1810813 | Wireless Wall Switch-5 channel | White | \$536.36 |
| 1810814 | Wireless Wall Switch-5 channel | lvory | \$536.36 |
| 1810830 | Wireless Wall Switch-5 channel | Black | \$623.52 |
| 1811185 | Table Top Accessory * | White | \$160.91 |
| 1810972 | Table Top Accessory * | Silver | \$160.91 |
| 1811051 | Table Top Accessory * | Black | \$160.91 |

^{*} use with Wireless Wall Switch

Programmable Timers

| 1811731 | Somfy TaHoma® gateway | \$266.84 NET |
|---------|-----------------------|--------------|
| | | |

Additional Somfy Traverse Fees

| PTHFEEMITER-EACH Wood Fascia Mitered Return per return | \$80.00 |
|---|-----------|
| PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection | \$65.00 |
| PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection | \$65.00 |
| PTHFEEBLEND Blended Fascia Splice per blend | \$108.00 |
| PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fascia | \$65.00 |
| PTHFEERESTRING Restringing Fee per track | \$100.00 |
| Standard 45 Fascia Splice | No Charge |
| Curving Fees (per bend, template required) | Quoted |
| Crating for Curved Track | \$75.00 |
| Packaging fee per order | \$25.00 |

Somfy Motorized Heavy Duty Traverse Systems Information




TB035-S TB060-S TB100-S


| Somfy Single TB035-S /BR | $2^{11}\!/_{16}$ " H x 1 ½" W backplate, adjustable 2 $^3\!4$ " - 3 $^5\!6$ " return. Available in white or bronze /BR and included in Single Systems. | \$33.52 each |
|---|--|--------------|
| Somfy Single or Double TB060-S BR | 3 5/16" H x 1 ½" W backplate, adjustable 5" - 5 3%" front return and adjustable 1 3½" - 2 ½" back return. Available in white or bronze /BR and included in Double Systems. May be substituted for Single Systems when longer return is needed. | \$53.64 each |
| Somfy Single, Double or Triple TB100-S ER | $4\frac{1}{2}$ " H x 1 $\frac{1}{2}$ " W backplate, adjustable up to 9 $\frac{3}{16}$ " return. Available in white or bronze /BR. | \$53.64 each |
| Ceiling Mount Clip Single CMBC-S BR | $\frac{1}{4}$ " H x 1" W x 2" D May only be used in systems without fascia for Single or Double Systems. For double ceiling mount installation, install two brackets into ceiling. Available in white or bronze /BR. | \$26.82 each |
| Somfy Fascia Clip SOMFY CLIP | Use to attach fascia to traverse systems; included. Available in zinc. | \$26.82 each |




Somfy Single Motorized Bracket TB035-S




Somfy Single or Double Motorized Bracket TB060-S



Somfy Single, Double or Triple Motorized Bracket TB100-S







Custom Over-Bracket Single

 $3\,1\!\!/\!\!_2$ " H x $3\!\!/\!\!_4$ " W backplate, 7 $7\!\!/\!\!_8$ front return and 3" back return. Use to combine 2 1/4" full wood pole with Single Traverse Systems. Traverse mounting bracket simply attaches directly into the bottom of the Over-Bracket. Available in 35 Portfolio and PTH Perfect Match™ finishes.

*Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™

tip: front pole ring must clear back fascia 1/4" For Ring Drops 3" back return see page 51 7-7/8" front return

Optional back fascia will be clipped to track. Diagram depicts ensemble when back fascia is desired.

TBKT214-S

Custom

Ceiling

Single

CMTB-S

2 3/4" H x 3/4" W backplate

May only be used in systems with fascia for Single or Double Systems. Available in 35 Portfolio, 5 Quick Ship Wood & Resin or PTH Perfect Match™ finishes. Steel

for double ceiling mount installation, install two brackets

*Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™

When ordering, specify: A. Fascia profile (only 2 ½" DIA available)


B. Projection to carrier and/or to front of fascia.

Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).


D. Width of mounting plate if longer than 2 3/4".

\$80.45 each

\$93.86 each




Carriers for additional carriers.




Somfy Pinch Pleat Glide

1781415 white 1782869 bronze 4 per foot, unless otherwise specified




Somfy Ripplefold Glide

1780901 white, 80% 1782870 bronze, 80% 1780902 white, 100% 1782871 bronze, 100% 1780903 white, 120% 1782872 bronze, 120%




IMPORTANT: Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold glides. Somfy Glydea® Ripplefold glides are only compatible with Kirsch Ripplefold snap tape. Other brand tapes are NOT COMPATIBLE with the Somfy Glydea® Motorized system.


Somfy Ripplefold Butt Master Carrier Arm - One-Way Draw 1782319



Somfy Ripplefold Butt Master Carrier Arm - Center Draw



Somfy Pinch Pleat or Ripplefold Master Carrier Arms - Center Draw









| | Motorized Traverse | <u>⊢</u> | <u>ā</u> | Ver | se | Ö | dei | Ĭ. | Order Form | _ | | | H | | RIE AUTOMATION® | | | Somfy Somfy |
|--|--|-------------------------|--------------------------|----------------------------|---|------------------------|---|--------------------------|------------------------------------|-----------------------|--------|-----------------------|----------------------------------|--|--|-----------|------------------|--------------|
| PARIS TEXAS | | | | | | | | | | | | J | | | | | | |
| HAKDWAKE | PO# | | | | | Side | Side Mark | | | | | | Shi | Ship via | | | Date | |
| Company Information | | | | | | | | | Sh | Shipping Information | g Inf | orma | tion | | | | | |
| Company Name | | | | Acct # | | | | | ပိ | Company Name | Nam | Ф | | | | Ac | Acct # | |
| Contact Person | | | | | | | | | රි | Contact Person | ersor | _ | | | | | | |
| Street Address | | | | | | | | | Str | Street Address | dress | | | | | | | |
| City | | | | State | | 17 | ZIP | | City | > | | | | | | Sta | State | ZIP |
| Email | | | | | | | | | E | Email | | | | | | | | |
| Phone | Fax | | | | | | | | Ą | Phone | | | | | Fax | | | |
| MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed specifications. Specified custom cut length indicates track length including drive gears; Mitered fascia will be up to 3" longer than track length, depending on the profile ordered. | 'STEMS - Consult Pri track length including drive | ce Lis gears; | s t for Mitere | detail ed fasci | ed spe | cifica up to | tions. 3" longe | er than t | rack len | gth, de | pendin | g on th | e profil | e ordered. | | | | |
| Item # Motor | Power Option **see additional R-TEC options below | | Fas | Fascia Type | System Length Up to 36' (per 1') | | Custom Cut Track Length (inches) | Fascia Finish Code | | Bracket Preference | | Di Prefe Center | Draw Preference er One-Way | Motor Moyay Location | Glide Style r pinch pleat or on Ripplefold ®* | Qty | Price per Unit | nit Subtotal |
| | ☐ Li-ion Battery ☐ 110v AC/DC Power | Power | | | | | | | | | | H | _ | R | R | | | |
| | ☐ Li-ion Battery ☐ 110v AC/DC Power | Power | | | | | | | | | | | | R | RPRF | | | |
| | ☐ Li-ion Battery ☐ 110v AC/DC Power | Power | | | | | | | | | | | _ | R | RPRE | | | |
| | ☐ Li-ion Battery ☐ 110v AC/DC Power | Power | | | | | | | | | | | _ | R | R PP RF | | | |
| MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND ADDIT Order finials, mitered returns, and accessories here. | ORDINATING ACCE | sso. | RIES | AND | ADDI | | ONAL FEES | ES | | * 4 | *Powe | r Optio ONAL: | ns for solar | **Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$127.20; 20' c | **Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$127.20; 20' cord \$79.50 - specify total feet; plug \$26.50 | specify t | total feet; plug | \$26.50 |
| Item # | Finish Code | | | | | | | | | Description | otion | | | | 0 | Qty F | Price per Unit | Subtotal |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Additional Information | Ž | оте: м | Ainimu | NOTE: Minimum track length | k lengt | | TEC is | 4' and | or R-TEC is 4' and for Somfy is 6' | ıfy is 6' | | | | | | | TOTAL | |
| Quantity included per system based on cut track length | | 4' 5' | ٠,9 | 7. | .6 .8 | | 10' 11' 12' | | 13' 14' | 15' | 16' 1 | 17' 18' | . 19 | 20, | | | | |
| Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)] | r carriers (2) & end caps (2)] | 1 27 | 24 | 28 | 32 36 | 40 | 44 | 48 52 | 5 56 | 09 | 64 6 | 68 72 | 9/ | 80 | | | | |
| Brackets (1 per every 3-4 feet) | | 3 4 | 4 | 4 | 4 | 4 | 2 | 5 5 | 9 | 9 | 9 | 7 7 | 7 | 8 | | | | |

1. Select Ripplefold fullness: 60% 80% 1100% 120% * When ordering Ripplefold carriers, answer these questions:

Special Instructions

2. Select Ripplefold masters: Overlap Butt Master

1 1/8" Baton Draw Metal Traverse Systems

The perfect modern solution for residential or commercial applications.

Our NEW French Returns for Traverse may be ordered separately. Finials may be ordered separately from 1 1/8" Diameter Collections and require the use of the Transitional or Deco Cuff / Finial Adapter (sold separately). See page 67.

Select from 35 Portfolio hand painted finishes (except Antique Gold Leaf), 6 Quick Ship Metal finishes or PTH Perfect Match™.




Single Traverse System, Wall Mount

- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately



- Ceiling bracket: 3 5/16" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately



Double Traverse System, Ceiling Mount

- Ceiling bracket: $3^{11}/_{16}$ " drop, $4^{1}/_{2}$ " between centers of tracks
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 3/16" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

1 1/8" Baton Draw Metal Traverse Systems Pricing

Orders with Baton Draw Metal traverse systems will incur a \$25 packaging fee.

| Name & Item # | Price | | | | | | Systems | s are sold | in 1 ft incr | ements |
|---|---|----------|----------|----------|------------|------------|------------|------------|--------------|-----------------|
| 1 1/8" Baton Draw Metal Trave | erse Sy | ystem | | | | | | | | |
| Single Traverse System Wall Mount 3 ½" Return | 4' | 5' | 6' | 7' | 8' | 9' | 10' | יוו | 12' | price per ft |
| CSPTHMT118400 | \$279.84 | \$349.80 | \$419.76 | \$489.72 | \$559.68 | \$629.64 | \$699.60 | \$769.56 | \$839.52 | \$69.96 |
| Single Traverse System Wall Mount 6" Return | | | | | | | | | | |
| CSPTHMT118401 | \$317.15 | \$396.44 | \$475.73 | \$555.02 | \$634.31 | \$713.60 | \$792.89 | \$872.18 | \$951.47 | \$79.29 |
| Double Traverse System Wall Mount | | | | | | | | | | |
| CSPTHMT118402 | CSPTHMT118402 \$559.68 \$699.60 \$839.52 \$979.44 \$1,119.36 \$1,25928 \$1,39920 \$1,539.12 \$1,679.04 \$139.92 | | | | | | | | | \$139.92 |
| Single Traverse System Ceiling Mount | | | | | | | | | | |
| CSPTHMT118403 | \$279.84 | \$349.80 | \$419.76 | \$489.72 | \$559.68 | \$629.64 | \$699.60 | \$769.56 | \$839.52 | \$69.96 |
| Double Traverse System Ceiling Mount | | | | | | | | | | |
| CSPTHMT118404 | \$559.68 | \$699.60 | \$839.52 | \$979.44 | \$1,119.36 | \$1,259.28 | \$1,399.20 | \$1,539.12 | \$1,679.04 | \$139.92 |
| Single Traverse System Low-Profile Ceiling Moun | t | | | | | | | | | |
| CSPTHMT118406 | \$223.87 | \$279.84 | \$335.81 | \$391.78 | \$447.75 | \$503.72 | \$559.69 | \$615.66 | \$671.63 | \$55.97 |

1 1/8" Baton Draw Metal Traverse Systems Information

Quantity Per System

| Quantity included per system based on cut track length | 4' | 5' | 6' | 7' | 8 | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' | 20' |
|--|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Glides [4 per foot, includes master carriers & end caps (2)] | 16 | 20 | 24 | 28 | 32 | 36 | 40 | 44 | 48 | 52 | 56 | 60 | 64 | 68 | 72 | 76 | 80 |
| Brackets | 2 | 3 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 |

Batons sold separately.

Note: Metal Baton available in 6 Metal Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.

| | Cos | | | | |
|------------------------------------|------------------------------------|------------------------------------|--|--|--|
| 36" Metal Baton 3⁄8" DIA, Metal | 48" Metal Baton 3⁄8" DIA, Metal | 60" Metal Baton 3⁄8" DIA, Metal | 36" Clear Acrylic Baton ½" DIA, Acrylic | 48" Clear Acrylic Baton ½" DIA, Acrylic | 60" Clear Acrylic Baton ½" DIA, Acrylic |
| POME36WAND | POME48WAND | POME60WAND | AC36WAND | AC48WAND | AC60WAND |
| \$66.46 each | \$72.29 each | \$78.12 each | \$52.47 each | \$58.30 each | \$64.13 each |
| QSME36WAND | QSME48WAND | QSME60WAND | | | |
| \$58.30 each | \$64.13 each | \$69.96 each | | | |

| 48" Handicap Metal Baton 4" Loop, ADA Compliant, Metal | 60" Handicap Metal Baton 4" Loop, ADA Compliant, Metal |
|---|---|
| POME48HWAND | POME60HWAND |
| \$72.29 each | \$78.12 each |
| QSME48HWAND | QSME60HWAND |
| \$64.13 each | \$69.96 each |




35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect Match™ and 6 Quick Ship Metal finishes


| Diameter | Track Finish | Component Color | Max. Continuous Length |
|----------|--------------------|-----------------|------------------------|
| 1 ½" | Amulet | White | 12' |
|] ½" | Andiron | White | 12' |
|] 1/8" | Antique Gold | White | 12' |
| 1 1/8" | Art Bronze | Bronze | 12' |
| 1 1/8" | Barnwood | Bronze | 12' |
|] ½" | Black | Bronze | 12' |
| 1 1/8" | Blush | White | 12' |
|] 1/8" | Bronzed Pewter | Bronze | 12' |
|] 1/8" | Concrete | White | 12' |
|] 1/8" | Couture | White | 12' |
|] 1/8" | Dark Chocolate | Bronze | 12' |
|] 1/8" | Firelight | White | 12' |
|] 1/8" | Gossamer | Bronze | 12' |
|] 1/8" | Greige | White | 12' |
|] ½" | Halo | White | 12' |
|] 1/8" | Java | Bronze | 12' |
|] 1/8" | Linen | White | 12' |
|] 1/8" | Luminous | Bronze | 12' |
|] 1/8" | Manor | White | 12' |
|] ½" | Mink | Bronze | 12' |
|] 1/8" | Moonlight | Bronze | 12' |
|] 1/8" | Mystic | White | 12' |
| 1 1/8" | New Age Bronze | Bronze | 12' |
| 1 1/8" | Patina | White | 12' |
|] 1/8" | Shimmer | Bronze | 12' |
|] 1/8" | Silver Maple | White | 12' |
|] 1/8" | Spicewood | Bronze | 12' |
|] 1/8" | Spun Gold | White | 12' |
|] 1/8" | Stardust | White | 12' |
| 1 1/8" | Starlet | White | 12' |
| 1 1/8" | Titanium | White | 12' |
|] 1/8" | Truffle | Bronze | 12' |
|] 1/8" | Urban Bronze | Bronze | 12' |
|] 1/8" | White | White | 12' |
|] 1/8" | PTH Perfect Match™ | please specify | 12' |
|] 1/8" | Brushed Nickel | White | 12' |
|] 1/8" | Brushed Bronze | Bronze | 8' |
|] 1/8" | Charcoal Zinc | White | 8' |
|] ½" | Matte Black | White | 12' |
|] 1/8" | Rose Gold | White | 8' |
| 1 1/8" | Satin Gold | White | 8' |


1 1/8" Baton Draw Metal Traverse Systems Information

 $1\frac{1}{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions.









Upgrade your End Caps with French Returns or Finials

1 1/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with our NEW 1 1/8" French Returns for Traverse and all 1 1/8" Finials across five style categories using either Cuff / Finial Adapter.



French Return for Metal Traverse


(Includes 1 Return, 1 Splice, 1 French Return Ring to reduce sidelight, 4 End Stops, 4 Ripplefold Carriers, 2 Pinch Pleat Carriers, 1 Allen Wrench and 2 Extra Set Screws)

Metal, 3 1/2" return, Ripplefold or Pinch Pleat Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™

\$80.30 each









Portfolio page 7 | Quick Ship page 87 *Requires Transitional or Deco Cuff / Finial Adapter



Portfolio page 7 | Quick Ship page 88 *Requires Transitional or Deco Cuff/Finial Adapter



Portfolio page 8 | Quick Ship page 88 *Requires Transitional or Deco Cuff / Finial Adapter



Portfolio page 8 *Requires Transitional or Deco Cuff/Finial Adapter



*Requires Transitional or Deco Cuff/Finial Adapter

1 ³/₈" Baton Draw Metal Traverse Systems

The perfect modern solution for residential or commercial applications.

Our NEW French Returns for Traverse may be ordered separately. Finials may be ordered separately from 1 3/8" Diameter Collections. Today's Traditional and Heritage Classics Finial Collections require the use of the Transitional Cuff / Finial Adapter (sold separately). See page 72.

Select from 35 Portfolio hand painted finishes **(except Antique Gold Leaf)**, 6 Quick Ship Metal finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.



Single Traverse System, Wall Mount

- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/6" collection finials and additional remote options sold separately



Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/8" collection finials and additional remote options sold separately



Single Traverse System, Ceiling Mount

- · Ceiling bracket: 3 11/16" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/6" collection finials and additional remote options sold separately



Double Traverse System, Ceiling Mount

- Ceiling bracket: 4" drop, 4 ½" between centers of tracks
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Ainsley end caps
- 13/8" collection finials and additional remote options sold separately

Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 ½" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 13/8" collection finials and additional remote options sold separately

$1\ ^3/8" \ Baton\ Draw\ Metal\ Traverse\ Systems\ Finishes$ 35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect MatchTM, 6 Quick Ship Metal finishes or 5 Quick Ship Wood & Resin finishes.

| Diameter | Track Finish | Component Color | Max. Continuous Lengtl |
|--------------------|--------------------|-----------------|------------------------|
| 1 ³ ⁄8" | Amulet | White | 12' |
| 1 3⁄8" | Andiron | White | 12' |
| 1 ³ ⁄8" | Antique Gold | White | 12' |
| 1 3 ⁄8" | Art Bronze | Bronze | 12' |
|] 3/8" | Barnwood | Bronze | 12' |
|] ³ ⁄8" | Black | Bronze | 12' |
|] ³ ⁄8" | Blush | White | 12' |
|] ³ ⁄8" | Bronzed Pewter | Bronze | 12' |
| 1 3⁄8" | Concrete | White | 12' |
|] ³ ⁄8" | Couture | White | 12' |
|] ³ /8" | Dark Chocolate | Bronze | 12' |
| 1 ³ /8" | Firelight | White | 12' |
| 1 ¾s" | Gossamer | Bronze | 12' |
| 1 3/8" | Greige | White | 12' |
|] ³ /8" | Halo | White | 12' |
| 1 ³ /8" | Java | Bronze | 12' |
| 1 ³ ⁄8" | Linen | White | 12' |
| 1 ³ /8" | Luminous | Bronze | 12' |
| 1 ³ ⁄8" | Manor | White | 12' |
| 1 ³ /8" | Mink | Bronze | 12' |
| 1 ³ /8" | Moonlight | Bronze | 12' |
| 1 ³ /8" | Mystic | White | 12' |
| 1 ³ /8" | New Age Bronze | Bronze | 12' |
| 1 ³ ⁄8" | Patina | White | 12' |
| 1 ³ /8" | Shimmer | Bronze | 12' |
| 1 ³ /8" | Silver Maple | White | 12' |
| 1 ³ ⁄8" | Spicewood | Bronze | 12' |
| 1 ³ /8" | Spun Gold | White | 12' |
| 1 3/8" | Stardust | White | 12' |
| 1 3/8" | Starlet | White | 12' |
| 1 3/8" | Titanium | White | 12' |
| 1 3/8" | Truffle | Bronze | 12' |
| 1 3/8" | Urban Bronze | Bronze | 12' |
| 1 3/8" | White | White | 12' |
| 1 3/8" | PTH Perfect Match™ | please specify | 12' |
| 1 3/8" | Brushed Nickel | White | 12' |
| 1 3/8" | Brushed Bronze | Bronze | 8' |
| 1 3/8" | Charcoal Zinc | White | 8' |
| 1 3/8" | Matte Black | White | 12' |
| 1 3/8" | Rose Gold | White | 8' |
| 1 3/8" | | | 8' |
| | Satin Gold | White | |
| 13/8" | Antique Brass | White | 12' |
| 1 3/8" | Oil Rubbed Bronze | Bronze | 12' |
| 1 3/8" | Platinum | White | 12' |
| 1 3/8" | Rose Gold | White | 12' |

1 ³/₈" Baton Draw Metal Traverse Systems Pricing

Orders with Baton Draw Metal traverse systems will incur a \$25 packaging fee.

| Name & Item # | Syster | ns are solo | d in 1 ft incr | rements | | | | | | |
|--|----------|-------------|----------------|------------|------------|------------|------------|------------|------------|-----------------|
| 1 3⁄8" Baton Draw Metal Traverse System | | | | | | | | | | |
| Single Traverse System Wall Mount 3 ½" Return | 4' | 5' | 6' | 7' | 8' | 9' | 10' | יוו | 12' | price per ft |
| CSPTHMT138400 | \$368.46 | \$460.57 | \$552.68 | \$644.79 | \$736.90 | \$829.01 | \$921.12 | \$1,013.23 | \$1,105.34 | \$92.11 |
| Single Traverse System Wall Mount 6" Return | | | | | | | | | | |
| CSPTHMT138401 | \$410.43 | \$513.04 | \$615.65 | \$718.26 | \$820.87 | \$923.48 | \$1,026.09 | \$1,128.70 | \$1,231.31 | \$102.61 |
| Double Traverse System Wall Mount | | | | | | | | | | |
| CSPTHMT138402 | \$736.91 | \$921.14 | \$1,105.37 | \$1,289.60 | \$1,473.83 | \$1,658.06 | \$1,842.29 | \$2,026.52 | \$2,210.75 | \$184.23 |
| Single Traverse System Ceiling Mount | | | | | | | | | | |
| CSPTHMT138403 | \$368.46 | \$460.57 | \$552.68 | \$644.79 | \$736.90 | \$829.01 | \$921.12 | \$1,013.23 | \$1,105.34 | \$92.11 |
| Double Traverse System Ceiling Mount | | | | • | | | | | | |
| CSPTHMT138404 | \$736.91 | \$921.14 | \$1,105.37 | \$1,289.60 | \$1,473.83 | \$1,658.06 | \$1,842.29 | \$2,026.52 | \$2,210.75 | \$184.23 |
| Single Traverse System Low-Profile Ceiling Mount | | | | | | | | | | |
| CSPTHMT138406 | \$293.83 | \$367.29 | \$440.75 | \$514.21 | \$587.67 | \$661.13 | \$734.59 | \$808.05 | \$881.51 | \$73.46 |

1 ³/₈" Baton Draw Metal Traverse Systems Information

Quantity Per System

| Quantity included per system based on cut track length | 4' | 5' | 6' | 7' | 8 | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' | 20' |
|--|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Glides [4 per foot, includes master carriers & end caps (2)] | 16 | 20 | 24 | 28 | 32 | 36 | 40 | 44 | 48 | 52 | 56 | 60 | 64 | 68 | 72 | 76 | 80 |
| Brackets | 2 | 3 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 |

Batons sold separately.

Note: Metal Baton available in 6 Metal Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.

| Cos | Cos | C | | | |
|-----------------------------------|------------------------------------|------------------------------------|--|--|--|
| 36" Metal Baton 3%" DIA, Metal | 48" Metal Baton 3⁄8" DIA, Metal | 60" Metal Baton 3⁄8" DIA, Metal | 36" Clear Acrylic Baton ½" DIA, Acrylic | 48" Clear Acrylic Baton ½" DIA, Acrylic | 60" Clear Acrylic Baton ½" DIA, Acrylic |
| POME36WAND | POME48WAND | POME60WAND | AC36WAND | AC48WAND | AC60WAND |
| \$66.46 each | \$72.29 each | \$78.12 each | \$52.47 each | \$58.30 each | \$64.13 each |
| QSME36WAND | QSME48WAND | QSME60WAND | | | |
| \$58.30 each | \$64.13 each | \$69.96 each | | | |


| 48" Handicap Metal Baton 4" Loop, ADA Compliant, Metal | 60" Handicap Metal Baton 4" Loop, ADA Compliant, Metal |
|---|---|
| POME48HWAND | POME60HWAND |
| \$72.29 each | \$78.12 each |
| QSME48HWAND | QSME60HWAND |
| \$64.13 each | \$69.96 each |




$1 \frac{3}{8}$ " Baton Draw Metal Traverse Systems Information

 $1\sqrt[3]{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions.







Stainless steel overlap arms with snaps to


bronze/BR and left or right.

accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or

\$0.58 NET each

Carriers for additional carriers. for master carrier diagrams, see page 84.

\$3.13 NET pack (10 pieces)



\$0.67 NET each



Arms with snaps to accept Ripplefold tape and a

multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to

treatments. Must be specified for substitution.


Available in white or bronze /BR and left or right

\$6.20 NET each

Upgrade your End Caps with French Returns or Finials

13/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with our NEW 13/8" French Returns for Traverse and all 13/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.





PTHMT138440

French Return for Metal Traverse

(Includes 1 Return, 1 Splice, 1 French Return Ring to reduce sidelight, 4 End Stops, 4 Ripplefold Carriers, 2 Pinch Pleat Carriers, 1 Allen Wrench and 2 Extra Set Screws)

Metal, 3 ½" return, Ripplefold or Pinch Pleat Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™

\$102.30 each




Portfolio page 14 | Quick Ship page 93 | *Transitional Cuff/Finial Adapter PO138CUFF not required



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter POI38CUFF or QSI38CUFF below



¾" L x 1 ½" W

- · Metal, Available in any of our 35 Portfolio Hand Painted Finishes, 5 Quick Ship Wood & Resin Finishes or PTH Perfect Match™
- \cdot Use to adapt your 1 $\frac{3}{8}$ " Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)


\$45.47 pair*



Manual Metal Traverse Collection Order Form


| PO # | | | | | Side Mark | Nark | | | | | | Sh | Ship via | | | | | | Date | | |
|--|--------------------|----------|-----------------|-----------------------------|------------------------------|-------------------------|-----|----------------|--------------------------------------|--------------|------|-------|-----------|----------------------------|-----|------------|---|----------------------|---|-------------------|------------|
| Company Information | | | | | | | | S | Shipping Information | g Inf | orma | ation | | | | | | | | | |
| Company Name | | _ | Acct # | | | | | ပိ | Company Name | y Nam | ē | | | | | | | Acct # | # | | |
| Contact Person | | | | | | | | ပိ | Contact Person | Persor | ر | | | | | | | | | | |
| Street Address | | | | | | | | Str | Street Address | Idress | | | | | | | | | | | |
| City | | 0, | State | | ZIP | _ | | City | ļ | | | | | | | | | State | | ZIP | |
| Email | | | | | | | | ш | Email | | | | | | | | | | | | |
| Phone | Fax | | | | | | | -F | Phone | | | | | | | Fax | | | | | |
| METAL TRAVERSE SYSTEMS - Consult Price List for detailed | e List for | detaile | | specifications. | ons. | | | | | | | | | | | | | | | | |
| Item # | | Finish C | Code | Sy 6 | System Length (per 1') | Custom Cut Length | | P _l | Draw Preference Center One-Way | nce e-Way | | | B (sold s | Baton (sold separately) | | _ <u>_</u> | Glides Pinch Pleat or Ripplefold* | | Oty Pe | Price per Unit | Subtotal |
| | | | | | | | | | | | ~ | | | | | | 4 | RF | | | |
| | | | | | | | | | | | ~ | | | | | | | RF | | | |
| | | | | | | | | | | | ~ | | | | | | 6 | AF. | | | |
| | | | | | | | | | | | ~ | | | | | | <u>교</u> | RF | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| METAL TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL Order finials, cuffs, batons, additional brackets and accessories here. | SORIES kets and | AND | ADDI. ssorie | DDITIONAL FEES sories here. | L FE | S | | | | | | | | | | | | | | | |
| Item # Fi | Finish Code | | | | | | | | ۵ | Description | ion | | | | | | Qty | | Price per Unit | | Subtotal |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| Glide and Bracket Information | | | | | | | | | | | | | | | | | | Answ | Answer These Questions | Question | S |
| Quantity included per system based on cut track length | 4, 5, | .9 | 7. 8 | 6 | .01 | 11. 12. | 13. | 14. | 15' 1 | 16' 17' | 18. | 19. | 20. | 21. 22. | 23. | 24' | 1. Select Ripplefold fullness: | elect Ripplefold f | fullness: | 6 | |
| Glides [4 per foot, includes master carriers & end caps (2)] | 16 20 | 24 | 28 32 | 36 | 40 | 44 48 | 52 | 56 | 60 64 | 4 68 | 72 | 9/ | 80 | 84 88 | 92 | 96 | | 000 | 88 | %071 | |
| Brackets | 2 3 | 4 | 4 | ις. | 2 | 5 5 | 9 | 9 | 9 | 2 9 | 7 | 7 | ∞ | 8 | 8 | ω | 2. Select Ripplefold masters: | Ripplefold Master | elect Ripplefold masters: | | |
| Special Instructions | | | | | | | | | | | | | | | | | | | | 100 | |
| | | | | | | | | | | | | | | | | | ds isum | eciry Kip | Must specify Kippieroid carrier fullness. | rer rulines | s <u>i</u> |
| | | | | | | | | | | | | | | | | | | | 407 | | |


Fascia Profiles for Manual Heavy Duty Systems



C-Rings with Fascia

Scan the QR code to the right or visit bit.ly/PTH-C-Rings for diagrams of all C-Ring Systems »





2 1/4" Double

*shown on baton
draw track

top of fabric
g/l6"

2"

2 1/4" back
return
with fascia

from 5-1/4" to 6" front return with fascia

from 5-1/4" to 6" front return with fascia

- · C-Rings available for 1 3/8" and 2 1/4"
- \cdot Corded or baton draw systems
- · Pinch pleat only

13/8" Single

draw track

*shown on baton

2-11/16

- · Not available for traverse systems with mitered returns or stationary front pole
- \cdot For double traverse systems, C-Rings are for the front track only
- Available in any of our 35 Portfolio hand painted finishes, PTH Perfect Match™ or 5 Quick Ship Wood & Resin finishes to match your fascia finish

Heavy Duty Corded or Baton Traverse Systems

Heavy Duty System is recommended for heavier treatments with lining. Longer lengths are versatile for residential or commercial projects.

Decorative wood fascia available in $1\frac{3}{8}$ " or $2\frac{1}{4}$ " smooth, reeded or grooved / fluted profiles with coordinating finials, $1\frac{7}{8}$ " slim round smooth profile, $2\frac{1}{4}$ " flat smooth profile with flush ends or mitered returns.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single Traverse System

- · Coordinates with all fascia profiles or available with no fascia
- Standard corded single bracket has 3 %" 5 %" return; standard baton single bracket has adjustable 3 %" 4" return
- · Longer return bracket options may be substituted at no charge
- · Batons and finials sold separately
- · C-Rings available for 1 3/8" and 2 1/4"



Double Traverse System

Back track available with or without wood fascia. Back track shown with fascia and end caps.


- · Coordinates with all fascia profiles or available with no fascia
- Standard corded double brackets have 3" back track and adjustable 6" 7 $\frac{1}{2}$ " front track return; standard baton double brackets have 2 $\frac{1}{4}$ " back track and adjustable 5 $\frac{1}{4}$ " 6" front track return
- · Longer return bracket options may be substituted at no charge
- · Batons and finials sold separately
- · C-Rings available for 1 3/8" and 2 1/4" (front track)



Single or Double Traverse System With Mitered Returns

Back track available with or without wood fascia. Finials and c-rings are not available with this option.

- · Coordinates with all fascia profiles
- Standard corded single bracket has 4" 5 ½" return; standard baton single bracket has adjustable 3 %" 4" return
- Standard corded double brackets have 3" back track and adjustable 6" 7 $\frac{1}{2}$ " front track return; standard baton double brackets have 2 $\frac{1}{4}$ " back track and adjustable 5 $\frac{1}{4}$ " 6" front track return
- · Batons and mitered returns sold separately
- · C-Rings not available



Stationary Front Pole With Back Traverse System

2½" wood poles can be used. Back track available with or without wood fascia. Back track shown with fascia and end caps.

- Traverse system coordinates with all 2 1/4" round fascia profiles; flat and slim fascia may not be used
- · Coordinates with 2 $\frac{1}{4}$ " poles for stationary front pole
- Stationary front pole and TBKT bracket finished to match pole are included
- · Batons and finials sold separately
- Full rings available on stationary front pole, sold separately;
 C-Rings not available



(if applicable, sold separately) Fiberglass or Clear Acrylic | Stainless Steel Clip 36", 48" or 60"

Note: Fiberglass Baton available in 5 Wood & Resin Quick Ship Finishes, 35 Portfolio finishes

| or PTH Perfect Match! | ···. |
|--|--|
| | ~0 |
| 36" Fiberglass Baton 3⁄8" DIA, Fiberglass | 36" Clear Acrylic Baton ½" DIA, Acrylic |
| PORE36WAND | AC36WAND |
| \$67.63 each | \$52.47 each |
| QSRE36WAND | |
| \$67.63 each | |
| 48" Fiberglass Baton 3⁄8" DIA, Fiberglass | 48" Clear Acrylic Baton ½" DIA, Acrylic |
| PORE48WAND | AC48WAND |
| \$73.46 each | \$58.30 each |
| QSRE48WAND | |
| \$73.46 each | |
| 60" Fiberglass Baton 3⁄8" DIA, Fiberglass | 60" Clear Acrylic Baton ½" DIA, Acrylic |
| PORE60WAND | AC60WAND |
| \$79.29 each | \$64.13 each |
| QSRE60WAND | |
| \$79.29 each | |



AC60HWAND

60" Handicap Clear Acrylic Baton

4" Loop, ADA Compliant, Acrylic

\$64.13 each

AC72HWAND

72" Handicap Clear Acrylic Baton

4" Loop, ADA Compliant, Acrylic


\$69.96 each

Finishes

Decorative wood fascia available in 1 $\frac{3}{8}$ " or 2 $\frac{1}{4}$ " smooth, reeded or grooved / fluted profiles with coordinating finials, 1 %" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns - see next page. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

| Diameter | Fascia Finish | Track and | Component |
|-------------------------------|--------------------|----------------|----------------|
| Diameter | | Bracket* Color | Color |
| | Amulet | White | White |
| | Andiron | White | White |
| | Antique Gold | White | White |
| | Antique Gold Leaf | White | White |
| | Art Bronze | Bronze | Bronze |
| | Barnwood | Bronze | Bronze |
| | Black | Bronze | Bronze |
| | Blush | White | White |
| | Bronzed Pewter | Bronze | Bronze |
| | Concrete | White | White |
| | Couture | White | White |
| | Dark Chocolate | Bronze | Bronze |
| | Firelight | White | White |
| | Gossamer | Bronze | Bronze |
| | Greige | White | White |
| 1 3/8" or 2 1/4" | Halo | White | White |
| smooth, reeded or | Java | Bronze | Bronze |
| grooved/fluted | Linen | White | White |
| profiles with coordinating | Luminous | Bronze | Bronze |
| finials | Manor | White | White |
| | Mink | Bronze | Bronze |
| smooth profile | Moonlight | Bronze | Bronze |
| 1/4" flat smooth profile | Mystic | White | White |
| | New Age Bronze | Bronze | Bronze |
| Vith flush ends or mitered | Patina | White | White |
| returns | Shimmer | Bronze | Bronze |
| | Silver Maple | White | White |
| | Spicewood | Bronze | Bronze |
| | Spun Gold | White | White |
| | Stardust | White | White |
| | Starlet | White | White |
| | Titanium | White | White |
| | Truffle | Bronze | Bronze |
| | Urban Bronze | Bronze | Bronze |
| | White | White | White |
| | PTH Perfect Match™ | please specify | please specify |
| | Antique Brass | White | White |
| | Oil Rubbed Bronze | Bronze | Bronze |
| | Platinum | White | White |
| | Rose Gold | White | White |
| | Walnut | Bronze | Bronze |

Heavy Duty Corded or Baton Traverse Systems Fascia Profiles



Smooth

- ·13/8" and 2 1/4" diameters available
- · See below for coordinating finial options

Reeded

- ·13/8" and 2 1/4" diameters available
- · See below for coordinating finial options

Grooved / Fluted

- ·13/8" and 2 1/4" diameters available
- · See below for coordinating finial options

Slim Round Smooth, No Finials

·1 %" diameter, available with flush ends or mitered returns

Flat Smooth, No Finials

· 2 1/4" height, available with flush ends or mitered returns

Mitered Returns (sold separately)

- \cdot 13/8", 17/8" and 2 1/4" diameters available
- · All profiles

Upgrade your Manual HD Traverse with Finial Styles

Finials are sold separately. $1\frac{3}{8}$ " or $2\frac{1}{4}$ " Portfolio and Quick Ship Wood and Resin finials are compatible across two style categories. Somfy systems are not available with $1\frac{3}{8}$ " fascias and finials.



1%" Portfolio page 17 | 1%" Quick Ship page 97 | 2%" Portfolio page 22 | 2%" Quick Ship page 102



1 %" Portfolio page $17 \mid 1 \%$ " Quick Ship page $97 \mid 2 \%$ " Portfolio page $23 \mid 2 \%$ " Quick Ship page $102 \mid 2 \%$ " Portfolio page $102 \mid 2 \%$ " Portfolio page $102 \mid 2 \%$ " Quick Ship page $102 \mid 2 \%$ " Portfolio page $102 \mid$

Heavy Duty Corded or Baton Traverse Systems Pricing

Manual Heavy Duty Corded or Baton Traverse System with Wood Fascia

| Track System with Woo Corded Systems | od Fascia(s) for 1 3/8" round Baton Systems (baton | | 4' | 6' | 8' | 10' | |
|---|---|--|------------|------------|------------|------------|--|
| CSPTHC138WF | CSPTHB138WF | Single with Fascia, No Rings | \$489.72 | \$731.72 | \$973.72 | \$1,215.72 | |
| CSPTHC138WFFDBL | CSPTHB138WFFDBL | Double with Front Fascia, No Rings | \$816.20 | \$1,218.47 | \$1,620.74 | \$2,023.01 | |
| CSPTHC138WFDBL | CSPTHB138WFDBL | Double with Front & Back Fascias, No Rings | \$979.44 | \$1,463.44 | \$1,947.44 | \$2,431.44 | |
| CSPTHC138WFC | CSPTHB138WFC | Single with Fascia, C-Rings | \$781.22 | \$1,186.57 | \$1,591.92 | \$1,997.27 | |
| CSPTHC138WFFCDBL | CSPTHB138WFFCDBL | Double with Front Fascia, C-Rings | \$1,107.70 | \$1,688.50 | \$2,269.30 | \$2,850.10 | |
| CSPTHC138WFCDBL | CSPTHB138WFCDBL | Double with Front & Back Fascias, C-Rings | \$1,270.94 | \$1,918.29 | \$2,565.64 | \$3,212.99 | |

Track System with Wood Fascia(s) for 1% slim, $2\frac{1}{4}$ flat smooth, $2\frac{1}{4}$ round*


*available in 2 1/4" round only

| Corded Systems | Baton Systems (batons s | old separately) | | | | | |
|------------------|-------------------------|--|------------|------------|------------|------------|--|
| CSPTHC214WF | CSPTHB214WF | Single with Fascia, No Rings | \$635.47 | \$962.17 | \$1,288.87 | \$1,615.57 | |
| CSPTHC214WFFDBL | CSPTHB214WFFDBL | Double with Front Fascia, No Rings | \$961.95 | \$1,464.10 | \$1,966.25 | \$2,468.40 | |
| CSPTHC214WFDBL | CSPTHB214WFDBL | Double with Front & Back Fascias, No Rings* | \$1,270.94 | \$1,924.34 | \$2,577.74 | \$3,231.14 | |
| CSPTHC214WFC | CSPTHB214WFC | Single with Fascia, C-Rings * | \$932.80 | \$1,416.80 | \$1,900.80 | \$2,384.80 | |
| CSPTHC214WFFCDBL | CSPTHB214WFFCDBL | Double with Front Fascia, C-Rings * | \$1,259.28 | \$1,918.73 | \$2,578.18 | \$3,237.63 | |
| CSPTHC214WFCDBL | CSPTHB214WFCDBL | Double with Front & Back Fascias, C-Rings * | \$1,568.27 | \$2,378.97 | \$3,189.67 | \$4,000.37 | |
| CSPTHC214SDBL | CSPTHB214SDBL | Double with Stationary Front & No Fascia * | \$820.86 | \$1,151.19 | \$1,481.52 | \$1,811.85 | |
| CSPTHC214WFBSDBL | CSPTHB214WFBSDBL | Double with Stationary Front & Back Fascia * | \$1,129.85 | \$1,611.43 | \$2,093.01 | \$2,574.59 | |

Manual Heavy Duty Corded or Baton Traverse System without Wood Fascia

| Single Track System Corded Systems | track available in white an Baton Systems (batons s | | 4' | 6' | 8' | 10' | |
|---------------------------------------|---|-----------------------|----------|------------|------------|------------|--|
| CSPTHCTRACK | CSPTHBTRACK | Single with No Fascia | \$326.48 | \$501.93 | \$677.38 | \$852.83 | |
| CSPTHCTRACKDBL | CSPTHBTRACKDBL | Double with No Fascia | \$652.96 | \$1,003.86 | \$1,354.76 | \$1,705.66 | |

includes 1 track, components, your choice of brackets, and fascia with fascia clips when applicable.



Quantity per System

| Quantity included per system based on cut track length | 4' | 6' | 8' | 10' | 12' | 14' | 16' | 18' | 20' |
|--|----|----|----|-----|-----|-----|-----|-----|-----|
| Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)] | 16 | 24 | 32 | 40 | 48 | 56 | 64 | 72 | 80 |
| Brackets (1 per every 3-4 feet) | 2 | 3 | 4 | 4 | 5 | 6 | 6 | 7 | 8 |

Note: All orders with poles and/or traverse rods will incur a \$10.00 packaging fee per order.

Pricing Includes Track, Components and your choice of TB035-, TB060- or TB100- Brackets

Spliced systems begin at 16' for Corded and 20' for Baton

| 12' | 14' | 16' | 18' | 20' | per add'l 2 ft |
|------------|------------|------------|------------|------------|-------------------|
| \$1,457.72 | \$1,699.72 | \$1,941.72 | \$2,183.72 | \$2,425.72 | \$242.00 |
| \$2,425.28 | \$2,827.55 | \$3,229.82 | \$3,632.09 | \$4,034.36 | \$402.27 |
| \$2,915.44 | \$3,399.44 | \$3,883.44 | \$4,367.44 | \$4,851.44 | \$484.00 |
| \$2,402.62 | \$2,807.97 | \$3,213.85 | \$3,618.67 | \$4,024.02 | \$405.35 |
| \$3,430.90 | \$4,011.70 | \$4,592.50 | \$5,173.30 | \$5,754.10 | \$580.80 |
| \$3,860.34 | \$4,507.69 | \$5,155.04 | \$5,802.39 | \$6,449.74 | \$647.35 |

| \$1,942.27 | \$2,268.97 | \$2,595.67 | \$2,922.37 | \$3,249.07 | \$326.70 |
|------------|------------|------------|------------|------------|----------|
| \$2,970.55 | \$3,472.70 | \$3,974.85 | \$4,477.00 | \$4,979.15 | \$502.15 |
| \$3,884.54 | \$4,537.94 | \$5,191.34 | \$5,844.74 | \$6,498.14 | \$653.40 |
| \$2,868.80 | \$3,352.80 | \$3,836.80 | \$4,320.80 | \$4,804.80 | \$484.00 |
| \$3,897.08 | \$4,556.53 | \$5,215.98 | \$5,875.43 | \$6,534.88 | \$659.45 |
| \$4,811.07 | \$5,621.77 | \$6,432.47 | \$7,243.17 | \$8,053.87 | \$810.70 |
| \$2,142.18 | \$2,472.51 | \$2,802.84 | \$3,133.17 | \$3,463.50 | \$330.33 |
| \$3,056.17 | \$3,537.75 | \$4,019.33 | \$4,500.91 | \$4,982.49 | \$481.58 |

Spliced systems begin at 16' for Corded and 20' for Baton

| 12' | 14' | 16' | 18' | 20' | per add'l 2 ft |
|------------|------------|------------|------------|------------|-------------------|
| \$1,028.28 | \$1,203.73 | \$1,379.18 | \$1,554.63 | \$1,730.08 | \$175.45 |
| \$2,056.56 | \$2,407.46 | \$2,758.36 | \$3,109.26 | \$3,460.16 | \$350.90 |

Additional Heavy Duty Traverse Fees

| PTHFEEMITER-EACH Wood Fascia Mitered Return per return | \$80.00 |
|---|-----------|
| PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection | \$65.00 |
| PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection | \$65.00 |
| PTHFEEBLEND Blended Fascia Splice per blend | \$108.00 |
| PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fascia | \$65.00 |
| PTHFEERESTRING Restringing Fee per track | \$100.00 |
| Standard 45 Fascia Splice | No Charge |

Please specify:

- · Item number for track or track with wood fascia
- Track length (custom cut length is finished track length + 1/4" fascia on each end to receive finial)
- Track and matching bracket color (if not specified, we will select color to match fascia finish)
- · Bracket return: see page 80 for details.
- · Cord location: right or left
- · Draw: center, one-way stack right or one-way stack left
- Number of carriers if different than 4 per foot
- · Pinch pleat or Ripplefold® style carriers
- Cord drop (standard is 120")
- · Finish name for fascia, if selected

Component Colors

| Colors | White | Bronze |
|--------------------|-------|--------|
| Track | • | • |
| Master Carriers | • | • |
| Glides | • | • |
| Brackets | • | • |
| End Pulleys / Caps | • | • |

Product information

- Single Corded or Baton traverse system price includes: traversing track, components, brackets (see system quantity chart on previous page) and 3 - 4 carriers per foot.
- Sold in 2' in increments, 4' minimum.
- · Cut to specified length. Fall off will not be saved or shipped.
- · Track maximum continuous length up to 240 inches (20'); splice lengths available up to 40' for center draw only.
- \cdot $\;$ Track, bracket and components available in White or Bronze.
- Center or One-Way draw available.
- Fascia, if selected, in 1 3/8" or 2 1/4" wood pole profiles, available up to 16' in Portfolio or 12' in Quick Ship, is clipped onto traverse system track with a fascia L-bracket. Fascia over 16' in Portfolio finishes and 12' in Quick Ship finishes will be spliced.
- · Standard cord drop: 120"
- Mitered fascia will add the following to the traverse system:

| Fascia | Depth | + to traverse system |
|------------|--------|----------------------|
| 1 3/8" | 7/8" | 2" |
| 2 1/4" | 1 3/8" | 3" |
| Flat | 3/4" | 1 3/4" |
| Slim Round | 5/8" | 1 1/2" |

Heavy Duty Stack Back Calculation (each drapery panel)

Heavy Duty pinch pleat: master carrier + (# glides on panel x .63") + 2.75" (0") = stack per drapery panel for cord draw (baton draw)

Heavy Duty Ripplefold*: master carrier + (# glides on panel x .563") + 2.75" (0") = stack per drapery panel for cord draw (baton draw)

*note: number of glides on panel depends on which fullness of Ripplefold tape being used. Consult your workroom for quantity.

EX: Heavy Duty pinch pleat, 20ft. one-way cord draw (standard 4 glides per ft.)


4.25" + [80 glides on panel x .63"] + 2.75" = 57.5" stack back, per drapery panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.


Heavy Duty Corded Traverse Systems Information

| | HD Corded Single TB035-H /BR | $2^{11}/16$ " H x 1 $\frac{1}{2}$ " W backplate, adjustable up to 5 $\frac{3}{6}$ " return Available in white or bronze /BR. | \$33.52 each |
|-------------------------|---|--|--------------------|
| | HD Corded Single or Double TB060-H | $3^{5/16}$ " H x 1 $1\frac{1}{2}$ " W backplate, adjustable 6" - 7 $\frac{1}{2}$ " front return and 3" back return Available in white or bronze /BR. | \$53.64 each |
| ТВ035-Н ТВ060-Н ТВ100-Н | HD Corded Single, Double or Triple TB100-H /BR | $4\frac{1}{2}$ " H x $1\frac{1}{2}$ " W backplate, adjustable up to 11 $\frac{1}{4}$ " return Available in white or bronze/BR. | \$53.64 each |
| 787 | HD Corded Ceiling Mount Clip Single CD533 | ⁵ /s" H x 2 ⁵ /s" D x ⁷ /s" W May only be used in corded systems without fascia - for double ceiling mount installation, install two brackets into ceiling. Available in white. | \$3.34 NET each |
| | HD Corded Fascia Mount Clip CD4001FC | 1/2" H x 1" W Use to attach fascia to corded traverse systems; included. Available in zinc. | \$7.79 NET each |
| | Corded Pinch Pleat Master Carrier /BR CD3300R or CD3300L | Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right. | \$5.99 NET each |
| | Corded Ripplefold Overlap Master Carrier BR CD3412R or CD3412L | Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right. | \$5.99 NET each |
| | Corded Ripplefold Butt Master Carrier CD3600R or CD3600L FER | Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to filter between draperies on center draw treatments. Must be specified for substitution. Available in white or bronze /BR and left or right. | \$6.20 NET each |
| | Corded Pinch Pleat C-Ring Master Carrier CD3500R or CD3500L | Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right. | \$5.04 NET each |
| | Corded Universal End Pulley Body E CD4311R or CD4311L | Pendants sold separately. Available in white or bronze /BR and left or right. | \$5.99 NET each |
| • • | Corded One-Way End Pulley Body © CD4310R or CD4310L | Pendants sold separately. Available in white or bronze /BR and left or right. | \$2.92 NET each |
| | HD Custom Over-Bracket Single and | '2" H x ¾" W backplate, 7 %" front return and 3" back return e to combine 2 ¼ full wood pole with single traverse systems; cludes traverse ceiling mount bracket attached onto the ttom of the over-bracket. Fascias sold separately. Available in y of our 35 hand painted Portfolio finishes, 5 Quick Ship Wood Resin finishes or your own custom PTH Perfect Match™ finish. | \$93.86 each |
| | HD Custom ins Ceiling Single CMTB-H B. C. I | 4" H x ¾" W backplate. Specify drop: contingent upon which cia or finials are chosen - for double ceiling mount installation, tall two brackets into ceiling. Steel sen ordering, specify: Fascia diameter and profile. Projection to carrier and/or to front of fascia. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling). Width of mounting plate if longer than 2 ¾". | \$80.45 each |

Single Corded Bracket TB035-H




Single or Double Corded Bracket TB060-H




Scan the QR code to the right or visit bit.ly/PTH-C-Rings for diagrams of C-Ring Systems »




Single, Double or Triple Corded Bracket TB100-H




Corded Single Ceiling Mount Bracket CD533



Custom Over-Bracket TBKT214-H




Custom Ceiling Bracket CMTB-H



When ordering, specify:

- A. Fascia diameter and profile.
- B. Projection to carrier and/or to front of fascia.
- Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).
- D. Width of mounting plate if longer than 2 3/4".

Corded Track






ANSI Standards: Child Safety Warning Tags

ANSI Standard 100.1: Safety of Corded Window Coverings Requires warning tags for child safety on all interior drapery hardware and window covering products that incorporate cords, bead chains, cord shrouds or any type of flexible loop control device in their operation INCLUDING sales collateral materials.


Heavy Duty Baton Traverse Systems Information

| ТВ035-НВ | HD Baton Single TB035-HB | 2 ¹¹ /16" H x 1 ½" W backplate, adjustable up to 4" return Available in white or bronze /BR. | \$33.52 each |
|-----------------------|--|--|--------------------|
| | HD Baton Single or Double TB060-HB ER | 3 ³ /8" H x 1 ½" W backplate, adjustable 5 ¼" - 6" front return and adjustable 2 ¼" - 3 ½" back return Available in white or bronze /BR. | \$53.64 each |
| TDOCO LID. TDYCO LID. | HD Baton Single, Double or Triple TB100-HB | 4 ½" H x 1 ½" W backplate, adjustable up to 9 ¾" return Available in white or bronze /BR. | \$53.64 each |
| ТВ060-НВ ТВ100-НВ | HD Baton Ceiling Mount Clip Single BT5333 | 1/4" H x 2 1/4" D x 1" W May only be used in baton systems without fascia - for double ceiling mount installation, install two brackets into ceiling. Available in white. | \$1.06 NET each |
| | HD Baton Fascia Mount Clip BT4003NFC | ¹ / ₂ " H x 1" W Use to attach fascia to baton traverse systems; included. Available in zinc. | \$7.79 NET each |
| | Baton Pinch Pleat Master Carrier BR BT3005R or BT3005L | Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right. | \$5.04 NET each |
| | Baton Ripplefold Overlap Master Carrier ER BT3125R or BT3125L | Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right. | \$5.99 NET each |
| | Baton Ripplefold Butt Master Carrier ER BT3600R or BT3600L | Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to filter between draperies on center draw treatments. Must be specified for substitution. Available in white or bronze /BR and left or right. | \$6.20 NET each |
| | Baton Pinch Pleat C-Ring Master Carrier ER BT3501R or BT3501L | Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right. | \$5.04 NET each |
| | Baton Pinch Pleat End Cap BT4013 ER | Available in white or bronze /BR. | \$1.38 NET each |
| | Baton Pinch Pleat C-Ring End Cap BT4500 FBR | Right or Left. Pinch Pleat with C-Rings. Available in white or bronze /BR. | \$1.38 NET each |
| | Baton Ripplefold End Cap BT4123 | Available in white or bronze /BR. | \$1.48 NET each |
| | HD Custom Over-Bracket Single TRICTULE LIB | ½" H x ¾" W backplate, 7 %" front return and 3" back return e to combine 2 ¼ full wood pole with single traverse systems; cludes traverse ceiling mount bracket attached onto the ettom of the over-bracket. Fascias sold separately. Available in by of our 35 hand painted Portfolio finishes, 5 Quick Ship Wood desin finishes or your own custom PTH Perfect Match™ finish. | \$93.86 each |
| | Coiling Single | 4" H x 3/4" W backplate. Specify drop: contingent upon which cia or finials are chosen - for double ceiling mount installation, tall two brackets into ceiling. | \$80.45 each |

Single Baton Bracket TB035-HB




Single or Double Baton Bracket TB060-HB




Scan the QR code to the right or visit bit.ly/PTH-C-Rings for diagrams of C-Ring Systems »




Single, Double or Triple Baton Bracket **TB100-HB**




Baton Single Ceiling Mount Bracket



Custom Over-Bracket TBKT214-HB



Custom Ceiling Bracket CMTB-HB



When ordering, specify:

- A. Fascia diameter and profile.
- B. Projection to carrier and/or to front of fascia.
- C. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).
- D. Width of mounting plate if longer than 2 3/4".

Heavy Duty Corded or Baton Traverse Systems Information

Carriers for additional carriers.

Pinch Pleat





Pinch Pleat Glide CP10 or CP10/BR /BR

Ball Bearing Wheel for smooth movement. Available in white or bronze/BR.

Included in system pricing.

\$3.13 NET pack (10 pieces)

Ripplefold





Ripplefold Glide R4060/P R4060/P/BR R4080/P R4080/P/BR R4100/P R4100/P/BR R4120/P R4120/P/BR

Ripplefold Glides with detachable pendents. Available in 60%, 80%, 100% or 120% fullness specify fullness on order. Available in white or bronze/BR.

\$0.67 NET each

Pinch Pleat with C-Rings



For C-Ring System Diagrams, see page 74.



13/8" C-Rings carriers sold separately

2" ID, 3 1/4" OD

Available in all 35 Portfolio custom hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™

\$13.41 each



2 1/4" C-Rings carriers sold separately

3 1/8" ID, 4 3/8" OD

Available in all 35 Portfolio custom hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.

\$20.11 each




C-Ring Glide BR CPC10 or CPC10/BR


\$1.91 NET pack (10 pieces)

See pages 80 & 82 for Master Carrier options.

Pinch Pleat Carriers




Ripplefold Carriers



Heavy Duty Butt Master Carriers







Drapery Return Bracket CP500

9/16" H x 1/2" W backplate, Allows for return on track hardware in traverse systems; included. Available in zinc only.

\$3.45 NET pack (10 pieces)



Glide Stop BT4333

Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.


\$0.58 NET each

| | |
|-------|---------------|
| TEXAS | ₩ ~ |
| X | 7 |
| LE | `≥ |
| | ۵ |
| ARIS | <u>~</u> |
| Y. | ⋖ |
| ~ | - |


Heavy Duty Traverse Order Form

| HAKDWAKE PO# | | | Side | Side Mark | | Ship via | | | Date | | |
|---|---|---|--------------------------|-----------------------|---|---|---------------------------------|--|----------------|-------------------|----------|
| Company Information | ı | | | | Shipping Information | ,on | | | | | |
| Company Name | | Acct # | | | Company Name | | | Α_ | Acct # | | |
| Contact Person | | | | | Contact Person | | | | | | |
| Street Address | | | | | Street Address | | | | | | |
| City | | State | | ZIP | City | | | S | State | ZIP | |
| Email | | | | | Email | | | | | | |
| Phone | Fax | | | | Phone | | | Fax | | | |
| HEAVY-DUTY TRAVERSE SYSTEMS - Consult Price List for detailed specifications. Specified custom cut length includes pulleys or end caps. For mitered returns, see page 79. | - Consult Price Lis s or end caps. For | st for detailed mitered return | l specific 1s, see pa | ations. ye 79. | | | | | | | |
| Item # | System Fascia Length Type (per 2) | Custom n Cut h Length (inches) | Fascia Finish Code | Bracket Preference | Draw Preference Center One-Way Lo | Cord Length Cord (standard Location 120") | th Baton ard Draw Option* | Glides Pinch Pleat or Ripplefold* | Qty | Price per Unit | Subtotal |
| | | | | | ☐ L ☐ R |]L | | PP RF | | | |
| | | | | | | L R | | □ PP □ RF | | | |
| | | | | | | L R | | PP RF | | | |
| | | | | | | L R | | PP RF | | | |
| | | | | | | | | | | | |
| HEAVY-DUTY TRAVERSE COORDINATING ACCESSORIES A Order finials, mitered returns, and accessories here. | ITING ACCESSC pries here. | | OITIGG | VD ADDITIONAL FEES | | | | | | | |
| Item# | Finish Code | | | | Description | | | Qty | Price per Unit | | Subtotal |
| | | | | | | | | | | | |
| Additional Information | | | | | | * | aton draw | * Baton draw option available; batons sold separately. | e; batons so | old separate | ely. |
| Quantity included per system based on cut track length | .4 | 6' 8' 10' | 12' 14' 1 | 16' 18' 20' | | | | | 1014 | | |
| Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)] | 16 | 24 32 40 | 48 56 6 | 64 72 80 | | | | | | ł | |
| Brackets (1 per every 3-4 feet) | 2 | 3 4 4 | 9 9 | 6 7 8 | | | | | | | |
| Special Instructions | | | | | | * When | ordering F | * When ordering Ripplefold carriers, answer these questions: | ers, answer | these ques | tions: |





1 1/8" Modern Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on page 89.









1 1/8" Clean Deco Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on next page.






1 1/8" Transitional Luxe Finial Collection fits 1/4" poles. Finial adapters are required to adapt to 1/4" metal traverse, sold separately on next page.



1 %" Mix & Match create an even more customized design!





Transitional and Deco Cuffs / Finial Adapters

Style Meets Function

1 1/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 1/8" Finials across five style categories using either Cuff / Finial Adapter. See pages 63 - 67.





Declan Single

2" DIA backplate, 3 ½" return

1 1/8" Modern Metal Brackets fit the 1/8" pole.

Note: Return indicates distance from wall to center of pole.



Declan 6" Single


2" DIA backplate, 6" return

OS118DEDBK

Declan Double

2" DIA backplate, 6 1/2" front return and 3 ½" back return

\$52.47 each \$58.30 each \$64.13 each





QS118AXSBK Axel Single

2" DIA backplate, 3 ½" return

\$58.30 each


QS118AXS6BK Axel 6" Single

2" DIA backplate, 6" return


QS118AXDBK **Axel Double**

2" DIA backplate, 6 1/2" front return and 3 ½" back return

\$64.13 each



\$52.47 each



Axel Double

Bypass Support Brackets Use with Caden C-Ring.

*CAUTION: Aiden Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1 1/8" pole to secure it.

Declan Brackets must be installed at each end to secure 1 1/8" pole.



QS118AESBK Aiden Single

2" DIA backplate, 3 ½" return, use with Caden C-Rings

\$52.47 each



Axel 6" Single

OS118AEDBK Aiden Double

2" DIA backplate, 6 ½" front return and 3 ½" back return, %16" clearance above backplate, use with Caden C-Rings


\$64.13 each




QS118IMBK Inside Mount

1 13/16" DIA backplate x 1 1/4" D, $^{3}\!/_{16}$ " thick backplate per bracket

\$64.13 pair*





11/8" Metal Pole

1 1/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12' on BN, SG, CZ and MK finishes; up to 8' on RGD and BZ finishes. 1 1/8" metal poles are supplied with plastic inserts to attach the finials.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.


| QS118ME02 | QS118ME04 | QS118ME06 | QS118ME08 | QS118ME10 | QS118ME12 |
|--------------|--------------|--------------|---------------|---------------|---------------|
| 2' | 4' | 6' | 8' | 10' | 12' |
| \$29.15 each | \$58.30 each | \$87.45 each | \$116.60 each | \$145.75 each | \$174.90 each |



11/8" Metal Rings fit the 11/8" pole.


Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1 %" Metal Accessories

| Metal Baton | Clear Acrylic Baton |
|---------------------------------|-------------------------------|
| ¾8" DIA, Metal | ½" DIA, Acrylic |
| QSME36WAND - 36" - \$58.30 each | AC36WAND - 36" - \$52.47 each |
| QSME48WAND - 48" - \$64.13 each | AC48WAND - 48" - \$58.30 each |
| QSME60WAND - 60" - \$69.96 each | AC60WAND - 60" - \$64.13 each |







Modern Holdback Medallions fit modern holdback stems only.




Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.




« Don't forget to order your **Holdback Stems** separately

136" Modern Finial Collection fits the 136" metal pole and metal traverse.









13/8" Modern Metal Brackets fit the 13/8" pole.


Note: Return indicates distance from wall to center of pole.











Bypass Support Brackets Use with Calla C-Ring.

*CAUTION: Talon Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1 3/8" pole to secure it

Grant Brackets must be installed at each end to secure 1 3/8" pole.



QS138TASBK Talon Single

2 ½" DIA backplate, 3 ½" return, use with Calla C-Rings

\$58.30 each

QS138TADBK Talon Double

2 ½" DIA backplate, 6 ½" front return and 3 ½" back return, 3/8" clearance above backplate, use with Calla C-Rings


\$69.96 each




QS138IMBK Inside Mount

2" DIA backplate, 1 %/16" D, 1/4" thick backplate per bracket

\$69.96 pair*





1%" Metal Pole | 1%" Acrylic Pole

1 %" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12' on BN, SG, CZ and MK finishes; up to 8' on RGD and BZ finishes. 1 3/8" metal poles are supplied with plastic inserts to attach wood & resin finials, if desired. Acrylic poles only work with the 1 3/8" Modern Finial Collection.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.


| QS138ME02 | QS138ME04 | QS138ME06 | QS138ME08 | QS138ME10 | QS138ME12 |
|--------------|---------------|---------------|---------------|---------------|---------------|
| 2' | 4' | 6' | 8' | 10' | 12' |
| \$34.98 each | \$69.96 each | \$104.94 each | \$139.92 each | \$174.90 each | \$209.88 each |
| QS138AC02 | QS138AC04 | QS138AC06 | QS138AC08 | QS138AC10 | QS138AC12 |
| 2' | 4' | 6' | 8' | 10' | 12' |
| \$89.78 each | \$179.56 each | \$269.35 each | \$359.13 each | \$448.91 each | \$538.69 each |



13/8" Metal Rings fit the 13/8" pole.


Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1 3/8" Metal Accessories







QS138MEL Hinged Elbow

13/8" DIA, 27/8" overall length, 2" Leach side when hent Metal

\$52.47 each



PSME138403 Pole Splice

4 3/4" L, must be ordered separately

\$8.16 each

Modern Holdback Medallions fit modern holdback stems only.



Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



« Don't forget to order your Holdback Stems separately

13/8" Today's Traditional Finial Collection fits the 13/8" wood poles and heavy duty traverse.


| QS138AUEC | QS138BRFI | QS138EVFI | QS138JUFI | QS138LEFI |
|--|------------------------------|---|----------------------------|--------------------------|
| Aubrie End Cap | Bradford | Everette | June | Leo |
| ³ / ₄ " L x 2 ¹ / ₄ " W Resin | 3 1/4" L x 2 1/4" W Resin | 2 %" L x 3 ¼" W [2 ½" square] Resin | 2 ¾" L x 2 5/8" W Resin | 3 ½" L x 2 ¾" W Resin |
| \$46.64 pair* | \$81.62 pair* | \$81.62 pair* | \$81.62 pair* | \$81.62 pair* |



13%" Heritage Classics Finial Collection fits the 136" wood poles and heavy duty traverse.



1 3/8" Mix & Match create an even more customized design!



3/4" L x 1 1/2" W

- · Metal, Available in any of our 5 Quick Ship Wood & Resin Finishes
- · Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$45.47 pair*

1 %" R-TEC and Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 %" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



Transitional Cuff/Finial Adapter QS138CUFF not required with Metal Traverse Systems on pages 32 - 41 and 68 - 73*



*Requires Transitional Cuff / Finial Adapter QS138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73




*Requires Transitional Cuff / Finial Adapter QS138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73



13/8" Wood & Resin Brackets fit the 13/8" wood poles.

Note: Return indicates distance from wall to center of pole.







13/8" Metal Brackets fit the 13/8" wood poles.

Note: Return indicates distance from wall to center of pole.







13/8" Wood Poles

13/8" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

| tees in a radio with period analysis araking a distribution of pasting red period of the radio. | | | | | |
|---|--------------------------|--------------------------|--------------------------|---------------------------|---------------------------|
| QS138SM02 | QS138SM04 | QS138SM06 | QS138SM08 | QS138SM10 | QS138SM12 |
| Smooth - 2' | Smooth - 4' | Smooth - 6' | Smooth - 8' | Smooth - 10' | Smooth - 12' |
| \$58.30 each | \$116.60 each | \$174.90 each | \$233.20 each | \$291.50 each | \$349.80 each |
| | | | | | |
| QS138GR02 | QS138GR04 | QS138GR06 | QS138GR08 | QS138GR10 | QS138GR12 |
| Grooved / Fluted - 2' | Grooved / Fluted - 4' | Grooved / Fluted - 6' | Grooved / Fluted - 8' | Grooved / Fluted - 10' | Grooved / Fluted - 12' |
| \$58.30 each | \$116.60 each | \$174.90 each | \$233.20 each | \$291.50 each | \$349.80 each |
| | | | | | - |
| QS138RE02 | QS138RE04 | QS138RE06 | QS138RE08 | QS138RE10 | QS138RE12 |
| Reeded - 2' | Reeded - 4' | Reeded - 6' | Reeded - 8' | Reeded - 10' | Reeded - 12' |
| \$58.30 each | \$116.60 each | \$174.90 each | \$233.20 each | \$291.50 each | \$349.80 each |









Smooth Wood Pole QS138SM

Wood

Grooved / Fluted Wood Pole QS138GR Wood




Reeded Wood Pole QS138RE Wood

13/8" Wood & Metal Rings fit the 13/8" wood poles. Note: Ring drop indicates distance from bottom of pole to bottom of ring.

A ring's drop changes on different diameter poles.**





EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.



1 3/8" Accessories









Transitional Holdback Medallions

fit transitional holdback stems.





Don't forget to order your **Holdback Stems** separately ≥

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



2 1/4" Today's Traditional Finial Collection fits the 2 1/4" wood poles and heavy duty traverse.






2 ¼" Heritage Classics Finial Collection fits the 2 ¼" wood poles and heavy duty traverse.





21/4" Wood & Resin Brackets fit the 21/4" wood poles.


Note: Return indicates distance from wall to center of pole.



2 1/4" Metal Brackets fit the 2 1/4" wood poles.

*Sold in pairs only.

Note: Return indicates distance from wall to center of pole.



21/4" Wood Poles

2 1/4" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

| | | · · · · · · · · · · · · · · · · · · · | | | |
|--------------------------|--------------------------|---------------------------------------|--------------------------|---------------------------|---------------------------|
| QS214SM02 | QS214SM04 | QS214SM06 | QS214SM08 | QS214SM10 | QS214SM12 |
| Smooth - 2' | Smooth - 4' | Smooth - 6' | Smooth - 8' | Smooth - 10' | Smooth - 12' |
| \$81.62 each | \$163.24 each | \$244.86 each | \$326.48 each | \$408.10 each | \$489.72 each |
| | | | | | |
| QS214GR02 | QS214GR04 | QS214GR06 | QS214GR08 | QS214GR10 | QS214GR12 |
| Grooved / Fluted - 2' | Grooved / Fluted - 4' | Grooved / Fluted - 6' | Grooved / Fluted - 8' | Grooved / Fluted - 10' | Grooved / Fluted - 12' |
| \$81.62 each | \$163.24 each | \$244.86 each | \$326.48 each | \$408.10 each | \$489.72 each |
| | | | | | |
| QS214RE02 | QS214RE04 | QS214RE06 | QS214RE08 | QS214RE10 | QS214RE12 |
| Reeded - 2' | Reeded - 4' | Reeded - 6' | Reeded - 8' | Reeded - 10' | Reeded - 12' |
| \$81.62 each | \$163.24 each | \$244.86 each | \$326.48 each | \$408.10 each | \$489.72 each |









Smooth Wood Pole QS214SM Wood

Grooved / Fluted Wood Pole QS214GR Wood




Reeded Wood Pole QS214RE Wood

$2 \frac{1}{4}$ " Rings fit the $2 \frac{1}{4}$ " wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**






EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.



2 1/4" Accessories










Transitional Holdback Medallions

fit transitional holdback stems.





Don't forget to order your **Holdback Stems** separately ≥

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.



Sales Tools

Inspire your clients with professional sales tools designed to showcase Paris Texas Hardware™ and drive revenue for your business. Select from Wall Displays and Table Top Displays with the newest finial designs and finishes.



PTH22POMWDB

Portfolio Metal Wall Display Board 24" H x 24" W x 6 1/4" Deep Wall Mount

\$250.00 NET price



PTH22QSMWDB

Quick Ship Metal Wall Display Board 24" H x 24" W x 6 1/4" Deep Wall Mount

\$250.00 NET price



PTH22POWRDB

Portfolio Wood & Resin Wall Display Board 24" H x 24" W x 6" Deep Wall Mount


\$350.00 NET price



PTH22QSWRDB

Quick Ship Wood & Resin Wall Display Board 24" H x 24" W x 6" Deep Wall Mount

\$350.00 NET price



PTH22TDB

Traverse Wall Display Board 24" H x 24" W x 6" Deep Wall Mount

\$250.00 NET price



R-TEC Automation® Display Kit (case & kit*) RTMDK 30 1/4" H x 26 1/4" W x 8" Deep (case) *R-TEC Smart Controls not included; see page 45 for our selection.

\$300.00 NET price

Order Modules Separately:

- » R-TEC Automation® Motorized Metal Module RTMDK/FMH \$100.00
- » R-TEC Automation® Track Module with Fascia* RTMDK/TRACK \$100.00
 - *1 3/8" fascia included for reference only; see page 49 for a full list of fascia styles available in this collection, and choose from any of our 35 Portfolio Hand Painted Finishes, 5 Quick Ship Wood & Resin Finishes or your own PTH Perfect Match™ Finish.
- » Slim Drapery Motor + Battery Kit* RTMLDKIT \$350.00 *Works with motorized metal and track modules above.



PTH22TTPO

Portfolio Table Top Display 12" H x 20" W x 8" Deep

\$200.00 NET price



PTH22TTQS

Quick Ship Table Top Display 8 5/8" H x 20" W x 8" Deep

\$200.00 NET price





PARIS TEXAS HARDWARE™

FABRICUT°

9303 EAST 46TH STREET TULSA, OKLAHOMA 74145

PH: 800.763.1348 • FAX: 833.708.0401

FABRICUT.COM



ParisTexasHardware.com