



THERE ARE PEOPLE WHO DRIVE TO TRANSPORT GOODS. THEY SEARCH FOR FRIENDS.

PEOPLE WHO TRAVEL TO UNKNOWN DESTINATIONS.

SEARCH FOR INFORMATION.

PEOPLE WHO EXPLORE NATURE SEEKING ADVENTURE.

THEY SOMETIMES NEED TO SEARCH FOR HELP.

RIDERS WHO DOMINATE CURVES.

SEARCH FOR SECURITY.

WHATEVER YOUR STORY.
FOLLOW THE WAVE.

FOLLOW MIDLAND



FOLLOW OUR TALE OF INNOVATION FOR OVER 60 YEARS.

1959

1977

1ST CERTIFIED CB RADIO ON THE EUROPEAN MARKET

1998

1ST LPD WALKIE-TALKIE IN THE WORLD

2008

1ST BIKE TO BIKE INTERCOM IN THE WORLD

2013

1ST ACTION CAM WITH WI-FI REMOTE CONTROL

2016

1ST APP THAT EXCEEDS THE LIMITS OF COMMUNICATION BETWEEN RIDERS

2018

1ST DIGITAL CB MIKE

2019

CB TALK APP, THE LARGEST COMMUNITY OF DRIVERS

2020

1ST HANDS-FREE KIT FOR CB

MIDLAND NEVER STOPS.

THE CB RADIO BEST SUITED FOR YOUR NEEDS

- **MODEL COMPARISON**
 - 7 CB HANDS-FREE KIT
 - 9 DUAL MIKE WIRELESS
 - 10 CB TALK APP
 - 11 MIDLAND 88
 - 13 ALAN 48 PRO
 - 14 ALAN 78 PRO
 - 15 ALAN QUARANTOTTO
 - 16 ALAN SESSANTOTTO

- 17 MIDLAND M-30
- 18 MIDLAND M-20
- 19 MIDLAND M-10
- 20 MIDLAND M-5
- 21 MIDLAND M-MINI USB
- 22 MIDLAND M ZERO PLUS
- 22 ALAN 100 PLUS B
- 23 ALAN 42 DS
- 25 ACCESSORIES
- 38 SUMMARY TABLES

RADIO

- 42 WHICH RADIO TO CHOOSE
- 44 MODEL COMPARISON

WALKIE TALKIE

- 45 777 PRO
- 47 G18
- 48 G15 PRO
- 49 G13
- 51 G11 PRO
- 52 G10 PRO
- 53 G9 PRO
- 54 G7 PRO
- 55 G9 G7 WORK EDITION
- 56 XT70 XT70 ADVENTURE
- 57 XT60
- 58 XT50 XT50 ADVENTURE

- 59 XT30 XT10
- 60 GB1-R
- 61 VHF/UHF RADIO
- 62 MODEL COMPARISON

AMATEUR

- 63 CT 990
- 64 CT 590 S
- 65 CT 3000

PROFESSIONAL

- 66 ALAN HP108
- 67 ALAN HM135 67 ALAN HM106

NAUTICAL

- 68 ARCTIC
- **70 ACCESSORIES**
- 77 SUMMARY TABLES

VIDEO CAMERAS

81 MODEL COMPARISON DASH CAM

- 82 BIKE GUARDIAN WI-FI
- 83 BIKE GUARDIAN
- 84 STREET GUARDIAN FLAT
- 85 STREET GUARDIAN GPS+
- 86 STREET GUARDIAN DUAL
- 87 TRUCK GUARDIAN WIRELESS

ACTION CAM

- 88 H9
- 90 H5+
- 91 H3+
- 92 ACCESSORIES
- 95 SUMMARY TABLES
 - 97 ER200
 - 98 ER300

INTERCOMS

100 AN INTERCOM FOR EVERY NEED **102 THE RANGE**

MIDLAND GROUP





THE CB RADIO BEST SUITED FOR YOUR NEEDS.

Are you a truck driver? Do you have a camper or an off-road vehicle?

Do you want to use the so-called "citizen band" to communicate with others?

Below you will find a small guide for your needs.

In the following pages, you will find every detail and technical information regarding each model.

YOUR FIRST CB RADIO.

CIADI


ARE YOU LOOKING FOR A CB RADIO THAT'S EASY TO INSTALL AND USE?

CB GO USB

M ZERO PLUS

ALAN 100 PLUS B

THE ROAD IS YOUR CRAFT




ARE YOU A TRUCK DRIVER LOOKING FOR PERFECT MODULATION?

CB HANDS-FREE KIT

ALAN QUARANTOTTO

ALAN 48 PRO/ALAN 78 PRO

MIDLAND 88



ARE YOU A FARMER OR A TRACTOR DRIVER?

CB HANDS-FREE KIT

ALAN SESSANTOTTO

M-5

MIDLAND 88



CB: CONTRIBUTION OF €12 AND DECLARATION OF ACTIVITY START ABOLISHED

The decree issued on 17/7/2020 which sanctions the liberalization of the CB band (40 channels) has finally become law.

Thanks to Law No. 120 of 11 September 2020, it is now no longer necessary to fill in and submit the self-certification to the Italian Ispettorato Territoriale and pay an annual contribution of €12.

What are you waiting for? Buy your CB 40-channel radio and use it without wasting more time, as in the rest of Europe.

TRAVELLING IS YOUR PASSION



TRAVELLING BY CAMPER? CHOOSE AMONG THE MOST RELIABLE CBS.

DUAL MIKE WIRELESS

ALAN 42 DS

M-MINI USB

M10/M20

I WANT THE BEST!



IF YOU'RE LOOKING FOR THE MOST ADVANCED TECHNOLOGY, THIS IS THE RIGHT CB RADIO FOR YOU.

ALAN QUARANTOTTO

MIDLAND 88

M-30



DO YOU WANT TO COMMUNICATE ON YOUR OFF-ROAD VEHICLE?

DUAL MIKE WIRELESS

CB GO USB

M-5

ALAN 42 DS



CB MODELS IN COMPARISON







CB HANDS-FREE KIT

The new MIDLAND kit allows talking via CB while driving, without moving your hands from the steering wheel.

It is precisely the new 2020 Highway Code that allows us to focus on the great potential of the new communication system: the ability to communicate HANDS-FREE by placing the microphone comfortably on the dashboard and pressing a button on the steering wheel.

This system prevents incurring the now harsher penalties provided for those who are caught driving with a CB microphone in hand (even if so far "tolerated") or with a smartphone.

No more distractions. No more fines.



CB HANDS-FREE KIT

THE FIRST DIGITAL PRE-AMPLIFIED MIKE WITH PTT-DUAL

Bluetooth 4.2







SUPER BASS















FOR A PERFECT VOICE IN TX



خوووو)





LIGHT RING FOR

LONG LASTING

DOUBLE USB RECHARGE SOCKET

6 PIN



NEW PACKAGE WITH PTT DUAL

can be positioned where you prefer (3 types of fixing supports)

THE FIRST HANDS-FREE COMMUNICATION SYSTEM TO DRIVE... WITH **NO FINES**

Replace your mike with **Dual Mike** and enhance your CB.

Dual Mike has dual PTT in one mike to use with the analogue CB via the CBTalk App, handsfree to answer calls, a superb speaker to listen to music via Bluetooth.

The new AGC (Automatic Gain Control) function allows the **Dual Mike** to better capture the voice, keeping it at a distance from the mouth from zero to one meter. The **Dual** Mike connection to the PTT-Dual in BLE (Bluetooth low energy - low consumption)

allows getting the best out of the **Dual Mike** in hands-free mode. Discover its functions with the dedicated CBTalk app.

FEATURES

- 3W speaker with Labyrinth™ technology that emphasizes bass tones
- Dual PTT
- Voice equalizer
- **ECHO** function
- Smartphone/ Dual Mike distance up to
- Bluetooth V4.2 Wireless Microphone
- Dual USB Micro Recharge socket
- 10h battery life with volume at 50%, 15h with CB only
- Weight 290g with cable
- Multifunction key

Customisable Light Ring with light

MIDLAND

- Preamplified Microphone with DSP (Digital Signal Processor) for a perfect voice
- Hands-free function
- Connecting cable to the traditional CB (with 4-Pin 48/68, 4-Pin and 6-Pin connectors)

PACKAGING AND CODES

Microphone, PTT-Dual with 3 types of fixing supports, micro-USB recharge cable, microphone holder with adhesive support.

code C1283.03 - 4-Pin 48/68 Kit code C1283.04 - 4-Pin Kit

code C1283.05 - 6-Pin Kit

DISCOVER THE ACCESSORIES FOR DUAL MIKE ON PAGE 25.

DUAL MIKE WIRELESS

THE BLUETOOTH MICROPHONE OF THE CB TALK COMMUNITY



Bluetooth 4.2































DOUBLE USB RECHARGE SOCKET RECHARGE











CUSTOMISABLE LIGHT RING WITH LIGHT INDICATIONS

DUAL MIKE WIRELESS LOSE THE WIRE... BUT **REMAIN CONNECTED!**

The Dual Mike Wireless looks like a classical CB microphone, but is much more.

Dual Mike Wireless has dual PTT in one mike to use with the CBTalk App and the CB in wireless mode hands-free to answer calls, a superb speaker to listen to music via Bluetooth. The new AGC (Automatic Gain Control) function allows the **Dual Mike Wireless** to better capture the voice, keeping it at a distance from the mouth from zero to one meter. The $\boldsymbol{\mathsf{Dual}}$ Mike Wireless connection to the PTT-Dual in **BLE** (Bluetooth low energy - low consumption) allows getting the best out of the **Dual Mike** in hands-free mode.

Discover its functions with the dedicated CBTalk app.

FEATURES

- 3W speaker with Labyrinth™ technology that emphasizes bass tones
- Dual PTT
- Voice equalizer
- **ECHO** function
- Smartphone/DualMike distance up to 30m
- Bluetooth V4.2 Wireless Microphone
- Dual USB Micro Recharge socket
- Compatible with wireless charger (Via Optional DK-Dual)
- 10h battery life with volume at 50%
- Weight 153g
- Preamplified Microphone with DSP (Digital Signal Processor) for a perfect voice

- Multifunction key
- Customisable Light Ring with light indications
- Hands-free function

PACKAGING AND CODES

Microphone, recharging USB cable, microphone holder with adhesive support. code C1363

DISCOVER THE ACCESSORIES FOR DUAL MIKE WIRELESS ON PAGE 25.

ANALOGIC & DIGITAL CB RADIOS



THE REVOLUTIONARY APPLICATION THAT ALLOWS YOU TO TALK TO OTHER USERS IN ANALOG OR DIGITAL MODE.

CB TALK is the free downloadable app used by over 500.000 users around the world to talk to friends and colleagues freely.

The interface that appears on the App's screen closely resembles the controls found on the widespread MIDLAND ALAN 48 CB radio and the functions, although digital and advanced, are very user friendly.

CB TALK becomes indispensable on many occasions; for example it is possible to insert geolocated "buoys" containing audio messages to warn other users of danger, queues, accidents, closed junctions, speed

By combining the DualMike with the CBTalk App, the following exclusive features are added:

- 100 km of squelch
- 80 Channels
- DM groups
- Private groups (15 min, 5 people max.)

DOWNLOAD CB TALK APP













10 ANALOGIC & DIGITAL CB RADIOS



MIDLAND 88

THE UNIVERSAL DIN SIZE CB RADIO



Midland 88 is the most versatile CB radio: compatible with all DIN compartments.

It is your inseparable travel companion: on trucks, off-road, in cars and campers.

What other options? You can put it on the dashboard and attach it to the windscreen with the suction cup attachment.

Find the right solution for you!

With a large multicolour TFT display, filters to eliminate unwanted noise and a universal power socket (12/24 V), what more do you want from the highly compatible M88?

FEATURES

- · Band: Multi (see page 40)
- · CB DIN SIZE
- · Ultra thin, only 77mm!
- 12/24V power supply
- **3 different supports supplied:** fixing bracket, DIN bracket, suction cup mount
- · Aluminium chassis
- · Wide colour TFT display
- · Automatic digital squelch adjustable on several levels
- · Emergency channels 9/19
- · Noise Blanker and HIC Filters
- · Automatic switch-on
- · 4 channel memories
- · PA function (Public Address)

- · UP/DOWN/Priority channel microphone
- S-Meter
- · Dual Watch, Roger Beep
- · External loudspeaker socket
- 6-pin microphone connector

PACKAGING AND CODES

1 transceiver with power cable, microphone, microphone holder, mounting bracket, DIN SIZE bracket, suction cup mount, fixing screws, protection fuse.

code C1435

EXPORT VERSION: 400CH 8W AM; 15W FM AMATEUR BAND = 28/29.695MHZ VFO = 24.715/30.105MHZ

ALAN 48 PRO

THE TOP-OF-THE-RANGE MULTIBAND











DIGITAL SQUELCH









DIJAI MIK

6 PIN DUALMIKE 6 PIN



The new **Alan 48 Pro** is the top of the range multiband, the CB line expressly conceived for trips and routes in different European countries. What does this mean? It means that **Alan 48 Pro** has an adjustable power – 1W/4W – to be adjusted to the frequencies and regulations of the country in which it is used. With a power supply voltage of 12/24 V, **Alan 48 Pro** does not need reducers and it is of easy installation in the dashboard compartment, thanks to the DIN bracket (optional).

Alan 48 Pro is high tech and complete in facing all sorts of noises: it is equipped with the Digital Squelch, that eliminates the background swish and the Noise Blanker, to cancel the environmental noises.

TECHNICAL SPECIFICATIONS

- · Band: Multi (see page 40)
- · Output power: 1W/4W depending on the country
- DS: Automatic Digital Squelch
- Noise Blanker/ANL filters
- Power supply voltage: 12/24V
- · Blue back-lit multifunction display
- · "Precision series" microphone with UP/ DOWN/LOCK buttons
- · Squelch
- · RF Gain: sensitivity control in RX
- · MIC Gain: microphone amplification
- · 5 memory positions
- · Emergency channel
- · SCAN function
- · Dual watch function

- External S-Meter socket
- PA: by enabling this switch, the device becomes a low frequency amplifier (with the help of an additional speaker)
- · External speaker socket
- · 6-pin microphone connector

PACKAGING AND CODE

1 radio, microphone, mounting bracket, fixing screws

13

Code C422.16

EXPORT VERSION: 400CH

ANALOGIC & DIGITAL CB RADIOS

ALAN 78 PRO

THE COMPACT MULTIBAND





















The new Alan 78 Pro is the compact and essential CB radio dedicated to multiband: that is, to the CB frequencies related to travelling and routes in multiple European countries. What does it mean? It means that Alan 78 Pro has adjustable power - 1W/4W - that can be adapted to specific frequencies following the laws of the country in which you are travelling. With a 12/24 V power supply, Alan 78 Pro does not need reducers and can be easily installed in the dashboard compartment thanks to the DIN bracket (optional). Alan 78 Pro is high tech and perfect even when dealing with noise: its Digital Squelch eliminates background noises, while its Noise Blanker eliminates continuous environmental noise.

FEATURES

- Band: Multi (see page 40)
- Output power: 1W/4W depending on the
- DS: Automatic Digital Squelch
- Noise Blanker/ANL filters
- Power supply voltage: 12/24V
- Blue back-lit multifunction display
- "Precision series" microphone with UP/ DOWN/LOCK buttons
- Squelch, SCAN
- LCR function (to recall the last channel that was used)
- External speaker socket
- External S-Meter socket
- 6-pin microphone connector

PACKAGING AND CODES

1 radio, microphone, mounting bracket, fixing screws

code C423.16

EXPORT VERSION: 400CH

ALAN QUARANTOTTO

THE KING OF CB

SINCE 1986

THE BEST SELLER 40CH CB

ONLY FOR ITALIAN MARKET



















The CB that made the communication history, returns completely renewed, but still faithful to the DNA of the historical product.

Thanks to its fame, very easy use and its complete range of functions, it has been the Italian best-seller for over 30 years. A travelling companion and an irreplaceable work tool for those who are driving every day.

FEATURES

- Band: AM-FM
- Noise blanker System
- MIC Gain: Mic gain control for a always perfect modulation
- RF Gain: set the gain of the antenna preamplifier
- FIL: set the intonation of the incoming signal
- ANL: automatic noise cut down
- Squelch
- PA: activating this switch the CB becomes a low frequency amplifier (with additional speaker)
- White LED backlight, for every light condition
- 4-pin microphone connector

PACKAGING AND CODES

1 radio, microphone, mounting bracket, fixing

code C217.09

ANALOGIC & DIGITAL CB RADIOS 15

ALAN SESSANTOTTO

THE MYTHICAL 34-CHANNEL CB

SINCE 1983

THE BEST SELLER 34CH CB

ONLY FOR ITALIAN MARKET



















The brother of the mythical Alan Quarantotto, that made communication history, returns completely renewed, but still faithful to the DNA of the historical product.

Since 1983 the sales champion in its category. A travelling companion and an irreplaceable work tool for those who are driving every day. Particularly appreciated on agricultural vehicles and for earth moving thanks to its reliability and sturdiness.

FEATURES

- Band: AM-FM
- Noise blanker System
- MIC Gain: Mic gain control for a always perfect modulation
- RF Gain: set the gain of the antenna preamplifier
- FIL: set the intonation of the incoming
- ANL: automatic noise cut down
- Squelch

- $\ensuremath{\mathsf{PA}}\xspace$: activating this switch the $\ensuremath{\mathsf{CB}}\xspace$ becomes a low frequency amplifier (with additional speaker)
- White LED backlight, for every light
- 4-pin microphone connector

PACKAGING AND CODES

1 radio, microphone, mounting bracket, fixing screws

code C025.09

THE TOP-OF-THE-RANGE M SERIES CB





























If you are looking for a multi-function CB, this is the model for you.

Ready to give you the best of the M series, thanks to 6 programmable keys, wide multicolour TFT display, with Dual Watch function to monitor two channels at the same time. Automatic switch-on, display of the channel number or channel number plus frequency, make it the perfect tool for communication professionals.

FEATURES

- Band: AM/FM Multi (see page 40)
- 6 programmable keys
- Wide colour TFT display
- Supply 12V-24V

- Metal alloy radio body for better heat dissipation
- Display of the channel number or channel number + frequency.
- Automatic adjustable Digital Squelch on 9 levels
- S-Meter/SWR Meter
- RF attenuator
- Scan function, Dual Watch
- Customizable Roger Beep
- 9/19 emergency channels and priority
- Noise Blanker
- Audio equalizer
- Protection against polarity inversion
- 8 customizable memory channels

- TOT (Time Out Timer)
- Adjustable backlight
- Automatic switch-on
- Keypad lock
- Microphone with RJ45 connector with
- UP/DOWN/Priority channel

PACKAGING AND CODES

1 radio, microphone, mounting bracket, fixing screws

code C1313

EXPORT VERSION: AMATEUR BAND 26-28MHZ 400CH 8W (AM)/15W (FM)

R74574

2 mt. long microphone extension cord for M-5/M-30/CT3000

PROGRAMMING SOFTWARE PRG-30 C1318

Complete with USB connection for PC

THE ADVANCED MULTIMEDIA CB





















Even more functions than its predecessor M10. Large LCD screen, knob to change channel (also on the mike), display indicator of the operating band are the three features that make the M-20 model a really efficient multimedia CB. Like all Midland multimedia CBs, with this product communication is possible in wireless mode, thanks to the Bluetooth WA accessories, connected to the 2-pin socket.

FEATURES

- Band: Multi (see page 40)
- Large LCD display, White Bright Light™
- White Bright LightTM backlight
- AM/FM switch

- Automatic digital squelch, digital S-Meter
- Selectable audio: internal, from earphones,
- ANL and Noise Blanker System that can be selected and disabled
- 9-19 emergency channel and selectable priority channel
- Microphone with Up/Down and priority
- USB socket for smartphone and tablet recharging
- 2 pin socket for accessories
- External loudspeaker socket
- External S-Meter socket
- 6 pin microphone connector

PACKAGING AND CODES

1 radio, microphone, fixing screws, mounting bracket, power cable

code C1186

EXPORT VERSION: 10W AM/FM - 400CH

18 ANALOGIC & DIGITAL CB RADIOS

THE FIRST MULTIMEDIA CB



The first multimedia CB launched on the market in 2016, allows hands-free Bluetooth communication (with optional adapter). Full compatibility with traditional Midland accessories and a USB socket to charge any device.

Find below the features of the Midland M-10, the first multimedia CB produced by the people who have made CB history, Midland.

FEATURES

- · Band: Multi (see page 40)
- · White Bright LightTM backlight

- · AM/FM switch
- · Automatic digital squelch
- · Selectable audio: internal, from earphones, both
- · ANL: automatic noise limiter
- · Noise Blanker System
- · Emergency channel 9-19
- USB socket for smartphone and tablet recharging
- · 2 pin socket for accessories
- · External loudspeaker socket
- \cdot 4 pin microphone connector

PACKAGING AND CODES

1 radio, microphone, fixing screws, mounting bracket, power cable with car power supply code C1185

EXPORT VERSION: 10W AM/FM - 400CH

USE M-20 AND M-10 TO COMMUNICATE HANDS-FREE WITH MIDLAND BLUETOOTH ACCESSORIES

See Radio Accessories Section, p. 76

WA-CB C1276

Bluetooth adapter (option)



WA21 C1201

Bluetooth headset microphone with PTTT



THE CB "IN THE MIKE"















EXTRA SMALL: 102x100x25mm

The CB world finds a new style with the Midland M-5, the "CB in the mike" to have everything on hand all the time, thanks to the buttons placed directly on the microphone with an LCD display to see channels, bands and settings.

The compact size and its particular configuration allow the radio to be placed in the storage compartment or even in the boot (with accessory cable extension).

A new way to enjoy the CB that allows you to drive with a minimal cabin.

FEATURES

- · Band: Multi (see page 40)
- 40 AM/FM channels
- Output power: 4W AM/FM
- Die-cast metal body
- "Handy" controls on the mike
- Selectable multicolour backlight (7 colours)
- Manual squelch 28 levels
- Digital squelch at 5 levels
- RF gain
- Scan
- Indication S-meter RX-TX

- Sliding mounting bracket
- Lighter power supply
- USB socket for charging electrical devices
- 2 pin Kenwood socket (microphone)

PACKAGING AND CODES

1 radio, microphone with UP/DOWN keys, fixing screws, mounting bracket, power cord with cigarette lighter socket code C1277

EXPORT VERSION: 10W AM/FM - 400CH

R74574

2 mt. long microphone extension cord for M-5/M-30/CT3000

MIDLAND M-MINI USB

THE SMALL CB RADIO WITH USB SOCKET







THE BLISTER VERSION

CB GO-USB, READY IN JUST A FEW MINUTES.

A complete pack, containing: M-Mini USB, the Midland multimedia minitransceiver, power cord with cigarette lighter plug and Midland LC29 high-performance antenna, fitted with a magnetic base.

Become a part of the CB community.

Are you looking for a CB radio that's easy to install?

M-Mini USB is your answer: essential, 40 channels, can be powered by connecting it to the cigarette lighter outlet using the power cable included in the package.

On the front, there is a practical USB socket so that you can recharge all your devices: smartphones, tablets... and a RJ45 socket, which makes the microphone removable.

The aluminium chassis is the finishing touch of **M-MINI USB**, making it robust and resistant to any movement.

FEATURES

- · 40 AM/FM channels
- · Selectable frequency bands: I, I2, D4, EU, EC, PL, UK, IN (see page 40)
- · Output power: 4W AM/FM
- · UP/DOWN keys on the microphone
- · Channels scan
- · LCD display with S/meter
- · Double squelch mode (9 and 28 levels)
- · Adjustable reception attenuator (RF gain)
- · Emergency channel 9/19
- · External loudspeaker socket
- Removable microphone with RG45 connector
- · USB recharge socket
- · Power cable with cigarette lighter plug

PACKAGING AND CODES

Box M-Mini USB

1 radio, microphone with UP/DOWN keys, power cord with cigarette lighter socket, fixing screws, mounting bracket

code C1262.04

Blister CB GO USB

CB M-Mini USB, power cord with cigarette lighter socket, LC29 antenna, magnetic base.

code C1262.05

EXPORT VERSION: 9W AM/FM - 400CH

ANALOGIC & DIGITAL CB RADIOS 21



Evolution of the excellent Midland M-ZERO, the new PLUS version adds the FM band.

ABS body for practical and light use and with **SMD technology** for the electronic structure. With its 40 AM/FM channels, this CB is extremely easy to use.

M-ZERO PLUS is definitely the best compromise between quality and price of the M line.

THE ENTRY LEVEL CB

FEATURES

- Band: AM-FM (Poland-Italy)
- Channel display, black background with
- UP/DOWN buttons
- Squelch
- Emergency memory channel: to immediately select the emergency channel (set by the user)
- RF Gain: sensitivity control in RX
- Quick Scan

- On/Off keypad beep
- 4-pin microphone connector

PACKAGING AND CODES

1 radio, microphone, mounting bracket, fixing screws

code C1169.01

EXPORT VERSION: 120CH

ALAN 100 PLUS B





CHANNELS











DUALMIKE 4 PIN



An excellent product to enter the CB world with everything that is required to communicate.

An easy communication tool for everyone.

FEATURES

- Band: AM-FM
- Emergency channel 9-19
- Display channels
- Up/down buttons
- Squelch
- Transmission and reception led
- External speaker socket
- 4-pin microphone connector

PACKAGING AND CODES

1 radio, microphone, mounting bracket, fixing

code C442.09

ALAN 42 DS

THE PORTABLE CB WITH DS





















The portable CB transceiver "par excellence", ALAN 42 DS, with new electronic components to give a unique audio experience. It is fitted with digital squelch, ANL filters and Noise Blanker that removes all annoying noises caused by sources outside the vehicle. A multistandard transceiver that allows selecting any European band and operate in all EU countries.

FEATURES

- Band: Multi (see page 40)
- Power: 1W/4W depending on the country
- Emergency channel (EMG)
- Keypad lock (LOCK)
- Battery status indicator
- High-lower power (H-L)
- Display back-lighting button
- AM-FM button selection
- SCAN function, Dualwatch
- Antenna socket: BNC
- Powered by 8 AA batteries or 12V
- 2-pin accessory socket

PACKAGING AND CODES

1 radio, wall charger for 8 AA battery pack, empty battery pack for 6 AA Alkaline battery, empty battery pack for 8 AA rechargeable batteries with charging socket, adapter for car use with external SO 239 antenna socket, scratch resistant case, antenna, belt clip, wrist strap

code C1267

EXPORT VERSION: 400CH

OPTIONAL ACCESSORIES

Alan 42 DS is compatible with straight 2-pin accessories socket, see Radio Accessories Section page 72



PB E42 - C602 Empty battery pack to charge 8 AA battery (not included)



R74593 (Alan 42 DS/Multi)


Car adapter with socket for external antenna SO2399



R17365 Wall adapter

ANTENNA HIGH **PERFORMANCE ALAN** 42/ALAN 42DS - C611.01 Antenna

CB FLEX B- C394 Flex antenna 53 cm



BLUETOOTH MICROPHONES AND THEIR ACCESSORIES



4 PIN "48"



DUAL MIKE HANDS FREE KIT

4 PIN



6 PIN



DUAL MIKE HANDS FREE KIT C1283.03

Bluetooth preamplified CB microphone. For Alan 48/68 and Midland 8001-XT

C1283.04

Bluetooth preamplified CB microphone. For Midland M-10, M Zero/Plus, Alan 100 Plus B, Midland 200, Midland 203

DUAL MIKE HANDS FREE KIT C1283.05

Bluetooth **preamplified** microphone for CB Multi Standard radios. For Midland 88, Alan 48/78 Pro, Alan 48 Plus Multi B, M-20

HANDS-FREE KIT PACKAGE CONTENTS: SEE PAGE 4





\overline{NEW}

PTT DUAL C1488

Low Energy Bluetooth (B.L.E.) to talk hands-free via CB radio, without taking your hands off the steering wheel. For Dual Mike and Dual Mike Wireless The package includes: Main PTT, steering wheel mount for main PTT, optional PTT with wire, external PTT finger, 2 velcro stickers, CR2032 lithium battery included. Life: 1 year with an average use of 9h/day



DK-DUAL C1364

Docking station: wireless recharge support. For Dual Mike Wireless



ST-DUAL C1422

Support with 12V power unit and 2 USB sockets. For Dual Mike Wireless, Dual Mike



VM-DUAL C1407

Air vent fixed support. For Dual Mike Wireless, Dual Mike



AM-DUAL C1408

Dual Mike adhesive support kit. For Dual Mike Wireless, Dual Mike



AL-DUAL 48 C1403

Voltage reducer 12V-5V and Micro USB for Alan Quarantotto, Alan Sessantotto. For Dual Mike, DK-Dual




AL-DUAL C1403.01

Voltage reducer 12V-5V and Micro USB for all other Midland CB radios. For Dual Mike, DK-Dual

MICROPHONES

















6 PIN



BRACKETS, HOLDERS, CABLES, POTENTIOMETERS AND SPEAKERS

BRACKETS

SPM-48 DIN C791

DIN bracket for Alan 48 Plus Multi B/Excel Multi, Midland248/248XL, Alan 48 Pro

SA 48 T769

Complete with 1 bracket, 2 slides, 2 handles, 2 screws for Alan 48, 68S



SPM-78 DIN C792

DIN bracket for Alan 78 Plus Multi B, Midland 278, Midland M20, Alan 78 Pro

SPM-100 DIN C807

DIN bracket for Alan 100 Plus, 100 Plus Euro, Alan 100 Plus B, 199-A, Midland 203, Midland 210, Midland M10

G1020.01

Dashboard kit white New Neptune





CABLES

R74574

2 mt. long mic extension cord for M-5/M-30/CT3000



T060

3-pole lead with fuse-holder. Length: 160 cm. For Alan 48, Alan 68S



MICROPHONE HOLDERS

PM3 T431

Microphone-holder with screw fastening and bi-adhesive



PMF T570

Microphone-holder with screw fastening and bi-adhesive, fluorescent



POTENTIOMETER

KIT250

Potentiometer kit for Alan Quarantotto, Alan Sessantotto, consisting of 4 pieces.





SPEAKERS

AU 20 T775

External speaker 5W max Impedance: **8 Ohm**, Rated power **2 W** Maximum power **5 W**, Size **65x55x65mm**

AU 30 T682

External speaker 12W max Impedance **8 Ohm**, Rated power **7 W** Maximum power **12 W**, Size **110x60x60mm**

AU25E T681.01

External speaker 5W max.

Recommended for VHF professional mobile transceivers Alan HM35/70/06 Impedance **8 Ohm**, Rated power **3 W**Maximum power **5 W**, Size **100x60x60mm**







SWR METER WATTMETERS, POWER SUPPLIES

SWR METER WATTMETERS





KW 520 C530

Suitable for checking transmitter power and antenna adaptation, with two separate measuring lines, one from 1.8 to 200 MHz and the other from 140 to 525 MHz. This enables the simultaneous connection of 2 systems: one in HF/VHF and the other in VHF/UHF and select which to use to take the measurements with the specific switch. The measurement line selected is displayed by the specific LED. With the possibility of measuring peak or medium value, fine calibration of the index, base scale duplicator button of power from $200\ to\ 400\ W.$

RF power 5W - 20W - 200W - 400W

R.O.S. 1:1 / ∞ 52 Ohm Impedance

Frequency range 1.8 - 200 MHz/140 - 525 MHz

Size in mm 155×100×60 Weight 730 g SO239 Connector

KW 505 C1165

 $KW\ 505$ is a 2-function measurement instrument that operates on $1.5\,$ - $150\,$ MHz frequency range to constantly monitor any antenna. Power reading on two levels: 0-10W and 0-100W

10W - 100W RF power R.O.S. 1:1 / ∞ 52 Ohm Impedance 1.5 - 150 MHz Frequency range Size in mm 135×60×70 280 g Weight SO239 Connector

POWER SUPPLIES

SW35 47500

Input voltage 220-230Vca-50Hz

Output voltage 13.8Vcc

Rated output current

Max 3-5A

SW57 47510

Input voltage

220-230Vca-50Hz

13.8Vcc

Output voltage

Rated output current

Max 5-7

SW79 47520

Input voltage

220-230Vca-50Hz

Output voltage

13.8Vcc

Rated output current

Max 7-9A

SW102 47530

Input voltage

220-230Vca-50Hz

Output voltage 13.8Vcc

Rated output current

Max 10-12A









CAR & TRUCK ANTENNAS

SPACE ANTENNAS: ILLUMINATE WHEN TRANSMITTING

Midland Lux is the genesis of a new line of CB antennas, designed to make the installation of the best "CB radio" on vehicles. The antenna base is fitted with a waveguide that glows when it is crossed by radio frequency. It automatically illuminates when the radio is transmitting, thus signalling the correct operation of the device. It does not need any power and is totally waterproof. **LUX1500-S** and **LUX 1000-S**: Anti-theft and protection hinge. **LUX 1500-PL** and **LUX 700-PL** suitable for gutter, mirror, centre roof mount (accessories not included). With the **KIT** they become magnetic (see page 32).







LUX 1500-S C1259



LUX 700-PL C1330



LUX 1500-PL C1257



CAR & TRUCK ANTENNAS





MAGNETIC CB ANTENNAS





MAGNETIC BASES AND VHF/UHF ANTENNAS

MAGNETIC BASES

BM-MP C1182

Developed for the MP120 antenna, it is designed to withstand high speeds. Equipped with scratch resistant magnet-covering cap. Supplied with universal DV 27 base (already installed).



BM 150/PL 6782

Developed for the MP120 antenna, it is designed to withstand high speeds. Equipped with scratch resistant magnet-covering cap. Supplied with universal DV 27 base (already installed).



BM-MLC143 C1183

Developed for the ML 143 antenna, it is designed to withstand high speed. Equipped with scratch resistant magnet-covering cap. Supplied with PL mount (already installed)



MINI MAGNETIC BASE 6677


Mini BNC magnetic base (Ø35mm) with enormous adhesive force to accommodate shorter rubber antennas, with 2.40m-long RG 174 cable, BNC terminal connector.



120/PL T036

Designed to withstand high speeds. Equipped with scratch resistant magnet-covering cap.
Supplied with attachment for PL (already installed).





BASE/BALCONY ANTENNA

BOOMERANG 6350

Balcony/fixed station 1/2 wave antenna for roof or balcony fitting. The aluminium radiants are 300cm in length. ROS calibration with adjustment of the whip on the shortest radiant. Supplied with assembly kit. ROS: <1.2



BASIC, BALCONY, WIDE BAND ANTENNAS

CB BASE ANTENNAS

EQUIPPED WITH A SYSTEM TO PROTECT AGAINST WATER LEAK

ENERGY NEW 1/2 T241.02

Energy New 1/2 is telescopic base antenna, ground plane at 1/2 lambda, operating on 27MHz, built in anti-corrosion aluminium. All elements are telescopic and facilitate installation.

EQUIPPED WITH A SYSTEM TO PROTECT AGAINST WATER LEAK

ENERGY NEW 5/8 T242.02

Energy New 5/8 is telescopic base antenna, ground plane at 5/8 lambda, operating on 27MHz, built in anti-corrosion aluminium. All elements are telescopic and facilitate installation




SKY BAND 6161

Sky Band allows you to receive continuous coverage up to 1300 MHz and to broadcast on all amateur bands from 144 MHz upwards. It is therefore very useful for multiband devices and "dualbanders" for Full Duplex transmissions. Stainless steel whips.







WIDE BAND ANTENNA

ALL BAND 61700

High performance antenna, usable both as a receiving antenna and for transmission on various radio-amateur frequencies.

Made of stainless steel, chromed brass and anodised aluminium.

Easy to install.



BASE STATION BALCONY ANTENNA

MINI BOOMERANG 6360

Balcony/fixed station 1/4 dipole antenna. Aluminium radiants 172cm, 173cm in radial length. Supplied with assembly kit.



HURRICANE-STORM 27 63570

1/2 wave fixed station/balcony antenna. It can be installed in attics, balconies etc. The ROS calibration is not required but the connecting cable must have the length specified in the user manual. Supplied with assembly kit.



BRACKETS, CONNECTIONS

BRACKETS/MOUNTS

RENAULT T C1430.02

CB antenna holding bracket



SCANIA R2/R3 C1430.03

CB antenna holding bracket



MAN TGX E5-E6 C1430.06

CB antenna holding bracket



GR-L C1047

Stainless steel mount. Size: 38x64x99mm



Stainless steel mount Size: 38x100x180mm



GRONDA 27 T054

Gutter mount. Enables the Gutter mount installation of any mobile antenna without piercing the bodywork. The special rubber suction pad guarantees perfect adherence to the vehicle roof.



SP-S INOX T752

Gutter mount. In stainless steel for vehicle antennas, with adjustable inclination and fixing hole reducer



Mirror mount. Enables the installation of any mobile antenna on the rear view mirror, avoiding unsightly holes in the bodywork.



DV 27 PL T599

Centre roof adapter DV/SO239



SC 27 T441

Special screw



LC 27/10-N T370.01

Connector



Antenna base with screw, connector for FC 27 and base for Midland antennas







CONNECTORS

PL259/R T292.02

PL 259/RL T377

PL 259 T205

Connector for RG8/RG213 cable **UG 255 F076**

Connector for BNC/SO239

SA 95T211

SO239 connector RCA plug











ANTENNAS CABLES

CABLES

RG58 T633 - R73895

3-piece lead for roof centre mount. Lead type: RG58 Length: 4m

R73895 for PC antennas



R 45/58-U T194

Connection lead for CB transceivers. Lead type: RG58 Length: 45 cm

2 connectors PL259



7581

1.5m coaxial cable extension with

2 PL259 connectors



RG 58-U 7460

100m roll



CENTRE ROOF MOUNT

Centre-roof mount for US antennas Lead type: RG58 Length: 3.5 m

R 90/58-U T193

Connection lead for CB transceivers. Lead type: RG58 Length: 90 cm

2 connectors PL259



10m coaxial cable extension with 2 PL259 connector







ANTENNAS SPECIFICATIONS

CAR & TRUCK CB ANTENNAS

SPECIFICATIONS	LUX 1000-S/LUX 1500-S	X-TURBO 60/80	ALAN PC 4/6/8
Operating frequency	26-30MHz	26-28 MHz	25-30 MHz
Number of channels	120	200	150/240/130
Maximum applicable power	600/800	800 W (max 1500) 1000 W (max 1700)	400/600/800 W
R.O.S. min. in centre band	<1.2	<1.2	<1.2
Length (cm)	120/170	160/180	115/160/163
Impedance (Ohm)	50	50	50
Weight (g)	503/525	670/690	450
Whip material	Steel	Steel	Steel
Antenna connection type	3 parts	3 parts	3 parts
Hole diameter (mm)	12.5	10	10
Lead (m)	4	4	4

SPECIFICATIONS	ALAN S9 PLUS	FUNK 90/130/150	MINI
Operating frequency	25-30 MHz	26-28 MHz	26÷28 MHz
Number of channels	200	-	40
Maximum applicable power	300 W	200/250/300 W	80 W
R.O.S. min. in centre band	<1.2	< 1.2	1.2:1
Length (cm)	155	90/130/150	68
Impedance (Ohm)	50	50	50
Weight (g)	390	160/190/200	210
Whip material	Steel	Steel	Stainless steel inox
Antenna connection type	DV	DV	3 parts
Hole diameter (mm)	12.5	10	12.5
Lead (m)	4	4/4/4	4 with PL259

You can find the LUX 700-PL, LUX 1500-PL, ML143 and ML145 technical specifications in the CB magnetic antennas table.

ANTENNAS SPECIFICATIONS

MAGNETIC CB ANTENNAS

SPECIFICATIONS	KIT226 (LUX700-PL)	KIT224 (LUX1500-PL)	KIT212 (ML143)
Operating frequency	26-28 MHz	26-28 MHz	26-28 MHz
Number of channels	40	120	120
Maximum applicable power	600 W pep	1000 W pep	300 W pep
R.O.S. min. in centre band	<1.2	< 1.2	< 1.2
Length (cm)	90	164.5	170
Impedance (Ohm)	50	50	50
Weight (g)	330	358	1500
Whip material	Stainless steel	Stainless steel	Stainless steel
Mount	Magn. base 120mm with PL (SO239 antenna only)	Magn. base 120mm with PL (SO239 antenna only)	Magn. base 120mm with PL (SO239 antenna only)
Hole diameter without magn. base (mm)	16	16	16
Lead (m)	4	4	4

SPECIFICATIONS	KIT 007 (ML145)	LC29	LC65
Operating frequency	26-28 MHz	26-28 MHz	26.965-27.405 MHz
Number of channels	90	40	40
Maximum applicable power	400 W pep	10/30 W (peak)	60/300 W (peak)
R.O.S. min. in centre band	< 1.2	≤1.2:1	≤1.2:1
Length (cm)	146	29	115
Impedance (Ohm)	50	50	50
Weight (g)	1600	400	1000
Whip material	Stainless steel inox	Stainless steel inox	Stainless steel inox
Mount	Magn. base 120mm with PL (SO239 antenna only)	Magn. base ∅ 68 mm with PL	Magn. base ∅ 120mm with PL
Hole diameter without magn. base (mm)	16	-	-
Lead (m)	2.9	4	4

MAGNETIC BASES

SPECIFICATIONS	ВМ-МР	BM-MLC143	120/PL	BM-150PL	BM MINI
Frequency range	26-460 MHz				
Max. speed	80/130 Km/h				
Base diameter	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 150 mm	Ø 35 mm
Weight	830 gr	940 gr	700 gr	800 gr	100 gr
Lead	4m	4m	3m	3.9m	2.4m

VHF/UHF CAR & TRUCK ANTENNAS

SPECIFICATIONS	NW-2000	M-285	M150-GSA
Frequency	144/430 MHz	138-174 MHz	138-174 MHz
Туре	1/2λ(144 MHz) 2x5/8λ(430 MHz)	5/8λ	1/4λ
Power	200 W	200 W	200 W
Length (cm)	98	100	51
Connector type	PL	PL	PL

SPECIFICATIONS	VH1	SPECIFICATIONS	VH1
Operating frequency	108:550Mhz	Weight	300 g
Maximum applicable power	100W	Whip material	Stainless steel
R.O.S. min. in centre band	1:1.2	Connector type	PL259 (not supplied)
Length (cm)	51	Hole diameter	12 mm
Impedance	50 Ohm	Lead	4m

ANTENNAS SPECIFICATIONS

BASE CB ANTENNAS

SPECIFICATIONS	ENERGY NEW 1/2	ENERGY NEW 5/8
Operating frequency	25-29 MHz	25-29 MHz
Maximum applicable power	500 W PEP	500 W
Impedance	50 Ohm	50 Ohm
Band R.O.S.	1.2:1	1.2:1
Length	575/650	650
Weight	2.1/ 2.5 Kg	2.5 Kg
Ø support pole	30-40 mm	30-40 mm
Connector	SO 239	SO239
Whip	Aluminium	Aluminium

BALCONY/STATION AND WIDE BAND ANTENNAS

SPECIFICATIONS	BOOMERANG	MINI BOOMERANG	HURRICANE-STORM27
Operating frequency	27-30 MHz	27-30 MHz	25-29 MHz
Number of channels	200	150	100
Maximum applicable power	600W	450W	300W
Impedance	50 Ohm	50 Ohm	50 Ohm
Band R.O.S.	1:1.2	1:1.2	1: 1.5
Length	275	172	96
Weight	880g	800g	700g
Ø support pole	-	-	-
Connector	UHF Female	UHF Female	UHF Female
Styles	Aluminium	Fibreglass	Aluminium

SPECIFICATIONS	SKY BAND*	ALL BAND
Operating frequency	Only RX 70-1300MHz	25 - 1300, 49.550.5, 120180, 215300, 415465, 610650, 7001000, 11301300
Number of channels	-	-
Maximum applicable power		300W (200W VHF/UHF)
Impedance	50 Ohm	50 Ohm
Band R.O.S.		1: 1.5
Length	66	160
Weight	1044g	1140g
Ø support pole	-	25-54mm
Connector type	-	SD 1300 N = N-Female SD 1300 U = UHF-Female
Whip	Aluminium	Aluminium, chromed brass, stainless steel, nylon

^{*} SKY BAND is indicated for RX functioning (specific for scanners). A low SWR value is not guaranteed on the indicated frequencies and consequently the antenna will perform poorly with TX.

CB OVERVIEW TABLES

MODEL	MIDLAND 88	ALAN 48 PRO
Туре	Vehicle multi-band CB	Vehicle multi-band CB
General		
Channels/Bands	see multi equipment table*	see multi equipment table*
Frequency range	26.565 - 27.99125 MHz	26.565 - 27.99125 MHz
Power supply	12/24Vdc	12/24Vdc
Size (WxHxD)/weight	188x57x77/677g	180 x 50 x 150 mm/1 Kg
Mic. connector	6 pin	6 pin
Receiver		
Sensitivity for 20dB SINAD	<1 µV	0.5÷1 μV
Audio output power	> 3W	> 3W
Audio distortion	<3% @ 1Khz	< 8% (@ 1KHz
Transmitter		
Output power	4W AM/FM	1W/4W AM-FM
Modulation	AM: 90%; FM: 1.9Khz	AM: 90%, FM: 1.8 KHz +/- 0.2 KHz
Max. current drain	<2000mA	1100mA

MODEL	ALAN 78 PRO	ALAN QUARANTOTTO	ALAN SESSANTOTTO
Туре	Vehicle multiband CB	Vehicle AM-FM CB	Vehicle AM-FM CB
General			
Channels/Bands	see multi equipment table*	40 AM -40 FM	34 AM-FM
Frequency range	26.565 - 27.99125 MHz	26.965 - 27.405 MHz	26.875 MHz - 27.265 MHz
Power supply	12/24Vdc	12.6 V DC ± 10%	12.6 Vcc ± 10%
Size (WxHxD)/weight	180 x 35 x 140 mm/0,850 Kg	165 x 55 x 205 mm/1,650 Kg	165 x 55 x 205 mm/1,500 Kg
Mike connector	6 pin	4 pin "48"	4 pin "48"
Receiver			
Sensitivity for 20dB SINAD	<1µV	<1µV	<1µV
Audio output power	> 2W	4W max	4W max
Audio distortion	< 8% @ 1 Khz	< 5%@1KHz	< 5%@1KHz
Transmitter			
Output power	1W/4W AM-FM	4W AM-FM	4W AM-FM
Modulation	AM: 90%, FM: 1.8 KHz +/- 0.2 KHz	AM 90% ±5%, FM 2KHz	AM 90% ±5%, FM 2KHz
Max absorbed current	1100mA	1500mA	1500mA

38 CB OVERVIEW TABLES

CB OVERVIEW TABLES

MODEL	MIDLAND M-30	MIDLAND M-20	MIDLAND M-10
Туре	Vehicle multi-band CB	Vehicle multi-band CB	Vehicle multi-band CB
General			
Channels/Bands	see multi equipment table*	see multi equipment table*	see multi equipment table*
Frequency range	26.565 - 27.99125 MHz	26.565 - 27.99125 MHz	26.565 - 27.99125 MHz
Power supply	12÷24V	12.6 Vcc ± 10%	12.6 V DC ± 10%
Size (WxHxD)/weight	120x37x160 mm/820 g	137x35x210 mm/930 g	122x35x195 mm/820 g
Mic. connector	RJ	6 pin	4 pin
Receiver			
Sensitivity for 20dB SINAD	<1µV	<1 _µ V	<1µV
Audio output power	4W max	4W max	4W max
Audio distortion	< 5%@1KHz	< 5%@1KHz	< 5%@1KHz
Transmitter			
Output power	4W AM-FM	1W/4W AM-FM	1W/4W AM-FM
Modulation	AM 90% ±5%, FM 2KHz	AM 90% ±5%, FM 2KHz	AM 90% ±5%, FM 2KHz
Max. current drain	2000mA	<1600mA	<1600mA

General Channels/Bands see multi equipment table* see multi equipment table* 4 Frequency range 26.565 - 27.99125 MHz 26.565 - 27.99125 MHz 26	6.965 - 27.405 MHz
Channels/Bands see multi equipment table* see multi equipment table* 40 Frequency range 26.565 - 27.99125 MHz 26.565 - 27.99125 MHz 26.565 - 27.99125 MHz	6.965 - 27.405 MHz
Frequency range 26.565 - 27.99125 MHz 26.565 - 27.99125 MHz 26	6.965 - 27.405 MHz
1, 4	
Power supply 12.6 V DC ± 10% 12.6 V DC ± 10% 12.6 V DC ± 10%	2.6 Vcc ± 10%
Size (WxHxD)/weight 110x120x25 mm/380 g 102x100x25 mm/450 g 11	0 x 45 x 140 mm/665 g
Mic. connector RJ45 - 4	pin
Receiver	
Sensitivity for 20dB SINAD $<1\mu\lor$ $<1\mu\lor$	1μV
Audio output power 3W+2W 4W max 2V	W max
Audio distortion < 5%@1KHz < 5%@1KHz <	5% @ 1KHz
Transmitter	
Output power 1W/4W AM-FM 1W/4W AM-FM 4	W AM-FM
Modulation AM 90% ±5%, FM 2KHz AM 90% ±5%, FM 2KHz A	M: 90% - FM 2KHz
Max. current drain <1600mA <1600mA 15	500mA

CB OVERVIEW TABLES 39

CB OVERVIEW TABLES

MODEL	ALAN 100 PLUS B	ALAN 42 DS	
Туре	Vehicle AM-FM CB	Portable multiband CB	
General			
Channels/Bands	40 AM-40 FM	see multi equipment table*	
Frequency range	26.965 - 27.405 MHz	26.565 MHz - 27.99125 MHz	
Power supply	12.6 Vcc ± 10%	12.6 Vcc ± 10%	
Size (WxHxD)/weight	124x38x190 mm/1.2 Kg	70 x 140 x 30 mm/220 g (- batt)	
Mic. connector	4 pin	2 pin Midland	
Receiver			
Sensitivity for 20dB SINAD	<1 µV	<1 µV	
Audio output power	4.5 W max	0.5W	
Audio distortion	< 8% @ 1KHz	3%@1KHz	
Transmitter			
Output power	4W AM-FM	1W/4W AM-FM	
Modulation	AM: 90%, FM: 2 KHz	AM 90% ±5%, FM 2KHz	
Max. current drain	1100mA	900mA	

TABLE OF CHANNELS/POWER/BAND FOR MULTI CB

Code	Country	MHz
I	Italy 40 CH AM / FM 4 Watt	26.965-27.405
12	Italy 34 CH AM / FM 4 Watt	26.875-27.265
D4	Germany 80 CH FM 4 Watt / 40 CH AM 4 Watt	26.565-27.405
EU	Europe 40 CH FM 4 Watt / 40 CH AM 1 Watt	26.965-27.405
EC	CEPT 40 CH FM 4 Watt	26.965-27.405
E	Spain 40 CH AM/FM 4 Watt	26.965-27.405
F	France 40 CH FM 4 Watt / 40 CH AM 4 Watt	26.965-27.405
PL	Poland 40 CH AM/FM 4 Watt	26.960-27.400
UK	England 40 CH FM 4 Watt + EC (40 CH FM 4Watt CEPT) or + I Italy 40CH AM/FM 4W (it depends on the radio model)	27.60125-27.99125 + 26.965-27.405
Initials	Export Version	MHz
RU	Russia 400 CH AM/FM 4 Watt	25.615-30.105
PX	Poland 400 CH AM/FM 4 Watt Polish frequencies	25.610-30.100
SW	Sweden 24 CH FM 4 Watt 31 MHz	30.930-31.570
AU	Australia 40 CH AM 4 Watt	26.965-27.405
AM	Australia 10 CH AM 4 Watt	27.680-27.980
NZ	New Zealand 40 CH AM 4 Watt	26.330-26-770



NB: the multi CB radios can have different bands, as in the above table. For further information, please check the user manuals that can be downloaded on www.midlandeurope.com in the Support section.



WHY BUY A RADIO AND WHICH TO CHOOSE?

Usually, emergency and security situations are associated with radios: first aid, police, firefighters, civil protection. These are just some examples of professional figures that come to mind when we talk about radios.

What if we told you that they are not the only radio users? What if we told you there are others? Radios are widely used in places that have to manage the public and require rapid communication tools on wide surfaces, for example: department stores, shopping centres, restaurants, hotels and seaside resorts.

Advantages:

- Radios are not afraid of shocks, low or high temperatures.
 They are made to last over time.
- Signal coverage: radios always have signal, anywhere.
 (there are no "grey areas" such as in basements, in the mountains, etc.).
- Speed in communications. It is not important to know the telephone numbers of all interlocutors.

Just press a button: PTT.

YOUR FIRST RADIO



ARE YOU LOOKING FOR AN EASY-TO-USE AND AFFORDABLE RADIO?

XT10 XT 30

RADIOS FOR BUSINESS





DO YOU HAVE A STORE, A CLUB OR A HOTEL?

777 PRO

G10 PRO

G13





INDESTRUCTIBLE MODELS FOR THE HARSHEST ENVIRONMENTS:

G11 PRO

G15 PRO

G18

G7 G9 PRO Work Edition

PMR446: CONTRIBUTION OF €12 AND DECLARATION OF ACTIVITY START ABOLISHED

The decree issued on 17/7/2020 which sanctions the liberalization of the PMR446 band has finally become law.

Thanks to Law No. 120 of 11 September 2020, it is now no longer necessary to fill in and submit the self-certification to the Italian Ispettorato Territoriale and pay an annual contribution of \leq 12.

What are you waiting for? Buy your PMR446 radio and use it without wasting more time, as in the rest of Europe.



RADIOS FOR YOUR PASSIONS



DO YOU LIKE TRAVELLING OR OUTDOOR ACTIVITIES?

XT LINE XT50 | XT60 | XT70 GB1-R





IF YOU'RE LOOKING FOR THE MOST ADVANCED TECHNOLOGY, THESE ARE THE RIGHT RADIOS FOR YOU.

> G18 G15 PRO



ARE YOU A HUNTER OR DO YOU LIKE TACTICAL GAMES SUCH AS SOFTAIR OR PAINTBALL?

G7 PRO


G9 PRO

G13

RADIO MODELS IN COMPARISON













































777 **PRO**

THE COOLEST WALKIE TALKIE FOR CLUB SECURITY







PMR446



I PN





EXTRA LOUD









VIBRACALL FOR NOTIFICATIONS

BATTERY PACK 14HOURS AUTONOMY

USB RECHARGER



NEW "777 PRO LIMITED EDITION"

Elegant and handy case complete with a rich range of accessories.





When the night comes on, rhythm dictates the laws of the evening and the fun doesn't stop, but the unexpected can always happen.

What for some is an opportunity for entertainment, for others is a serious and responsible profession.

For this a professional needs a reliable but aesthetically elegant and refined radio, like the 777 PRO, to fulfil its duty in the best possible way and winner of the prestigious international REDDOT DESIGN AWARDS.

Wide black display, EDD™, with white lighting. Even more elegant and compact new hightech design.

Versions: Dual band PMR446/LPD

Colour: Black

Channels: PMR446 16+ LPD 69 Tones: 38 CTCSS + 104 DCS

FEATURES

- 8 new PMR446 channels
- 85 channels: 16 PMR446 + 69 LPD
- Extended frequency band: from 446.00625 to 446.19375MHz
- Black EDD^TM display with white lighting, 50% wider than the previous model
- Super-powerful loudspeaker
- 1000mAh Li-Ion battery pack (up to 14 hours' autonomy)
- Earpiece socket with 13.5mm pin in the upper part for greater wearability
- Recharge via micro USB side socket or use the desktop charger
- Vibracall function for notifications even in noisy environments
- \overrightarrow{VOX} function with 9 selectable levels
- 38 CTCSS tones / 104 DCS codes
- 1-pin accessory jack

PACKAGING AND CODES

2 radios with belt clip, 1 dual desktop charger, 2 Li-Ion 1000mAh rechargeable battery packs, micro USB cable

code C1365

EXPORT 2W VERSION

G18

TOP OF THE RANGE, IP67











VOICE Announcement







COMPANDER







FM RADIO









Sometimes in your radio communication you need an extra gear, and for this reason we have created the G18 walkie-talkie which, in addition to the metal chassis, is IP67 certified to withstand dust and immersion in water (up to 1 meter depth for 30 minutes).

Add to this an LCD display an FM radio to guarantee superior performance to our top of the range.

PMR446 Version: Colour: Black8+91 (G18) Channels:

pre-set sub-channels 50 CTCSS + 105 DCS Tones:

normal/inverted

FEATURES

- Aluminium chassis
- IP67 certified
- Output power: ≤500mW ERP
- Channel spacing: 12.5KHz
- Channel scanning
- Voice announcement
- ${\sf FM}$ radio
- Roger Beep, Auto power save
- Monitor
- Squelch
- Vox
- Scrambler and Compander
- Power supply: Li-lon 1600 mAh battery
- 2-pin Motorola accessory socket

PACKAGING AND CODES


1 radio, desktop charger, wall adapter, rechargeable Li-Ion battery pack (1600 mAh), belt clip

code C1145

EXPORT VERSION 5W

PROGRAMMING SOFTWARE PRG-G15 - C1131

Customisation of channels and frequencies.



G15 PRO

THE INDESTRUCTIBLE, IP67













VOICE Announcemen









OGRAMMABLE 2 PIN MOTO



Extreme sports, airsoft, work environments with low complexity but a high risk of damage to walkie-talkies, here are the situations where the **Midland G15** gives its best.

In fact, its metal chassis not only guarantees high impact strength but also withstands dust and immersion in water (up to 1 meter depth for 30 minutes).

Version: PMR446 **Colour:** Black

Channels: 16+16 pre-set sub-channels
Tones: 50 CTCSS + 105 DCS

normal/inverted

FEATURES

- · 8 new PMR446 channels
- Extended frequency band: from 446.00625 to 446.19375MHz
- · Aluminium chassis
- · IP67 certified
- · 16/32 channel quick selection
- · Output power: ≤500mW ERP
- · Channel spacing: 12.5KHz
- Channel scanningVoice announcement
- · Side tone: end of transmission tone
- silencer
- · Roger Beep

- · Auto power save
- · Monitor, Squelch, Vox
- · Power supply: Li-lon 1600 mAh battery pack
- · 2-pin Motorola accessory socket

PACKAGING AND CODES

1 radio, desktop charger, wall adapter, rechargeable Li-Ion battery pack (1600 mAh), belt clip

code C1127.03

EXPORT VERSION 5W

PROGRAMMING SOFTWARE PRG-G15 - C1131

Customisation of channels and frequencies.

G13

UP TO 40 HOURS AUTONOMY









WEATHERPROOF IPX4









SCRAMBLER





PROGRAMMABLE





PMR446 Version: Colour: Channels: 16 + 83 preset

50 CTCSS + 106 normal and Tones:

inverted DCS

FEATURES

- 8 new PMR446 channels
- Extended frequency band:
 - from 446.00625 to 446.19375MHz
- 99 PMR446 channels: 16 + 83 pre-programmed
- High efficiency, 2,600mAh Li-ion battery
- $(autonomy\ up\ to\ 40\ hours)$
- High-performance loudspeaker
- LCD display with backlighting
- Aluminium chassis

- IPX4 watertightness
- LIGHT keyboard (3 keys only)
- VOX, Scan, Dual Watch, Monitor
- Scrambler (via optional programming software)

MENU & BRIER O BACK

DISCOVER

THE VIDEO

2-pin KENWOOD accessory socket

PACKAGING AND CODES

Radio, desktop charger, wall adapter, 2600mAh Li-Ion rechargeable battery pack, belt clip

code C1462

EXPORT VERSION: 5W

DISCOVER THE HIGH PERFORMANCE **ACCESSORIES PAGE 71**

PROGRAMMING SOFTWARE PRG 10 - C974.01

Customisation of channels and frequencies.



G11 PRO

INCOMPARABLE AUDIO













ROGER BEEP











PROGRAMMABLE 2 PIN KENWOOD



G11 evolves and becomes Pro.

Radio with multiple functions, introduces 16 new channels of the PMR446 band to ensure more "private" and less congested communications.

G11 Pro is a device with attention to the smallestdetails to guarantee excellent performance, thanks also to its incomparable audio for high quality communications. Its sturdy mechanical structure and its metal chassis make it a very reliable transceiver and suitable in various situations.

PMR446 Version: Black Colour:

8 + 8 pre-set sub-channels Channels: 50 CTCSS + 105 DCS Tones:

normal/inverted

FEATURES

- Aluminium chassis
- Output power: 500mW
- Channel spacing: 12.5KHz
- VOX function (hands-free transmission)
- Voice announcement
- Channel scanning
- Function button beeps
- Roger beep
- Monitor
- TOT (Time Out Timer)
- Busy channel lock
- Auto power save
- Power supply: 1600 mAh Li-Ion battery pack
- 2-pin Kenwood accessory socket



PACKAGING AND CODES

1 radio, desktop charger, wall adapter, rechargeable Li-Ion battery pack (1600 mAh), belt clip

code C966.06

EXPORT VERSION: 5W

DISCOVER THE HIGH PERFORMANCE **ACCESSORIES PAGE 71**

PROGRAMMING SOFTWARE PRG 10 - C974.01

Customisation of channels and frequencies.

G10 PRO

SIMPLE AND STRONG











PREPROGR.



BATTERY PACK

PROGRAMMABLE 2 PIN KENWOOD



Clean and compact design, technical performance, perfect also for professional communications in low-complexity environments, this is the Midland G10 Pro walkie-talkie.

An entry level with great performance.

Thanks to an immediate signalling of the selected channel and the programming software, the G10 Pro will be the perfect partner for all your needs.

8 new PMR446 channels guaranteeing a low level of congestion (radio spectrum free from traffic).

Version: PMR446 Colour:

Channels: 16 + 16 pre-set sub-channels 50 CTCSS + 116 DCS Tones:

normal/inverted

FEATURES

- · Output power: 500mW
- Channel spacing: 12.5KHz
- Channel scanning
- Function button beeps
- Monitor
- Auto power save
- Power supply: 1200 mAh Li-Ion battery
- 2-pin Kenwood accessory socket



1 radio, desktop charger, wall adapter, Li-lon rechargeable battery pack (1200 mAh), belt

code C1107.04

EXPORT VERSION: 5W

DISCOVER THE HIGH PERFORMANCE **ACCESSORIES PAGE 71**

PROGRAMMING SOFTWARE PRG 10 - C974.01

Customisation of channels and frequencies.

G9 PRO

HIGH-PERFORMANCE







DUAL PTT



PREPROGR.

CALL



WEATHERPROOF IPX4



SIDE TONE



DUAL WATCH







EMERGENCY













AA BATTERY





BATTERY PACK (OPT.)





Midland G9PRO is the radio used in any outdoor context. With a 30% larger display, audio improved by 30%, a more powerful antenna and a dual PTT that allows you to instantly select high and low power, your communication becomes easier and more fun.

G9 PRO is the first to introduce the 8 new frequencies of the PMR 446 band, which are freely used all over Europe, for communications free of overlaps and congestion by other users. Among the optional accessories you can choose the lithium battery pack to make it even lighter and more durable.

Dual band PMR446/LPD Versions: Colour: Black/Mimetic Mossy Oak® PMR446 16 +16 mem Channels:

LPD 69

FEATURES

- 8 new PMR446 channels
- 101 channels:

32 PMR446 (16+16 pre-programmed) + 69 LPD

- Extended frequency band: from 446.00625 to 446.19375MHz
- 38 CTCSS tones and 104 DCS codes
- High-performance loudspeaker
- Wide LCD display (30% wider than the previous version)
- Weatherproof IPX4
- Double PTT button for high/low power
- Emergency function
- Out of range function
- VOX with TalkBack™ Side tone: end of transmission tone
- silencer
- Vibracall, Dual Watch
- Keypad lock, Scan, Monitor TOT (Time Out Timer)
- Low battery indicator and power save

- 12cm antenna to make the most of the full radio transmission power
- High-low power selection
- CALL button with 5 available tones
- Roger Beep: end of call tone (can be
- deactivated)
- Power supply: batteries or battery pack Ni-MH/Li-lon (optional)
- 2-pin accessory socket
- Compatible wall charger: MW904

PACKAGING AND CODES

1 radio, desktop charger with wall adapter, 4 rechargeable AA batteries (1800 mAh), belt clip

code C1385 Dual band black version code C1385.01 Dual band mimetic version

EXPORT VERSION 5W

WALKIE TALKIE - LEASURE TIME

53

G7 PRO

THE BEST-SELLER IN THE WHOLE WORLD





PMR446









SPLASHPROOF IPX2

SIDE TONE



DUAL PTT

I PN







HIGH/LOW POWER DUAL WATCH















Midland G7 PRO is the radio for those who love outdoor activities. Hiking, airsoft, climbing, hunting are just a few examples of the perfect use of this walkie-talkie. A compact and elegant design that always accompanies you in your passions. Among the optional accessories you can choose the lithium battery pack to make it even lighter and more durable.

8 new PMR446 channels guaranteeing a low level of congestion.

Versions: Dual band PMR446/LPD

PMR446

Gray/Black - Mimetic Mossy Colour:

Oak

Channels: PMR4468 - LPD 69 38 CTCSS + 104 DCS Tones:

FEATURES

- 8 new PMR446 channels
- Extended frequency band:
- from 446.00625 to 446.19375MHz
- Dual watch: to monitor 2 different channels at the same time
- Double PTT hi/low power
- Vibracall
- Keypad lock
- Auto power save: automatic battery saving
- Low battery indicator
- 3 types of VOX (Vox standard -Vox Baby-Sitting - Vox Bike) adjustable to 2 levels, for hands-free communication
- CALL with 5 different melodies
- **SCAN**
- TOT (Time Out Timer)
- Roger beep end call switchable

- Power supply: battery pack Ni-Mh 800 mAh or Li-Ion 1200 mAh (optional), 4 AA batteries
- 2-pin accessory socket
- Compatible wall charger: MW 904

PACKAGING AND CODES

Box single pack:

1 radio, wall charger, 4 rechargeable Ni-MH AA 1.2V/1800 mAh batteries, belt clip

code C1090.14 Dual band black version code C1090.15 Dual band mimetic version

Box twin pack:

2 radios, double desktop charger, wall adapter, 2800 mAH battery packs, belt clip code C1090.13 Dual band black version

EXPORT VERSION 3W



An indestructible case designed for the harshest environments.

Earphones, desktop chargers and rechargeable batteries are included in a kit, that can be easily carried anywhere.



G9 PRO WORK EDITION

PACKAGING AND CODES


Work Edition:

 $2~\mathrm{G9}$ Pro transceivers with belt clips, $8~\mathrm{AA}$ Ni-MH rechargeable batteries, $2~\mathrm{desktop}$ chargers, $2~\mathrm{wall}$ power supplies, $2~\mathrm{MA24-L}$ microphones

code C1385.04 Dual band black version

4~G9~Pro~transceivers~with~belt~clips, 16~AA~Ni-MH~rechargeable~batteries, 4~desktop~chargers, 4~wall~power~supplies, 4~MA24-L~microphones

code C1385.05 Dual band black version



G7 PRO WORK EDITION

PACKAGING AND CODES

Work Edition:

 $2\ G7\ Pro\ transceivers$ with belt clips, 1 double desktop charger with wall adapter, 2 battery packs, 2 MA24-L microphones

code C1090.18 Dual band black version

4 G7 Pro transceivers with belt clips, 2 double desktop chargers with wall adapters, 4 battery packs, 4 MA24-L microphones

code C1090.19 Dual band black version

XT70 | XT70 ADVENTURE

12 KM RANGE*, WITH EARPHONES, VOLUME KNOB AND QUICK DESKTOP CHARGER












DISPLAY NIGHT















OUT OF RANGE









HIGH/LOW POWER

BATTERY PACK Battery Life 18H







69 LPD and 24 PMR446 channels, 38 tones, communications up to 12 km and 18 hours autonomy. That's what the dual band Midland XT70 walkie-talkie is, a perfect choice to communicate freely and safely. If you are also looking for an exceptional packaging, there's the Adventure version with premium case!

PMR446/LPD Version: Colour:

Blister Black/Dark gray Valibox Black/Yellow

69 LPD + 24 PMR446 Channels:

(8 + 16 preprogrammed)

38 CTCSS + 83 DCS Tones:

FEATURES

- Communications up to 12 km*
- Premium Radio with Volume Knob
- Rechargeable via USB
- Side tone: end transmission tone muffler
- Wide display
- Out of range, Baby-Sitting function
- Keypad lock
- Auto power save: automatic battery saving
- Low battery indicator
- VOX with 9 levels of sensitivity
- CALL with 5 selectable tones
- **SCAN**
- High/low power selection
- Fast charger (4 hours)
- Power supply: Rechargeable battery pack
 - (up to 18 hours battery life)

2-pin accessory jack/USB for charging

PACKAGING AND CODES

with 2 radios, 2 professional belt clips, 1 double desktop charger, 2 rechargeable battery packs, USB cable, 2 earpiece microphones MA21-L

code C1180

Valibox:

with 2 radios, 2 professional belt clips, 2 single desktop fast chargers, 2 rechargeable battery packs, 2 wall adapters, 2 USB cables, earpiece microphones MA21-Li

code C1180.01

XT60

10 KM RANGE*, WITH VOLUME KNOB AND QUICK DESKTOP CHARGER









CTCSS+DCS PMR446/IPD

DISPLAY NIGHT











BATTERY Level

SIDE TONE

CALL 5 TONES





USB CHARGE





When things get serious, when requirements increase, Midland responds and it does it with the Midland XT60, a dual band walkie-talkie that guarantees communications up to 10 km over 69 LPD and 24 PMR446 channels. Freedom and technology in just one tool.

PMR446/LPD Version: Colour: Black/Light blue 69 LPD + 24 PMR446 Channels:

(8 + 16 preprogrammed) 38 CTCSS + 83 DCS Tones:

FEATURES

- Communications up to 10 Km*
- Advanced radio with volume knob
- Rechargeable via USB
- Night vision display
- Side tone: end transmission tone muffler
- Keypad lock
- Auto power save: automatic battery
- Low battery indicator
- VOX with 9 levels of sensitivity
- CALL with 5 selectable tones
- **SCAN**
- High/low power selection
- Fast charger (3 hours)
- Power supply: Rechargeable battery pack
 - (up to 12 hours battery life)
- 2-pin accessory jack/USB for charging

PACKAGING AND CODES

Blister with 2 radios, 2 belt clips, 1 double desktop charger, 2 rechargeable battery packs, USB cable

code C1179

XT50 | XT50 ADVENTURE

8 KM RANGE*, WITH DESKTOP CHARGER



PMR446







VOX 3 LEVELS





CTCSS





BATTERY PACK Battery Life 12H

SIDE TONE











24 channels, 38 tones, communications up to 8 Km and 12 hours autonomy are just some of the features that make this **Midland** XT50 walkie-talkie a real jewel of free radiocommunications.

Available also in the practical Adventure version with premium case!

Version: PMR446

Colour: Blister Black/Gray

Valibox Black/Yellow

Channels: 8 + 16 preprogrammed

38 CTCSS Tones:

FEATURES

- Communications up to 8 Km*
- Rechargeable via USB
- Side tone: end transmission tone muffler
- Auto power save: automatic battery saving
- Low battery indicator
- VOX with 3 levels of sensitivity
- CALL
- **SCAN**
- Power supply: Rechargeable battery pack
- (up to 12 hours battery life)
- 2-pin accessory jack/USB for charging

PACKAGING AND CODES

with 2 radios, 2 belt clips, 1 double desktop charger, 2 rechargeable battery packs, USB cable

code C1178

with 2 radios, 2 belt clips, 1 double desktop charger, 2 rechargeable battery packs, USB $\,$ cable, 1 wall adapter, 2 earphones MA21L

code C1178.03

XT30

6 KM RANGE*



PMR446

















2 PIN





The XT30 walkie-talkie concentrates in a light and easy to use tool everything you need to communicate up to 6 Km away. By means of a 5 hours battery life and a recharge via USB, this emerald-green jewel will make you run!

Version: PMR446 Colour: Black/Green

Channels: 8 + 8 preprogrammed

Tones: 38 CTCSS

FEATURES

- Communications up to 6 Km*
- Rechargeable via USB
- Side tone: end transmission tone muffler
- Auto power save: automatic battery
- Low battery indicator
- Keypad lock, VOX, CALL, SCAN
- Power supply: 3 rechargeable AAA

batteries (up to 5 hours battery life)

2-pin accessory jack/USB for charging

PACKAGING AND CODES

Blister with 2 radios, 2 belt clips, 6 AAA rechargeable batteries, 2 way USB cable code C1177

XT10

4 KM RANGE*























BATTERY AAA (Not included)





Light, very simple to use, coloured in order to avoid the usual "Hey, where did I put the walkie-talkie?", that's the Midland XT10. The entry level that combines technique, offering communications up to 4km, with

PMR446 Version: Colour: Black/Red

simplicity and saving.

Channels: 8 + 8 preprogrammed

38 CTCSS Tones:

FEATURES

- Communications up to 4 Km*
- Side tone: end transmission tone muffler
- Keypad lock
- Auto power save: automatic battery saving
- Low battery indicator
- VOX
- CALL, SCAN
- Power supply: 3 AAA batteries

PACKAGING AND CODES

Blister with 2 radios, 2 belt clips code C1176

GB1-R

THE PMR446 THAT LOOKS LIKE A CB



GB1-R guarantees wide-ranging communications and radio contact with other users equipped with PMR446 equipment.

Superb solution for those who **travel by car or caravan**, above all due to the fact that, operating on PMR446 frequencies, it is not affected by disturbances generated by the engine of your vehicle. **GB1-R**, thanks to its very small size, integrated magnetic antenna and the supplied 12V cigarette lighter plug, can be installed and removed quickly without having to be fixed in the special compartment of the dashboard. The metal chassis makes it very robust to ensure excellent performance over the years.

Version: PMR446 Colour: Black

Channels: PMR446 8 + 91 progr. **Tones:** 50 CTCSS + 104 DCS

FEATURES

- · Microprocessor-controlled frequency
- 'Flip' function: the transceiver can be fitted with the speaker aimed downwards or vice-versa, the display is inverted by pressing a button
- · Adjustable squelch on 9 levels
- · SCAN function
- · LCD display
- Integrated magnetic antenna
- · TOT (Time out timer)*
- Side tone: noise blanker at end of transmission

- Monitor function
- Busy channel (BCLO-Busy Channel Lockout)*
- Broad/narrow band selection
 25KHz/12.5KHz (only export version)*
- High/low power (only export version)*

PACKAGING AND CODES

1 radio, microphone, microphone holder, integrated wired magnetic antenna, mounting bracket, fixing screws, supply cable with 12V car charger

code C1198.02

EXPORT VERSION 5W

* Software programmable only Extra UE countries

PROGRAMMING SOFTWARE PRG-GB1 - C1227

Complete with USB cable to connect to a PC.



THE REAL RADIO AMATEURS.

They are people who, both out of passion and out of curiosity, entered the wonderful world of radio and were able to appreciate the joy that you feel when communicating thousands of kilometres away.


From a regulatory point of view, the radio amateur is a person authorized to transmit, that is, who has obtained the so-called license and general authorization.

How to achieve this? First of all, it is necessary to acquire a minimum of knowledge of radio technology and the use of all the frequencies assigned internationally to the Amateur Service.

The figure of the radio amateur still plays a very important role in the event of a disaster by making available its tools and ability to ensure links between the various bodies in order to disseminate news and coordinate relief efforts.

VHF/UHF MODELS IN COMPARISON





























CT 990

10W, POWER NEVER SEEN BEFORE











WATERPROOF







DOT TONE

BUSY CHANNEL

ULTRA HI/LOW Power









PROGRAMMARI F

COLOUR DISPLAY RATTERY PACK

SUPPLIED WITH 2 ANTENNAS

Long antenna: enhances the radio performance in TX/RX

Short antenna: allows better handling

CT990 is fitted with the Dead Man function, useful when you are on your own or isolated. This function constantly monitors the status of the person wearing the radio: if a change in position of the radio from vertical to horizontal (due to illness or injury) is recorded CT990 emits an alarm that is sent to all users tuned to its frequency.

Version: Dual Band VHF/UHF

Colour: Black

Frequency: 144-146MHz

(Export 136-174MHz) 430-440MHz

(Export 400-470MHz)

10W VHF/UHF Output power:

FEATURES

- 257 memory channels
- 83 + 83 DCS codes and 38 CTCSS tones
- Selectable channel spacing 25/12.5 KHz
- Dual band VHF/UHF displayed
- Frequency band (settable according to country/area of use):
 - 144-146MHz & 430-440MHz (Rx/Tx).
- Operating mode:

- UHF/VHF, VHF/VHF or UHF/UHF
- Selectable channel step 25/12.5KHz
- IP67 certificate
- Dead Man function
- DQT function (private conversation)
- Wide colour LCD display
- Activation tones for repeater bridges
- Individual/group selective calls
- Side tone: end of transmission tone silencer
- VOX function
- Voice indication of the selected function "VOICE"
- Optional display of the channel number, channel number and frequency, channel
- Inverted frequency function
- Scan function
- FM radio receiver
- Selectable transmission power: high (10W) or low (5W)
- Frequency offset
- Shift repeater
- "Busy channel lock" function

Output power level indicator on the display

MIDLAND

- Roger beep
- TOT (Time Out Timer)
- Keypad lock
- Reset of functions/channels
- Low battery voice announcement
- Li-Ion 2800mAh battery pack
- Accessory socket: 2-pin Kenwood

PACKAGING AND CODES

Radio, long and short antennas, Li-lon 2800mAh battery pack, belt clip, desktop charger, wrist strap, wall adapter.

code C1339

PROGRAMMING SOFTWARE PRG10 - C974.01

Complete with USB connection cable for PC.

AMATEUR VHF/UHF 63

CT590 S

THE FIRST DUAL BAND WALKIE-TALKIE FOR RADIO AMATEURS





BATTERY LEVEL







CTCSS/DCS SCAN











DTMF











VOICE Announcement

3 COLOUR DISPLAY BATTERY PACK

PROGRAMMABLE 2 PIN KENWOOD



Version: VHF/UHF Colour: Black144-146MHz Frequency:

(Exp. 136-174MHz)

430-440MHz (Exp. 400-480MHz)

5W VHF/UHF Output power:

FEATURES

- 50 tones CTCSS and 208 codes DCS
- 128 channels can be stored
- 1750Hz tone for repeater bridges
- Emergency SOS function
- Channel and dual band VHF/UHF displayed
- Operation mode:
- UHF/VHF, UHF/UHF, VHF/VHF
- Output power: 5W UHF/VHF

- 3-colour LCD display with selectable
- backlight
- FM radio receiver (87.5-108MHz)
- Scan, Dual Watch
- Channel Spacing: 25KHz/12.5KHz
- VOX adjustable on 10 levels
- Channel or frequency mode selection
- TOT (Time Out Timer)
- DTMF Function
- Reverse function
- Emergency alarm function
- Setting up and storing channel names
- CTCSS and DCS code search function
- PTT-ID
- BCLO (Busy Channel Lockout function): busy channel lock function
- High/low power selection

- Frequency step: 2.5/5/6.25/10/12.5/25KHz
- Adjustable frequency offsets: 0-69.990MHz
- Adjustable Offset Direction
- Squelch adjustable on 9 levels
- Voice announcement of the selected function
- Keypad lock
- Power Save (battery economy)
- Programmable from PC
- Li-Ion 1500 mAh battery pack
- 2-pin Kenwood Accessory socket

PACKAGING AND CODES

Radio, 1500 mAh 7.4V Li-Ion battery pack, desktop fast charger, wall adapter, antenna, belt clip

code C1354

PROGRAMMING SOFTWARE PRG10 - C974.01

Complete with USB connection cable for PC.

AMATEUR VHF/UHF 64

$CT \, 3000$

THE PROFESSIONAL AMATEUR RADIO



Unlike the other models, **CT3000** can be defined "**professional**" as it has 6 customizable buttons on the front (P1-P6) through which you can set various functions, and not only: 2 functions can be associated to these 6 keys at the same time, divided into 2 groups of menus. To guarantee excellent communications even long range, CT3000 boasts high selectable **transmission power: 25W** (high), **10W** (medium) and **5W** (low).

Its metal chassis makes it an extremely robust radio, suitable for extreme situations, which also ensures better heat dissipation, very useful to prevent the radio from overheating.

The IP54 certification ensures high protection against dust and splashes and also allows using the radio outdoors.

CT3000 boasts the **"flip" function**: the radio can be rotated by 180° and the display will still be correct. The display is wide and multicolour.

 Version:
 Dual Band VHF/UHF

 Colour:
 Black

 Frequency:
 144-146MHz

 (Export 136-174MHz)

(Export 136-174MHz) 430-440MHz

(Export 400-470MHz) 25/10/5W

Output power: FEATURES

- Operating mode: UHF/VHF, VHF/VHF or UHF/UHF
- Dual band display (VHF/UHF), channel number or channel number and frequency.
- · Wide colour TFT display, rotating by 180°
- · Scan of the stored channels
- · Automatic adjustable Digital Squelch on multiple levels
- Scan function, Dual Watch, Roger Beep
- · 200 customizable memory channels
- 104 + 104 DCS inverted codes and 51 CTCSS tones
- · TOT (Time out Timer)

- · Adjustable backlight
- · Automatic switch ON/OFF
- · Keypad lock
- Activation tones for repeaters (1000/1450/1750/2100Hz)
- Bandwidth selectable on three levels 12.5/20/25KHz
- · Frequency inversion function
- Frequency step:
- 2.5/5/6.25/10/12.5/20/25/ 30/50KHz.
- Frequency offset and selectable offset direction
- · Output power level indicator on the display
- 12.6V+/- 10% power supply
- Microphone with RJ45 multifunction keypad

PACKAGING AND CODES

Transceiver, microphone with keypad, fixing bracket, power cable, microphone holder, screws and protection fuse

code C1325

PROGRAMMING SOFTWARE PRG-3000 C1352

Complete with USB connection cable for PC

R74574

2 mt. long microphone extension cord for M-5/M-30/CT3000

AMATEUR VHF/UHF 65

ALAN HP108

QUALITY AND HIGH PROFESSIONAL PERFORMANCE AT A COMPETITIVE PRICE



ROGER BEEP









BATTERY LEVEL







SIZE: 97x53x33mm

FEATURES

- Protection IP54
- VHF frequency: 136-174MHz
- 256 CH (HP108); 298 CH (HP408L)
- Breakdown of channels according to
- Customisable switch on message
- Backlit LCD display
- Backlit keypad Standard CTCSS tones and digital DCS
- Selective calling 5 tones, 5+5 tones in the

- various standard formats
- Signal intensity indicator
- Built-in scrambler with 8 different selectable frequency codes
- Compander, Transponder function
- Adjustable power: max. 5W programmable at High/Low/Medium
- Battery life: up to 12 hours
- Built-in vox adjustable to 8 different sensitivity levels and 4 different delay levels
- 2-pin accessory socket

PACKAGING AND CODES

Radio, quick desktop battery charger, Li-Ion 1600 mAh rechargeable battery, antenna, belt

code G1176.01

PROGRAMMING SOFTWARE PRG08 FOR HP08 SERIES - G1184

Complete with USB connection cable for PC.

PROFESSIONALS VHF/UHF 66

ALAN HM135

FOR ADVANCED COMMUNICATION SYSTEMS











FEATURES

- 4 25W output power
- VHF frequency: 136-174MHz
- MIL STD 810 C, D, E, F and IP54 (front panel only)
- More than 250 channels with usable settings
- CTCSS/DCS
- Programmable channelling
- Graphic LCD display

- 4 function buttons
- Phone book
- Standard and customised selective call
- Scrambler
- Kill/revive
- Remote use front panel
- 4W front speaker
- Standard and priority channel scan
- Talk around Public Address function
- Flash memory

- PC programmable
- Data transmission (compliant with ETS300-113)
- Standard DB25 accessories connector

PACKAGING AND CODES

Radio, power lead and support bracket Complete with USB connection cable for PC. code G934

ALAN HM106

REASONABLE PRICE PROFESSIONAL PERFORMANCE













FEATURES

- Output power 4 25W
- VHF frequency: 136-174MHz
- MIL STD 810 C, D, E, F and IP54 (front panel only)
- 99 channels
- CTCSS/DCS
- Programmable channelling

- 2-digit LED display
- 4 function buttons
- Selective Call 4W front speaker
- Standard and priority channel scan
- Talk around
- Public Address function
- Flash memory
- PC programmable

PACKAGING AND CODES


Radio, standard microphone, power lead and support bracket

code G997

PROGRAMMING SOFTWARE PRG35 FOR HM06, HM35 AND HM70 - G968

Complete with USB connection cable for PC.

PROFESSIONALS VHF/UHF 67



ARCTIC

THE MARINE RADIO, IP67









CHANNELS



















BATTERY LEVEL











6 position multicharger (optional)





FEATURES

- IP67 waterproof certification
- Aluminium chassis
- Transmission power: 5W
- High/low power selection (5W/1W)
- 57 international channels
- Programmable channels (through software)
- Backlit wide LCD display
- Instant access to the emergency channel
- VOX, SCAN function
- Dual Watch/Triple Watch
- 10 different Squelch levels
- Priority channel
- Keypad lock

- Roger Beep (end of call tone)
- Keypad beep
- Flat battery indicator and automatic battery saver

MIDLAND

MENU ENT A EXIT

ARCTIC

- Power supply: Li-Ion battery pack
- 2-pin Motorola accessory socket

PACKAGING AND CODES

Radio, desktop charger, wall adapter, Li-Ion 1600 mAh rechargeable battery pack, belt clip

code C1240

EXPORT VERSION: USA/CANADA CHANNELS

PROGRAMMING SOFTWARE PRG-G15 - C1131

Complete with USB connection cable for PC.

MARINE VHF 69

RADIO ACCESSORIES

MICROPHONES/EARPHONES WITH 1-PIN ACCESSORY SOCKET

MA21-777PRO C1437

Microphone earphone with PTT, 1 pin 3.5mm (Midland 777 PRO).

MA31-777PRO C1438

Microphone with pneumatic earpiece and PTT, 1 pin 3.5mm (Midland 777 PRO).

MA 21-SX C709.02

Microphone with adjustable earpiece and selectable PTT/VOX, with curly cord.

MA-NC1 C983

Fabric neck collar with integrated headset and $\stackrel{\circ}{\text{selectable}}\,\mathsf{PTT/VOX}$ (Midland 777).









MICROPHONES/EARPHONES WITH L-SHAPED 2-PIN ACCESSORY SOCKET



MA 21-L C709.03

Microphone with adjustable earpiece and selectable PTT/VOX, with curly cord.



MA 21-LI C709.07

Microphone with earpiece (no VÖX).



MA 24-L C517.02

Speak/listen microphone with selectable PTT/VOX.



MA 26 - XL C515.05

Speaker microphone with volume control and earpiece



MA 28 - L C559.03

Speak/listen microphone with selectable PTT/VOX NB: MA28-G5 except Alan421-G5XT.



MA 30 - L C648.03

Microphone with adjustable arm and selectable PTT/VOX.



MA31 - L C732.03

Microphone with pneumatic earpiece and selectable PTT/VOX.



MA 35 - L C652.02

Headphone with microphone.







MICROPHONES/EARPHONES WITH 2-PIN MOTOROLA ACCESSORY SOCKET (G15 PRO/G18)



MA 25-M C1129

Waterproof speaker microphone, compatible with Midland G15/G18. 2-pin "L" jack.



Microphone with PTT, compatible with Midland G15/G18. 2-pin "L'" jack.



Microphone with pneumatic earpiece, compatible with Midland G15/G18. 2-pin "L" jack.







MICROPHONES/EARPHONES WITH 2-PIN KENWOOD ACCESSORY SOCKET



BA21 C1298

Adjustable earpiece microphone and PTT. Ergonomic and comfortable, extremely robust cable for professional use. 2-pin "L" jack.

BA24 C1296

Headset microphone. Ergonomic and comfortable, extremely robust cable for professional use. 2-pin "L" jack.

BA22 C1297

Speaker microphone with PTT and rotating clip. Performant speaker with PTT and 360° rotating clip. 2-pin "L" jack.

BA31 C1299

Microphone with pneumatic headset and PTT. Discreet and flexible, high quality transparent hose. Extremely rugged cable for professional use. 2-pin "L" jack.









HIGH PERFORMANCE HIGH PERFORMANCE HIGH PERFORMANCE HIGH PERFORMANCE


MA 21-LKI C1306

Microphone with adjustable earpiece curly cord, competitive price.



MA 21-LK 709.04

Microphone with adjustable earpiece and PTT, with curly cord.
L-shaped 2-pin accessory socket.





MA21-KE C1495

Microphone with pneumatic headset. LISTENING ONLY



MA31-LK C732.04

Microphone with pneumatic earpiece. L-shaped 2-pin accessory socket.



MICROPHONES/EARPHONES WITH STRAIGHT 2-PIN SOCKET



AE30 C851

Microphone with arm and selectable PTT/VOX.



AE38 C823

Throat microphone with earphone, PTT and finger PTT.



EARPHONES LISTENING ONLY TOURISTIC USE (1 USE)



C1209

C1243

Earphone double ear pavilion, 3.5mm.



Iphone style earphone,

mono, 3.5mm.

C1209.01

Earphone mono, 2.5mm.



C1282

Iphone style earphone, double ear pavilion, 3.5mm.



Earphone mono,

C987.01

C1324

Earphone, double ear pavilion, cable length 140 cm, 3.5mm.











EARPIECE ACCESSORIES FOR SOFTGUNNERS

The Action Line accessories stand out for their hard-wearing design, technical specifications, practicality and quality of materials. The Action Line is not compatible with Vox functions.










WALKIE TALKIE ACCESSORIES



BATTERIES			
C1433 AA rechargeable battery 1800mAh (4 AA)		PB-ATL/G7 C784 800mAh Ni-MH rechargeable battery pack	G7 line G9 Pacific
PB-777PRO R01956 1000mAh Li-lon rechargeable battery pack	777 PRO	PB-X7 C1301 1000mAh Ni-MH rechargeable battery pack	XT 70
PB-777 C783 650mAh Li-lon rechargeable battery pack	Midland 777 Onda	PB-X6 C1300 700mAh Ni-MH rechargeable battery pack	XT60 XT 50
BATTERY KIT 4 PZ R02246 650mAh Li-lon rechargeable battery pack	Midland 777 Onda	PB-BR01 R74611 2800mAh Li-lon rechargeable battery pack	BR01
PB-G10 PRO C1454 2600mAh rechargeable battery pack	G10 PRO G13	PB-BR02 C1305 1800mAh Li-lon rechargeable battery pack	BR02
PB-G10 C1126 1200mAh Li-lon rechargeable battery pack	G10	PB-BR03 R01916 2300mAh Li-lon rechargeable battery pack	BR03
R74421 1200mAh Li-lon rechargeable battery pack	G10 Mimetic	PB G6/G8 C881 800mAh Ni-MH rechargeable battery pack	G8 - G6 M24-S 48-S M99-S
PB-G11 C967 1600mAh Li-lon rechargeable battery pack	G11 V G11	PB D-200 C1265 1800mAh Li-lon rechargeable battery pack	D-200
PB-G15/18 C1128 1600mAh Li-lon rechargeable battery pack	G15 G18	PB200/400 C846 1200mA Li-lon rechargeable battery pack	G14
PB-PRO C1148 1200mAh Li-Ion rechargeable battery pack	G7 PRO G9 PRO		

MULTICHARGERS

MULTI CA PB-G15 C1251

6 position multicharger **G15 PRO G15, G18 Arctic**

MULTI CA PB-G10 C1218

6 position multicharger **G10**

MULTI CA PB-BR03 C1353


6+6 position multicharger **BR03**

MULTI CA PB-BR02 C1295

6 position multicharger **BR02**











WALKIE TALKIE, VHF/UHF | PROFESSIONAL ACCESSORIES









C829 To ensure the compatibility of all equipment with 1-pin - 2.5mm stereo equipment with 2-pin accessories

ADAPTERS AND WIRELESS HEADSETS

MIDLAND WIRELESS "WA" ACCESSORIES

The Midland Wireless "WA" range of accessories allows to use any Midland transceiver (fitted with 2 Pins) wireless. All devices have a rechargeable lithium battery, with USB cable for charging.

WA-DONGLE M C1199.02

Bluetooth adapter for Motorola 2-pin radio



WA-CB C1276

Bluetooth mini-adapter for M-10, M-20, M-Mini



The WA series includes:

- WA-DONGLE Bluetooth Adapter for 2-pin radio, including Kenwood/Motorola;
- Mini-WA-CB Bluetooth Adapter for M-10, M-20, M-Mini: when connected to the portable or vehicular transceiver socket, you can choose the most suitable WA Series earphone according to your needs
- Bluetooth earphones WA21//WA29: each earphone comes with a small PTT. With the WA Series earphones you can also pair any Bluetooth-equipped phone.

WA21 C1201

Bluetooth headset microphone with PTT for WA-DONGLE/WA-CB






Bluetooth headset microphone with neckband and PTT for WA-DONGLE/WA-CB



WALKIE TALKIE | PROFESSIONAL ANTENNAS AND ADAPTERS



ANTENNA ADAPTERS



51640

Adapter SMA (male)/BNC (female)
CT510, CT710, CT890, G15, G18, G11V, D-200, ARCTIC



58610

Adapter SMA (female)/BNC (female)

CT790, CT590, CT690, G10

VHF/UHF ANTENNAS





WALKIE TALKIE - LEASURE TIME OVERVIEW TABLES

MODEL	777 PRO	G10 PRO	G11 V
Band	PMR446-LPD (Dual band)	PMR446	PMR446
Channels	PMR446: 16 LPD: 69	16+16 preprogrammed	8+8 pre-set sub-channels
CTCSS and DCS	38 CTCSS/104 DCS	50 CTCSS 116 "N+116 "I" DCS	50 CTCSS, 105 DCS
Vox	9 sensitivity levels	-	9 sensitivity levels
Power supply	1000mAh Li-lon battery pack	1200mAh Li-lon battery pack	1600mAh Li-lon rechargeable battery pack
Autonomy 5/5/90	Up to 14 h	16h	22h
Display	Liquid crystal EED TM	-	-
Transmission power	500 mW ERP	500mW ERP	500mW ERP
Operating temperature	-20° +55°C	-20° +55°C	-20° +55°C
Weight (without batteries)	65 g	171 g	209 g
Size (WxHxD)	44x85x27	118x60x35 mm	112x58x34 mm
Connections	Socket for audio accessories	Socket for audio accessories	Socket for audio accessories
Accessory socket type	3.5mm (4 pin)	2-pin Kenwood	2-pin Kenwood
Compatible wall charger	desktop charger only	desktop charger only	desktop charger only

MODEL	G13	G15 PRO	G18
Band	PMR446	PMR446	PMR446
Channels	16+83 preprogrammed	16+16 preprogrammed	8+91 pre-set channels
CTCSS and DCS	50 CTCSS 106 "N+106 "I" DCS	50 CTCSS, 105 DCS	50 CTCSS, 105 DCS
Vox	9 sensitivity levels	9 sensitivity levels	9 sensitivity levels
Power supply	2600mAh Li-lon rechargeable battery pack	1600mAh Li-lon rechargeable battery pack	1600mAh Li-Ion rechargeable battery pack
Autonomy 5/5/90	40h	22h	22h
Display	Multifunction backlit LCD	-	Multifunction back-lit LCD
Transmission power	500mW ERP	500mW ERP	500mW ERP (high/low level)
Operating temperature	-20° +55°C	-20° +55°C	-20° +55°C
Weight (without batteries)	129 g	192 g	240 g
Size (WxHxD)	117x60x42 mm	100x58x33 mm	113x56x38 mm
Connections	Socket for audio accessories	Socket for audio accessories	Socket for audio accessories
Accessory socket type	2-pin Kenwood	2-pin Motorola	2-pin Motorola
Compatible wall charger	desktop charger only	desktop charger only	desktop charger only

RADIO OVERVIEW TABLES 77

WALKIE TALKIE - BUSINESS OVERVIEW TABLES

MODEL	G7 PRO	G9 PRO	XT70
Band	PMR446-LPD (Dual band)	PMR446-LPD (Dual band)	PMR446-LPD (Dual band)
Channels	PMR446: 16 LPD: 69	PMR446: 16+16 progr. LPD: 69	PMR446: 8 + 16 pre-programmed LPD: 69 LPD
CTCSS and DCS	38 CTCSS/104 DCS	38 CTCSS, 104 DCS	38 CTCSS
Vox	6 sensitivity levels	3 sensitivity levels + talk back	9 sensitivity levels
Power supply	800mAh/1200mAh Li-lon (opt) battery pack or 4 AA rechargeable batteries	4 AA 1800mAh rechargeable batteries or 4 AA alkaline batteries (opt)	3 AA rechargeable batteries or 1000mAh battery pack
Autonomy 5/5/90	Up to 18h with battery pack 800mAh	23h with 4 1800mAh batteries	Up to 17h
Display	Multifunction back-lit LCD	Multifunction back-lit LCD	Multifunction back-lit LCD
Transmission power	PMR446 500/10mW ERP (high/low) LPD 10mW	PMR446 500/10mW ERP (high/low) LPD 10mW	500 mW ERP
Operating temperature	-20° +55°C	-20° +55°C	-20° +55°C
Weight (without batteries)	123 g	114 g	113 g
Size (WxHxD)	58x122x34 mm	68x120x35mm	58x120x33 mm
Connections	Socket for audio accessories, charger	Socket for audio accessories, charger	Audio accessories and USB socket
Accessory socket type	2 pin	2 pin	2 pin
Compatible wall charger	MW904	MW904	C1254

MODEL	XT60	XT50	XT30/10	GB1-R
Band	PMR446-LPD (Dual band)	PMR446	PMR446	PMR446
Channels	PMR446: 8 + 16 pre-programmed LPD: 69	8 + 16 pre-programmed	8 + 8 pre-programmed	8+91 pre-set channels
CTCSS and DCS	38 CTCSS	38 CTCSS	38 CTCSS	50 CTCSS, 104 DCS
Vox	9 sensitivity levels	3 sensitivity levels	1 sensitivity level	-
Power supply	3 AAA rechargeable batt. or 700mAh battery pack	3 AAA rechargeable batt. or 700mAh battery pack	3 AAA Ni-MH rechargeable batteries	12Vdc +/-10%
Autonomy 5/5/90	Up to 12h	Up to 12h	Up to 5h (XT30)	-
Display	Multifunction back-lit LCD	Multifunction back-lit LCD	Multifunction back-lit LCD	Multifunction back-lit LCD
Transmission power	500 mW ERP	500 mW ERP	500 mW ERP	≤500mW ERP
Operating temperature	-20° +55°C	-20° +55°C	-20° +55°C	-20° +55°C
Weight (without batteries)	112 g	93 g	XT10: 73 g; XT30: 75 g	220 g
Size (WxHxD)	54x120x33 mm	54x103x33 mm	XT10: 48x85x30 mm XT30:48x90x32 mm	100x85x22 mm
Connections	Audio accessories and USB socket	Audio accessories and USB socket	Audio accessories and USB socket (XT30)	Socket for external speaker
Accessory socket type	2 pin	2 pin	2 pin (XT30 only)	3.5 mm mono
Compatible wall charger	R73487	R73487	R73487	-

78 RADIO OVERVIEW TABLES

VHF/UHF RADIO OVERVIEW TABLES

MODEL	CT990	CT590S	CT3000
Frequency	144-146MHz 430-440MHz	144-146MHz 430-440MHz	144-146MHz 430-440MHz
Operating temperature	-20°-+55°	-20°-+55°	-20°-+55°
Voltage supply	7.4V	7.4V	12.6V
Operating mode	Simplex or Semi-duplex	Simplex or Semi-duplex	Simplex or Semi-duplex
Size (whitout antenna)	140x60x35mm	115×58×35.5mm	115x43x125mm
Weight (battery included)	310 g	230 g	809 g
Antenna impedance	50Ω	50Ω	50Ω
Use cycle	5/5/90	5/5/90	5/5/90
Transmitter			
Frequency stability	±2.5PPM	±2.5PPM	±2.5PPM
Output power	10W (UHF/VHF)	VHF: 5W UHF:5W	25W (UHF/VHF)
Max. frequency deviation	5KHz	5KHz	5KHz
Audio distortion	≤ 3%	≤ 3%	≤ 3%
Receiver			
RF sensitivity	< 0.2µV	< 0.2µV	< 0.2µV
Audio distortion	≤3%	≤3%	≤3%
Audio response	300Hz ÷ 3KHz	300Hz ÷ 3KHz	300Hz ÷ 3KHz

VHF MARINE RADIO OVERVIEW TABLES

MODEL	ARCTIC
Channels	57 international
TX frequency coverage	from 156,025 to 157,425 MHz
RX frequency coverage	from 156,300 to 162,000 MHz
Operating temperature	−15°C +55°C
Size (WxHxD)	115 x 55 x 37mm
Weight (transceiver only)	230 g
Accessory socket type	2.5mm/3.5mm Motorola
Programmable	Via software (PRG-G15)
Water protection grade	IP67
Transmitter	
Output power	Selectable 1W or 5W
Frequency stability	±2.5PPM
Audio distortion	≤ 3%
Receiver	
Sensitivity 20dB Sinad	0.3 µV
Audio output power	300mW @ 10% THD
Audio distortion	<10%

RADIO OVERVIEW TABLES 79



CAMERA MODELS IN COMPARISON

KEY































BIKE GUARDIAN WI-FI

MOTORCYCLE/CAR DASH CAM















1920X1080P (30FPS)







Bike Guardian WI-FI is the FullHD video camera for motorcycles and cars, featuring constant recording, very useful in the event of an accident to determine causes and responsibilities.

Connected to the motorbike USB port via the provided power cable (waterproof), it automatically begins recording when the motorbike starts and switches itself off when the motorbike is turned off. With the Visionbank application, you can control the video camera remotely using a smart phone

Bike Guardian Wifi has a completely new lookthanks to its metal case, with new finishes. It is IP68 certified, so it could even record up to 10 meters underwater!

MOTORBIKE/CAR MODE

Continuous recording when connected to an external power supply (car/motorbike).

INTEGRATED WIFI

Managed via app.

G-SENSOR

As it is equipped with an accelerometer, if there is an accident, recorded videos can be protected automatically.

MOTION DETECTION

Automatic recording, sensitive to the movements of those who walk in front of the camera to prevent theft and vandalism.

PACKAGING AND CODES

Video camera, USB cable, waterproof USB cable, fixing bracket, handlebar mounting, suction cup mounting, double-adhesive mounting consisting of: GO-PRO adaptor, screw, quick fixing, double-adhesive flat base.





OPTIONAL WATERPROOF USB CABLE - R01988

BIKE GUARDIAN

THE FIRST MOTORCYCLE DASH CAM











1920X1080P (27FPS)





Bike Guardian, the motorcycle camera with FullHD resolution, designed and made to be another "eye" that records everything that happens while you are riding.

Highly useful in the event of an accident to prove who was involved and who was to blame Bike Guardian is the first motorcycle camera with continuous recording.

Connected to the motorcycle USB socket with the cable supplied, it starts recording automatically when the bike is switched on and turns itself off when it is switched off.

Bike guardian can be used also as a traditional action cam and, thanks to its integrated battery, allows up to 2 hours recording. Integrated microphone and speaker.

RAINPROOF

Bike Guardian is able to withstand bad weather, mud and dust, ensuring a video without interruptions. Even the cable, which connects the camera to the bike socket, is rainproof.

PACKAGING AND CODES

Video camera, lock mount, handlebar mount, bi-adhesive flat mount, bi-adhesive curved mount, quick fixing, screw, GO-PRO adaptor, strap mount, USB cable, USB rainproof cable, wrist belt.

code C1415



OPTIONAL WATERPROOF USB CABLE - C1457

STREET GUARDIAN FLAT

COMPACT CAR DASH CAM





















12 MP





INCLUDES 2 ADHESIVE SUPPORTS





REAL SIZE

VERY THIN 92x69x33mm

Street Guardian Flat is the thin FullHD camera with a discreet design for those who want to feel safe while driving, thanks to video recordings complete with sounds, without giving up a clean windscreen with complete

Integrated microphone and speaker.

It connects to the cigarette lighter socket via the 12 V cable and can be easily installed on two cars, thanks to the adhesives included in the package.

BLACK BOX AND MOTION DETECTION

The Black Box function makes the camera save and automatically protect the clips in case of an accident. The Motion Detection function allows the camera to start recording every time it detects a motion in the viewing range (requires the camera to be powered).

It is possible to use the Wi-fi to place the camera and set it up during the assembly/ $\,$ installation on the car.

The Wi-fi also allows the review and download of the clips directly onto the smartphone without having to connect the camera to a PC (thus avoiding removal from the vehicle).

Recommended apps: FinalCam LuckyCam.

PARKING FUNCTION

The parking function enables the camcorder to automatically start recording whenever it detects a collision. No more unpleasant surprises for your parked car!

PACKAGING AND CODES

Dash cam, 2 adhesive supports, cable with 12V cigarette lighter socket, USB cable to connect to a PC.

code C1409



STREET GUARDIAN GPS+

DASH CAM WITH BUILT-IN GPS













1920X1080P (30FPS)











REAL SIZE

Street Guardian GPS + is the car dash cam with **built-in GPS** that identifies geographically every second of your route on a dedicated map, containing the coordinates of all recordings. Safety is therefore guaranteed not only by video and audio recordings (with integrated speaker and microphone) but also by monitoring the route.

Quick to install, it is placed in the centre of the windscreen thanks to the handy suction cup and connects to the power supply with the 12 V cigarette lighter socket.

BLACK BOX AND MOTION DETECTION

Like the other Street Guardian models, it is equipped with Black Box technology, which automatically saves and protects videos in the event of an accident and with Motion Detection, that starts recording any external movement within the camera range.

POSITION SIGNALLING

The built-in GPS indicates the location where you are, the speed you are going to and follows you step by step along the way.

PACKAGING AND CODES

Dash cam, suction cup mount with GPS, $12\ V\ cigarette\ lighter\ socket,\ USB\ cable\ for$ PC connection.

code C1284.01



STREET GUARDIAN DUAL

DUAL DASH CAM

















MOTION DETECTION 160° OUT+120° IN (OUT)

WITHGPS





1920X1080P (OUT) 12 MP





REAL SIZE

TWO CAMERAS RECORDING WHAT IS HAPPENING IN AND OUT THE CAR. IDEAL FOR TAXIS AND PUBLIC TRANSPORT.

The Street Guardian Dual is double; in fact it has two cameras, to film what is happening inside and outside the car. Designed to record automatically even without light, it is equipped with Night Vision technology and 4 infrared LEDs (the latter for internal shooting).

Integrated microphone and speaker.

BLACK BOX AND MOTION DETECTION

In case of an accident, the Black Box function automatically saves the videos. The Motion Detection function uses the vision range to start recording any movements outside the car.

The built-in GPS indicates the location where you are and follows you step by step along the

PACKAGING AND CODES

Dash cam, suction cup mount with GPS, 12V cigarette lighter socket, USB cable for PC connection.

code C1285



OPTIONAL ADHESIVE SUPPORT C1434

TRUCK GUARDIAN WIRELESS

TRUCK AND CARAVAN VIDEO-SURVEILLANCE SYSTEM





WIRFI FSS







7" MONITOR


NIGHT VISION12



CYCLE

2/24V DUAL

REMOTE CONTROL VIDEO RESOL







Truck Guardian Wireless is the camera for trucks and caravans, designed and made to help during manoeuvres and to record what is

happening around you.

Highly useful when reversing and in the event of an accident to prove causes and responsibilities.

WIRELESS

Wireless technology makes installation extremely easy, as camera and monitor do not need to be connected. Just find a 12 or 24V power source. If you want to add an additional camera (up to 4), simply power it and it will automatically be coupled to the monitor.

7" MONITOR AND REMOTE CONTROL

The large wireless monitor with recorder located inside the truck cabin, is equipped with a remote control, to control the monitor functions remotely.

NIGHT VISION THAT IS NOT AFRAID OF BAD WEATHER

The water resistant (IP67) video camera has a 120° viewing angle and it is equipped with 12 infrared LEDs for night viewing, which light up automatically

CYCLIC RECORDING

Cyclic recording allows to record continuously from one to four cameras even simultaneously.



PACKAGING AND CODES

Truck Guardian Wireless


Monitor, camera, power cable with cigarette lighter socket (for monitor), power cable (for video camera), 3 Wi-Fi antennas (2 for monitor, 1 for video camera), remote control, sunshade frame, mounting support.

code C1331

HIDLAND

Additional wireless truck camera

Camera, power cable, Wi-Fi antenna. code C1332



H9

THE TOP IN THE 4K ACTION CAM RANGE











SUBMERSIBLE CASE 30M

2" LCD DISPLAY

VIDEO/PHOTO









TIME LAPSE PHOTO

TIME LAPSE VIDEO

WIDE ANGLE 170°





H9 is an extra-slim camera with a compact design and excellent resolution: Real 4K!
H9 can record films with resolution up to 4K@30fps; moreover the built-in chipset Ambarella guarantees the best ever videos! Thanks to the Panasonic sensor, H9 can take high quality photos up to 14MP.

DISPLAY LCD 2" INTEGRATED

H9 has an integrated display for framing and easily adjusting settings as well as reproducing photos and videos.

TIME LAPSE

It produces exceptional videos with advanced features: Photo Time Lapse (sequence of photos at a set time interval) and Time Lapse Video (creates accelerated videos).

REMOTE CONTROL

It is equipped with a $2.4~\mathrm{Ghz}$ wrist wireless remote control, its buttons enable the switch on and off of the camera and to take videos and photos.

WATERPROOF CASE 30M

The submersible case supplied protects the action cam from water up to a depth of 30 meters, but also from mud and dust.

WI-FI

Thanks to the built-in wi-fi and high-performance chipset, **H9** connects to smartphones and tablets to watch again and share films and photos with the dedicated "Midland H9" App (iOS and Android).



PACKAGING AND CODES

Camera, 30m waterproof case, remote control, 3.7V/1000mAh Li-ion battery pack, frame (to be used without case), curved base, flat base, 2 quick-release couplings, 90° support, handlebar support, clamp, USB cable, screw, screw coupling.

code C1405

H5+**UHD BEST SELLER**





CAR DVR







SUBMERSIBLE CASE 30M



2" LCD DISPLAY



TIME LAPSE

WIDE ANGLE 140°

ALL ACCESSORIES IN THE PACKAGE





The very small dimensions, weight - only 60 gr. - practicality and 3840x2160@25fpsresolution make **H5+** perfect for the needs of all athletes and outdoor enthusiasts.

BUILT-IN 2" LCD DISPLAY

Midland **H5+** introduces the integrated display for framing, adjusting easily the settings and playing video and photos.

CAR DVR FUNCTION

Fitted with Cycle recording, it can be easily installed in the car and record continuously what is happening while you drive.

TIME LAPSE

Produces exceptional videos with advanced Time Lapse function (photo sequence at a time interval).

WIDE-ANGLE

Fitted with 140° wide-angle lens for excellent videos.

30M SUBMERSIBLE CASE

The submersible case supplied protects the action cam from water up to a depth of 30 meters, but also from mud and dust.

WI-FI

Midland H5+ thanks to built-in wi-fi connects to smartphones and tablets to see, watch again, and share movies and photos with the dedicated App "Ez i Cam" (iOS and Android).



PACKAGING AND CODES

Camera, submersible case 30 m, coloured front, 1050 mAh Li-ion battery pack, USB cable and 20 elements to be combined to create the mounting solution that best suits your needs (ex: helmet support, bicycle helmet, etc)

code C1208.02

H3+

THE ACTION CAM EVERYONE CAN USE



CAR DVR







SUBMERSIBLE CASE 30M









ELECTRONIC IMAGE WIDE ANGLE STABILIZER 140°

ALL ACCESSORIES IN THE PACKAGE





H3+ is complete with integrated Wi-Fi, Full HD, image stabilizer and waterproof case. The action cam for all your craziest moments.

With the GoPlus Cam application, you can control the video camera remotely using a smart phone or tablet.

INTEGRATED 2" LCD SCREEN

Midland H3 + features the integrated display for framing, easily adjusting settings and playing videos and photos.

WI-FI

Thanks to the integrated Wi-Fi, Midland H3 + connects to smartphones and tablets to view, review and share videos and photos through the dedicated GoPlus Cam App (iOS and Android).

MOTION DETECTION

Automatic recording, sensitive to the movements of the wearer.

DASH CAM

Continuous recording when connected to an external power supply (car/motorbike).

IMAGE STABILIZER

Automatic elimination of micro vibrations

WATERPROOF CASE 30M

The submersible case supplied protects the ACTION CAM from water up to a depth of 30 metres, but also from mud and dust.



PACKAGING AND CODES

Video camera, case waterproof to 30m, frame, quick fixing, flat based mounting, photographic fixing with screw, USB cable, Li-Ion battery pack

code C1235.01

CAMERA ACCESSORIES



TACTICAL/WEAPONS

PICATINNY MOUNT C1118

Mount for rifles and guns with Picatinny Rail



XTC400

XTC450

XTC280

XTC270

ALL

ALL

PICATINNY MOUNT C1039

Mount for rifles and guns with Picatinny Rail



UNIVERSAL RIFLE MOUNT C1064.01

Universal mount for rifles



BOW MOUNT C1068

Bow mount

TREE MOUNT C1062

Tree mount



SURFACE

TURNABLE HOOK 360°C1268

Rotating hook mount 360° for base with double-sided tape



MINISPIDER C1109

Small base with 3M adhesive and 45° slide



H SERIES

HELMET MOUNT C990

SPIDER C1110

and 45° slide for

surf/snowboard

GO PRO

Large base with 3M adhesive

Bi-adhesive helmet mount.



XTC280

XTC270

ALL

also

Bike Guardian



BASIC C1108

Base fixing system (4 pieces)



SURF SNOW BOARD MOUNT C1038

270° Adjustable ABS and stainless steel mount with safety device to be fixed to a surfboard or snowboard.





BASIC C1273

Base fixing system (4 pieces)

H9/H3 H5+/H5 H7+/H7



PROFESSIONAL/RAM

RAM ROLL BAR MOUNT C1042

Professional mount for tubular handlebar with a diameter from 1-3 cm



ALL*

RAM MOTO QUAD MOUNT C1052

Professional mount suitable for all vehicles with tubes with a diameter 3-6 cm



Compatible with H series action cameras using Tripod Mount C1270 adapter

ALL

CAMERA ACCESSORIES

WEARABLE

BELT MOUNT C1111

Belt mount

XTC400 XTC450

HEAD STRAP MOUNT C1113

Headband mount

XTC400 XTC450



VENTED HELMET MOUNT C1112

Bicycle helmet mount

XTC450

XTC400 GOGGLE MOUNT C1114

> Mount for goggles (ski, motocross)

XTC400 XTC450





GOGGLE MOUNT C989

Mount for goggles (ski, motocross)

XTC280 XTC270 **HEAD STRAP MOUNT** C1040

Headband mount

XTC280 XTC270

XTC280





CAP MOUNT C1012

Cap mount

ALL* **VENTED HELMET MOUNT C991**

> Universal Velcro band for bicycle helmet, rucksack, etc

XTC270





VEHICLE

HANDLEBAR MOUNT

C1117

Mount for handlebars

ALL also Bike Guardian series

ALL*

ALL*

GO PRO



SUCTION CAP MOUNT C980.01

Suction mount for cars and motorcycles for stable recording on a vehicle, ideal for smooth (bodywork) and rough surfaces (dashboard)

GO PRO



HANDLEBAR MOUNT

Mount for handlebars and

tubes

GO PRO



REMOTE CONTROL

R01487

Remote control

Н9

RC-H7/H7+ C1248 Remote control H7/H7+





ALL*

93

POD

XT-POD C1116

Multicam Monopod Aluminum body (18cm)

GO PRO



ALL* XT-POD 2S C1116.01

> Telescopic multicam 2-section Monopod 100% Carbon fiber (80cm)

GO PRO

ALL*

XT-POD 3S C1116.02

Telescopic multicam 3-section Monopod 100% Carbon fiber (112cm)

GO PRO



CAMERA ACCESSORIES

CAMERA ACCESSORIES

ADAPTERS

TRIPOD MOUNT C1120

Adapter for GOPRO. This adapter allows to use all screw-type accessories with H series action cams

XTC400 TRIPOD MOUNT XTC450

R73161 Side adapter to transform any screw mount into a side attachment

XTC280 XTC270

GOPRO ADAPTER 101854

This adapter allows the use of GOPRO mounts with XTC MIDLAND cameras







SUBMERSIBLE CASES

WPC-H9 R01488

Submersible case 30 m



H9 R74447

Submersible case 30 m



WPC-H5+ C1335

Submersible case 30 m



H5+ CC-XTC400 C1121 **H9** Submersible case 85 m

XTC400 XTC450

XTC300

XTC280 XTC270

H180



WPC-H5+ C1335

Submersible case 30 m



CC-XTC300 C1031 H5+

Case with flat lens, up to 60 m



WPC-H7+ C1336

Submersible case 30 m



CC-XTC280 C976.01

Case with flat lens, up to $60 \, m$



LENS KIT

ANTI-CONDENSATION INSERTS

C1171

18 inserts and one humidity indicator



LENS KIT C1074

XTC300

ALL

ALL

Camera lens, spherical lens, flat lens 60 m of case and seals



FLAT LENS R73453

60 m flat lens

XTC300



BATTERIES

PB-H5 C1246

900mAh 3.7V Li-lon battery pack

PB-H5+/H9 C1246.01

1050mAh 3.7V Li-lon battery pack

R74537 H5

H3+/H3 1000mAh Li-lon battery pack

H5+/H9 BATTERY C1124

BATTERY R72963

900mAh Li-lon battery pack

XTC400 XTC450

XTC280 XTC270

1700mAh 3.7V Li-lon battery pack

94 CAMERA ACCESSORIES

CAMERA OVERVIEW TABLES

MODEL	BIKE GUARDIAN WI-FI	BIKE GUARDIAN	STREET GUARDIAN FLAT
Resolution	1920x1080 (30 fps)	1920×1080p (27fps)	1920×1080p (30fps)
Sensor	AR0330 3 MP	Sony 2 MP	2 MP
Aspect Ratio	16:9	16:9	16:9
Format	MOV	MOV	MOV
Lens	F/2.0 (f=3.15 mm)	-	6 elements
Lens angle	170°	120°	130°
Sd Card	64 GB	64 GB (Class 10)	32 GB
Battery	1050 mAh up to 120'	680mAh up to 120'	Only for finalizing video files
Wi-Fi	Yes	No	Yes
Photo	12MP	2 MP	12 MP
Tripod mount	Yes	Yes	No
Weight	98 g	78g	72g
Dimensions WxHxD	100mm Ø40 mm	86mm Ø27mm	92x69x33mm
Operating systems	Win XP, SP2, Vista 7&8, Mac OSX 10	4+	

MODEL	STREET GUARDIAN GPS+	STREET GUARDIAN DUAL	TRUCK GUARDIAN WIRELESS	
			Monitor	Camera
Resolution	1920×1080 _P	Front: 1920x1080p Rear: 1920x1080p	800×480	756x504
Sensor	3 MP	4 MP/2 MP	-	CMOS
Aspect Ratio	16:9	16:9	16:9	16:9
Format	MOV	MP4	-	-
Lens	6 elements	7 elements - 5 elements	-	-
Lens angle	160°	160° - 120°	-	120°
Sd Card	64 GB	64 GB	128 GB	-
Battery	Only for finalizing video files	Only for finalizing video files	-	-
Wi-Fi	No	No	2.4 GHz encrypted transmission	2.4 GHz encrypted transmission
Photo	12 MP	12 MP	-	-
Tripod mount	No	No	Support bracket	Support bracket
Weight	70g	87g	430g	500g
Dimensions WxHxD	88x48x34mm	102x42x42mm	180x125x25mm	85x50x40mm
Operating systems	Win XP, SP2, Vista 7&8, Mac	OSX 10.4+		

MODEL	Н9	H5+	H3+
Resolution	4K (30fps)	4K (25fps) - 2.7K (30fps) - 1920 x 1080p (60fps)	1920×1080 (FHD) - 1440×1080 (HD)
Sensor	Panasonic 14 MP	4 Mp	
Aspect Ratio	16:9	16:9	
Format	MP4	MOV	
Lens	7 elements	-	
Lens angle	170°	140°	120°
Sd Card	64 GB	Up to 32 GB	Up to 128 GB
Battery	1050 mAh, up to 90 minutes	1050 mAh Li-Ion, up to 90 minutes	900mAh Li-Ion, up to 110 minutes in HD
Wi-Fi	Yes	Yes	Yes
Photo	14 MP	12 Mp (interpolated)	
Tripod mount	No	No	No
Weight	65	58g	52g
Dimensions WxHxD	58x41x30mm	59.3x41x30mm	59.3x29.3x41.1mm
Operating systems	Win XP, SP2, Vista 7&8, Mac OSX 10.4	+	

CAMERA OVERVIEW TABLES 95



ER200

COMPACT EMERGENCY POWER BANK









POWER SOURCE DYNAMO CRANK



CHARGE THE DEVICE WITH USB

BATTERY UP TO 25 HOURS







AM/FM radio



Charge the device with USB port/Dynamo

ER200 is a compact power bank, perfect for outdoor use (camping, beach, park, mountain, etc.) and in an emergency.

Small in size, **ER200** is an excellent companion for every hiker, able to recharge portable devices. It is also equipped with an AM/FM receiver and LED torch.

Multiple sustainable recharging sources: dynamo, solar panel and rechargeable batteries

Frequency: 531-1629KHz (AM)

87.5-108MHz (FM)

Red/Black Colour:

FEATURES

- Power sources: dynamo crank, solar panel or USB cable
- Long life rechargeable battery Li-Ion 2200 mAh, lasting up to 25 hours of normal use
- SOS Morse code flashlight beacon
- Powerful flashlight with Cree® led 130L
- It charges external electronic devices with USB port
- AM/FM radio
- Digital clock
- Headphone jack
- Telescopic antenna
- LCD display

PACKAGING AND CODES

Radio, 2200 mAh Li-Ion battery pack, USB

code C1469

Cree® is a registered trademark of Cree Inc

ER300

EMERGENCY POWER BANK















BATTERY UP TO 25 HOURS

DOG WHISTLE FOR

CHARGE THE DEVICE WITH USB

DYNAMO CRANK

AM/FM radio



Dynamo recharge





ER300 is a powerful powerbank capable of recharging portable devices and an emergency device equipped with an AM/FM receiver, designed for emergency situations, disasters and safety in which keeping in touch is essential. ER300 is a versatile solution also for everyday use, for outdoor activities, camping or in leisure time. Rechargeable via dynamo, solar panel, batteries and USB socket. With ultrasonic call for dogs, torch.

531-1629KHz (AM) Frequency:

87.5-108MHz (FM)

Red/Black Colour:

FEATURES

- 4 power sources: dynamo crank, solar panel, internal Li-Ion 2000 mAh battery pack or simply rechargeable batteries
- It charges external electronic devices with USB port
- Power bank with long life rechargeable battery 3.7Vdc Li-lon 2000 mAh, lasting up to 25 hours of normal use
- It also works with 6 AA battery (not included)
- Powerful flashlight with Cree® led 130L*
- SOS Morse code flashlight beacon
- Ultrasonic dog whistle useful for rescue teams

- AM/FM radio
- Digital clock Headphone jack
- Telescopic antenna
- Wide, bright LCD with backlight

PACKAGING AND CODES

Radio, 2000 mAh Li-Ion battery pack, USB/micro USB cable code C1173



AN INTERCOM FOR EVERY NEED

Audio development without limits or compromises.

Since 2005, Midland has specialized in motorcycle communication products. In 15 years of motorcycle communication we have developed a lab of professional engineers dedicated to the daily development of technologically advanced products. After years of constant studies and tests, we can finally say that the audio of our intercoms is the most advanced ever, thanks to strict and constant QUALITY controls. A characteristic that has distinguished the company for over 60 years.

DRIVER-PASSENGER



BTGO UNI


THE INVISIBLE
2 PEOPLE
CONNECTIONS:
MOBILE PHONE, MUSIC



ONE TO ONE COMMUNICATION


BT MINI

UP TO 500 M
UP TO 3 PEOPLE
CONNECTIONS:
MOBILE PHONE, MUSIC



BTX1 PRO S

UP TO 800 M UP TO 4 PEOPLE CONNECTIONS: MOBILE PHONE, MUSIC




MIDLAND INTERCOM RANGE





SPECIFI	CATIONS	BTX2 PRO S	BTX1 PRO S	
	Conference	8 people (4 bikes)	4 people	
*	One to One	6 people	4 people	
	Universal Intercom	Yes	Yes	
	Unlimited communication with BTT Button	Yes	Yes	
0 0	Range (in ideal conditions)	1600 m	800 m	
RCF	Compatible with Speaker by RCF	Yes (optional)	Yes (optional)	
	Music share	Yes	Yes	
70	FM Radio	Yes	Yes	
	Mobile connections	2	2	
444	Waterproof	IPX6	IPX6	
4 ¢ P ••• •	BT SET-APP	Yes	Yes	
(Voice messages	Yes	Yes	
+#+	Stereo background	Yes	-	
TFT	Dashboard compatibility	Yes	Yes	
67	Helmets compatibility	Universal	Universal	
	Battery life	23 h	23 h	
11111	AGC Automatic volume control	Yes	Yes	
	Single pack code	C1414.02	C1411	
	Twin pack code	C1414.03	C1411.01	

102 INTERCOM





DISCOVER ALL THE FEATURES OF OUR INTERCOMS AT www.midlandeurope.com



INTERCOM 103



MIDLAND, a brand born in 1959 in a small factory in Kansas City, is today the world leader in the radiocommunication and consumer electronics sector.

A group that today has over 15 European and non-European subsidiaries, between branches and strategic partners, and a distribution in over 90 countries, under the guidance of the Italian Headquarters.

Reggio Emilia is the headquarters of Research and Development that carries out the company mission daily and with great commitment. "Create a world where communicating is simple, fun and available to everybody."

Design and manufacture with passion products of quality, technologically innovative and that respond to the real need of all of us: to communicate.

A success that has lasted for over 60 years.

CERTIFICATIONS

ISO 9001 2015: for the design, production and installation of telecommunication systems and equipment for industrial, military, civil, marine and consumer use.

ANITEC-ASSINFORM: Midland Europe is part of the ANIE Federation research and innovation commission, a member of Confindustria and represents the electro-technical and electronic businesses operating in Italy.





Member of Confindustria and Confindustria Digitale Italian Association of Information and Communication Technology

WARRANTY

All our products are covered by a 24-month warranty, as long as they are sent to our Technical Service Centres together with the tax receipt.

Contact our Authorised Retailer who will tell you where the nearest Service Centre is located.

NB: we accept the return of goods upon two conditions: the agreed authorization from Sales Dept. (0522 509411)

or Customer Technical Support Dept. (0522 509535) and if costs of shipments are covered by sender.

The authorization is mandatory and if lacking, products will be immediately returned to the sender.

MIDLAND GROUP

USA Midland Radio Corporation Kansas City www.midlandusa.com

ITALY Midland Europe srl Reggio Emilia www.midlandeurope.com

Germany Alan Electronics Dreieich Trittau info@alan-electronics.de www.alan-electronics.de

Spain Midland Iberia Barcelona info@alan.es www.midland.es

France Alan France Vitrolles (Provence-Alpes-Côte d'Azur) infos@alanfrance.fr www.alan-midland.fr

Germany and France Bihr S.A.S. www.bihr.eu

Bulgaria Alan Telecommunication alan.bulgaria@me.com www.midlandeurope.com

Poland Alan Telekomunikacja Warsaw info@alan.pl www.alan.pl

Romania Fomco Trade srl Judetul Mures office@fomco.ro www.fomcoshop.ro

CBITAXO Rivne office@ taho.com.ua www.taho.com.ua

Ukraine

United Kingdom Alan - Nevada UK Portsmouth sales@nevada.co.uk www.nevadaradio.co.uk

United Kingdom Bikeit Southampton tradesales@bikeit.co.uk www.bikeittrade.com

Japan

Denmark and Scandinavia WTEK Hedehusene info@wtek.dk www.wtek.dk

Russia Alan-Sviaz Moscow info@midland.ru www.midland.ru

Greece Cobra Center Ltd Athens

Links Of Japan Osaka techdep@cobra-center.gr info@midlandradio.jp www.cobra-center.gr www.midlandradio.jp

Australia AudioXtra International Sydney info@audioxtra.com.au www.audioxtra.com.au

Turkey DNS Istanbul ocagman@dnsticaret.com www.dnsonlineshop.com

Israel Shchori Cellular Communication Tel-Aviv

www.midland.co.il info@midland.co.il

Thailand Panda Rider Co,. Ltd Bangkok sales@pandarider.com www.pandarider.com

Colombia InduGuimm Sas Dba EnMoto Medellin info@enmoto.co www.enmoto.co

China AS Distribution Co., Ltd. Shanghai milagros.cao@asiansolutions.cn www.asian-solutions.com



www.midlandeurope.com info@midlandeurope.com

Midland World





