



Queenax™ Functional Training Equipment

Safety • Regulatory • Warranty



Trademark Notice

Precor and Queenax are registered trademarks of Precor Incorporated. Other names in this document and all documents included in this purchase may be the trademarks or registered trademarks of their respective owners.

Intellectual Property Notice

Precor is widely recognized for its innovative, award-winning designs of exercise equipment. Precor aggressively seeks U.S. and foreign patents for both the mechanical construction and the visual aspects of its product design. Any party contemplating the use of Precor product designs is hereby forewarned that Precor considers the unauthorized appropriation of its proprietary rights to be a very serious matter. Precor will vigorously pursue all unauthorized appropriation of its proprietary rights.

Precor Incorporated
20031 142nd Ave NE, P.O. Box 7202
Woodinville, WA 98072-4002
1-800-347-4404
www.precor.com

Important Safety Information

Read all documentation provided with your Queenax Functional Training Equipment ("System" or "equipment"), including the Getting Started Guide, Maintenance Guide, and other material included in the Queenax Lit Kit, before assembly, installation, and use of this System.

The equipment is designed and tested to EN957, applicable ASTM standards, and categorized as class S /B.

Therefore, this equipment must be assembled for and used within commercial, institutional, and/or studio facilities. DO NOT use this equipment in the home. Contact Precor Customer Service for any questions regarding this categorization.

Important Save these instructions for future reference.

Note This equipment is intended for commercial use.

WARNING Failure to follow all instructions and safety precautions may result in serious injury.

Before assembly begins, a Precor certified installer and a structural engineer or licensed contractor must be present at the facility to mount the System securely to the floor, wall, and/or ceiling, or to install any type of Queenax flooring.

A Genie® Lift™ or similar is required for any Queenax equipment with overhead beams. Read, understand, and obey Genie Lift safety rules and operating instructions before operating the machine. Only trained and authorized personnel should operate a Genie Lift machine.

When considering a lift for raising beams, make sure to account for both the length and overall weight. For lengths over 15 ft. (4.5 m), two lifts should be used to provide stability when lifting.

If you have any questions, call Genie Industries or visit their website www.genielift.com.

"Genie®" is a registered trademark of Genie Industries in the USA and many other countries.

Safety Precautions for Owners

The owner of Queenax products alone is responsible for the safety of all users of the equipment. The owner's responsibilities include:

Use

- Functional training requires a significant focus by the facility, its staff, and trainers to maintain the quality of the fitness environment. If possible, the facility should provide direct supervision of the fitness equipment at all times by people knowledgeable about to safely use the System and trained to recognize potential problems.
- If any staff member witnesses unsafe use of the System, he or she should address the exerciser directly, demonstrate the proper technique, and have the exerciser review the *Safety Precautions for Exercisers* information in the Safety Guide. **Precor and Queenax recommend posting a copy of the *Safety Precautions for Exercisers* information near the System in a prominent location. Make sure your members read all posted instructions, including all safety instructions and equipment warning labels.**
- Make sure all exercisers see a physician for a complete medical exam before they begin any fitness program, particularly if they have high blood pressure, high cholesterol or heart disease; have a family history of any preceding conditions; are over the age of 45; smoke; are obese; have not exercised regularly in the past year; or are taking any medication.
- DO NOT allow children under the age of 14, or people unfamiliar with how to use the System, on or near the System. DO NOT leave children unsupervised around the System.
- DO NOT use the System in any manner other than the one it is meant for. The System should be used correctly in order to avoid injuries because improper and excessive exercise can cause injuries.
- Ensure that all accessories are properly attached before use. Failure to do so may result in serious injury.
- Inspect and replace any and all worn or damaged accessories.
- DO NOT use accessory attachments that are not recommended or maintained by Precor | Queenax. Such unauthorized attachments may cause injuries.
- Avoid dropping or spilling anything on or near the System to prevent injury to yourself and other exercisers.

Maintenance

Important *It is the duty of the owner to maintain equipment in accordance with the instructions in this material and any accompanying material.*

- Precor recommends that the System is used in a monitored area, or in an area whose access is monitored. Monitoring is the owner's responsibility.
- Keep Queenax Training Apps and Queenax Training Optionals away from water and moisture.
- Check the System daily before use. DO NOT use the System if it is damaged.
- DO NOT remove any labels on the System. If a label is damaged, contact Precor Customer Service for a replacement.
- Maintain the System to keep it in good working condition, as described in the *Maintenance Guide*. The Maintenance section describes what needs be inspected and the frequency of the inspections.
- If you plan to move the System, call Precor Customer Service.

Safety Precautions for Installers

WARNING At least one Precor certified installers and two Genie Lifts, each with a minimum 350 lb. (159 kg) load capacity, are required to assemble any Queenax part that is over 15 ft. (4.5 m) long.

BEFORE YOU BEGIN Make sure you have adequate space for assembly, and that the space is clear of all other equipment and free of debris.

Always follow basic safety precautions and common sense when assembling this equipment to reduce the chance of injury or damage. Other sections of this Guide provide more details of safety features. Be sure to read these sections and observe all safety labels.

These precautions include:


- Read all the instructions in this Guide before installing the flooring (if applicable), assembling the System, and mounting it to the floor.
- DO NOT use the Genie Lift to raise the Queenax beams if the load is not properly centered on the forks or load platform of the lift.
- Check the assembly or work area for overhead obstructions or other possible hazards and remove them before assembling the System.
- DO NOT stand under or allow anyone under the machine when the load is raised.
- DO NOT lower the load unless the area below is clear of people and obstructions.
- DO NOT modify or alter the equipment.
- If you plan to move the equipment after it is assembled and anchored to the floor, the removal and replacement must be done by a certified Precor | Queenax installer.
- DO NOT add or use accessory attachments that are not recommended by Precor | Queenax. Such unauthorized attachments may cause injuries.
- Neither Precor nor Queenax shall be held liable for installations made by installers who are not authorized or certified by Precor.
- Before use by exercisers or staff, the System must be assembled and anchored to the floor by an installer certified by Precor.
- DO NOT remove any labels. If a label is damaged, contact Precor Customer Service for a replacement.

Installers or assemblers must place both the Serial Number and Regulatory and Warning labels on every System. Illustrations showing where installers should place the labels are available in the *Queenax Label Application Guide* (P/N Q40006-101) included in your Queenax Lit Kit.


The **Serial Number and Regulatory label** **1** must be placed on the painted steel surface (not on the aluminum cover) of an inside beam, 1-inch/2.5 cm from the top of the beam.

The **Warning label** **2** must be placed in a visible location—about 5 ft./1.5 m high—on the painted steel surface of every beam.

Important DO NOT remove any labels. If a label is damaged, contact Precor Customer Service for a replacement and reference P/N Q40006-101.



Serial Number and Regulatory Label **1**



Warning Label **2**

Safety Precautions for Exercisers

CAUTION Before beginning any fitness program, you should obtain a complete medical exam from your physician.

French equivalent of the preceding paragraph, for the Canadian market: *Il est conseillé de subir un examen médical complet avant d'entreprendre tout programme d'exercice. Si vous avez des étourdissements ou des faiblesses, arrêtez les exercices immédiatement.*

Maximum user weight on the equipment is 135kg (300 lbs.)

We recommend you copy and print out this page and post it in your facility near where the Queenax System is installed.

When using exercise equipment, you should always take basic precautions, including the following:

- Read all posted instructions, including all safety instructions and warning labels.
- If you do not understand how to use the System, ask someone from the facility such as a trainer to demonstrate how to use it and explain any safety instructions.
- Check that the accessories are properly attached and there are no issues with attachment clips, bands, etc.
- Make sure you wear proper exercise clothing and sport shoes for your workouts and avoid loose or dangling clothing. You should not wear shoes with heels or leather soles, and you should check the soles of your shoes to remove any dirt and embedded stones.
- Keep your body, hair, and clothes at a safe distance from the moving parts of the equipment such as, straps, bars, resistance bands, etc. You should also tie long hair back.
- If you feel pain, faintness, dizziness, or abnormal symptoms, stop exercising immediately and consult your physician.
- Keep head, limbs, fingers, and hair clear of all moving parts while the equipment is in use. Keep hands clear of racking pegs.
- Never drop or insert objects into any opening in the System.
- Check that all fasteners are securely tightened. Handle attachments should be properly connected. Pay particular attention to the condition of straps and rubber band accessories. If you notice any fraying, DO NOT use the product, and contact someone in the facility immediately.
- Always check the System before using it. If you spot a potential problem, contact someone in the facility immediately. DO NOT use the equipment until the facility has verified that the equipment is working properly. DO NOT attempt to fix broken or jammed equipment.
- Climbing up the System may cause serious injury or death.
- Care should be taken when entering or exiting the exercise area where the Queenax system is located.
- DO NOT use the equipment outdoors or on a wet surface unless the equipment has been specifically treated for outdoor use. Contact Precor Customer Service if you have any questions.
- DO NOT drop or slam free weights while exercising.
- DO NOT use the System if an "Out Of Order" sign has been placed on it.
- DO NOT wear helmets or other accessories when using the System.
- DO NOT overexert yourself or work to exhaustion. Use reasonable judgment when working with weights. Avoid using excessive weight, which may cause injury.

Regulatory Information

Hazardous Materials and Proper Disposal

Federal law requires proper disposal of materials considered hazardous to the environment.

Product Recycling and Disposal

This equipment must be recycled or discarded according to applicable local and national regulations.

Warranty

For Queenax Functional Training Equipment ("Queenax") manufactured after the effective date of this limited warranty.

PLEASE READ THESE WARRANTY TERMS AND CONDITIONS CAREFULLY BEFORE USING YOUR PRECOR INCORPORATED PRODUCT. BY USING THE EQUIPMENT, YOU ARE CONSENTING TO BE BOUND BY THE FOLLOWING WARRANTY TERMS AND CONDITIONS.

Limited Warranty

Precor Incorporated ("Precor") warrants all new Queenax equipment to be free from defects in materials and manufacture for the warranty periods set forth below. The warranty periods commence on the invoice date of original purchase. This warranty applies only against defects discovered within the warranty periods and extends only to the original purchaser of the product. Parts repaired or replaced under the terms of this warranty will be warranted for the remainder of the original warranty period only. To make a claim under warranty, the buyer must notify Precor or his or her authorized Precor distributor within 30 days after the date of discovery of any nonconformity and make the affected product available for inspection by Precor or its service representative. Precor's obligations under this warranty are limited as set forth below.

Warranty Periods and Coverage

All Queenax equipment manufactured and sold after July 30, 2015 are subject to the terms and conditions set forth herein:

Labor	1 year
Structural parts	2 years
Mobile parts (boxing line, pulley, cables, etc.)	1 year
Painting and surface coating (except for mechanical damages on painted surfaces)	1 year
Worn parts (straps, hand grips, hand caps, rubber and elastic parts, etc.)	6 months

Conditions and Restrictions

This warranty is valid only in accordance with the conditions set forth below:

1. The warranty applies to the Queenax equipment only if:
 - a) It has been serviced by a Precor Authorized Service Provider. Outside of North America, such product must be serviced by Precor certified technicians or Precor Authorized Distributors.
 - b) It remains in the possession of the original purchaser and proof of purchase is demonstrated.
 - c) It has not been subjected to accident, misuse, abuse, improper service, or non-Precor modifications.
 - d) Claims are made within the warranty period.
2. This limited warranty applies to Queenax equipment designed specifically for commercial use only and is void when such products are used in a noncommercial environment or installed in a facility within a country outside of the country of original sale.
3. Except in Canada, Precor does not pay labor outside the United States. Equipment limited warranty is void when equipment is installed in a country other than where sold.
4. Moving parts bolted to the structural frame are not included in the "Structural Frame" warranty (for example, Queenax optionals or apps, and so on).
5. This limited warranty does not cover and Precor does not warrant the work or product of third party companies (for example, welding and other such work).

Please contact your local Distributor or Precor salesperson for details.

This limited warranty shall not apply to:

1. Cosmetic items, including, but not limited to the following: grips, labels, or other items, the exterior of which has been damaged or defaced as a result of abuse, misuse, accident, improper service or installation, mishandling, or modification in design or construction not authorized by Precor including use of any non-OEM (Original Equipment Manufacturer) replacement parts.
2. Cosmetic, structural, or functional damage (including rust, corrosion, and unusual wear) caused by failure to follow the maintenance procedures described in the owner's manual.
3. Repairs performed on Queenax equipment missing a serial number or with a serial tag that has been altered or defaced. Service calls to correct installation of the equipment or instruct owners on how to use the equipment.
4. Pickup, delivery, or freight charges involved with repairs after the first 12 months.

5. Any labor costs incurred beyond the applicable labor warranty period.

Transportation Costs

If the equipment needs to be returned to Precor Customer Service repairing, Precor will cover transportation costs such as, pickup, delivery, or freight charges for the first 12 months. After this period, transportation costs will be paid by the owner.

Warranty Exclusions

This warranty does not cover any possible damage or malfunction caused by:

- installation made by personnel not authorized by Precor;
- inappropriate maintenance;
- improper use or negligence;
- changes in the locality of or modifications to the products set up without prior written authorization from Precor Customer Service.

Manuals

The owner has the obligation to read carefully the *Queenax Assembly Guide*, *Getting Started Guide*, and *Maintenance Guide* before using Queenax equipment. Please remember to carry out periodic maintenance, as specified in the Maintenance Guide, to ensure the product works properly.

Exclusive Warranty

These warranty limits replace any other warranties of any kind, be them explicit or implicit, including but not limited to, the warranties related to the sale of these products.

Direct or indirect damages of any kind will never, under no circumstances, be considered as covered by this warranty, including any possible loss of profit or savings stemming from the use or impossibility to use the products.

Nobody is authorized to modify or extend the terms of this limited warranty.

Spare Parts and Service

Check the parts to replace, identify them, and note down the serial number.

Contact Precor Customer Service by email, providing all necessary information to request assistance or, visit us at www.precor.com/queenax.

Disclaimer and Release

The warranties provided herein are the exclusive warranties given by Precor and supersede any prior, contrary or additional representations, whether oral or written. ANY IMPLIED WARRANTIES, INCLUDING THE WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE THAT APPLY TO ANY PARTS DESCRIBED ABOVE ARE LIMITED IN DURATION TO THE PERIODS OF EXPRESS WARRANTIES GIVEN ABOVE FOR THOSE SAME PARTS. PRECOR HEREBY DISCLAIMS AND EXCLUDES THOSE WARRANTIES THEREAFTER. Some jurisdictions do not allow limitation on how long an implied warranty lasts, so the above limitation may not apply to you. PRECOR ALSO HEREBY DISCLAIMS AND EXCLUDES ALL OTHER OBLIGATIONS OR LIABILITIES, EXPRESS OR IMPLIED, ARISING BY LAW OR OTHERWISE, WITH RESPECT TO ANY NONCONFORMANCE OR DEFECT IN ANY PRODUCT, INCLUDING BUT NOT LIMITED TO: (A) ANY OBLIGATION, LIABILITY, RIGHT, CLAIM OR REMEDY IN TORT, WHETHER OR NOT ARISING FROM THE NEGLIGENCE OF PRECOR OR ITS SUPPLIERS (WHETHER ACTIVE, PASSIVE OR IMPUTED); AND (B) ANY OBLIGATION, LIABILITY, RIGHT, CLAIM OR REMEDY FOR LOSS OF OR DAMAGE TO ANY EQUIPMENT. This disclaimer and release shall apply even if the express warranty set forth above fails of its essential purpose.

Exclusive Remedies

For any product described above that fails to conform to its warranty, Precor will provide, at its sole discretion, one of the following: (1) repair; (2) replacement; or (3) refund of the purchase price. Precor Limited Warranty service may be obtained by contacting the authorized Precor office or Precor Authorized Distributor from whom you purchased the item. Precor compensates Precor Authorized Servicers for warranty trips within their normal service area to repair equipment at the customer's location. You may be charged a trip charge outside the service area. THESE SHALL BE THE SOLE AND EXCLUSIVE REMEDIES OF THE BUYER FOR ANY BREACH OF WARRANTY.

Exclusion of Consequential and Incidental Damages

PRECOR AND/OR ITS SUPPLIERS SHALL HAVE NO OBLIGATION OR LIABILITY, WHETHER ARISING IN CONTRACT (INCLUDING WARRANTY), TORT (INCLUDING ACTIVE, PASSIVE, OR IMPUTED NEGLIGENCE AND STRICT LIABILITY), OR OTHERWISE, FOR DAMAGE TO THE EQUIPMENT, PROPERTY DAMAGE, LOSS OF USE, REVENUE OR PROFIT, COST OF CAPITAL, COST OF SUBSTITUTE EQUIPMENT, ADDITIONAL COSTS INCURRED BY BUYER (BY WAY OF CORRECTION OR OTHERWISE) OR ANY OTHER INCIDENTAL, SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, WHETHER RESULTING FROM NONDELIVERY OR FROM THE USE, MISUSE OR INABILITY TO USE THE PRODUCT. This exclusion applies even if the above warranty fails of its essential purposes and regardless of whether such damages are sought for breach of warranty, breach of contract, negligence, or strict liability in tort or under any other legal theory. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights, which vary from one jurisdiction to another.

Queerax™ Safety • Regulatory • Warranty | P/N Q39191-901 rev B, ENU
©2016 Precor Incorporated | April 2016

