

noissue

Custom Paper Padded Mailer



Size
267mm x 381mm x 45mm



Paper Type
Kraft



Color
4 Pantone Colors



Sustainability
Recyclable, Reusable

Print perfect checklist

- ☐ Add your design to the template available on the **next page**. We **can't print** edge-to-edge design for both front and back side of the mailer.
- ☐ We recommend using **9pt font size (1.5mm)** or larger for the text height.
For reference, they should have a similar size to this text.
- ☐ Lines and stroke thickness should be no less than **0.2mm**.
This is how a 0.2mm thick line looks like: — — — — —
- ☐ All colors should be converted to **Pantone colors** only. Choose from the **Pantone Solid Coated or Uncoated** swatch libraries.
- ☐ Colors should be solid 100% opacity, no gradient or tints.
- ☐ For best results, your design should be in **vector** format, but if an image will be used, it should be no less than **300 DPI**.
- ☐ In order to ensure your custom padded mailer prints correctly, we require that **all fonts be converted to outlines**.
- ☐ For optimal scanning, ensure **QR codes have high contrast** and measure **20x20mm or above**. Do not scale the QR code below a **minimum of 16x16mm**.

- 1


Download dieline
Ensure you have downloaded the correct sized dieline. Dielines can be found on the **noissue website**.
- 2

Complete your design
Use the Print Perfect Checklist as a guide to get the best print results. Export as **CMYK PDF**. No crop marks needed.
- 3

Upload artwork and order
Complete your order, upload your artwork and checkout. To guarantee print satisfaction, we'll review your file and send you a final proof to approve before going to print.

Connect your packaging

NEW



Tapkit by noissue


Add a Dynamic QR code to your packaging

Connect to anything and everyone with dynamic QR & microsites

Create QR Code (free) →

noissue®

Custom Paper Padded Mailer



SIZE
(Inner) 267mm x 381mm x 45mm




BASE
 Kraft




PRINT COLOR
☐ Pantone Color


LEGEND:




SAFE AREA
Designs need to be 2mm from the edge



SEALING AREA



CUT LINE / MAILER BODY



QR BADGE
(Optional Only)

