


Who is here?

- Me
- You
 - Firefighters?
 - Planners and decision makers?
 - Just Interested?
- Who has family who are firefighters?
- Who has (heard) fire stories?






3


Canada


Keane, 2015

Fire Weather Index

- Fine Fuels Moisture Code (FFMC)
- Duff Moisture Code (DMC)
- Drought Code (DC)








Weather vs Climate


- "Climate is what you expect; weather is what you get"
- "Not your grandparent's weather"



Average vs. Actual

Temperature - Hourly data (24 hours)





Standard deviation upper bound

Standard deviation lower bound - Normal



Standard deviation lower bound -- Normal Standard deviation upper bound


Canada Wildfire

Canada Weather Stats

What does climate change look like?

- Temperatures
- Precipitation
- Wind
- Seasons





Fire & Temperature




Summer Land Temperatures – Berkeley Earth

9880-00


1880 1880 1900 1920 1940 1960 1980 2000 2020

- Drier fuels
- Lightning
- Fire season



Fire Seasons





Canada Average area burned

5 year	10 year	15 year	20 year	25 year
5,693,048	4,139,516	3,836,976	3,273,586	2,962,156








Figure 4. Annual area burned by a) human- and b) lightning-caused large fires 1980-2024. Number of large fires by c) human- and d) lighting-causes.

Diurnal Fire Behaviour



Kaiwei et al


- Drought conditions lead to more nighttime burning
- Most common in large fires
- 1 in 5 large fires (> 1000 ha) has overnight burning event

Climate Change and Precipitation

Heavy Rain and Flood









Cluster of new wildfire starts as a result of pyroCB lightning Canada Wildfire

Pyrocbs

- June 30, 2021 massive pyrocumulonimbus generates thousands of lightning strikes that start tens of wildfire
- Are pyrocbs increasing in frequency and severity? Over 50 Pyrocbs in North America in 2021
- More night-time burning? Yes, warmer nights, lower RHs and/or more extreme daytime fire weather.









Fuel Load and condition

















Low Intensity or High Intensity fire

Good fire?









Forest Fires – 3 Ingredients

- Fuel type, loading, moisture, structure etc.
- Ignition human and lightning
- Weather extreme weather, temperature, precipitation atmospheric moisture and wind; upper atmospheric conditions
 (blocking ridges), sunshine

FLORE .

Fires -Key Factors Part 2



- Weather is a component in all 3 natural factors fuel, ignitions (Lightning) -.
- Options -Weather we can't control; only options are fuel and human-caused fire ignitions
- Prevention education, restricted fire zones, reduce or eliminate industrial activity during periods of high fire danger, enforcement
- Fuel modifications fuel break, reduce fuel load or change fuel type either at the landscape level (strategically) or areas of high value (e.g., communities)

Fire - Weather Interactions - 2

- Fire Spread
- Wind is the most important except in cases with spotting from an intense convection dominated fire
- Wind shifts can be critical as the fire flank can change to the fire head fronts, troughs, thunderstorms, sea breezes, valley and slope winds
- Spread events are often just for short periods of time that are tied to strong winds
- Some have found thresholds in CFFDRS
 components and fire spread days FWI 19 and ISI
 8.5



Fire - Weather Interactions





- Two types of wildland fires wind driven and convection driven
- Combustion flaming and smouldering
- Three phases Ignition, spread and extinguishment
- Fires can be ground fires (peat), surface fires and crown fires
- Ignition requires the fine fuels and/or the duff layer (FFMC and/or DMC) to have dried out sufficiently so combustion can occur
- Fuel moisture codes are derived from 1200 LST weather temperature, relative humidity, wind speed and 24-hr precipitation
- Period of dry weather is required
- Unstable airmass for thunderstorm development for lightning-caused fires

Fire front is 3 kilometers long. 6,200 hectares already gone and 10,000 people have been evacuated.

A63 motorway on fire.





caRadwiddreand Wotton, B.M. 2010. Will climate change overwhelm fire management capacity? Ecological modelling. 21: 1301-1309.

Escaped Fires....

- Increased fire intensity may lead to more escapes
- Extended attack simulation showed that projected intensity increases resulted in very substantial increases in burned area
 - Driven by the change in frequency of being above suppression intensity thresholds

Wotton, B.M., Flannigan, M.D. and Marshall, G. 2017. Potential climate change impacts on fire intensity and key wildfire suppression thresholds in Canada. Environmental Research Letters. 12 (2017) 095003, https://doi.org/10.1088/1748-9326/aa7e6e.

So what now.

- Lil'th Nation
- Strong Firesmart programs
- Forest industry is starting to listen
- Growing recognition that fire needs to be back on the land
- Fire conferences are later in the autumn...



Thank you

Resources:

mountainlegacy.ca Climatedata.ca cwfis.cfs.nrcan.gc.ca

Slides 11,12,21,22 and 31 to 35 provided by Mike Flannigan

Brian.wiens@ualberta.ca

Canadawildfire.org