MONIER

S-Pantile



Monier S-Pantile, It Starts with a Solid Roof

S-Pantile

S-Pantile, a unique wavy 'S' profile with clean, crisp lines yielding bold European architecture.

Clay roof tiles are renowned for the incredible durability and beauty, which is why they remain as the core element of Monier since inception.

Mined, moulded & fired at source, Monier Clay Roof Tiles are made 100% from the finest clay through a state-of-the-art HydroCeric and H-Cassette system.

Monier Clay Roof Tiles are exceptionally strong, have a high level of colour retention and require minimal maintenance.














S-PANTILE COLOUR PALETTE


S-Pantile, a unique wavy 'S' profile with clean, crisp lines yielding bold European architecture.

CLASSIC COLLECTION

Glazed







Satin





MODERN COLLECTION

Natural



Earthy





*Batten Spacing has to be calculated based on actual rafter length. The maximum rafter length span up to 6 meters at minimum roof pitch stated.

PRODUCT & TECHNICAL DATA	
Dimension	280mm (W) x 420mm (L)
Batten Spacing*	345mm c/c as standard spacing (+/- 3mm for occasional installation variance)
Coverage	12.5pcs/m²
Weight	~3.85kg/pc
Minimum Pitch	20°

- The colours shown here are reproduced as close to the original as printing technology allows. For best accuracy on colour selection, refer to actual tile.
- Other colours not featured on this page are available upon request

In view of innovation, the specifications are subject to change without any prior notice and in the event of such changes, Monier shall ensure that the new specifications are equivalent if not better.

ROOF SYSTEM COMPONENTS



RADIENT BARRIERS

Woven Series

Radenshield® AL+ FX (1.25m x 48m) A double sided woven fire retardant aluminium foil.

Radenshield® AL FX (1.25m x 48m) A single sided woven fire retardant aluminium foil.

Bubble R Series

ThermalFoil™ Deluxe Bubble R (1.22m x 20m) A double sided pure aluminium foil with 6mm thermal insulating polymer with double sided 20mm Super Bubble.

Bubble Series

ThermalFoil™ BF (1.22m x 40m)

A double sided small bubble fire retardant aluminium foil.

ThermalFoil™ Deluxe BF (1.22m x 20m)

A double sided big bubble fire retardant aluminium foil.

ThermalFoil™ Super BW (1.22m x 40m)

A double sided big bubble fire retardant aluminium foil with single sided woven.

HIP & RIDGE DRY FIX SOLUTION



CompactRoll® PlusOverall Dimensions: 340mm x 10m

Colours Available:



Anthracite Brown Red

ABUTMENT & WALL FLASHING



Overall Dimensions: 250mm x 5m 280mm x 5m

Colours Available:




OTHERS COMPONENTS



Ridge Tree

S-PANTILE FITTINGS SERIES





MONIER

BMI ROOFING SYSTEMS SDN. BHD. (BRSSB) reserved the righ to change the contents of this document without any prior notice. Printed: 12/2024 © BRSSB

Edition 2024/V1











Scan QR Code for BMI Malaysia



Scan QR Code for Showroom & Sales office location

BMI ROOFING SYSTEMS SDN. BHD.

Registration No.197401002179 (19163-M) (Formerly known as Monier Malaysia Sdn. Bhd.) Suite 11.02, 11th Floor, Menara JKG, No. 282, Jalan Raja Laut, 50350 Kuala Lumpur, Malaysia T (+60) (3) 21760600 Toll Free: 1800 88 0865 roofing-malaysia@bmigroup.com

bmigroup.com/my









ABOUT BMI GROUP

BMI Group was born out of a recognition that customers now expect a single point of expertise to help them find their ideal roof. Bringing together some of the industries most trusted brands to become the largest supplier of both flat and pitched roofing and waterproofing solutions throughout Europe, BMI Group has over 173 years of experience and innovation to offer its clients.

As a **Standard Industries** company, BMI Group, headquartered in London, has the support, reach and resources of a global enterprise. With over 120 production facilities across Europe, Africa and Asia, and more than 9,500 employees worldwide, the business is well positioned to provide an unparalleled level of service to homeowners, specifiers, contractors, property owners and developers.

Find out more at www.bmigroup.com