

BMI

Creating a Cooler
Living Environment



Radenshield® Fire X

bmigroup.com/my

BMI Radenshield® Fire X, Creating a Cooler Living Environment

BMI RadenShield® is a radiant barrier made of highly reflective aluminium or metalized surface. Its carrier material is a synthetic and non-porous woven fabric that ensures high tensile strength, high tear-resistance and durability even in damp and humid conditions. It also acts as an effective moisture barrier that prevents leakages from a damaged roof.



ADVANCED THERMAL PERFORMANCE

- Reflecting 97% of radiant heat
- Cooler indoor environment



HIGH LEVEL OF TEAR RESISTANCE

- Highest quality premium woven carrier
- Withstands rough handling



ENERGY COST SAVING

- Reduce air conditioning usage



100% LEAK-PROOF

- Complete peace of mind
- Resistance against moisture and wind-uplift



EASY INSTALLATION

- Lightweight - no additional support required
- Fast & hazard free




OFFICIALLY TESTED & PROVEN

- Complying to MS 2095:2014 Radiant Barrier Building Materials

RADENSHIELD® AL+ FX

W228AA FR

- Superior cooling performance of your home.
- Reflects up to 97% radiant heat with highly reflective pure aluminium.
- **Certified Class 'O' by Malaysian Fire and Rescue Department (BOMBA) which complies to BS476 Part 6:1989 and BS476 Part 7:1997.**
- Suitable for both residential and commercial buildings.
- Complying to **MS 2095:2014** Radiant Barrier Building Materials.



- 1 Pure Aluminium
- 2 Polymer Bonding
- 3 HDPE Woven Fabric
- 4 Fire Retardant Additive
- 5 Polymer Bonding
- 6 Pure Aluminium



SPECIFICATIONS

Double sided highly reflective aluminium surface with fire retardant.
Up to 97% reflectivity with additional fire retardant.

In view of innovation, the specifications are subject to change without any prior notice and in the event of such changes, BMI shall ensure that the new specifications are equivalent if not better.

WOVEN SERIES

Coverage 60.0m² per roll




product sample

RADENSHIELD® AL FX

W118A FR

- Superior cooling performance of your home.
- Reflects up to 97% radiant heat with highly reflective pure aluminium.
- **Certified Class 'O' by Malaysian Fire and Rescue Department (BOMBA) which complies to BS476 Part 6:1989 and BS476 Part 7:1997.**
- Strong and lightweight woven carrier with exceptional resistance to tear and humidity.
- Complying to **MS 2095:2014** Radiant Barrier Building Materials.



- 1 Pure Aluminium
- 2 Polymer Bonding
- 3 HDPE Woven Fabric
- 4 Fire Retardant Additive



SPECIFICATIONS

Single sided highly reflective aluminium surface with fire retardant.
Up to 97% reflectivity with additional fire retardant.

In view of innovation, the specifications are subject to change without any prior notice and in the event of such changes, BMI shall ensure that the new specifications are equivalent if not better.

WOVEN SERIES


Coverage 60.0m² per roll




product sample

INCREASED ROOF PERFORMANCE - WITH RADENSHIELD®, ROOF TILES ARE MORE SECURED

RadenShield® reduces pressure difference and decreases the possibility of tiles take off during windy conditions.




INCREASED WATER-TIGHTNESS



ENHANCED PROTECTION

Against dust, sand, pollen and insects




BMI ENERGY EFFICIENT ROOFING SOLUTION (E3) - BMI COOLROOF®

BMI ThermaFoil® is a range of high performance radiant barrier. It is one of the key components in our Energy Efficient Roofing Solutions where it minimises energy consumption and maximises comfort while having a low impact on the environment.

BMI CoolRoof® creates a natural airflow and heat barrier that limits heat transfers through the roof to provide a cool and comfortable home. It is a sustainable system to save energy, reduce electricity costs and protect the environment.

From decades of global experience in roofing industry, our R&D team in Malaysia and Europe have developed state-of-the-art roof simulation software called BMI Roof Physics. The software capability is acknowledged by the committee of Journal of Building Physics and US Department of Energy Laboratory. Through the software, our experts concluded that BMI CoolRoof® system reduces the living space temperature of your home up to 10°C* compared to conventional roof in Malaysia.



Cooler home and bigger savings!

- Up to 10°C* cooler inside
- Reduce up to 60% of air conditioning usage*
- Reduce up to 30% of electricity bills*
- Less than 2 years payback period

**Data validated by BMI Technical Centre in Europe for tropical weather, in collaboration with Oak Ridge National Laboratory and Lawrence Berkeley National Laboratory in U.S.A.*





The Best Brands in Roof Systems by The BrandLaureate Awards for 6 Consecutive Years 2008, 2009, 2010, 2011, 2012 and 2015



Recognized for our CSR efforts, Monier was honoured with an Asia Responsible Entrepreneur Award 2011



Member of the Malaysia Green Building Confederation



Scan QR Code for Showroom & Sales office location



CERTIFIED TO: MS ISO 2095:2014
Certificate No: PC 000963



SIRIM



REFLECTIVE INSULATION MANUFACTURERS OF MALAYSIA

ABOUT BMI GROUP

BMI Group was born out of a recognition that customers now expect a single point of expertise to help them find their ideal roof. Bringing together some of the industries most trusted brands to become the largest supplier of both flat and pitched roofing and waterproofing solutions throughout Europe, BMI Group has over 165 years of experience and innovation to offer its clients.

As a **Standard Industries** company, BMI Group, headquartered in London, has the support, reach and resources of a global enterprise. With over 120 production facilities across Europe, Africa and Asia, and more than 9,500 employees worldwide, the business is well positioned to provide an unparalleled level of service to homeowners, specifiers, contractors, property owners and developers.

Find out more at www.bmigroup.com

MONIER MALAYSIA SDN. BHD. (19163-M)
Suite 12W, 12th Floor
Wisma FGV
Jalan Raja Laut
50350 Kuala Lumpur
Malaysia
T (+60) (3) 21760600 F (+60) (3) 26040335
Toll Free: 1800 88 0865
roofing-malaysia@bmigroup.com

bmigroup.com/my