

1 Identification

Product identifier

Trade name: 640Z19 - Sterillium, Hand Disinfectant

Recommended use and restrictions on use

General use: Disinfectant cleaner
Hand disinfectant

Initial supplier identifier

Company name: Otto Bock HealthCare Canada Ltd.

Street/POB-No.: 5470 Harvester Road

Postal code, city: Burlington, ON L7L 5N5, CA
Canada

WWW: www.ottobock.ca

Email: info.canada@ottobock.com

Telephone: (800) 665-3327

Telefax: (800) 463-3659

Department responsible for information:

Mark Agro, Telephone: (800) 665-3327 (9 am - 5 pm)

Additional information:

Corporate headquarters:
Ottobock SE & Co. KGaA
Max-Näder-Straße 15
Duderstadt
Germany

Emergency telephone number

COLLECT, Telephone: (613) 996-6666

Transport:

CONSULTANK Lutz Harder GmbH (Contract QUALI003)

Telephone: +49 (0)178-4337434 (from USA: 01149 178 4337434)

2 Hazard identification

Classification

Flammable Liquid 3

Flammable liquid and vapour.

Eye Irritation 2A

Causes serious eye irritation.

Specific Target Organ Toxicity (Single Exposure) 3 May cause drowsiness or dizziness.

Information elements

Symbols:



Signal word:

Warning

640Z19 - Sterillium, Hand Disinfectant

Material number 640Z19

Page: 2 of 12

Hazard statements: Flammable liquid and vapour.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Precautionary statements: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing mist/vapours/spray.
Wash hands and face thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/or shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call a POISON CENTER/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use ... to extinguish.

Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.

Dispose of contents/container to hazardous or special waste collection point.

Other hazards known to the supplier with respect to the product

Potentially explosive mixtures may form if adequate ventilation is not provided.
Inhaling can lead to irritations of the respiratory tract and mucous membrane.
Higher doses may have a narcotic effect.

3 Composition/Information on ingredients

Mixture

Hazardous ingredients:

CAS No.	Designation	Content	Classification
CAS 67-63-0	Isopropyl alcohol	30 - 50 %	Flammable Liquid 2. Eye Irritation 2A. Specific Target Organ Toxicity (Single Exposure) 3.
CAS 71-23-8	Propan-1-ol	30 - 50 %	Flammable Liquid 2. Eye Damage 1. Specific Target Organ Toxicity (Single Exposure) 3.
CAS 112-72-1	Tetradecanol	< 1 %	Eye Irritation 2A. Aquatic toxicity - chronic 1.
CAS 3006-10-8	Mecetronium etilsulfate	< 0.25 %	Skin Corrosion 1B. Eye Damage 1. Aquatic toxicity - acute 1 (M-factor = 100). Aquatic toxicity - chronic 1 (M-factor = 1000).

The actual concentration or concentration range is withheld as a trade secret.

4 First-aid measures

Description of necessary first-aid measures

General information:	If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.
In case of inhalation:	Provide fresh air. Seek medical attention.
In case of swallowing:	Do not induce vomiting. Immediately get medical attention. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.
In case of skin contact:	After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.
In case of eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Seek the attention of an ophthalmologist immediately.

Most important symptoms and effects, whether acute or delayed

Inhaling can lead to irritations of the respiratory tract and mucous membrane. Higher doses may have a narcotic effect. Causes serious eye irritation. May cause drowsiness or dizziness.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

5 Fire-fighting measures

Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water spray jet, alcohol resistant foam, extinguishing powder, carbon dioxide

Unsuitable extinguishing media:

full water jet

Specific hazards arising from the product

Flammable liquid and vapour.

Air combined with vapours may form potentially explosive mixtures that are heavier than air. vapours may proceed on the ground over great distances and cause fire and backflashes.

Special protective equipment and precautions for fire-fighters

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Heating will lead to pressure increase: danger of bursting and explosion. Use fine water spray to cool endangered containers.

Move undamaged containers from immediate hazard area if it can be done safely.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Do not allow fire water to penetrate into surface or ground water.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with the substance. Eliminate all ignition sources if safe to do so. Provide adequate ventilation.

Wear appropriate protective equipment. Keep unprotected people away.

Take off contaminated clothing and wash it before reuse. Avoid breathing mist/vapours/spray.

Cordon off downwind area at risk and warn inhabitants.

Environmental precautions:

Do not allow to enter into ground-water, surface water or drains. Danger of explosion!

In case of release, notify competent authorities.

Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

Beware of reignition. Thoroughly clean surrounding area.

In case of greater quantities: Collect mechanically (use only explosion-proof equipment when pumping out).

Additional information:

Use explosion-proof equipment and non-sparking tools/utensils.

Special danger of slipping by leaking/spilling product.

7 Handling and storage

Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.
Avoid contact with skin and eyes. Wear appropriate protective equipment.
Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation.
Take off contaminated clothing and wash it before reuse. Avoid breathing mist/vapours/spray. Do not eat, drink or smoke when using this product.
Have eye wash bottle or eye rinse ready at work place. When handling large quantities, supply emergency spray.

Precautions against fire and explosion:

Keep away from sources of ignition - No smoking.
Take precautionary measures against static discharges.
Use only explosion-protected equipment/instruments. Do not weld.
In partially filled containers explosive mixtures may form.

Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from heat and direct sunlight.
Store containers in upright position. Explosion protection required.

Hints on joint storage:

Do not store together with combustible or self-igniting materials or any highly flammable solids. Keep away from food, drink and animal feedingstuffs.

8 Exposure controls/Personal protection

Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
67-63-0	Isopropyl alcohol	Canada: Alberta, OEL 15 min	984 mg/m ³ ; 400 ppm
		Canada: Alberta, OEL 8 hour	492 mg/m ³ ; 200 ppm
		Canada: BC, OEL STEL	400 ppm
		Canada: BC, OEL TWA	200 ppm
		Canada: Québec, VECD	400 ppm
		Canada: Québec, VEMP	200 ppm
71-23-8	Propan-1-ol	Canada: Alberta, OEL 15 min	984 mg/m ³ ; 400 ppm
		Canada: Alberta, OEL 8 hour	492 mg/m ³ ; 200 ppm
		Canada: BC, OEL TWA	100 ppm
		Canada: Québec, VEMP	100 ppm

Biological limit values:

CAS No.	Designation	Type	Limit value	Parameter	Sampling
67-63-0	Isopropyl alcohol	USA: ACGIH-BEI, urine	40 mg/L	Acetone in urine	end of shift at end of work week

Appropriate engineering controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment. Explosion protection required.

Individual protection measures, such as personal protective equipment

Respiratory protection: Respiratory protection must be worn whenever the TLV (WEL) levels have been exceeded. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: normally not required.
In case of prolonged exposure: Protective gloves according to OSHA Standard - 29 CFR: 1910.138.
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: When decanting: tightly sealed safety glasses according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2003.

Body protection: Flame retardant, antistatic and chemical resistant protective clothing.

General hygiene considerations:
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take off contaminated clothing and wash it before reuse. Avoid breathing mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.
Have eye wash bottle or eye rinse ready at work place. When handling large quantities, supply emergency spray.

Environmental exposure controls

Refer to 6.: Section "Environmental precautions".

9 Physical and chemical properties

Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	blue light
Odour:	pleasant odour
Odour threshold:	No data available
Melting point and freezing point:	No data available
Boiling point or initial boiling point and boiling range:	83 °C
Flammability:	No data available
Lower and upper explosion limit or lower and upper flammability limit:	LEL (Lower Explosion Limit) at 20 °C: (70 g/m³)
Flash point/flash point range:	23 °C (DIN 51755)
Evaporation rate:	No data available
Auto-ignition temperature:	430 °C
Decomposition temperature:	No data available
pH:	No data available
Water solubility:	completely miscible

640Z19 - Sterillium, Hand Disinfectant

Material number 640Z19

Page: 7 of 12

Partition coefficient — n-octanol/water: No data available
Vapour pressure: at 50 °C: 6 kPa
Density and/or relative density: at 20 °C: 0.85 g/mL
Vapour density: No data available
Particle characteristics: Not applicable

Additional information

Explosive properties: vapours may form explosive mixtures with air.

10 Stability and reactivity

Reactivity: Flammable liquid and vapour.
vapours may form explosive mixtures with air.

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions: Heating will lead to pressure increase: danger of bursting and explosion.

Conditions to avoid: Keep away from heat sources, sparks and open flames.
Protect from direct sunlight.

Incompatible materials: Do not store together with combustible or self-igniting materials or any highly flammable solids.

11 Toxicological information

Information on the likely routes of exposure

No data available

Health hazard information

Acute toxicity (oral): Based on available data, the classification criteria are not met.

ATEmix: 13,300 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

ATEmix: > 8,500 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Eye Irritation 2A = Causes serious eye irritation.

Specific symptoms in animal studies (Rabbit): irritant (OECD 404)

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Specific Target Organ Toxicity (Single Exposure) 3 = May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Other information:

Information about Isopropyl alcohol:

LD50 Rat, oral: > 5,000 mg/kg

LD50 Rabbit, dermal: > 5,000 mg/kg

Information about Propan-1-ol:

LD50 Rat, oral: 8,000 mg/kg (OECD 401)

LD50 Rabbit, dermal: 4,032 mg/kg (OECD 402)

LC50 Rat, inhalative (vapour): > 33.8 mg/L/4h (OECD 403)

Information about Tetradecanol:

LD50 Rat, oral: > 2,000 mg/kg

LD50 Rabbit, dermal: > 2,000 mg/kg

General remarks

For carcinogenic effects:

Information about CAS No. 67-63-0

IARC Rating: Group 3

OSHA Carcinogen: not listed

NTP Rating: not listed

12 Ecological information

Ecotoxicity

Aquatic toxicity:

Information about product:

Fish toxicity:

LC50 *Leuciscus idus*: 2,300 mg/L/96h (OECD 203)

Algae toxicity:

EC50 *Desmodesmus subspicatus* (green algae): 22 mg/L/72h (OECD 201)

NOEC *Desmodesmus subspicatus* (green algae): 7.8 mg/L/72h (OECD 201)

Bacterial toxicity:

IC50 bacteria: > 10,000 mg/L (DIN 38 412 Bart 8)

Information about Isopropyl alcohol:

Fish toxicity:

LC50 *Pimephales promelas* (fathead minnow): 8,692 mg/L/96h

Daphnia toxicity:

EC50 *Daphnia magna* (Big water flea): 2,285 mg/L/48h

NOEC *Daphnia magna* (Big water flea): 141 mg/L/16d

Algae toxicity:

EC50 *Pseudokirchneriella subcapitata* (green algae): 10,500 mg/L/72h

Information about Propan-1-ol:

Fish toxicity:

LC50 *Pimephales promelas* (fathead minnow): 4,554 mg/L/96h (OECD 203)

Daphnia toxicity:

EC50 *Daphnia magna* (Big water flea): 2,300 mg/L/48h (OECD 202)

Algae toxicity:

EC50 *Pseudokirchneriella subcapitata* (green algae), growth rate: 9,170 mg/L/72h

NOEC *Chlorella pyrenoidosa*, growth rate: 1.150 mg/L/48h

Information about Tetradecanol:

Fish toxicity:

LC50 *Oncorhynchus mykiss*: > 1 mg/L/96h

Daphnia toxicity:

EC50 *Daphnia magna* (Big water flea): 3.2 mg/L/48h (OECD 202)

NOEC *Daphnia magna* (Big water flea): 0.0016 mg/L/21d (OECD 211)

Algae toxicity:

EC50 *Desmodesmus subspicatus* (green algae): > 1 mg/L/72h (OECD 201)

Information about Mecetronium etilsulfate:

Fish toxicity:

LC50 *Leuciscus idus*: 0.2 mg/L/96h (OECD 203)

NOEC *Danio rerio* (zebrafish): 0.00056 mg/L/35d (OECD 210)

Daphnia toxicity:

EC50 *Daphnia magna* (Big water flea): 0.016 mg/L/48h (OECD 202)

EC10 *Daphnia magna* (Big water flea): 0.00006 mg/L/21d (OECD 211)

Algae toxicity:

EC50 *Desmodesmus subspicatus* (green algae): 0.0039 mg/L/72h (OECD 201)

NOEC *Desmodesmus subspicatus* (green algae): 0.00014 mg/L/72h (OECD 201)

Bacterial toxicity:

IC50 bacteria: 22 mg/L (OECD 209)

Persistence and degradability

Further details: Product is readily biodegradable. (OECD 301D - EEC 84/449 C6)

Bioaccumulative potential

Partition coefficient — n-octanol/water:

No data available

Mobility in soil

No data available

Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

13 Disposal considerations

Waste treatment methods

Product

Recommendation: Incinerate as hazardous waste according to applicable local, state, and federal regulations.

Package

Recommendation: Incinerate as hazardous waste according to applicable local, state, and federal regulations. Handle empty containers with care. Incineration may cause explosion.

14 Transport information

UN number

TDG: UN1987

IMDG, IATA-DGR: UN 1987

UN proper shipping name

TDG, IMDG, IATA-DGR: UN 1987, ALCOHOLS, N.O.S. (Isopropyl alcohol, Propan-1-ol)

Transport hazard class

TDG: 3

IMDG: Class 3, Subrisk -

IATA-DGR: Class 3

Packing group

TDG, IMDG, IATA-DGR: III

Environmental hazards

Marine pollutant: no



Special precautions in connection with transport or conveyance either within or outside the premises

Canada: Transportation of Dangerous Goods (TDG)

Special Provisions: 16, 150
Explosive limit and limited quantity index: 5 L
Passenger carrying road or rail index: 60 L

Sea transport (IMDG)

EmS: F-E, S-D
Special Provisions: 223 274
Limited quantities: 5 L
Excepted quantities: E1
Package - Instructions: P001, LP01
Package - Provisions: -
IBC - Instructions: IBC03
IBC - Provisions: -
Tank instructions - IMO: -
Tank instructions - UN: T4
Tank instructions - Provisions: TP1, TP29
Stowage and handling: Category A.
Properties and observations: -
Marine pollutant: no
Segregation group: none

Air transport (IATA)

Proper shipping name: UN 1987, ALCOHOLS, N.O.S. (Isopropyl alcohol, Propan-1-ol)
Hazard label: Flamm. liquid
Excepted Quantity Code: E1
Passenger and Cargo Aircraft: Ltd.Qty.: Pack.Instr. Y344 - Max. Net Qty/Pkg. 10 L
Passenger and Cargo Aircraft: Pack.Instr. 355 - Max. Net Qty/Pkg. 60 L
Cargo Aircraft only: Pack.Instr. 366 - Max. Net Qty/Pkg. 220 L
Special Provisions: A3 A180
Emergency Response Guide-Code (ERG): 3L

15 Regulatory information

National regulations - Canada

Isopropyl alcohol: DSL: listed
Propan-1-ol: DSL: listed
Tetradecanol: DSL: listed
Mecetronium etilsulfate: NDSL: listed

Further regulations, limitations and legal requirements

No data available

16 Other information

Text for labelling: Contains: Isopropyl alcohol, Propan-1-ol
Revision date: 17/12/2025
Date of first version: 7/4/2016
Reason of change: General revision: Safety Data Sheet according to Hazardous Products Regulations (HPR) 2022

Abbreviations and acronyms:

Aquatic toxicity - acute: Hazardous to the aquatic environment - acute
Aquatic toxicity - chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
ATEmix: Acute Toxicity Estimate of mixture
CAS: Chemical Abstracts Service
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
DSL: Domestic Substances List
EC: European Community
EC50: Effective Concentration 50%
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
Eye Damage: Eye damage
Eye Irritation: Eye irritation
Flammable Liquid: Flammable liquid
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50: Inhibition Concentration 50%
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
LC50: Median lethal concentration
LD50: Lethal dose 50%
LEL: Lower Explosion Limit
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
M-factor: Multiplication factor
NDSL: Non-Domestic Substances List
NOEC: No Observed Effect Concentration
OECD: Organisation for Economic Co-operation and Development
OEL: Occupational Exposure Limit Value
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
Skin Corrosion: Skin corrosion
STOT SE: Specific target organ toxicity - single exposure
TDG: Transportation of Dangerous Goods Regulation in Canada
TLV: Threshold Limit Value
TRGS: Technical Rules for Hazardous Substances
UN: United Nations
vPvB: Very persistent and very bioaccumulative
WEL: Workplace Exposure Limit

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.