



SAFETY DATA SHEET

according to HCS 2024 (29 CFR 1910.1200)

GN001 -

glass / Nylon textile material

Material number GN001

Revision date: 12/17/2025

Version: 7.4

Replaces version: 7.3

Language: en-US

Date of print: 5/29/2026

Page:

1 of 9

1. Identification

Product identifier

Trade name: GN001 - glass / Nylon textile material

This safety data sheet pertains to the following products:

Article No. 623T 9: Nyglass Stockinette, White

Article No. 623T11: Nyglass Frizz Stockinette, White

Relevant identified uses of the substance or mixture and uses advised against

General use: Reinforcement fabric for orthopedic procedures.
Reserved for industrial and professional use.

Details of the supplier of the safety data sheet

Company name: Otto Bock Health Care

Street/POB-No.: 3820 W. Great Lakes Drive

Zip code, city: Salt Lake City, UT 84120
USA

WWW: www.ottobockus.com

Telephone: +1 (801) 956-2400

Telefax: +1 (801) 956-2401

Department responsible for information:

Quality Department,

Telephone: +1 (801) 954-2304 (7 AM – 3 PM, Mountain Time),

Email: USRegulatory@ottobock.com

Additional information: Corporate headquarters:
Ottobock SE & Co. KGaA
Max-Näder-Straße 15
Duderstadt
Germany

Emergency telephone number

CHEMTREC, Telephone: +1 (800) 424-9300

2. Hazard identification

Classification of the substance or mixture

This material is classified as not hazardous.

Label elements

Symbols: not applicable

Hazard statements: not applicable

Precautionary statements: not applicable

GN001 - glass / Nylon textile material

Material number GN001

Page: 2 of 9

Other hazards

Fibers and dust: Causes temporarily: Skin irritation, mucous membrane irritation, eye irritations.

Coating agent: In case of prolonged exposition, sensitizing by skin contact is possible.

Processing, e.g. by cutting, sawing or grinding, can produce particles and dust. For risks which have to be observed thereby, see section 7: Handling, section 8: Exposure controls / personal protection and section 11: Toxicology.

3. Composition/information on ingredients

Mixtures

Chemical characterization: Glass / Nylon fibers-textile material (diameter fibers > 3 µm): > 98,5%
coating agent (polymer, stable): < 1,5%

4. First aid measures

General information:	For mechanical processing: dust formation.
In case of inhalation:	Provide fresh air. Rinse mouth thoroughly with water. Seek medical treatment in case of troubles.
Following skin contact:	Remove residues with soap and water. Avoid rubbing. Fibers may penetrate deeper into the skin by rubbing. In the event of persistent symptoms seek medical treatment.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.
After swallowing:	Rinse mouth thoroughly with water. Give affected person large quantities of water, better milk. Seek medical attention. Subsequent observance for Obstructing of the bowel/intestines.

Most important symptoms/effects, acute and delayed

Fibers and dust: Causes temporarily: Skin irritation, mucous membrane irritation, eye irritations.

Coating agent: In case of prolonged exposition, sensitizing by skin contact is possible.

Information to physician

Treat symptomatically.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:

Water spray jet, foam, dry chemical powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.

GN001 - glass / Nylon textile material

Material number GN001

Page: 3 of 9

Specific hazards arising from the chemical

In case of fire may be liberated: nitrogen oxides (NO_x), carbon monoxide and carbon dioxide.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation.

Avoid generation of dust. Wear appropriate protective equipment.

Do not breathe dust. Avoid contact with skin and eyes.

Environmental precautions:

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

Methods for clean-up: Take up mechanically, placing in appropriate containers for disposal. Final cleaning.

7. Handling and storage

Precautions for safe handling

Advices on safe handling: Provide adequate ventilation. Wear appropriate protective equipment.

Do not breathe dust. Avoid contact with skin and eyes.

For mechanical processing: Avoid generation of dust.

The use of local exhaust ventilation is recommended.

Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Protect from moisture contamination.

GN001 - glass / Nylon textile material

Material number GN001

Page: 4 of 9

8. Exposure controls/personal protection

Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
65997-17-3	GN001 - glass / Nylon textile material	USA: ACGIH: TWA	10 mg/m ³ (Dust limit value, inhalable fraction)
		USA: ACGIH: TWA	3 mg/m ³ (Dust limit value, respirable fraction)
		USA: OSHA: TWA	15 mg/m ³ (Dust limit value, total dust)
		USA: OSHA: TWA	5 mg/m ³ (Dust limit value, respirable fraction)
	Glass fibers	USA: ACGIH: TWA	1 fibers/cm ³ (Synthetic vitreous fibres, Continuous filament glass fibres)
		USA: ACGIH: TWA	5 mg/m ³ (Synthetic vitreous fibres, Continuous filament glass fibres, inhalable fraction)
		USA: NIOSH: TWA	3 fibers/cm ³
		USA: NIOSH: TWA	5 mg/m ³ (glass wool, fiberglass, glass fibers)

Appropriate engineering controls

Provide adequate ventilation.

For mechanical processing: The use of local exhaust ventilation is recommended.

Personal protection equipment (PPE)

Respiratory protection:	For mechanical processing: Particulates filter P1 according to OSHA Standard - 29 CFR: 1910.134 or ANSI Z88.2. Half-mask with filter according to OSHA Standard - 29 CFR: 1910.134 or ANSI Z88.2 - filter FP1, FFP1, FP2.
Hand protection:	For mechanical processing: Protective gloves according to OSHA Standard - 29 CFR: 1910.138 Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	For mechanical processing: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010. OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2003
Body protection:	For mechanical processing: Wear suitable protective clothing.
General hygiene considerations:	Avoid generation of dust. Wash hands before breaks and after work. Avoid rubbing. Fibers may penetrate deeper into the skin by rubbing. Remove fibers and/or dust from working clothes using a vacuum cleaner Glass fibers-dust: Avoid contact with skin and eyes. Do not breathe dust.

GN001 - glass / Nylon textile material

Material number GN001

Page: 5 of 9

Environmental exposure controls

Refer to 6.: Section "Environmental precautions".

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state at 68 °F and 101.3 kPa	Form: solid
Color:	white
Odor:	odorless
Odor threshold:	No data available
Melting point/freezing point:	coating agent: approx. 392 °F
Initial boiling point and boiling range:	No data available
Flammability:	No data available
Explosion limits:	No data available
Flash point/flash point range:	No data available
Evaporation rate:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	Coating agent: > 200°C
pH:	No data available
Viscosity:	No data available
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available
Vapor pressure:	No data available
Density:	No data available
Vapor density:	No data available
Particle characteristics:	Not applicable

Additional information

Additional information: softening point glass fibers: approx. 850 °C

10. Stability and reactivity

Reactivity:	refer to section 10.3
Chemical stability:	Glass fibers: not combustible. Nylon / coating agent: combustible. Product is stable under normal storage conditions.
Possibility of hazardous reactions:	none
Conditions to avoid:	Protect from moisture contamination.
Incompatible materials:	No data available
Hazardous decomposition products:	In case of fire may be liberated: nitrogen oxides (NOx), carbon monoxide and carbon dioxide.

GN001 - glass / Nylon textile material

Material number GN001

Page: 6 of 9

11. Toxicological information

Information on toxicological effects

Toxicological effects:

- Acute toxicity (oral): Lack of data.
- Acute toxicity (dermal): Lack of data.
- Acute toxicity (inhalative): Lack of data.
- Skin corrosion/irritation: Lack of data.
- Serious eye damage/irritation: Lack of data.
- Sensitisation to the respiratory tract: Lack of data.
- Skin sensitisation: Lack of data.
- Germ cell mutagenicity/Genotoxicity: Lack of data.
- Carcinogenicity: Lack of data.
- Reproductive toxicity: Lack of data.
- Effects on or via lactation: Lack of data.
- Specific target organ toxicity (single exposure): Lack of data.
- Specific target organ toxicity (repeated exposure): Lack of data.
- Aspiration hazard: Lack of data.

Symptoms

Fibers and dust: Causes temporarily: Skin irritation, mucous membrane irritation, eye irritations.
Coating agent: In case of prolonged exposition, sensitizing by skin contact is possible.

General remarks

For mechanical processing:
Possible in traces: formation of WHO-fibers
Definition WHO-fibers: length (L) > 5 µm and diameter (D) < 3 µm and L:D > 3:1
classification WHO-fibers: Causes concern for man owing to possible carcinogenic effects. Should be regarded as if they are carcinogenic to man.

12. Ecological information

Ecotoxicity

Effects in sewage plants: Mechanical separation in a suitable sewage plant is possible.

Further details: No data available

Persistence and degradability

Further details: Glass fibers: Product is not biodegradable.
Nylon: Product is not biodegradable.

Bioaccumulative potential

Partition coefficient: n-octanol/water:
No data available

Mobility in soil

No data available

Other adverse effects

General information: Discharge into the environment must be avoided.

13. Disposal considerations**Waste treatment methods****Product**

Recommendation: Incinerate according to applicable local, state and federal regulations.

Package

Recommendation: Dispose of waste according to applicable legislation.
Non-contaminated packages may be recycled.

14. Transport information**UN number**

DOT, IMDG, IATA-DGR: not applicable

UN proper shipping name

DOT, IMDG, IATA-DGR: Not restricted

Transport hazard class(es)

DOT, IMDG, IATA-DGR: not applicable

Packing group

DOT, IMDG, IATA-DGR: not applicable

Environmental hazards

Marine pollutant: no

Transport in bulk according to IMO instruments

No data available

Special precautions for user**USA: Department of Transportation (DOT)**

Proper shipping name: Not restricted

Sea transport (IMDG)

Proper shipping name: Not restricted

Marine pollutant: no

Air transport (IATA)

Proper shipping name: Not restricted

Further information

No dangerous good in sense of these transport regulations.

GN001 - glass / Nylon textile material

Material number GN001

Page: 8 of 9

15. Regulatory information

National regulations - U.S. Federal Regulations

TSCA: CAS 65997-17-3 listed - UVCB

National regulations - U.S. State Regulations

No data available

Further regulations, limitations and legal requirements

No data available

16. Other information

Revision date: 12/17/2025

Date of first version: 8/22/2007

Reason of change: General revision: Safety Data Sheet according to Hazardous Products Regulations (HPR) 2022

General revision: Safety Data Sheet according to HCS 2024 (29 CFR 1910.1200)

Hazard rating systems:



NFPA Hazard Rating:

Health: 1 (Slight)

Fire: 1 (Slight)

Reactivity: 0 (Minimal)

HMIS Version III Rating:

Health: 1 (Slight)

Flammability: 1 (Slight)

Physical Hazard: 0 (Minimal)

Personal Protection: B

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
	B

Abbreviations and acronyms:

AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DIN: German Institute for Standardization
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
DOT: Department of Transportation's Safety Regulations (USA)
EC: European Community
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

Literature: IARC Vol 81, 23.08.2002 Man-made Vitreous Fibres



SAFETY DATA SHEET

according to HCS 2024 (29 CFR 1910.1200)

GN001 - glass / Nylon textile material

Material number GN001

Revision date: 12/17/2025
Version: 7.4
Replaces version: 7.3
Language: en-US
Date of print: 5/29/2026

Page: 9 of 9

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.