

**85P11/21/31 - Chlorosil Catalyst,  
Component B**

Material number 085P11/21/31=B

Page: 1 of 9

**1 Identification****Product identifier**

Trade name: 85P11/21/31 - Chlorosil Catalyst, Component B

**Other means of identification**

This safety data sheet pertains to the following products:

Article No. 85P11: Chlorosil-Catalyst, Component B = translucent

Article No. 85P21: Chlorosil-Catalyst, Component B = translucent

Article No. 85P31: Chlorosil-Catalyst, Component B = translucent

**Recommended use and restrictions on use**

General use: Catalyst for HTV - Silicone, rollable, for orthopedic procedures

**Initial supplier identifier**

Company name: Otto Bock HealthCare Canada Ltd.

Street/POB-No.: 5470 Harvester Road

Postal code, city: Burlington, ON L7L 5N5, CA

Canada

WWW: [www.ottobock.ca](http://www.ottobock.ca)Email: [info.canada@ottobock.com](mailto:info.canada@ottobock.com)

Telephone: (800) 665-3327

Telefax: (800) 463-3659

Department responsible for information:

Mark Agro, Telephone: (800) 665-3327 (9 am - 5 pm)

Additional information:

Corporate headquarters:

Ottobock SE &amp; Co. KGaA

Max-Näder-Straße 15

Duderstadt

Germany

**Emergency telephone number****COLLECT, Telephone: (613) 996-6666****2 Hazard identification****Classification**

This mixture is classified as not hazardous.

**Information elements**

Symbols: not applicable

Hazard statements: not applicable

Precautionary statements: not applicable

**85P11/21/31 - Chlorosil Catalyst,  
Component B**

Material number 085P11/21/31=B

Page: 2 of 9

**Other hazards known to the supplier with respect to the product**

Product may release hydrogen gas. With exposure to moisture, product will release hydrogen.

**3 Composition/Information on ingredients**
**Mixture**

Chemical name: Crepe rubber, Silicone

Hazardous ingredients:

CAS No.	Designation	Content	Classification
CAS 540-97-6	Dodecamethylcyclhexasiloxane	< 1 %	not classified
CAS 541-02-6	Decamethylcyclopentasiloxane	< 1 %	not classified

The actual concentration or concentration range is withheld as a trade secret.

**4 First-aid measures**
**Description of necessary first-aid measures**

In case of inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.
In case of swallowing:	Do not induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Seek medical attention.
In case of skin contact:	Remove residues with soap and water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.
In case of eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

**Most important symptoms and effects, whether acute or delayed**

In case of inhalation:  
 Inhaling can lead to irritations of the respiratory tract and mucous membrane.  
 In case of ingestion: Constipation  
 After eye contact:  
 Dust contact with the eyes can lead to mechanical irritation. When vapours form: Irritation and redness may occur.

**Indication of immediate medical attention and special treatment needed, if necessary**

Treat symptomatically.

**5 Fire-fighting measures**
**Suitable and unsuitable extinguishing media**

Suitable extinguishing media:

Water spray jet, alcohol resistant foam, dry extinguishing powder, carbon dioxide.

## 85P11/21/31 - Chlorosil Catalyst, Component B

Material number 085P11/21/31=B

Page: 3 of 9

Unsuitable extinguishing media:

Full water jet.

### Specific hazards arising from the product

This product can generate small amounts of formaldehyde at approximately 150 °C and above in the presence of air. Product may release hydrogen gas.

In case of fire may be liberated:

Silicon oxides, carbon monoxide and carbon dioxide.

### Special protective equipment and precautions for fire-fighters

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Keep containers cool with water spray until well after the fire is out. Move undamaged containers from immediate hazard area if it can be done safely.

Do not allow water used to extinguish fire to enter drains, ground or waterways. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Avoid breathing dust. Avoid contact with skin and eyes.

Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

Environmental precautions:

Do not allow to penetrate into soil, waterbodies or drains.

If necessary, notify appropriate authorities.

### Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

## 7 Handling and storage

### Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid contact with skin and eyes. Wear appropriate protective equipment. Avoid generation of dust. Avoid breathing dust. Have eye wash bottle or eye rinse ready at work place. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

Precautions against fire and explosion:

Keep away from heat.

When handling larger quantities, take precautionary measures against electrostatic charging.

## 85P11/21/31 - Chlorosil Catalyst, Component B

Material number 085P11/21/31=B

Page: 4 of 9

### Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.  
Keep container dry. Keep only in the original container.  
Protect from heat and direct sunlight.  
Store containers in upright position.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.  
Do not store together with: Acids, bases, metals, strong oxidizing agents.

## 8 Exposure controls/Personal protection

### Control parameters

Occupational exposure limit values:

Type	Limit value
Canada: Alberta, OEL 8 hour	10 mg/m <sup>3</sup> (Dust limit value, inhalable fraction)
Canada: Alberta, OEL 8 hour	3 mg/m <sup>3</sup> (Dust limit value, respirable fraction)
Canada: BC, OEL TWA	10 mg/m <sup>3</sup> (Dust limit value, inhalable fraction)
Canada: BC, OEL TWA	3 mg/m <sup>3</sup> (Dust limit value, respirable fraction)
Canada: Québec, VEMP	10 mg/m <sup>3</sup> (total dust)
Canada: Québec, VEMP	3 mg/m <sup>3</sup> (total dust, respirable fraction)

### Appropriate engineering controls

Provide good ventilation and/or an exhaust system in the work area.

### Individual protection measures, such as personal protective equipment

Respiratory protection: Respiratory protection must be worn whenever the TLV (WEL) levels have been exceeded. Recommendation: Use combination filter type A/P2 according to OSHA Standard - 29 CFR: 1910.134 or ANSI Z88.2. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to OSHA Standard - 29 CFR: 1910.138. Glove material: Neoprene, Nitrile rubber, Polyvinyl chloride. Layer thickness: > 0.35 mm. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.

Body protection: Wear suitable protective clothing.

General hygiene considerations:

Avoid contact with skin and eyes. Avoid generation of dust. Avoid breathing dust. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Have eye wash bottle or eye rinse ready at work place. Take off contaminated clothing and wash it before reuse.

### Environmental exposure controls

Refer to 6.: Section "Environmental precautions".

## 85P11/21/31 - Chlorosil Catalyst, Component B

Material number 085P11/21/31=B

Page: 5 of 9

### 9 Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	solid
Colour:	Form: crepe rubber refer to section 1
Odour:	Characteristic
Odour threshold:	No data available
Melting point and freezing point:	No data available
Boiling point or initial boiling point and boiling range:	Not applicable
Flammability:	This material is combustible, but will not ignite readily.
Lower and upper explosion limit or lower and upper flammability limit:	No data available
Flash point/flash point range:	Not applicable
Evaporation rate:	Not applicable
Auto-ignition temperature:	Not self-igniting
Decomposition temperature:	No data available
pH:	Not applicable
Kinematic viscosity:	Not applicable
Dynamic viscosity:	Not applicable
Solubility:	No data available
Partition coefficient — n-octanol/water:	at 24 °C: 8.87 log P(o/w) (Dodecamethylcyclodhexasiloxane) Based on the n-octanol/water partition coefficient accumulation in organisms is possible. at 25 °C: 8.07 log P(o/w) (Decamethylcyclopentasiloxane) Based on the n-octanol/water partition coefficient accumulation in organisms is possible.
Vapour pressure:	Not applicable
Density and/or relative density	1.2 g/cm <sup>3</sup>
Vapour density:	No data available
Particle characteristics:	No data available

#### Additional information

Explosive properties:	Product is not explosive.
Oxidizing characteristics:	Not oxidising

### 10 Stability and reactivity

Reactivity:	Refer to subsection "Possibility of hazardous reactions".
Chemical stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	With exposure to moisture, product will release hydrogen.
Conditions to avoid:	Protect from direct exposure to sunlight and temperatures exceeding 150 °C. Protect from excessive heat. Protect from moisture.

## 85P11/21/31 - Chlorosil Catalyst, Component B

Material number 085P11/21/31=B

Page: 6 of 9

Incompatible materials: Acids, bases, metals, strong oxidizing agents

Hazardous decomposition products:

This product can generate small amounts of formaldehyde at approximately 150 °C and above in the presence of air.

## 11 Toxicological information

### Information on the likely routes of exposure

No data available

### Health hazard information

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Other information:

Information about Dodecamethylcyclohexasiloxane (CAS 540-97-6):

LD50 Rat, oral: > 2,000 mg/kg

LD50 Rat, dermal: > 2,000 mg/kg

Information about Decamethylcyclopentasiloxane (CAS 541-02-6):

LD50 Rat, oral: > 5,000 mg/kg

LD50 Rabbit, dermal: > 2,000 mg/kg

LC50 Rat, inhalative (dusts/mist): 8.67 mg/L/4h

### Symptoms

In case of inhalation:

Inhaling can lead to irritations of the respiratory tract and mucous membrane.

In case of ingestion: Constipation

After eye contact:

Dust contact with the eyes can lead to mechanical irritation. When vapours form: Irritation and redness may occur.

## 85P11/21/31 - Chlorosil Catalyst, Component B

Material number 085P11/21/31=B

Page: 7 of 9

### 12 Ecological information

#### Ecotoxicity

Aquatic toxicity: Based on available data, the classification criteria are not met.

Information about Dodecamethylcyclohexasiloxane (CAS 540-97-6):

Algae toxicity:

EC50 Pseudokirchneriella subcapitata (green algae): > 2 µg/L/72h

Daphnia toxicity:

NOEC Daphnia magna (Big water flea): ≥ 4.6 µg/L/21d

Information about Decamethylcyclopentasiloxane (CAS 541-02-6):

Algae toxicity:

EC50 Pseudokirchneriella subcapitata (green algae): >12 µg/L/96h

NOEC Pseudokirchneriella subcapitata (green algae): ≥ 12 µg/L/96h

Daphnia toxicity:

EC50 Daphnia magna (Big water flea): > 2.9 µg/L/48h

NOEC Daphnia magna (Big water flea): ≥ 15 µg/L/21d

Fish toxicity:

LC50 Oncorhynchus mykiss: > 16 µg/L/96h

NOEC Oncorhynchus mykiss: ≥ 14 µg/L/90d

#### Persistence and degradability

Further details: Information about Dodecamethylcyclohexasiloxane (CAS 540-97-6):

Biodegradation: 4.47 %/28 d (OECD 310) Product is biodegradable with difficulty.

Information about Decamethylcyclopentasiloxane (CAS 541-02-6):

Biodegradation: 0.14 %/28 d (OECD 310) Product is biodegradable with difficulty.

#### Bioaccumulative potential

Partition coefficient — n-octanol/water:

at 24 °C: 8.87 log P(o/w) (Dodecamethylcyclohexasiloxane)

Based on the n-octanol/water partition coefficient accumulation in organisms is possible.

at 25 °C: 8.07 log P(o/w) (Decamethylcyclopentasiloxane)

Based on the n-octanol/water partition coefficient accumulation in organisms is possible.

#### Mobility in soil

Information about Dodecamethylcyclohexasiloxane (CAS 540-97-6):

pOC: 0 - 50

Information about Decamethylcyclopentasiloxane (CAS 541-02-6):

pOC: > 5,000

Koc: > 5,000 (estimated)

#### Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

## 85P11/21/31 - Chlorosil Catalyst, Component B

Material number 085P11/21/31=B

Page: 8 of 9

### 13 Disposal considerations

#### Waste treatment methods

##### Product

Recommendation: Dispose of waste according to applicable legislation.

##### Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.

### 14 Transport information

#### UN number

TDG, IMDG, IATA-DGR: not applicable

#### UN proper shipping name

TDG, IMDG, IATA-DGR: Not restricted

#### Transport hazard class

TDG, IMDG, IATA-DGR: not applicable

#### Packing group

TDG, IMDG, IATA-DGR: not applicable

#### Environmental hazards

Marine pollutant: no

#### Special precautions in connection with transport or conveyance either within or outside the premises

##### Canada: Transportation of Dangerous Goods (TDG)

Shipping name: Not restricted

##### Sea transport (IMDG)

Proper shipping name: Not restricted

Marine pollutant: no

##### Air transport (IATA)

Proper shipping name: Not restricted

#### Further information

No dangerous good in sense of these transport regulations.



## 85P11/21/31 - Chlorosil Catalyst, Component B

Material number 085P11/21/31=B

Page: 9 of 9

### 15 Regulatory information

#### National regulations - Canada

Product: DSL: All ingredients are listed or exempt from listing.

Dodecamethylcyclohexasiloxane: DSL: listed

Decamethylcyclopentasiloxane: DSL: listed

#### Further regulations, limitations and legal requirements

No data available

### 16 Other information

Revision date: 17/12/2025

Date of first version: 21/11/2006

Reason of change: General revision: Safety Data Sheet according to Hazardous Products Regulations (HPR) 2022

#### Abbreviations and acronyms:

AS/NZS: Australian Standards/New Zealand Standards  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
DSL: Domestic Substances List  
EC: European Community  
EC50: Effective Concentration 50%  
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods  
EN: European Standard  
EQ: Excepted quantities  
IATA: International Air Transport Association  
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
IMO: International Maritime Organization  
LC50: Median lethal concentration  
LD50: Lethal dose 50%  
log P(o/w): Partition coefficient: octanol/water  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
NOEC: No Observed Effect Concentration  
OECD: Organisation for Economic Co-operation and Development  
OEL: Occupational Exposure Limit Value  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
SVHC: Substance of very high concern  
TDG: Transportation of Dangerous Goods Regulation in Canada  
TLV: Threshold Limit Value  
TRGS: Technical Rules for Hazardous Substances  
vPvB: Very persistent and very bioaccumulative  
WEL: Workplace Exposure Limit

#### Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.