

1. Identification

Product identifier

Trade name: 84A3 - Acrydoc Poly

Relevant identified uses of the substance or mixture and uses advised against

General use: For producing molds for orthopedic procedures

Details of the supplier of the safety data sheet

Company name: Otto Bock Health Care

Street/POB-No.: 3820 W. Great Lakes Drive

Zip code, city: Salt Lake City, UT 84120
USA

WWW: www.ottobockus.com

Telephone: +1 (801) 956-2400

Telefax: +1 (801) 956-2401

Department responsible for information:

Quality Department,

Telephone: +1 (801) 954-2304 (7 AM – 3 PM, Mountain Time),

Email: USRegulatory@ottobock.com

Additional information:

Corporate headquarters:
Ottobock SE & Co. KGaA
Max-Näder-Straße 15
Duderstadt
Germany

Emergency telephone number

CHEMTREC, Telephone: +1 (800) 424-9300

Transport:

CONSULTANK Lutz Harder GmbH (Contract QUALI003)

Telephone: +49 (0)178-4337434 (from USA: 01149 178 4337434)

2. Hazard identification

Classification of the substance or mixture

Sensitization - skin - Category 1 May cause an allergic skin reaction.

Aquatic toxicity - chronic - Category 2 Toxic to aquatic life with long lasting effects.

Label elements

Symbols:



Signal word:

Warning

Hazard statements:

May cause an allergic skin reaction.
Toxic to aquatic life with long lasting effects.

Precautionary statements:

Avoid breathing dust.
 Contaminated work clothing should not be allowed out of the workplace.
 Avoid release to the environment.
 Wear protective gloves/protective clothing/eye protection.
 IF ON SKIN: Wash with plenty of water/soap.
 Specific treatment (see ' First aid ' on this label).
 If skin irritation or rash occurs: Get medical advice/attention.
 Take off contaminated clothing and wash it before reuse.
 Collect spillage.
 Dispose of contents/container to hazardous or special waste collection point.

Other hazards

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

3. Composition/information on ingredients

Mixtures

Chemical characterization: Polymer and copolymer

Relevant ingredients:

CAS No.	Designation	Concentration	Classification
CAS 94-36-0	Dibenzoyl peroxide	1 - < 2.5 %	Organic Peroxide - Category B. Eye Irritation - Category 2. Sensitization - skin - Category 1. Aquatic toxicity - acute - Category 1 (M-factor = 10). Aquatic toxicity - chronic - Category 1 (M-factor = 10).

The actual concentration or concentration range is withheld as a trade secret.

Additional information: Contains Calcium carbonate.

The maximum workplace exposure limits are, where necessary, listed in section 8.

4. First aid measures

General information:	If medical advice is needed, have product container or label at hand.
In case of inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.
Following skin contact:	Remove residues with soap and water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.
After swallowing:	Rinse mouth immediately and drink plenty of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

Most important symptoms/effects, acute and delayed

May cause an allergic skin reaction.
 Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

Information to physician

Treat symptomatically.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:

Water spray jet, foam, dry chemical powder, carbon dioxide

Extinguishing media which must not be used for safety reasons:

Full water jet

Specific hazards arising from the chemical

May form dangerous gases and vapors in case of fire. Furthermore, there may develop: Calcium compounds, carbon monoxide and carbon dioxide.

Protective equipment and precautions for firefighters

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Do not breathe fumes. Do not allow fire water to penetrate into surface or ground water. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid generation of dust. Do not breathe dust. Do not get in eyes, on skin, or on clothing. If possible, eliminate leakage. Provide adequate ventilation. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Keep unprotected people away.

Environmental precautions:

Do not allow to enter into ground-water, surface water or drains. In case of release, notify competent authorities.

Methods and material for containment and cleaning up

Methods for clean-up:

Take up mechanically, placing in appropriate containers for disposal. Thoroughly clean surrounding area. Never return spills in original containers for re-use.

7. Handling and storage

Precautions for safe handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Avoid generation of dust. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place. Keep container dry. Keep only in original container.

Protect from heat and direct sunlight. Store containers in upright position.

Only approved packaging (e.g. in accordance with DOT) may be used.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.

Do not store together with: Oxidizing agents.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
	84A3 - Acrydoc Poly	USA: ACGIH: TWA	10 mg/m ³ (Dust limit value, inhalable fraction)
		USA: ACGIH: TWA	3 mg/m ³ (Dust limit value, respirable fraction)
		USA: OSHA: TWA	15 mg/m ³ (Dust limit value, total dust)
		USA: OSHA: TWA	5 mg/m ³ (Dust limit value, respirable fraction)
471-34-1	Calcium carbonate	USA: NIOSH: TWA	10 mg/m ³ (inhalable fraction)
		USA: NIOSH: TWA	5 mg/m ³ (respirable fraction)
		USA: OSHA: TWA	15 mg/m ³ (inhalable fraction)
		USA: OSHA: TWA	5 mg/m ³ (respirable fraction)
94-36-0	Dibenzoyl peroxide	USA: ACGIH: TWA	5 mg/m ³
		USA: IDLH: TWA	1,500 mg/m ³
		USA: NIOSH: TWA	5 mg/m ³
		USA: OSHA: TWA	5 mg/m ³

Appropriate engineering controls

Provide good ventilation and/or an exhaust system in the work area. In the case of the formation of dust: Dust should be exhausted directly at the point of origin.

Personal protection equipment (PPE)

Respiratory protection: Respiratory protection must be worn whenever the TLV (WEL) levels have been exceeded.

Hand protection:

Protective gloves according to OSHA Standard - 29 CFR: 1910.138.

Glove material: Natural rubber (Caoutchouc), nitrile rubber, chloroprene rubber, butyl caoutchouc (butyl rubber), fluoro rubber

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection:

Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.

Body protection:

Wear suitable protective clothing.

General hygiene considerations:

Avoid generation of dust. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to 6.: Section "Environmental precautions".

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state at 68 °F and 101.3 kPa	solid
Color:	Form: powder beige
Odor:	Characteristic
Odor threshold:	No data available
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
Flammability:	This material is combustible, but will not ignite readily.
Explosion limits:	LEL (Lower Explosion Limit): Not determined UEL (Upper Explosive Limit): Not determined
Flash point/flash point range:	> 482 °F
Evaporation rate:	No data available
Auto-ignition temperature:	Not self-igniting
Decomposition temperature:	No data available
pH:	Not applicable
Viscosity:	No data available
Water solubility:	Practically insoluble
Partition coefficient: n-octanol/water:	at 68 °F: 3.2 log K(o/w) (Dibenzoyl peroxide) Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected.
Vapor pressure:	No data available
Density:	No data available
Vapor density:	No data available
Particle characteristics:	No data available

Additional information

Explosive properties:	Product is not explosive.
Oxidizing characteristics:	Available oxygen content: < 0.2%
Ignition temperature:	> 752 °F

10. Stability and reactivity

Reactivity:	Refer to subsection "Possibility of hazardous reactions".
Chemical stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	No hazardous reaction when handled and stored according to provisions.
Conditions to avoid:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Incompatible materials:	Oxidizing agents

Hazardous decomposition products:

No hazardous decomposition products when regulations for storage and handling are observed.

11. Toxicological information

Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Sensitization - skin - Category 1 = May cause an allergic skin reaction.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information:

Information about Calcium carbonate (CAS 471-34-1):

LD50 Rat, oral: > 2,000 mg/kg (OECD 420), no mortality occurred

LD50 Rat, dermal: > 2,000 mg/kg (OECD 402), no mortality occurred

LC50 Rat, inhalative (dust/mist): > 3 mg/L/4h (OECD 403), maximum achievable concentration, no mortality occurred

Carcinogenic effect, Dibenzoyl peroxide (CAS 94-36-0):

IARC Rating: Group 3

OSHA Carcinogen: not listed

NTP Rating: not listed

Symptoms

A repeated, excessive dust exposure can cause pneumoconiosis.

12. Ecological information

Ecotoxicity

Aquatic toxicity: Toxic to aquatic life with long lasting effects.

Information about Calcium carbonate (CAS 471-34-1):

Fish toxicity:

LC50 Oncorhynchus mykiss: > 100 mg/L/96h (OECD 203)

Daphnia toxicity:

EC50 Daphnia magna (Big water flea): > 100 mg/L/48h (OECD 202)

Algae toxicity:

ErC50 Pseudokirchneriella subcapitata (green algae): > 14 mg/L/72h (OECD 201)

NOEC Pseudokirchneriella subcapitata (green algae): ≥ 14 mg/L/72h (OECD 201)

Information about Dibenzoyl peroxide (CAS 94-36-0):

Fish toxicity:

LC50 Oncorhynchus mykiss: 0.06 mg/L/96h (OECD 203)

Daphnia toxicity:

EC50 Daphnia magna (Big water flea): 0.11 mg/L/48h (OECD 202)

EC10 Daphnia magna (Big water flea): 0.001 mg/L/21d (OECD 211)

Algae toxicity:

ErC50 Pseudokirchneriella subcapitata (green algae): 0.071 mg/L/72h (OECD 201)

NOEC Pseudokirchneriella subcapitata (green algae): 0.02 mg/L/72h (OECD 201)

Effects in sewage plants: Information about Dibenzoyl peroxide (CAS 94-36-0):

EC50 activated sludge: 35 mg/L/30min (OECD 209)

Persistence and degradability

Further details: Biodegradability:

Information about Dibenzoyl peroxide (CAS 94-36-0):

Oxygen consumption: 71%/28d (OECD 301 D)

Bioaccumulative potential

Partition coefficient: n-octanol/water:

at 68 °F: 3.2 log K(o/w) (Dibenzoyl peroxide)

Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected.

Mobility in soil

No data available

Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

13. Disposal considerations

Waste treatment methods

Product

Recommendation: Dispose of waste according to applicable legislation. Do not allow to enter drains.

Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

14. Transport information

UN number

DOT: UN3077
IMDG, IATA-DGR: UN 3077

UN proper shipping name

DOT, IMDG, IATA-DGR: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Dibenzoyl peroxide)

Transport hazard class(es)

DOT: 9
IMDG: Class 9, Subrisk -
IATA-DGR: Class 9



Packing group

DOT, IMDG, IATA-DGR: III

Environmental hazards

Marine pollutant: yes

Transport in bulk according to IMO instruments

No data available

Special precautions for user

USA: Department of Transportation (DOT)

Labels: 9
Symbols: G
Special Provisions: 8, 146, 335, 384, 441, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33
Packaging – Exceptions: 155
Packaging – Non-bulk: 213
Packaging – Bulk: 240
Quantity limitations – Passenger aircraft / rail: No limit
Quantity limitations – Cargo only: No limit
Vessel stowage – Location: A

Sea transport (IMDG)

EmS: F-A, S-F
 Special Provisions: 274 335 375 966 967 969
 Limited quantities: 5 kg
 Excepted quantities: E1
 Package - Instructions: P002, LP02
 Package - Provisions: PP12
 IBC - Instructions: IBC08
 IBC - Provisions: B3
 Tank instructions - IMO: -
 Tank instructions - UN: T1, BK2, BK2, BK3
 Tank instructions - Provisions: TP33
 Stowage and handling: Category A. SW23
 Properties and observations: -
 Marine pollutant: yes
 Segregation group: none

Air transport (IATA)

Proper shipping name: UN 3077,
 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 (Dibenzoyl peroxide)
 Hazard label: Miscellaneous & Environmentally hazardous
 Excepted Quantity Code: E1
 Passenger and Cargo Aircraft: Ltd.Qty.: Pack.Instr. Y956 - Max. Net Qty/Pkg. 30 kg G
 Passenger and Cargo Aircraft: Pack.Instr. 956 - Max. Net Qty/Pkg. 400 kg
 Cargo Aircraft only: Pack.Instr. 956 - Max. Net Qty/Pkg. 400 kg
 Special Provisions: A97 A158 A179 A197 A215
 Emergency Response Guide-Code (ERG): 9L

15. Regulatory information

National regulations - U.S. Federal Regulations

Calcium carbonate: TSCA Inventory: listed
 Dibenzoyl peroxide: TSCA Inventory: listed
 Carcinogen Status: IARC Rating: Group 3
 OSHA Carcinogen: not listed
 NTP Rating: not listed
 Other Environmental Laws:
 SARA Title III, Section 313, Toxic Release: NPFAS; De Minimis <=1.0 %;
 Thresholds 25000/10000 lbs
 NIOSH Recommendations:
 Occupational Health Guideline: 0052
 OSHA Process Safety Management: Threshold 7500 lbs.

National regulations - U.S. State Regulations

No data available

Further regulations, limitations and legal requirements

No data available

16. Other information

Text for labeling: Contains 1 - < 2.5 % Dibenzoyl peroxide.

Revision date: 4/30/2026

Date of first version: 8/15/2008

Reason of change: Changes in section 2: Classification, labeling
Changes in section 3: Composition/information on ingredients
Changes in section 9: Physical and chemical properties
Changes in section 14: Transport information
General revision

Classification procedure: Physical hazards: on basis of test data
Health hazards, environmental hazards: calculation method

Hazard rating systems: NFPA Hazard Rating:
Health: 1 (Slight)
Fire: 1 (Slight)
Reactivity: 1 (Slight)

HMIS Version III Rating:
Health: 1 (Slight)
Flammability: 1 (Slight)
Physical Hazard: 1 (Slight)
Personal Protection: X = Consult your supervisor



HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	1
	X

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
Aquatic toxicity - acute: Hazardous to the aquatic environment - acute
Aquatic toxicity - chronic: Hazardous to the aquatic environment - chronic
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
DOT: Department of Transportation's Safety Regulations (USA)
EC: European Community
EC50: Effective Concentration 50%
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
Eye Irritation: Eye irritation
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
LC50: Median lethal concentration
LD50: Lethal dose 50%
LEL: Lower Explosion Limit
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
M-factor: Multiplication factor
NOEC: No Observed Effect Concentration
OECD: Organisation for Economic Co-operation and Development
OEL: Occupational Exposure Limit Value
Organic Peroxide: Organic peroxide
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
Sensitization - skin: Skin sensitisation
TDG: Transportation of Dangerous Goods Regulation in Canada
TLV: Threshold Limit Value
TRGS: Technical Rules for Hazardous Substances
UN: United Nations
vPvB: Very persistent and very bioaccumulative
WEL: Workplace Exposure Limit



SAFETY DATA SHEET

according to HCS 2024 (29 CFR 1910.1200)

84A3 - Acrydoc Poly

Material number 084A 3

Revision date: 4/30/2026

Version: 7.0

Replaces version: 6.2

Language: en-US

Date of print: 5/29/2026

Page: 11 of 11

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.