



# DP TILE AND STONE

WHERE TECHNOLOGY MEETS ART



☎ 604-285-9326  
🌐 [www.dptile.ca](http://www.dptile.ca)  
✉ [info@dptile.ca](mailto:info@dptile.ca)  
📍 Unit 11, 3691 Viking Way, Rivhmond,  
BC V6V 2J6



## INDEX 目录

4 ADVANTAGES 4大优势	03
4 USAGES 4种使用方法	05
9 APPLICABLE PLACES 9个应用场所	07
COLLECTIONS 7大产品系列	29
ACCESSORY 配件	34
PACKING INFO 包装信息	36

# 4 ADVANTAGES


## 4大特色

### Anti-slip R11 防滑等级R11

The Anti-slip of our 2cm outdoor tile reaches R11 ,closed to the natural stone,R12 is available to customize.  
金意陶2cm厚砖在DIN51130标准下通过一系列的防滑测试，测试结果为R11级，达到天然石材的防滑指标。

### High Breaking Strength 破坏强度高

The breaking strength of our 2cm outdoor tile reaches 10200N while that of natural stone must be with thickness of 4cm.  
通过GB/T3810.4检测，金意陶2cm厚砖破坏强度高达10200N，远超天然石材，完全可以达到4cm厚石材的强度要求。



### Natural Stone Texture 天然石材纹理

Since natural stone is becoming increasingly scarce, replacements with high performance than them have to be used in outdoor places, KITO 2cm outdoor tiles is up to 20mm, they are natural stone texture.  
金意陶2cm厚砖使用通体技术，高度还原天然石材的原生纹理和质感，100%还原石材。



### Full Body 通体


KITO 2cm outdoor porcelain tile  
water absorption  $\leq 0.5\%$   
abrasion resistance: class 3  
金意陶2cm厚砖经过高温煅烧和高压压制而成，通体技术，质地致密，坚硬度可与石材相比，吸水率 $\leq 0.5\%$ ，耐磨性好。

# 4 USAGES , EASY TO MANAGE AND MOVE

4大使用方法,自由简单操作


- 2cm thick brick has a wide range of applications, and can be laid on grassland, trays, cement slurry, gravel and gravel foundation;  
2cm厚砖使用范围广泛,可以在草地、托盘、水泥浆、卵石砂砾地基上铺设;
- Such as brick under the wire, pipe, can be used to set up the tray tiles, convenient pipeline maintenance brick, hole wall does not need tedious work;  
如砖下有电线、水管等,可以用托盘架起瓷砖,方便日常维修砖下线路管道,不需要打洞拆墙等繁琐工作;
- The installation and operation are simple, and the non professionals can perform construction maintenance.  
安装操作简易,非专业人员都可以进行施工维护。





# APPLICATION ON GRASS

草地应用




1



2




3



4

①



K0603704DAZ Cement  
600×600×20mm 水泥

②



K0606501DAZ Blue Stone  
600×600×20mm 布鲁石

③



K0606419DAZ Cement  
600×600×20mm 水泥



④



K0603517DAZ Ales  
600×600×20mm 爱丽丝

# APPLICATION ON GRAVEL


景观应用



①



K0603525DAZ Ales  
600×600×20mm 爱丽丝





②



K0606533DAZ Pastoral  
600×600×20mm 水墨木歌

# VILLA BALCONY

別墅露台



①




K0606539DAZ  
600x600x20mm


②



K0606538DAZ  
600x600x20mm



You will have enough space to accommodate water pipes, wires. easy disassembly, easy maintenance.  
 2cm厚砖下可容纳电线及水管,方便日后清洁与维护。



K0603519DAZ Ales  
 600×600×20mm 爱丽丝

KITO 2cm tiles perfectly fit for home outdoor with swimming pool, balcony, roof and so on. To use the adjustable plastic pedestal.

使用支架的方式铺贴KITO 2cm厚砖, 主要适合家庭户外, 如露台、阳台、天台等处。

## ADJUSTABLE PLASTIC PEDESTAL

塑料支架



S1 (h 26-40mm)



S2 (h 39-65mm)




Effect display 效果展示





# OUTDOOR APPLICATION

户外应用



1




2



3

4

①



K0606507DAZ Sand Stone  
600×600×20mm 砂岩

②



K0606501DAZ Blue Stone  
600×600×20mm 布鲁石

③



K0603518DAZ Ales  
600×600×20mm 爱丽丝

④








K0603525DAZ Ales  
600×600×20mm 爱丽丝



# SWIMMING POOL



游泳池






# PARKING

停车场



①



K0606033DAZ Basalt Stone  
600×600×20mm 火烧石


②



K0606419DAZ Cement  
600×600×20mm 水泥

# TRAFFIC SITE

交通站点




①



K0606418DAZ Slate Stone  
600×600×20mm 板岩

②




K0603704DAZ Cement  
600×600×20mm 水泥

③




K0603525DAZ Ales  
600×600×20mm 爱丽丝






# STAIRCASE STEPS

楼梯砖



# FACADE DRY HANGING

外墙干挂




①




K0603525DAZ Ales  
600×600×20mm 爱丽丝

②




K0603704DAZ Cement  
600×600×20mm 水泥

③




K0606503DAZ Basalt Stone  
600×600×20mm 火烧石




# COLLECTIONS 7大产品系列


Basalt Stone  
火烧石



K0606503DAZ  
600×600×20mm  辊筒




K0606529DAZ  
600×600×20mm  辊筒



K0606033DAZ  
600×600×20mm

Cement  
水泥




K0606419DAZ  
600×600×20mm  7




K0606420DAZ  
600×600×20mm



K0603704DAZ  
600×600×20mm  3

Pastoral  
水墨木歌




K0606530DAZ  
600×600×20mm  16



K0606533DAZ  
600×600×20mm  22


Ales  
爱丽丝




K0603516DAZ  
600×600×20mm  
600×600×10mm  
1200×600×11.5mm



K0603517DAZ  
600×600×20mm  
600×600×10mm  
1200×600×11.5mm



K0603518DAZ  
600×600×20mm  
600×600×10mm  
1200×600×11.5mm




K0603519DAZ  
600×600×20mm  
600×600×10mm  
1200×600×11.5mm



K0603525DAZ  
600×600×20mm  
600×600×10mm  
1200×600×11.5mm




Sand Stone  
砂岩




K0606507DAZ  
600×600×20mm




K0606508DAZ  
600×600×20mm



K0606511DAZ  
600×600×20mm



K0606527DAZ  
600×600×20mm




K0606528DAZ  
600×600×20mm





Slate Stone  
板岩



K0606515DAZ  
600×600×20mm




K0606418DAZ  
600×600×20mm

Blue Stone  
布鲁石



K0606501DAZ  
600×600×20mm



K0606502DAZ  
600×600×20mm

## ACCESSORY

### 配件

#### Adjustable Plastic Pedestal 塑料支架



S1 (h 26-40mm)



S2 (h 39-65mm)



Effect display 效果展示


Other height is available  
还有其他高度的支架



600×300×20mm

Other waterjet designs are welcome  
其他水刀配件也可以定制

#### Staircase Steps 楼梯砖




# TECHNICAL DATA

## 技术参数

Technical features	2CM Stone look glazed porcelain tile	Marble	Granite
Water absorption	E≤0.1%	E≤0.7%	E≤0.4%
Abrasion resistance	Class 3	≤200mm <sup>3</sup>	≤175mm <sup>3</sup>
Breaking strength	>9000N	>1700N	>2100N
DCOF	0.52	—	—
Slipperiness	R11	—	—
Modulus of rupture	≥ 35 MPa <sup>2</sup>	≥ 6.9 MPa <sup>2</sup>	≥ 10 MPa <sup>2</sup>
Thermal shock Resistance	Excellent	Fine	Fine
Frost resistance	Pass	Approved	Approved
Chemical resistance	GLA	—	—
Color difference	slight difference for the same batch	obvious difference	obvious difference
Radioactivity	Class A	Class A	Class A

# APPLICATION


## 使用场所



Application on grass  
草地应用



Application on gravel  
景观应用




Villa balcony  
别墅露台



Outdoor Application  
户外应用




Swimming pool  
游泳池




Parking  
停车场



Traffic site  
交通站点



Staircase steps  
楼梯砖



Exterior wall cladding  
外墙干挂

# PACKING INFO

## 包装信息

Ctn size 箱子尺寸	600×600×20mm	
Pcs/Ctn 箱/片	2	
M <sup>2</sup> /Ctn 平方米/箱	0.72	
Kg/Ctn 公斤/箱	34	

Pallet size 熏蒸托尺寸	1.1×1.1m	1.2×0.8m
Ctn/Pal 箱/托	40	32
M <sup>2</sup> /Pal 平方/托	28.8	23.04
Kg/Pal 公斤/托	1360	1088

Ctn/Cont 箱/柜	800	
Pcs/Cont 平方/柜	576	
Kg/Cont 公斤/柜	27000	