




IBSTOCK BRICK SLIPS

ENABLING MODERN METHODS OF INSTALLATION WITH A TRADITIONAL BRICK FINISH.

WE AREBrick Slips and more.





KEY FEATURES AND BENEFITS OF OUR BRICK SLIPS



Local materials to match regional styles



A1 Fire rated



UK Manufactured



Compatible with our rigorously tested systems



F2 Frost rated



Vast range of colours and textures



Bespoke sizes and bespoke profiles available



Manufactured for most facade systems




Just in time delivery


WHY BRICK SLIPS?

- Brick Slips offer a traditional brick finish whilst simultaneously enabling a more modern installation approach. This meets increasing requirements of mid to high rise new build projects as well as retrofit and the modular sector.
- As a provider of bricks for over 200 years, Ibstock has the heritage and ability to provide brick slips that match the local vernacular, easing planning applications.
- Energy Retrofit rightly has the improvement of a building's efficiency in its sights. However, it also provides a significant opportunity to upgrade the look of a building. Ibstock Brick Slips can offer a huge upgrade on existing facades that will last for decades. As they are clay brick, they also age in the same way meaning they'll still look great in years to come with little requirement for maintenance..

CONTACT US

Please send any enquiries to brickslips@ibstock.co.uk











Ibstock understands the importance to be compliant with the Building Safety Act 2022 and the Higher-Risk Buildings (Descriptions and Supplementary Provisions) Regulations 2023.

Diligent selection of materials is central to this regulation and our knowledge assists in the correct specification to meet the legislation. HRB (High Risk Buildings) are mandated to maintain the golden thread of information and accurate, comprehensive data is crucial for ensuring building safety.

Early engagement with Ibstock accesses pertinent information for your project, including brick slip specifications, which are comprehensive and readily available for effective decision making and regulatory compliance.

To support the integral components of the golden thread of specification we offer:

- Product Data Sheets
- Qualified Design Advisors assisting in advice and digital specifications





DESIGN AND CUSTOMER SERVICE

Our Design Advisors all have practical architectural experience (most are qualified architects), and can really supercharge your project with impartial advice on systems selection, brick suitability, compliance with the Building Safety Act, detail drawings and more. Acting as the designers third arm with regard to Ibstock products, this service is free of charge and pretty unique amongst our peers.



SAMPLES

Need a a sample quick? Take advantage of the legendary Ibstock service. In most cases we'll get you a sample of the Ibstock brick you need within 24 hours.



FLEXIBILITY

It's not just Ibstock. We can cut and groove other manufacturers bricks to ensure compatibility with our systems or conversely we'll cut Ibstock bricks to fit other manufacturer's systems.

We're nothing if not flexible.




BRICK SLIPS

SLIP DETAILING PRODUCTS

We manufacture the following slip detailing products to complement the Ibstock brick slip range:

CORNER PISTOL BRICK SLIP








HEADER FASCIA BRICK SLIP

PISTOL BRICK SLIP





PRECAST GROOVING

We can accommodate the following grooving patterns required for precast systems:

REAR DT STRETCHER SLIP

REAR CK STRETCHER SLIP



REAR DT RETURN SLIP

REAR CK RETURN SLIP



REAR PERF RETURN SLIP



KEY:

DT = Dovetail CK = Chamberlain PERF = Perforated

REAR PERF STRETCHER SLIP





RETURN B

SLIPS FOR MECHANICALLY FIXED SYSTEMS

We manufacture brick slips to include groovings on the top and bottom of the brick.

BRICK SLIP

RETURN A







COOL, SOFT AND WARM



Finnieston Smooth AVAILABLE IN: 20mm 25mm 28mm



White Engobe AVAILABLE IN: 20mm 25mm 28mm





Leicester Multi Cream Stock AVAILABLE IN: 15mm 20mm 25mm 28mm



AVAILABLE IN: 15mm 20mm 25mm 28mm



AVAILABLE IN: 15mm 20mm 25mm 28mm AVAILABLE IN: 20mm 25mm 28mm



NEUTRAL BEAUTY



Black Smooth

AVAILABLE IN: 20mm 25mm 28mm



Arden Weathered Grey

AVAILABLE IN: 15mm 20mm 25mm 28mm



AVAILABLE IN: 20mm 25mm 28mm



Leicester Grey Stock

AVAILABLE IN: 15mm 20mm 25mm 28mm



Leciester Weathered Grey Stock

AVAILABLE IN: 15mm 20mm 25mm 28mm



Light Grey

AVAILABLE IN: 20mm 25mm 28mm




Ibstock's core brick slip range is showcased here but we can offer any Ibstock brick as a brick slip. Visit ibstock.co.uk to view the UK's widest selection of real clay bricks.













Alderley Mixture AVAILABLE IN: 20mm 25mm 28mm



Alderley Russet Blend AVAILABLE IN: 20mm 25mm 28mm



























BRICKS: ARDEN WEATHERED RED.

PROJECT: CITY WHARF DEVELOPMENT, COVENTRY.

TRADITIONAL



AVAILABLE IN: 15mm 20mm 25mm 28mm



Heritage Red Blend
AVAILABLE IN: 15mm 20mm 25mm 28mm



Ivanhoe Westminster

AVAILABLE IN: 15mm 20mm 25mm 28mm




Leicester Autumn Multi
AVAILABLE IN: 15mm 20mm 25mm 28mm




Leicester Multi Red Stock

AVAILABLE IN: 15mm 20mm 25mm 28mm



Leicester Orange Stock

AVAILABLE IN: 15mm 20mm 25mm 28mm




Leicester Red Stock

AVAILABLE IN: 15mm 20mm 25mm 28mm



Marlborough Stock

AVAILABLE IN: 15mm 20mm 25mm 28mm



Neptuno Smooth

AVAILABLE IN: 20mm 25mm 28mm



Neptuno Textured

AVAILABLE IN: 20mm 25mm 28mm



New Cavendish Stock

AVAILABLE IN: 15mm 20mm 25mm 28mm



Weston Red Multi Stock

AVAILABLE IN: 15mm 20mm 25mm 28mm



PROJECT: SWANSEA

UNIVERSITY CAMPUS

Ibstock's core brick slip range is showcased here but we can offer any Ibstock brick as a brick slip. Visit ibstock.co.uk to view the UK's widest selection of real clay bricks.

BRICK SLIP TECHNICAL DATA

SLIP VOLUMES PER PALLET

Slip volumes per pallet vary on the brick slip depth and also the factory of manufacture. Factory of manufacture is dictated by project size, brick type and capacity. Your Ibstock Account Manager will liaise with you regarding your specific project. An indication on pack sizes can be found below.

Midlands Factory	SLIP DEPTH								
· · · · · · · ·	15mm	20mm	25mm	28mm					
Standard slips	2200	1800	1600	1400					
Corners	1080	700	700	540					

Nostell Factory	SLIP DEPTH									
	15mm	20mm	25mm	28mm						
Standard slips	2240	1680	1360	1200						
Corners	1080	700	700	540						

						SLIP DEPTH OPTIONS*			SLIP WEIGHT BY DEPTH (KG)				WEIGHT/M ² BY DEPTH (KG)					
Product Name	Brick Type	Coverage (bricks / m²)	Length (mm)	Height (mm)	28mm	25mm	20mm	15mm	28mm	25mm	20mm	15mm	28mm	25mm	20mm	15mm	Water Absorption	Frost Resistance
New Ivanhoe Cream	Stock	60	215	65	V	V	V	✓	0.55	0.50	0.41	0.30	33.12	30.00	24.60	18.24	≤25 %	F2
Ivanhoe Westminster	Stock	60	215	65	V	✓	✓	✓	0.58	0.53	0.43	0.32	34.98	31.68	25.62	19.26	≤19 %	F2
Leicester Red Stock	Stock	60	215	65	V	V	V	V	0.58	0.53	0.43	0.32	34.98	31.68	25.62	19.26	≤19 %	F2
Leicester Weathered Grey Stock	Stock	60	215	65	✓	✓	✓	✓	0.53	0.48	0.39	0.29	31.62	28.56	23.16	17.34	≤22%	F2
Leicester Orange Stock	Stock	60	215	65	V	V	V	V	0.58	0.53	0.43	0.32	34.98	31.68	25.62	19.26	≤19 %	F2
Leicester Grey Stock	Stock	60	215	65	V	V	V	✓	0.53	0.48	0.39	0.29	31.62	28.56	23.16	17.34	≤22%	F2
Leicester Autumn Multi	Stock	60	215	65	✓	V	V	V	0.58	0.53	0.43	0.32	34.98	31.68	25.62	19.26	≤19 %	F2
Leicester Multi Cream Stock	Stock	60	215	65	✓	V	V	V	0.55	0.50	0.41	0.30	33.12	30.00	24.60	18.24	≤25 %	F2
Leicester Multi Yellow Stock	Stock	60	215	65	✓	V	V	V	0.55	0.50	0.41	0.30	33.00	30.00	24.60	18.24	≤25 %	F2
Leicester Multi Red Stock	Stock	60	215	65	✓	V	V	V	0.58	0.53	0.43	0.32	34.98	31.68	25.62	19.26	≤19 %	F2
Heritage Red Blend	Stock	60	215	65	✓	V	V	V	0.58	0.53	0.43	0.32	34.98	31.68	25.62	19.26	≤19 %	F2
Heritage County Blend	Stock	60	215	65	✓	V	V	V	0.58	0.53	0.43	0.32	34.98	31.68	25.62	19.26	≤19 %	F2
Arden Weathered Red	Stock	60	215	65	✓	V	V	V	0.58	0.53	0.43	0.32	34.98	31.68	25.62	19.26	≤19 %	F2
Arden Weathered Grey	Stock	60	215	65	✓	V	V	V	0.53	0.48	0.39	0.29	31.62	28.56	23.16	17.34	≤22%	F2
Audley Red Mixture	Stock	60	215	65	✓	V	V	V	0.66	0.59	0.46	0.36	39.60	35.58	27.42	21.36	≤13 %	F2
Weston Red Multi Stock	Stock	60	215	65	✓	V	V	V	0.66	0.59	0.46	0.36	39.60	35.58	27.42	21.36	≤13 %	F2
Marlborough Stock	Stock	60	215	65	✓	V	V	V	0.66	0.59	0.46	0.36	39.60	35.58	27.42	21.36	≤13 %	F2
New Cavendish Stock	Stock	60	215	65	✓	V	V	V	0.66	0.59	0.46	0.36	39.60	35.58	27.42	21.36	≤13 %	F2
Betley Cottage Blend	Stock	60	215	65	✓	V	V	V	0.66	0.59	0.46	0.36	39.60	35.58	27.42	21.36	≤13%	F2
Brunswick Farmhouse Mixture	Wirecut	60	215	65	✓	V	V	×	0.61	0.55	0.44	X	36.60	32.70	26.16	×	≤10 %	F2
Brunswick Red	Wirecut	60	215	65	V	V	V	×	0.61	0.55	0.44	X	36.60	32.70	26.16	×	≤10 %	F2
Brunswick Wilton Yellow	Wirecut	60	215	65	✓	V	V	×	0.60	0.53	0.43	X	35.70	31.86	25.50	×	≤12%	F2
Grampian Red Mixture	Wirecut	60	215	65	✓	V	V	X	0.57	0.54	0.46	X	34.38	32.22	27.48	×	≤7 %	F2
Alderley Burgundy	Wirecut	60	215	65	✓	V	V	×	0.57	0.54	0.46	×	34.38	32.22	27.48	×	≤7 %	F2
Alderley Orange	Wirecut	60	215	65	V	V	V	X	0.57	0.54	0.46	×	34.38	32.22	27.48	×	≤7 %	F2
Alderley Cottage Blend	Wirecut	60	215	65	✓	V	V	×	0.57	0.54	0.46	×	34.38	32.22	27.48	×	≤7 %	F2
Alderley Mixture	Wirecut	60	215	65	✓	V	V	X	0.57	0.54	0.46	×	34.38	32.22	27.48	×	≤7 %	F2
Alderley Russet	Wirecut	60	215	65	✓	V	V	×	0.57	0.54	0.46	×	34.38	32.22	27.48	×	≤7 %	F2
Finnieston Smooth	Wirecut	60	215	65	X	X	X	V	×	X	×	0.45	X	×	×	26.70	≤8 %	F2
White Engobe	Wirecut	60	215	65	X	X	X	✓	×	X	×	0.45	X	×	×	26.70	≤8 %	F2
Light Grey	Wirecut	60	215	65	X	×	X	V	×	X	×	0.45	X	×	×	26.70	≤8 %	F2
Partick	Wirecut	60	215	65	X	×	×	✓	×	x	×	0.45	x	×	×	26.70	≤8 %	F2
Clifton	Wirecut	60	215	65	X	X	×	✓	×	X	×	0.45	x	×	×	26.70	≤8 %	F2
Black Smooth	Wirecut	60	215	65	X	×	×	✓	×	x	×	0.45	x	×	×	26.70	≤8 %	F2
Continental Red	Wirecut	60	215	65	X	×	X	V	×	x	×	0.45	x	×	×	26.70	≤8 %	F2
Neptuno Textured	Wirecut	60	215	65	X	×	×	V	×	x	×	0.45	x	×	×	26.70	≤8 %	F2
Neptuno Smooth	Wirecut	60	215	65	×	X	×	✓	X	x	×	0.45	×	×	×	26.70	≤8 %	F2















