Michael Anastassiades, Edward Barber & Jay Osgerby, Mario Bellini, Ronan & Erwan Bouroullec, Achille Castiglioni, Pier Giacomo Castiglioni, Antonio Citterio, Rodolfo Dordoni, Formafantasma, Ron Gilad, Johanna Grawunder, Konstantin Grcic, Joris Laarman, Piero Lissoni, Jasper Morrison, Nendo, Paolo Rizzatto, Nicoletta Rossi & Guido Bianchi, Gino Sarfatti, Tobia Scarpa, Philippe Starck, Patricia Urquiola, Vincent Van Duysen, Marcel Wanders

DECORATIVE COLLECTION
2021

FLOS

DECORATIVE COLLECTION
2021

FLOS

NEW 2021



Bellhop Floor
P. 150



Caule 1 - Caule 1 Nest
P. 415



Caule 2 - Caule 2 Nest
P. 415



Caule 3 - Caule 3 Nest
P. 415



Caule 3 - Caule 3 Nest
P. 415



Caule 4
P. 415



Caule 5
P. 415



Coordinates Wall
P. 350



In Vitro Unplugged
P. 56, 416




In Vitro Ceiling
P. 344, 416




In Vitro Wall
P. 344, 416



In Vitro Suspension
P. 231, 416



Kap Surface Round
P. 346



Kap Surface Round
P. 346

Kap Surface Square
P. 346



Kap Surface Square
P. 346



Mile Wall 1 Down
P. 418



Mile Wall 1 Up
P. 418



Mile Wall 2 Down
P. 418




Mile Wall 2 Up
P. 418



Superline
P. 234

Thin Led
P. 348



Wireline
P. 218

NEW COLORS 2021




Anodized Green, Anodized Grey, Anodized Natural
Aim
P. 318



Anodized Green, Anodized Grey, Anodized Natural
Aim Small
P. 318



Green/Red
Smithfield C &C PRO
P. 378



Green/Red
Smithfield S & S PRO
P. 331



Orange
Snoopy
P. 118

Patricia Urquiola

CHASEN, CAULE, FLAUTA, SERENA, TATOU

Photo by Stefano Galuzzi



Photo by Timm Rautert

Jasper Morrison


GLO-BALL, SMITHFIELD, SUPERLOON



Tobia Scarpa

**ARIETTE, BIAGIO, FANTASMA,
FOGLIO**

Courtesy of Tobia Scarpa



Courtesy of Antonio Citterio

Antonio Citterio

**CLESSIDRA, KELVIN LED,
KELVIN EDGE, MILE, ONTHEROCKS**

Ronan & Erwan Bouroullec

AIM, BELT


Photo by Philippe Jarrigeon



Nicoletta Rossi and Guido Bianchi

IPNOS

Photo by Maki Ochoa



Courtesy of Rodolfo Dordoni

Rodolfo Dordoni

POCHETTE, RAY

Achille Castiglioni

**AOY, DIABOLO, FRISBI, FUCSIA, LAMPADINA,
PARENTESI, STYLOS, TARAXACUM 88**

Photo by Maria Mulas



Courtesy of Philippe Starck

Philippe Starck

**BIBLIOTHEQUE NATIONALE, BON JOUR,
BON JOUR VERSAILLES, FORT KNOX, GUNS, KTRIBE, LA PLUS BELLE,
MISS K, MISSI SISSI, ROMEO, ROSY ANGELIS, SUPERARCHIMOON**



Photo by Luciano Ferri

Achille & Pier Giacomo Castiglioni

ARCO, BULBO57, GATTO, LUMINATOR, SNOOPY,
SPLÜGEN BRÄU, TACCIA, TARAXACUM,
TOIO, VISCONTEA



Johanna Grawunder

WAN

Courtesy Designer's Gallery Koln



Photo by Frank Hülsbömer

Konstantin Grcic

MAYDAY, NOCTAMBULE, OK

Photo by Giovanni Gastel

Piero Lissoni

BUTTON, CAMOUFLAGE, CLARA
MY WAY, REAL MATTER, TIGHT LIGHT



Courtesy of Marcel Wanders

Marcel Wanders

CHRYSALIS,
SKYGARDEN, ZEPPELIN



Vincent Van Duysen

INFRA-STRUCTURE EPISODE 2, OBLIQUE


Photo by Jan Verlinde



Photo by Alessandro Furchino Capria

Mario Bellini

CHIARA



Gino Sarfatti

2097

Flos Archive



Formafantasma

WIRELINE, WIRERING

Courtesy of Formafantasma



Photo by Andreas Larsson

Nendo

GAKU, SAWARU

Paolo Rizzatto

265

Photo by Santi Caleca



Courtesy of Joris Laarman Lab

Joris Laarman

NEBULA

Edward Barber & Jay Osgerby

BELLHOP, TAB

Courtesy of E. Barber & J. Osgerby



Photo by Monica Castiglioni

Ron Gilad

2620, GOLDMAN




Photo by Frank Hülsbömer

Michael Anastassiades

ARRANGEMENTS, CAPTAIN FLINT, COORDINATES, COPYCAT
IC LIGHTS, LAST ORDER, OVERLAP, STRING LIGHTS

TABLE LAMPS

Colección de lámparas de sobremesa



Aoy

P. 142



Bellhop

P. 76



Biagio

P. 136



Bon jour

P. 90



Bon jour unplugged

P. 94



Bon jour Versailles

P. 86



Bon jour Versailles small

P. 86



Chiara Table

P. 58

Copycat

P. 103



Gaku

P. 80



Gatto

P. 112

Mini Glo-Ball Table

P. 132

Glo-Ball Basic

P. 132



Glo-Ball Table

P. 132



Goldman

P. 116



Guns - Bedside Gun

P. 134



Guns - Table Gun

P. 134



IC Table 1 High

P. 99



IC Table 1 Low

P. 99



IC Table 2

P. 99



In Vitro Unplugged

P. 56



Minikelvin Led

P. 126



Kelvin Edge

P. 128



Kelvin Led

P. 127



KTribe Table

P. 122



Lampadina

P. 104



Last Order

P. 62



Mayday

P. 74



Miss K

P. 144

Miss Sissi

P. 139



Oblique

P. 68



Ray Table

P. 120



Romeo Moon Table

P. 123



Romeo Soft Table

P. 123



Serena

P. 84



Snoopy

P. 118



Spun Light Table

P. 140



Tab Table

P. 114



Taccia - Taccia small

P. 108



Tatou Table

P. 125

FLOOR LAMPS

Colección de lámparas de pie



Arco

P. 182



Bellhop Floor

P. 150



Bibliotheque Nationale

P. 198



Captain Flint

P. 187



Chiara Floor

P. 160



Chrysalis

P. 197

Coordinates Floor

P. 156



Fantasma Piccolo

P. 196



Glo-Ball Floor

P. 194



Guns - Lounge Gun

P. 188



IC Floor

P. 178



Kelvin Led Floor

P. 205



Ktribe Floor

P. 200



Luminator

P. 213



Noctambule Floor

P. 168



Ray Floor

P. 190



Romeo Moon Floor

P. 208



Romeo Soft Floor

P. 208



Rosy Angelis

P. 207



Sawaru

P. 165



Spun Light Floor
P. 204



Stylos
P. 186



Superarchimoon
P. 210



Superloon
P. 175



Tab Floor
P. 192



Tatou Floor
P. 180



Toio Limited Edition
P. 203



Toio
P. 202

SUSPENSION LAMPS

Colección de lámparas de suspensión



2097
P. 264



2097/18
P. 262



2620
P. 325



Aim - Aim small
P. 318



Arrangements
P. 266



Belt
P. 245



Bulbo57
P. 258



Chasen
P. 316



Coordinates Suspension
P. 236



Diabolo
P. 250



Frisbi
P. 306

Fucsia
P. 300

Glo-Ball Suspension
P. 326



IC Suspension
P. 288



In Vitro Suspension
P. 231



Infra-Structure Episode 2
P. 254



Ktribe Suspension
P. 339



Nebula
P. 314



Noctambule
P. 275



Ok
P. 296

Overlap
P. 272



Parentesi
P. 328



Ray Suspension
P. 302



Romeo Babe S
P. 308



Romeo Moon S
P. 309



Skygarden Small
P. 227



Skygarden
P. 304



Smithfield Suspension
P. 331



Splügen Bräu
P. 298



String Lights Cone
P. 283



String Lights Sphere
P. 283

Superline
P. 234



Taraxacum
P. 310



Taraxacum 88 Suspension
P. 290



Tatou Suspension
P. 295



Viscontea

P. 312



Wan Suspension

P. 303



Wireline

P. 218



Zeppelin

P. 336

WALL & CEILING LAMPS

Colección de lámparas de pared + techo



265

P. 385



Ariette

P. 395



Mini Button

P. 402

Button

P. 403

Clara

P. 390



Clessidra

P. 380



Coordinates Wall

P. 350



Coordinates Ceiling

P. 354



Flauta

P. 360



Foglio

P. 404



Fort Knox Wall

P. 382

Mini Glo-Ball Ceiling/Wall

P. 386

Glo-Ball Ceiling

P. 386

Glo-Ball Wall

P. 386



IC Ceiling/Wall

P. 366



IC Ceiling/Wall Double

P. 365



In Vitro Ceiling

P. 344



In Vitro Wall

P. 344



Kap Surface Round

P. 346



Kap Surface Square

P. 346



Ktribe Wall

P. 400



La Plus Belle

P. 368



Ontherocks

P. 389



Pochette

P. 398



Romeo Babe Wall

P. 401



Skygarden Recessed

P. 397



Smithfield Ceiling

P. 378



Taraxacum 88 Ceiling/Wall

P. 392

Thin Led

P. 348w

Tight Light

P. 388



Wan Ceiling/Wall

P. 396

Wirering

P. 374



Abajourd'hui

P. 406



Soft Spun

P. 408

OUTDOOR/INDOOR LAMPS

Colección lámparas para exteriores/interiores



Camouflage
P. 436



Captain Flint Outdoor
P. 429



Caule
P. 415



Clessidra
P. 444



Flauta Outdoor
P. 421



IC Wall Outdoor
P. 426



IC Floor Outdoor
P. 427



In Vitro Ceiling
P. 416



In Vitro Wall
P. 416



In Vitro Suspension
P. 416



In Vitro Unplugged
P. 416



Ipnos
P. 435



Ktribe Outdoor
P. 438



Last Order
P. 424



Mile Wall
P. 418



My Way
P. 430



Real Matter
P. 432



Romeo Outdoor
P. 441



Superarchimoon Outdoor
P. 442

INDEX BY FAMILY

Indice de productos por familia



P. 123



P. 210



P. 310



P. 403



P. 212



P. 123



P. 210



P. 311



P. 310



P. 403



P. 120



P. 192



P. 304



P. 144



P. 122



P. 122



P. 200



P. 200



P. 341



P. 402



P. 132



P. 132



P. 196

P. 328



P. 486

P. 487

P. 486



P. 229, 306



P. 399



P. 114



P. 194



P. 99



P. 99



P. 99



P. 180



P. 290



P. 368



P. 367



P. 134



P. 190



P. 140



P. 206



P. 112



P. 274



P. 312



P. 314



P. 338



P. 338



P. 408



P. 410



P. 292



P. 394



P. 125



P. 182



P. 297



P. 333



P. 380



P. 126



P. 127



P. 128



P. 207



P. 305



P. 398



P. 90



P. 94



P. 86



P. 86



P. 58



P. 162



P. 356



P. 356



P. 356



P. 356



P. 356



P. 356



P. 356



P. 356



P. 356



P. 356



P. 356



P. 356



P. 238



P. 238



P. 238



P. 238



P. 238



P. 238



P. 238



P. 238



P. 238



P. 158



P. 350



P. 277



P. 277



P. 277



P. 277



P. 170



P. 170



P. 170



P. 170



P. 440



P. 443



P. 444



P. 428



P. 429

«Reputation is a bit like a table: one or two marks
and everyone notices: a whole host of scratches
and it all blends in» — *Alain de Boton*

TABLE LAMPS

NEW

IN VITRO UNPLUGGED

NEW COLORS

SNOOPY

Technical info p.494-495

NEW

IN VITRO UNPLUGGED



In Vitro Unplugged, 2021




CHIARA





Mario Bellini, 2020



En 1969, el arquitecto italiano Mario Bellini presentó Chiara, una lámpara de pie plana para Flos recubierta por una capa brillante de acero inoxidable. Cincuenta años después de su presentación, Flos reedita la emblemática lámpara con una amplia gama de tamaños y acabados.

In 1969, Italian architect Mario Bellini debuted Chiara, a flat-packable floor lamp for Flos that wore a shiny cloak of stainless steel. Fifty years after its introduction, Flos is reissuing the icon in a range of sizes and finishes.



Last Order es la heredera de la lámpara de mesa originalmente proyectada para el nuevo restaurante Four Seasons de Nueva York, tras su traslado e reinauguración en 2018 con interiores diseñados por el arquitecto de São Paulo, Isay Weinfeld.


Last Order is a continuation of the table light that was originally designed for the new Four Seasons restaurant in New York City, which relocated and opened in 2018 with the interiors designed by São Paolo-based architect Isay Weinfeld.



LAST ORDER

Technical info p.504

Michael Anastassiades, 2020



3H CHARGING TIME

6-24H BATTERY LIFE



El tiempo necesario para cargar por completo la luminaria es de 3 horas (500 ciclos de carga garantizados). Con la luminaria encendida en una intensidad de 100 %, la autonomía inalámbrica es de 6 horas (se pueden superar las 24 horas de autonomía reduciendo la intensidad). Al cabo de 6 horas, la intensidad disminuye automáticamente en un 20 % y la necesidad de recarga viene indicada con un LED (L) que parpadea rápidamente (cada 0,2 segundos), hasta que se conecte la luminaria a una toma eléctrica o hasta que la batería se agote por completo.

The time required to completely charge the device is 3 hours (500 charging cycles guaranteed). With the device turned on at 100% intensity, the cordless autonomy is 6 hours (more than 24 hours of autonomy can be achieved by reducing the intensity). After 6 hours, the intensity automatically decreases to 20% and the the need to recharge is indicated: the LED indicator (L) blinks at high-frequency (every 0.2 seconds) until the device is plugged in to charge or the battery is completely discharged.





OBLIQUE



Vincent Van Duysen, 2020



INTEGRATED
WIRELESS
CHARGING SYSTEM



ALWAYS FEATURES
A USB-C PORT
INTEGRATED

El corazón de esta lámpara es el resultado de un verdadero desafío tecnológico concebido por Luke Smith-Wightman y Flos Architectural. Encerrados en un grosor de tan solo 5 mm, los LEDs y las lentes son capaces de generar un haz de luz extremadamente potente y controlado.

The heart of this lamp is the result of a real technological challenge conceived by Luke Smith-Wightman and Flos Architectural. The LEDs and lenses can generate an extremely powerful and controlled light beam from the inside of a just 5 mm thick space.











En alto: K. Grcic con Mayday, la lámpara que recibió el preciado galardón “Compasso d’Oro” en 2001.
Izquierda: Es una lámpara apta para múltiples usos y situaciones. Con su práctica asa que también sirve para enrollar el cable, se puede colocar sobre una mesa, en el suelo o suspendida.

Top: K. Grcic with Mayday, the lamp that received the coveted Compasso d’Oro award in 2001.
Left: It is a lamp suited to multiple uses and settings. With its practical handle that also acts as a cable winder, it can be placed on a table, on the floor or suspended.

MAYDAY

Technical info p.505




Konstantin Grcic, 2000



BELLHOP


Technical info p.455

Edward Barber & Jay Osgerby, 2018



PORTABLE RECHARGEABLE

UP TO 24H AUTHONOMY



«Bellhop nació como una lámpara de mesa creada para el nuevo Museo del Diseño de Londres. Una lámpara de mesa que ofrece la máxima flexibilidad de uso, al no tener cables. Bellhop proyecta un cono de luz de ambiente. El modelo inalámbrico es como una candela de nuestra época.»-
E. Barber y J. Osgerby

“The Bellhop began when we designed a table lamp for the new London Design Museum. The table top Bellhop gives the user ultimate flexibility as a portable lamp. Bellhop casts an atmospheric pool of light and the portable version is like a modern day candle.”
- E. Barber & J. Osgerby






GAKU




Nendo, 2018










INDUCTION RECHARGEABLE LAMP.
6 TO 48 HOURS AUTONOMY





WIRELESS INDUCTIVE CHARGING

Una lámpara con altura regulable, suspendida dentro de un marco, mientras que la versión inalámbrica está equipada con una placa de carga por inducción que alimenta una lámpara de luminiscencia. La lámpara, que normalmente se apoya sobre la superficie de carga, se puede trasladar libremente a otro sitio, allá donde la iluminación sea necesaria.

An adjustable-height pendant lamp hangs down inside a frame, while a wireless version features non-contact charging functionality to power a luminescent lamp. Normally laying on the charging dock, the lamp can be moved around freely when lighting is needed elsewhere.



SERENA



Patricia Urquiola, 2015



BON JOUR VERSAILLES



Philippe Starck, 2017

La colección Bon Jour Versailles nace de la colaboración entre Flos y Starck como heredera de la lámpara “Bon Jour”, y del candelabro “Versailles” creado por Baccarat. Bon Jour Versailles ,- se produce en dos modelos, disponibles en cristal o polimetilmetacrilato- evidencia líneas sin tiempo, de indiscutible ligereza y empírica modernidad, que evocan la memoria colectiva del pasado, del presente y del futuro.


The heir to an earlier “Bon Jour” lamps collaboration between Flos and Starck and to the “Versailles” candle-holder created by Baccarat, the Bon Jour Versailles collection, with two models available in crystal or polymethylmethacrylate, reveals timeless lines with unfailing lightness and empirical modernity that evoke our collective memory of the past, of the present and the future.



LE

CRISTAL

EST:




$Na_2SiO_3.CaSiO_3.Al_2O_3$

- L'INTELLIGENCE DE LA NATURE
- UN MYSTERE
- ISSU DU HAZARD ET DE LA NECESSITÉ
- INVENTÉ PAR LA NATURE IL Y A PLUS OU MOINS 100,000 ANS
- NÉ DANS LE FEU
- UN LIQUIDE
- TRANSPARANT
- TRES FRAGILE
- CHER
- MOULABLE PAR GRAVITÉ
- POLISSABLE
- ARISTOCRATIQUE
- SOUVENT IMPARFAIT
- INALTERABLE
- EMPIRIQUE
- RARE
- NOBLE
- MAGIQUE

LE

POLYMÉTACRYLATE DE MÉTHYLE

EST:



$(C_5O_2H_8)_N$

- L'INTELLIGENCE DE L'HOMME
- UNE INVENTION
- ISSU DE LA RECHERCHE CHIMIQUE
- DECOUVERT PAR FITTIG ET PAUL EN 1877
- NÉ DANS LA CHALEUR
- UN POLYMERE
- TRANSPARANT
- TRES SOLIDE
- ABORDABLE
- INJECTABLE
- POUSSABLE
- DEMOCRATIQUE
- TOUJOURS PARFAIT
- INDESTRUCTIBLE
- THEORIQUE
- INFINI
- NOBLE
- MAGIQUE

PH.S

(2)

Baccarat

FLOS



BON JOUR

Technical info p.456

Philippe Starck, 2015



En alto: La revolucionaria tecnología Edge Lighting se une al concepto de “desmaterialización” intrínseco del producto. Dicha tecnología emplea al máximo el potencial del LED y, con un espesor mínimo, garantiza una luz perfectamente uniforme, un alto confort visual y unas prestaciones y eficacia máximas.
Derecha: El exclusivo diseño minimalista del dimmer (regulador de la intensidad) integrado, garantiza el máximo control de la intensidad luminosa con tan solo un clic.

Top: The revolutionary Edge Lighting technology is combined with the “dematerialisation” concept intrinsic in the product. This makes full use of the LED’s potentialities and with a minimum thickness guarantees a perfectly uniform light, a high visual comfort, maximum performance and efficiency.
Right: The exclusive minimalist design of the integrated dimmer guarantees maximum control of the light intensity with one click.







3H CHARGING TIME



6-24H BATTERY LIFE




ACCESSORIZE IT!

La función “portátil/sin cable” está garantizada por la recarga con el alimentador incluido y por la interfaz MicroUSB-C de nueva generación, que le otorga una autonomía de 6/24 horas, dependiendo de la intensidad luminosa emitida durante su uso.

The “portable/cordless” function is guaranteed by the recharge with the adaptor included and by the latest-generation MicroUSB-C interface, for 6/24 hours lighting life, depending on the light emission intensity.

Sensor óptico ubicado bajo la base que garantiza la función de regulación de la intensidad en 4 pasos.

Optical switch sensor on the base that provide 4-step dimming function.



BON JOUR UNPLUGGED



Philippe Starck, 2015





IC



Michael Anastassiades, 2014





COPYCAT

Technical info p.472



Michael Anastassiades, 2015



LAMPADINA

Achille Castiglioni, 1972



BLACK

ORANGE

WHITE



GREEN



TURQUOISE



LILAC







Photo by Zoé Ghertner





Los hermanos Achille y Pier Giacomo Castiglioni habían diseñado el icónico reflector con forma de copa en material plástico transparente. Abandonaron la idea a causa de las deformaciones resultantes que eran generadas por el calor de la fuente luminosa incandescente. El prototipo, por lo tanto, se desarrolló y produjo por Flos en 1962 con la célebre e imponente copa de vidrio soplado. Gracias al uso de la innovadora fuente luminosa de LED hoy en día es posible editar Taccia en una nueva versión con difusor de plástico transparente, que se ajusta fielmente a la idea original.

In the Castiglioni brothers' original design, the iconic bowl reflector was made of transparent plastic. This idea was discarded though because the heat emitted by the incandescent light source deformed the plastic material. The prototype was then developed and produced by Flos in 1962, with its famous big blown glass bowl. Thanks to the use of a cutting-edge LED light source is now possible to edit a new version of Taccia with a transparent plastic diffuser that is accurately faithful to the original concept.


Courtesy of Fondazione Achille Castiglioni

TACCIA AND TACCIA SMALL

Technical info p.534-535



Achille & Pier Giacomo Castiglioni, 1962



GATTO



Achille and Pier Giacomo Castiglioni, 1960

TAB

Technical info p.534



Edward Barber & Jay Osgerby, 2011

GOLDMAN



Ron Gilad, 2013



Snoopy, la icónica lámpara de mesa diseñada en 1967 fruto de la genialidad de Achille y Pier Giacomo Castiglioni, se enriquece con un nuevo acabado para su inconfundible reflector: a los clásicos negro y verde se les une el color naranja, el mismo que se puede encontrar en otros productos icónicos de los hermanos Castiglioni, resultado de un cuidadoso estudio del uso cromático en el diseño industrial.

Snoopy, the iconic table lamp designed in 1967 by Achille and Pier Giacomo Castiglioni, is enriched with a new finish for its unmistakable reflector. The classic black and green are joined by orange, the same hue found in other iconic products by the Castiglioni brothers, the fruit of a careful study of the use of colour in industrial design.

SNOOPY

Technical info p.530

Photo by Zoë Ghertner

Achille & Pier Giacomo Catiglioni, 1967

RAY





Rodolfo Dordoni, 2007

Technical info p.522

KTRIBE

Technical info p.503



Philippe Starck, 2007

ROMEO SOFT & MOON

Technical info p.525-526



Philippe Starck, 1998

TATOU



Photo by Zoé Ghertner

Patricia Urquiola, 2012

Technical info p.537

MINIKELVIN LED



Antonio Citterio, 2011

KELVIN LED



Photo by Zoë Ghertner

Antonio Citterio assistant Toan Nguyen, 2009



KELVIN EDGE

Technical info p.499




Antonio Citterio, 2015



La superficie del cabezal se caracteriza por la presencia del sensor Soft Touch, que permite seleccionar la intensidad luminosa deseada y la temperatura del color, según los requisitos, con tan solo un gesto natural e intuitivo.
La nueva Kelvin Edge incluye la exclusiva tecnología Edge Lighting, una revolución en la innovación LED, que incorpora las mejores prestaciones en cuanto a eficacia, intensidad de luz y amplitud de emisión se refiere, a una perfecta homogeneidad y al máximo confort visual.

On the surface of the head there is a Soft Touch sensor with which it is possible to select both the desired intensity and the colour temperature, depending on the requirements, with a single, natural and intuitive action.
The new Kelvin Edge includes the exclusive Edge Lighting technology, a revolution in LED innovation, which combines the best efficiency, light intensity and emission magnitude performances with perfect homogeneousness and maximum visual comfort.



THERE IS NO MORE DOUBLE SHADOW.
ALL NICE AND CLEAN

GLO-BALL



Jasper Morrison, 1998/2009





amref health africa

El 20% de las ventas brutas de la Colección de Armas («Gun Collection») se ha donado a la asociación «Fratelli dell'Uomo».
Reconocida por el ministro de Asuntos Exteriores italiano, se fundó en Italia en 1969 y forma parte del grupo «Frères des hommes». La organización respalda iniciativas y proyectos, sobre todo en América Latina y África, vinculados al acceso a alimentos, la protección del medio ambiente y los bienes comunes, la economía responsable, la salud comunitaria, las migraciones y el codesarrollo. Para más información, consulte por favor www.fratellidelluomo.org

20% of the gross sales from the Gun Collection donated to the Fratelli dell'Uomo Association. Acknowledged by the Italian Foreign Minister, was launched in Italy in 1969 and it is part of Frères des hommes Group. The organization supports projects and initiatives, mainly in Latin America and Africa, related to access to food, environment and common goods protection, responsible economy, community health, migrations and co-development. For more details, please see www.fratellidelluomo.org

BEDSIDE & TABLE GUN



Philippe Starck, 2005





El cuerpo de la lámpara Biagio está fabricada a mano a partir de un único bloque de mármol blanco estatuario de Carrara.

The body of the Biagio lamp is hand crafted from a single block of white Carrara statuary marble.

BIAGIO

Technical info p.455



Photo by Zoë Ghertner

Tobia Scarpa, 1968

MISS SISSI

Technical info p.508



Philippe Starck, 1991






SPUN LIGHT



Sebastian Wrong, 2003



Decoración del escaparate de la tienda de Flos en Corso Monforte, Milán, Navidad de 1975, realizada por A. Castiglioni.

A. Castiglioni's window dressing for the Flos store in Corso Monforte, Milan, Christmas 1975.

AOY

Technical info p.451



Achille Castiglioni, 1975

Technical info p.508

MISS K



Philippe Starck, 2003



«You can’t put your feet on the ground
until you’ve touched the sky» — *Paul Auster*

FLOOR LAMPS

NEW

BELLHOP FLOOR

Edward Barber y Jay Osgerby con la lámpara Bellhop Floor, en rojo ladrillo.

Edward Barber and Jay Osgerby with the floor lamp Bellhop Floor in brick red.




NEW

BELLHOP FLOOR



Edward Barber & Jay Osgerby, 2021


PABLO DI PRIMA
17.11.2020
7064 - 13
FLOS



Lámpara de pie de la Colección Coordinates, compuesta por una sencilla base redonda y dos barras luminosas verticales. Durante la fase de montaje, estas últimas se pueden girar 90 ° y bloquearlas en la apertura deseada del haz de luz.

Floor lamp model from Coordinates Family, featuring a simple round base and two lighting bars, which can be set at the preferred beam angle during assembly.



COORDINATES

Technical info p.468



Michael Anastassiades, 2020



CHIARA



Mario Bellini, 1969/2020







“Estando un día en mi estudio, me asaltó la idea de que podíamos utilizar la luz en la forma en la que se manifiesta en nuestros entornos y paisajes—nunca directamente, sino con frecuencia a través de las nubes o reflejada en objetos, paredes y superficies. Y, así las cosas, en lugar de decir «venga, vamos a diseñar una lámpara», me dije «vamos a diseñar un dispositivo que pueda tomar la luz de una fuente artificial y la devuelva a nuestros entornos con una cierta inteligencia y delicadeza»... ogí unas tijeras, una cartulina grande, y empecé a recortar una forma que pudiese conformarse como un cilindro con un sombrero ancho encima que, cuando se uniese por el lateral derecho e izquierdo, hiciese las veces de reflector de la fuente luminosa alojada en la base.”
– Mario Bellini

“One day in my studio it came to me that we could use light the way it manifests in our surroundings and our landscapes—never directly, but often through clouds or reflected off objects, walls, and surfaces. And so, instead of saying ‘let’s design a lamp’, I said, ‘let’s design an apparatus that can take light from an artificial source and send it back into our surroundings with a certain intelligence and grace’... I took some scissors, a big piece of card, and I started to cut out something that could be made into a cylinder with a wide hat on top that, when joined on the right and left-hand side, would act as a reflector of the light source housed in the base.”
– Mario Bellini

SAWARU



Nendo, 2018

Technical info p.527



25 DEGREES



40 DEGREES




60 DEGREES

Una luz que consiste en dos cilindros independientes que se tocan en dirección perpendicular. Uno tiene la función de fuente luminosa, mientras que el otro hace las veces de base. La angulación del proyector se puede regular en tres posiciones: 25, 40 y 60 grados, introduciendo un perno fijado en la base. Las diversas funciones son posibles gracias a la exclusión de elementos superfluos y a la simplificación de la forma.

A light consisting of two independent cylinders touching each other in a perpendicular direction. One plays the role of a light source, while the other acts as a base. Its projection angle can be adjusted in three stages of 25, 40 or 60 degrees, by inserting the pin attached to the base. Various functions are made possible by doing away with excess elements and creating a simple form.





TUNABLE LIGHT TEMPERATURE

DIMMABLE LIGHT INTENSITY



NOCTAMBULE



Konstantin Grcic, 2018







La precisión de la tecnología LED que ilumina las lámparas está integrada de forma discreta en las juntas entre los módulos de vidrio. Casi imperceptible, pero preparada para activarse al caer la noche.

The carefully calibrated LED technology which powers the lamps is discretely integrated into the junctions between the glass modules. Almost absent, but ready to be activated at any (night-)time.

Noctambule: animal nocturno
o noctámbulo. Casi invisible
de día, pero dedicado a
fascinantes actividades de
noche. Una analogía perfecta

Noctambule: the night owl or
reveller. Mostly invisible during
the day, but coming to glamorous
activity at night-time. The
analogy is fitting.






SUPERLOON



Jasper Morrison, 2015

Technical info p.534




La superficie luminosa, perfectamente homogénea y de inspiración “lunar”, es fruto de la revolucionaria tecnología Edge Lighting, que une unas prestaciones máximas de eficacia y confort visual. El producto incluye la función Dim-to-Warm: reduciendo la intensidad, la luz pasa de una tonalidad de blanco más fría a un espectro más cálido, como en las estimadas lámparas de incandescencia.

The light surface, perfectly homogeneous and “moon-inspired”, is the result of the revolutionary Edge Lighting technology, which combines maximum performance, efficiency and visual comfort. The product includes the Dim-to-Warm function: as the intensity decreases the light goes from a colder blue tone to a warmer spectrum, like in the well-loved filament lamps.

En el mástil, se incluye un sensor Soft Touch que reinventa la interacción con el producto. Esto garantiza un control fluido y preciso del flujo luminoso con un simple y natural toque con la mano.

The stem includes the Soft Touch sensor, which reinvents interaction with the product. This guarantees a fluid and precise control of the light flow with a simple and natural touch of the hand.



IC





Michael Anastassiades, 2014

La luminaria está compuesta por cuatro elementos idénticos entrelazados que forman una cúpula unificada, inspirada en las antiguas armaduras japonesas. El nombre, Tatou, significa armadillo en francé.

The luminaire is made up of four identical intertwined elements which form a unified dome, drawing its inspiration from ancient Japanese armour. The name Tatou is French for armadillo.



TATOU

Technical info p.536



Patricia Urquiola, 2012




Photo by Zoë Ghertner

ARCO



Achille & Pier Giacomo Castiglioni, 1962



"Lo que teníamos en mente era una lámpara que proyectase la luz sobre una mesa. Esas lámparas ya existían, pero había que darles la vuelta. Para dejar espacio suficiente alrededor de la mesa, la base tenía que estar como mínimo a dos metros. Esa fue la idea gracias a la que Arco tomó cuerpo."
- Entrevista a A. Castiglioni para Ottagono, 1970

"We were thinking about a lamp that shines light onto a table. They already existed, but you had to walk round them. To leave enough space around the table, the base had to be at least two meters away. Which was how the idea for Arco came into being."
- A. Castiglioni interviewed for Ottagono, 1970



Courtesy of Fondazione Achille Castiglioni - Photo by Studio Casali

STYLOS

Technical info p.532



Achille Castiglioni, 1984

CAPTAIN FLINT

Technical info p.460



Michael Anastassiades, 2015

El 20% de las ventas brutas de la Colección Guns se ha donado a la asociación «Fratelli dell'Uomo». Reconocida por el ministro de Asuntos Exteriores italiano, se fundó en Italia en 1969 y forma parte del grupo «Frères des hommes». La organización respalda iniciativas y proyectos, sobre todo en América Latina y África, vinculados al acceso a alimentos, la protección del medio ambiente y los bienes comunes, la economía responsable, la salud comunitaria, las migraciones y el codesarrollo. Para más información, consulte por favor www.fratellidelluomo.org

20% of the gross sales from the Gun Collection donated to the Fratelli dell'Uomo Association. Acknowledged by the Italian Foreign Minister, was launched in Italy in 1969 and it is part of Frères des hommes Group. The organization supports projects and initiatives, mainly in Latin America and Africa, related to access to food, environment and common goods protection, responsible economy, community health, migrations and co-development. For more details, please see www.fratellidelluomo.org

LOUNGE GUN

Technical info p.488



Philippe Starck, 2005

RAY

Technical info p.521



Rodolfo Dordoni, 2006

Technical info p.534

TAB



Edward Barber & Jay Osgerby, 2011





GLO-BALL



Jasper Morrison, 1998

FANTASMA PICCOLO

Technical info p.472



Tobia Scarpa, 1961

CHRYSALIS

Technical info p.464



Marcel Wanders, 2011

BIBLIOTHEQUE NATIONALE



Philippe Starck, 2013

Como un auténtico y genuino producto de tecnología punta, Bibliotheque Nationale está dotada con toma USB (en la base), que permite la recarga de los smartphone más comunes.

Like the hi-tech product it is, Bibliotheque Nationale is fitted with a USB port, placed on the base, for recharging the most common brands of smartphone.





Philippe Starck, 2007


KTRIBE

FLOOR

Technical info p.501

KTRIBE

TOIO



Achille & Pier Giacomo Castiglioni, 1962

Photo by Zoë Ghertner

TOIO LIMITED EDITION



SPUN LIGHT

Technical info p.530

Sebastian Wrong, 2003

KELVIN LED

Technical info p.501



Antonio Citterio, 2011

ROSY ANGELIS

Technical info p.527



Philippe Starck, 1994



ROMEO MOON & SOFT

Technical info p.525-526

Philippe Starck, 1998





SUPERARCHIMOON



Philippe Starck, 2000

LUMINATOR



Achille & Pier Giacomo Castiglioni, 1954

Technical info p.505

«At rest, however, in the middle of everything
is the sun. For, in this most beautiful temple, who
would place this lamp in another or better position
than that from which it can light up the whole thing
at the same time?» — *Nicolaus Copernicus*

SUSPENSION LAMPS

NEW

IN VITRO, SKYGARDEN SMALL, WIRELINE, SUPERLINE

NEW COLORS

AIM, SMITHFIELD

NEW

WIRELINE

SUSPENSION

WIRELINE

Technical info p.539

Formafantasma, 2021



El cable exclusivo de Wireline está hecho con caucho termoplástico en color, una mezcla de polímeros proporciona la dureza necesaria para mantener la silueta armónica y escultural.

The exclusive cable is made in coloured thermoplastic rubber. The polymer blend is perfectly balanced for a soft touch feeling and the necessary hardness to maintain the armonic and sculpural silhouette.

Los componentes eléctricos están dentro de elementos de acero inoxidable con acabado satinado y se caracterizan por un mecanizado superficial con diamante hecho mediante CNC que refuerza su función y la estética industrial refinada.

The terminal elements in satin-finished stainless steel, hide the electrical continuity components, and are characterized by a surface diamond machining made by CNC, that enhances their function and the refined industrial aesthetic.





«Coordinates es un sistema de iluminación compuesto por barras luminosas horizontales y verticales que forman estructuras reticulares de diversa complejidad. El sistema se puede adaptar de manera sencilla en función de la distinta tipología y las dimensiones del entorno donde se ubicará la instalación»

"Coordinates is a lighting system consisting of horizontal and vertical strip lights that form illuminated grid-like structures of various complexities. The system can be easily adapted for different environments of varying scale."
- Michael Anastassiades







Wireline, de Formafantasma, está a caballo entre la expresión artística y el diseño industrial. La última creación de Andrea Trimarchi y Simone Farresin para Flos representa su filosofía de diseño y valores estéticos, donde la funcionalidad va de la mano de lo inesperado.
Se trata de una pieza que encaja a la perfección en el universo del estudio, en el que convergen diseño, responsabilidad social y ecología.

Formafantasma's Wireline sits somewhere between artistic expression and industrial design. Andrea Trimarchi and Simone Farresin's latest creation for Flos represents their design ethos and aesthetic values, where functionality meets the unexpected. It's a piece that neatly fits within the studio's universe, where design, social responsibility and ecology collide.



NEW


SKYGARDEN SMALL



Marcel Wanders, 2020

Skygarden Small, en acabado marrón óxido, de Marcel Wanders Studio. Detalle del interior en yeso moldeado.

Skygarden Small, in rusty brown finish, by Marcel Wanders Studio. Detail of the cast plaster interior.



NEW

IN VITRO



Philippe Starck, 2020





El perfil superior de la luminaria ha sido desarrollado en combinación con la lente para evitar que la luz indirecta la golpee, provocando un resplandor desagradable
a la vista.

The upper profile of the luminaire has been developed in combination with the lens to prevent indirect light from hitting it, which would cause an unpleasant glare to t
he eye.

La instalación a techo se realiza mediante un sistema de empotrado de ajuste rápido patentado que permite ajustar la longitud de los cables durante el montaje.

The ceiling installation is carried out by means of a patented recessing system for quick adjustment that allows you to adjust the cables length during the installation.



NEW


SUPERLINE

Flos Architectural, 2020

COORDINATES

Michael Anastassiades, 2020








«Coordinates es un sistema de iluminación compuesto por barras luminosas horizontales y verticales que forman estructuras reticulares de diversa complejidad. El sistema se puede adaptar de manera sencilla en función de la distinta tipología y las dimensiones del entorno donde se ubicará la instalación».

“Coordinates is a lighting system consisting of horizontal and vertical strip lights that form illuminated grid-like structures of various complexities. The system can be easily adapted for different environments of varying scale.”
- Michael Anastassiades









La colección ofrece una amplia gama de soluciones preconfiguradas, entre ellas cuatro modelos de suspensión de distintas formas y dimensiones, y tres modelos de luminarias de techo en dos longitudes posibles, para adaptarse a techos estándar o a techos muy altos.

Coordinates comes in a broad array of set configurations, including four suspended chandeliers of different sizes and three ceiling-mounted luminaires, available in two lengths to suit both standard and high ceilings.




BELT

Technical info p.455



Erwan & Ronan Bouroullec, 2020







El cuero representa el corazón del proyecto. Un material suave y cálido que garantiza libertad en el espacio pero al mismo tiempo se caracteriza por una cierta rigidez que crea armonía en el resultado de la composición final. Belt está recubierta con cuero fino, tratado con tintes naturales para obtener los tres acabados disponibles en la gama: negro, cuero natural y verde.

The leather is the heart of the project. A soft and warm material that guarantees freedom in the space but, at the same time, is characterized by certain rigidity. The result is a harmonious final composition. Belt is covered in fine leather, treated with natural dyes to obtain the three finishes available in the range: black, green and natural leather.

DIABOLO



Achille Castiglioni, 1998/2020



«Mi padre era un excelente jugador al diábolo», dice Giovanna Castiglioni, la hija del legendario diseñador italiano Achille Castiglioni. Habla de uno de los pasatiempos favoritos de su padre—el juego malabar, derivado de un yoyó chino, en el que un objeto en forma de reloj de arena se hace rodar atrás y adelante sobre una cuerda entre dos bastones. En 1998, este acto de equilibrio milenario sirvió de inspiración para la colaboración final de Achille con Flos—una lámpara suspendida ajustable con el mismo nombre.

'My father was a really, really good Diabolo player', says Giovanna Castiglioni, daughter of legendary Italian designer Achille Castiglioni. She's discussing one of his favorite pastimes—the juggling game, derived from a Chinese yo-yo, in which an hourglass-shaped object is spun back and forth on a string between two sticks. In 1998 the age-old balancing act served as inspiration for Achille's final collaboration with Flos—an adjustable pendant lamp with the same name.



Courtesy of Fondazione Achille Castiglioni



INFRA-STRUCTURE
EPISODE 2

Vincent Van Duysen, 2020







Estructura tubular sencilla, increíblemente versátil. Gracias a un sistema de conexión especial, es posible combinar elementos verticales y horizontales para crear combinaciones tridimensionales con variaciones infinitas utilizando módulos lineales y geométricos.

Subtle, incredibly versatile tubular structure. Thanks to a special connection system, it is possible to combine vertical and horizontal elements to create three-dimensional combinations in infinite variations using linear and geometric modules.

El diseño que equivale a descomponer y a deconstruir, la observación de lo existente como un gesto que forja la forma, son solo algunos de los mandamientos implementados por los hermanos Castiglioni.

When designing means breaking down or deconstructing, and shapes are forged through observation of what already exists – these are some of the commandments put in place by the Castiglioni brothers.



BULBO57



Achille & Pier Giacomo Castiglioni, 2019



Bulbo se concibió en 1957 para una exposición de la XI Trienal de Milán. En el proyecto de la exposición, cuando la lámpara se conectaba en serie a otra, su potencial se reducía drásticamente y el filamento interno adquiría un color rojizo, que proporcionaba una luz cálida, ambiental, de intensidad ligera. En la edición de 2019 de Flos, el filamento de tungsteno se ha reproducido pero con fuente de LED, manteniendo el mismo color e intensidad de la luz exactamente como en la original.

Bulbo was designed for an installation at the XI Triennale in Milan in 1957. A large industrial bulb deprived of its screw cap and with a shortened neck to take the shape of a bubble, with a filament inside as the distinguishing feature. The 2019 edition by Flos reproduces the classic filament in tungsten with an LED source, preserving the same color and intensity of the light as in the original.

Achille Castiglioni en su estudio de la Piazza Castello 27, Milán. Por encima de él cuelga una de las lámparas Bulbo originales.
(Courtesy of Fondazione Achille Castiglioni)

Achille Castiglioni in his Studio in Piazza Castello 27, Milan. Hanging on top is one of the original Bulbo lamps.
(Courtesy of Fondazione Achille Castiglioni)



2097/18



Gino Sarfatti, 1958

La colección de lámparas modernas se ha enriquecido con el flamante nuevo modelo 2097/18, que alberga 18 bombillas LED disponibles en versión transparente o satinada, con dos temperaturas de color distintas. El mismo diseño y encanto, pero en una versión más discreta.

The collection of modern chandeliers is enriched by the brand new 2097/18 model, hosting 18 LED light bulbs available in clear or frosted versions, with two different color temperatures. Same design and allure, in a more descreet version.






2097

Technical info p.448-449

Gino Sarfatti, 1958



MAKE YOUR ARRANGEMENTS
FLOS.COM/ARRANGEMENTS-CONFIGURATOR

ARRANGEMENTS

Michael Anastassiades, 2018







“Arrangements es un sistema modular de elementos geométricos de luces que se pueden combinar de distinta forma para crear composiciones múltiples de “chandeliers” individuales. Cada módulo se fija al anterior de manera sencilla, como si estuviese descansando en un equilibrio perfecto, como un elemento de una cadena luminosa.”
- Michael Anastassiades

“Arrangements is a modular system of geometric light elements that can be combined in different ways, creating multiple compositions into individual chandeliers. Each unit simply attaches onto the previous one as if resting, balancing perfectly as part of a glowing chain.”
- Michael Anastassiades







OVERLAP



Michael Anastassiades, 2018

NOCTAMBULE



Konstantin Grcic, 2018



La nueva colección de lámparas está realizada en módulos de vidrio soplado, transparente y, por lo tanto, prácticamente invisibles durante el día. Pero cuando se encienden en la oscuridad, se transforman en espléndidas y luminosas lámparas.

The new collection of lamps is made of blown glass modules, which are see-through and therefore almost inexistent at day-time. But, when you switch them on in the dark, they transform into georgeous, illuminated lamps. The cylindrical glass modules set the basic grammar of the collection.

Los módulos de vidrio con forma cilíndrica son los pilares de la colección. El módulo sencillo es una farol. Si se sobreponen varios módulos, se crea una columna de luz, o un “chandelier” para el hueco de las escaleras. Otros elementos, como la cúpula de vidrio o el cabezal en forma de cono, permiten disfrutar de prestaciones adicionales, como una lámpara de pie y una de suspensión.

The single module is a lantern. Several modules stacked on top of each other create a light column, or suspended chandelier inside a stair well. Extra elements such a glass dome or cone shaped head allow for added performance such as a floorstanding uplighter and pendant.











STRING LIGHT

Technical info p.531-532




Photo by Zoë Ghertner

Michael Anastassiades, 2014

"Cuando viajo en tren, siempre me fijo en los cables de la luz que veo por la ventana. Es tan bonito y poético la forma en la que se conectan con los postes y, al mismo tiempo, dividen el paisaje. Quería trasladar esto a la arquitectura de interiores."
- M. Anastassiades

"When I sit on a train travelling, I always see these strings of electricity out of the window. It's so beautiful and poetic the way they connect the pylons but at the same time they divide the landscape. I wanted to translate this into interior architecture."
- M. Anastassiades







IC

Michael Anastassiades, 2014

TARAXACUM 88



Photo by Zoë Ghertner

Achille Castiglioni, 1988

A. Castiglioni examina el primer prototipo de Taraxacum 88 en su estudio en Piazza Castello de Milán.

A. Castiglioni examines the first prototype of Taraxacum 88 in his Piazza Castello Studio in Milan.



TATOU



Patricia Urquiola, 2012

Technical info p.537

OK

Technical info p.519

Photo by Zoë Ghertner

Konstantin Grcic, 2014

SPLÜGEN BRÄU



Achille & Pier Giacomo Castiglioni, 1961

La lámpara Splügen Bräu, diseñada por los hermanos Castiglioni para iluminar el restaurante y la cervecería del mismo nombre en Milán.

The Splügen Bräu lamp designed by the Castiglioni brothers to light the restaurant and beer house of the same name in Milan.



Courtesy of Fondazione Achille Castiglioni - Photo by Studio Casali

FUCSIA

SUSPENSION

Technical info p.481

FUCSIA

Achille Castiglioni, 1996



RAY



Rodolfo Dordoni, 2007

WAN



Johanna Grawunder, 2006

“Donde vivía antes, había un precioso techo antiguo de escayola. Lo llamaba mi jardín en el techo [...] Me gustaba tanto que cuando me mudé, no podía vivir sin él, por lo que tuve que buscar la forma de llevármelo a mi nueva casa.”
- M. Wanders

“In my previous home there was a fantastic antique plaster ceiling. I called it my garden on the roof [...] I liked it so much that when I moved I couldn’t live without it and had to find a way to transfer it to my new home.” - M. Wanders



SKYGARDEN



Technical info p.528

Photo by Zoë Ghertner

Marcel Wanders, 2007





A. Castiglioni trabajando en la lámpara Frisbi: un disco que parece estar suspendido en el aire, iluminado por la luz que se refleja desde una pequeña cúpula cromada.

A. Castiglioni at work under the Frisbi lamp: a disk that seems to hang in mid-air, lit by the light reflected from a small chrome-plated dome.

FRISBI

Technical info p.480



Achille Castiglioni, 1978

ROMEO BABE




Philippe Starck, 1997

ROMEO MOON

Philippe Starck, 1996

Taraxacum es una de las primeras lámparas fabricadas con cocoon, un material plástico que se obtiene rociando una resina, utilizado originariamente por el ejército estadounidense como material protector para embalar.

Taraxacum is one of the first lamps produced using cocoon, a plastic material obtained using a resin spray, originally used by the US Army as a protective material for packaging.




TARAXACUM



Achille & Pier Giacomo Castiglioni, 1960

VISCONTEA



Achille & Pier Giacomo Castiglioni, 1960



Achille y Pier Giacomo Castiglioni con Marcel Breuer y la lámpara Viscontea en la tienda de Gavina en Milán, 1962.

Achille and Pier Giacomo Castiglioni with Marcel Breuer and the Viscontea lamp at the Gavina store in Milan, 1962.

Photo by Franco Cotti

NEBULA



Joris Laarman, 2007

“Chasen se inspira en un antiguo instrumento oriental, el tradicional látigo de bambú que se utilizaba durante la ceremonia del té, cuyos delicados filamentos siguen cambiando de forma.” - P. Urquiola

“Chasen takes its inspiration from an ancient oriental instrument, the traditional bamboo whip used during the tea ceremony, whose delicate filaments continue to change shape.” - P. Urquiola





CHASEN



Patricia Urquiola, 2007



NEW COLORS

AIM & AIM SMALL



Erwan & Ronan Bouroullec, Aim 2021





"Con Aim, diseñamos un nuevo tipo de lámpara que se instala en el espacio de forma natural, como una planta, gracias a los largos cables de suspensión que facilitan la redirección de la luz y el ajuste de su altura." - R. & E. Bouroullec

"With Aim we devised a new type of lamp that stands in space in a natural way, like a plant, thanks to the long suspension wires that make it easy to direct the light and adjust its height." - R. & E. Bouroullec





Erwan & Ronan Bouroullec, 2013/2014

2620



SUSPENSION

Technical info p.449

2620

Ron Gilad, 2013



GLO-BALL



Jasper Morrison, 1998/2006

PARENTESI



Achille Castiglioni and Pio Manzú, 1971

NEW COLORS

SMITHFIELD



Jasper Morrison, 2009







M. Wanders juega irónicamente con cocoon, el material con el que está fabricada la lámpara Zeppelin.

M. Wanders plays ironically with cocoon, the material from which the Zeppelin lamp is made.





ZEPPELIN

Technical info p.540



Marcel Wanders, 2005

KTRIBE



Philippe Starck, 2005

«I cannot help mocking our unwavering certainties. It is, for example, great fun deliberately to confuse two and three dimensions, the plane and space, or to poke fun at gravity. Are you sure that a floor cannot also be a ceiling? Are you absolutely certain that you go up when you walk up a staircase?» — *Maurits Cornelis Escher*

WALL & CEILING LAMPS

NEW

COORDINATES WALL, IN VITRO, KAP, MILE WALL, THIN LED

NEW COLORS

SMITHFIELD

NEW

IN VITRO




Philippe Starck, 2020





NEW

KAP



Flos Architectural, 2020

NEW


THIN LED



Flos Architectural, 2020

Perfil de pared para iluminación indirecta. Mínimo y esencial para una perfecta integración en el entorno arquitectónico. De reducidas dimensiones pero con un alto rendimiento luminoso. Un aparato único para una iluminación asimétrica perfectamente uniforme.

Wall-mounted profile for indirect lighting. Essential and minimal for perfect integration into the surrounding architectural space. Thin, but with really high lighting performances. A unique device for even and spotless asymmetrical lighting.



Coordinates W1 (en esta página) y W2 (derecha), de Michael Anastassiades. Dos nuevas incorporaciones a la familia Coordinates.

Coordinates W1 (this page) and W2 (tright), by Michael Anastassiades. Two new additions to the Coordinates family.



NEW

COORDINATES WALL


Michael Anastassiades, 2021








COORDINATES





Michael Anastassiades, 2020



Coordinates es una colección de luminarias con un fuerte impacto visual, diseñadas originalmente por Michael Anastassiades para el legendario restaurante Four Seasons de Nueva York. Caracterizada por barras de LED lineales estrechamente entrelazadas, su forma parece inspirarse en la precisión matemática de una cuadrícula cartesiana, iluminada y extendida en brillantes volúmenes tridimensionales.

A dramatic lighting collection originally designed by Michael Anastassiades for New York's legendary Four Seasons restaurant, Coordinates features a series of interlocking linear LED luminaires that take their formal inspiration from the mathematical precision of the Cartesian grid, illuminated and expanded to three brilliant dimensions.









Coordinates está compuesta por un cuerpo de aluminio extruido, un sofisticado acabado anodizado color champán yun difusor de ópalo blanco en silicona platino. Rigurosa, elegante y fácilmente adaptable, esta colección representa una solución flexible y, al mismo tiempo, formalmente impecable para iluminar muchos tipos de entornos distintos, dando el máximo impacto escénico con un mínimo toque mágico.

Coordinates is made from extruded aluminium with a sophisticated anodised champagne finish, and an opal-white platinic silicone diffuser. Exact, elegant, and easily adaptable, this collection offers a flexible yet formally rigorous solution for a diverse range of indoor environments, providing maximum impact with a minimal touch.

Las lámparas Flauta de Patricia Urquiola, inspirados en el órgano tubular y en los detalles de los surcos arquitectónicos, representan un estudio de consistencia y simplicidad.

Patricia Urquiola's Flauta wall lamps—inspired by organ pipes and fluted architectural details—are a study in texture and simplicity.



High-definition renderings by Pablo Limón

FLAUTA


Technical info p.473-474

Patricia Urquiola, 2020



High-definition renderings by Pablo Limón





En Flauta Riga, una serie de incisiones sabiamente calibradas sobre la superficie trazan una huella caracterizada por el puro rigor y las referencias clásicas.
La peculiaridad de Flauta Spiga es, en cambio, el dibujo en espiga, sinónimo de elegancia y detalle sofisticado: una joya de gusto antiguo y con un diseño contemporáneo refinado. El accesorio deflector, cuyo color coincide con el del cuerpo de la lámpara, se puede instalar en la parte superior o inferior. Fijado con imanes y tornillos de seguridad, crea un efecto decorativo con luz refleja.

In Flauta Riga, a series of skillfully calibrated etchings on the surface trace a sign characterised by pure rigour and classical references. Flauta Spiga is characterised by a herringbone pattern, a synonym of elegance and sophisticated detail: a jewel with ancient taste and a refi ned contemporary design.
The deflector accessory, painted to match the lamp body, can be installed on either the upper or lower head. Held in place by magnets and safety screws, it creates a decorative effect with reflected light.

IC DOUBLE



Michael Anastassiades, 2020

Una esfera opalescente en apariencia inestable que parece querer marcharse. Como un malabarista que, mágicamente, mantiene en equilibrio una esfera encima de un palo.


An apparently unstable opalescent ball that seems to want to slide away. As a juggler who magically balances a sphere on a stick.



IC



Michael Anastassiades, 2014




LA PLUS BELLE




Philippe Starck, 2018






El sistema de fijación mural permite instalar el espejo como un cuadro.

The wall fixing system that allows you to hang the mirror like a picture.





Parte superior: La Plus Belle ha sido concebida para proporcionar lo mejor de la luz. Bajo su difusor de silicona óptica se esconden LED especiales ensamblados de forma continua para aumentar la uniformidad de difusión y proporcionar un rendimiento único gracias a la combinación excepcional de un índice de fidelidad cromática (CRI) equivalente a 95, más un indicador de estabilidad de los rojos superior a 90 (R9>90). Además, la luz de La Plus Belle es graduable y suave (2700K), pudiéndose regular la intensidad con el sensor integrado en el espejo.
A la izquierda: El marco de La Plus Belle está hecho con una aleación de aluminio especial que permite obtener coloraciones anódicas de elevadísima calidad. Los acabados disponibles se dividen en anodizado cepillado (oro, cobre) o anodizado pulido (bronce, aluminio natural).

Top: La Plus Belle is designed to provide the best possible light. Special LEDS are hidden beneath the optical silicone diffuser, assembled in a very frequent mode to increase the uniformity of the diffusion and provide a unique performance thanks to the exceptional combination of a chromatic rendering index (CRI) of 95 plus a reds stability indicator of over 90 (R9>90). Furthermore, the light from La Plus Belle is pleasant and soft (2700K) as well as manageable by the dimmer with a sensor integrated in the mirror.
Right: The frame of La Plus Belle is made of a special aluminium alloy that provides the best possible extremely high quality anode colourations. The finishes available are brushed anodized (gold, copper) or polished anodized (bronze, natural aluminium).





WIRERING

Formafantasma, 2018





El cable y el aro pueden tener combinaciones de colores distintas, pudiendo elegir entre una gama de tres acabados para el cable y cinco para el aro.

The cable and ring are available in different colour combinations. There is a range of three finishes for the cable and five for the ring.









Smithfield en los nuevos colores rojo y verde.

Smithfield with new colors red and gree.

Technical info p.529

SMITHFIELD



Jasper Morrison, 2009



CLESSIDRA



Antonio Citterio, 2011

FORT KNOX



Philippe Starck, 2008

265



Paolo Rizzatto, 1973

El difusor de la lámpara Glo-ball está hecho de vidrio soplado a mano.

The diffuser of the Glo-ball lamp is hand blown glass.





GLO-BALL



Jasper Morrison, 1999/2009

TIGHT LIGHT



Piero Lissoni, 2011

ONTHEROCKS



Antonio Citterio assistant Toan Nguyen, 2003

Clara está diseñada para proporcionar una luz confortable y difusa. La lámpara se puede completar con un anillo externo opcional, para ajustarse a la perfección a la decoración del entorno.

Clara is designed to provide a comfortable and diffuse light. The lamp can be completed by an optional external ring, to perfectly match the taste of the environment.





CLARA

Technical info p.464

Piero Lissoni, 2014


TARAXACUM 88



Achille Castiglioni, 1988



ARIETTE



Tobia Scarpa, 1973

WAN

Technical info p.539



Johanna Grawunder, 2005

SKYGARDEN RECESSED

Technical info p.528



Marcel Wanders, 2009



POCHETTE



Rodolfo Dordoni, 2003

KTRIBE



Philippe Starck, 2007

ROMEO BABE




Philippe Starck, 1996/2004

MINI BUTTON



Piero Lissoni, 2005

BUTTON



Piero Lissoni, 2004

FOGLIO



Tobia Scarpa, 1966





ABAJOURD'HUI



Flos Soft Architecture

Technical info p.541-542

SOFT SPUN

Flos Soft Architecture

Aprovechando la versión Soft del novedoso material compuesto Under Cover, la lámpara Spun Light se integra a la perfección con la arquitectura de los espacios, surgiendo de la superficie de la pared.

Making use of the Soft version of the innovative composite material Under Cover, the Spun Light integrates seamlessly with the architecture of spaces, rising out of the surface of the wall.



«To me a lush carpet of pine needles or
spongy grass is more welcome than
the most luxurious Persian rug» — *Helen Keller*


OUTDOOR/INDOOR

NEW

CAULE, IN VITRO, MILE

NEW


CAULE



Patricia Urquiola, 2020



IN VITRO




Edward Barber & Jay Osgerby, 2018

Technical info p.492-494

NEW

MILE




Antonio Citterio, 2020


FLAUTA



Patricia Urquiola, 2020




RIGA



SPIGA

Las versiones outdoor de Flauta están disponibles en los acabados gris, antracita, Forest Green,deep brown, negro y blanco.

The outdoor versions of Flauta wall lamp are available in Grey, Anthracite, Forest Green, Deep Brown, Black and White finishes.






High-definition renderings by Pablo Limón

Los acabados verde opaco y acero pulido también se pueden utilizar en exteriores.

Matt green and polished inox finishes can also be used in outdoor locations.



LAST ORDER

Technical info p.504



Michael Anastassiades, 2020

IC WALL OUTDOOR



Michael Anastassiades, 2020

IC FLOOR OUTDOOR



Michael Anastassiades, 2019

CAPTAIN FLINT OUTDOOR




Michael Anastassiades, 2019

MY WAY



Piero Lissoni, 2017





REAL MATTER

Piero Lissoni, 2017

IPNOS



Nicoletta Rossi and Guido Bianchi, 2014



CAMOUFLAGE

Piero Lissoni, 2017

KTRIBE OUTDOOR



Philippe Starck, 2011

La versión para exteriores de la famosa Ktribe, embellecida con difusores entremezclados, está creada en exclusiva por Dedon.

The outdoor version of the famous Ktribe, embellished by interwoven diffusers, created exclusively by Dedon.



ROMEO OUTDOOR



Philippe Starck, 2006

SUPERARCHIMOON OUTDOOR




Philippe Starck, 2006

CLESSIDRA



Antonio Citterio, 2011

TECHNICAL INFO



265

Paolo Rizzatto, 1973

Potencia · *Power* MAX 75W

Tensión · *Voltage* 220-250V


Acabados *Finishes*	Colores *Colors*
blanco · *white*	○ A0300009
negro · *black*	● A0300030

A+ → E Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Materiales · *Materials*
acero · *steel*

p. 385

Peso · *Weight* 6,0 Kg



2097/18 CLEAR BULBS

Gino Sarfatti, 1958

Potencia · *Power* 18 x MAX 15W

Tensión · *Voltage* 220-250V


Acabados *Finishes*	Colores *Colors*
cromo · *chrome*	A1352057
latón · *brass*	A1352059
negro mate · *matt black*	A1352031

A+ Fuente luminosa (disponible) · *Light source (available)*
LED 2W E14 100lm [i]
Supplied wih 20xclear LED lamps (2xspare)

Materiales · *Materials*
acero · *steel*

p. 262

Peso · *Weight* 3,2 Kg



2097/18 FROSTED BULBS

Gino Sarfatti, 1958

Potencia · *Power* 18 x MAX 15W

Tensión · *Voltage* 220-250V


Acabados *Finishes*	Colores *Colors*
cromo · *chrome*	A1351057
latón · *brass*	A1351059
negro mate · *matt black*	A1351031

A+ Fuente luminosa (disponible) · *Light source (available)*
LED 2,7W E14 150lm [i]

Materiales · *Materials*
acero · *steel*

p. 262

Peso · *Weight* 3,2 Kg



2097/30 CLEAR BULBS

Gino Sarfatti, 1958

Potencia · *Power* 30 x MAX 15W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
cromo · *chrome*	A1402057
latón · *brass*	A1402059
negro mate · *matt black*	A1402031


A+ Fuente luminosa (disponible) · *Light source (available)*
LED 2W E14 100lm [i]

Materiales · *Materials*
acero · *steel*

p. 264

Peso · *Weight* 5,1 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



2097/30 FROSTED BULBS

Gino Sarfatti, 1958

Potencia · *Power* 30 x MAX 15W

Tensión · *Voltage* 220-250V


Acabados *Finishes*	Colores *Colors*
cromo · *chrome*	A1401057
latón · *brass*	A1401059
negro mate · *matt black*	A1401031

A+ Fuente luminosa (disponible) · *Light source (available)*
LED 2,7W E14 150lm [i]

Materiales · *Materials*
acero · *steel*

p. 264

Peso · *Weight* 5,1 Kg



2097/50 CLEAR BULBS

Gino Sarfatti, 1958

Potencia · *Power* 50 x MAX 15W

Tensión · *Voltage* 220-250V


Acabados *Finishes*	Colores *Colors*
cromo · *chrome*	A1502057
latón · *brass*	A1502059
negro mate · *matt black*	A1502031

A+ Fuente luminosa (disponible) · *Light source (available)*
LED 2W E14 100lm [i]

Materiales · *Materials*
acero · *steel*

p. 264

Peso · *Weight* 9,2 Kg



2097/50 FROSTED BULBS

Gino Sarfatti, 1958

Potencia · *Power* 50 x MAX 15W

Tensión · *Voltage* 220-250V


Acabados *Finishes*	Colores *Colors*
cromo · *chrome*	A1501057
latón · *brass*	A1501059
negro mate · *matt black*	A1501031

A+ Fuente luminosa (disponible) · *Light source (available)*
LED 2,7W E14 150lm [i]

Materiales · *Materials*
acero · *steel*

p. 264

Peso · *Weight* 9,2 Kg



2620

Ron Gilad, 2013

Potencia · *Power* 170W

Tensión · *Voltage* 120-277V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	○ F0031009

LED INCLUDED NOT REPLACEABLE Fuente luminosa (disponible) · *Light source (available)*
2620 CHIP LED 170W 11760lm total
3000K CRI85 [i]

Materiales · *Materials*
aluminio, PMMA, acero · *aluminum, PMMA, steel*

p. 325

ON DEMAND

Peso · *Weight* 18 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



AIM SMALL

R. & E. Bouroullec, 2014

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 LED module 12W 725lm 2700K
CRI90 [i] DIMMABLE

Materiales · *Materials*
aluminio, PC · *aluminum, PC*


Peso · *Weight* 1,9 Kg (1 Aim small)

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F0095009
negro · *black*	F0095030
blue steel anodized	F0095023
light silveranodized	F0095054
ivy anodized	F0095039

blanco · *white*	ROSONE MULTIPLO / *MULTIPLE ROSE* F0093009
negro · *black*	F0093030

DIMMABLE PARETE / *WALL DIMMABLE*
RF22227

p. 318



AIM SMALL CAVO SPINA/CABLE+PLUG

R. & E. Bouroullec, 2014

Potencia · *Power* 12W

Tensión · *Voltage* 230V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 LED module 12W 725lm 2700K
CRI90 [i] DIMMABLE

Materiales · *Materials*
aluminio, PC · *aluminum, PC*

Peso · *Weight* 1,9 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F0097009
negro · *black*	F0097030
blue steel anodized	F0097023
light silveranodized	F0097054
ivy anodized	F0097039

p. 318



AIM

R. & E. Bouroullec, 2013

Potencia · *Power* 16W

Tensión · *Voltage* 220/240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 LED module 16W 895lm 2700K
CRI90 [i] DIMMABLE

Materiales · *Materials*
aluminio, PC · *aluminum, PC*

Peso · *Weight* 3,2 Kg (1 AIM)

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F0090009
negro · *black*	F0090030
blue steel anodized	F0090023
light silveranodized	F0090054
ivy anodized	F0090039

blanco · *white*	ROSONE MULTIPLO / *MULTIPLE ROSE* F0093009
negro · *black*	F0093030

DIMMABLE PARETE / *WALL DIMMABLE*
RF22227

p. 318



AIM CAVO SPINA/CABLE+PLUG

R. & E. Bouroullec, 2013

Potencia · *Power* 16W

Tensión · *Voltage* 230V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 LED module 16W 895lm 2700K
CRI90 [i] DIMMABLE

Materiales · *Materials*
aluminio, PC · *aluminum, PC*

Peso · *Weight* 3,2 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F0092009
negro · *black*	F0092030
blue steel anodized	F0092023
light silveranodized	F0092054
ivy anodized	F0092039

p. 318

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



AOY

Achille Castiglioni, 1975

Potencia · *Power* 1 x MAX 100W + 1 x MAX 70W

Tensión · *Voltage* 220-250V

A+ → D
A+ → E


Fuente luminosa (disponible) ·
Light source (available)
LED 10W E27 965lm [e] +
LED 8W E27 525lm [e]

Materiales · *Materials*
vidrio · *glass*

Peso · *Weight* 12,1 Kg SWITCH INCLUDED

Acabados *Finishes*	Colores *Colors*
opale · *opal*	F0200071

p. 142



ARCO

Achille and Pier Giacomo Castiglioni, 1962

Potencia · *Power* MAX 100W

Tensión · *Voltage* 220-250V

A+ → E


Fuente luminosa (disponible) ·
Light source (available)
10W E27 965lm [e]

Materiales · *Materials*
mármol, acero inoxidable, aluminio · *marble, stainless steel, aluminum*

Peso · *Weight* 63,8 Kg SWITCH INCLUDED

Acabados *Finishes*	Colores *Colors*
acero · *steel*	F0300000

p. 182



ARCO LED

Achille and Pier Giacomo Castiglioni, 1962

Potencia · *Power* 28W

Tensión · *Voltage* 100-240V/48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 MULTICHIP LED 28W 1224lm
2700K CRI93 [i] DIMMABLE

Materiales · *Materials*
mármol, acero inoxidable, aluminio · *marble, stainless steel, aluminum*

Peso · *Weight* 63,8 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
acero · *steel*	F0303000

p. 182



ARIETTE 1/2

Tobia Scarpa, 1973

Potencia · *Power* 4 x MAX 40W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 10W E27 965lm [e]

Materiales · *Materials*
tela · *fabric*

Peso · *Weight* 0,8 Kg (1) - 1 Kg (2)

Acabados *Finishes*	Colores *Colors*
tela · *fabric*	F0400009 ARIETTE 1
tela · *fabric*	F0500009 ARIETTE 2

p. 395

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



ARRANGEMENTS - LINE

Michael Anastassiades, 2018

Potencia · *Power* 29W

Tensión · *Voltage* 48V

Acabados *Finishes*: negro mate · *matt black*

Colores *Colors*: F0401030

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
FLEX STRIP LED 29W 1480lm 2700K CRI90 [i]


El módulo «Line» no puede instalarse individualmente, sino que debe combinarse con otros elementos de la familia - Line cannot be installed alone, it must be combined with other elements

Materiales · *Materials*
aluminio · *aluminum*

p. 266

Rosetón excluido
Ceiling rose excluded

Peso · *Weight* 0,7 Kg



ARRANGEMENTS - BROKEN LINE

Michael Anastassiades, 2018

Potencia · *Power* 24W

Tensión · *Voltage* 48V

Acabados *Finishes*: negro mate · *matt black*

Colores *Colors*: F0405030

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
FLEX STRIP LED 24W 1200lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

p. 266

Rosetón excluido
Ceiling rose excluded

Peso · *Weight* 0,65 Kg

ARRANGEMENTS - DROP UP

Michael Anastassiades, 2018

Potencia · *Power 32*W

Tensión · *Voltage* 48V

Acabados *Finishes*: negro mate · *matt black*

Colores *Colors*: F0414030

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
FLEX STRIP LED 32W 1530lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

p. 266

Rosetón excluido
Ceiling rose excluded

Peso · *Weight* 0,5 Kg



ARRANGEMENTS - DROP DOWN

Michael Anastassiades, 2018

Potencia · *Power* 30W

Tensión · *Voltage* 48V

Acabados *Finishes*: negro mate · *matt black*

Colores *Colors*: F0413030

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
FLEX STRIP LED 30W 1530lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

p. 266

Rosetón excluido
Ceiling rose excluded

Peso · *Weight* 0,5 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



ARRANGEMENTS - SQUARE SMALL

Michael Anastassiades, 2018

Potencia · *Power* 20W

Tensión · *Voltage* 48V

Acabados *Finishes*: negro mate · *matt black*

Colores *Colors*: F0410030

LED INCLUDED NOT REPLACEABLE


Fuente luminosa (disponible) · *Light source (available)*
FLEX STRIP LED 20W 883lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

p. 266

Rosetón excluido
Ceiling rose excluded

Peso · *Weight* 0,5 Kg



ARRANGEMENTS - SQUARE LARGE

Michael Anastassiades, 2018

Potencia · *Power* 34W

Tensión · *Voltage* 48V

Acabados *Finishes*: negro mate · *matt black*

Colores *Colors*: F0409030

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
FLEX STRIP LED 34W 1657lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

p. 266

Rosetón excluido
Ceiling rose excluded

Peso · *Weight* 0,7 Kg

ARRANGEMENTS - ROUND SMALL

Michael Anastassiades, 2018

Potencia · *Power* 21W

Tensión · *Voltage* 48V

Acabados *Finishes*: negro mate · *matt black*

Colores *Colors*: F0406030

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
FLEX STRIP LED 21W 1068lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

p. 266

Rosetón excluido
Ceiling rose excluded

Peso · *Weight* 0,5 Kg



ARRANGEMENTS - ROUND MEDIUM

Michael Anastassiades, 2018

Potencia · *Power* 35W

Tensión · *Voltage* 48V

Acabados *Finishes*: negro mate · *matt black*

Colores *Colors*: F0407030

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
FLEX STRIP LED 35W 1770lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

p. 266

Rosetón excluido
Ceiling rose excluded

Peso · *Weight* 0,8 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



ARRANGEMENTS - ROUND LARGE

Michael Anastassiades, 2018

Potencia · *Power* 54W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
FLEX STRIP LED 54W 2751lm 2700K CRI90 [i]

Acabados
Finishes

negro mate · *matt black*

Colores
Colors


● F0408030

Materiales · *Materials*
aluminio · *aluminum*

p. 266

Rosetón excluido
Ceiling rose excluded

Peso · *Weight* 1,3 Kg



ARRANGEMENTS SMALL ROSE

ACCESSORI · ACCESSORIES

Tensión · *Voltage* 120-270V

Descripción · *Description*
Rosone dimmerabile piccolo da soffitto per l'installazione di combinazioni fino a max 70W · *Small dimmable ceiling rose for the installation of combinations within max 70W*

Acabados
Finishes

negro · *black*


Colores
Colors

● F0416030

p. 266

Peso · *Weight* 1 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



ARRANGEMENTS BIG ROSE

ACCESSORI · ACCESSORIES

Tensión · *Voltage* 100-240V

Descripción · *Description*
Rosone dimmerabile grande da soffitto per l'installazione di combinazioni fino a max 190W · *Big dimmable ceiling rose for the installation of combinations within max 190W*

Acabados
Finishes

negro · *black*


Colores
Colors

● F0415030

p. 266

Peso · *Weight* 2,8 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



ARRANGEMENTS RECESSED ROSE

ACCESSORI · ACCESSORIES

Tensión · *Voltage* 48V

Descripción · *Description*
Rosone da soffitto con alimentazione remota per l'installazione di combinazioni fino a max 190W · *Ceiling rose with remote power supply for the installation of combinations within max 190W*

Acabados
Finishes

negro · *black*

Colores
Colors

● F0418030

p. 266

Peso · *Weight* 0,6 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



BELLHOP BATTERY

E. Barber & J. Osgerby, 2018

Potencia · *Power* 2,5W

Tensión · *Voltage* IN 5V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
84 LED 2,5W 109lm 2700K CRI90 [i]
6/24 HOURS BATTERY LIFE, RECHARGEABLE WITH MICRO-USB-C KIT

Acabados
Finishes

blanco · *white*
cioko
gris · *grey*
rojo teja · *brick red*
amarillo · *yellow*
grey blue

Colores
Colors

○ F1060009
● F1060026
● F1060020
● F1060075
● F1060019
● F1060014

Materiales · *Materials*
policarbonato · *polycarbonate*

p. 76

Peso · *Weight* 0,73 Kg

DIMMER INCLUDED



BELLHOP FLOOR

E. Barber & J. Osgerby, 2021

Potencia · *Power* 26W

Tensión · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
(white body)1 COB LED 26W 1232lm 2700K CRI90 [i] DIMMABLE
(other colors body) 1 COB LED 26W 1023lm 2700K CRI90 [i] DIMMABLE

Acabados
Finishes

gris/blanco · *grey/white*
blanco/cioko · *white/cioko*
blanco/verde · *whitegreen*
blanco/rojo teja · *white/brick red*

Colores
Colors


○ F1070009
● F1070026
● F1070039
● F1070075

Materiales · *Materials*
aluminio, vidrio, cemento · *aluminum, glass, concrete*

p. 150

Peso · *Weight* 6,90 Kg

DIMMER INCLUDED



BELT

Ronan & Erwan Bouroullec, 2020

Potencia · *Power* MAX 27,5W/m

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
TOP LED 55W 2020lm UP - 4000lm DOWN 2700K CRI95[i] CASAMBI DIMMABLE

Acabados
Finishes

negro · *black*
verde · *green*
cuero natural · *natural leather*

Colores
Colors

● 03.8530.14CB
● 03.8530.GN.CB
● 03.8530.18.CB

Materiales · *Materials*
aluminio extruido cubierto de cuero real, policarbonato opalino · *extruded aluminum covered in real leather, opal polycarbonate*

p. 245

Peso · *Weight* 5 Kg

REMOTE DRIVER INCLUDED



BIAGIO

Tobia Scarpa, 1968

Potencia · *Power* MAX 70W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 10W E27 965lm [e]

Acabados
Finishes

mármol · *marble*

Colores
Colors

○ F0700000

Materiales · *Materials*
mármol · *marble*

p. 136

Peso · *Weight* 7,5 Kg

SWITCH INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



BIBLIOTHEQUE NATIONALE

Philippe Starck, 2013

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2452lm [e] +
CHARGER USB 5VDC

Materiales · *Materials*
PC, acero inoxidable, metacrilato · *PC, stainless steel, methacrylate*

Peso · *Weight* 10,3 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
trasparente · *transparent*	F1011000
plata · *silver*	F1011004
bronce · *bronze*	F1011046
tela · *fabric*	F1011007
fumè · *fumée*	F1011030

p. 198



BON JOUR

Philippe Starck, 2015

Potencia · *Power* 13W

Tensión · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE


Fuente luminosa (disponible) · *Light source (available)*
EDGE LIGHTING 13W 884lm 2700K
CRI90 [i] DIMMABLE

Materiales · *Materials*
polimetilmetacrilato · polymethyl*methacrylate*

Peso · *Weight* 2,0 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F1032009
cromo · *chrome*	F1032057
cobre · *copper*	F1032015
cromo mate · *matt chrome*	F1032046

p. 90



BON JOUR
ACCESSORI · ACCESSORIES

Descripción · *Description*
Corona en PMMA transparente moldeado por inyección, o también en tela o rafia entrelazada a mano, para versiones personalizadas · *Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.*

Acabados *Finishes*	Colores *Colors*
amarillo · *yellow*	F1033019
ámbar · *amber*	F1033070
rafia · *rattan*	F1033088
tela · *fabric*	F1033007
trasparente · *transparent*	F1033000
fumè · *fumée*	F1033030

p. 90



BON JOUR UNPLUGGED

Philippe Starck, 2015

Potencia · *Power* 2,5W

Tensión · *Voltage* 100-240V/5V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
EDGE LIGHTING 2,5W 114lm 2700K
CRI 90 [i] DIMMABLE
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT

Materiales · *Materials*
aluminio, ABS, PMMA · *aluminum, ABS, PMMA*

Peso · *Weight* 0,6 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F1037009
cromo · *chrome*	F1037057
cobre · *copper*	F1037015
cromo mate · *matt chrome*	F1037046

p. 94

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



BON JOUR UNPLUGGED
ACCESSORI · ACCESSORIES

Descripción · *Description*
Corona en PMMA transparente moldeado por inyección, o también en tela o rafia entrelazada a mano, para versiones personalizadas · *Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.*

Acabados *Finishes*	Colores *Colors*
amarillo · *yellow*	F1036019
ámbar · *amber*	F1036070
rafia · *rattan*	F1036088
tela · *fabric*	F1036007
trasparente · *transparent*	F1036000
fumè · *fumée*	F1036030
rojo · *red*	F1036035

p. 94



BON JOUR VERSAILLES

Philippe Starck, 2017

Potencia · *Power* 13W

Tensión · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE


Fuente luminosa (disponible) · *Light source (available)*
EDGE LIGHTING 13W 811lm 2700K
CRI90 [i] DIMMABLE

Materiales · *Materials*
polimetilmetacrilato · polymethyl*methacrylate*

Peso · *Weight* 1,54 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
cromo · *chrome*	F1041057
cobre · *copper*	F1041015

p. 86



BON JOUR VERSAILLES
ACCESSORI · ACCESSORIES

Descripción · *Description*
Corona en PMMA transparente moldeado por inyección, o también en tela o rafia entrelazada a mano, para versiones personalizadase · *Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.*

Acabados *Finishes*	Colores *Colors*
amarillo · *yellow*	F1033019
ámbar · *amber*	F1033070
rafia · *rattan*	F1033088
tela · *fabric*	F1033007
trasparente · *transparent*	F1033000
fumè · *fumée*	F1033030

p. 86



BON JOUR VERSAILLES SMALL

Philippe Starck, 2017

Potencia · *Power* 3,5W

Tensión · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
EDGE LIGHTING 2,5W 208lm 2700K
CRI 90 [i] DIMMABLE

Materiales · *Materials*
polimetilmetacrilato · polymethyl*methacrylate*

Peso · *Weight* 0,28 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
cromo · *chrome*	F1042057
cobre · *copper*	F1042015

p. 86

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



BON JOUR VERSAILLES SMALL
ACCESSORI · ACCESSORIES

Descripción · *Description*
Corona en PMMA transparente moldeado por inyección, o también en tela o rafia entrelazada a mano, para versiones personalizadas · *Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.*

Acabados *Finishes*	Colores *Colors*
amarillo · *yellow*	F1036019
ámbar · *amber*	F1036070
rafia · *rattan*	F1036088
tela · *fabric*	F1036007
trasparente · *transparent*	F1036000
fumè · *fumée*	F1036030
rojo · *red*	F1036035

p. 86



BULBO 57

Achille and Pier Giacomo Castiglioni, 2019

Potencia · *Power* 6W

Tensión · *Voltage* 240/24V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
micro LED 6W 210-450lm 2200K CRI 95 [i]

Acabados *Finishes*	Colores *Colors*
vidrio · *glass*	F1050000

Materiales · *Materials*
vidrio · *glass*

Peso · *Weight* 0,87 Kg

p. 258



MINI BUTTON

Piero Lissoni, 2005

Potencia · *Power* MAX 25W

Tensión · *Voltage* 220-250V

A+ → E


Fuente luminosa (disponible) · *Light source (available)*
LED 3W G9 290lm [e] o · *or*
LED 2W G9 240lm [e]

Acabados *Finishes*	Colores *Colors*
policarbonato · *polycarbonate*	F1491009
vidrio · *glass*	F1490009

Materiales · *Materials*
policarbonato o vidrio · *polycarbonate or glass*

Peso · *Weight* 0,3 Kg (pol.) - 0,6 Kg (vidrio/glass)

p. 402



BUTTON

Piero Lissoni, 2004

Potencia · *Power* 22W + 40W

Tensión · *Voltage* 220-240V

A

Fuente luminosa (disponible) · *Light source (available)*
22W 2GX13 T5 FSC 1800lm warm white [e] + 40W 2GX13 T5 FSC 3400lm warm white [e]
Ballast elettronico · *Electronic Ballast*

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3180009

Materiales · *Materials*
policarbonato · *polycarbonate*

Peso · *Weight* 2,1 Kg

p. 403

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



BUTTON HL

Piero Lissoni, 2005

Potencia · *Power* 5 x MAX 40W

Tensión · *Voltage* 220-250V

A++ → E


Fuente luminosa (disponible) · *Light source (available)*
LED 3W G9 290lm [e] o · *or*
LED 2W G9 240lm [e]

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3190009

Materiales · *Materials*
vidrio · *glass*

Peso · *Weight* 13,5 Kg

p. 403



CAMOUFLAGE 140 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 8W

Tensión · *Voltage* 24V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
MID-POWER LED 8W 786lm ≠ FIXT 474lm 2700K CRI80 24V [i]

Acabados *Finishes*	Colores *Colors*
cemento · *concrete*	F1310089
crema d'Orcia	F1310090
Basaltina	F1310087
imprimación · *primer*	F1310000
blanco · *white*	F1310001
gris · *grey*	F1310006
antracita · *anthracite*	F1310033
negro · *black*	F1310030
deep brown	F1310018
forest green	F1310012

Materiales · *Materials*
aluminio, policarbonato, piedra, cemento · *aluminum, polycarbonate, stone, concrete*

Peso · *Weight* 0,45 Kg

p. 436

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



CAMOUFLAGE 140 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 8W

Tensión · *Voltage* 24V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
MID-POWER LED 8W 913lm ≠ FIXT 551lm 3000K CRI80 24V [i]

Acabados *Finishes*	Colores *Colors*
cemento · *concrete*	F1311089
crema d'Orcia	F1311090
Basaltina	F1311087
imprimación · *primer*	F1311000
blanco · *white*	F1311001
gris · *grey*	F1311006
antracita · *anthracite*	F1311033
negro · *black*	F1311030
deep brown	F1311018
forest green	F1311012

Materiales · *Materials*
aluminio, policarbonato, piedra, cemento · *aluminum, polycarbonate, stone, concrete*

Peso · *Weight* 0,45 Kg

p. 436

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



CAMOUFLAGE 140 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 8W

Tensión · *Voltage* 24V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
MID-POWER LED 8W 960lm ≠ FIXT 579lm 4000K CRI80 24V [i]

Acabados *Finishes*	Colores *Colors*
cemento · *concrete*	F1312089
crema d'Orcia	F1312090
Basaltina	F1312087
imprimación · *primer*	F1312000
blanco · *white*	F1312001
gris · *grey*	F1312006
antracita · *anthracite*	F1312033
negro · *black*	F1312030
deep brown	F1312018
forest green	F1312012

Materiales · *Materials*
aluminio, policarbonato, piedra, cemento · *aluminum, polycarbonate, stone, concrete*

Peso · *Weight* 0,45 Kg

p. 436

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*

42/48 mm



ø 240 mm

CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
MID-POWER LED 12W 1281lm ≠ FIXT 773lm 2700K CRI80 220-240V [i]

Acabados *Finishes*	Colores *Colors*
cemento · *concrete*	F1315089
crema d'Orcia	F1315090
Basaltina	F1315087
imprimación · *primer*	F1315000
blanco · *white*	F1315001
gris · *grey*	F1315006
antracita · *anthracite*	F1315033
negro · *black*	F1315030
deep brown	F1315018

Materiales · *Materials*
aluminio, policarbonato, piedra, cemento · *aluminum, polycarbonate, stone, concrete*

p. 436

Peso · *Weight* 1,50 Kg

IP 65

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

42/48 mm



ø 240 mm

CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
MID-POWER LED 12W 1488lm ≠ FIXT 898lm 3000K CRI80 220-240V [i]

Acabados *Finishes*	Colores *Colors*
cemento · *concrete*	F1316089
crema d'Orcia	F1316090
Basaltina	F1316087
imprimación · *primer*	F1316000
blanco · *white*	F1316001
gris · *grey*	F1316006
antracita · *anthracite*	F1316033
negro · *black*	F1316030
deep brown	F1316018
forest green	F1311012

Materiales · *Materials*
aluminio, policarbonato, piedra, cemento · *aluminum, polycarbonate, stone, concrete*

p. 436

Peso · *Weight* 1,50 Kg

IP 65

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

42/48 mm



ø 240 mm

CAMOUFLAGE 240 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
MID-POWER LED 12W 1563lm ≠ FIXT 944lm 4000K CRI80 220-240V [i]

Acabados *Finishes*	Colores *Colors*
cemento · *concrete*	F1317089
crema d'Orcia	F1317090
Basaltina	F1317087
imprimación · *primer*	F1317000
blanco · *white*	F1317001
gris · *grey*	F1317006
antracita · *anthracite*	F1317033
negro · *black*	F1317030
deep brown	F1317018
forest green	F1311012

Materiales · *Materials*
aluminio, policarbonato, piedra, cemento · *aluminum, polycarbonate, stone, concrete*

p. 436

Peso · *Weight* 1,50 Kg

IP 65

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

373 mm



ø 320 mm

CAPTAIN FLINT

Michael Anastassiades, 2015

Potencia · *Power* 20W

Tensión · *Voltage* 100-240V/48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 COB LED 20W 557lm 2700K CRI93
[i] DIMMABLE

Acabados *Finishes*	Colores *Colors*
latón satinado · *brushed brass*	F1530059
antracita · *anthracite*	F1530030

Materiales · *Materials*
acero, policarbonato, mármol · *steel, polycarbonate, marble*

p. 187

Peso · *Weight* 9 Kg DIMMER INCLUDED

IP 20

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*

373 mm



ø 320 mm

CAPTAIN FLINT OUTDOOR/INDOOR

Michael Anastassiades, 2019

Potencia · *Power* 13W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 COB LED 13W 557lm 2700K CRI80
[i] DIMMABLE

Acabados *Finishes*	Colores *Colors*
acero inox · *stainless steel* (occhio di pernice marble)	F011A24F005
latón · *brass* (grey lava marble)	F011A23F059
deep brown (travertino imperiale marble)	F011A21F018
negro · *black* (black lava marble)	F011A22F030
rojo burgundy · *red burgundy* (black lava marble)	F011A22F037

Materiales · *Materials*
acero, policarbonato, aluminio, latón , mármol · *steel, polycarbonate, aluminum, brass, marble*

p. 429

Peso · *Weight* 10 Kg DIMMER INCLUDED

IP 65

373 mm



ø 320 mm

CAPTAIN FLINT OUTDOOR/INDOOR

Michael Anastassiades, 2019

Potencia · *Power* 13W

Tensión · *Voltage* 230-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 COB LED 20W 598lm 3000K CRI80
[i] DIMMABLE

Acabados *Finishes*	Colores *Colors*
acero inox · *stainless steel* (occhio di pernice marble)	F011A34F005
latón · *brass* (grey lava marble)	F011A33F059
deep brown (travertino imperiale marble)	F011A31F018
negro · *black* (black lava marble)	F011A32F030
red burgundy · *red burgundy* (black lava marble)	F011A32F037

Materiales · *Materials*
acero, policarbonato, aluminio, latón , mármol · *steel, polycarbonate, aluminum, brass, marble*

p. 429

Peso · *Weight* 10 Kg

IP 65

373 mm



ø 320 mm

CAPTAIN FLINT OUTDOOR/INDOOR

Michael Anastassiades, 2019

Potencia · *Power* 13W

Tensión · *Voltage* 230-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 COB LED 20W 644lm 4000K CRI80
[i] DIMMABLE

Acabados *Finishes*	Colores *Colors*
acero inox · *stainless steel* (occhio di pernice marble)	F011A44F005
latón · *brass* (grey lava marble)	F011A43F059
deep brown (travertino imperiale marble)	F011A41F018
negro · *black* (black lava marble)	F011A42F030
red burgundy · *red burgundy* (black lava marble)	F011A42F037


Materiales · *Materials*
acero, policarbonato, aluminio, latón , mármol · *steel, polycarbonate, aluminum, brass, marble*

p. 429

Peso · *Weight* 10 Kg

IP 65

300 mm



ø 500 mm

CAULE FLOOR 1

Patricia Urquiola, 2020

Potencia · *Power* 10W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 10W 447lm ≠ FIXT 282lm 2700K CRI80 100/240V [i]

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F016M21K001
gris · *grey*	F016M21K006
antracita · *anthracite*	F016M21K033
negro · *black*	F016M21K030
deep brown	F016M21K018
forest green	F016M21K012

Materiales · *Materials*
aluminio, vidrio, acero · *aluminum, glass, stainless steel*

p. 415

Peso · *Weight* 5,70 Kg DIMMER INCLUDED

IP 65

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



CAULE FLOOR 1 NEST - OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 10W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 10W 447lm ≠ FIXT 124lm 2700K
CRI80 100/240V [i]

Acabados *Finishes*

	Colores *Colors*
blanco · *white*	F016N21K001
gris · *grey*	F016N21K006
antracita · *anthracite*	F016N21K033
negro · *black*	F016N21K030
deep brown	F016N21K018
forest green	F016N21K012

Materiales · *Materials*
aluminio, vidrio, acero · *aluminum, glass, stainless steel*

p. 415

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 5,70 Kg DIMMER INCLUDED



CAULE FLOOR 2 - OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 10W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 10W 447lm ≠ FIXT 282lm 2700K
CRI80 100/240V [i]

Acabados *Finishes*

	Colores *Colors*
blanco · *white*	F016M22K001
gris · *grey*	F016M22K006
antracita · *anthracite*	F016M22K033
negro · *black*	F016M22K030
deep brown	F016M22K018
forest green	F016M22K012

Materiales · *Materials*
aluminio, vidrio, acero · *aluminum, glass, stainless steel*

p. 415

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 5,80 Kg DIMMER INCLUDED



CAULE FLOOR 2 NEST - OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 10W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 10W 447lm ≠ FIXT 124lm 2700K
CRI80 100/240V [i]

Acabados *Finishes*

	Colores *Colors*
blanco · *white*	F016N22K001
gris · *grey*	F016N22K006
antracita · *anthracite*	F016N22K033
negro · *black*	F016N22K030
deep brown	F016N22K018
forest green	F016N22K012

Materiales · *Materials*
aluminio, vidrio, acero · *aluminum, glass, stainless steel*

p. 415

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 5,80 Kg DIMMER INCLUDED



CAULE FLOOR 3

Patricia Urquiola, 2020

Potencia · *Power* 10W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 10W 447lm ≠ FIXT 282lm 2700K
CRI80 100/240V [i]

Acabados *Finishes*

	Colores *Colors*
blanco · *white*	F016M23K001
gris · *grey*	F016M23K006
antracita · *anthracite*	F016M23K033
negro · *black*	F016M23K030
deep brown	F016M23K018
forest green	F016M23K012

Materiales · *Materials*
aluminio, vidrio, acero · *aluminum, glass, stainless steel*

p. 415

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 6 Kg DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



CAULE FLOOR 3 NEST

Patricia Urquiola, 2020

Potencia · *Power* 10W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 10W 447lm ≠ FIXT 124lm 2700K
CRI80 100/240V [i]

Acabados *Finishes*

	Colores *Colors*
blanco · *white*	F016N23K001
gris · *grey*	F016N23K006
antracita · *anthracite*	F016N23K033
negro · *black*	F016N23K030
deep brown	F016N23K018
forest green	F016N23K012

Materiales · *Materials*
aluminio, vidrio, acero · *aluminum, glass, stainless steel*

p. 415

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 6 Kg DIMMER INCLUDED



CAULE FLOOR 4

Patricia Urquiola, 2020

Potencia · *Power* 10W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 10W 447lm ≠ FIXT 282lm 2700K
CRI80 100/240V [i]

Acabados *Finishes*

	Colores *Colors*
blanco · *white*	F016M24K001
gris · *grey*	F016M24K006
antracita · *anthracite*	F016M24K033
negro · *black*	F016M24K030
deep brown	F016M24K018
forest green	F016M24K012

Materiales · *Materials*
aluminio, vidrio, acero · *aluminum, glass, stainless steel*

p. 415

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 6,80 Kg DIMMER INCLUDED



CAULE FLOOR 5

Patricia Urquiola, 2020

Potencia · *Power* 10W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 10W 447lm ≠ FIXT 282lm 2700K
CRI80 100/240V [i]

Acabados *Finishes*

	Colores *Colors*
blanco · *white*	F016M25K001
gris · *grey*	F016M25K006
antracita · *anthracite*	F016M25K033
negro · *black*	F016M25K030
deep brown	F016M25K018
forest green	F016M25K012

Materiales · *Materials*
aluminio, vidrio, acero · *aluminum, glass, stainless steel*

p. 415

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 7,20 Kg DIMMER INCLUDED



CHASEN

Patricia Urquiola, 2007

Potencia · *Power* 120W

Tensión · *Voltage* 230V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
120W E27 PAR38 872lm [i]

Acabados *Finishes*

	Colores *Colors*
blanco · *white*	F1636009
negro · *black*	F1636030

Materiales · *Materials*
acero inoxidable, aluminio, vidrio · *stainless steel, aluminum, glass*

p. 316

Peso · *Weight* 6,5 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



CHIARA F

Mario Bellini, 1969 -2020

Potencia · *Power* 15W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
stainless steel *with* black edge	F1590056

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [i]

Materiales · *Materials*
acero inoxidable, tpu · *stainless steel, tpu*

p. 160

Peso · *Weight* 10,5 Kg

DIMMER INCLUDED



CHIARA T

Mario Bellini, 2020

Potencia · *Power* 1 x MAX 10W LED

Tensión · *Voltage* 220 -240V

Acabados *Finishes*	Colores *Colors*
dark grey with olive green edge	F1595023
aluminum with anthracite edge	F1595004
pink gold with oxide red edge	F1595034

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 10W E14 800lm [e] o · *or*
LED 10W E14 900lm [e] o · *or*
LED 8W E14 900lm [e] o · *or*
LED 8W E14 700lm [e]

Materiales · *Materials*
aluminio, tpu ·*aluminum, tpu*

p. 58

Peso · *Weight* 1,3 Kg

DIMMER INCLUDED



CHRYSALIS

Marcel Wanders, 2011

Potencia · *Power* 1 x MAX 65W + 1 x 80W

Tensión · *Voltage* 230-240V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F1670009

A+ → B
A


Fuente luminosa (disponible) · *Light source (available)*
60W GY 6 12V HSGS 1650lm [i] +
80W G5 T5 6450lm [i]

Materiales · *Materials*
Cocoon, vidrio, acero · *Cocoon, glass, steel*

p. 197

Peso · *Weight* 13,5 Kg

SWITCH INCLUDED



CLARA

Piero Lissoni, 2014

Potencia · *Power* 57W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F1570009
	DECORADO / *FRIEZE FINISHES*
cromo · *chrome*	F1571057
cobre · *copper*	F1571015
trasparente · *transparent*	F1571000
fumè · *fumée*	F1571030A

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
TOP LED 57W 3141lm 2700K CRI>90
[i] DIMMABLE

Materiales · *Materials*
policarbonato · *polycarbonate*

p. 390

Peso · *Weight* 3 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



CLESSIDRA OUTDOOR/INDOOR

Antonio Citterio, 2011

Potencia · *Power* 10W

Tensión · *Voltage* 100-240V

Acabados *Finishes*	Colores *Colors*
gris · *grey*	F1583006 20°+20° OUTDOOR
deep brown	F1583018 20°+20° OUTDOOR
gris · *grey*	F1584006 40°+40° OUTDOOR
deep brown	F1584018 40°+40° OUTDOOR

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
2 LED 10W 637lm 3000K CRI80 [i]

Materiales · *Materials*
aluminio, PMMA · *aluminum, PMMA*

p. 444

Peso · *Weight* 1,1 Kg



CLESSIDRA INDOOR

Antonio Citterio, 2011

Potencia · *Power* 10W

Tensión · *Voltage* 100-240V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F1583009 20°+20°
cromo · *chrome*	F1583057 20°+20°
blanco · *white*	F1584009 40°+40°
cromo · *chrome*	F1584057 40°+40°


LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
2 LED 10W 637lm 3000K CRI80 [i]

Materiales · *Materials*
aluminio, PMMA · *aluminum, PMMA*

p. 380

Peso · *Weight* 1,1 Kg



COORDINATES C1

Michael Anastassiades, 2020

Potencia · *Power* 45W

Tensión · *Voltage* 100 - 240V

Acabados *Finishes*	Colores *Colors*
anodizato champagne · *anodized champagne*	F1852044

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
STRIP LED 45W 2270lm 2700K CRI95 [i]

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida · *extruded aluminum, platinic silicone extruded opal*

p. 354

Peso · *Weight* 3,8 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



COORDINATES C1 CL III

Michael Anastassiades, 2020

Potencia · *Power* 38W

Tensión · *Voltage* 48V

Acabados *Finishes*	Colores *Colors*
anodizato champagne · *anodized champagne*	F1832044

ALIMENTATION / *POWER SUPPLY*
RF29208

DIMMER LED / *LED DIMMER*
RF26994

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
STRIP LED 38W 2270lm 2700K CRI95 [i]

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida · *extruded aluminum, platinic silicone extruded opal*

p. 354

Peso · *Weight* 1,3 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



COORDINATES C1 LONG

Michael Anastassiades, 2020

Potencia · *Power* 52W

Tensión · *Voltage* 100 - 240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 52W 2670lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1864044

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 4 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

p. 354



COORDINATES C1 LONG CL III

Michael Anastassiades, 2020

Potencia · *Power* 45W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 45W 2670lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1830044


ALIMENTATION / *POWER SUPPLY*
RF29208

DIMMER LED / *LED DIMMER*
RF26994

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 1,5 Kg

p. 354



COORDINATES C2

Michael Anastassiades, 2020

Potencia · *Power* 69W

Tensión · *Voltage* 100 - 240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 69W 3660lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors


F1858044

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 4,6 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

p. 354



COORDINATES C2 CL III

Michael Anastassiades, 2020

Potencia · *Power* 61W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 61W 3660lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1836044

ALIMENTATION / *POWER SUPPLY*
RF29209


DIMMER LED / *LED DIMMER*
RF26994

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 2,1 Kg

p. 354

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



COORDINATES C2 LONG

Michael Anastassiades, 2020

Potencia · *Power* 83W

Tensión · *Voltage* 100 - 240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 83W 4470lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors


F1866044

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 5,1 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

p. 354



COORDINATES C2 LONG CL III

Michael Anastassiades, 2020

Potencia · *Power* 75W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 75W 4470lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1834044


ALIMENTATION / *POWER SUPPLY*
RF29209

DIMMER LED / *LED DIMMER*
RF26994

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 2,6 Kg

p. 354



COORDINATES C4

Michael Anastassiades, 2020

Potencia · *Power* 157W

Tensión · *Voltage* 100 - 240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 157W 8830lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors


F1856044

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 8,1 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

p. 354



COORDINATES C4 CL III

Michael Anastassiades, 2020

Potencia · *Power* 147W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 147W 8830lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1840044

ALIMENTATION / *POWER SUPPLY*
RF29209


DIMMER LED / *LED DIMMER*
RF26994

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 5,1 Kg

p. 354

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



COORDINATES C4 LONG

Michael Anastassiades, 2020

Potencia · *Power* 185W

Tensión · *Voltage* 100 - 240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 185W 10450lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors


F1868044

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 9,0 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

p. 354



COORDINATES C4 LONG CL III

Michael Anastassiades, 2020

Potencia · *Power* 174W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 174W 10450lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1838044

ALIMENTATION / *POWER SUPPLY*
RF27617

DIMMER LED / *LED DIMMER*
RF26994

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 6,0 Kg

p. 354

COORDINATES F

Michael Anastassiades, 2020

Potencia · *Power* 61W

Tensión · *Voltage* 100 - 240/48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 61W 3240lm 2700K
CRI95 [i] DIMMABLE

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors


F1801044

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 11,8 Kg

DIMMER INCLUDED

p. 156



COORDINATES MODULE C

Michael Anastassiades, 2020

Potencia · *Power* 180W

Tensión · *Voltage* 120 - 240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 183W 10230lm 2700K
CRI90 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1883044


Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 8,9 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

p. 354

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



COORDINATES MODULE C CL III

Michael Anastassiades, 2020

Potencia · *Power* 170W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 170W 10230lm 2700K
CRI90 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1886044


ALIMENTATION / *POWER SUPPLY*
RF27617

DIMMER LED / *LED DIMMER*
RF26994

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 5,9 Kg

p. 354



COORDINATES MODULE S

Michael Anastassiades, 2020

Potencia · *Power* 180W

Tensión · *Voltage* 120 - 240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 183W 10230lm 2700K
CRI90 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors


F1880044

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 8,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

p. 236



COORDINATES MODULE S CL III

Michael Anastassiades, 2020

Potencia · *Power* 170W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 170W 10230lm 2700K
CRI90 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1889044

ALIMENTATION / *POWER SUPPLY*
RF27617

DIMMER LED / *LED DIMMER*
RF26994

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 5,9 Kg

p. 236



COORDINATES S1

Michael Anastassiades, 2020

Potencia · *Power* 37W

Tensión · *Voltage* 120 - 277V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 37W 1920lm 2700K CRI95
[i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1860044

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 2,1 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

p. 236

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



COORDINATES S1 CL III

Michael Anastassiades, 2020

Potencia · *Power* 32W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 32W 1920lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1842044


ALIMENTATION / *POWER SUPPLY*
RF29208

DIMMER LED / *LED DIMMER*
RF26994

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 1,1 Kg

p. 236



COORDINATES S2

Michael Anastassiades, 2020

Potencia · *Power* 32W

Tensión · *Voltage* 120 - 277V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 32W 2960lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors


F1862044

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 2,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

p. 236



COORDINATES S2 CLIII

Michael Anastassiades, 2020

Potencia · *Power* 50W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 55W 2960lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1844044


ALIMENTATION / *POWER SUPPLY*
RF29208

DIMMER LED / *LED DIMMER*
RF26994

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 1,7 Kg

p. 236



COORDINATES S3

Michael Anastassiades, 2020

Potencia · *Power* 71W

Tensión · *Voltage* 120 - 277V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 71W 3850lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1850044


Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 3,2 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

p. 236

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



COORDINATES S3 CL III

Michael Anastassiades, 2020

Potencia · *Power* 64W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 64W 3850lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1846044


ALIMENTATION / *POWER SUPPLY*
RF29209

DIMMER LED / *LED DIMMER*
RF26994

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 2,2 Kg

p. 236



COORDINATES S4

Michael Anastassiades, 2020

Potencia · *Power* 161W

Tensión · *Voltage* 120 - 240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 161W 8830lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors


F1854044

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 7,9 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

p. 236



COORDINATES S4 CLIII

Michael Anastassiades, 2020

Potencia · *Power* 161W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
STRIP LED 161W 8830lm 2700K
CRI95 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1848044

ALIMENTATION / *POWER SUPPLY*
RF29209

DIMMER LED / *LED DIMMER*
RF26994

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 5,1 Kg

p. 236



COORDINATES WALL 1

Michael Anastassiades, 2020

Potencia · *Power* 15W

Tensión · *Voltage* 230V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED module 15W 962lm 2700K
CRI90 [i]

Acabados
Finishes

anodizato champagne ·
anodized champagne

Colores
Colors

F1810044

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida ·
extruded aluminum, platinic silicone extruded opal

Peso · *Weight* 0,80 Kg

p. 350

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



COORDINATES WALL 2

Michael Anastassiades, 2020

Potencia · *Power* 24W

Tensión · *Voltage* 230V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED module 24W 1403lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio extruido, silicona platino opal extruida · *extruded aluminum, platinic silicone extruded opal*

Peso · *Weight* 1 Kg

Acabados *Finishes*	Colores *Colors*
anodizato champagne · *anodized champagne*	F1811044

p. 350



COPYCAT

Michael Anastassiades, 2015

Potencia · *Power* 16W

Tensión · *Voltage* 100-240V/24V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 COB LED 16W 900lm total 2700K CRI83 [i] DIMMABLE

Materiales · *Materials*
aluminio, vidrio soplado · *aluminum, blown glass*

Peso · *Weight* 3,6 Kg

DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
oro 24K · *24K gold*	F1952044
cobre · *copper*	F1952015
negro · *black*	F1952030
aluminio · *aluminum*	F1952050

p. 103



DIABOLO

Achille Castiglioni, 1998 - 2020

Potencia · *Power* max 70W - 21W LED

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 21W E27 2452lm total [e] o · *or*
LED E27 2200lm total [e]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 2,9 Kg

Acabados *Finishes*	Colores *Colors*
beaver brown	F2121026
cherry red	F2121035
blanco · *white*	F2121009

p. 250



FANTASMA PICCOLO

Tobia Scarpa, 1961

Potencia · *Power* 3 x MAX 60W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 10W E27 965lm [e]

Materiales · *Materials*
Cocoon, acero · *Cocoon, steel*

Peso · *Weight* 10 Kg

DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F2101009

p. 196

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



FLAUTA H225 RIGA/INDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
2 LED 12W 493lm 2700K CRI95 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,8 Kg

DIMMER INCLUDED
PUSH/DALI

Acabados *Finishes*	Colores *Colors*
nero·*black*	F2340030
blanco · *white*	F2340009
anodized blue steel	F2340023
anodized copper	F2340015
anodized ruby red	F2340035

p. 360



FLAUTA H225 SPIGA/INDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
2 LED 12W 493lm 2700K CRI95 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,8 Kg

DIMMER INCLUDED
PUSH/DALI

Acabados *Finishes*	Colores *Colors*
nero·*black*	F2341030
blanco · *white*	F2341009
anodized blue steel	F2341023
anodized copper	F2341015
anodized ruby red	F2341035

p. 360



FLAUTA H500 RIGA/INDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
2 LED 12W 493lm 2700K CRI95 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 1,5 Kg

DIMMER INCLUDED
PUSH/DALI

Acabados *Finishes*	Colores *Colors*
nero·*black*	F2342030
blanco · *white*	F2342009
anodized blue steel	F2342023
anodized copper	F2342015
anodized ruby red	F2342035

p. 360



FLAUTA H500 SPIGA/INDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
2 LED 12W 493lm 2700K CRI95 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 1,5 Kg

DIMMER INCLUDED
PUSH/DALI

Acabados *Finishes*	Colores *Colors*
nero·*black*	F2343030
blanco · *white*	F2343009
anodized blue steel	F2343023
anodized copper	F2343015
anodized ruby red	F2343035

p. 360

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*

TECHNICAL INFO



FLAUTA H1000 RIGA/INDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
2 LED 12W 493lm 2700K CRI95 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 2,7 Kg

DIMMER INCLUDED PUSH/DALI

IP 40

Acabados *Finishes*	Colores *Colors*
nero·*black*	F2344030
blanco · *white*	F2344009
anodized blue steel	F2344023
anodized copper	F2344015
anodized ruby red	F2344035

p. 360



FLAUTA H1000 SPIGA/INDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
2 LED 12W 493lm 2700K CRI95 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 2,7 Kg

DIMMER INCLUDED PUSH/DALI

IP 40

Acabados *Finishes*	Colores *Colors*
nero·*black*	F2345030
blanco · *white*	F2345009
anodized blue steel	F2345023
anodized copper	F2345015
anodized ruby red	F2345035

p. 360



FLAUTA H225 RIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,8 Kg

DIMMER INCLUDED PUSH/DALI

IP 65

Acabados *Finishes*	Colores *Colors*
negro · *black*	F019A21D030
blanco · *white*	F019A21D001
antracita · *anthracite*	F019A21D033
gris ·grey	F019A21D006
deep brown	F019A21D018
forest green	F019A21D012

p. 421



FLAUTA H225 RIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,8 Kg

DIMMER INCLUDED PUSH/DALI

IP 65

Acabados *Finishes*	Colores *Colors*
negro · *black*	F019A31D030
blanco · *white*	F019A31D001
antracita · *anthracite*	F019A31D033
gris ·grey	F019A31D006
deep brown	F019A31D018
forest green	F019A31D012

p. 421

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



FLAUTA H225 RIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,8 Kg

DIMMER INCLUDED PUSH/DALI

IP 65

Acabados *Finishes*	Colores *Colors*
negro · *black*	F019A41D030
blanco · *white*	F019A41D001
antracita · *anthracite*	F019A41D033
gris ·grey	F019A41D006
deep brown	F019A41D018
forest green	F019A41D012

p. 421



FLAUTA H225 SPIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,8 Kg

DIMMER INCLUDED PUSH/DALI

IP 65

Acabados *Finishes*	Colores *Colors*
negro · *black*	F019B21D030
blanco · *white*	F019B21D001
antracita · *anthracite*	F019B21D033
gris ·grey	F019B21D006
deep brown	F019B21D018
forest green	F019B21D012

p. 421



FLAUTA H225 SPIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,8 Kg

DIMMER INCLUDED PUSH/DALI

IP 65

Acabados *Finishes*	Colores *Colors*
negro · *black*	F019B31D030
blanco · *white*	F019B31D001
antracita · *anthracite*	F019B31D033
gris ·grey	F019B31D006
deep brown	F019B31D018
forest green	F019B31D012

p. 421



FLAUTA H225 SPIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,8 Kg

DIMMER INCLUDED PUSH/DALI

IP 65

Acabados *Finishes*	Colores *Colors*
negro · *black*	F019B41D030
blanco · *white*	F019B41D001
antracita · *anthracite*	F019B41D033
gris ·grey	F019B41D006
deep brown	F019B41D018
forest green	F019B41D012

p. 421

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



FLAUTA H500 RIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 12W 2x555lm ≠ FIXT 2x347lm
2700K CRI80 [i]

Acabados
Finishes

Colores
Colors

negro · *black*	F019A22D030
blanco · *white*	F019A22D001
antracita · *anthracite*	F019A22D033
gris ·grey	F019A22D006
deep brown	F019A22D018
forest green	F019A22D012

Materiales · *Materials*
aluminio · *aluminum*

p. 421

Peso · *Weight* 1,5 Kg

DIMMER INCLUDED
PUSH/DALI



FLAUTA H500 RIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 12W 2x597lm ≠ FIXT 2x372lm
3000K CRI80 [i]

Acabados
Finishes

Colores
Colors

negro · *black*	F019A32D030
blanco · *white*	F019A32D001
antracita · *anthracite*	F019A32D033
gris ·grey	F019A32D006
deep brown	F019A32D018
forest green	F019A32D012

Materiales · *Materials*
aluminio · *aluminum*

p. 421

Peso · *Weight* 1,5 Kg

DIMMER INCLUDED
PUSH/DALI



FLAUTA H500 RIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 12W 2x638lm ≠ FIXT 2x398lm
4000K CRI80 [i]

Acabados
Finishes

Colores
Colors

negro · *black*	F019A42D030
blanco · *white*	F019A42D001
antracita · *anthracite*	F019A42D033
gris ·grey	F019A42D006
deep brown	F019A42D018
forest green	F019A42D012

Materiales · *Materials*
aluminio · *aluminum*

p. 421

Peso · *Weight* 1,5 Kg

DIMMER INCLUDED
PUSH/DALI



FLAUTA H500 SPIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 12W 2x555lm ≠ FIXT 2x347lm
2700K CRI80 [i]

Acabados
Finishes

Colores
Colors

negro · *black*	F019B22D030
blanco · *white*	F019B22D001
antracita · *anthracite*	F019B22D033
gris ·grey	F019B22D006
deep brown	F019B22D018
forest green	F019B22D012


Materiales · *Materials*
aluminio · *aluminum*

p. 421

Peso · *Weight* 1,5 Kg

DIMMER INCLUDED
PUSH/DALI

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



FLAUTA H500 SPIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 12W 2x597lm ≠ FIXT 2x372lm
3000K CRI80 [i]

Acabados
Finishes

Colores
Colors


negro · *black*	F019B32D030
blanco · *white*	F019B32D001
antracita · *anthracite*	F019B32D033
gris ·grey	F019B32D006
deep brown	F019B32D018
forest green	F019B32D012

Materiales · *Materials*
aluminio · *aluminum*

p. 421

Peso · *Weight* 1,5 Kg

DIMMER INCLUDED
PUSH/DALI



FLAUTA H500 SPIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 12W 2x638lm ≠ FIXT 2x398lm
4000K CRI80 [i]

Acabados
Finishes

Colores
Colors


negro · *black*	F019B42D030
blanco · *white*	F019B42D001
antracita · *anthracite*	F019B42D033
gris ·grey	F019B42D006
deep brown	F019B42D018
forest green	F019B42D012

Materiales · *Materials*
aluminio · *aluminum*

p. 421

Peso · *Weight* 1,5 Kg

DIMMER INCLUDED
PUSH/DALI



FLAUTA H1000 RIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 12W 2x555lm ≠ FIXT 2x347lm
2700K CRI80 [i]

Acabados
Finishes

Colores
Colors

negro · *black*	F019A23D030
white · *white*	F019A23D001
antracita · *anthracite*	F019A23D033
gris ·grey	F019A23D006
deep brown	F019A23D018
forest green	F019A23D012

Materiales · *Materials*
aluminio · *aluminum*

p. 421

Peso · *Weight* 2,7 Kg

DIMMER INCLUDED
PUSH/DALI



FLAUTA H1000 RIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 12W 2x597lm ≠ FIXT 2x372lm
3000K CRI80 [i]

Acabados
Finishes

Colores
Colors

negro · *black*	F019A33D030
blanco · *white*	F019A33D001
antracita · *anthracite*	F019A33D033
gris ·grey	F019A33D006
deep brown	F019A33D018
forest green	F019A33D012

Materiales · *Materials*
aluminio · *aluminum*

p. 421

Peso · *Weight* 2,7 Kg

DIMMER INCLUDED
PUSH/DALI

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



FLAUTA H1000 RIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 12W 2x638lm ≠ FIXT 2x398lm
4000K CRI80 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 2,7 Kg

DIMMER INCLUDED
PUSH/DALI

IP 65

Acabados *Finishes*	Colores *Colors*
negro · *black*	F019A43D030
blanco · *white*	F019A43D001
antracita · *anthracite*	F019A43D033
gris ·grey	F019A43D006
deep brown	F019A43D018
forest green	F019A43D012

p. 421



FLAUTA H1000 SPIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 12W 2x555lm ≠ FIXT 2x347lm
2700K CRI80 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 2,7 Kg

DIMMER INCLUDED
PUSH/DALI

IP 65

Acabados *Finishes*	Colores *Colors*
black · *black*	F019B23D030
blanco · *white*	F019B23D001
antracita · *anthracite*	F019B23D033
gris ·grey	F019B23D006
deep brown	F019B23D018
forest green	F019B23D012

p. 421



FLAUTA H1000 SPIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 12W 2x597lm ≠ FIXT 2x372lm
3000K CRI80 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 2,7 Kg

DIMMER INCLUDED
PUSH/DALI

IP 65

Acabados *Finishes*	Colores *Colors*
negro · *black*	F019B33D030
blanco · *white*	F019B33D001
antracita · *anthracite*	F019B33D033
gris ·grey	F019B33D006
deep brown	F019B33D018
forest green	F019B33D012

p. 421



FLAUTA H1000 SPIGA/OUTDOOR

Patricia Urquiola, 2020

Potencia · *Power* 12W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 12W 2x638lm ≠ FIXT 2x398lm
4000K CRI80 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 2,7 Kg


DIMMER INCLUDED
PUSH/DALI

IP 65

Acabados *Finishes*	Colores *Colors*
negro · *black*	F019B43D030
blanco · *white*	F019B43D001
antracita · *anthracite*	F019B43D033
gris ·grey	F019B43D006
deep brown	F019B43D018
forest green	F019B43D012

p. 421

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



FOGLIO

Tobia Scarpa, 1966

Potencia · *Power* 2 x MAX 100W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 10W E27 965lm [e]


Materiales · *Materials*
acero · *steel*

Peso · *Weight* 3,7 Kg

IP 20

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F2400009
negro · *black*	F2400030
cromo · *chrome*	F2400057
black nikel	F2400063
oro 22K · *gold 22K*	F2400044

p. 404



FORT KNOX WALL LED MINI

Philippe Starck, 2008

Potencia · *Power* 25W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
Power LED 25W 1985lm 3000K
CRI90 [i] NO DIMMABLE


Materiales · *Materials*
aluminio pressofuso · *die-cast aluminum*

Peso · *Weight* 0,6 Kg

IP 20

Acabados *Finishes*	Colores *Colors*
blanco · *white*	09.2125.40
negro · *black*	09.2125.14
aluminio pulido · *polished aluminum*	09.2125.05

p. 382



FORT KNOX WALL LED MINI

Philippe Starck, 2008

Potencia · *Power* 25W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
Power LED 25W 2133lm 4000K
CRI90 [i] NO DIMMABLE


Materiales · *Materials*
aluminio pressofuso · *die-cast aluminum*

Peso · *Weight* 0,6 Kg

IP 20

Acabados *Finishes*	Colores *Colors*
blanco · *white*	09.2127.40
negro · *black*	09.2127.14
aluminio pulido · *polished aluminum*	09.2127.05

p. 382



FORT KNOX WALL LED

Philippe Starck, 2008

Potencia · *Power* 32W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
Power LED 32W 2896lm 3000K
CRI90 [i] DIMMABLE 1-10V

Materiales · *Materials*
aluminio pressofuso · *die-cast aluminum*


Peso · *Weight* 1,4 Kg

IP 20

Acabados *Finishes*	Colores *Colors*
blanco · *white*	09.2110.40A
negro · *black*	09.2110.14A
aluminio pulido · *polished aluminum*	09.2110.05A

p. 382

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



FORT KNOX WALL LED

Philippe Starck, 2008

Potencia · *Power* 32W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	○ 09.2110.40ADA
negro · *black*	● 09.2110.14ADA
aluminio pulido · *polished aluminum*	‖ 09.2110.05ADA


LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
Power LED 32W 2896lm 3000K
CRI90 [i] DIMMABLE DALI

Materiales · *Materials*
aluminio pressofuso · *die-cast aluminum*

p. 382

Peso · *Weight* 1,4 Kg



FORT KNOX WALL LED

Philippe Starck, 2008

Potencia · *Power* 32W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	○ 09.2112.40ADA
negro · *black*	● 09.2112.14ADA
aluminio pulido · *polished aluminum*	‖ 09.2110.05ADA


LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
Power LED 32W 32566lm 4000K
CRI90 [i] DIMMABLE DALI

Materiales · *Materials*
aluminio pressofuso · *die-cast aluminum*

p. 382

Peso · *Weight* 1,4 Kg



FORT KNOX WALL LED

Philippe Starck, 2008

Potencia · *Power* 32W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	○ 09.2112.40A
negro · *black*	● 09.2112.14A
aluminio pulido · *polished aluminum*	‖ 09.2110.05A

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
Power LED 32W 32566lm 4000K
CRI90 [i] DIMMABLE 1-10V

Materiales · *Materials*
aluminio pressofuso · *die-cast aluminum*

p. 382

Peso · *Weight* 1,4 Kg



FRISBI

Achille Castiglioni, 1978

Potencia · *Power* 1 x MAX 105W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
cromo · *chrome*	‖ F2500000

A++
→ E

Fuente luminosa (disponible) ·
Light source (available)
LED 8W E27 740lm [e]

Materiales · *Materials*
polimetilmetacrilato, acero ·
polymethylmethacrylate, steel

p. 306

Peso · *Weight* 2,7 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



FUCSIA 1

Achille Castiglioni, 1996

Potencia · *Power* MAX 40W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
vidrio · *glass*	‖ F2410000


A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 4W E14 360lm [e]

Materiales · *Materials*
vidrio, acero · *glass, steel*

p. 300

Peso · *Weight* 1 Kg



GAKU WIRELESS

Nendo, 2018

Potencia · *Power* 2W

Acabados *Finishes*	Colores *Colors*
blanco · *white*	○ F2520009
negro · *black*	● F2520030


LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED Array 2W 116lm 2700K
CRI 90 [i] DIMMABLE
WIRELESS CHARGING

Materiales · *Materials*
madera de fresno , policarbonato · *ash wood, polycarbonate*

p. 80

Peso · *Weight* 2,5 Kg DIMMER INCLUDED



GAKU WIRE

Nendo, 2018

Potencia · *Power* 5W

Acabados *Finishes*	Colores *Colors*
blanco · *white*	○ F2521009
negro · *black*	● F2521030

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED Array 5,5W 100lm 2700K
CRI 90 [i] DIMMABLE

Materiales · *Materials*
madera de fresno , policarbonato · *ash wood, polycarbonate*

p. 80

Peso · *Weight* 2,4 Kg DIMMER INCLUDED



GAKU ACCESSORIES BOWL

Acabados *Finishes*	Colores *Colors*
blanco · *white*	○ F2522009
negro · *black*	● F2522030

Materiales · *Materials*
policarbonato · *polycarbonate*

p. 80

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*

GAKU ACCESSORIES VASE



Acabados *Finishes*
blanco · *white*
negro · *black*

Colores *Colors*
○ F2523009
● F2523030

Materiales · *Materials*
policarbonato · *polycarbonate*

p. 80

CE

GAKU ACCESSORIES KEY BOWL



Acabados *Finishes*
blanco · *white*
negro · *black*

Colores *Colors*
○ F2524009
● F2524030

Materiales · *Materials*
policarbonato · *polycarbonate*

p. 80

CE

GAKU ACCESSORIES BOOKEND



Acabados *Finishes*
blanco · *white*
negro · *black*

Colores *Colors*
○ F2525009
● F2525030

Materiales · *Materials*
policarbonato · *polycarbonate*

p. 80

CE

GAKU ACCESSORIES MIRROR



Acabados *Finishes*
blanco · *white*
negro · *black*

Colores *Colors*
○ F2526009
● F2526030

Materiales · *Materials*
policarbonato · *polycarbonate*

p. 80

CE

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*

GATTO



Achille and Pier Giacomo Castiglioni, 1960

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 10W E27 965lm [e]

Acabados *Finishes*
blanco · *white*

Colores *Colors*
○ F2601009

Materiales · *Materials*
cocoon, acero · *cocoon, steel*

p. 112

Peso · *Weight* 2,3 Kg

DIMMER INCLUDED

CE IP 20

GATTO PICCOLO



Achille and Pier Giacomo Castiglioni, 1960

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 8W E14 900lm [e] o · *or*
LED 8W E14 700lm [e] o · *or*
LED 10W E14 800lm [e] o · *or*
LED 10W E14 900lm [e]

Acabados *Finishes*
blanco · *white*

Colores *Colors*
○ F2701009

Materiales · *Materials*
cocoon, acero · *cocoon, steel*

p. 112

Peso · *Weight* 0,9 Kg

DIMMER INCLUDED

CE IP 20

GLO-BALL BASIC ZERO



Jasper Morrison, 2009

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 8W E14 900lm [e] o · *or*
LED 8W E14 700lm [e] o · *or*
LED 10W E14 800lm [e] o · *or*
LED 10W E14 900lm [e]

Acabados *Finishes*
blanco · *white*

Colores *Colors*
○ F3330009

Materiales · *Materials*
vidrio · *glass*

p. 132

Peso · *Weight* 1 Kg

DIMMER INCLUDED

CE IP 20

GLO-BALL BASIC ZERO SWITCH



Jasper Morrison, 2009

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 8W E14 900lm [e] o · *or*
LED 8W E14 700lm [e] o · *or*
LED 10W E14 800lm [e] o · *or*
LED 10W E14 900lm [e]

Acabados *Finishes*
blanco · *white*

Colores *Colors*
○ F3331009 SWITCH


Materiales · *Materials*
vidrio · *glass*

p. 132

Peso · *Weight* 1 Kg

CE IP 40

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



GLO-BALL BASIC 1

Jasper Morrison, 1998

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

Acabados *Finishes*: blanco · *white*

Colores *Colors*: F3021000


A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 132

Peso · *Weight* 2,6 Kg DIMMER INCLUDED



GLO-BALL BASIC 2

Jasper Morrison, 1998

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

Acabados *Finishes*: blanco · *white*

Colores *Colors*: F3026000

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e] o · *or*
LED 18W E27 2000lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 132

Peso · *Weight* 5,3 Kg DIMMER INCLUDED



GLO-BALL WALL MINI

Jasper Morrison, 2002

Potencia · *Power* MAX 25W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: blanco · *white*; blanco · *white*

Colores *Colors*: F4190009 MIRROR; F4194009 C/W


A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 3W G9 290lm 2[e] o · *or*
LED 2W G9 240lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 386

Peso · *Weight* 5,3 Kg C/W MIRROR MOUNTING



GLO-BALL C/W ZERO

Jasper Morrison, 2009

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: blanco · *white*

Colores *Colors*: F3335009

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 8W E14 900lm [e] o · *or*
LED 8W E14 700lm [e] o · *or*
LED 10W E14 800lm [e] o · *or*
LED 10W E14 900lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 386

Peso · *Weight* 1 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



GLO-BALL C1

Jasper Morrison, 1999

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: blanco · *white*

Colores *Colors*: F3023000


A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 386

Peso · *Weight* 2,5 Kg



GLO-BALL C2

Jasper Morrison, 1999

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: blanco · *white*

Colores *Colors*: F3028000


A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e] o · *or*
LED 18W E27 2000lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 386

Peso · *Weight* 5,1 Kg



GLO-BALL W

Jasper Morrison, 1999

Potencia · *Power* MAX 100W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: blanco · *white*

Colores *Colors*: F3022000

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 386

Peso · *Weight* 1,8 Kg



GLO-BALL F1

Jasper Morrison, 1998

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: plata · *silver*; negro mate · *matt black*

Colores *Colors*: F3031020; F3031031

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e]

Materiales · *Materials*
vidrio, acero · *glass, steel*

p. 194

Peso · *Weight* 12 Kg DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



GLO-BALL F2

Jasper Morrison, 1998

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
plata · *silver*	F3032020
negro mate · *matt black*	F3032031

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 15W E27 2000lm [e]

Materiales · *Materials*
vidrio, acero · *glass, steel*

p. 194

Peso · *Weight* 12,5 Kg DIMMER INCLUDED



GLO-BALL F3

Jasper Morrison, 1998

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
plata · *silver*	F3030000
negro mate · *matt black*	F3030031


A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 15W E27 2000lm [e] o · *or*
LED 18W E27 2000lm [e]

Materiales · *Materials*
vidrio, acero · *glass, steel*

p. 194

Peso · *Weight* 18,9 Kg DIMMER INCLUDED



MINI GLO-BALL S

Jasper Morrison, 1998

Potencia · *Power* MAX 25W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F4195009

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 3W G9 290lm [e] o · *or*
LED 2W G9 240lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 326

Peso · *Weight* 0,7 Kg



GLO-BALL S1

Jasper Morrison, 1998

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3005061

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 15W E27 2000lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 326

Peso · *Weight* 2,7 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



GLO-BALL S2

Jasper Morrison, 1998

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3010061

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 15W E27 2000lm [e] o · *or*
LED 18W E27 2000lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 326

Peso · *Weight* 5,6 Kg



MINI GLO-BALL T

Jasper Morrison, 2003

Potencia · *Power* MAX 25W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F4191009


A+ → E

Fuente luminosa (disponible) ·
Light source (available)
1 LED 3W G9 290lm 2700K* [e] o · *or*
1 LED 2W G9 240lm 2700K*

Materiales · *Materials*
vidrio · *glass*

p. 132

Peso · *Weight* 0,4 Kg SWITCH INCLUDED



GLO-BALL T1

Jasper Morrison, 1998

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
plata · *silver*	F3020000
negro mate · *matt black*	F3020031


A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 15W E27 2000lm [e]

Materiales · *Materials*
vidrio, acero · *glass, steel*

p. 132

Peso · *Weight* 7 Kg DIMMER INCLUDED



GOLDMAN

Ron Gilad, 2013

Potencia · *Power* 8W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
latón /verde · *brass/green*	F3440044
negro/fumè · *black/fumée*	F3440030

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
42 LED 8W 248lm total 2700K CRI
85 + CHARGER USB 5VDC 1,5A [i]
DIMMABLE

Materiales · *Materials*
aluminio, metacrilato · *aluminum, methacrylate*

p. 116

Peso · *Weight* 0,9 Kg DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



GUNS - BEDSIDE GUN

Philippe Starck, 2005

Potencia · *Power* MAX 75W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Acabados *Finishes*
oro 18K · *18K gold*

Colores *Colors*
F2953000

Materiales · *Materials*
aluminio, papel plastificado · *aluminum, plasticized paper*

Peso · *Weight* 1,7 Kg DIMMER INCLUDED

p. 134



GUNS - LOUNGE GUN

Philippe Starck, 2005

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2452lm [e]

Acabados *Finishes*
oro 18K · *18K gold*

Colores *Colors*
F2955000

Materiales · *Materials*
aluminio, papel plastificado · *aluminum, plasticized paper*

Peso · *Weight* 19,5 Kg DIMMER INCLUDED

p. 188



GUNS - TABLE GUN

Philippe Starck, 2005

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]


Acabados *Finishes*
oro 18K · *18K gold*

Colores *Colors*
F2954000

Materiales · *Materials*
aluminio, papel plastificado · *aluminum, plasticized paper*

Peso · *Weight* 6,2 Kg DIMMER INCLUDED

p. 134



IC C/W1

Michael Anastassiades, 2014

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 8W E14 900lm [e] o · *or*
LED 8W E14 700lm [e] o · *or*
LED 10W E14 800lm [e] o · *or*
LED 10W E14 900lm [e]

Acabados *Finishes*
cromo · *chrome*
latón · *brass*
negro · *black*
rojo burgundy · *red burgundy*


Colores *Colors*
F3178057
F3178059
F3178030
F3178035

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 2 Kg

p. 366

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



IC C/W1 OUTDOOR/INDOOR

Michael Anastassiades, 2020

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 8W E14 900lm [e] o · *or*
LED 8W E14 800lm [e]

Acabados *Finishes*
acero inox satinado · *brushed stainless steel*
finitura latón · *brass finish*
negro · *black*
deep brown
rojo burgundy · *red burgundy*

Colores *Colors*
F012H00C005
F012H00C059
F012H00C030
F012H00C018
F012H00C037

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 2,2 Kg

p. 426



IC C/W1 DOUBLE

Michael Anastassiades, 2020

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 8W E14 900lm [e] o · *or*
LED 8W E14 700lm [e] o · *or*
LED 10W E14 800lm [e] o · *or*
LED 10W E14 900lm [e]]


Acabados *Finishes*
cromo · *chrome*
latón · *brass*
negro · *black*
rojo burgundy · *red burgundy*

Colores *Colors*
F3157057
F3157059
F3157030
F3157035

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 2,7 Kg

p. 365



IC C/W2

Michael Anastassiades, 2014

Potencia · *Power* MAX 205W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e] o · *or*
LED 18W E27 2000lm [e]


Acabados *Finishes*
cromo · *chrome*
latón · *brass*
negro · *black*
rojo burgundy · *red burgundy*

Colores *Colors*
F3179057
F3179059
F3179030
F3179035

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 3,7 Kg

p. 366



IC C/W2 OUTDOOR/INDOOR

Michael Anastassiades, 2020

Potencia · *Power* MAX 205W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e]

Acabados *Finishes*
acero inox satinado · *brushed stainless steel*
finitura latón · *brass finish*
negro · *black*
deep brown
rojo burgundy · *red burgundy*

Colores *Colors*
F012J00C005
F012J00C059
F012J00C030
F012J00C018
F012J00C037

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 3,8 Kg

p. 426

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



IC C/W2 DOUBLE

Michael Anastassiades, 2020

Potencia · *Power* MAX 205W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e] o · *or*
LED 18W E27 2000lm [e]

Acabados *Finishes*
- cromo · *chrome*
- latón · *brass*
- negro · *black*
- rojo burgundy · *red burgundy*

Colores *Colors*
- F3159057
- F3159059
- F3159030
- F3159035

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 4,3 Kg

p. 365



IC F1

Michael Anastassiades, 2014

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 8W E14 900lm [e] o · *or*
LED 8W E14 700lm [e] o · *or*
LED 10W E14 800lm [e] o · *or*
LED 10W E14 900lm [e]

Acabados *Finishes*
- cromo · *chrome*
- latón · *brass*
- negro · *black*
- rojo burgundy · *red burgundy*

Colores *Colors*
- F3173057
- F3173059
- F3173030
- F3173035

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 5 Kg DIMMER INCLUDED

p. 178



IC F1 OUTDOOR/INDOOR

Michael Anastassiades, 2019

Potencia · *Power* 8W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 8W E14 900lm [e] o · *or*
LED 8W E14 700lm [e]

Acabados *Finishes*
- acero inox · *stainless steel* (occhio di pernice marble)
- latón · *brass* (grey lava marble)
- deep brown (travertino imperiale marble)
- negro · *black* (black lava marble)
- rojo burgundy · *red burgundy* (black lava marble)

Colores *Colors*
- F012A04C005
- F012A03C059
- F012A01C018
- F012A02C030
- F012A02C037

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 5 Kg DIMMER INCLUDED

p. 427



IC F2

Michael Anastassiades, 2014

Potencia · *Power* MAX 205W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e] o · *or*
LED 18W E27 2000lm [e]

Acabados *Finishes*
- cromo · *chrome*
- latón · *brass*
- negro · *black*
- rojo burgundy · *red burgundy*

Colores *Colors*
- F3174057
- F3174059
- F3174030
- F3174035

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 10 Kg DIMMER INCLUDED

p. 178

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



IC F2 OUTDOOR/INDOOR

Michael Anastassiades, 2019

Potencia · *Power* 17W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e]

Acabados *Finishes*
- acero inox · *stainless steel* (occhio di pernice marble)
- latón · *brass* (grey lava marble)
- deep brown (travertino imperiale marble)
- negro · *black* (black lava marble)
- rojo burgundy · *red burgundy* (black lava marble)

Colores *Colors*
- F012B04C005
- F012B03C059
- F012B01C018
- F012B02C030
- F012B02C037

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 10 Kg DIMMER INCLUDED

p. 427



IC S1

Michael Anastassiades, 2014

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 8W E14 900lm [e] o · *or*
LED 8W E14 700lm [e] o · *or*
LED 10W E14 800lm [e] o · *or*
LED 10W E14 900lm [e]

Acabados *Finishes*
- cromo · *chrome*
- latón · *brass*
- negro · *black*
- rojo burgundy · *red burgundy*

Colores *Colors*
- F3175057
- F3175059
- F3175030
- F3175035

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 2,2 Kg

p. 288



IC S2

Michael Anastassiades, 2014

Potencia · *Power* MAX 205W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e] o · *or*
LED 18W E27 2000lm [e]


Acabados *Finishes*
- cromo · *chrome*
- latón · *brass*
- negro · *black*
- rojo burgundy · *red burgundy*

Colores *Colors*
- F3176057
- F3176059
- F3176030
- F3176035

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 3,9 Kg

p. 288



IC T1 HIGH

Michael Anastassiades, 2014

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 8W E14 900lm [e] o · *or*
LED 8W E14 700lm [e] o · *or*
LED 10W E14 800lm [e] o · *or*
LED 10W E14 900lm [e]

Acabados *Finishes*
- cromo · *chrome*
- latón · *brass*
- negro · *black*
- rojo burgundy · *red burgundy*


Colores *Colors*
- F3170057
- F3170059
- F3170030
- F3170035

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 1,7 Kg DIMMER INCLUDED

p. 99

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



IC T1 LOW

Michael Anastassiades, 2014

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 8W E14 900lm [e] o · *or*
LED 8W E14 700lm [e]] o · or
LED 10W E14 900lm [e]

Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 1,6 Kg DIMMER INCLUDED

IP 20

Acabados *Finishes*	Colores *Colors*
cromo · *chrome*	F3171057
latón · *brass*	F3171059
negro · *black*	F3171030
rojo burgundy · *red burgundy*	F3171035

p. 99



IC T2

Michael Anastassiades, 2014

Potencia · *Power* MAX 205W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e] o · *or*
LED 18W E27 2000lm [e]


Materiales · *Materials*
acero, latón , vidrio soplado · *steel, brass, blown glass*

Peso · *Weight* 3,6 Kg DIMMER INCLUDED

IP 20

Acabados *Finishes*	Colores *Colors*
cromo · *chrome*	F3172057
latón · *brass*	F3172059
negro · *black*	F3172030
rojo burgundy · *red burgundy*	F3172035

p. 99



IN VITRO CEILING

Philippe Starck, 2020

Potencia · *Power* 13W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED 13W 1378lm ≠ FIXT 799lm 2700K
CRI80 220/240V [i] NO DIMMABLE

Materiales · *Materials*
aluminio, vidrio · *aluminum, glass*


p. 344 - 416

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 2,80 Kg DIMMER INCLUDED

IP 65

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F018C25A001
negro · *black*	F018C25A030
antracita · *anthracite*	F018C25A033
deep brown	F018C25A018
forest green	F018C25A012
pale green	F018C25A013
terracotta	F018C25A025



IN VITRO CEILING

Philippe Starck, 2020

Potencia · *Power* 13W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED 13W 1378lm ≠ FIXT 799lm 2700K
CRI80 220/240V [i] DIMMABLE 1-10V

Materiales · *Materials*
aluminio, vidrio · *aluminum, glass*

p. 344 - 416


para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 2,80 Kg DIMMER INCLUDED

IP 65

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F018C25B001
negro · *black*	F018C25B030
antracita · *anthracite*	F018C25B033
deep brown	F018C25B018
forest green	F018C25B012
pale green	F018C25B013
terracotta	F018C25B025

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



IN VITRO CEILING

Philippe Starck, 2020

Potencia · *Power* 13W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED 13W 1378lm ≠ FIXT 799lm 2700K
CRI80 220/240V [i] DIMMABLE DALI

Materiales · *Materials*
aluminio, vidrio · *aluminum, glass*

p. 344 - 416

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 2,80 Kg DIMMER INCLUDED

IP 65

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F018C25D001
negro · *black*	F018C25D030
antracita · *anthracite*	F018C25D033
deep brown	F018C25D018
forest green	F018C25D012
pale green	F018C25D013
terracotta	F018C25D025



IN VITRO WALL

Philippe Starck, 2020

Potencia · *Power* 11W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED 11W 1150lm ≠ FIXT 667lm 2700K
CRI80 220/240V [i] NO DIMMABLE

Materiales · *Materials*
aluminio, vidrio · *aluminum, glass*

p. 344 - 416

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 2,20 Kg DIMMER INCLUDED

IP 65

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F018B25A001
negro · *black*	F018B25A030
antracita · *anthracite*	F018B25A033
deep brown	F018B25A018
forest green	F018B25A012
pale green	F018B25A013
terracotta	F018B25A025



IN VITRO WALL

Philippe Starck, 2020

Potencia · *Power* 11W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED 11W 1150lm ≠ FIXT 667lm 2700K
CRI80 220/240V [i] DIMMABLE 1-10V

Materiales · *Materials*
aluminio, vidrio · *aluminum, glass*

p. 344 - 416

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 2,20 Kg DIMMER INCLUDED

IP 65

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F018B25B001
negro · *black*	F018B25B030
antracita · *anthracite*	F018B25B033
deep brown	F018B25B018
forest green	F018B25B012
pale green	F018B25B013
terracotta	F018B25B025



IN VITRO WALL

Philippe Starck, 2020

Potencia · *Power* 11W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED 11W 1150lm ≠ FIXT 667lm 2700K
CRI80 220/240V [i] DIMMABLE DALI

Materiales · *Materials*
aluminio, vidrio · *aluminum, glass*

p. 344 - 416


para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 2,20 Kg DIMMER INCLUDED

IP 65

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F018B25D001
negro · *black*	F018B25D030
antracita · *anthracite*	F018B25D033
deep brown	F018B25D018
forest green	F018B25D012
pale green	F018B25D013
terracotta	F018B25D025

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



IN VITRO SUSPENSION

Philippe Starck, 2020

Potencia · *Power* 13W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 13W 1378lm ≠ FIXT 799lm 2700K CRI80 220/240V [i] NO DIMMABLE


Acabados *Finishes*	Colores *Colors*
blanco · *white*	F018D25A001
negro · *black*	F018D25A030
antracita · *anthracite*	F018D25A033
deep brown	F018D25A018
forest green	F018D25A012
pale green	F018D25A013
terracotta	F018D25A025

Materiales · *Materials*
aluminio, vidrio · *aluminum, glass*

p. 231 - 416

Peso · *Weight* 2,60 Kg DIMMER INCLUDED

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



IN VITRO SUSPENSION

Philippe Starck, 2020

Potencia · *Power* 13W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 13W 1378lm ≠ FIXT 799lm 2700K CRI80 220/240V [i] DIMMABLE 1-10V


Acabados *Finishes*	Colores *Colors*
blanco · *white*	F018D25B001
negro · *black*	F018D25B030
antracita · *anthracite*	F018D25B033
deep brown	F018D25B018
forest green	F018D25B012
pale green	F018D25B013
terracotta	F018D25B025

Materiales · *Materials*
aluminio, vidrio · *aluminum, glass*

p. 231 - 416

Peso · *Weight* 2,60 Kg DIMMER INCLUDED

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



IN VITRO SUSPENSION

Philippe Starck, 2020

Potencia · *Power* 13W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 13W 1378lm ≠ FIXT 799lm 2700K CRI80 220/240V [i] DIMMABLE DALI

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F018D25D001
negro · *black*	F018D25D030
antracita · *anthracite*	F018D25D033
deep brown	F018D25D018
forest green	F018D25D012
pale green	F018D25D013
terracotta	F018D25D025

Materiales · *Materials*
aluminio, vidrio · *aluminum, glass*

p. 231 - 416

Peso · *Weight* 2,60 Kg DIMMER INCLUDED

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



IN VITRO UNPLUGGED

Philippe Starck, 2020

Potencia · *Power* 2W

Tensión · *Voltage* IN 5V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED EDGE LIGHTING 2W 200lm 2700K CRI 90 [i] DIMMABLE
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F018E21K001
negro · *black*	F018E21K030
antracita · *anthracite*	F018E21K033
deep brown	F018E21K018
forest green	F018E21K012
pale green	F018E21K013
terracotta	F018E21K025

Materiales · *Materials*
aluminio, vidrio, silicona · *aluminum, glass, silicone*

p. 56 - 416

Peso · *Weight* 1,10 Kg DIMMER INCLUDED

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



IPNOS OUTDOOR

Nicoletta Rossi and Guido Bianchi, 2014

Potencia · *Power* 15W

Tensión · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
196 TOP LED 15W 665lm 3500K CRI 85 [i]


Acabados *Finishes*	Colores *Colors*
negro · *black*	F3150030
naturale · *natural*	F3150054
bronce · *bronze*	F3150046
trasparente · *transparent*	F3125000 TOP PLATE OPTIONAL

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

p. 435

Peso · *Weight* 0,8 Kg DIMMER INCLUDED

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



INFRA-STRUCTURE EPISODE 2_C2

Vincent Van Duysen, 2020

Potencia · *Power* 25,5W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE


Fuente luminosa (disponible) ·
Light source (available)
TOP LED 25,5W 2366lm 2700K CRI90

Acabados *Finishes*	Colores *Colors*
negro mate · *matte black*	03.8461.14
blanco mate · *matte white*	03.8461.40

Materiales · *Materials*
aluminio extruido y torneado, policarbonato opalino extruido · *extruded aluminum, opal polycarbonate extruded*

p. 254

Peso · *Weight* 2,5 Kg REMOTE DRIVER INCLUDED



INFRA-STRUCTURE EPISODE 2_C3

Vincent Van Duysen, 2020

Potencia · *Power* 50W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
TOP LED 40W 3195lm + 20W 1820 2700K CRI90


Acabados *Finishes*	Colores *Colors*
negro mate · *matte black*	03.8462.14
blanco mate · *matte white*	03.8462.40

Materiales · *Materials*
aluminio extruido y torneado, policarbonato opalino extruido · *extruded and spin-formed aluminum, opal polycarbonate extruded*

p. 254

Peso · *Weight* 7 Kg REMOTE DRIVER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



INFRA-STRUCTURE EPISODE 2_C4

Vincent Van Duysen, 2020

Potencia · *Power* 105,5W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
TOP LED 40W 3195lm + 40W 3195lm + 25,5W 2366 2700K CRI90


Materiales · *Materials*
aluminio extruido y torneado, policarbonato opalino extruido · *extruded and spin-formed aluminum, opal polycarbonate extruded*

Peso · *Weight* 12,5 Kg REMOTE DRIVER INCLUDED

Acabados *Finishes* / Colores *Colors*

negro mate · *matte black*	03.8463.14
blanco mate · *matte white*	03.8463.40

p. 254



INFRA-STRUCTURE EPISODE 2_C6

Vincent Van Duysen, 2020

Potencia · *Power* 50W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
TOP LED 30W 1325lm + TOP LED 20W 1820lm 2700K CRI90


Materiales · *Materials*
aluminio extruido y torneado, policarbonato opalino extruido · *extruded and spin-formed aluminum, opal polycarbonate extruded*

Peso · *Weight* 5 Kg REMOTE DRIVER INCLUDED

Acabados *Finishes* / Colores *Colors*

negro mate · *matte black*	03.8466.14
blanco mate · *matte white*	03.8466.40

p. 254



INFRA-STRUCTURE EPISODE 2_C7

Vincent Van Duysen, 2020

Potencia · *Power* 85,5W

Tensión · *Voltage* 48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
TOP LED 2x30W 1325lm + TOP LED 30W 2366lm 2700K CRI90

Materiales · *Materials*
aluminio extruido y torneado, policarbonato opalino extruido · *extruded and spin-formed aluminum, opal polycarbonate extruded*

Peso · *Weight* 10,5 Kg REMOTE DRIVER INCLUDED

Acabados *Finishes* / Colores *Colors*

negro mate · *matte black*	03.8467.14
blanco mate · *matte white*	03.8467.40

p. 254



KAP SURFACE - ROUND

Flos Architectural, 2011

Potencia · *Power* 9,2W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED ARRAY 9,2W 935lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,45 Kg DIMMER INCLUDED

Acabados *Finishes* / Colores *Colors*

E / I*	
NON DIMMABLE	
blanco/oro mate · *white/matt gold*	03.6001.B1
nero/oro mate · *black/matt gold*	03.6001.14
deep brown/oro mate · *deep brown/matt gold*	03.6001.18
MAINS DIMMABLE	
blanco/oro mate · *white/matt gold*	03.5901.B1
nero/oro mate · *black/matt gold*	03.5901.14
deep brown/oro mate · *deep brown/matt gold*	03.5901.18
DALI/PUSH VERSION	
blanco/oro mate · *white/matt gold*	03.6001.B1.DA
nero/oro mate · *black/matt gold*	03.6001.14.DA
deep brown/oro mate · *deep brown/matt gold*	03.6001.18.DA

p. 346

* E =Exterior colour - I = Interior colour



KAP SURFACE - ROUND

Flos Architectural, 2011

Potencia · *Power* 9,2W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED ARRAY 9,2W 935lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,45 Kg DIMMER INCLUDED

Acabados *Finishes* / Colores *Colors*

E / I*	
NON DIMMABLE	
blanco/cobre · *white/copper*	03.6002.B1
nero/cobre · *black/copper*	03.6002.14
deep brown/cobre · *deep brown/copper*	03.6002.18
MAINS DIMMABLE	
blanco/cobre · *white/copper*	03.5902.B1
nero/cobre · *black/copper*	03.5902.14
deep brown/cobre · *deep brown/copper*	03.5902.18
DALI/PUSH VERSION	
blanco/cobre · *white/copper*	03.6002.B1.DA
nero/cobre · *black/copper*	03.6002.14.DA
deep brown/cobre · *deep brown/copper*	03.6002.18.DA

p. 346

* E =Exterior colour - I = Interior colour



KAP SURFACE - ROUND

Flos Architectural, 2011

Potencia · *Power* 9,2W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED ARRAY 9,2W 935lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,45 Kg DIMMER INCLUDED

Acabados *Finishes* / Colores *Colors*

E / I*	
NON DIMMABLE	
blanco/negro · *white/black*	03.6003.B1
nero/negro · *black/black*	03.6003.14
deep brown/negro · *deep brown/black*	03.6003.18
MAINS DIMMABLE	
blanco/negro · *white/black*	03.5903.B1
nero/negro · *black/black*	03.5903.14
deep brown/negro · *deep brown/black*	03.5903.18
DALI/PUSH VERSION	
blanco/negro · *white/black*	03.6003.B1.DA
nero/negro · *black/black*	03.6003.14.DA
deep brown/negro · *deep brown/black*	03.6003.18.DA

p. 346

* E =Exterior colour - I = Interior colour



KAP SURFACE - SQUARE

Flos Architectural, 2011

Potencia · *Power* 9,2W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED ARRAY 9,2W 935lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,45 Kg DIMMER INCLUDED


Acabados *Finishes* / Colores *Colors*

E / I*	
NON DIMMABLE	
blanco/blanco · *white/white*	03.6010.B1
negro/blanco · *black/white*	03.6010.14
deep brown/blanco · *deep brown/white*	03.6010.18
MAINS DIMMABLE	
blanco/blanco · *white/white*	03.5910.B1
negro/blanco · *black/white*	03.5910.14
deep brown/blanco · *deep brown/white*	03.5910.18
DALI/PUSH VERSION	
blanco/blanco · *white/white*	03.6010.B1.DA
negro/blanco · *black/white*	03.6010.14.DA
deep brown/blanco · *deep brown/white*	03.6010.18.DA

p. 346

* E =Exterior colour - I = Interior colour

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



KAP SURFACE - SQUARE

Flos Architectural, 2011

Potencia · *Power* 9,2W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED ARRAY 9,2W 935lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,45 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
E / I*	
NON DIMMABLE	
blanco/oro mate · *white/matt gold*	03.6011.B1
nero/oro mate · *black/matt gold*	03.6011.14
deep brown/oro mate · *deep brown/matt gold*	03.6011.18
MAINS DIMMABLE	
blanco/oro mate · *white/matt gold*	03.5911.B1
nero/oro mate · *black/matt gold*	03.5911.14
deep brown/oro mate · *deep brown/matt gold*	03.5911.18
DALI/PUSH VERSION	
blanco/oro mate · *white/matt gold*	03.6011.B1.DA
nero/oro mate · *black/matt gold*	03.6011.14.DA
deep brown/oro mate · *deep brown/matt gold*	03.6011.18.DA

p. 346

* E =Exterior colour - I = Interior colour



KAP SURFACE - SQUARE

Flos Architectural, 2011

Potencia · *Power* 9,2W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED ARRAY 9,2W 935lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,45 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
E / I*	
NON DIMMABLE	
blanco/cobre · *white/copper*	03.6012.B1
nero/cobre · *black/copper*	03.6012.14
deep brown/cobre · *deep brown/copper*	03.6012.18
MAINS DIMMABLE	
blanco/cobre · *white/copper*	03.5912.B1
nero/cobre · *black/copper*	03.5912.14
deep brown/cobre · *deep brown/copper*	03.5912.18
DALI/PUSH VERSION	
blanco/cobre · *white/copper*	03.6012.B1.DA
nero/cobre · *black/copper*	03.6012.14.DA
deep brown/cobre · *deep brown/copper*	03.6012.18.DA

p. 346

* E =Exterior colour - I = Interior colour



KAP SURFACE - SQUARE

Flos Architectural, 2011

Potencia · *Power* 9,2W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED ARRAY 9,2W 935lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,45 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
E / I*	
NON DIMMABLE	
blanco/negro · *white/black*	03.6013.B1
nero/negro · *black/black*	03.6013.14
deep brown/negro · *deep brown/black*	03.6013.18
MAINS DIMMABLE	
blanco/negro · *white/black*	03.5913.B1
nero/negro · *black/black*	03.5913.14
deep brown/negro · *deep brown/black*	03.5913.18
DALI/PUSH VERSION	
blanco/negro · *white/black*	03.6013.B1.DA
nero/negro · *black/black*	03.6013.14.DA
deep brown/negro · *deep brown/black*	03.6013.18.DA

p. 346

* E =Exterior colour - I = Interior colour



MINIKELVIN LED

Antonio Citterio, 2011

Potencia · *Power* 4W

Tensión · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
36 TOP LED 4W 97lm 3000K total CRI80 [i] DIMMING

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,8 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
cromo · *chrome*	F4180057

p. 126

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



KELVIN EDGE BASE

Antonio Citterio, 2015

Potencia · *Power* 7W

Tensión · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE


Fuente luminosa (disponible) ·
Light source (available)
EDGE LIGHTING 7W 306lm 2700/3200K CRI 90 [i] DIMMABLE K SELECTION

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 3 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3452009
negro · *black*	F3452030
titanio · *titanium*	F3452033
cromo · *chrome*	F3452057

p. 128



KELVIN EDGE MORSETTO · CLAMP

Antonio Citterio, 2015

Potencia · *Power* 7W

Tensión · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE


Fuente luminosa (disponible) ·
Light source (available)
EDGE LIGHTING 7W 306lm 2700/3200K CRI 90 [i] DIMMABLE K SELECTION

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,7 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3460009
negro · *black*	F3460030
titanio · *titanium*	F3460033
cromo · *chrome*	F3460057

p. 128



KELVIN EDGE SUPP. SCRIVANIA · DESK SUPP.

Antonio Citterio, 2015

Potencia · *Power* 7W

Tensión · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
EDGE LIGHTING 7W 306lm 2700/3200K CRI 90 [i] DIMMABLE K SELECTION


Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,6 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3458009 CV · VC
blanco · *white*	F3456009 CN · HC
negro · *black*	F3458030 CV · VC
negro · *black*	F3456030 CN · HC
titanio · *titanium*	F3458033 CV · VC
titanio · *titanium*	F3456033 CN · HC
cromo · *chrome*	F3458057 CV · VC
cromo · *chrome*	F3456057 CN · HC

p. 128

CV: cavo a vista CN: cavo nascosto · *VC: visible cable HC: hidden cable*



KELVIN EDGE ATTACCO A PARETE · WALL

Antonio Citterio, 2015

Potencia · *Power* 7W

Tensión · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
EDGE LIGHTING 7W 306lm 2700/3200K CRI 90 [i] DIMMABLE K SELECTION


Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,6 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3454009
negro · *black*	F3454030
titanio · *titanium*	F3454033
cromo · *chrome*	F3454057

p. 128

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



KELVIN LED BASE

Antonio Citterio assistant Toan Nguyen, 2009

Potencia · *Power* 8W

Tensión · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE


Fuente luminosa (disponible) ·
Light source (available)
30 TOP LED 7,5W 568lm total 3000K
CRI 95 [i] DIMMABLE GREEN MODE

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3311009
negro · *black*	F3311030
antracita · *anthracite*	F3311033
cromo · *chrome*	F3311057

Materiales · *Materials*
aluminio · *aluminum*

p. 127

Peso · *Weight* 4,8 Kg DIMMER INCLUDED



KELVIN LED MORSETTO · CLAMP

Antonio Citterio assistant Toan Nguyen, 2009

Potencia · *Power* 8W

Tensión · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE


Fuente luminosa (disponible) ·
Light source (available)
30 TOP LED 7,5W 568lm total
3000K CRI 95 [i] DIMMABLE GREEN MODE

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3301009
negro · *black*	F3301030
antracita · *anthracite*	F3301033
cromo · *chrome*	F3313057

Materiales · *Materials*
aluminio · *aluminum*

p. 127

Peso · *Weight* 1,6 Kg DIMMER INCLUDED



KELVIN LED SUPP. SCRIVANIA · DESK SUPP.

Antonio Citterio assistant Toan Nguyen, 2009

Potencia · *Power* 8W

Tensión · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
30 TOP LED 7,5W 568lm total 3000K
CRI 95 [i] DIMMABLE GREEN MODE


Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3308009 CV · *VC*
blanco · *white*	F3309009 CN · *HC*
negro · *black*	F3308030 CV · *VC*
negro · *black*	F3309030 CN · *HC*
antracita · *anthracite*	F3308033 CV · *VC*
antracita · *anthracite*	F3309033 CN · *HC*
cromo · *chrome*	F3308057 CV · *VC*
cromo · *chrome*	F3309057 CN · *HC*

Materiales · *Materials*
aluminio · *aluminum*

p. 127

Peso · *Weight* 1,5 Kg DIMMER INCLUDED

CV: cavo a vista CN: cavo nascosto · *VC: visible cable HC: hidden cable*



KELVIN LED ATTACCO A PARETE · WALL

Antonio Citterio assistant Toan Nguyen, 2009

Potencia · *Power* 8W

Tensión · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
30 TOP LED 7,5W 568lm total 3000K
CRI 95 [i] DIMMABLE GREEN MODE

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3302009
negro · *black*	F3302030
antracita · *anthracite*	F3302033
cromo · *chrome*	F3314057

Materiales · *Materials*
aluminio · *aluminum*

p. 127

Peso · *Weight* 1,5 Kg DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



KELVIN LED F

Antonio Citterio, 2011

Potencia · *Power* 8W

Tensión · *Voltage* 100-240V/24

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
30 TOP LED 8W 568lm total 2700K
CRI 95 [i]

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F3305009
negro · *black*	F3305030
antracita · *anthracite*	F3305033

Materiales · *Materials*
aluminio · *aluminum*

p. 205

Peso · *Weight* 3,8 Kg DIMMER INCLUDED



KTRIBE F1

Philippe Starck, 2007

Potencia · *Power* MAX 100W

Tensión · *Voltage* 220-240V

A+ → E


Fuente luminosa (disponible) ·
Light source (available)
LED 8,5W E27 740lm [e] o · *or*
LED 10W E27 965lm [e]

Acabados *Finishes*	Colores *Colors*
trasparente · *transparent*	F6265000
aluminizado plata · *aluminized silver*	F6265004
aluminizado bronce · *aluminized bronze*	F6265046
tela · *fabric*	F6265007
fumè · *fumée*	F6265030

Materiales · *Materials*
aluminio, policarbonato, PMMA, tela ·
aluminum, polycarbonate, PMMA, fabric

p. 200

Peso · *Weight* 4,3 Kg DIMMER INCLUDED



KTRIBE F2

Philippe Starck, 2007

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 21W E27 2452lm [e]

Acabados *Finishes*	Colores *Colors*
trasparente · *transparent*	F6305000
aluminizado plata · *aluminized silver*	F6305004
aluminizado bronce · *aluminized bronze*	F6305046
tela · *fabric*	F6305007
fumè · *fumée*	F6305030

Materiales · *Materials*
aluminio, policarbonato, PMMA, tela ·
aluminum, polycarbonate, PMMA, fabric

p. 200

Peso · *Weight* 6,7 Kg DIMMER INCLUDED



KTRIBE F3

Philippe Starck, 2007

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 21W E27 2452lm [e]

Acabados *Finishes*	Colores *Colors*
trasparente · *transparent*	F6301000
aluminizado plata · *aluminized silver*	F6301004
aluminizado bronce · *aluminized bronze*	F6301046
tela · *fabric*	F6301007
fumè · *fumée*	F6301030

Materiales · *Materials*
aluminio, policarbonato, PMMA, tela ·
aluminum, polycarbonate, PMMA, fabric

p. 200

Peso · *Weight* 14,0 Kg DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



KTRIBE F3 OUTDOOR/INDOOR

Philippe Starck, 2007

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2450lm [e]

Acabados *Finishes*
- panama
- green wall

Colores *Colors*
- F6268022
- F6268041

Materiales · *Materials*
aluminio, policarbonato, PVC · *aluminum, polycarbonate, PVC*

Peso · *Weight* 23,0 Kg DIMMER INCLUDED

IP 65

p. 438



KTRIBE S1

Philippe Starck, 2005

Potencia · *Power* MAX 75W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 3W G9 290lm [e] o · *or*
LED 2W G9 240lm [e]

Acabados *Finishes*
- aluminizado plata · *aluminized silver*
- fumè · *fumée*

Colores *Colors*
- F6256000
- F6256030

Materiales · *Materials*
policarbonato, PMMA · *polycarbonate, PMMA*

Peso · *Weight* 1 Kg

IP 20

p. 339



KTRIBE S2

Philippe Starck, 2005

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2452lm [e]

Acabados *Finishes*
- trasparente · *transparent*
- aluminizado plata · *aluminized silver*
- aluminizado bronce · *aluminized bronze*
- fumè · *fumée*

Colores *Colors*
- F6257000A
- F6257000
- F6257046
- F6257030

Materiales · *Materials*
policarbonato, PMMA · *polycarbonate, PMMA*

Peso · *Weight* 2,5 Kg

IP 20

p. 339



KTRIBE S3

Philippe Starck, 2005

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2452lm [e]

Acabados *Finishes*
- trasparente · *transparent*
- aluminizado plata · *aluminized silver*
- aluminizado bronce · *aluminized bronze*
- fumè · *fumée*

Colores *Colors*
- F6258000A
- F6258000
- F6258046
- F6258030

Materiales · *Materials*
policarbonato, PMMA · *polycarbonate, PMMA*

Peso · *Weight* 4,5 Kg

IP 20

p. 339

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



KTRIBE T1

Philippe Starck, 2007

Potencia · *Power* MAX 100W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Acabados *Finishes*
- trasparente · *transparent*
- fumè · *fumée*

Colores *Colors*
- F6263000
- F6263030

Materiales · *Materials*
aluminio, metacrilato, policarbonato · *aluminum, methacrylate, polycarbonate*

Peso · *Weight* 3,1 Kg DIMMER INCLUDED

IP 20

p. 122



KTRIBE T1 GLASS

Philippe Starck, 2007

Potencia · *Power* MAX 100W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Acabados *Finishes*
- trasparente · *transparent*

Colores *Colors*
- F6281000

Materiales · *Materials*
aluminio, vidrio, policarbonato · *aluminum, glass, polycarbonate*

Peso · *Weight* 4,6 Kg DIMMER INCLUDED

IP 20

p. 122



KTRIBE T2

Philippe Starck, 2007

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e]

Acabados *Finishes*
- trasparente · *transparent*
- aluminizado plata · *aluminized silver*
- aluminizado bronce · *aluminized bronze*
- tela · *fabric*
- fumè · *fumée*


Colores *Colors*
- F6303000
- F6303004
- F6303046
- F6303007
- F6303030

Materiales · *Materials*
aluminio, policarbonato, PMMA, tela · *aluminum, polycarbonate, PMMA, fabric*

Peso · *Weight* 5,9 Kg DIMMER INCLUDED

IP 20

p. 122



KTRIBE W

Philippe Starck, 2007

Potencia · *Power* MAX 100W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Acabados *Finishes*
- trasparente · *transparent*
- aluminizado plata · *aluminized silver*
- aluminizado bronce · *aluminized bronze*
- tela · *fabric*
- fumè · *fumée*

Colores *Colors*
- F6307000
- F6307004
- F6307046
- F6307007
- F6307030

Materiales · *Materials*
aluminio, policarbonato, PMMA, tela · *aluminum, polycarbonate, PMMA, fabric*

Peso · *Weight* 1,7 Kg DIMMER INCLUDED

IP 20

p. 400

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



LAMPADINA

Achille Castiglioni, 1972

Potencia · *Power* MAX 5W

Tensión · *Voltage* 230V

A++ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 2W E27 200lm [i]

Acabados *Finishes*	Colores *Colors*
negro · *black*	F3300000
naranja · *orange*	F3299075
blanco · *white*	F3299009
verde · *green*	F3299039
turquesa · *turquoise*	F3299074
violeta · *violet*	F3299042

Materiales · *Materials*
aluminio · *aluminum*

p. 104

Peso · *Weight* 0,3 Kg SWITCH INCLUDED



LA PLUS BELLE

Philippe Starck, 2019

Potencia · *Power* 57W

Tensión · *Voltage* 120 - 277V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
560 TOP LED 58W 5300lm 2700K
CRI 95

Acabados *Finishes*	Colores *Colors*
bronce pulido · *polished bronze*	F3680046
cobre satinado · *brushed cooper*	F3680015
oro satinado · *brushed gold*	F3680044
brill · *brill*	F3680064

Materiales · *Materials*
aluminio · *aluminum*

p. 368

Peso · *Weight* 32,8 Kg DIMMER INCLUDED



LAST ORDER CLEAR

Michael Anastassiades, 2020

Potencia · *Power* 2,5W

Tensión · *Voltage* IN 5V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 2,5W 200lm 2700K CRI90
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT

Acabados *Finishes*	Colores *Colors*
latón pulido *polished brass (INDOOR)*	F3693059
cobre satinado *satin copper (INDOOR)*	F3693015
verde mate *matt green (OUTDOOR)*	F3693039
acero pulido *polished inox (OUTDOOR)*	F3693056

Materiales · *Materials*
cristal, latón , policarbonato · *chrystal, brass, polycarbonate*

p. 62 - 424

Peso · *Weight* 1,7 Kg DIMMER INCLUDED



LAST ORDER FLUTED

Michael Anastassiades, 2020

Potencia · *Power* 2,5W

Tensión · *Voltage* IN 5V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 2,5W 200lm 2700K CRI90
6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT

Acabados *Finishes*	Colores *Colors*
latón pulido *polished brass (INDOOR)*	F3694059
cobre satinado *satin copper (INDOOR)*	F3694015
verde mate *matt green (OUTDOOR)*	F3694039
acero pulido *polished inox (OUTDOOR)*	F3694056

Materiales · *Materials*
cristal, latón , policarbonato · *chrystal, brass, polycarbonate*

p. 62 - 424

Peso · *Weight* 1,7 Kg DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



LUMINATOR

Achille and Pier Giacomo Castiglioni, 1954

Potencia · *Power* MAX 205W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 12W E27 1000lm [e] o · *or*
LED 8W E27 660lm [e]

Acabados *Finishes*	Colores *Colors*
antracita · *anthracite*	F3770033

Materiales · *Materials*
metal · *metal*

p. 213

Peso · *Weight* 4,1 Kg SWITCH INCLUDED



MAYDAY

Konstantin Grcic, 2000

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 10W E27 965lm [e]


Acabados *Finishes*	Colores *Colors*
negro · *black*	F3780030
naranja · *orange*	F3780002

Materiales · *Materials*
polipropilene · *polypropylene*

p. 74

Peso · *Weight* 0,7 Kg SWITCH INCLUDED

por unidad · *unit price*
embalaje por color 2 piezas · *packed 2 pieces*



MILE WALL 1 WASHER UP

Antonio Citterio, 2020

Potencia · *Power* 4,5W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 4,5W 431lm ≠ FIXT 240lm 2700K
CRI80 220/240V [i]


Acabados *Finishes*	Colores *Colors*
blanco · *white*	F015B21A001
gris · *grey*	F015B21A006
antracita · *anthracite*	F015B21A033
negro · *black*	F015B21A030
deep brown	F015B21A018
forest green	F015B21A012
imprimación · *primer*	F015B21A000

Materiales · *Materials*
aluminio fundido, policarbonato · *die cast aluminum, polycarbonate*

p. 418

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 0,5 Kg



MILE WALL 1 WASHER DOWN

Antonio Citterio, 2020

Potencia · *Power* 4,5W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 4,5W 431lm ≠ FIXT 240lm 2700K
CRI80 220/240V [i]

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F015B22A001
gris · *grey*	F015B22A006
antracita · *anthracite*	F015B22A033
negro · *black*	F015B22A030
deep brown	F015B22A018
forest green	F015B22A012
imprimación · *primer*	F015B22A000


Materiales · *Materials*
aluminio fundido, policarbonato · *die cast aluminum, polycarbonate*

p. 418

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 0,5 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



MILE WALL 1 WASHER UP & DOWN

Antonio Citterio, 2020

Potencia · *Power* 7,5W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 7,5W 2x431lm ≠ FIXT 2x240lm
2700K CRI80 220/240V [i]

Acabados
Finishes

blanco · *white*
gris · *grey*
antracita · *anthracite*
negro · *black*
deep brown
forest green
imprimación · *primer*

Colores
Colors


F015B23A001
F015B23A006
F015B23A033
F015B23A030
F015B23A018
F015B23A012
F015B23A000

Materiales · *Materials*
aluminio fundido, policarbonato · *die cast aluminum, polycarbonate*

Peso · *Weight* 0,5 Kg

p. 418

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



MILE WALL 2 WASHER UP

Antonio Citterio, 2020

Potencia · *Power* 7,5W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 7,5W 846lm ≠ FIXT 472lm 2700K
CRI80 220/240V [i] NO DIMMABLE

Acabados
Finishes

blanco · *white*
gris · *grey*
antracita · *anthracite*
negro · *black*
deep brown
forest green
imprimación · *primer*

Colores
Colors


F015E21A001
F015E21A006
F015E21A033
F015E21A030
F015E21A018
F015E21A012
F015E21A000

Materiales · *Materials*
aluminio fundido, policarbonato · *die cast aluminum, polycarbonate*

Peso · *Weight* 0,8 Kg

p. 418

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



MILE WALL 2 WASHER UP

Antonio Citterio, 2020

Potencia · *Power* 7,5W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 7,5W 846lm ≠ FIXT 472lm 2700K
CRI80 220/240V [i] DIMMABLE 1-10V

Acabados
Finishes

blanco · *white*
gris · *grey*
antracita · *anthracite*
negro · *black*
deep brown
forest green
imprimación · *primer*

Colores
Colors


F015E21B001
F015E21B006
F015E21B033
F015E21B030
F015E21B018
F015E21B012
F015E21B000

Materiales · *Materials*
aluminio fundido, policarbonato · *die cast aluminum, polycarbonate*

Peso · *Weight* 0,8 Kg

p. 418

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



MILE WALL 2 WASHER UP

Antonio Citterio, 2020

Potencia · *Power* 7,5W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 7,5W 846lm ≠ FIXT 472lm 2700K
CRI80 220/240V [i] DIMMABLE DALI

Acabados
Finishes

blanco · *white*
gris · *grey*
antracita · *anthracite*
negro · *black*
deep brown
forest green
imprimación · *primer*

Colores
Colors

F015E21D001
F015E21D006
F015E21D033
F015E21D030
F015E21D018
F015E21D012
F015E21D000


Materiales · *Materials*
aluminio fundido, policarbonato · *die cast aluminum, polycarbonate*

Peso · *Weight* 0,8 Kg

p. 418

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



MILE WALL 2 WASHER DOWN

Antonio Citterio, 2020

Potencia · *Power* 7,5W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 7,5W 846lm ≠ FIXT 472lm 2700K
CRI80 220/240V [i] NO DIMMABLE

Acabados
Finishes

blanco · *white*
gris · *grey*
antracita · *anthracite*
negro · *black*
deep brown
forest green
imprimación · *primer*

Colores
Colors


F015E22A001
F015E22A006
F015E22A033
F015E22A030
F015E22A018
F015E22A012
F015E22A000

Materiales · *Materials*
aluminio fundido, policarbonato · *die cast aluminum, polycarbonate*

Peso · *Weight* 0,8 Kg

p. 418

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



MILE WALL 2 WASHER DOWN

Antonio Citterio, 2020

Potencia · *Power* 7,5W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 7,5W 846lm ≠ FIXT 472lm 2700K
CRI80 220/240V [i] DIMMABLE 1-10V

Acabados
Finishes

blanco · *white*
gris · *grey*
antracita · *anthracite*
negro · *black*
deep brown
forest green
imprimación · *primer*

Colores
Colors


F015E22B001
F015E22B006
F015E22B033
F015E22B030
F015E22B018
F015E22B012
F015E22B000

Materiales · *Materials*
aluminio fundido, policarbonato · *die cast aluminum, polycarbonate*

Peso · *Weight* 0,8 Kg

p. 418

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



MILE WALL 2 WASHER DOWN

Antonio Citterio, 2020

Potencia · *Power* 7,5W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 7,5W 846lm ≠ FIXT 472lm 2700K
CRI80 220/240V [i] DIMMABLE DALI

Acabados
Finishes

blanco · *white*
gris · *grey*
antracita · *anthracite*
negro · *black*
deep brown
forest green
imprimación · *primer*

Colores
Colors


F015E22D001
F015E22D006
F015E22D033
F015E22D030
F015E22D018
F015E22D012
F015E22D000

Materiales · *Materials*
aluminio fundido, policarbonato · *die cast aluminum, polycarbonate*

Peso · *Weight* 0,8 Kg

p. 418

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



MILE WALL 1 WASHER UP & DOWN

Antonio Citterio, 2020

Potencia · *Power* 13,5W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 13,5W 2x846lm ≠ FIXT 2x472lm
2700K CRI80 220/240V [i]
NO DIMMABLE

Acabados
Finishes

blanco · *white*
gris · *grey*
antracita · *anthracite*
negro · *black*
deep brown
forest green
imprimación · *primer*

Colores
Colors

F015E23A001
F015E23A006
F015E23A033
F015E23A030
F015E23A018
F015E23A012
F015E23A000


Materiales · *Materials*
aluminio fundido, policarbonato · *die cast aluminum, polycarbonate*

Peso · *Weight* 0,8 Kg

p. 418

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



MILE WALL 1 WASHER UP & DOWN

Antonio Citterio, 2020

Potencia · *Power* 13,5W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 13,5W 2x846lm ≠ FIXT 2x472lm
2700K CRI80 220/240V [i]
DIMMABLE 1-10V

Materiales · *Materials*
aluminio fundido, policarbonato · *die cast aluminum, polycarbonate*


Peso · *Weight* 0,8 Kg

Acabados *Finishes*
- blanco · *white*
- gris · *grey*
- antracita · *anthracite*
- negro · *black*
- deep brown
- forest green
- imprimación · *primer*

Colores *Colors*
- F015E23B001
- F015E23B006
- F015E23B033
- F015E23B030
- F015E23B018
- F015E23B012
- F015E23B000

p. 418

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



MILE WALL 1 WASHER UP & DOWN

Antonio Citterio, 2020

Potencia · *Power* 13,5W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED 13,5W 2x846lm ≠ FIXT 2x472lm
2700K CRI80 220/240V [i]
DIMMABLE DALI

Materiales · *Materials*
aluminio fundido, policarbonato · *die cast aluminum, polycarbonate*

Peso · *Weight* 0,8 Kg

Acabados *Finishes*
- blanco · *white*
- gris · *grey*
- antracita · *anthracite*
- negro · *black*
- deep brown
- forest green
- imprimación · *primer*

Colores *Colors*
- F015E23D001
- F015E23D006
- F015E23D033
- F015E23D030
- F015E23D018
- F015E23D012
- F015E23D000

p. 418

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



MISS K

Philippe Starck, 2003

Potencia · *Power* MAX 100W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 10W E27 965lm [e] o · *or*
LED 10W E27 965lm [e]

Materiales · *Materials*
PMMA, policarbonato, tela · *PMMA, polycarbonate, fabric*

Peso · *Weight* 1,2 Kg DIMMER INCLUDED

Acabados *Finishes*
- plata · *silver*
- negro · *black*
- tela · *fabric*

Colores *Colors*
- F6255000
- F6255030
- F6255007

p. 144



MISS SISSI

Philippe Starck, 1991

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 2,7W E14 150lm [e]

Materiales · *Materials*
policarbonato · *polycarbonate*

Peso · *Weight* 1,5 Kg SWITCH INCLUDED


Acabados *Finishes*
- blanco · *white*

Colores *Colors*
- F6250009

p. 139

por unidad · *unit price*
embalaje: dos unidades · *packed 2 pieces*

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



MY WAY 110X100 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 5W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
MID-POWER LED 5W 421lm ≠ FIXT
188lm 2700K CRI80 100-240V [i]

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*


Peso · *Weight* 0,52 Kg

Acabados *Finishes*
- blanco · *white*
- gris · *grey*
- antracita · *anthracite*
- negro · *black*
- deep brown
- forest green

Colores *Colors*
- F4350001
- F4350006
- F4350033
- F4350030
- F4350018
- F4350012

p. 430

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



MY WAY 110X100 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 5W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
MID-POWER LED 5W 490lm ≠ FIXT
211lm 3000K CRI80 100-240V [i]

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*


Peso · *Weight* 0,52 Kg

Acabados *Finishes*
- blanco · *white*
- gris · *grey*
- antracita · *anthracite*
- negro · *black*
- deep brown
- forest green

Colores *Colors*
- F4351001
- F4351006
- F4351033
- F4351030
- F4351018
- F4351012

p. 430

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



MY WAY 110X100 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 5W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
MID-POWER LED 5W 514lm ≠ FIXT
221lm 4000K CRI80 100-240V [i]

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*


Peso · *Weight* 0,52 Kg

Acabados *Finishes*
- blanco · *white*
- gris · *grey*
- antracita · *anthracite*
- negro · *black*
- deep brown
- forest green

Colores *Colors*
- F4352001
- F4352006
- F4352033
- F4352030
- F4352018
- F4352012

p. 430

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*



MY WAY 110X200 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 13W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
MID-POWER LED 13W 1357lm ≠ FIXT
657lm 2700K CRI80 220-240V [i]

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 0,95 Kg

Acabados *Finishes*
- blanco · *white*
- gris · *grey*
- antracita · *anthracite*
- negro · *black*
- deep brown
- forest green


Colores *Colors*
- F4353001
- F4353006
- F4353033
- F4353030
- F4353018
- F4353012

p. 430

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*

58 mm



MY WAY 110X200 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 13W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
MID-POWER LED 13W 1577lm ≠ FIXT 763lm 3000K CRI80 220-240V [i]

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F4354001
gris · *grey*	F4354006
antracita · *anthracite*	F4354033
negro · *black*	F4354030
deep brown	F4354018
forest green	F4354012

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*


p. 430

Peso · *Weight* 0,95 Kg

IP 65

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

58 mm



MY WAY 110X200 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 13W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
MID-POWER LED 13W 1656lm ≠ FIXT 801lm 4000K CRI80 220-240V [i]

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F4355001
gris · *grey*	F4355006
antracita · *anthracite*	F4355033
negro · *black*	F4355030
deep brown	F4355018
forest green	F4355012

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*


p. 430

Peso · *Weight* 0,95 Kg

IP 65

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

58 mm



MY WAY 210X200 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 13W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
MID-POWER LED 13W 1357lm ≠ FIXT 669lm 2700K CRI80 220-240V [i]

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F4356001
gris · *grey*	F4356006
antracita · *anthracite*	F4356033
negro · *black*	F4356030
deep brown	F4356018
forest green	F4356012

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

p. 430

Peso · *Weight* 1,44 Kg

IP 65

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

58 mm



MY WAY 210X200 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 13W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
MID-POWER LED 13W 1577lm ≠ FIXT 777lm 3000K CRI80 220-240V [i]

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F4357001
gris · *grey*	F4357006
antracita · *anthracite*	F4357033
negro · *black*	F4357030
deep brown	F4357018
forest green	F4357012

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

p. 430


Peso · *Weight* 1,44 Kg

IP 65

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*

58 mm



MY WAY 210X200 OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 13W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
MID-POWER LED 13W 1656lm ≠ FIXT 817lm 4000K CRI80 220-240V [i]

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F4358001
gris · *grey*	F4358006
antracita · *anthracite*	F4358033
negro · *black*	F4358030
deep brown	F4358018
forest green	F4358012

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

p. 430

Peso · *Weight* 1,44 Kg

IP 65

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

5000 mm
1200 mm



700 mm

NEBULA

Joris Laarman, 2007

Potencia · *Power* 8 x MAX 70W + 4 x MAX 70W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 10W E27 965lm [e] (up) + LED 10W E27 965lm [e] (up) o · *or*
LED 8W E27 525lm [e] (down)

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F4550009

Materiales · *Materials*
aluminio, vidrio · *aluminum, glass*

p. 314

Peso · *Weight* 38 Kg

IP 20

4mt
820mm
330mm 450mm



Ø365

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power* 36W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
2 STRIP LED 9W + 1 COB LED 18W 973lm 2700K CRI 90

Acabados *Finishes*	Colores *Colors*
negro · *black*	F0268000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

1 Low Cylinder & Cone

Peso · *Weight* 10,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

IP 20

4mt
1270mm
450mm
330mm



Ø365

NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 45*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
3 STRIP LED x 9W + 1 COB LED 18W 1259lm 2700K CRI 90

Acabados *Finishes*	Colores *Colors*
negro · *black*	F0270000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

2 Low Cylinders & Cone

Peso · *Weight* 14,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

IP 20

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 54*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
4 STRIP LED x 9W + 1 COB LED 18W
1545lm 2700K CRI 90

Acabados
Finishes

negro · *black*

Colores
Colors

● F0271000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

3 Low Cylinders & Cone

Peso · *Weight* 18,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 63*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
5 STRIP LED x 9W + 1 COB LED 18W
1831lm 2700K CRI 90

Acabados
Finishes

negro · *black*

Colores
Colors

● F0272000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

4 Low Cylinders & Cone

Peso · *Weight* 22,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 36*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
2 STRIP LED x 9W + 1 COB LED 18W
1007lm 2700K CRI 90

Acabados
Finishes

negro · *black*

Colores
Colors

● F0263000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

1 Low Cylinder & Bowl

Peso · *Weight* 11,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 45*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
3 STRIP LED x 9W + 1 COB LED 18W
1293lm 2700K CRI 90

Acabados
Finishes

negro · *black*

Colores
Colors

● F0273000

Materiales · *Materials*
vidrio soplado · *blown glass*


p. 275

2 Low Cylinders & Bowl

Peso · *Weight* 15,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 54*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
4 STRIP LED x 9W + 1 COB LED 18W
1579lm 2700K CRI 90

Acabados
Finishes

negro · *black*

Colores
Colors

● F0274000


Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

3 Low Cylinders & Bowl

Peso · *Weight* 19,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 63*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
5 STRIP LED x 9W + 1 COB LED 18W
1865lm 2700K CRI 90

Acabados
Finishes

negro · *black*

Colores
Colors

● F0275000


Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

4 Low Cylinders & Bowl

Peso · *Weight* 23,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 36*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
4 STRIP LED x 9W 1166lm 2700K CRI
90

Acabados
Finishes

negro · *black*

Colores
Colors

● F0276000


Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

3 Low Cylinders

Peso · *Weight* 14,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 45*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
5 STRIP LED x 9W 1452lm 2700K CRI
90

Acabados
Finishes

negro · *black*

Colores
Colors

● F0277000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

4 Low Cylinders

Peso · *Weight* 18,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 54*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
6 STRIP LED x 9W 1738lm 2700K CRI 90

Acabados
Finishes
negro · *black*

Colores
Colors
● F0278000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

Peso · *Weight* 22,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

5 Low Cylinders



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 63*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
7 STRIP LED x 9W 2024lm 2700K CRI 90

Acabados
Finishes
negro · *black*

Colores
Colors
● F0279000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

Peso · *Weight* 26,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

6 Low Cylinders



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 36*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
4 STRIP LED x 9W 1202lm 2700K CRI 90

Acabados
Finishes
negro · *black*

Colores
Colors
● F0264000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

Peso · *Weight* 16,2 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

3 High Cylinders



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 45*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
5 STRIP LED x 9W 1500lm 2700K CRI 90

Acabados
Finishes
negro · *black*

Colores
Colors
● F0280000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

Peso · *Weight* 20,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

4 High Cylinders

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 54*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
6 STRIP LED x 9W 1798lm 2700K CRI 90

Acabados
Finishes
negro · *black*

Colores
Colors
● F0281000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

Peso · *Weight* 25,2 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

5 High Cylinders



NOCTAMBULE SUSPENSION

Konstantin Grcic, 2019

Potencia · *Power 63*W

Tensión · *Voltage* 100-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
7 STRIP LED x 9W 6930lm 2700K CRI 90

Acabados
Finishes
negro · *black*

Colores
Colors
● F0282000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 275

Peso · *Weight* 29,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI

6 High Cylinders



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potencia · *Power 18*W

Tensión · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
2 STRIP LED x 9W 485lm 2700K CRI 90

Acabados
Finishes
negro · *black*

Colores
Colors
● F0288000

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 168

Peso · *Weight* 10 Kg

DIMMER INCLUDED

1 Low Cylinder
Small Base



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potencia · *Power 27*W

Tensión · *Voltage* 100-240/48V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
3 STRIP LED x 9W 771lm 2700K CRI 90

Acabados
Finishes
negro · *black*

Colores
Colors
● F0289000

Materiales · *Materials*
vidrio soplado · *blown glass*


p. 168

Peso · *Weight* 14 Kg

DIMMER INCLUDED

2 Low Cylinders
Small Base

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potencia · *Power 36*W

Tensión · *Voltage* 100-240/48V

Acabados
Finishes

negro · *black*

Colores
Colors

● F0290000

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
4 STRIP LED x 9W 1057lm 2700K CRI 90


Materiales · *Materials*
vidrio soplado · *blown glass*

p. 168

3 Low Cylinders
Small Base

Peso · *Weight* 18 Kg

DIMMER INCLUDED



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potencia · *Power 45*W

Tensión · *Voltage* 100-240/48V

Acabados
Finishes

negro · *black*

Colores
Colors

● F0291000

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
5 STRIP LED x 9W 1343lm 2700K CRI 90

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 168

4 Low Cylinders
Small Base

Peso · *Weight* 22 Kg

DIMMER INCLUDED



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potencia · *Power 18*W

Tensión · *Voltage* 100-240/48V

Acabados
Finishes

negro · *black*

Colores
Colors

● F0285000

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
2 STRIP LED x 9W 497lm 2700K CRI 90

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 168

1 High Cylinder
Small Base

Peso · *Weight* 10,5 Kg

DIMMER INCLUDED



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potencia · *Power 27*W

Tensión · *Voltage* 100-240/48V

Acabados
Finishes

negro · *black*

Colores
Colors

● F0286000

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
3 STRIP LED x 9W 795lm 2700K CRI 90

Materiales · *Materials*
vidrio soplado · *blown glass*


p. 168

2 High Cylinders
Small Base

Peso · *Weight 15* Kg

DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potencia · *Power 36*W

Tensión · *Voltage* 100-240/48V

Acabados
Finishes

negro · *black*

Colores
Colors

● F0287000

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
4 STRIP LED x 9W 1093lm 2700K CRI 90


Materiales · *Materials*
vidrio soplado · *blown glass*

p. 168

3 High Cylinders
Small Base

Peso · *Weight 19,5* Kg

DIMMER INCLUDED



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potencia · *Power 36*W

Tensión · *Voltage* 100-240/48V

Acabados
Finishes

negro · *black*

Colores
Colors

● F0265000

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
2 STRIP LED x 9W + 1 COB LED 18W
876lm 2700K CRI 90

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 168

1 High Cylinder & Cone
Small Base

Peso · *Weight* 14,5 Kg

DIMMER INCLUDED



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potencia · *Power 45*W

Tensión · *Voltage* 100-240/48V

Acabados
Finishes

negro · *black*

Colores
Colors

● F0269000

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
3 STRIP LED x 9W + 1 COB LED 18W
1174lm 2700K CRI 90


Materiales · *Materials*
vidrio soplado · *blown glass*

p. 168

2 High Cylinders & Cone
Small Base

Peso · *Weight* 19 Kg

DIMMER INCLUDED



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potencia · *Power 45*W

Tensión · *Voltage* 100-240/48V

Acabados
Finishes

negro · *black*

Colores
Colors

● F0292000

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
5 STRIP LED x 9W 1378lm 2700K CRI 90

Materiales · *Materials*
vidrio soplado · *blown glass*


p. 168

4 High Cylinders
Big Base

Peso · *Weight* 28,5 Kg

DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potencia · *Power 54*W

Tensión · *Voltage* 100-240/48V

Acabados *Finishes*: negro · *black*

Colores *Colors*: F0267000

LED INCLUDED NOT REPLACEABLE


Fuente luminosa (disponible) · *Light source (available)*
4 STRIP LED x 9W + 1 COB LED 18W
1459lm 2700K CRI 90

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 168

3 High Cylinders & Cone Big Base

Peso · *Weight 28* Kg DIMMER INCLUDED



NOCTAMBULE FLOOR

Konstantin Grcic, 2019

Potencia · *Power 54*W

Tensión · *Voltage* 100-240/48V

Acabados *Finishes*: negro · *black*

Colores *Colors*: F0266000

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
4 STRIP LED x 9W + 1 COB LED 18W
1493lm 2700K CRI 90

Materiales · *Materials*
vidrio soplado · *blown glass*

p. 168

3 High Cylinders & Bowl Big Base

Peso · *Weight* 29 Kg DIMMER INCLUDED



OBLIQUE

Vincent van Duysen, 2020

Potencia · *Power* 8W

Tensión · *Voltage* 24V

Acabados *Finishes* / Colores *Colors*:
- antracita mate · *matt anthracite* — 09.8300.DR
- marròn mate · *matt brown* — 09.8300.DW
- gris brillante · glossy *grey* — 09.8300.AH
- òxido mate · *matt rust* — 09.8300.DX
- salvia brillante · *glossy sage* — 09.8300.DV
- blanco mate · *matt white* — 09.8300.DY

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
TOP LED x 8W 750lm 2700K · CRI 90
USB CONNECT INTEGRATED

Materiales · *Materials*
aluminio extruido, metacrilato · *die cast aluminum, methacrylate*

p. 68

Peso · *Weight* 0,75 Kg DIMMER INCLUDED



OBLIQUE QI

Vincent van Duysen, 2020

Potencia · *Power* 8W

Tensión · *Voltage* 48V

Acabados *Finishes* / Colores *Colors*:
- antracita mate · *matt anthracite* — 09.8310.DR
- marròn mate · *matt brown* — 09.8310.DW
- gris brillante · glossy *grey* — 09.8310.AH
- òxido mate · *matt rust* — 09.8310.DX
- salvia brillante · *glossy sage* — 09.8310.DV
- blanco mate · *matt white* — 09.8310.DY

LED INCLUDED NOT REPLACEABLE


Fuente luminosa (disponible) · *Light source (available)*
TOP LED x 8W 750lm 2700K · CRI 90
USB CONNECT INTEGRATED

Materiales · *Materials*
aluminio extruido, metacrilato · *die cast aluminum, methacrylate*

p. 68

Peso · *Weight* 0,75 Kg DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



OK

Konstantin Grcic, 2014

Potencia · *Power* 18W

Tensión · *Voltage* 100-240V/24V

Acabados *Finishes*:
- blanco · *white* — F4640009
- negro · *black* — F4640030
- amarillo · *yellow* — F4640019
- cromo · *chrome* — F4640057


LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
Edge Lighting Technology 18W
1550lm 2700K CRI85 [i] DIMMABLE

Materiales · *Materials*
aluminio, acero, PA · *aluminum, steel, PA*

p. 296

Peso · *Weight* 2,9 Kg DIMMER INCLUDED



ONTHEROCKS HL

Antonio Citterio assistant Toan Nguyen, 2003

Potencia · *Power* MAX 200W

Tensión · *Voltage* 220V-250V

Acabados *Finishes*: trasparente · *transparent*

Colores *Colors*: F4651000

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
MAX 160W R7s HDG 3100lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 389

Peso · *Weight* 2,5 Kg



OVERLAP S1

Michael Anastassiades, 2018

Potencia · *Power* MAX 105W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: blanco · *white*

Colores *Colors*: F4633009

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e]

Materiales · *Materials*
cocoon, acero · *cocoon. steel*

p. 272

Peso · *Weight* 5,6 Kg



OVERLAP S2

Michael Anastassiades, 2018

Potencia · *Power* Max 105

Tensión · *Voltage* 220-250V

Acabados *Finishes*: blanco · *white*

Colores *Colors*: F4634009

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 15W E27 2000lm [e]

Materiales · *Materials*
cocoon, acero · *cocoon. steel*

p. 272

Peso · *Weight* 8,8 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



PARENTESI

Achille Castiglioni and Pio Manzù, 1971

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F5400009
negro · *black*	F5400030
rojo · *red*	F5400035
níquel · *nickel*	F5400058

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 8W E27 660lm [e] o · *or*
LED 12W E27 1000lm [e]

Materiales · *Materials*
acero, elastómero · *steel, elastomer*

p. 328

Peso · *Weight* 3,6 Kg SWITCH INCLUDED



PARENTESI COMPL. ELEMENT

Achille Castiglioni and Pio Manzù, 1971

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F5500009
negro · *black*	F5500030
rojo · *red*	F5500035
níquel · *nickel*	F5500058

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 8W E27 660lm [e] o · *or*
LED 12W E27 1000lm [e]

Materiales · *Materials*
elastómero · *elastomer*

p. 328

Peso · *Weight* 0,5 Kg SWITCH INCLUDED



PARENTESI D

Achille Castiglioni and Pio Manzù, 1971

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F5600009
negro · *black*	F5600030
rojo · *red*	F5600035
níquel · *nickel*	F5600058

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 8W E27 660lm [e] o · *or*
LED 12W E27 1000lm [e]

Materiales · *Materials*
acero, elastómero · *steel, elastomer*

p. 328

Peso · *Weight* 3,6 Kg DIMMER INCLUDED



PARENTESI D COMPL. ELEMENT

Achille Castiglioni and Pio Manzù, 1971

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F5700009
negro · *black*	F5700030
rojo · *red*	F5700035
níquel · *nickel*	F5700058

A+ → E


Fuente luminosa (disponible) · *Light source (available)*
LED 8W E27 660lm [e] o · *or*
LED 12W E27 1000lm [e]

Materiales · *Materials*
elastómero · *elastomer*

p. 328

Peso · *Weight* 0,5 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



POCHETTE LED

Rodolfo Dordoni, 2003

Potencia · *Power* 20W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
gris · *grey*	F9704020
blanco · *white*	F9704009
cromo · *chrome*	F9704057


LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
144 LED 20W 2700K 1707lm CRI90 [i]

Materiales · *Materials*
zamak · *zamakk*

p. 398

Peso · *Weight* 1,6 Kg DIMMER INCLUDED 1-10/TRIAC



POCHETTE UP/DOWN LED

Rodolfo Dordoni, 2003

Potencia · *Power* MAX 21,5W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
gris · *grey*	F9705020
blanco · *white*	F9705009
cromo · *chrome*	F9705057


LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
144 LED 20W 2700K 1707lm CRI90 [i]
+ 36 LED 1,5W 2700K 371m CRI90 [i]

Materiales · *Materials*
zamak · *zamakk*

p. 398

Peso · *Weight* 1,7 Kg DIMMER INCLUDED 1-10/TRIAC



RAY F1

Rodolfo Dordoni, 2007

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
negro · *black*	F5916030
blanco · *white*	F5916009
vidrio · *glass*	F5915020


A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Materiales · *Materials*
acero, aluminio, vidrio · *steel, aluminum, glass*

p. 190

Peso · *Weight*
5,0 Kg (*alum.*) - 8,0 Kg (*glass*) DIMMER INCLUDED



RAY F2

Rodolfo Dordoni, 2007

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
negro · *black*	F5921030
blanco · *white*	F5921009
vidrio · *glass*	F5920020

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2452lm [e]

Materiales · *Materials*
acero, aluminio, vidrio · *steel, aluminum, glass*

p. 190

Peso · *Weight*
6,2 Kg (*alum.*) - 9,2 Kg (*glass*) DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



RAY S

Rodolfo Dordoni, 2007

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 21W E27 2452lm [e]

Acabados *Finishes*
negro · *black*
blanco · *white*
vidrio · *glass*


Colores *Colors*
F5931030
F5931009
F5930020

Materiales · *Materials*
acero, aluminio, vidrio · *steel, aluminum, glass*

p. 302

Peso · *Weight*
3,8 Kg (aluminio · *aluminum*) - 6,8 Kg (vidrio · *glass*)

CE IP20



RAY T

Rodolfo Dordoni, 2007

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 10W E27 965lm [e]

Acabados *Finishes*
negro · *black*
blanco · *white*
vidrio · *glass*

Colores *Colors*
F5911030
F5911009
F5910020

Materiales · *Materials*
acero, aluminio, vidrio · *steel, aluminum, glass*

p. 120

Peso · *Weight* DIMMER INCLUDED
4,2 Kg (*alum.*) - 6,5 Kg (*glass*)

CE IP20



REAL MATTER OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 3W

Tensión · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LOW-POWER LED 3W 180lm ≠ FIXT
74lm 2700K CRI80 24V [i]

Acabados *Finishes*
cobre lucido · *polished copper*
bronce satinado· *brushed bronze*
oro satinado· *brushed gold*
acero satinado· *brushed steel*

Colores *Colors*
F5960015
F5960046
F5960044
F5960056

Instalación en hormigón con caja de empotrado


Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

p. 432

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 0,60 Kg

CE IP65



REAL MATTER OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 3W

Tensión · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LOW-POWER LED 3W 180lm ≠ FIXT
74lm 2700K CRI80 24V [i]

Acabados *Finishes*
cobre lucido · *polished copper*
bronce satinado· *brushed bronze*
oro satinado· *brushed gold*
acero satinado· *brushed steel*

Colores *Colors*
F5980015
F5980046
F5980044
F5980056

Instalación en una pared de yeso (mín. 5 mm - máx. 20 mm)

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*


p. 432

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 0,60 Kg

CE IP65

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



REAL MATTER OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 3W

Tensión · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LOW-POWER LED 3W 180lm ≠ FIXT
74lm 2700K CRI80 24V [i]

Acabados *Finishes*
cobre lucido · *polished copper*
bronce satinado· *brushed bronze*
oro satinado· *brushed gold*
acero satinado· *brushed steel*

Colores *Colors*
F5970015
F5970046
F5970044
F5970056

Instalación en hormigón sin caja de empotrado


Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

p. 432

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 0,60 Kg

CE IP65



REAL MATTER OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 3W

Tensión · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LOW-POWER LED 3W 200lm ≠ FIXT
82lm 3000K CRI80 24V [i]

Acabados *Finishes*
cobre lucido · *polished copper*
bronce satinado· *brushed bronze*
oro satinado· *brushed gold*
acero satinado· *brushed steel*

Colores *Colors*
F5961015
F5961046
F5961044
F5961056

Instalación en hormigón con caja de empotrado


Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

p. 432

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 0,60 Kg

CE IP65



REAL MATTER OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 3W

Tensión · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LOW-POWER LED 3W 200lm ≠ FIXT
82lm 3000K CRI80 24V [i]

Acabados *Finishes*
cobre lucido · *polished copper*
bronce satinado· *brushed bronze*
oro satinado· *brushed gold*
acero satinado· *brushed steel*

Colores *Colors*
F5981015
F5981046
F5981044
F5981056

Instalación en una pared de yeso (mín. 5 mm - máx. 20 mm)


Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

p. 432

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 0,60 Kg

CE IP65



REAL MATTER OUTDOOR/INDOOR

Piero Lissoni, 2017

Potencia · *Power* 3W

Tensión · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LOW-POWER LED 3W 200lm ≠ FIXT
82lm 3000K CRI80 24V [i]

Acabados *Finishes*
cobre lucido · *polished copper*
bronce satinado· *brushed bronze*
oro satinado· *brushed gold*
acero satinado· *brushed steel*

Colores *Colors*
F5971015
F5971046
F5971044
F5971056

Instalación en hormigón sin caja de empotrado

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

p. 432

para gama completa y accesorios consulte flos.com · *for full range and accessories consult flos.com*

Peso · *Weight* 0,60 Kg

CE IP65

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



ROMEO BABE S

Philippe Starck, 1997

Potencia · *Power* MAX 40W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: vidrio · *glass*


Colores *Colors*: F6124000

A+ → E Fuente luminosa (disponible) · *Light source (available)* 33W HSGS G9 460lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 308

Peso · *Weight* 0,4 Kg



ROMEO BABE W

Philippe Starck, 1996

Potencia · *Power* MAX 40W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: vidrio · *glass*


Colores *Colors*: F6260000A

A+ → E Fuente luminosa (disponible) · *Light source (available)* 33W HSGS G9 460lm [e]

Materiales · *Materials*
vidrio, acero inoxidable · *glass, stainless steel*

p. 401

Peso · *Weight* 0,5 Kg



ROMEO BABE SOFT S

Philippe Starck, 1997

Potencia · *Power* MAX 40W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: tela · *fabric*


Colores *Colors*: F6124007

A+ → E Fuente luminosa (disponible) · *Light source (available)* 33W HSGS G9 460lm [e]

Materiales · *Materials*
tela, vidrio · *fabric, glass*

p. 308

Peso · *Weight* 0,4 Kg



ROMEO BABE SOFT W

Philippe Starck, 1997

Potencia · *Power* MAX 40W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: tela · *fabric*

Colores *Colors*: F6260007A


A+ → E Fuente luminosa (disponible) · *Light source (available)* 33W HSGS G9 460lm [e]

Materiales · *Materials*
tela, vidrio · *fabric, glass*

p. 401

Peso · *Weight* 0,4 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



ROMEO MOON F

Philippe Starck, 1996

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-240V

Acabados *Finishes*: vidrio · *glass*

Colores *Colors*: F6109000

A+ → E Fuente luminosa (disponible) · *Light source (available)* LED 10W E27 965lm [e]

Materiales · *Materials*
vidrio, acero, aluminio · *glass, steel, aluminum*

p. 208

Peso · *Weight* 23,8 Kg DIMMER INCLUDED



ROMEO MOON S1

Philippe Starck, 1996

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: vidrio · *glass*

Colores *Colors*: F6105000

A+ → E Fuente luminosa (disponible) · *Light source (available)* LED 10W E27 965lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 309

Peso · *Weight* 4,5 Kg



ROMEO MOON S2

Philippe Starck, 1996

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: vidrio · *glass*

Colores *Colors*: F0003000

A+ → E Fuente luminosa (disponible) · *Light source (available)* LED 10W E27 965lm [e]

Materiales · *Materials*
vidrio · *glass*

p. 309

Peso · *Weight* 7,6 Kg



ROMEO MOON T1

Philippe Starck, 1998

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

Acabados *Finishes*: vidrio · *glass*

Colores *Colors*: F6107000

A+ → E Fuente luminosa (disponible) · *Light source (available)* LED 10W E27 965lm [e]

Materiales · *Materials*
vidrio, acero, aluminio · *glass, steel, aluminum*

p. 123

Peso · *Weight* 7,7 Kg DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



ROMEO OUTDOOR/INDOOR C3 710MM

Philippe Starck, 2007

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
panama	F6468022
green wall	F6468041

A+ → E Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2450lm [e]

Materiales · *Materials*
aluminio, policarbonato, PVC · *aluminum, polycarbonate, PVC*

Peso · *Weight* 7,3 Kg

p. 441



ROMEO OUTDOOR/INDOOR C3 910MM

Philippe Starck, 2007

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
panama	F6469022
green wall	F6469041

A+ → E Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2450lm [e]

Materiales · *Materials*
aluminio, policarbonato, PVC · *aluminum, polycarbonate, PVC*

Peso · *Weight* 7,5 Kg

p. 441



ROMEO SOFT F

Philippe Starck, 1998

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
tela · *fabric*	F6109007

A+ → E Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Materiales · *Materials*
tela, vidrio, acero, aluminio · *fabric, glass, steel, aluminum*

Peso · *Weight* 16,8 Kg DIMMER INCLUDED

p. 208



ROMEO SOFT T1

Philippe Starck, 1998

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
tela · *fabric*	F6107007

A+ → E Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Materiales · *Materials*
tela, vidrio, acero, aluminio · *fabric, glass, steel, aluminum*

Peso · *Weight* 5,3 Kg DIMMER INCLUDED

p. 123

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



ROSY ANGELIS

Philippe Starck, 1994

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
gris · *grey*	F6160020

A+ → E Fuente luminosa (disponible) · *Light source (available)*
1 LED 10W E27 965lm DIMMABLE

Materiales · *Materials*
tela, aluminio · *fabric, aluminum*

Peso · *Weight* 1,6 Kg DIMMER INCLUDED

p. 207



SAWARU

Nendo, 2018

Potencia · *Power* 45W

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F6640009
negro · *black*	F6640030
oro · *glod*	F6640044

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED Array 45W -2 channels: warm 835-1236lm; cold 1239-1783m; 1800-4000K CRI 90 [i] DIMMABLE

Materiales · *Materials*
aluminio extruido · *extruded aluminum*

Peso · *Weight 4* Kg DIMMER INCLUDED

p. 165



SERENA

Patricia Urquiola, 2015

Potencia · *Power* 13W

Tensión · *Voltage* 100-240V/24V

Acabados *Finishes*	Colores *Colors*
cobre · *copper*	F6582015
aluminio · *aluminum*	F6582054
negro · *black*	F6582030

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
1 LED 13W 643lm 2700K CRI 90 [i] DIMMABLE

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1,25 Kg DIMMER INCLUDED

p. 84



SKYGARDEN SMALL

Marcel Wanders, 2021

Potencia · *Power* MAX 10W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
oro · *gold*	F6405044
marrón óxido · *rusty brown*	F6405047
blanco · *white*	F6405009
negro · *black*	F6405030
negro mate · *matt black*	F6405031

A+ → E Fuente luminosa (disponible) · *Light source (available)*
LED retrofit 8W E14 T28 800lm [i]

Materiales · *Materials*
escayola, vidrio, acero inoxidable · *plaster, glass, stainless steel*

Peso · *Weight* 5 Kg

p. 227

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



SKYGARDEN 1

Marcel Wanders, 2007

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 15W E27 1515lm [e] o · *or*
LED 20W E27 2300lm [e]

Materiales · *Materials*
escayola, vidrio, acero inoxidable · *plaster, glass, stainless steel*

Peso · *Weight* 13 Kg

Acabados *Finishes*	Colores *Colors*
oro · *gold*	F0001044
marrón óxido · *rusty brown*	F0001047
blanco · *white*	F0001009
negro · *black*	F0001030
negro mate · *matt black*	F0001031

p. 304



SKYGARDEN 2

Marcel Wanders, 2007

Potencia · *Power* MAX 230W

Tensión · *Voltage* 220-250V

A+ → E


Fuente luminosa (disponible) ·
Light source (available)
LED 15W E27 1515lm [e] o · *or*
LED 20W E27 2300lm [e]

Materiales · *Materials*
escayola, vidrio, acero inoxidable · *plaster, glass, stainless steel*

Peso · *Weight* 29 Kg

Acabados *Finishes*	Colores *Colors*
oro · *gold*	F0002044
marrón óxido · *rusty brown*	F0002047
blanco · *white*	F0002009
negro · *black*	F0002030
negro mate · *matt black*	F0002031

p. 304



SKYGARDEN RECESSED

Marcel Wanders, 2009

Potencia · *Power* MAX 60W

Tensión · *Voltage* 230-240V

A+ → E


Fuente luminosa (disponible) ·
Light source (available)
60W GY 6.35 12V HSGS 1650lm
Trasformatore incluso · *Included Transofmer*

Materiales · *Materials*
escayola, vidrio, acero inoxidable · *plaster, glass, stainless steel*

Peso · *Weight* 4,0 Kg

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F6430009

p. 397



SKYGARDEN RECESSED

Marcel Wanders, 2009

Potencia · *Power* MAX 40W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 3W G9 290lm [e] o · *or*
LED 2W G9 240lm [e]

Materiales · *Materials*
escayola, vidrio, acero inoxidable · *plaster, glass, stainless steel*

Peso · *Weight* 4,0 Kg

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F6433009

p. 397

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



SMITHFIELD C

Jasper Morrison, 2009

Potencia · *Power* 4xMAX 70W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED retrofit 10W E27 965lm o·*or*
LED retrofit 15W E27 2000lm o·*or*
LED retrofit 18W E27 2000lm [e]

Materiales · *Materials*
aluminio, metacrilato · *aluminum, methacrylate*

Peso · *Weight* 4,5 Kg

DIMMER INCLUDED
PUSH OR DALI

Acabados *Finishes*	Colores *Colors*
negro · *black*	F1370030
negro mate · *matt black*	F1370031
blanco · *white*	F1370009
mud	F1370021
verde · green	F1370039
rojo · red	F1370035

p. 378



SMITHFIELD C PRO

Jasper Morrison, 2009

Potencia · *Power* 45W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED module 45W 2700K 2623lm
CRI95 [i]

Materiales · *Materials*
aluminio, metacrilato · *aluminum, methacrylate*

Peso · *Weight* 5,8 Kg

Acabados *Finishes*	Colores *Colors*
negro · *black*	F1366030
negro mate · *matt black*	F1366031
blanco · *white*	F1366009
mud	F1366021
verde · green	F1366039
rojo · red	F1366035
negro · *black*	F1368030 DALI
negro mate · *matt black*	F1368031 DALI
blanco · *white*	F1368009 DALI
mud	F1368021 DALI
verde · green	F1368039 DALI
rojo · red	F1368035 DALI

p. 378



SMITHFIELD S

Jasper Morrison, 2009

Potencia · *Power* 4xMAX 70W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED retrofit 10W E27 965lm o·*or*
LED retrofit 15W E27 2000lm o·*or*
LED retrofit 18W E27 2000lm [e]

Materiales · *Materials*
aluminio, metacrilato · *aluminum, methacrylate*

Peso · *Weight* 4,5 Kg

Acabados *Finishes*	Colores *Colors*
negro · *black*	F1371030
negro mate · *matt black*	F1371031
blanco · *white*	F1371009
mud	F1371021
verde · green	F1371039
rojo · red	F1371035

p. 331



SMITHFIELD S PRO

Jasper Morrison, 2009

Potencia · *Power* 45W

Tensión · *Voltage* 220-240V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
LED module 45W 2700K 2623lm
CRI95 [i] I

Materiales · *Materials*
aluminio, metacrilato · *aluminum, methacrylate*

completo con rosetón o "Piso"

Peso · *Weight* 5,8 Kg

DIMMER INCLUDED
PUSH OR DALI

Acabados *Finishes*	Colores *Colors*
negro · *black*	F1367030
negro mate · *matt black*	F1367031
blanco · *white*	F1367009
mud	F1367021
verde · green	F1367039
rojo · red	F1367035
negro · *black*	F1369030 DALI
negro mate · *matt black*	F1369031 DALI
blanco · *white*	F1369009 DALI
mud	F1369021 DALI
verde · green	F1369039 DALI
rojo · red	F1369035 DALI

p. 331

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



SNOOPY

Achille and Pier Giacomo Castiglioni, 1967

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
negro · *black*	F6380030
verde · *green*	F6380039
naranja · *orange*	F6380075

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Materiales · *Materials*
mármol, metal · *marble, metal*

p. 118

Peso · *Weight* 7,9 Kg DIMMER INCLUDED



SPLÜGEN BRÄU

Achille and Pier Giacomo Castiglioni, 1961

Potencia · *Power* MAX 70W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
aluminio · *aluminum*	F6500000

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Materiales · *Materials*
aluminio · *aluminum*

p. 298

Peso · *Weight* 1,5 Kg



SPUN LIGHT F

Sebastian Wrong, 2003

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F6612009
negro · *black*	F6612030
mud	F6612021

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2452lm [e]

Materiales · *Materials*
metal, aluminio · *metal, aluminum*

p. 204

Peso · *Weight* 9,3 Kg DIMMER INCLUDED



SPUN LIGHT T1

Sebastian Wrong, 2003

Potencia · *Power* MAX 150W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F6610009
negro · *black*	F6610030
mud	F6610021

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2452lm [e]

Materiales · *Materials*
metal, aluminio · *metal, aluminum*

p. 140

Peso · *Weight* 4,3 Kg DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



SPUN LIGHT T2

Sebastian Wrong, 2003

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-240V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F6611009
negro · *black*	F6611030
mud	F6611021

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2452lm [e]

Materiales · *Materials*
metal, aluminio · *metal, aluminum*

p. 140

Peso · *Weight* 5,6 Kg DIMMER INCLUDED



STRING LIGHT TESTA A CONO · CONE HEAD

Michael Anastassiades, 2014

Potencia · *Power* 21W

Tensión · *Voltage* 100-240V/48V

Acabados *Finishes*	Colores *Colors*
negro · *black*	F6481030 CAVO 12 mt.
negro · *black*	F6491030 CAVO 22 mt.

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
1 LED ARRAY 21W 2700K 1033lm
CRI93 [i] DIMMABLE - BLUETOOTH CONTROL

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

p. 283

es obligatorio añadir un interruptor de piso o una rosa - *compulsory to add either floor switch or c/w rose*

Peso · *Weight* 0,95 Kg (12 mt.) - 1,05 Kg (22 mt.) DIMMER INCLUDED



STRING LIGHT TESTA A SFERA · SPHERE HEAD

Michael Anastassiades, 2014

Potencia · *Power* 21W

Tensión · *Voltage* 100-240V/48V

Acabados *Finishes*	Colores *Colors*
negro · *black*	F6480030 CAVO 12 mt.
negro · *black*	F6490030 CAVO 22 mt.

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
1 LED ARRAY 21W 2700K 1345lm
CRI93 [i] DIMMABLE - BLUETOOTH CONTROL

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

p. 283

es obligatorio añadir un interruptor de piso o una rosa - *compulsory to add either floor switch or c/w rose*

Peso · *Weight* 1,15 Kg (12 mt.) - 1,25 Kg (22 mt.) DIMMER INCLUDED



STRING LIGHT
ACCESSORI · ACCESSORIES

Tensión · *Voltage* 100-240V/48V

Descripción · *Description*
Rosetón de pared o techo para la instalación de 2 cabezales como máximo con 3 vías de salida posibles · *Wallrose. Feed up 2 heads maximum; 3 wayout for cables. Wall or ceiling installation*

Acabados *Finishes*	Colores *Colors*
negro · *black*	F6482030

p. 283

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



STRING LIGHT

ACCESSORI · ACCESSORIES

Tensión · *Voltage* 100-240V/48V

Descripción · *Description*
"Floor Switch" para la instalación de dos cabezales como máximo con dos vías de salida posibles para el cable. Alojamiento interno para mantener enrollados 10 metros de cable · *Floor Switch. Feed up two heads maximum; Two wayout for cables. Space to wrap 10 meters cable*

Acabados *Finishes*: negro · *black*

Colores *Colors*: F6484030

p. 283

IP 20



STRING LIGHT

ACCESSORI · ACCESSORIES

Descripción · *Description*
Cable de conexión suplementario para formar configuaraciones personalizadas · *Extra connection cable to compose personal configurations*

Acabados *Finishes*: negro · *black*

Colores *Colors*: F6485030

p. 283



STYLOS

Achille Castiglioni, 1984

Potencia · *Power* 1 x MAX 120W + 1 x MAX 100W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
MAX 120W E27 PAR 38 872lm [i] + LED 21W E27 2452lm [i]
Doppia accensione · *Double switch*

Materiales · *Materials*
polimetilmetacrilato, acero · *polymethylmethacrylate, steel*

Peso · *Weight* 9,6 Kg

Acabados *Finishes*: plata · *silver*

Colores *Colors*: F6310004

p. 186

IP 20



SUPERARCHIMOON

Philippe Starck, 2000

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2452lm [e]

Materiales · *Materials*
tela, vidrio, acero, aluminio · *fabric, glass, steel, aluminum*

Peso · *Weight* 91 Kg DIMMER INCLUDED

Acabados *Finishes*: tela · *fabric*

Colores *Colors*: F6366020

p. 210

IP 20

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



SUPERARCHIMOON OUTDOOR/INDOOR

Philippe Starck, 2007

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-240V

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2450lm [e]

Materiales · *Materials*
aluminio, policarbonato, PVC · *aluminum, polycarbonate, PVC*


Peso · *Weight* 161,70 Kg DIMMER INCLUDED

Acabados *Finishes*: panama, green wall

Colores *Colors*: F6367022, F6367041

p. 442

IP 65



SUPER LINE UP&DOWN INDIRECT

Flos Architectural, 2018

Potencia · *Power* 58W

Tensión · *Voltage* 220-240V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
TOP LED 58W 4488lm UP - 2160lm DOWN 3000K CRI90 220/240V [i]

Materiales · *Materials*
aluminio extruido, PMMA · extruded *aluminum, PMMA*


Peso · *Weight* 1,45 Kg DIMMER INCLUDED

Acabados *Finishes*: blanco · *white*, negro · *black*, gris · *grey*

Colores *Colors*: 03.9502.40, 03.9502.14, 03.9502.02

p. 234

IP 20



SUPER LINE UP&DOWN DIRECT

Flos Architectural, 2018

Potencia · *Power* 58W

Tensión · *Voltage* 220-240V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
TOP LED 58W 2268lm UP- 4488lm DOWN 3000K CRI90 220/240V [i]

Materiales · *Materials*
aluminio extruido, PMMA · extruded *aluminum, PMMA*


Peso · *Weight* 1,45 Kg DIMMER INCLUDED

Acabados *Finishes*: blanco · *white*, negro · *black*, gris · *grey*

Colores *Colors*: 03.9500.40, 03.9500.14, 03.9500.02

p. 234

IP 20



SUPER LINE DOWN

Flos Architectural, 2018

Potencia · *Power* 38,5W

Tensión · *Voltage* 220-240V

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
TOP LED 38,5W 4488lm 3000K CRI90 220/240V [i]

Materiales · *Materials*
aluminio extruido, PMMA · extruded *aluminum, PMMA*

Peso · *Weight* 1,45 Kg DIMMER INCLUDED

Acabados *Finishes*: blanco · *white*, negro · *black*, gris · *grey*

Colores *Colors*: 03.9510.40, 03.9510.14, 03.9510.02

p. 234

IP 20

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



SUPERLOON

Jasper Morrison, 2015

Potencia · *Power* 45W

Tensión · *Voltage* 100-240V/48V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F6630009
negro · *black*	F6630030
cromo · *chrome*	F6630057

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
EDGE LIGHTING 45W 2716lm
2200/2800K CRI80 [i] DIM TO WARM

Materiales · *Materials*
aluminio, PMMA · *aluminum, PMMA*

p. 175

Peso · *Weight* 11 Kg DIMMER INCLUDED



TAB F

E. Barber & J. Osgerby, 2011

Potencia · *Power* 9W

Tensión · *Voltage* 100-240V/24V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F6564009
negro · *black*	F6564030
dark green	F6564031
blue matt	F6564014

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
14 LED 9W 347lm 2700K CRI90 [i]

Materiales · *Materials*
aluminio, PMMA · *aluminum, PMMA*

p. 192

Peso · *Weight* 2 Kg SWITCH INCLUDED



TAB T

E. Barber & J. Osgerby, 2011

Potencia · *Power* 9W

Tensión · *Voltage* 100-240V/24V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F6563009
negro · *black*	F6563030
dark green	F6563031
blue matt	F6563014

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
14 LED 9W 347lm 2700K CRI90 [i]
DIMMABLE

Materiales · *Materials*
aluminio, PMMA · *aluminum, PMMA*

p. 114

Peso · *Weight* 0,8 Kg SWITCH INCLUDED



TACCIA

Achille and Pier Giacomo Castiglioni, 1962

Potencia · *Power* 28W

Tensión · *Voltage* 100-240V/48V

Acabados *Finishes*	Colores *Colors*
plata · *silver*	F6602004
negro · *black*	F6602030
bronce · bronze	F6602046

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 COB LED 28W 2700K CRI93 [i]
DIMMABLE

Materiales · *Materials*
vidrio, aluminio · *glass, aluminum*

p. 108

Peso · *Weight* 10,7 Kg DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



TACCIA (PMMA)

Achille and Pier Giacomo Castiglioni, 1962

Potencia · *Power* 28W

Tensión · *Voltage* 100-240V/48V

Acabados *Finishes*	Colores *Colors*
plata · *silver*	F6607004
negro · *black*	F6607030
bronce · bronze	F6607046


LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 COB LED 28W 2700K CRI93 [i]
DIMMABLE

Materiales · *Materials*
PMMA, aluminio · *PMMA, aluminum*

p. 108

Peso · *Weight* 7,6 Kg DIMMER INCLUDED



TACCIA SMALL

Achille and Pier Giacomo Castiglioni, 1962

Potencia · *Power* 16W

Tensión · *Voltage* 100-240V/24V

Acabados *Finishes*	Colores *Colors*
plata · *silver*	F6604004
negro · *black*	F6604030
bronce · bronze	F6604046

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 COB LED 16W 2700K CRI92 [i]
DIMMABLE

Materiales · *Materials*
vidrio, aluminio · *glass, aluminum*

p. 108

Peso · *Weight* 4,25 Kg DIMMER INCLUDED



TARAXACUM 1

Achille and Pier Giacomo Castiglioni, 1960

Potencia · *Power* MAX 100W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F7401009


A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 15W E27 2000lm [e]

Materiales · *Materials*
cocoon, acero · *cocoon, steel*

p. 310

Peso · *Weight* 2,1 Kg



TARAXACUM 2

Achille and Pier Giacomo Castiglioni, 1960

Potencia · *Power* MAX 100W

Tensión · *Voltage* 220-250V

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F7402009

A+ → E


Fuente luminosa (disponible) ·
Light source (available)
LED 15W E27 2000lm [e]

Materiales · *Materials*
cocoon, acero · *cocoon, steel*

p. 310

Peso · *Weight* 2,8 Kg

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



TARAXACUM 88 C/W

Achille Castiglioni, 1988

Potencia · *Power* 15 x MAX 40W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: aluminio · *aluminum*

Colores *Colors*: F7420000

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 3W E27 170lm [e]
(SINGLE PACK) **O** · ***or*** (KIT X 15 LAMP)

Materiales · *Materials*
aluminio · *aluminum*

p. 392

Peso · *Weight* 2,3 Kg



TARAXACUM 88 S1

Achille Castiglioni, 1988

Potencia · *Power* 60 x MAX 40W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: aluminio · *aluminum*

Colores *Colors*: F7430000

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 3W E27 170lm [e]
(SINGLE PACK) **O** · ***or*** (KIT x 15 LAMP)

Materiales · *Materials*
aluminio · *aluminum*

p. 290

Peso · *Weight* 10,6 Kg



TARAXACUM 88 S2

Achille Castiglioni, 1988

Potencia · *Power* 120 x MAX 40W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: aluminio · *aluminum*

Colores *Colors*: F7440000

A+ → E


Fuente luminosa (disponible) · *Light source (available)*
LED 3W E27 170lm [e]
(SINGLE PACK) **O** · ***or*** (KIT X 15 LAMP)

Materiales · *Materials*
aluminio · *aluminum*

p. 290

Producto a pedido
Made on demand

Peso · *Weight* 14,2 Kg



TATOU F

Patricia Urquiola, 2012

Potencia · *Power* MAX 205W

Tensión · *Voltage* 220-240V

Acabados *Finishes*: blanco · *white*; negro · *black*; gris ocra · *ochre-grey*

Colores *Colors*: F7764009; F7764030; F7764048

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2452lm [e]

Materiales · *Materials*
policarbonato, acero · *polycarbonate, steel*

p. 180

Peso · *Weight* 16,4 Kg DIMMER INCLUDED



TATOU S1

Patricia Urquiola, 2012

Potencia · *Power* MAX 70W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: blanco · *white*; negro · *black*; gris ocra · *ochre-grey*

Colores *Colors*: F7762009; F7762030; F7762048

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Materiales · *Materials*
policarbonato · *polycarbonate*

p. 295

Peso · *Weight* 1,2 Kg



TATOU S2

Patricia Urquiola, 2012

Potencia · *Power* MAX 205W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: blanco · *white*; negro · *black*; gris ocra · *ochre-grey*

Colores *Colors*: F7766009; F7766030; F7766048

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 21W E27 2452lm [e]

Materiales · *Materials*
policarbonato · *polycarbonate*

p. 295

Peso · *Weight* 4,7 Kg



TATOU T1

Patricia Urquiola, 2012

Potencia · *Power* MAX 70W

Tensión · *Voltage* 220-240V

Acabados *Finishes*: blanco · *white*; negro · *black*; gris ocra · *ochre-grey*

Colores *Colors*: F7761009; F7761030; F7761048

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 10W E27 965lm [e]

Materiales · *Materials*
policarbonato · *polycarbonate*

p. 125

Peso · *Weight* 2,7 Kg DIMMER INCLUDED



THIN LED

Flos Architectural, 2011

Potencia · *Power* 20W

Tensión · *Voltage* 24V

Acabados *Finishes*: blanco · *white*; aluminio anodizado · *anodized aluminum*; bronce anodizado · *anodized bronze*

Colores *Colors*: 09.0045.30B; 09.0045.29B; 09.0045.BZB

LED INCLUDED
NOT REPLACEABLE


Fuente luminosa (disponible) · *Light source (available)*
TOP LED 20W 1822lm 3000K 24V
CRI90 [i]

Materiales · *Materials*
aluminio, aluminio anodizado · *aluminum, anodized aluminum*

p. 348

Peso · *Weight* 0,9 Kg DIMMER INCLUDED
1-10/PUSH/DALI

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



TIGHT LIGHT

Piero Lissoni, 2011

Potencia · *Power* 20W

Tensión · *Voltage* 100-240V

Acabados *Finishes*: blanco · *white*

Colores *Colors*: F0011009


LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
48 TOP LED 2x10W 1989lm total 3000K CRI80 [i]

Materiales · *Materials*
PMMA, aluminio · *PMMA, aluminum*

p. 388

Peso · *Weight* 1,1 Kg



TILEE

Marcello Ziliani, 2005

Potencia · *Power* MAX 60W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: blanco · *white*

Colores *Colors*: F7460009

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
LED 3W G9 290lm [e] o · *or*
LED 2W G9 240lm [e]

Materiales · *Materials*
vidrio, zamak · *glass, zamakk*

Peso · *Weight* 0,8 Kg



TOIO LIMITED EDITION 2018

Achille and Pier Giacomo Castiglioni, 1962

Potencia · *Power* MAX 300W

Tensión · *Voltage* 220-240V

Acabados *Finishes*: negro mate · *matt black*

Colores *Colors*: F7610030

A+ → D

Fuente luminosa (disponible) · *Light source (available)*
LED 23W PRO PAR 56 1600lm [e]
o · *or*
LED 23W PRO PAR GX16 1500lm [i]

Materiales · *Materials*
acero · *steel*

p. 203

Peso · *Weight* 8,2 Kg DIMMER INCLUDED



TOIO

Achille and Pier Giacomo Castiglioni, 1962

Potencia · *Power* MAX 300W

Tensión · *Voltage* 220-240V

Acabados *Finishes*: blanco · *white*, negro · *black*, rojo · *red*

Colores *Colors*: F7600009, F7600030, F7600035

A+ → D

Fuente luminosa (disponible) · *Light source (available)*
300W aluPAR 56 MFL [i]

Materiales · *Materials*
acero · *steel*

p. 202

Peso · *Weight* 8,2 Kg DIMMER INCLUDED

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



TOIO LED

Achille and Pier Giacomo Castiglioni, 1962

Potencia · *Power* MAX 25W LED

Tensión · *Voltage* 220-240V

Acabados *Finishes*: blanco · *white*, negro · *black*, rojo · *red*

Colores *Colors*: F7630009, F7630030, F7630035

A+

Fuente luminosa (disponible) · *Light source (available)*
LED 23W PRO PAR 56 1600lm [e]
o · *or*
LED 23W PRO PAR GX16 1500lm [i]

Materiales · *Materials*
acero · *steel*

p. 202

Peso · *Weight* 8,2 Kg DIMMER INCLUDED



WAN C/W

Johanna Grawunder, 2005

Potencia · *Power* MAX 40W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: blanco · *white*, negro · *black*

Colores *Colors*: F9550009, F9550030

A+ → E

Fuente luminosa (disponible) · *Light source (available)*
33W HSGS G9 460lm [e]

Materiales · *Materials*
aluminio · *aluminum*

p. 396

Peso · *Weight* 0,4 Kg

Se suministran dos anillos para cada acabado: 1 verde, 1 negro. · *two rings supplied for each finish: - green - black*



WAN S

Johanna Grawunder, 2006

Potencia · *Power* MAX 40W

Tensión · *Voltage* 220-250V

Acabados *Finishes*: blanco · *white*, negro · *black*

Colores *Colors*: F9560009, F9560030

A+ → E


Fuente luminosa (disponible) · *Light source (available)*
33W HSGS G9 460lm [e]

Materiales · *Materials*
aluminio · *aluminum*

p. 303

Peso · *Weight* 0,6 Kg

Se suministran dos anillos para cada acabado: 1 verde, 1 negro. · *two rings supplied for each finish: - green - black*



WIRELINE

Formafantasma, 2021

Potencia · *Power* 45W

Tensión · *Voltage* 100-277V

Acabados *Finishes*: rosa · *pink*, forest green

Colores *Colors*: F9520034, F9520039

LED INCLUDED NOT REPLACEABLE

Fuente luminosa (disponible) · *Light source (available)*
LED module 45W 2793lm 2700K CRI90 [i] DIMMABLE

Materiales · *Materials*
vidrio, acero inoxidable, cauchú, PC · *glass stainless steel, rubber, PC*

p. 218

*dependiendo de la altura del techo - *depending by the high of the ceiling*

Peso · *Weight* 7,50 Kg DIMMER INCLUDED 1-10/PUSH/DALI

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



WIRERING

Formafantasma, 2018

Potencia · *Power* 16W

Tensión · *Voltage* 24V

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
180 LED 16W 2700K 712lm CRI90 [i]
DIMMABLE

Materiales · *Materials*
aluminio - cauchú - PC · *aluminum - rubber - PC*

Peso · *Weight* 0,945 Kg DIMMER INCLUDED

Acabados *Finishes*	Colores *Colors*
blanco/blanco · *white/white*	F9512009
blanco/gris · *white/grey*	F9512020
blanco/negro · *white/black*	F9512030
blanco/rosa · *white/pink*	F9512034
blanco/oro · *white/gold*	F9512044
gris/blanco · *grey/white*	F9513009
gris/gris · *grey/grey*	F9513020
gris/negro · *grey/black*	F9513030
gris/rosa · *grey/pink*	F9513034
gris/oro · *grey/gold*	F9513044
rosa/blanco · *pink/white*	F9514009
rosa/gris · *pink/grey*	F9514020
rosa/negro · *pink/black*	F9514030
rosa/rosa · *pink/pink*	F9514034
rosa/oro · *pink/gold*	F9514044

p. 374



VISCONTEA

Achille and Pier Giacomo Castiglioni, 1960

Potencia · *Power* MAX 100W

Tensión · *Voltage* 220-250V

A+ → E


Fuente luminosa (disponible) ·
Light source (available)
LED 15W E27 2000lm [e]

Materiales · *Materials*
cocoon, acero · *cocoon, steel*

Peso · *Weight* 1,7 Kg

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F8001009

p. 312



ZEPPELIN 1

Marcel Wanders, 2005

Potencia · *Power* MAX 250W

Tensión · *Voltage* 220-250V

A+ → E


Fuente luminosa (disponible) ·
Light source (available)
LED 21W E27 2452lm [e]

Materiales · *Materials*
cocoon, acero, cristal · *cocoon, steel, crystal*

Peso · *Weight* 15 Kg

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F9800009

p. 336



ZEPPELIN 2

Marcel Wanders, 2005

Potencia · *Power* 3 x MAX 150W

Tensión · *Voltage* 220-250V

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
LED 21W E27 2452lm [e]

Materiales · *Materials*
cocoon, acero, cristal · *cocoon, steel, crystal*


Producto a pedido
Made on demand

Peso · *Weight* 30 Kg

Acabados *Finishes*	Colores *Colors*
blanco · *white*	F9805009

p. 336

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



ABAJOURD'HUI SMALL

Flos Soft Architecture

A+ → E


Fuente luminosa (disponible) ·
Light source (available)
MAX 75W E27 QT-32 [e]

Materiales · *Materials*
Instalación sobre escayola · *plaster installation*

Peso · *Weight* 8,25 Kg

Acabados *Finishes*	Colores *Colors*
escayola · *plaster*	SA.5001.1

p. 406



ABAJOURD'HUI LARGE

Flos Soft Architecture

A+ → E


Fuente luminosa (disponible) ·
Light source (available)
MAX 150W E27 QT-32 [e]

Materiales · *Materials*
Instalación sobre escayola · *plaster installation*

Peso · *Weight* 16,25 Kg

Acabados *Finishes*	Colores *Colors*
escayola · *plaster*	SA.5000.1

p. 406



SOFT SPUN SMALL FL

Flos Soft Architecture

A


Fuente luminosa (disponible) ·
Light source (available)
18W 2G11 [e] Ballast elettronico · *Electronic Ballast*

Materiales · *Materials*
Instalación sobre escayola · *plaster installation*

Peso · *Weight* 8,5 Kg

Acabados *Finishes*	Colores *Colors*
escayola · *plaster*	SA.5004.1

p. 408



SOFT SPUN SMALL HL

Flos Soft Architecture

A+ → E

Fuente luminosa (disponible) ·
Light source (available)
MAX 120W R7s QT-DE-12 [e]


Materiales · *Materials*
Instalación sobre escayola · *plaster installation*

Peso · *Weight* 8,5 Kg

Acabados *Finishes*	Colores *Colors*
escayola · *plaster*	SA.5005.1

p. 408

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*



SOFT SPUN SMALL LED

Flos Soft Architecture

Acabados
Finishes

escayola · *plaster*

Colores
Colors

◯ SA.5006.1D

LED INCLUDED
NOT REPLACEABLE


Fuente luminosa (disponible) ·
Light source (available)
1 LED WHITE 35W 1800lm 3000K
CRI90 [i] Driver elettronico · *Electronic Driver*

Materiales · *Materials*
Instalación sobre escayola · *plaster installation*

p. 408

Peso · *Weight* 8,5 Kg

CE I.P 20



SOFT SPUN LARGE FL

Flos Soft Architecture

Acabados
Finishes

escayola · *plaster*

Colores
Colors

◯ SA.5008.1

A


Fuente luminosa (disponible) ·
Light source (available)
24W 2G11 TC-L (diff.) [e]
Ballast elettr. · *Elect. Ballast*
+ LED 1.4W 80lm 2700K CRI>90 (base)
[i] Driver elettronico · *Electronic Driver*

Materiales · *Materials*
Instalación sobre escayola · *plaster installation*

p. 408

Peso · *Weight* 17 Kg

CE I.P 20



SOFT SPUN LARGE HL

Flos Soft Architecture

Acabados
Finishes

escayola · *plaster*

Colores
Colors

◯ SA.5009.1

A

LED INCLUDED
NOT REPLACEABLE


Fuente luminosa (disponible) ·
Light source (available)
1 x MAX 160W R7s QT-DE (diff.) [e] + 1
LED 1.4W 80lm 2700K CRI>90 (base)
[i] Driver elettronico · *Electronic Driver*

Materiales · *Materials*
Instalación sobre escayola · *plaster installation*

p. 408

Peso · *Weight* 17 Kg

CE I.P 20



SOFT SPUN LARGE LED

Flos Soft Architecture

Acabados
Finishes

escayola · *plaster*

Colores
Colors

◯ SA.5007.1D

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa (disponible) ·
Light source (available)
1 LED WHITE 35W 1800lm 3000K
CRI90 (diff.) [i] Driver elettr. · *Elect. Driver*
+ 1 LED WHITE 1,4W 80lm 2700K
CRI>90 (base) [i] Driver elettr. · *Elect. Driver*

Materiales · *Materials*
Instalación sobre escayola · *plaster installation*

p. 408

Peso · *Weight* 17 Kg

CE I.P 20

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*

TECHNICAL INFO

[e] fuente de lux excluida · *excluded light source* - [i] fuente de lux incluida · *included light source* - * fuente de lux no regulable · *not dimmable light source*

CLASIFICACIÓN Y HOMOLOGACIONES · CLASSIFICATION & HOMOLOGATIONS

Clases de Aislamiento de las Luminarias · *Luminaires classification*

Clase I: Luminaria cuya protección contra los choques eléctricos no está basada en un aislamiento básico del aparato sino en medidas de seguridad adicionales consistentes en conectar las partes accesibles conductoras de la luminaria a un conductor de seguridad o toma de tierra · *Class I: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of connecting the accesible conductive parts to a safety conductor (earth)*

Clase II: Luminaria cuya protección contra los choques eléctricos no está basada en un aislamiento básico del aparato sino en medidas de seguridad adicionales consistentes en un doble aislamiento reforzado · *Class II: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of double reinforced insulation without conductive parts to a safety conductor (earth)*

Clase III: Luminaria cuya protección contra los choques eléctricos está basada en la muy baja tensión de alimentación sin que se produzcan voltajes mayores a ésta. Una luminaria de Clase III nunca debe ser suministrada con toma de tierra · *Class III: Luminaire in which protection against electrical shocks is based on the very low safety supply voltage and no voltages are produced higher than this. A Class III luminaire must never be provided with earthing*

Homologaciones · *Homologations*

Todas las luminarias producidas y presentadas en este programa se han realizado en conformidad con la Norma Europea EN 60 598 y, por consiguiente, cumplen los requisitos establecidos por la Directiva CEE 73/23 (Directiva de Baja Tensión). Su realización garantiza también la conformidad con la Directiva 89/336 en lo concerniente la Compatibilidad Electromagnética. Todos los productos que forman parte del campo de aplicación de estas Directivas llevan el marcado CE que certifica su conformidad a los respectivos requisitos · *All lamps manufactured and illustrated in this catalog comply with European Standard EN 60 598 and consequently meet the requirements set forth in Directive 73/23 EEC (Low Voltage Directive). They also comply with Directive 89/336 covering electromagnetic compatibility. All products falling under the scope of the above-mentioned Directives bear the CE mark as proof of their compliance with the respective requirements*

La presencia del marcado ENEC en el producto testimonia el cumplimiento de la normativa europea y garantiza la fiabilidad del sistema organizativo y productivo responsable de su fabricación, a través de un organismo de certificación acreditado. El marcado ENEC representa nuestro compromiso y mejor garantía en materias de seguridad y calidad en todos nuestros productos · *The ENEC mark on the product stands for the compliance of European Standard as well as a trustworthy organisation and product system and is guaranteed by an accredited certification body. This agreed mark stands for our engagement and represents the best guarantee in security and quality matter of our products*

La asociación española de normalización y certificación AENOR certifica que el Sistema de aseguramiento de la Calidad adoptado por Antares Iluminación S.A. es conforme a las exigencias de la Norma Europea EN ISO 9001: Sistemas de Calidad · *The Spanish Association for Standards and Certification AENOR, certifies that quality assurance system adopted by Antares Iluminación, S.A. complies with the requirements of the standard UNE-EN ISO-9001 Quality Systems.*

GRADO DE PROTECCIÓN · DEGREE OF PROTECTION

IP
20

Índice de protección contra la penetración de partículas sólidas y húmedas · *Protection degree offered by the fixture to the ingress of solids and liquids*

IP
20

1a cifra, protección contra la penetración de cuerpos sólidos: 0 Ninguna protección. 1 Protección contra cuerpos sólidos de tamaño superior a 50mm. 2 Protección contra cuerpos sólidos de tamaño superior a 12mm. 3 Protección contra cuerpos sólidos de tamaño superior a 2,5mm. 4 Protección contra cuerpos sólidos de tamaño superior a 1mm. 5 Protección contra el polvo. 6 Totalmente protegido contra el polvo · *1st figure, protection against penetration by solid bodies: 0 No protection - 1 Protected against solid bodies over 50 mm in diameter - 2 Protected against solid bodies over 12 mm in diameter - 3 Protected against solid bodies over 2,5 mm in diameter - 4 Protected against solid bodies over 1 mm in diameter - 5 Protected against dust - 6 Fully protected against dust*

IP
2**0**

2a cifra, protección contra la penetración de agua: 0 Ninguna protección. 1 Protección contra caída vertical de gotas de agua. 2 Protección contra caída vertical de gotas de agua, 15° máx. inclinación. 3 Protección contra caída vertical de gotas de agua, 60° máx. inclinación. 4 Protección contra salpicaduras de agua. 5 Protección contra chorros de agua. 6 Protección contra olas de agua. 7 Protección contra inmersión. 8 Protección contra inmersión prolongada · *2nd figure, protection against penetration by water: 0 No protection - 1 Protected against drops of water falting vertically - 2 Protected against drops of water at a max. inclination of 15 degrees - 3 Protected against drops of water at a max. inclination of 60 degrees - 4 Protected against splashed of water - 5 Protected against jets of water - 6 Protected against waves - 7 Protected against immersión - 8 Protected against long term immersión*

Pictografía · *Pictography*

Luminarias con balastos incorporados o transformadores previstos para montaje directo sobre superficies normalmente inflamables · *Luminaire with builtin power packs or transformers, suitable for mounting directy onto normally inflammable surfaces*

0,1 m

Distancia mínima a los objetos iluminados · *Minimum distance from illuminated objects*

De conformidad con lo estipulado en el Reglamento 874/2012/UE, que complementa a la Directiva 2010/30/UE, relativo al etiquetado indicador del consumo energético de las lámparas eléctricas y la compatibilidad de los dispositivos de iluminación con las distintas fuentes de luz (integradas o compatibles con ellas), Flos S.p.A ha introducido las etiquetas solicitadas, en formato electrónico, en el mismo sitio web (www.flos.com), en la sección de productos. Las formas para descargar las etiquetas, redactadas en las distintas lenguas comunitarias, son las siguientes: Seleccione la colección/el producto que le interesa (por ejemplo http://www.flos.com/decorative/en/products/floor/Arco) • Haga clic en " Ver ficha técnica" • Haga clic en "Print Energy Label" • Seleccione el idioma e imprima la etiqueta · *In accordance with the provisions of Regulation 874/2012/EU and integration of the Directive 2010/30/EU concerning labeling indicating the energy consumption of electric lamps and the compatibility of lighting appliances with different light sources (integrated or compatible with these), Flos SpA has inserted the required labels, in electronic form, on its website (www.flos.com) in the area relating to products. The methods to download the labels in different languages envisaged at Community level are as follows: • Choose the collection/product you are interested in (for ex: http://www.flos.com/decorative/en/products/floor/Arco) • Click on "see specs sheet" • Click on "Print Energy Label" • Select the language and print the label*

WHERE TO FIND US

La nostra rete internazionale di distributori, flagship store e showroom
Our international network of distributors, flagship stores and showrooms

ITALY

Flos Spa
Via Angelo Faini, 2
25073 Bovezzo (Brescia)
Tel +39 0302438.1
info@flos.com

SPAIN

Antares Iluminación S.A.U.
Calle Mallorca, 1
Polígono Industrial Reva 46394 Ribarroja (Valencia)
Tel +34 96 166 95 20
Fax +34 96 166 82 86
flos.architectural@flos.com

ITALY

Ares srl
Via dell'Artigianato, 24
20881 Bernareggio (Monza)
Tel +39 0396900892
flos.outdoor@flos.com

DISTRIBUTION

BELGIUM & LUXEMBOURG
Flos Belux
M +32 474 739 080
flosbelux@flos.com

FRANCE
Flos France
20-22, Passage Dauphine
75006 Paris
Tel +33 (0) 1 40 64 17 44
flos.france@flos.com

GERMANY
Flos Gmbh
Obermünsterstraße 18
93047 Regensburg
Tel +49-941-630837-00
info@flos-gmbh.de

UNITED KINGDOM
Atrium Ltd.
28 Leonard Street
EC2A 4BY London
Tel +44 (0) 20 7681 9933
Fax +44 (0) 20 7681 9943
flos@atrium.ltd.uk

UNITED KINGDOM
International Projects UK Division
Tel +44 (0) 20 7681 9933
flos.international@flos.com

DENMARK
Flos Scandinavia A/S
Sydhavnsgade 28
DK-2450 København SV
Tel +45 (0) 3388 60 00
Fax +45 (0) 3388 60 10
info@flos.dk

NORWAY
Drammensveien 120
0277 Oslo - Norway
Tel +47 (0) 2212 86 00
Fax +47 (0) 2212 86 08
info@flos.no

THE NETHERLANDS
Flos BV
Cruquiusweg 109S
1019 AG Amsterdam
Tel +31 (0) 20 560 50 60
Fax +31 (0) 20 560 50 70
flosnetherlands@flos.com

U. S. A.
Flos USA Inc.
110 York Street - 5th Floor
Brooklyn, NY 11201
Tel +1 (718) 875-3472
Fax +1 (718) 875-3473
info@flosusa.com

JAPAN
Flos Co., Ltd.
PMC Building 9F
1-23-5 Higashiazabu Mina-to-Ku Tokyo 104-0044
Tel +81 (0) 3 3582 1468
Fax +81 (0) 3 3582 097
flosjapan@flosjapan.com

FAR EAST
Flos Representative Office
1, Commonwealth Lane
#08-12, 149544 Singapore
Tel +65 (0) 6372 1495
Fax +65 (0) 6372 7607
flosasia@flos.com

CHINA
Flos Illumination (Shanghai) Co. Ltd. Unit 101, Floor 1, Building B9 No. 800 of Chang De road Jing An District, Shanghai, 200040, China
Tel: 86 021 62176187
floschina@flos.com

SWEDEN
Flos Scandinavia A/S
Karlaplan Lützengatan 1
S-115-20
Tel +46 (0) 8 660 4405
Fax +46 (0) 8 660 7005
info@flos.se

AUSTRIA - GERMANY
SWITZERLAND
Flos GmbH
Obermünsterstraße 18
93047 Regensburg, Germany
Tel +49 941 630837 00
Fax +49 941 630837 60
info@flos-gmbh.de

LATIN AMERICA
Flos LatAm
M +52 55 6960 1772
flos.latinoamerica@flos.com

INDIA
Flos Representative Office
1, Commonwealth Lane
#08-12, 149544 Singapore
Tel +65 (0) 6372 1495
Fax +65 (0) 6372 7607
flosindia@flos.com

MIDDLE EAST
Flos Middle East
Dubai Design District
Dubai, United Arab Emirates
Tel +971 54 3567356
flosme@flos.com

HONG KONG
M +852 9307 3713
flosasia@flos.com

FLAGSHIP STORES

MILANO
Corso Monforte, 9
20122- Milano
Tel +39 02 37011080
Fax +39 02 780833
flosmilano@flos.com

ROMA
Via del Babuino, 85
00187 - Roma
Tel +39 06 3207631
Fax +39 06 3207690
flosroma@flos.com

PARIS
15, rue de Bourgogne
75007 - Paris
Tel +33 (0) 1 53 85 49 93
Fax +33 (0) 1 53 85 49 99
shop@flos.fr

LYON
17 rue Jarente
69002 - Lyon
Tel +33 478621301
Fax +33 478622119
lyon@flos.fr

NEW YORK
152 Greene Street
NY 10012
Tel +1 212 941 4760
Fax +1 212 941 4763
info@flosusa.com

STOCKHOLM
Karlaplan Lützengatan 1 S-115-20
Tel +46 (0) 8 660 4405
Fax +46 (0) 8 660 7005
info@flos.se

SHOWROOMS

MILANO
Corso Monforte, 15
20122 Milano
Tel +39 02 79 84 57
Fax +39 02 89 78 56 41
contract.milano@flos.com

COPENAGHEN
Sydhavnsgade 28
DK-2450 København SV
Tel +45 (0) 3388 60 00
Fax +45 (0) 3388 60 10
info@flos.dk

OSLO
Drammensveien 120
0277 Oslo - Norway
Tel +47 (0) 2212 86 00
Fax +47 (0) 2212 86 08
info@flos.no

AMSTERDAM
Cruquiusweg 109S
1019 AG Amsterdam
The Netherlands
Tel +31 (0) 20 560 50 60
Fax +31 (0) 20 560 50 70
info@flosmail.nl

TOKYO
PMC Building 9F
1-23-5 Higashiazabu Minato-Ku
Tokyo 104-0044
Tel +81 (0) 3 35 82 14 68
Fax +81 (0) 3 55 75 70 87
info@flosjapan.com

PARIS
20-22, Passage Dauphine
75006 Paris
Tel +33 (0) 1 40 64 17 44
flos.france@flos.com

CREDITS

EDITION
January 2021 © 2021 All rights reserved

ART DIRECTION
Stefanie Barth & Carina Frey

DESIGN
Guido Tamino

STILL LIFE PHOTOGRAPHY
Frank Hülsbömer

IN PLACE PHOTOGRAPHY
Bastian Achard, Florian Boehm, Germano Borrelli, Beppe Brancato, Santi Caleca, Marco Cappelletti, Studio Casali, Monica Castiglioni, Jackie Chan, Cesare Colombo, Ramak Fazel, Alecio Ferrari, Francesca Ferrari, Luciano Ferri, Vincenzo Flore, Alessandro Furchino Capria, Stefano Galuzzi, Giovanni Gastel, Zoë Ghertner, Stefania Giorgi, Frank Hülsbömer, Andrew Jacobs, Philippe Jarrigeon, Heidi Lerkenfeldt, Nico K. Tucci, Jean Baptiste Mondino, Maria Mulas, Ugo Mulas, Maki Ochoa, Giuseppe Pino, Timm Rautert, Jesper Ray - House of Pictures, Tommaso Sartori, Scheltens & Abbenes, Delfino Sisto Legnani, Luciano Svegliado, Tecma Solutions, Federico Torra, Leo Torri, Jan Verlinde

PRODUCT PHOTOS
Piero Fasanotto

ACKNOLEDGEMENTS
Fondazione Achille Castiglioni, Studio la Città - Verona,
Alberto Garutti, La Mutina

Flos se reserva el derecho a realizar en los propios modelos cualquier modificación que considere oportuna, sin previo aviso.
Flos reserves the right to introduce any changes to its own models, without prior notice.

ALL ABOUT LIGHT

FLOS