BMI MONIER

Fittings Make Tiles Become a Roof



Fittings Collections

bmigroup.com/my

RIGHT FITTINGS MAKE THE ROOF PERFECT

BMI MONIER® DESIGN FITTINGS SERIES



BMI MONIER® ANGULAR FITTING SERIES



Verge Tile

Verge End Tile

Monoridge Tile

Angular Ridge End

CONCRETE FITTINGS COLLECTIONS

Standard Series applicable for Elabana®.



Standard Ridge & Hip



Standard Ridge End



Standard Hip End



Standard 4-Way Apex



Standard 3-Way Apex

Design Series applicable for Advanced Contour[®], Nordica[®] & Elabana[®].



Ridge & Hip Tile



3-Way Apex



2-Way Ridge Tile



4-Way Apex



Ridge End Tile



Universal Verge Tile



Hip End



Universal Verge End Tile

Angular Series applicable for Legacy® Mineral & Perspective® Mineral & Horizon® 8.



Angular Ridge



Universal Angular Verge End



Angular Ridge End



Monoridge Tile



Angular Hip



Monoridge End Tile



Angular Hip End



3-Way Apex



Universal Angular Verge Tile

STANDARD SERIES FITTINGS SPECIFICATIONS





Name	Standard Ridge & Hip
Length (L)	420mm
Horizontal Width (W)	250mm
Internal Angle Ø	124°
Coverage	2.70 pcs/m
Weight	3.1 kg (Approximately)



Name	Standard Ridge End
Length (L)	420mm
Horizontal Width (W)	250mm
Internal Angle Ø	124°
Weight	4.10 kg/pcs





420mm
250mm
3.30 kg/pcs





Name	Standard 4-Way Apex
Horizontal Width (W)	250mm
Internal Angle Ø	120°
Spread Angle Ø	90°
Weight	2.0 kg/pcs





Name	Standard 3-Way Apex
Horizontal Width (W)	250mm
Internal Angle Ø	124°
Spread Angle Ø	135° from Main Ridge Line to Hip Line
	90° Between Hip Lines
Weight	3.8 kg (Approximately)



DESIGN SERIES FITTINGS SPECIFICATIONS

















Name Ridge & Hip Tile	
Length (L) 330mm	
Horizontal Width (W) 250mm	
Coverage 3.40 pcs/m	
Weight 3.4 kg/pcs	

Name	2-Way Ridge Tile
Length (L)	330mm
Horizontal Width (W)	250mm
Weight	3.5 kg/pcs



Name	Hip End
Length (L)	360mm
Horizontal Width (W)	210mm
Weight	3.2 kg/pcs
5	51

Name	3-Way Apex
Length (L)	220mm
Spread Angle Ø	135° from Main Ridge Line to Hip Line
	90° Between Hip Lines
Weight	5.5 kg/pcs

Name	4-Way Apex
Length (L)	220mm
Spread Angle Ø	90°
Weight	7 kg/pcs

Name	Universal Verge Tile
Length (L)	420mm
Horizontal Width (W)	180mm & 245mm
Internal Angle Ø	74°
Coverage	2.9 - 3.4pcs/m (depends on batten spacing)
Weight	4.7 kg/pcs

Name	Universal Verge End Tile
Length (L)	420mm
Horizontal Width (W)	216mm & 245mm
Internal Angle Ø	74°
Weight	4.9 kg/pcs

















ANGULAR SERIES FITTINGS SPECIFICATIONS



Name	Angular Ridge
Length (L)	385mm
Horizontal Width (W)	240mm
Internal Angle Ø	110°
Coverage	2.9 pcs/m
Weight	4.9 kg/pcs

Angular Hip

385mm

240mm

2.9 pcs/m

4.1 kg/pcs

124°

Name

Length (L)

Coverage

Weight

Horizontal Width (W)

Internal Angle Ø



Name	Angular Ridge End
Length (L)	270mm
Horizontal Width (W)	240mm
Internal Angle Ø	110°
Weight	4.2 kg/pcs



Angular Hip End
268mm
243mm
2.9 kg/pcs



Universal Angular Verge Tile
420mm
155mm & 175mm
95°
3.0 - 3.2pcs/m (Depends on batten spacing)
4.0 kg (Approximately)





Name	Universal Angular Verge End
Length (L)	345mm
Horizontal Width (W)	220mm
Internal Angle Ø	95°
Weight	3.0 kg (Approximately)



Name	Monoridge Tile
Length (L)	300mm
Horizontal Width (W)	330mm
Internal Angle Ø	75°
Coverage	3.3 pcs/m
Weight	5.0 kg (Approximately)



Name	Monoridge End Tile
Length (L)	420mm
Horizontal Width (W)	224mm
Internal Angle Ø	95°
Weight	4.5 kg/pcs







Showroom & Sales office location

MONIER MALAYSIA SDN. BHD. (19163-M)

Suite 12W,12th Floor Wisma FGV Jalan Raja Laut 50350 Kuala Lumpur Malaysia T (+60) (3) 21760600 F (+60) (3) 26040335 Toll Free: 1800 88 0865 Roofing-malaysia@monier.com

bmigroup.com/my



ABOUT BMI GROUP

BMI Group was born out of a recognition that customers now expect a single point of expertise to help them find their ideal roof. Bringing together some of the industries most trusted brands to become the largest supplier of both flat and pitched roofing and waterproofing solutions throughout Europe, BMI Group has over 165 years of experience and innovation to offer its clients.

As a **Standard Industries** company, BMI Group, headquartered in London, has the support, reach and resources of a global enterprise. With over 120 production facilities across Europe, Africa and Asia, and more than 9,500 employees worldwide, the business is well positioned to provide an unparalleled level of service to homeowners, specifiers, contractors, property owners and developers.

Find out more at www.bmigroup.com