

AUBRILAM
— SPACE COMES ALIVE —

AUBRILAM

Making cities unique, beautiful and sustainable.




At its essence, space is an infinite expanse. It reveals its identity and personality when inhabited.

For over 40 years, we have been enhancing outdoor spaces. New economic and environmental challenges naturally drive us to reinvent our craft, solutions and products every day.

A space is dynamic, coming to life when people inhabit it. We use materials that are both vibrant and sustainable to bring meaning and beauty to living areas. Our collections are designed to serve both the spaces and their inhabitants. Each product finds its place in the landscape, fulfilling a specific purpose.

Summary



Introduction

Our identity	06	Our process	22	Dark Sky	36
Our presence	08	Wood care	24	BEGA BugSaver®	38
Our history	10	Standards	26	Control solutions	40
Thinking sustainably	12	Personnalisation	28	The color chart	42 - 53
Wood	14	Customization	30	Product offering	54
Materials	16 - 19	Planning	32		
AUBRILAM HTE	20	Responsible lighting	34		

Collections

SoMa	56	Rendez-vous	64	Eggo - Utyl	72
Notche	58	Solea	66	Olam	74
Skala	60	Sensy	68		
Utyl	62	Bali - Kay - Luci	70		

Furniture

Seatings	76 - 127	Litter bins	150 - 163	Barriers	172 - 175
Tables	128 - 131	Ashtrays	164 - 167	Wind protection	176
Sets	132 - 141	Bollards	168	Shelters	178 - 185
Planters	142 - 149	Bike rack	170		

Lighting bollards

SoMa	190	Bali	198	Solina	208 - 211
Kay	192	Utyl	200	Sahari	212 - 215
Eggo	194	Notche	202 - 205	Sensy	216 - 221
Luci	196	Skala	206		

Light building elements

SoMa	222	Skala	230	Sensy	236 - 239
Olam	224	Solina	232		
Notche	226 - 229	Sahari	234		

Poles

Skala	240	Sumu XL	246	Capella	252
Moshi XL	242	Dôme XL	248	Italic	254
Silea XL	244	Stratos	250		

Accessories

Brackets	256 - 259	Mounting brackets	261
Extensions	260	Special mountings	262



Our identity

Who we are

Since our founding in 1978, we have been committed to meeting our customers' needs with originality, authenticity and expertise. We remain true to our core values: respect for the environment, innovation and product quality.

Today, AUBRILAM, part of the BEGA group, continues to grow with this shared philosophy of creating high-quality products that stand the test of time.

What we do

We provide a comprehensive range of products for urban spaces and restaurant terraces. Additionally, we specialize in creating customized solutions to meet your project's unique requirements.

We design and develop our product ranges, manufacturing them in our dedicated workshops. Our expertise and craftsmanship are dedicated to every stage of your project, from design through to implementation.

Our signature

Wood is our primary raw material. Durable, eco-friendly and resilient, it infuses spaces with warmth and character. In our workshops, we transform wood into distinctive pieces that elevate living spaces and improve user comfort.

AUBRILAM, space comes alive.



Our global presence

Our first facility in Brioude, France, has been transforming wood for over 45 years. Over the decades, we have refined our expertise and modernized our production tools, now housed in two state-of-the-art sites.

These locations oversee the entire manufacturing process, from receiving raw materials to shipping finished products. An outdoor showroom showcases our products in real-world settings.

To support our expansion in America, we opened a new BEGA group production site in Broomfield, Colorado, in 2023.

Our commercial presence

Through our sales network and partners, we reach over 100 countries worldwide.

Our history

1978

Over 45 years

Our company creation. Wood, our primary raw material, is vibrant and sustainable.



1992

McDonald's

Our first terrace is inaugurated in Aurillac, Cantal.

1996

Great heights

We manufacture glulam wood poles up to 24 meters high.



Our partnership with McDonald's

- over 30 years of partnership;
- equipping over 600 terraces annually;
- supporting regions: Europe, Middle East/Africa, South America and North America.



2002

Expansion

We expand and modernize our production facilities.

2010

CE marking

AUBRILAM leads the normative market with its wood-metal poles, the only ones to bear the CE marking.



2014

Global reach

We provide comprehensive product and service solutions worldwide.

2018

Connectivity

Our furniture integrates smart solutions for user convenience, including charging points, Wi-Fi and lighting control.

2021

BEGA

AUBRILAM joins the BEGA group.



2023

Modernization

We expand and modernize our production site, unveiling a new 2,000 m² showroom. We are accelerating our growth in the Middle East and across the Americas.




Today

We continue to bring our expertise to offer high-quality, sustainable and customized solutions. Innovation is at the heart of our approach.

Tomorrow

Our goal is to keep making cities more beautiful and pleasant to live in.



Thinking sustainably means creating eco-friendly products that harmonize with living spaces, with understated designs that are crafted to blend in naturally.



Thinking sustainably means offering landscaping solutions that make living spaces beautiful, enjoyable and comfortable in the long term. Our products are designed with this purpose in mind, paying attention to every detail. Each piece is carefully designed and adjusted to give the product a cohesive and harmonious silhouette, seamlessly integrating into spaces and standing the test of time.

Thinking sustainably

Sustainable by design

Our philosophy revolves around using durable materials integrated optimally into our products. Responsibly meeting needs is paramount to us. With our eco-design approach, we give materials a new life. Designing products with the life cycle of our materials in mind is central to our ethos.

For the past 45 years, wood has been at the heart of our environmental approach in our wood-metal hybrid products. Wood, with its positive environmental footprint, captures and stores CO₂ during its growth, absorbing 1 tonne of CO₂ per 1 cubic meter of wood. For our lighting poles, we use Scots pine sourced from sustainably managed forests. This heartwood is harvested from carefully selected trees.

For our furniture, we opt for Accoya®, an exceptionally durable modified wood guaranteed for up to 50 years of outdoor use. Healthy, sustainably sourced and fully recyclable, Accoya® perfectly aligns with our eco-friendly approach. Moreover, 80% of our aluminum comes from recycled sources.

Using wood as a structural material in our poles instead of steel and aluminum significantly reduces the environmental footprint of our products during manufacturing. Furthermore, we continually refine our designs and processes to offer even more environmentally friendly and durable products.

Optimization and innovation

We meticulously calculate the dimensions and thicknesses of our wooden components to optimize the use of raw materials while ensuring the product's durability in its installation location. Since 2006, this approach has been integral to the design of our laminated wood poles, as evidenced by our AUBRILAM HTE label.

In our workshops, we consistently enhance our processes and tools to reduce energy consumption from our machinery and minimize production waste. We recover and repurpose wood shavings and unused scraps in recycling initiatives. Quality management is a key focus across all our sites to enhance our environmental performance.

Optimizing a project's environmental performance

Since 2006, we have adopted a Life Cycle Assessment (LCA) approach, compliant with ISO 14040 and 14025 standards, to assess and mitigate the environmental impacts of our products during manufacturing. This analysis allows us to generate detailed reports outlining the environmental footprint of each of our poles.

This initiative is part of a comprehensive approach aimed at:

- analyzing the factors responsible for environmental degradation throughout the product life cycle;
- calculating the environmental impact of each product;
- objectively comparing our results with those of metal poles;
- enhancing project and product environmental performance through eco-design.

This approach enables us not only to undertake eco-responsible projects but also to offer our clients specialized environmental expertise tailored to their projects based on the selected products.



Wood, our signature

Wood, our primary raw material, is incorporated into the majority of our products. Beyond meeting our standards for durability and environmental preservation, it possesses unique qualities that give it such distinctive character. Soft, noble and warm, it adds a soulful dimension to each of our projects. Its textures, colors, and interplay of light make it an unparalleled aesthetic feature.

Scots pine

Originating from Finland, its slow growth results in wood with very fine and uniform growth rings. These sought-after qualities are only achievable due to the unique climate in these regions.

This Scots pine is harvested from carefully selected trees, with only heartwood used, naturally classified as grade 3 (use class). We use this wood for our structural elements such as light poles, incorporating a finishing process with wood stain that both colors and protects the wood surface during manufacturing.

Accoya® wood

Accoya® wood is derived from the acetylation of sustainably sourced fast-growing woods, making it exceptionally durable, healthy and environmentally friendly. Impervious to decay and highly water-resistant, it boasts a very low carbon footprint and is fully recyclable. We use Accoya® wood to craft our furniture pieces and lighting bollards. We apply our wood stain finish to enhance its aesthetic appeal, although it can also be used in its natural state to meet specific project requirements.

High-pressure compact laminate

Our high-pressure compact laminate panels are made of sustainably sourced wood, ensuring they are environmentally friendly. They are resistant to all weather conditions and easy to maintain, making them ideal for crafting tabletops, seating and other furniture components. The wood-like finishes we've chosen blend seamlessly with our range of wood stains, creating cohesive and stylish product lines.



Materials

Scots pine glued laminated timber (glulam)

Characteristics

Constructed from multiple layers of heartwood, untreated, harvested from mature trees in sustainably managed and PEFC-certified forests. ACERBOIS-GLULAM certified material.

Benefits

High durability and outdoor performance (Class 3). Strong mechanical resistance to bending, compression and impacts.

Applications

We use this material for creating light building elements and poles up to 16 meters in height.

Accoya® modified wood

Characteristics

Accoya® is wood modified through a patented acetylation process, transforming sustainably sourced and certified timber. It holds FSC® certification and Cradle to Cradle Certified® Gold status.

Benefits

Accoya® offers exceptional dimensional stability and resistance to insects and fungi (Class 4). It is incredibly durable, with a 50-year guarantee above ground and a 25-year guarantee when in contact with soil or water.

Applications

We use this material for our urban furniture and lighting bollards.

High-pressure compact laminate (HPL)

Characteristics

HPL panels are composed of natural wood fiber strips impregnated with synthetic resins. Primarily made of wood processed into "kraft paper", they come from sustainably managed and certified forests (FSC and PEFC). These panels also carry the 'Biosource' (Organically Sourced) Product label.

Benefits

Exceptionally weather-resistant, HPL is highly durable against light, scratches and impacts. Easy to clean.

Applications

We incorporate HPL into our designs for terrace and urban furniture.

Molded plywood

Characteristics


Components made from sheets of sustainably sourced beech wood from PEFC-certified forests. Outdoor durability tested and validated by CRITT Bois, and UV resistance validated by CNEP.

Benefits

Exceptionally weather-resistant, HPL is highly durable against light, scratches and impacts. Easy to clean.

Applications

We use this material for crafting curved furniture components.



Aluminum

Characteristics

This malleable material is resistant to oxidation and very lightweight. It is fully recyclable without losing its properties. Recycling it only requires 5 % of the energy used in its original production. It undergoes a polyester powder coating.

Benefits

Lightweight and corrosion-resistant. High-quality component finishing.

Applications

We use this material for casting, building elements and other connecting components.

Steel

Characteristics

Durable material with elasticity allowing deformation without breaking. It undergoes a polyester powder coating.

Benefits

Hardness and high resistance to mechanical stress. Ideal for creating large or tall structures.

Applications

We use this material for pole bases and light building elements. We also use it for structural components in our furniture.

Concrete

Characteristics

Composite material. High-performance concrete infused with organic fibers, providing resistance to compression and bending.

Benefits

Durable and robust. Suitable for molding various pieces.

Applications

We use this material for crafting urban furniture components.





AUBRILAM HTE High outdoor durability

AUBRILAM HTE glued laminated timber (glulam)

With over 45 years of expertise, we have perfected our HTE method for producing glulam specifically designed for outdoor use, serving as lighting pole supports or structural elements.

- the process uses ACERBOIS GLULAM-certified glued laminated beams.
- the glulam planks from these beams are sized based on the height of the pole, its cross-section (round or square) and the required load capacity. These planks are made of small-section lamellas joined together with adhesive, which minimizes the wood's dimensional and mechanical variations.
- we choose a naturally rot-resistant wood species from sustainably managed forests, eliminating the need for additional chemical treatment for the intended use conditions.
- our chosen adhesive is designed to withstand outdoor conditions, even with significant humidity and temperature fluctuations.
- the stain we use, along with our application method, ensures durability for up to 7 years.

Glulam is a well-engineered material. Its exceptional mechanical strength makes it perfect for structures over 10 meters tall, allowing for large spans without adding unnecessary weight. Furthermore, the manufacturing process produces very little waste, ensuring efficient use of resources.

Our process

Our products are crafted and assembled in our own workshops. The exceptional quality of our products stems from a finely-tuned industrial process combined with precise manual craftsmanship.



1

Material reception

When the glulam beams arrive at our workshop, they are allowed to acclimate, ensuring the wood is in the best condition for processing.



2

Cutting, planing and sizing

These steps involve cutting the beams and boards to the exact dimensions needed, ensuring precise calibration and minimizing material waste.



3

Gluing

The adhesive is applied in a controlled, uniform manner. After gluing, the pole is placed on a clamping bench for 8 to 10 hours. Each gluing session involves taking samples for shear tests to verify pole strength. These tests are crucial for CE marking compliance.



4

Machining and turning

Our precision CNC machines handle the material with accuracy to achieve our final product: cutting to length, partial surfacing, shoulder shaping, drilling and turning.



5

Surface preparation

Filling, touch-ups and sanding: These manual processes smooth and even out the wood's surface in preparation for staining. The scraping technique is a unique finish that highlights the wood grain. Mechanical brushes remove the softer parts, revealing the natural texture and enhancing the aesthetic without affecting the structural strength.



6

Staining

Staining is done in multiple layers to tint the wood and protect it from UV rays and aging effects. Our stains are solvent-free and applied evenly with a spray gun. The process and thicknesses are continuously monitored to ensure the durability of the stain according to our quality commitments. Liming is a more advanced technique that achieves an aged effect on the wood.

7

Assembly

Once assembled, each product undergoes inspection, and a CE conformity label ensures its traceability.



8

Packaging

Our products are carefully packaged, with the packaging method tailored in advance based on the transportation type and installation site. For large poles like the 16-meter ones, our teams conduct a specialized lifting study.



Wood care

Sustainability means preserving the quality and functionality of investments, which requires regular care. After years of research and testing, we have developed a process using high-performance water-based stains, ensuring a lifespan of 6 to 15 years depending on the wood type and exposure conditions.

Our stains offer a wide range of finishes that blend seamlessly into their surroundings while protecting the wood from external elements such as UV rays, weathering, and pests.

To maintain the integrity, aesthetics, and functionality of our products, regular care is essential. We recommend caring for Scots pine products (poles) every 6 to 8 years and Accoya® products (bollards and urban furniture) every 10 to 15 years, depending on exposure and usage conditions. Care intervals may vary according to site conditions and intensity of use.

We have developed two care protocols:

- Routine care: carried out at recommended intervals;
- Restoration care: for repairing damaged components.

In line with our sustainability approach, our urban furniture is designed for easy component replacement when needed. We provide a comprehensive care kit, including staining products aligned with our manufacturing processes, technical application guides, and training for qualified technicians to operate on all types of installation sites.

Our AUBRILAMCare service is available to support you in caring your equipment, ensuring our solutions remain accessible everywhere. Contact us at aubrilamcare@aubrilam.fr or call us on +33 4 73 31 86 86.



Care helps preserve the aesthetic appeal of our products. Like all outdoor installations, they are exposed to varying weather conditions, environmental factors, and potential misuse. We are committed to delivering durable products that are designed for easy care from the outset.



From the raw material, wood, to installation on-site, we oversee every step of the manufacturing process.



Design compliant with standards

CE marking

All our poles, ranging from 3 to 16 meters in height, produced in our factory, meet stringent European requirements and directives. They bear the CE marking, ensuring a meticulously controlled manufacturing process. This marking guarantees safety to our customers.

The design of these products must meet the performance standards specified in the European Technical Assessment (ETA) issued by the Centre Scientifique et Technique du Bâtiment (CSTB). A Declaration of Performance sheet is available for each CE-marked product, outlining its specifications. The provisions in the ETA are based on a structural lifespan of the poles of 25 years.

To ensure consistent performance, we conduct factory production checks and tests on samples as prescribed by the ETA.

For this purpose, we have implemented daily production control.

The checks cover various aspects of the product:

- base, pole and section dimensions;
- properties of raw materials: glulam and metal components;
- mechanical resistance to wind loads;
- moisture content of glulam planks;
- shear strength of the adhesive joint.

Shear testing

For every gluing batch, we extract six samples: three are tested while the other three are archived for three years. These tests confirm the adhesive joint's shear strength.

Traceability

Each component delivered to our factory is assigned a batch number. We then re-code the semi-finished and finished parts during their processing. This system, implemented by our quality department, ensures complete traceability of our production.

Customized products

We believe that the furniture selected to complement a site should mirror its identity, particularly when maintaining visual harmony is key. Conversely, furniture should also enhance the site, making it distinctive through its uniqueness and aesthetic appeal.

To address these needs, we have developed customization solutions and a range of adaptable accessories for our standard products. Our manufacturing methods and choice of materials provide ample opportunities for diverse finishes and adjustments. Our designers regularly create new patterns and color combinations to offer fresh customization ideas.

You can choose specific shades or finishes, and opt to have logos or text engraved on our products. We also provide decorative patterns through wood engraving or by integrating additional components onto existing structures.

Moreover, we offer various signage options like plaques and banner supports, along with innovative features such as phosphorescent resin systems. Our range includes accessories that offer additional practical features, such as USB ports or wireless charging systems.



The products we manufacture and showcase in this catalog are designed to furnish outdoor spaces and meet the diverse needs of landscaping projects, regardless of their nature.



Customization

Wood offers limitless possibilities

Our process for glulam structures is perfectly suited for designing tall products. Its structural qualities optimize product weight, making transportation and on-site installation easier.

Wood also simplifies the creation of customized mounting systems for each project. This can include mounting new luminaires, supporting a series of spotlights with a grid, or using cables for hanging string lights or shade sails.

Additionally, wood provides aesthetic advantages. It can be machined and shaped to achieve specific forms, and the variety of color and finish options offers numerous possibilities.

The right solution for every project

Our design office handles the specific structural calculations, designs the entire product and its mounting system. We provide expertise at every stage of product development to meet project requirements. Our designers contribute to designing specific parts and decorative motifs, and they collaborate on color schemes for the project.



We coordinate closely with our factory for prototype production and oversee manufacturing. Our workshop is equipped to handle large components, and our technicians design custom packaging and crates for each transport configuration.

With these capabilities in-house, we offer end-to-end support — from initial design to manufacturing — ensuring your project receives comprehensive, tailored solutions.





We offer technical feasibility studies, perform calculations and sizing tailored to the installation site, and provide photometric analyses and layout plans.



Support for planning

A range of optimized tools and services

Our offerings cater to all types of developments — public or private, urban or rural, large-scale or small. We understand the importance of making the right choices during the design phase.

To assist our clients in selecting the best furniture for their needs, we provide a range of resources and services. Each product in our catalog is described in detail, including materials, dimensions, weight, functionalities, photometric data, and accessories.

An eco-friendly approach tailored to your project

When evaluating a project, we assess the ecological impact of all selected products and provide an environmental report based on ten criteria: carbon footprint, hazardous waste, energy consumption, resource depletion, air toxicity, water toxicity, water consumption, photochemical ozone creation, air acidification, and water eutrophication.



Responsible outdoor lighting

Artificial lighting is essential for humans, but it should be as environmentally friendly as possible. As designers of lighting solutions, we aim to integrate the latest technological advancements that address scientific research on the environmental impact of artificial light. To achieve this goal, BEGA has developed an approach centered around two key pillars: Dark Sky and BEGA BugSaver®.





Dark Sky luminaires are marked in the catalog with an associated symbol. They efficiently direct their light towards the illuminated surface and emit less than 1% of the light flux in the upper half of the luminaire.

Exact data on the light flux distribution in the upper half, along with declarations regarding BUG ratings per IES TM-15-07 and flux codes per EN 13032-2, are available for each luminaire and should be compared with applicable regional regulations.

BUG Rating According to IES TM-15-07


The system used to evaluate luminaires with photometric data measures the incidence of light in the following areas:

- Backlight - Light emitted to the rear of the luminaire
- Uplight - Light emitted above the luminaire
- Glare - Bright light causing visual discomfort


Values measured in lumens for each zone are rated on a scale from 0 (low) to 5 (high), determining the BUG rating.

Flux Code According to EN 13032-2


This code specifies the percentage of light flux emitted upwards and downwards from the luminaire within a defined spatial angle. Each segment has a value indicating the percentage of light emission.



Dark Sky luminaires



To learn more about Dark Sky, visit the BEGA website.







BEGA BugSaver®

BEGA BugSaver® luminaires are marked in the catalog with an associated symbol. BEGA has designed luminaires with BugSaver® technology for efficient lighting in both urban areas and natural environments.

This lighting enhances people's sense of security while minimizing the impact on nocturnal animals. By adjusting the color temperature and light output, they seamlessly blend into the environment at different times of the day, preserving the natural balance. Proper lighting for each location remains a key element in the overall lighting plan.

BEGA technology


To minimize disruption to nocturnal wildlife, BEGA adjusts light color temperature from 3000 Kelvins to Amber (PC-Amber), similar to 1800 Kelvins. This amber hue significantly reduces blue light emissions, which are most disruptive to nocturnal fauna. Further dimming during nighttime hours enhances this effect. Careful light diffusion control prevents unnecessary light pollution in the surroundings, significantly reducing disturbance to local flora and fauna. Lighting control is managed through BEGA BugSaver® devices or DALI lighting management systems.



Comparison of how insects perceive colors and LED spectra — LEDs with PC-Amber technology significantly reduce blue light emissions around 440 nm.

Nighttime adjustment

By carefully managing color temperature and light intensity during nighttime hours, it is possible to reduce the impact on the environment and the life of light-sensitive insects, without compromising user safety.



Color temperature and light power management

Luminaire control is managed either through the BEGA BugSaver® control interface for a straightforward, standalone solution, or via DALI DT8 integrated into a lighting management system provided by the client.



BEGA BugSaver® control interface

The BEGA BugSaver® control interface enables adjustment of color temperature while reducing power consumption. Control can be activated through phase control or automatically using the virtual midnight calculation. Each interface can independently manage up to nine luminaires, without requiring additional components.

BEGA BugSaver® luminaires



To learn more about BEGA BugSaver®, visit the BEGA website.

Control solutions

DALI dimming solutions

There are straightforward solutions for dimming DALI devices. The dimming module integrates the DALI bus power supply and allows for dimming of up to nine DALI devices.




It operates in two modes, switchable via a module switch:
 — Mode 1: Reduces power through phase control.
 — Mode 2: Reduces power using virtual midnight calculations.
 The module's compact size allows for installation inside the luminaire or in the connection box.

Effortlessly manage street and pathway lighting

Equipping luminaires with the Zhaga Book 18 interface is an investment in the future: radio-based management and control are facilitated through the use of communication modules. This setup allows for easy modernization and future replacements.

Using luminaires with the Zhaga interface provides a practical and swift solution for implementing street and pathway lighting management, such as online via the Cloud.




Zhaga lighting management

Standardized interface for detection and communication modules. The Zhaga Book 18 integrates harmonized specifications from the Zhaga consortium with D4i specifications from the DALI Alliance, creating a cutting-edge system that anticipates future advancements in digital networking and sensor technology, an ever-evolving sector. A Plug-and-Play connectivity system enables easy addition or updating of communication modules and sensors.

Communication module

Communication between various luminaires and/or a higher-level system is wireless. BEGA has developed the Zhaga Air Connector to make all luminaires IoT-compatible without the need for onsite control lines or internet access. Each luminaire equipped with a Zhaga Book 18 interface can seamlessly integrate into the BEGA Connect Cloud using the Zhaga Air Connector, making it truly effortless! It is also possible to use other Zhaga controllers available on the market.



Each Zhaga Air Connector serves as a standalone endpoint within the BEGA Connect Cloud. The platform enables centralized control of all luminaires within a unified system, ensuring consistent automation rules.

Luminaires available with Zhaga technology



Learn more about Zhaga technology, visit the BEGA website.





The color chart

To complement our product collections, we offer a palette of colours and finishes developed for application to the materials that make up our products: wood, metal and compact laminate. Each material has specific properties that reveal a shade or texture in a unique way.

Wood can be finished smooth or brushed, and its appearance evolves when combined with metal. The cerused finishes, achieved through a process we have developed in-house, give the wood an aged look. This natural material, with the distinctive pattern of its grain, lends a unique character to each of our products.

Metal, used as a structural element, often connects the product to the ground or to its accessories. We select a "Matt Fine Texture" finish specifically adapted for outdoor use, creating a striking contrast with the wood through variations in texture and colour.

Our compact laminate components feature generous surfaces on which selected decors can be applied. Developed by our suppliers for integration into new landscaping projects, these decors pair seamlessly with the wood and metal tones of our colour range.

All the shades and finishes we offer are the result of processes that have been extensively tested at AUBRILAM. To ensure long-term durability, aesthetics and user comfort, we have developed two specific processes tailored to distinct uses and requirements: Color+Protect® and NaturalLife®.

Color+Protect® wood finishes
Smooth & Brushed

Color+Protect® is a high-durability wood staining process, developed in five stages, providing exceptional protection against the most demanding conditions. It ensures outstanding colour stability—up

to 7 years on Scots pine and 10 years on Accoya®—while offering a wide range of shades and easy care solutions to preserve the original appearance over time.



W01L

Brume



W01B

Brume



W02L

Cooper



W02B

Cooper



W05L

Ferrara Oak




W05B

Ferrara Oak



W06L

Basalt



W06B

Basalt



W08B

Origin



Authentic and contemporary shades that bring warmth to spaces. Bright yet deep, they reveal their full beauty outdoors.




Color+Protect® wood finishes Whitewashed

Shades with random nuances, more or less pronounced depending on the structure of the wood. They express a blend of colour and texture found in nature—such as stone, rock or earth. Combined with metal, they give the products their full character, resulting in spaces with a truly unique appearance.



W10C

La Mer



W11C


Burnt Umber



NaturaLife® wood finishes Smooth & Brushed

NaturaLife® is a finish with a highly natural look and feel, close to raw wood, preserving all the intrinsic qualities of Accoya® while providing a silky comfort ideal for contact areas. It ensures colour retention for up to 3 years, although slight fading may occur due to UV exposure.

With extremely simple care, this finish relies on the exceptional durability of Accoya®, offering a structural wood guarantee of over 50 years.




R01L

Havana




R01B

Havana




R02L

Natural



R02B

Natural




R03L

Ash Grey




R03B

Ash Grey



R04L

Charcoal




R04B

Charcoal


High-pressure compact laminate designs

These styles, designed for our furniture pieces, perfectly complement several of our wood tones, ensuring harmony across our collections. They evoke aged, natural, or darker wood tones, adding warmth. Our latest design, almost black, mimics the appearance of "charred wood" found in certain designs.




H01

Fir Platinum




H05

Smoked Marvel Walnut




H02

Enigma




H09

Dark Honey Marvel Walnut



H03

Voyager



H10

Graphite Flagship Oak



Metal finishes

Shades designed for outdoor applications, capable of highlighting an architectural identity while revealing the wood material they accompany. As standard, these shades are achieved using polyester powder coating with a sanded finish.




M01
Graphite



M06
Black 2200




M02
Silver



M50
Random rust



M03
RAL 7006



M52
Brown 2650



M05
Black 2100



Product offering

AUBRILAM offers lighting and urban furniture solutions that enhance the beauty, comfort, and sustainability of living spaces. Year after year, we strive to develop new ranges while consistently improving product quality.

Our product catalog is organized into four main categories: furniture, lighting points, poles, and shelters and shades.

Furniture

Our products cater to urban environments for relaxation and leisure: chairs, benches, litter bins, planters, barriers, bike racks, and bollards.

Lighting points

Lighting solutions including bollards and light building elements for illuminating and marking outdoor spaces such as walkways, squares, building surroundings, riverbanks, and bike paths.

Poles

Our range includes poles designed to support outdoor lighting equipment. Available in round or square sections, they range from 3.50 meters to 16 meters in height.

Shelters and shades

We offer structures designed to shelter cars, bicycles, or users from inclement weather or sunlight.






SoMa collection

SoMa, designed by Studio Aurel Design Urbain for AUBRILAM, is a contemporary urban furniture collection that invites us to rethink the way we experience the city. Each piece creates a sensitive relationship between the object, its use and its surroundings, bringing a warm, high-quality experience to public spaces.

The design of SoMa stems from a demanding exploration of materials: the wood reveals the imprint of artisanal craftsmanship, while the metal elements ensure continuity of lines and precision of form. This subtle alliance between craftsmanship and industry gives rise to a vibrant, elegant and durable range.

Made from FSC®-certified Accoya® wood, awarded the Cradle to Cradle® Gold label, and combined with a powder-coated stainless steel structure, SoMa guarantees optimal longevity. Benches, armchairs, planters and lighting elements come together in a cohesive collection, designed to create harmonious, enduring and welcoming urban spaces.





Designed for comfort and modularity, Notche furniture elements can be freely assembled, used individually or in composition, and adapt to every project typology to create cohesive, distinctive spaces.

Notche Collection

Notche is an expression carved into the material. Sculpted, hollowed and shaped, the wood embraces light at the very heart of its volume. This encounter between structure and light source gives rise to a strong, instantly recognisable signature, revealing volumes and offering a new interpretation of urban and landscape spaces.

extends into the furniture range. Benches, stools, concrete-mounted modules and litter bins all echo the founding principle of the notch, the common thread running through the collection. The dialogue between wood and metal, straight lines and curves, shapes sculpted volumes with a distinctive, confident character.

With their bold lines and carefully designed notches, the Notche lighting profiles and bollards integrate high-performance luminaires to create controlled atmospheres, highlight architecture and guide pathways with precision and elegance. This formal language naturally



Stool **p. 77**



Bench **p. 111**



Benches **p. 113**



Concrete bench modules **p. 121**



Litter bin **p. 155**




Lighting bollards **p. 203**



Lighting bollards **p. 205**



Light building elements **p. 227 - 229**





Clean lines, precise detailing and the constant dialogue between metal verticality and wood horizontality create objects that are robust, comfortable and versatile.



Skala collection

The Skala collection is defined by a clear, confident architectural language, born from the carefully mastered interaction between wood and metal. Its identity is built around a strong structural principle: the assembly of two wooden flich plates, connected by meticulously designed metal components.

A signature element of the collection, the metal stirrup structures the silhouette and allows light to pass through the product, giving Skala a presence that is both light and robust.

Available as bollards, lighting profiles and masts, the Skala collection meets the lighting needs of pathways and public spaces. The integrated light sources highlight the lines of the wood while providing uniform, comfortable illumination. This same signature naturally extends into Skala furniture: chairs, benches, banquettes and coffee tables form a harmonious family, designed to structure and enliven urban spaces.



Stools **p. 79**



Chair **p. 85**



Bench **p. 115**



Benches **p. 117**



Double bench **p. 119**



Coffee table **p. 129**



Lighting bollards **p. 207**



Light building elements **p. 231**



Poles **p. 241**




Utyl collection

The Utyl collection offers a comprehensive solution for outdoor space planning by combining lighting and urban furniture within a coherent, timeless design language. Designed for roadways, pathways, parks, cycle lanes and building surroundings, it responds to a wide variety of urban and landscape contexts, across all project scales.

Each element of the collection—seating, equipment and bollards—shares the same formal language, conceived to structure space with restraint and efficiency. Essential, ergonomic and functional forms promote a clear reading of the layout and intuitive everyday use.

Each component is designed as an extension of the body, prioritising ergonomics, ease of use and material efficiency. Utyl thus embodies a holistic vision of outdoor planning: functional, human-centred and deeply rooted in time.





Rendez-vous collection

Rendez-vous is an invitation to slow down and reconnect at the heart of the city. Designed for relaxation and leisure spaces, the collection transforms public areas into places of sharing—where people sit, exchange and observe. Each element becomes a meeting point, each installation a new way of experiencing the outdoors.

Created in collaboration with designer Anna Szonyi, Rendez-vous asserts an aesthetic that is both soft and confident. Horizontally laid wooden slats draw welcoming lines, embraced by a metal ring that structures and reassures.

Concrete, used sparingly on seats and backrests, anchors the furniture in the public realm and gives it strength. Together, these elements compose a balanced formal language, where comfort and robustness engage in dialogue within a decidedly lounge-inspired spirit.



Chair **p. 91**



Lounger **p. 93**



Benches **p. 95**



Sunlounger **p. 97**



Round benches **p. 99**




Concrete seating module **p. 123**



Coffee table **p. 131**



Litter bins **p. 157**



Modular, generous and durable, the Rendez-vous collection adapts to uses and settings alike. It can extend to structure large spaces or come together to create islands of conviviality.



Chair **p. 81** Bench with backrest **p. 105** Round table set **p. 135** Triangular table set **p. 137**



Tables sets **p. 139** High tables sets **p. 141** Planters **p. 145** Litter bin **p. 161**



Waste sorting unit **p. 163** Ashtray **p. 167** Barrier **p. 175** Wind protection **p. 177**

Solea collection

Solea embodies an essential vision of terrace furniture: creating places where people come together, share and take a break. Designed for dining areas, urban squares and outdoor living spaces, the range structures space with precision and balance.

Tables, planters, barriers and windbreaks form a cohesive ensemble with clean, contemporary lines, capable of adapting to all contexts. Each element integrates naturally into its surroundings, creating welcoming, legible and functional spaces conducive to sharing and relaxation.

Designed to last, the Solea collection combines refined aesthetics with outstanding robustness. Tabletops and cladding made from bio-based high-pressure compact HPL laminate offer remarkable resistance to UV exposure, weather conditions and intensive use. This technical standard ensures reliable furniture suited to the constraints of public spaces and venues open to the public, without compromising on elegance or perceived quality.



Combining aesthetics and functionality, Sensy offers a coherent and high-performance lighting solution for a wide range of environments.



Sensy collection

The Sensy collection stands out for the purity of its lines. Its understated design allows it to blend naturally into all types of environments, while the presence of wood brings warmth and authenticity. A subtle balance between architectural minimalism and living material, designed to accompany outdoor developments over time.

The collection is available as bollards and light points offering several light distribution modes: homogeneous free-diffusion lighting, shielded lighting for optimal glare control, ambient lighting, or wide-area light distribution. A range of solutions suited to paths, walkways, entrances, squares and reception areas.

Sensy light points integrate state-of-the-art optics and rely exclusively on durable components designed to withstand the test of time. Their performance and reliability are maintained even after prolonged exposure to UV radiation and climatic variations, ensuring efficient, long-lasting lighting.



Lighting bollards p. 217 - 219 - 221



Light building elements p. 237 - 239

New collections



Bali

p. 199

Bali stands out for its rounded, compact and elegant silhouette, designed to discreetly structure pathways. Its circular light distribution guides outdoor walkways while subtly highlighting landscape architecture.

Suited to private and semi-private environments—such as resorts, campsites and villas—the Bali bollard integrates naturally into projects where comfort and aesthetics are essential. Its light is entirely directed towards the ground, ensuring complete glare-free illumination. The light source remains invisible to the user, providing optimal visual comfort and a soft nighttime atmosphere conducive to strolling and enhancing outdoor spaces.

Designed in accordance with a Dark Sky approach, Bali strictly limits light pollution. With a 0% ULR, it meets the highest environmental standards while delivering precise and efficient pathway lighting. Combined with BEGA Constant Optics® technology, it offers long-lasting optical performance and exceptional durability, thanks to the use of highly resistant materials such as glass, pure aluminum and silicone, which are insensitive to UV exposure and temperature variations.

Kay & Luci

Kay and Luci embody a new generation of lighting bollards, where demanding design meets very high-level lighting performance. They incorporate an innovative optical system developed through the research work of our laboratory, combining a high-performance LED module with a BEGA NeoGlass® lens.

This technology enables ultra-controlled asymmetric and elliptical light distribution, ensuring precise, efficient and comfortable illumination. The miniaturisation of the optical engine optimises luminaire placement and reduces the number of required lighting points, while maintaining outstanding lighting quality.



Kay – The purity of wood as a signature - p. 193

Entirely crafted from wood, the Kay bollard stands out for its distinctive and elegant silhouette, where material becomes the core of the design. Its refined form highlights the natural grain of the wood, giving the product a presence that is both discreet and assertive. Kay integrates seamlessly into landscape and architectural environments, bringing a warm, contemporary touch. It is ideally suited for lighting pathways, walkways, access roads and building surroundings.



Luci – When light reveals the material - p. 197

The Luci bollard offers a subtle dialogue between wood and light. Thanks to precise machining within the material, light is revealed differently as night falls, creating a graphic and warm effect. Two standard patterns are available, offering distinct atmospheres, and custom machining can be developed on request to suit a specific identity or bespoke project. Luci thus becomes a true element of luminous signature within outdoor spaces.

Eggo & Utyl

Controlled and responsible lighting performance

Eggo and Utyl are two lighting bollards designed to deliver very high-level lighting performance while meeting the most stringent environmental requirements. They incorporate the latest BEGA innovations in optics and efficiency, ensuring accurate, precise and long-lasting light.

These bollards are equipped with BEGA NeoGlass® technology, combined with a hybrid optical system specifically developed to push the limits of pathway lighting performance. This design makes it possible to achieve spacing of up to 15 metres between bollards, while maintaining excellent visual comfort.

Designed to limit the impact of nighttime lighting, Eggo and Utyl ensure a ULR below 0.5% and comply with Dark Sky requirements, providing environmentally responsible lighting that respects biodiversity and nocturnal use.

Eggo - p. 195

With its rounded section and soft lines, the Eggo bollard brings a warm, contemporary presence to outdoor spaces. The generous use of wood gives it a natural and elegant identity, while asserting a distinctly modern aesthetic.

Versatile by nature, it integrates seamlessly into the lighting of paths, walkways, entrances and squares, and is available in two versions to suit all project configurations.

Utyl - p. 201

The Utyl bollard is a natural extension of the furniture range of the same name. Discreet, slender and graphic, it adopts the design codes of the furniture to ensure perfect overall consistency.

Ideal for lighting pathways, path edges, building surroundings and access roads, Utyl offers a restrained, efficient solution that integrates seamlessly into its environment.





Olam light building elements

p. 225

The Olam lighting element embodies a new approach to outdoor lighting, combining design, performance and environmental excellence. Made from Accoya® wood, stainless steel and aluminum, it is composed of over 80% recycled materials and is fully recyclable, making it a benchmark in eco-design.

From the earliest design stages, the product's entire life cycle was taken into account to reduce its environmental impact. The selected materials—including Cradle to Cradle® Gold-certified Accoya® wood—ensure exceptional durability, with an estimated lifespan of 50 years. Its mechanical assembly guarantees robustness, ease of disassembly and efficient end-of-life recycling.

Designed for optimal landscape integration, Olam features a ground-fixing system with no visible metal elements. Equipped as standard with asymmetric elliptical optics, it can also be supplied on request with symmetric optics and BEGA floodlights, allowing it to adapt to the specific requirements of each landscaping project.




Seating Notche collection

Stool
 Bench
 2-seater - 3-seater benches
 Concrete bench modules
 Litter bin
 Notche 1 - 2 lighting bollards
 Light building elements 3 - 4 - 5 - 6 m



Materials

Aluminum structure with polyester powder coating.
 Seat made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FNO0001 Stool
 600 × 450 mm • H 460 mm




Seating Skala collection

Stools
 Chair
 Bench
 2-seater bench - Face-to-face bench
 Double bench
 Coffee table
 Skala lighting bollards
 Light building elements - 3.5 - 4 - 5 m
 Poles - 3.5 m to 5 m



Materials

Stainless steel structure with polyester powder coating.
 Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
 Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.


Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



FSK0001 Stool
 465 × 355 mm • H 450 mm
FSK0002 Stool with backrest
 365 × 395 mm • H 710 mm






Seating
Solea collection

- Chair**
- 2-seater bench
- Round - triangular table sets
- 2 - 4 - 6 seats table sets
- 2 - 4 seats high table sets
- Planters
- Litter bin
- Waste sorting units (4 - 5 types)
- Ashtray
- Barrier
- Wind protection



Materials
 Electrogalvanized steel structure, aluminum legs and backrest, polyester powder coating.
 Seat in compact laminate, thickness of 12 mm.
 Salt air protective coating available upon request.

Customization
 Product shown in compact laminate Enigma and Black 2100 metal, code +.H02.M05.
 Available finishes in the colours below. Other colors available upon request.



FSL0010 Chair
 430 x 430 mm • H 750 mm



Seating
SoMa collection

Armchair
Lounge chair
Benches
Planters
Litter bins
SoMa lighting bollards
Light building elements 2.60 m



Materials
Stainless steel structure with polyester powder coating.
Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
Salt air protective coating available upon request.




Customization
Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
Finish combinations among the choices below. Other colors available upon request.
L = Smooth.

Color+Protect® wood finish

W01L	M05	W05L	M03	W06L	M52
------	-----	------	-----	------	-----

NaturaLife® wood finish

R01L	M05	R02L	M03	R04L	M52
------	-----	------	-----	------	-----



FSM0010 Armchair
780 x 560 mm • H.805 mm




Seating Skala collection

- Stools
- Chair**
- Bench
- 2-seater bench - Face-to-face bench
- Double bench
- Coffee table
- Skala lighting bollards
- Light building elements - 3.5 - 4 - 5 m
- Poles - 3.5 m to 5 m



Materials

Aluminum structure with polyester powder coating.
 Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
 Salt air protective coating available upon request.



Customization

Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



FSK0003 Chair
 500 × 420 mm • H 740 mm



Seating
SoMa collection

- Armchair
- Lounge chair**
- Benches
- Planters
- Litter bins
- SoMa lighting bollards
- Light building elements 2.60 m



Materials
Stainless steel structure with polyester powder coating.
Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
Salt air protective coating available upon request.




Customization
Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
Finish combinations among the choices below. Other colors available upon request.
L = Smooth.

Color+Protect® wood finish

W01L	M05	W05L	M03	W06L	M52
------	-----	------	-----	------	-----

NaturaLife® wood finish

R01L	M05	R02L	M03	R04L	M52
------	-----	------	-----	------	-----



FSM0020 Lounge chair
780 × 570 mm • H 655 mm



FSM0030 Footrest
735 × 445 mm • H 380 mm




Seating Utyl collection

- Chairs**
- 3-seater benches
- Tree surround bench
- Set with table and 6 seats
- Planters
- Litter bin
- Ashtray
- Bollards
- Bike rack
- Barrier
- Shelters - Shades
- Utyl lighting bollard



Materials

Electrogalvanized steel structure with polyester powder coating.
Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.



Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



FUT0005 Chair
855 × 515 mm • H 930 mm
FUT0006 Chair with armrests
855 × 575 mm • H 930 mm
FUT0007 Footrest
1570 × 515 mm • H 930 mm



Seating
Rendez-vous collection




- Chair
- Lounger
- Benches
- Sunlounger
- Round benches
- Concrete seating module
- Coffee table
- Litter bins



Materials
 Electrogalvanized steel structure with polyester powder coating.
 Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
 Insert made of high-performance concrete and protected by a BF 24H type sealer.
 Salt air protective coating available upon request.



Customization
 Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



FRV0001 Chair
 450 x 800 mm • H 1165 mm




Seating
Rendez-vous collection

- Chair
- Lounger**
- Benches
- Sunlounger
- Round benches
- Concrete seating module
- Coffee table
- Litter bins



Materials

Electrogalvanized steel structure with polyester powder coating.
 Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
 Low seat and insert made of high-performance concrete and protected by a BF 24H type sealer. Salt air protective coating available upon request.



Customization

Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



FRV0002 Lounger
 1675 × 660 mm • H 800 mm




Seating
Rendez-vous collection


- Chair
- Lounger
- Benches**
- Sunlounger
- Round benches
- Concrete seating module
- Coffee table
- Litter bins



Materials
 Electrogalvanized steel structure with polyester powder coating.
 Cladding in solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturaLife®.
 Seats and armrests made of high-performance concrete and protected by a BF 24H type sealer.
 Salt air protective coating available upon request.



Technology
 Option to integrate a standard charging module:
 — Up to a maximum of 4 charging points;
 — Each with USB 2 type A - 5V - 1A - 5W;
 — Mounting in a metal housing.



Customization
 Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



Structure
 2 010 x 750 mm • H 430 mm




Seating
Rendez-vous collection

- Chair
- Lounger
- Benches
- Sunlounger**
- Round benches
- Concrete seating module
- Coffee table
- Litter bins



Materials

Electrogalvanized steel structure with polyester powder coating.
 Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
 Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.


Color+Protect® wood finish



NaturaLife® wood finish




Metal finish



Technology

Option to integrate a standard charging module:
 — Up to a maximum of 4 charging points;
 — Each with USB 2 type A - 5V - 1A - 5W;
 — Mounting in a metal housing.



FRV0003 Sunlounger
 2.010 x 750 mm • H 945 mm



Seating
Rendez-vous collection

- Chair
- Lounger
- Benches
- Sunlounger
- Round benches**
- Concrete seating module
- Coffee table
- Litter bins



Materials
 Electrogalvanized steel structure with polyester powder coating.
 Seat made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.



Customization
 Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FRV0011 Round bench
 Ø 2 m • H 430 mm
FRV0012 Half-round bench
 2 x 1 m • H 430 mm

Technology
 Option to integrate a standard charging module:
 — Up to a maximum of 4 charging points;
 — Each with USB 2 type A - 5V - 1A - 5W;
 — Mounting in a metal housing.




Seating
SoMa collection

- Armchair
- Lounge chair
- Benches**
- Planters
- Litter bins
- SoMa lighting bollards
- Light building elements 2.60 m



Materials

Stainless steel structure with polyester powder coating.
 Seat made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Finish combinations among the choices below. Other colors available upon request.
 L = Smooth.

Color+Protect® wood finish



NaturalLife® wood finish



FSM0050 Bench
 1575 x 485 mm • H 440 mm



Seating
SoMa collection

- Armchair
- Lounge chair
- Benches**
- Planters
- Litter bins
- SoMa lighting bollards
- Light building elements 2.60 m



Materials
Stainless steel structure with polyester powder coating.
Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
Salt air protective coating available upon request.




Customization
Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
Finish combinations among the choices below. Other colors available upon request.
L = Smooth.

Color+Protect® wood finish

W01L	M05	W05L	M03	W06L	M52
------	-----	------	-----	------	-----

NaturaLife® wood finish

R01L	M05	R02L	M03	R04L	M52
------	-----	------	-----	------	-----



FSM0040 Bench with backrest
1580 x 580 mm • H.800 mm



Seating
Solea collection

- Chair
- 2-seater bench**
- Round - triangular table sets
- 2 - 4 - 6 seats table sets
- 2 - 4 seats high table sets
- Planters
- Litter bin
- Waste sorting units (4 - 5 types)
- Ashtray
- Barrier
- Wind protection



Materials

Electrogalvanized steel structure, aluminum legs and backrest, polyester powder coating.
 Seat in compact laminate, thickness of 12 mm.
 Salt air protective coating available upon request.



Customization

Product shown in compact laminate Enigma and Black 2100 metal, code +.H02.M05.
 Available finishes in the colours below. Other colors available upon request.

Compact laminate



Metal finish



FSL0030 2-seater bench
 1000 x 430 mm • H 750 mm




Seating
Utyl collection

- Chairs
- 3-seater benches**
- Tree surround bench
- Set with table and 6 seats
- Planters
- Litter bin
- Ashtray
- Bollards
- Bike rack
- Barrier
- Shelters - Shades
- Utyl lighting bollard



Materials
 Electrogalvanized steel structure with polyester powder coating.
 Seat made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.



Customization
 Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.

Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FUT0001 3-seater bench
 1865 x 470 mm • H 450 mm




Seating
Utyl collection

- Chairs
- 3-seater benches**
- Tree surround bench
- Set with table and 6 seats
- Planters
- Litter bin
- Ashtray
- Bollards
- Bike rack
- Barrier
- Shelters - Shades
- Utyl lighting bollard



Materials
Electrogalvanized steel structure with polyester powder coating.
Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
Salt air protective coating available upon request.



Customization
Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.



Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



FUT0002 3-seater bench with 14 slats
1865 × 580 mm • H 900 mm
FUT0003 3-seater bench with 6 slats
1865 × 580 mm • H 450 mm




Seating
Notche collection

- Stool
- Bench**
- 2-seater - 3-seater benches
- Concrete bench modules
- Litter bin
- Notche 1 - 2 lighting bollards
- Light building elements 3 - 4 - 5 - 6 m



Materials
 Stainless steel structure with polyester powder coating.
 Seat made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.




Customization
 Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FN00002 Bench
 2 280 × 480 mm • H 450 mm




Seating Notche collection

Stool
Bench
2-seater - 3-seater benches
Concrete bench modules
Litter bin
Notche 1 - 2 lighting bollards
Light building elements 3 - 4 - 5 - 6 m



Materials

Aluminum structure with polyester powder coating.
Seat made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
Wood finish Color+Protect® or NaturalLife®.
Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.




Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FN00003 2-seater bench
1200 × 460 mm • H 450 mm
FN00004 3-seater bench
1800 × 460 mm • H 450 mm




Seating Skala collection

- Stools
- Chair
- Bench**
- 2-seater bench - Face-to-face bench
- Double bench
- Coffee table
- Skala lighting bollards
- Light building elements - 3.5 - 4 - 5 m
- Poles - 3.5 m to 5 m



Materials
 Aluminum structure with polyester powder coating.
 Seat made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.




Customization
 Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.


Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FSK0007 Bench
 3 000 × 575 mm • H 450 mm




Seating Skala collection

Stools
Chair
Bench
2-seater bench - Face-to-face bench
Double bench
Coffee table
Skala lighting bollards
Light building elements - 3.5 - 4 - 5 m
Poles - 3.5 m to 5 m



Materials

Aluminum structure with polyester powder coating.
Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
Salt air protective coating available upon request.



Customization

Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.



Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



FSK0004 2-seater bench
1150 x 420 mm • H 740 mm
FSK0006 Face-to-face bench
2350 x 420 mm • H 740 mm



Seating Skala collection

- Stools
- Chair
- Bench
- 2-seater bench - Face-to-face bench
- Double bench**
- Coffee table
- Skala lighting bollards
- Light building elements - 3.5 - 4 - 5 m
- Poles - 3.5 m to 5 m



Materials

Aluminum structure with polyester powder coating.
 Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
 Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



FSK0008 Double bench
 2.950 x 990 mm • H 765 mm




Seating Notche collection

- Stool
- Bench
- 2-seater - 3-seater benches
- Concrete bench modules**
- Litter bin
- Notche 1 - 2 lighting bollards
- Light building elements 3 - 4 - 5 - 6 m



Materials

Stainless steel structure with polyester powder coating.
 Seat made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.



Customization

Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FNO0006 Concrete bench module 1
 1670 × 825 mm • H 290 mm
FNO0007 Concrete bench module 2
 1670 × 550 mm • H 55 mm



Seating
Rendez-vous collection





- Chair
- Lounger
- Benches
- Sunlounger
- Round benches
- Concrete seating module**
- Coffee table
- Litter bins



Materials
 Electrogalvanized steel structure with polyester powder coating.
 Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
 Salt air protective coating available upon request.



Customization
 Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



FRV0013 Concrete seating module
 1800 x 425 mm • H 510 mm




Seating Ido collection



Materials

Electrogalvanized steel structure with polyester powder coating.
Seat made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
Wood finish Color+Protect® or NaturalLife®.
Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.



Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FID0001 1-seater bench
610 × 875 mm • H 905 mm
FID0002 2-seater bench
1260 × 875 mm • H 905 mm

FID0003 3-seater bench
1860 × 875 mm • H 905 mm
FID0004 4-seater bench
2460 × 875 mm • H 905 mm

FID0005 5-seater bench
3060 × 875 mm • H 905 mm
FID0006 6-seater bench
3660 × 875 mm • H 905 mm




Seating Utyl collection

- Chairs
- 3-seater benches
- Tree surround bench**
- Set with table and 6 seats
- Planters
- Litter bin
- Ashtray
- Bollards
- Bike rack
- Barrier
- Shelters - Shades
- Utyl lighting bollard



Materials

Electrogalvanized steel structure with polyester powder coating.
 Seat made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FUT0004 Tree surround bench
 □ 1.80 m • H 450 mm




Tables Skala collection

- Stools
- Chair
- Bench
- 2-seater bench - Face-to-face bench
- Double bench
- Coffee table**
- Skala lighting bollards
- Light building elements - 3.5 - 4 - 5 m
- Poles - 3.5 m to 5 m



Materials

Aluminum structure with polyester powder coating.
Tabletop made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
Wood finish Color+Protect® or NaturaLife®.
Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.



Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



FSK1000 Coffee table
600 x 420 mm • H 400 mm




Tables
Rendez-vous collection

- Chair
- Lounger
- Benches
- Sunlounger
- Round benches
- Concrete seating module
- Coffee table**
- Litter bins



Materials

Electrogalvanized steel structure with polyester powder coating.
 Tabletop made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FRV1000 Coffee table
 960 × 430 mm • H 750 mm



Sets
Utyl collection

- Chairs
- 3-seater benches
- Tree surround bench
- Set with table and 6 seats**
- Planters
- Litter bin
- Ashtray
- Bollards
- Bike rack
- Barrier
- Shelters - Shades
- Utyl lighting bollard







Materials
 Electrogalvanized steel structure with polyester powder coating.
 Tabletop and seats made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
 Salt air protective coating available upon request.



Option
 Table and seating may be sold separately.

Customization
 Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



FUT3000 Set with table and 2 seats
 FUT1010 6-seater table 1950 x 765 mm • H 770 mm
 FUT0010 3-seater bench 1660 x 465 mm • H 450 mm



Seating
Solea collection



- Chair
- 2-seater bench
- Round - triangular table sets**
- 2 - 4 - 6 seats table sets
- 2 - 4 seats high table sets
- Planters
- Litter bin
- Waste sorting units (4 - 5 types)
- Ashtray
- Barrier
- Wind protection



Materials
 Electrogalvanized steel structure, aluminum legs, polyester powder coating.
 Tabletop and seats in compact laminate, thickness of 12 mm.
 Salt air protective coating available upon request.

Option
 Table may be fitted with a parasol stand featuring a locking mechanism.
 Tables and seating may be sold separately.

Customization
 Product shown in compact laminate Enigma and Black 2100 metal, code +.H02.M05.
 Available finishes in the colours below. Other colors available upon request.



FSL9010 Set with round table and 4 seats
 FSL3010 8-seater table Ø 1.15 m • H 750 mm
 FSL0020 2-seater bench 1150 x 455 mm • H 450 mm



Seating
Solea collection



- Chair
- 2-seater bench
- Round - triangular table sets**
- 2 - 4 - 6 seats table sets
- 2 - 4 seats high table sets
- Planters
- Litter bin
- Waste sorting units (4 - 5 types)
- Ashtray
- Barrier
- Wind protection



Materials
 Electrogalvanized steel structure, aluminum legs, polyester powder coating.
 Tabletop and seats in compact laminate, thickness of 12 mm.
 Salt air protective coating available upon request.

Option
 Table may be fitted with a parasol stand featuring a locking mechanism.
 Tables and seating may be sold separately.

Customization
 Product shown in compact laminate Enigma and Black 2100 metal, code +.H02.M05.
 Available finishes in the colours below. Other colors available upon request.



FSL9020 Set with triangular table and 3 seats
 FSL3020 6-seater table 1135 x 1175 mm • H 750 mm
 FSL0020 2-seater bench 1150 x 455 mm • H 450 mm



Seating
Solea collection



- Chair
- 2-seater bench
- Round - triangular table sets
- 2 - 4 - 6 seats table sets**
- 2 - 4 seats high table sets
- Planters
- Litter bin
- Waste sorting units (4 - 5 types)
- Ashtray
- Barrier
- Wind protection




Materials
Electrogalvanized steel structure, aluminum legs, polyester powder coating.
Tabletop and seats in compact laminate, thickness of 12 mm.
Salt air protective coating available upon request.

Option
Table may be fitted with a parasol stand featuring a locking mechanism.
Tables and seating may be sold separately.

Customization
Product shown in compact laminate Enigma and Black 2100 metal, code +.H02.M05.
Available finishes in the colours below. Other colors available upon request.



- FSL3000 Set with table and 2 seats**
- FSL1000 2-seater table 750 mm x 750 mm • H 760 mm
- FSL0001 Stool 355 mm x 355 mm • H 450 mm
- FSL3001 Set with table and 4 seats**
- FSL1001 4-seater table 1350 mm x 750 mm • H 760 mm
- FSL0002 2-seater bench 1005 mm x 355 mm • H 450 mm
- FSL3002 Set with table and 6 seats**
- FSL1003 6-seater table 1750 mm x 750 mm • H 750 mm
- FSL0003 3-seater bench 1390 mm x 355 mm • H 450 mm





Seating Solea collection

Chair
2-seater bench
Round - triangular table sets
2 - 4 - 6 seats table sets
2 - 4 seats high table sets
Planters
Litter bin
Waste sorting units (4 - 5 types)
Ashtray
Barrier
Wind protection



Materials

Electrogalvanized steel structure, aluminum legs, polyester powder coating.
Tabletop and seats in compact laminate, thickness of 12 mm. Stainless steel footrest.
Salt air protective coating available upon request.


Option

Tables and seating may be sold separately.



Customization

Product shown in compact laminate Enigma and Black 2100 metal, code +.H02.M05.
Available finishes in the colours below. Other colors available upon request.

Compact laminate



Metal finish



FSL4000 Set with high table and 2 seats
FSL2000 2-seater table □ 706 mm • H 1100 mm
FSL0004 High stool □ 355 mm • H 800 mm
FSL4001 Set with high table and 4 seats
FSL2000 4-seater high table □ 706 mm • H 1100 mm
FSL0004 High stool □ 355 mm • H 800 mm



Planters
SoMa collection

- Armchair
- Lounge chair
- Benches
- Planters**
- Litter bins
- SoMa lighting bollards
- Light building elements 2.60 m




Materials

Stainless steel structure with polyester powder coating.
Cladding made of molded plywood, laminate veneer on surfaces, and UV-resistant varnish on edges. Removable bin included.
Salt air protective coating available upon request.

Customization

Product shown in compact laminate Dark Honey Marvel Walnut and Black 2100 metal, code +.H09.M05. Available finishes in the colours below. Other colors available upon request.

Compact laminate



FSM5000 Low planter
Ø 1.30 m • H 910 mm
Capacity: 600 liters

FSM5010 Tall planter
Ø 1.30 m • H 1.20 m
Capacity: 1 000 liters



Planters Solea collection

Chair
2-seater bench
Round - triangular table sets
2 - 4 - 6 seats table sets
2 - 4 seats high table sets
Planters
Litter bin
Waste sorting units (4 - 5 types)
Ashtray
Barrier
Wind protection



Materials

Electrogalvanized steel structure with polyester powder coating.
Cladding in compact laminate, thickness of 12 mm.
Square planter: galvanized steel bin included.
Rectangular planter: polyethylene bin included.
Salt air protective coating available upon request.


Customization

Product shown in compact laminate Enigma and Black 2100 metal, code +.H02.M05.
Available finishes in the colours below. Other colors available upon request.

Compact laminate



Metal finish



FSL5000 Square planter
□ 555 mm • H 620 mm
Capacity: 130 liters

FSL5001 Rectangular planter
1205 × 555 mm • H 620 mm
Capacity: 260 liters




Planters Utyl collection

- Chairs
- 3-seater benches
- Tree surround bench
- Set with table and 6 seats
- Planters**
- Litter bin
- Ashtray
- Bollards
- Bike rack
- Barrier
- Shelters - Shades
- Utyl lighting bollard



Materials


Electrogalvanized steel structure with polyester powder coating.
Seat and backrest made of solid Accoya® acetylated wood, sourced from sustainably managed forests. Wood finish Color+Protect® or NaturaLife®.
Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.




Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



FUT5001 Square planter
□ 1 255 mm • H 620 mm
Capacity: 500 liters

FUT5002 Rectangular planter
1 905 × 1 255 mm • H 620 mm
Capacity: 1 000 liters






Planters
Utyl collection

- Chairs
- 3-seater benches
- Tree surround bench
- Set with table and 6 seats
- Planters**
- Litter bin
- Ashtray
- Bollards
- Bike rack
- Barrier
- Shelters - Shades
- Utyl lighting bollard



Materials
 Electrogalvanized steel structure with polyester powder coating.
 Cladding in compact laminate, thickness of 12 mm. Polyethylene bin included.
 Salt air protective coating available upon request.

Customization
 Product shown in compact laminate Dark Honey Marvel Walnut and Black 2100 metal, code +.H09.M05. Available finishes in the colours below. Other colors available upon request.



FUT5000 Planter
 □ 800 mm • H 820 mm
 Capacity: 280 liters



Litter bins
SoMa collection

- Armchair
- Lounge chair
- Benches
- Planters
- Litter bins**
- SoMa lighting bollards
- Light building elements 2.60 m




Materials

Stainless steel structure with polyester powder coating.
Cladding made of molded plywood, laminate veneer on surfaces, and UV-resistant varnish on edges. Removable galvanized steel bin.
Salt air protective coating available upon request.


Customization

Product shown in compact laminate Dark Honey Marvel Walnut and Black 2100 metal, code +.H09.M05. Available finishes in the colours below. Other colors available upon request.


Compact laminate



FSM8000 Litter bin
580 × 410 mm • H 920 mm
Capacity: 60 liters



FSM8010 Litter bin
580 × 410 mm • H 115 m
Capacity: 60 liters



FSM9000 Selective sorting litter bin
740 × 470 mm • H 920 mm
Capacity: 2 x 45 liters






Litter bins
Utyl collection

- Chairs
- 3-seater benches
- Tree surround bench
- Set with table and 6 seats
- Planters
- Litter bin**
- Ashtray
- Bollards
- Bike rack
- Barrier
- Shelters - Shades
- Utyl lighting bollard



Materials
 Electrogalvanized steel structure with polyester powder coating.
 Cladding made of molded plywood, laminate veneer on surfaces, and UV-resistant varnish on edges. Removable galvanized steel bin.
 Salt air protective coating available upon request.

Customization
 Product shown in compact laminate Dark Honey Marvel Walnut and Black 2100 metal, code +.H09.M05. Available finishes in the colours below. Other colors available upon request.



FUT8001 Litter bin
 400 x 250 mm • H 910 mm
 Capacity: 30 liters




Litter bins
Notche collection

- Stool
- Bench
- 2-seater - 3-seater benches
- Concrete bench modules
- Litter bin**
- Notche 1 - 2 lighting bollards
- Light building elements 3 - 4 - 5 - 6 m



Materials

Aluminum structure with polyester powder coating.
 Cladding in solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.



Option

Selective sorting colours on request.

Customization

Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FN08000 Litter bin
 500 x 460 mm • H 880 mm
 Capacity: 60 liters



Litter bins
Rendez-vous collection

- Chair
- Lounger
- Benches
- Sunlounger
- Round benches
- Concrete seating module
- Coffee table
- Litter bins**



Materials
 Electrogalvanized steel structure with polyester powder coating.
 Cladding in solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.



Customization
 Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.


Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FRV8000 Litter bin
 □ 490 mm • H 910 mm
 Capacity: 80 liters

FRV9000 Selective sorting litter bin
 840 × 490 mm • H 910 mm
 Capacity: 2 × 80 liters




Litter bins Moshi



Materials

Square body composed of four panels made of sustainably sourced, solid Accoya® acetylated wood. Wood finish Color+Protect® or NaturaLife®.
Cylindrical lid, lid support, and base made of galvanized steel with polyester powder coating.
Polyethylene bin. Key lock with triangular key and hook cam.
Salt air protective coating available upon request.



Customization

Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
Available finishes in the colours below. Other colors available upon request.
L = Smooth, B = Brushed, C = Whitewashed.




Color+Protect® wood finish




NaturaLife® wood finish



Metal finish



FM08000 Litter bin
Ø 600 mm • H 808 mm
Capacity: 60 liters



FM09000 Selective sorting litter bin
Ø 600 mm • H 808 mm
Capacity: 2 × 30 liters



Litter bins
Solea collection



- Chair
- 2-seater bench
- Round - triangular table sets
- 2 - 4 - 6 seats table sets
- 2 - 4 seats high table sets
- Planters
- Litter bin**
- Waste sorting units (4 - 5 types)
- Ashtray
- Barrier
- Wind protection



Materials
 Electrogalvanized steel structure with polyester powder coating.
 Panels in compact laminate, thickness of 12 mm.
 Swinging flap made of galvanized steel. Polyethylene bin included.
 Salt air protective coating available upon request.

Option
 Push-to-close lock available upon request.

Customization
 Product shown in compact laminate Enigma and Black 2100 metal, code +.H02.M05.
 Available finishes in the colours below. Other colors available upon request.



FSL8001 Litter bin
 575 x 510 mm • H 1 205 mm
 Capacity: 108 liters



Litter bins
Solea collection



- Chair
- 2-seater bench
- Round - triangular table sets
- 2 - 4 - 6 seats table sets
- 2 - 4 seats high table sets
- Planters
- Litter bin
- Waste sorting units (4 - 5 types)**
- Ashtray
- Barrier
- Wind protection



Materials
 Electrogalvanized steel structure with polyester powder coating.
 Cladding and doors in compact laminate, thickness of 12 mm.
 Salt air protective coating available upon request.

Characteristics
 Type 1: Stainless steel sink + hose + 20-liter jerrycan
 Type 2: 50-liter polyethylene bin
 Type 3: 50-liter polyethylene bin (FSL9001: 80-liter polyethylene bin)
 Type 4: 50-liter polyethylene bin
 Type 5: 50-liter polyethylene bin (FSL9001 only)

Customization
 Products shown in compact laminate Fir Platinum and Black 2200 metal, code +.H01.M06.
 Available finishes in the colours below. Other colors available upon request.



FSL9000 Waste sorting unit (4 types)
 1045 × 550 mm • H 1300 mm
FSL9001 Waste sorting unit (5 types)
 1565 × 550 mm • H 1300 mm



Ashtrays
Utyl collection

- Chairs
- 3-seater benches
- Tree surround bench
- Set with table and 6 seats
- Planters
- Litter bin
- Ashtray**
- Bollards
- Bike rack
- Barrier
- Shelters - Shades
- Utyl lighting bollard




Materials

Electrogalvanized steel structure with polyester powder coating.
 Removable stainless steel bin and lid, secured with a triangle key lock.
 Salt air protective coating available upon request.

Customization

Product shown in Black 2100 metal, code +.M05.
 Available finishes in the colours below. Other colors available upon request.

Metal finish



FUT8000 Ashtray
 Ø 115 mm • H 785 mm
 Capacity: 0.75 litres



Ashtrays Solea collection

Chair
2-seater bench
Round - triangular table sets
2 - 4 - 6 seats table sets
2 - 4 seats high table sets
Planters
Litter bin
Waste sorting units (4 - 5 types)
Ashtray
Barrier
Wind protection



Materials

Electrogalvanized steel structure with polyester powder coating.
Panels in compact laminate, thickness of 12 mm. Electrogalvanized steel bin.
Salt air protective coating available upon request.


Customization

Product shown in compact laminate Enigma and Black 2100 metal, code +.H02.M05.
Available finishes in the colours below. Other colors available upon request.

Compact laminate



Metal finish




FSL8000 Ashtray
□ 275 mm • H 790 mm
Capacity: 1.80 liters




Bollards
Utyl collection

- Chairs
- 3-seater benches
- Tree surround bench
- Set with table and 6 seats
- Planters
- Litter bin
- Ashtray
- Bollards**
- Bike rack
- Barrier
- Shelters - Shades
- Utyl lighting bollard



Materials
Electrogalvanized steel structure with polyester powder coating.
Solid wood inserts made of sustainably managed solid Accoya® acetylated wood.
Wood finish Color+Protect® or NaturaLife®.
In PRM versions, the head is powder-coated in white.
Salt air protective coating available upon request.



Option
Removeable version available on request.

Customization
Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.


Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



FUT7001 Bollard
Ø 70 mm • H 900 mm
FUT7002 PRM Bollard
Ø 70 mm • H 1200 mm

FUT7003 Diapason bollard
Ø 70 mm • H 900 mm
FUT7004 Diapason PRM bollard
Ø 70 mm • H 1200 mm




Bike rack
Utyl collection

- Chairs
- 3-seater benches
- Tree surround bench
- Set with table and 6 seats
- Planters
- Litter bin
- Ashtray
- Bollards
- Bike rack**
- Barrier
- Shelters - Shades
- Utyl lighting bollard



Materials

Electrogalvanized steel structure with polyester powder coating.
 Cladding in solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.



Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FUT7000 Bike rack
 250 x 70 mm • H 900 mm




Barriers
Utyl collection

- Chairs
- 3-seater benches
- Tree surround bench
- Set with table and 6 seats
- Planters
- Litter bin
- Ashtray
- Bollards
- Bike rack
- Barrier**
- Shelters - Shades
- Utyl lighting bollard



Materials
 Electrogalvanized steel structure with polyester powder coating.
 Solid wood inserts made of sustainably managed solid Accoya® acetylated wood.
 Wood finish Color+Protect® or NaturalLife®.
 Salt air protective coating available upon request.



Customization
 Product shown in Brume wood and Black 2100 metal, code +W01L.M05.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.


Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



FUT6000 Barrier
 1200 x 40 mm • H 890 mm



Barriers Solea collection

- Chair
- 2-seater bench
- Round - triangular table sets
- 2 - 4 - 6 seats table sets
- 2 - 4 seats high table sets
- Planters
- Litter bin
- Waste sorting units (4 - 5 types)
- Ashtray
- Barrier**
- Wind protection




Materials

Aluminum structure with polyester powder coating.
Panel in compact laminate, thickness of 12 mm.
Salt air protective coating available upon request.


Customization

Product shown in compact laminate Enigma and Black 2100 metal, code +.H02.M05.
Available finishes in the colours below. Other colors available upon request.

Compact laminate



Metal finish



FSL6000 Barrier
1400 x 40 mm • H 1040 mm



Wind protection Solea collection

- Chair
- 2-seater bench
- Round - triangular table sets
- 2 - 4 - 6 seats table sets
- 2 - 4 seats high table sets
- Planters
- Litter bin
- Waste sorting units (4 - 5 types)
- Ashtray
- Barrier
- Wind protection**





Materials

Electrogalvanized steel structure with polyester powder coating.
Clear laminated glass, thickness of 55.2.
Salt air protective coating available upon request.

Customization

Product shown in Black 2100 metal, code +.M05.
Available finishes in the colours below. Other colors available upon request.

Metal finish



FSL6001 Wind shield
1500 x 1000 mm • H1800 mm



Shelters
Utyl collection

- Chairs
- 3-seater benches
- Tree surround bench
- Set with table and 6 seats
- Planters
- Litter bin
- Ashtray
- Bollards
- Bike rack
- Barrier
- Shelters - Shades**
- Utyl lighting bollard





Materials

Electrogalvanized steel structure with polyester powder coating.
 Roofing in cellular polycarbonate, gutter in electrogalvanized steel.
 Salt air protective coating available upon request.

Customization

Product shown in Black 2100 metal, code +.M05.
 Available finishes in the colours below. Other colors available upon request.

Metal finish



SUT0001 Single shelter
 2.50 × 2 m • H 2.45 m
 Capacity: 6 bikes
SUT0002 Double shelter
 4.95 × 2 m • H 2.45 m
 Capacity: 12 bikes





Shades
Utyl collection

- Chairs
- 3-seater benches
- Tree surround bench
- Set with table and 6 seats
- Planters
- Litter bin
- Ashtray
- Bollards
- Bike rack
- Barrier
- Shelters - Shades**
- Utyl lighting bollard



Materials
 Hot-dip galvanized steel structure, polyester powder coating.
 Roof with ribbed metal cladding.
 Salt air protective coating available upon request.
 SUT1001: wooden housing on the legs of the structure.

Customization
 Product shown in Black 2100 metal, code +.M05.
 Available finishes in the colours below. Other colors available upon request.



SUT1000 Shade
SUT1001 Shade with wood cladding
 5.10 × 3.90 m • H 3.10 m
 Capacity: 2 cars
SUT1002 PRM Shade
 3.40 × 3.90 m • H 3.10 m
 Capacity: 1 car



Shades Area 2



Materials

Structure made of GL24H certified ACERBOIS GLULAM glued laminated timber, and designed using the HTE process, finished with a four-coat stain. Stain durability > 6 years. Base and roof connection piece made of galvanized steel, polyester powder coating. Single-sloped structure inclined at 10°, designed according to the Eurocode structural standards (0,3-4-5-7-8). Covered ground area of 25 m², providing a width of 2.60 m per parking space (covering 2 cars). Salt air protective coating available upon request.




Option

Photovoltaic module, lighting, signage, etc. available upon request.



Customization

Product shown in Brume wood and Black 2100 metal, code +.W01L.M05. Available finishes in the colours below. Other colors available upon request. L = Smooth, B = Brushed, C = Whitewashed.

Color+Protect® wood finish



Metal finish




SAR1000 Steel sheet roofing - 24 m/s
SAR1001 Steel sheet roofing - 28 m/s
5.65 × 5 m • H 3.40 m
Capacity: 2 cars



Shelters
Hellospace



Materials
 Aluminum structure with polyester powder coating. Cladding and bench made of solid Accoya® acetylated wood, sourced from sustainably managed forests.
 Seating in compact laminate, thickness of 12 mm.
 Stadip Protect 44.2 laminated safety glass panel.
 Salt air protective coating available upon request.



Technology
 Product able to accommodate connectivity technologies:
 — charging for one or multiple devices, with up to 5 charging points available via USB or wireless induction;
 — lighting with 3 lighting points ranging from 15 to 20 lux;
 — smart lighting control;
 — electricity production and storage using solar panels.

Customization
 Product shown in raw Accoya® wood and Black 2100 metal, code +W00L.M05. Available finishes in the colours below. Other colors available upon request.
 L = Smooth.


Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



SHS0001 Connected space
 3.30 x 1.90 m • H 2.60 m



Lighting points

Our ranges of lighting points offer a variety of bollards and building elements that cater to different uses and aesthetic environments. In our commitment to providing a comprehensive offering, certain products identified by their range name complement our collections of urban furniture.

Creating harmony between light and material

Our primary raw material, wood, lends a distinctive identity to the products we design. Warm and organic, it creates a harmonious interplay between material and function.

Our focus has been on crafting lighting points where material and light engage in a dialog. The light resonates with the natural wood, not only providing excellent illumination, but also accentuating the beauty of the material.

A responsible approach to lighting

Above all, a lighting point needs to provide high-quality, comfortable light. Our approach to lighting is rooted in BEGA's decades of experience.

As a result, we are able to offer high-performance, environmentally-friendly lighting solutions. Details about our Dark Sky and BEGA BugSaver® solutions can be found on pages 36-37 and 38-39 of this catalog.

Seamless integration into the environment

Our products are carefully crafted to enhance their surroundings both during the day as well as at night. We design each lighting point to be a harmonious and aesthetic unit.



We pay particular attention to integrating our luminaires into the surroundings to enhance public spaces, fulfilling functional needs after dark and standing as aesthetic pieces during daylight hours.





Lighting bollards SoMa collection


Armchair
Lounge chair
Benches
Planters
Litter bins
SoMa lighting bollards
Light building elements 2.60 m



DarkSky

Lighting bollard with deflected lighting

Round bollard made of sustainably sourced Accoya® acetylated wood.
Wood finish Color+Protect® or NaturaLife®.
Round stainless steel base with polyester powder coating.
Salt air protective coating available upon request.



High-performance optical system with 360° circular distribution.
Luminaire made of cast aluminum, aluminum, and stainless steel.
Matt safety glass. Silicone seal.
DALI control (1)
Protection class I
Safety symbol
Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK10 (2)

Connected power

1. SoMa - High: 18 W
Luminaire luminous flux 3000 K: 1 644 lm (2700 K: 1 681 lm - 2200 K: 1 437 lm)
2. SoMa - Low: 8.8 W
Luminaire luminous flux 3000 K: 898 lm (2700 K: 871 lm - 2200 K: 775 lm - 1800 K: 680 lm)
Guaranteed availability of LED modules for 20 years.

Customization

Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.



Color+Protect® wood finish



NaturaLife® wood finish



Light




LSM3000 SoMa - High
LED 18 W • Ø 190 mm • H 1.10 m
LSM2000 SoMa - Low
LED 8.8 W • Ø 140 mm • H 0.75 m



Lighting bollards Kay collection

Lighting bollard with directional illumination

Square bollard made of sustainably sourced Accoya® acetylated wood.
Wood finish Color+Protect® or NaturaLife®.
Mounting plate in stainless steel.
Salt air protective coating available upon request.



High-performance optical system with recessed luminaires for asymmetric elliptical light distribution. Luminaire made of cast aluminum and stainless steel. Polymer lens.

DALI control

Protection class II

☞☞ Safety symbol

CE Compliance mark

Degree of protection IP 65

Connected power: 6 W

Luminaire luminous flux 3000 K: 470 lm (2700 K: 450 lm)
Guaranteed availability of LED modules for 20 years.


Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.


Color+Protect® wood finish



NaturaLife® wood finish



Light



LKA3000 Kay - High
LED 6 W • □ 110 mm • H 0.90 m
LKA2000 Kay - Low
LED 6 W • □ 90 mm • H 0.70 m



Lighting bollards Eggo collection



DarkSky

Lighting bollard with deflected lighting

Round bollard made of sustainably sourced Accoya® acetylated wood.
Wood finish Color+Protect® or NaturaLife®.
Mounting plate in stainless steel.
Salt air protective coating available upon request.



High-performance optical system with asymmetric elliptical light distribution (1) or 360° circular distribution (2).
Luminaire made of cast aluminum, aluminum, and stainless steel.
Matt safety glass. Silicone seal.
DALI control (1)
Protection class I
Safety symbol
CE Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK05 (1) • IK10 (2)

Connected power

1. 9.2 W LED luminaire
Luminaire luminous flux 3000 K: 858 lm (2700 K: 742 lm - 2200 K: 643 lm - 1800 K: 590 lm)
2. 8.8 W LED luminaire
Luminaire luminous flux 3000 K: 940 lm (2700 K: 912 lm - 2200 K: 810 lm - 1800 K: 680 lm)
Guaranteed availability of LED modules for 20 years.

Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.

Color+Protect® wood finish




NaturaLife® wood finish




Metal finish



Light



LEG2010
LED 9.2 W • Ø 180 x 140 mm • H 0.70 m




LEG2000
LED 8.8 W • Ø 180 x 140 mm • H 0.70 m



Lighting bollards Luci collection

Lighting bollard with directional illumination

Square bollard made of sustainably sourced Accoya® acetylated wood.
Wood finish Color+Protect® or NaturaLife®.
Mounting plate in stainless steel.
Salt air protective coating available upon request.



High-performance optical system with recessed luminaires for asymmetric elliptical light distribution. Luminaire made of cast aluminum and stainless steel. Polymer lens.

DALI control

Protection class II

Safety symbol

CE Compliance mark

Degree of protection IP 65

Connected power: 6 W

Luminaire luminous flux 3000 K: 470 lm (2700 K: 450 lm)
Guaranteed availability of LED modules for 20 years.


Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.



Color+Protect® wood finish



NaturaLife® wood finish



Light



LLU3000 Luci - High - Engraving - Type A
LED 6 W • □ 110 mm • H 0.90 m
LLU2000 Luci - Low - Engraving - Type A
LED 6 W • □ 110 mm • H 0.70 m



LLU3001 Luci - High - Engraving - Type B
LED 6 W • □ 110 mm • H 0.90 m
LLU2001 Luci - Low - Engraving - Type B
LED 6 W • □ 110 mm • H 0.70 m




Lighting bollards Bali collection



DarkSky

Lighting bollard with deflected lighting

Round bollard made of sustainably sourced Accoya® acetylated wood.
Wood finish Color+Protect® or NaturalLife®.
Round stainless steel base with polyester powder coating.
Salt air protective coating available upon request.



High-performance optical system with 360° circular distribution.
Luminaire made of cast aluminum, aluminum, and stainless steel.
Clear safety glass.
Protection class I
Safety symbol
CE Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK10

Connected power: 8.8 W

Luminaire luminous flux 3000 K: 898 lm (2700 K: 871 lm - 2200 K: 775 lm - 1800 K: 680 lm)
Guaranteed availability of LED modules for 20 years.

Customization

Product shown in Brume wood and Graphite metal, code +W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.


Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



Light



LBA2000
LED 8.8 W • Ø 140 mm • H 0.50 m



Lighting bollards Utyl collection



DarkSky

Lighting bollard with deflected lighting

Round bollard made of sustainably sourced Accoya® acetylated wood.
Wood finish Color+Protect® or NaturalLife®.
Round aluminum base with polyester powder coating.
Salt air protective coating available upon request.



High-performance optical system with asymmetric elliptical diffusion.
Luminaire made of cast aluminum, aluminum, and stainless steel.
Synthetic diffuser.
DALI control
Protection class I
Safety symbol
Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK05

Connected power: 9.2 W

Luminaire luminous flux 3000 K: 858 lm (2700 K: 742 lm - 2200 K: 643 lm - 1800 K: 590 lm)
Guaranteed availability of LED modules for 20 years.

Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.


Color+Protect® wood finish




NaturalLife® wood finish



Metal finish



Light



LUT3000
LED 9.2 W • Ø 140 mm • H 0.90 m

- Chairs
- 3-seater benches
- Tree surround bench
- Set with table and 6 seats
- Planters
- Litter bin
- Ashtray
- Bollards
- Bike rack
- Barrier
- Shelters - Shades
- Utyl lighting bollard**




Lighting bollards Notche collection

Stool
Bench
2-seater - 3-seater benches
Concrete bench modules
Litter bin
Notche 1 - 2 lighting bollards
Light building elements 3 - 4 - 5 - 6 m



Lighting bollard with directional illumination
Square bollard made of sustainably sourced solid Accoya® acetylated wood.
Wood finish Color+Protect® or NaturaLife®.
Square stainless steel base with polyester powder coating.
Salt air protective coating available upon request.



High-performance optical system with double recessed luminaires for asymmetric elliptical light distribution. Luminaire made of cast aluminum, aluminum, and stainless steel.
Polymer lens.
DALI control
Protection class II

CE Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK07 (1) • IK05 (2)

Connected power
1. Notche 1 - High: 13 W
Luminaire luminous flux 3000 K: 1280 lm (2700 K: 1225 lm - 2200 K: 848 lm - 1800 K: 950 lm)
2. Notche 1 - Low: 7.4 W
Luminaire luminous flux 3000 K: 510 lm (2700 K: 503 lm - 2200 K: 326 lm - 1800 K: 404 lm)
Guaranteed availability of LED modules for 20 years.

Accessories
• Section □ 120 mm
DAC1000: Installation on finished ground
DAC1001: Installation on concrete base
• Section □ 140 mm
DAC1002: Installation on finished ground
DAC1003: Installation on concrete base

Customization
Product shown in Brume wood and Graphite metal, code +W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth, B = Brushed.

Color+Protect® wood finish

W01L	W02L	W05L	W06L
------	------	------	------

NaturaLife® wood finish


R01L	R02L	R03L	R04L
------	------	------	------

Finition métal

M01	M02
-----	-----

Light

K3	K27	K22	K18
----	-----	-----	-----



LNO3000 Notche 1 - High
LED 13 W • □ 140 mm • H 1.10 m
LNO2000 Notche 1 - Low
LED 7.4 W • □ 120 mm • H 0.85 m




Lighting bollards Notche Collection



DarkSky

Lighting bollard with directional illumination

Rectangular bollard made of sustainably sourced solid Accoya® acetylated wood.
Wood finish Color+Protect® or NaturalLife®.
Rectangular stainless steel base with polyester powder coating.
Salt air protective coating available upon request.



High-performance optical system with asymmetrical diffusion.
Luminaire made of cast aluminum, aluminum, and stainless steel.
Safety glass with optical structure. Silicone seal.
Protection class I
Safety symbol
CE Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK08

Connected power: 5.5 W

Luminaire luminous flux 3000 K: 277 lm (2700 K: 294 lm - 2200 K: 201 lm - 1800 K: 111 lm)
Guaranteed availability of LED modules for 20 years.
✓ Compliant with the "light pollution" Decree of December 27, 2018.

Accessories

DAC1004: Installation on finished ground
DAC1005: Installation on concrete base

Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.

Color+Protect® wood finish



NaturalLife® wood finish




Finition métal



Light



Stool
Bench
2-seater - 3-seater benches
Concrete bench modules
Litter bin
Notche 1 - 2 lighting bollards
Light building elements 3 - 4 - 5 - 6 m



LNO3001 Notche 2 - High
LED 5.5 W • 190 × 115 mm • H 0.85 m
LNO2001 Notche 2 - Low
LED 5.5 W • 190 × 115 mm • H 0.55 m



Lighting bollards Skala collection


Stools
Chair
Bench
2-seater bench - Face-to-face bench
Double bench
Coffee table
Skala lighting bollards
Light building elements - 3.5 - 4 - 5 m
Poles - 3.5 m to 5 m



DarkSky

Lighting bollard with deflected lighting

Rectangular bollard made of sustainably sourced solid Accoya® acetylated wood.
Wood finish Color+Protect® or NaturalLife®.
Rectangular stainless steel base with polyester powder coating.
Salt air protective coating available upon request.



High-performance optical system with recessed luminaires for asymmetric elliptical light distribution. Luminaire made of cast aluminum and stainless steel.
Safety glass with optical structure. Silicone optical lens.
DALI control
Protection class II

CE Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK07

Connected power

1. Skala - High: 14 W
Luminaire luminous flux 3000 K: 1150 lm (2700 K: 1102 lm - 2200 K: 1093 lm)
2. Skala - Low: 71 W
Luminaire luminous flux 3000 K: 621 lm (2700 K: 595 lm - 2200 K: 590 lm)
Guaranteed availability of LED modules for 20 years.


Accessories

DAC1013: Installation on finished ground
DAC1014: Installation on concrete base

Customization

Product shown in Brume wood and Graphite metal, code +W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.


Color+Protect® wood finish




NaturalLife® wood finish



Metal finish



Light



LSK3000 Skala - High
LED 14 W • 200 × 120 mm • H 1 m
LSK2000 Skala - Low
LED 71 W • 200 × 120 mm • H 0.75 m


Lighting bollards Solina collection



DarkSky

Lighting bollard with deflected lighting

Round bollard made of sustainably sourced Accoya® acetylated wood.
Wood finish Color+Protect® or NaturalLife®.
Cladding and round base made of stainless steel with polyester powder coating.
Salt air protective coating available upon request.



Optical system with symmetrical diffusion.
Luminaire made of cast aluminum, aluminum, and stainless steel.
Clear safety glass. Silicone seal.
Protection class II
Safety symbol
CE Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK10

Connected power: 5 W

Luminaire luminous flux 3000 K: 324 lm (2700 K: 315 lm - 2200 K: 253 lm)
Guaranteed availability of LED modules for 20 years.

Accessories

DAC1008: Installation on finished ground
DAC1009: Installation on concrete base


Customization

Product shown in Brume wood and Graphite metal, code +W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.


Color+Protect® wood finish




NaturalLife® wood finish



Metal finish



Light



LSO3000 Solina 1
LED 5 W • Ø 115 mm + Ø 130 mm • H 1 m




Lighting bollards Solina collection



DarkSky

Lighting bollard with deflected lighting

Round bollard made of sustainably sourced Accoya® acetylated wood.
Wood finish Color+Protect® or NaturaLife®.
Round stainless steel base with polyester powder coating.
Salt air protective coating available upon request.



High-performance optical system with asymmetric elliptical light distribution.
Luminaire made of cast aluminum, aluminum, and stainless steel.
Clear safety glass. Silicone seal.
DALI control
Protection class I
Safety symbol
CE Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK06

Connected power: 6.7 W

Luminaire luminous flux 3000 K: 479 lm (2700 K: 462 lm - 2200 K: 358 lm)
Guaranteed availability of LED modules for 20 years.
✓ Compliant with the "light pollution" Decree of December 27, 2018.

Accessories

DAC1008: Installation on finished ground
DAC1009: Installation on concrete base


Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.

Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



Light



LSO3001 Solina 2
LED 6.7 W • Ø 115 mm + Ø 130 mm • H 1 m




Lighting bollards Sahari collection



DarkSky

Lighting bollard with deflected lighting

Round bollard made of sustainably sourced Accoya® acetylated wood.
Wood finish Color+Protect® or NaturaLife®.
Round stainless steel base with polyester powder coating.
Salt air protective coating available upon request.



Optical system with symmetrical diffusion.
Luminaire made of cast aluminum, aluminum, and stainless steel.
Clear safety glass. Silicone seal.
Protection class II
Safety symbol
CE Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK10

Connected power: 5 W

Luminaire luminous flux 3000 K: 324 lm (2700 K: 315 lm - 2200 K: 253 lm)
Guaranteed availability of LED modules for 20 years.

Accessories

DAC1008: Installation on finished ground
DAC1009: Installation on concrete base


Customization

Product shown in La Mer wood and Random rust metal, code +.W10C.M50.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth, B = Brushed, C = Whitewashed.

Color+Protect®
wood finish




NaturaLife®
wood finish



Metal finish



Light



LSA3000 Sahari 1
LED 5 W • Ø 115 mm + Ø 130 mm • H 1 m



Lighting bollards Sahari collection



DarkSky

Lighting bollard with deflected lighting

Round bollard made of sustainably sourced Accoya® acetylated wood.
Wood finish Color+Protect® or NaturaLife®.
Round stainless steel base with polyester powder coating.
Salt air protective coating available upon request.

High performance optical system with asymmetric elliptical light distribution.
Luminaire made of cast aluminum, aluminum, and stainless steel.
Clear safety glass. Silicone seal.
DALI control
Protection class I
Safety symbol
CE Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK06

Connected power: 6.7 W

Luminaire luminous flux 3000 K: 479 lm (2700 K: 462 lm - 2200 K: 358 lm)
Guaranteed availability of LED modules for 20 years.
✓ Compliant with the "light pollution" Decree of December 27, 2018.

Accessories

DAC1008: Installation on finished ground
DAC1009: Installation on concrete base

Customization

Product shown in La Mer wood and Random rust metal, code +.W10C.M50.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth, B = Brushed, C = Whitewashed.

Color+Protect®
wood finish





NaturaLife®
wood finish



Metal finish



Light



LSA3001 Sahari 2
LED 6.7 W • Ø 115 mm + Ø 130 mm • H 1 m



Sensy lighting bollards 1 - 2 - 3
 Light building elements - Top - 4 - 5 - 6 m
 Light building elements - Side - 4 - 5 - 6 m


Lighting bollards Sensy collection



DarkSky

Lighting bollard with deflected lighting

Square bollard made of sustainably sourced solid Accoya® acetylated wood.
 Wood finish Color+Protect® or NaturaLife®.
 Square stainless steel base with polyester powder coating.
 Salt air protective coating available upon request.



High-performance optical system with asymmetrical diffusion.
 Luminaire made of cast aluminum, aluminum, and stainless steel.
 White safety glass.
 Protection class I
 Safety symbol
 CE Compliance mark
 Degree of protection IP 65
 Mechanical impact resistance IK10

Connected power: 2.7 W

Luminaire luminous flux 3000 K: 95 lm (2700 K: 80 lm - 2200 K: 80 lm - 1800 K: 80 lm)
 Guaranteed availability of LED modules for 20 years.
 ✓ Compliant with the "light pollution" Decree of December 27, 2018.

Accessories

DAC1000: Installation on finished ground
 DAC1001: Installation on concrete base

Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.

Color+Protect® wood finish




NaturaLife® wood finish



Metal finish



Light



LSE2011 Sensy 1 - High
 LED 2.7 W • □ 120 mm • H 0.90 m
LSE2010 Sensy 1 - Low
 LED 2.7 W • □ 120 mm • H 0.70 m



Lighting bollards Sensy collection


Sensy lighting bollards 1-2-3
Light building elements - Top - 4 - 5 - 6 m
Light building elements - Side - 4 - 5 - 6 m



DarkSky

Lighting bollard with directional illumination

Square bollard made of sustainably sourced solid Accoya® acetylated wood.
Wood finish Color+Protect® or NaturaLife®.
Square aluminum base with polyester powder coating.
Salt air protective coating available upon request.



High-performance optical system with asymmetrical elliptical diffusion.
Luminaire made of cast aluminum, aluminum, and stainless steel.
Clear safety glass. Silicone seal.
Protection class I
Safety symbol
CE Compliance mark
Degree of protection IP 64
Mechanical impact resistance IK07

Connected power: 5.1 W

Luminaire luminous flux 3000 K: 384 lm (2700 K: 371 lm - 2200 K: 344 lm)
Guaranteed availability of LED modules for 20 years.
✓ Compliant with the "light pollution" Decree of December 27, 2018.


Accessories

DAC1000: Installation on finished ground
DAC1001: Installation on concrete base


Customization

Product shown in Brume wood and Graphite metal, code +W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.

Color+Protect® wood finish




NaturaLife® wood finish



Metal finish



Light



LSE2021 Sensy 2 - High
LED 5.1 W • □ 100 mm • H 0.90 m
LSE2020 Sensy 2 - Low
LED 5.1 W • □ 100 mm • H 0.70 m




Lighting bollards Sensy collection

Sensy lighting bollards 1-2-3
Light building elements - Top - 4 - 5 - 6 m
Light building elements - Side - 4 - 5 - 6 m



Lighting bollard with deflected lighting
Rectangular bollard made of sustainably sourced solid Accoya® acetylated wood.
Wood finish Color+Protect® or NaturaLife®.
Rectangular stainless steel base with polyester powder coating.
Salt air protective coating available upon request.







High-performance optical system with asymmetrical elliptical diffusion.
Luminaire made of cast aluminum, aluminum, and stainless steel.
Safety glass with optical structure. Silicone seal.
Protection class I
Safety symbol
CE Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK10

Connected power: 4 W
Luminaire luminous flux 3000 K: 298 lm (2700 K: 287 lm - 2200 K: 230 lm)
Guaranteed availability of LED modules for 20 years.
✓ Compliant with the "light pollution" Decree of December 27, 2018.

Accessories
DAC1004: Installation on finished ground
DAC1005: Installation on concrete base

Customization
Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.



LSE2001 Sensy 3 - Medium
LED 4 W • 190 × 115 mm • H 0.90 m
LSE2000 Sensy 3 - Low
LED 4 W • 190 × 115 mm • H 0.70 m



Light building elements SoMa collection


Armchair
Lounge chair
Benches
Planters
Litter bins
SoMa lighting bollards
Light building elements 2.60 m



DarkSky

Light building element with deflected lighting

Round light building element made of sustainably sourced solid Accoya® acetylated wood. Wood finish Color+Protect® or NaturalLife®. Stainless steel base with polyester powder coating. Salt air protective coating available upon request.



High-performance optical system with asymmetric elliptical light distribution (1) or symmetrical (2). Luminaire made of cast aluminum, aluminum, and stainless steel. Synthetic diffuser with optical structure.

DALI control

Protection class II

Safety symbol

CE Compliance mark

Degree of protection IP 65

Mechanical impact resistance IK08

Connected power

1. SoMa: 18.5 W

Luminaire luminous flux 3000 K: 1 662 lm
(2700 K: 1 590 lm - 2200 K: 1 350 lm - 1800 K: 1 240 lm)

2. SoMa: 18.5 W

Luminaire luminous flux 3000 K: 2 109 lm
(2700 K: 2 020 lm - 2200 K: 1 720 lm - 1800 K: 1 605 lm)

Guaranteed availability of LED modules for 20 years.

Accessories

Available with a ground spike base.

Customization

Product shown in Brume wood and Black 2100 metal, code +.W01L.M05.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.


Color+Protect® wood finish



NaturalLife® wood finish



Light



LSM0250 (1)

LED 18.5 W • Ø 133 mm • H 2.60 m

LSM0251 (2)

LED 18.5 W • Ø 133 mm • H 2.60 m




Light building elements Olam collection



Light building element with directional illumination

Rectangular light building element made of sustainably sourced solid Accoya® acetylated wood. Wood finish Color+Protect® or NaturalLife®. Stainless steel base with polyester powder coating. Salt air protective coating available upon request.



High-performance optical system with wall-mounted luminaire featuring elliptical asymmetric distribution. Luminaire made of aluminum. Clear safety glass. Silicon seal. Silicon optic lens.

DALI control

Protection class I

☞☞☞ Safety symbol

CE Compliance mark

Degree of protection IP 65

Mechanical impact resistance IK06 (1) • IK08 (2)

Connected power

1. Olam: 22.5 W

Luminaire luminous flux 3000 K: 2 357 lm (2700 K: 2 284 lm - 2200 K: 1700 lm)

2. Olam: 33 W

Luminaire luminous flux 3000 K: 3 405 lm (2700 K: 3 300 lm - 2200 K: 2 650 lm)

Guaranteed availability of LED modules for 20 years.

Accessories

Available with a ground spike base.


Customization

Product shown in Brume wood and Graphite metal, code +W01L.M01.K3.


Available finishes in the colours below. Other colors available upon request.

L = Smooth.

NaturalLife® wood finish



Metal finish



Light



LOA0400 Single
LED 22.5 W • 140 × 90 mm • H 4 m

LOA0401 Double
2 x LED 22.5 W • 140 × 90 mm • H 4 m

LOA0450 Single
LED 33 W • 140 × 90 mm • H 4.5 m

LOA0451 Double
LED 33 W + 22.5 W • 140 × 90 mm • H 4.5 m

LOA0452 Double
2 x LED 33 W • 140 × 90 mm • H 4.5 m



Light building elements

Notche collection

Stool
 Bench
 2-seater - 3-seater benches
 Concrete bench modules
 Litter bin
 Notche 1 - 2 lighting bollards
Light building elements 3 - 4 - 5 - 6 m

Light building element with deflected lighting

Square light building element made of sustainably sourced solid Accoya® acetylated wood. Wood finish Color+Protect® or NaturaLife®. Stainless steel base with polyester powder coating. Salt air protective coating available upon request.



High-performance optical system featuring a luminaire providing 45° symmetrical light distribution (other optics available on request). Luminaire made of cast aluminum, aluminum, and stainless steel. Clear safety glass. Silicon seal.
 DALI control
 Protection class II
 Safety symbol
 CE Compliance mark
 Degree of protection IP 65
 Mechanical impact resistance IK07

Connected power: 23.6 W

Luminaire luminous flux 3000 K: 2 480 lm
 (2700 K: 2 376 lm - 2200 K: 1 592 lm - 1800 K: 2 018 lm)
 Guaranteed availability of LED modules for 20 years.

Accessories

Available with a ground spike base.

Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth.

Color+Protect® wood finish



NaturaLife® wood finish



Metal finish



Light



LNO0300 2 spotlights
 LED 23.6 W • □ 140 mm • H 3 m





Light building elements Notche collection



Stool
Bench
2-seater - 3-seater benches
Concrete bench modules
Litter bin
Notche 1 - 2 lighting bollards
Light building elements 3 - 4 - 5 - 6 m



DarkSky

Light building element with directional illumination

Square light building element made of GL24H certified ACERBOIS GLULAM glued laminated timber, sourced from sustainably managed forests and designed using the HTE process. Wood with four-coat stain finish. Stain durability > 6 years. Aluminum base, lid made of galvanized steel, projector support in stainless steel with polyester powder coating. CE marked product: CE Certificate of conformity 0679-CPR-0473. Salt air protective coating available upon request.



High-performance optical system featuring a luminaire providing 45° symmetrical light distribution (other optics available on request). Luminaire made of cast aluminum, aluminum, and stainless steel. Clear safety glass. Silicone seal.

DALI control

Protection class I

☞☞ Safety symbol

CE Compliance mark

Degree of protection IP 65

Mechanical impact resistance IK06

Connected power

1.26.8 W LED Luminaire

Luminaire luminous flux 3000 K: 2 472 lm

(2700 K: 2 372 lm - 2200 K: 2 741 lm - 1800 K: 2 105 lm)

2.40 W LED Luminaire

Luminaire luminous flux 3000 K: 3 834 lm

(2700 K: 3 685 lm - 2200 K: 4 292 lm - 1800 K: 3 315 lm)

Guaranteed availability of LED modules for 20 years.

Accessoires

Elliptical lens for modifying light distribution.

Available with a ground spike base.

Customization

Product shown in Brume wood and Graphite metal, code +W01L.M01.K3.


Available finishes in the colours below. Other colors available upon request.

L = Smooth, B = Brushed, C = Whitewashed.


Color+Protect® wood finish



Metal finish



Lumière



LNO0412 2 spotlights
2 x LED 26.8 W • □ 150 mm • H 4 m
LNO0413 3 spotlights
3 x LED 26.8 W • □ 150 mm • H 4 m

LNO0512 2 spotlights
2 x LED 26.8 W • □ 150 mm • H 5 m
LNO0513 3 spotlights
3 x LED 26.8 W • □ 150 mm • H 5 m
LNO0514 4 spotlights
4 x LED 26.8 W • □ 150 mm • H 5 m

LNO0612 2 spotlights
2 x LED 40 W • □ 150 mm • H 6 m
LNO0613 3 spotlights
3 x LED 40 W • □ 150 mm • H 6 m
LNO0614 4 spotlights
4 x LED 40 W • □ 150 mm • H 6 m




Light building elements Skala collection






DarkSky

Light building element with deflected illumination

Rectangular light building element made of sustainably sourced solid Accoya® acetylated wood. Wood finish Color+Protect® or NaturalLife®. Galvanized steel base with polyester powder coating. Salt air protective coating available upon request.



High-performance optical system with recessed luminaires for elliptical light distribution. Luminaire made of cast aluminum and stainless steel. Matt safety glass. Silicone optical lens. DALI control
Protection class II 
 Safety symbol
 Compliance mark
Degree of protection IP 65
Mechanical impact resistance IK07

Connected power

1. 19.6 W LED Luminaire
Luminaire luminous flux 3000 K: 1 905 lm
(2700 K: 1 815 lm - 2200 K: 1 825 lm - 1800 K: 1 575 lm)

2. 38 W LED Luminaire
Luminaire luminous flux 3000 K: 3 810 lm (2700 K: 3 645 lm)
Guaranteed availability of LED modules for 20 years.

Accessoires

Available with a ground spike base.


Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3.
Available finishes in the colours below. Other colors available upon request.
L = Smooth.


Color+Protect® wood finish



NaturalLife® wood finish



Metal finish



Light



LSK0350
LED 19.6 W • 145 × 140 mm • H 3.5 m
LSK0400
LED 19.6 W • 145 × 140 mm • H 4 m
LSK0500
2 x LED 38 W • 145 × 140 mm • H 5 m

Stools
Chair
Bench
2-seater bench - Face-to-face bench
Double bench
Coffee table
Skala lighting bollards
Light building elements 3.5 - 4 - 5 m
Poles - 3.5 m to 5 m





Light building elements Solina collection



DarkSky

Light building element with deflected lighting

Cylindrical light building element made of GL24H certified ACERBOIS GLULAM glued laminated timber, sourced from sustainably managed forests and designed using the HTE process. Wood with four-coat stain finish. Stain durability > 6 years.

Aluminum base, lid made of galvanized steel, projector support in stainless steel with polyester powder coating.

CE marked product: CE Certificate of conformity 0679-CPR-0473.

Salt air protective coating available upon request.



High-performance optical system with wall-mounted luminaire featuring elliptical asymmetric distribution. Luminaire made of aluminum with polyester powder coating. Silicon optical lens.

DALI control

Protection class I

Safety symbol

CE Compliance mark

Degree of protection IP 65

Mechanical impact resistance IK06 (1) • IK08 (2)

Connected power

1. Small Model: 22.5 W

Luminaire luminous flux 3000 K: 2 357 lm (2700 K: 2 284 lm - 2200 K: 1700 lm)

2. Large Model: 33 W + 9 W

Luminaire luminous flux 3000 K: 3 405 lm (2700 K: 3 300 lm - 2200 K: 2 650 lm)

Guaranteed availability of LED modules for 20 years.

Accessories

Available with a ground spike base.

Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3.


Available finishes in the colours below. Other colors available upon request.

L = Smooth, **B** = Brushed, **C** = Whitewashed.

Color+Protect® wood finish



Metal finish



Light



LSO0353 Single
LED 22.5 W • Ø 133 mm • H 3.5 m
LSO0354 Double
2 x LED 22.5 W • Ø 133 mm • H 3.5 m

LSO0403 Single
LED 33 W + 9 W • Ø 133 mm • H 4 m
LSO0404 Double
SM - LED 22.5 W • Ø 133 mm • H 4 m
LM - LED 33 W + 9 W • Ø 133 mm • H 4 m

LSO0503 Single
LED 33 W + 9 W • Ø 133 mm • H 5 m
LSO0504 Double
SM - LED 22.5 W • Ø 133 mm • H 5 m
LM - LED 33 W + 9 W • Ø 133 mm • H 5 m



Light building elements Sahari collection



DarkSky

Light building element with deflected lighting

Cylindrical light building element made of GL24H certified ACERBOIS GLULAM glued laminated timber, sourced from sustainably managed forests and designed using the HTE process. Wood with four-coat stain finish. Stain durability > 6 years.

Aluminum base, lid made of galvanized steel, projector support in stainless steel with polyester powder coating.

CE marked product: CE Certificate of conformity 0679-CPR-0473.

Salt air protective coating available upon request.



High-performance optical system with wall-mounted luminaire featuring elliptical asymmetric distribution. Luminaire made of aluminum with polyester powder coating. Silicon optical lens.

DALI control

Protection class I

Safety symbol

CE Compliance mark

Degree of protection IP 65

Mechanical impact resistance IK06 (1) • IK08 (2)

Connected power

1. Small Model: 22.5 W

Luminaire luminous flux 3000 K: 2 357 lm (2700 K: 2 284 lm - 2200 K: 1700 lm)

2. Large Model: 33 W + 9 W

Luminaire luminous flux 3000 K: 3 405 lm (2700 K: 3 300 lm - 2200 K: 2 650 lm)

Guaranteed availability of LED modules for 20 years.

Accessories

Available with a ground spike base.

Customization

Product shown in La Mer wood and Random rust metal, code +W10C.M50.K3.

Available finishes in the colours below. Other colors available upon request.

L = Smooth, B = Brushed, C = Whitewashed.


Color+Protect®

wood finish



NaturaLife®

wood finish



Metal finish



Light



LSO0353 Single

LED 22.5 W • Ø 133 mm • H 3.5 m

LSO0354 Double

2 x LED 22.5 W • Ø 133 mm • H 3.5 m

LSO0403 Single

LED 33 W + 9 W • Ø 133 mm • H 4 m

LSO0404 Double

SM - LED 22.5 W • Ø 133 mm • H 4 m

LM - LED 33 W + 9 W • Ø 133 mm • H 4 m

LSO0503 Single

LED 33 W + 9 W • Ø 133 mm • H 5 m

LSO0504 Double

SM - LED 22.5 W • Ø 133 mm • H 5 m

LM - LED 33 W + 9 W • Ø 133 mm • H 5 m



Light building elements Sensy collection

Sensy 1 - 2 - 3 lighting bollards
Light building elements - Top - 4 - 5 - 6 m
 Light building elements - Side - 4 - 5 - 6 m



Light building element with deflected illumination
 Square light building element made of GL24H certified ACERBOIS GLULAM glued laminated timber, sourced from sustainably managed forests and designed using the HTE process. Wood with four-coat stain finish. Stain durability > 6 years.
 Base and top pole in aluminum with polyester powder coating.
 CE marked product: CE Certificate of conformity 0679-CPR-0473.
 Salt air protective coating available upon request.



High-performance optical system with luminaire featuring elliptical asymmetric light distribution. Luminaire made of cast aluminum, aluminum, and stainless steel.
 Safety glass with anti-reflective coating. Silicon seal.
 DALI control
 Protection class II
 Safety symbol
 CE Compliance mark
 Degree of protection IP 66
 Mechanical impact resistance IK07

Connected power
 1. 18.8 W LED luminaire
 Luminaire luminous flux 3000 K: 2 346 lm (2700 K: 2 268 lm - 2200 K: 1 827 lm)
 2. 33.5 W and 34.5 W LED luminaire
 Luminaire luminous flux 3000 K: 4 554 lm (2700 K: 4 410 lm - 2200 K: 3 540 lm)
 Guaranteed availability of LED modules for 20 years.

Customization
 Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3.
 Available finishes in the colours below. Other colors available upon request.
 L = Smooth, B = Brushed, C = Whitewashed.

Color+Protect® wood finish

W01L-B	W02L-B	W05L-B	W06L-B	W08B	W10C	W11C
--------	--------	--------	--------	------	------	------

Metal finish

M01	M02	M03	M05	M06	M50	M52
-----	-----	-----	-----	-----	-----	-----

Light

K3	K27	K22
----	-----	-----

- LSE0400 Single**
LED 18.8 W • □ 120 mm • H 4 m
- LSE0500 Single**
LED 33.5 W • □ 120 mm • H 5 m
- LSE0600 Single**
LED 33.5 W • □ 120 mm • H 6 m
- LSE0401 Double**
2 x LED 18.8 W • □ 120 mm • H 4 m
- LSE0501 Double**
2 x LED 33.5 W • □ 120 mm • H 5 m
- LSE0601 Double**
2 x LED 33.5 W • □ 120 mm • H 6 m
- LSE0502 Single Zhaga**
LED 34.5 W • □ 120 mm • H 5 m
- LSE0602 Single Zhaga**
LED 34.5 W • □ 120 mm • H 6 m



Light building elements Sensy collection

Sensy 1 - 2 - 3 lighting bollards
Light building elements - Top - 4 - 5 - 6 m
Light building elements - Side - 4 - 5 - 6 m



Light building element with deflected illumination

Square light building element made of GL24H certified ACERBOIS GLULAM glued laminated timber, sourced from sustainably managed forests and designed using the HTE process. Wood with four-coat stain finish. Stain durability > 6 years. Base and top pole in aluminum with polyester powder coating. CE marked product: CE Certificate of conformity 0679-CPR-0473. Salt air protective coating available upon request.



High-performance optical system with luminaire featuring elliptical asymmetric light distribution. Luminaire made of cast aluminum, aluminum, and stainless steel. Safety glass with anti-reflective coating. Silicon seal. DALI control. Protection class II. Safety symbol. Compliance mark. Degree of protection IP 66. Mechanical impact resistance IK07.

Connected power

1. 18.8 W LED luminaire
Luminaire luminous flux 3000 K: 2 346 lm (2700 K: 2 268 lm - 2200 K: 1 827 lm)
2. 33.5 W and 34.5 W LED luminaire
Luminaire luminous flux 3000 K: 4 554 lm (2700 K: 4 410 lm - 2200 K: 3 540 lm)
Guaranteed availability of LED modules for 20 years.


Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.K3. Available finishes in the colours below. Other colors available upon request. L = Smooth, B = Brushed, C = Whitewashed.

Color+Protect® wood finish



Metal finish



Light



LSE0410 Single
LED 18.8 W • □ 120 mm • H 4 m
LSE0510 Single
LED 33.5 W • □ 120 mm • H 5 m
LSE0610 Single
LED 33.5 W • □ 120 mm • H 6 m

LSE0512 Single Zhaga
LED 34.5 W • □ 120 mm • H 5 m
LSE0612 Single Zhaga
LED 34.5 W • □ 120 mm • H 6 m



Poles Skala collection

Skala poles 3.5 m to 5 m
 Moshi XL poles 3.5 m to 8 m
 Silea XL poles 4 m to 16 m
 Sumu XL poles 3 m to 8 m
 Döme XL poles 4 m to 14 m
 Stratos poles 12 m to 16 m
 Capella poles 12 m to 14 m
 Italic poles 8 m to 12 m




Pole on base plate	Section	Height	Base height Material
MSK1350	□ 145-140 mm	3.5 m	0.45 m Aluminum
MSK1400	□ 145-140 mm	4 m	0.45 m Aluminum
MSK1500	□ 145-140 mm	5 m	0.45 m Aluminum

Rectangular support

The solid wood nested elements are made of sustainably sourced Accoya® acetylated wood. Wood finish Color+Protect® or NaturalLife®.

The flush and rectangular base is made of aluminum with polyester powder coating.

The brackets and pole top are constructed from electrogalvanized steel with polyester powder coating. Salt air protective coating available upon request.



Customization

Product shown in Brume wood and Graphite metal, code +W01L.M01.


Available finishes in the colours below. Other colors available upon request.

L = Smooth.


Color+Protect® wood finish



NaturalLife® wood finish



Metal finish





Poles

Moshi XL collection



Skala poles 3.5 m to 5 m
Moshi XL poles 3.5 m to 8 m
 Silea XL poles 4 m to 16 m
 Sumu XL poles 3 m to 8 m
 Döme XL poles 4 m to 14 m
 Stratos poles 12 m to 16 m
 Capella poles 12 m to 14 m
 Italic poles 8 m to 12 m

Pole on base plate	Pole with ground spike base	Section	Height	Base height Material
MMO2350	MMO4350	□ 120 mm	3.5 m	110 m Aluminum
MMO2400	MMO4400	□ 120 mm	4 m	110 m Aluminum
MMO2500	MMO4500	□ 120 mm	5 m	110 m Aluminum
MMO2501	MMO4501	□ 150 mm	5 m	1.30 m Aluminum
MMO2600	MMO4600	□ 150 mm	6 m	1.30 m Aluminum
MMO2700	MMO4700	□ 150 mm	7 m	1.30 m Aluminum
MMO2701	MMO4701	□ 180 mm	7 m	1.50 m Aluminum
MMO2800	MMO4800	□ 180 mm	8 m	1.50 m Aluminum

Square support
 Square section pole made of GL24H certified ACERBOIS GLULAM glued laminated timber, sourced from sustainably managed and certified forests (PEFC). Designed using the HTE (high outdoor durability) process: the pole is constructed from four glulam beams using a double cross-lamination process, ensuring high outdoor durability of the product.
 Structural lifespan: 25 years. Four-coat stain finish. Stain durability > 6 years.
 Aluminum flush and square base and galvanized steel pole top with polyester powder coating.
 CE marked product: CE Certificate of conformity 0679-CPR-0473.
 Salt air protective coating available upon request.



Customization
 Product shown in Brume wood and Graphite metal, code +.W01L.M01.
 Available finishes in the colours below. Other colors available upon request.
L = Smooth, **B** = Brushed, **C** = Whitewashed.





Poles

Silea XL collection

Skala poles 3.5 m to 5 m
 Moshi XL poles 3.5 m to 8 m
Silea XL poles 4 m to 16 m
 Sumu XL poles 3 m to 8 m
 Dôme XL poles 4 m to 14 m
 Stratos poles 12 m to 16 m
 Capella poles 12 m to 14 m
 Italic poles 8 m to 12 m

Pole on base plate	Pole with ground spike base	Section	Height	Base height Material
MSI2400	MSI4400	□ 120-76 mm	4 m	1.10 m Aluminum
MSI2500	MSI4500	□ 120-76 mm	5 m	1.10 m Aluminum
MSI2501	MSI2501	□ 150-100 mm	5 m	1.30 m Aluminum
MSI2600	MSI4600	□ 150-100 mm	6 m	1.30 m Aluminum
MSI2601	MSI4601	□ 180-120 mm	6 m	1.50 m Aluminum
MSI2700	MSI4700	□ 180-120 mm	7 m	1.50 m Aluminum
MSI2800	MSI4800	□ 180-120 mm	8 m	1.50 m Aluminum
MSI1900	MSI3900	□ 200-140 mm	9 m	1.50 m Galvanized steel
MSI1901	MSI3901	□ 220-140 mm	9 m	1.50 m Galvanized steel
MSI1100	MSI3100	□ 220-140 mm	10 m	1.50 m Galvanized steel
MSI1101	MSI3101	□ 250-140 mm	10 m	1.50 m Galvanized steel
MSI1120	MSI3120	□ 250-140 mm	12 m	1.50 m Galvanized steel
MSI1121	MSI3121	□ 300-160 mm	12 m	1.50 m Galvanized steel
MSI1140	MSI3140	□ 300-160 mm	14 m	1.50 m Galvanized steel
MSI1160	MSI3160	□ 350-160 mm	16 m	1.50 m Galvanized steel

Square conical support

Square conical section pole made of GL24H certified ACERBOIS GLULAM glued laminated timber, sourced from sustainably managed and certified forests (PEFC). Designed using the HTE (high outdoor durability) process: the pole is constructed from four glulam beams using a double cross-lamination process, ensuring high outdoor durability of the product. Structural lifespan: 25 years. Four-coat stain finish. Stain durability > 6 years. Aluminum (or galvanized steel) flush and square base and galvanized steel pole top with polyester powder coating. CE marked product: CE Certificate of conformity 0679-CPR-0473. Salt air protective coating available upon request.





Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.
 Available finishes in the colours below. Other colors available upon request.
L = Smooth, **B** = Brushed, **C** = Whitewashed.

Color+Protect® wood finish



Metal finish





Poles

Sumu XL collection

Skala poles 3.5 m to 5 m
 Moshi XL poles 3.5 m to 8 m
 Silea XL poles 4 m to 16 m
Sumu XL poles 3 m to 8 m
 Dôme XL poles 4 m to 14 m
 Stratos poles 12 m to 16 m
 Capella poles 12 m to 14 m
 Italic poles 8 m to 12 m

Pole on base plate	Pole with ground spike base	Section	Height	Base height Material
MSU2350	MSU4350	Ø 133 mm	3.5 m	1.25 m Aluminum
MSU2400	MSU4400	Ø 133 mm	4 m	1.25 m Aluminum
MSU2500	MSU4500	Ø 133 mm	5 m	1.25 m Aluminum
MSU2501	MSU4501	Ø 150 mm	5 m	1.25 m Aluminum
MSU2600	MSU4600	Ø 150 mm	6 m	1.25 m Aluminum
MSU2700	MSU4700	Ø 150 mm	7 m	1.25 m Aluminum
MSU2602	MSU4602	Ø 170 mm	6 m	1.25 m Aluminum
MSU2701	MSU4701	Ø 170 mm	7 m	1.25 m Aluminum
MSU2800	MSU4800	Ø 170 mm	8 m	1.25 m Aluminum

Round support

Round section pole made of GL24H certified ACERBOIS GLULAM glued laminated timber, sourced from sustainably managed and certified forests (PEFC). Designed using the HTE (high outdoor durability) process: the pole is constructed from four glulam beams using a double cross-lamination process, ensuring high outdoor durability of the product. Structural lifespan: 25 years. Four-coat stain finish. Stain durability > 6 years. Aluminum flush and round base and galvanized steel pole top with polyester powder coating. CE marked product: CE Certificate of conformity 0679-CPR-0473. Salt air protective coating available upon request.






Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.
 Available finishes in the colours below. Other colors available upon request.
L = Smooth, **B** = Brushed, **C** = Whitewashed.

Color+Protect® wood finish



Metal finish





Poles

Dôme XL collection



Skala poles 3.5 m to 5 m
 Moshi XL poles 3.5 m to 8 m
 Silea XL poles 4 m to 16 m
 Sumu XL poles 3 m to 8 m
Dôme XL poles 4 m to 14 m
 Stratos poles 12 m to 16 m
 Capella poles 12 m to 14 m
 Italic poles 8 m to 12 m

Pole on base plate	Pole with ground spike base	Section	Height	Base height Material
MDO2400	MDO4400	Ø 133-76 mm	4 m	1.25 m Aluminum
MDO2500	MDO4500	Ø 133-76 mm	5 m	1.25 m Aluminum
MDO2501	MDO4501	Ø 150-100 mm	5 m	1.25 m Aluminum
MDO2600	MDO4600	Ø 150-100 mm	6 m	1.25 m Aluminum
MDO2700	MDO4700	Ø 150-100 mm	7 m	1.25 m Aluminum
MDO2701	MDO4701	Ø 170-120 mm	7 m	1.25 m Aluminum
MDO2800	MDO4800	Ø 170-120 mm	8 m	1.25 m Aluminum
MDO1701	MDO3701	Ø 194-140 mm	7 m	1.20 m Galvanized steel
MDO1800	MDO3800	Ø 194-140 mm	8 m	1.20 m Galvanized steel
MDO1900	MDO3900	Ø 194-140 mm	9 m	1.20 m Galvanized steel
MDO1801	MDO3801	Ø 220-140 mm	8 m	1.35 m Galvanized steel
MDO1901	MDO3901	Ø 220-140 mm	9 m	1.35 m Galvanized steel
MDO1100	MDO3100	Ø 220-140 mm	10 m	1.35 m Galvanized steel
MDO1101	MDO3101	Ø 245-140 mm	10 m	1.50 m Galvanized steel
MDO1120	MDO3120	Ø 245-140 mm	12 m	1.50 m Galvanized steel
MDO1121	MDO3121	Ø 275-140 mm	12 m	1.50 m Galvanized steel
MDO1140	MDO3140	Ø 275-140 mm	14 m	1.50 m Galvanized steel

Round conical support
 Round conical section pole made from GL24H certified ACERBOIS GLULAM glued laminated timber, sourced from sustainably managed and certified forests (PEFC). Designed using the HTE (high outdoor durability) process: the pole is constructed from four glulam beams using a double cross-lamination process, ensuring high outdoor durability of the product. Structural lifespan: 25 years. Four-coat stain finish. Stain durability > 6 years. Aluminum (or galvanized steel) flush and round base and galvanized steel pole top with polyester powder coating. CE marked product: CE Certificate of conformity 0679-CPR-0473. Salt air protective coating available upon request.



Customization
 Product shown in Brume wood and Graphite metal, code +.W01L.M01.
 Available finishes in the colours below. Other colors available upon request.
L = Smooth, **B** = Brushed, **C** = Whitewashed.





Poles Stratos collection

Skala poles 3.5 m to 5 m
 Moshi XL poles 3.5 m to 8 m
 Silea XL poles 4 m to 16 m
 Sumu XL poles 3 m to 8 m
 Dôme XL poles 4 m to 14 m
Stratos poles 12 m to 16 m
 Capella poles 12 m to 14 m
 Italic poles 8 m to 12 m

Pole on base plate	Section	Height	Base height Material
MST1120	□ 250-140 mm	12 m	1.50 m Galvanized steel
MST1121	□ 300-160 mm	12 m	1.50 m Galvanized steel
MST1140	□ 300-160 mm	14 m	1.50 m Galvanized steel
MST1160	□ 350-160 mm	16 m	1.50 m Galvanized steel

Double square conical support

Double pole with square conical section made of GL24H certified ACERBOIS GLULAM glued laminated timber, sourced from sustainably managed and certified forests (PEFC). Designed using the HTE (high outdoor durability) process: the pole is constructed from four glulam beams using a double cross-lamination process, ensuring high outdoor durability of the product. Structural lifespan: 25 years. Four-coat stain finish. Stain durability > 6 years. The flush and square base and the pole top are made of galvanized steel with polyester powder coating. Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.
 Available finishes in the colours below. Other colors available upon request.
L = Smooth, **B** = Brushed, **C** = Whitewashed.

Color+Protect® wood finish



Metal finish





Poles Capella collection

Skala poles 3.5 m to 5 m
 Moshi XL poles 3.5 m to 8 m
 Silea XL poles 4 m to 16 m
 Sumu XL poles 3 m to 8 m
 Dôme XL poles 4 m to 14 m
 Stratos poles 12 m to 16 m
Capella poles 12 m to 14 m
 Italic poles 8 m to 12 m

Pole on base plate	Section	Height	Base height Material
MCA1120	Ø 245-140 mm	12 m	1.50 m Galvanized steel
MCA1121	Ø 275-140 mm	12 m	1.50 m Galvanized steel
MCA1140	Ø 275-140 mm	14 m	1.50 m Galvanized steel

Double round conical support

Double pole with round conical section made of GL24H certified ACERBOIS GLULAM glued laminated timber, sourced from sustainably managed and certified forests (PEFC). Designed using the HTE (high outdoor durability) process: the pole is constructed from four glulam beams using a double cross-lamination process, ensuring high outdoor durability of the product. Structural lifespan: 25 years. Four-coat stain finish. Stain durability > 6 years. The flush and round base and the pole top are made of galvanized steel with polyester powder coating. Salt air protective coating available upon request.




Customization

Product shown in Brume wood and Graphite metal, code +.W01L.M01.
 Available finishes in the colours below. Other colors available upon request.
L = Smooth, **B** = Brushed, **C** = Whitewashed.

Color+Protect® wood finish



Metal finish





Poles
Italic collection

Skala poles 3.5 m to 5 m
 Moshi XL poles 3.5 m to 8 m
 Silea XL poles 4 m to 16 m
 Sumu XL poles 3 m to 8 m
 Döme XL poles 4 m to 14 m
 Stratos poles 12 m to 16 m
 Capella poles 12 m to 14 m
Italic poles 8 m to 12 m

Pole on base plate	Section	Height	Base height Material
MIT1800	Ø 194-140 mm	8 m	1.20 m Galvanized steel
MIT1100	Ø 220-140 mm	10 m	1.35 m Galvanized steel
MIT1120	Ø 245-140 mm	12 m	1.50 m Galvanized steel

Round conical support
 Inclined pole with round conical section made of GL24H certified ACERBOIS GLULAM glued laminated timber, sourced from sustainably managed and certified forests (PEFC). Designed using the HTE (high outdoor durability) process: the pole is constructed from four glulam beams using a double cross-lamination process, ensuring high outdoor durability of the product. Structural lifespan: 25 years. Four-coat stain finish. Stain durability > 6 years.
 The flush and round base and the pole top are made of galvanized steel with polyester powder coating.
 CE marked product: CE Certificate of conformity 0679-CPR-0473.
 Salt air protective coating available upon request.



Customization
 Product shown in Brume wood and Graphite metal, code +.W01L.M01.
 Available finishes in the colours below. Other colors available upon request.
L = Smooth, **B** = Brushed, **C** = Whitewashed.

Color+Protect® wood finish

W01L-B	W02L-B	W05L-B	W06L-B	W08B	W10C	W11C
--------	--------	--------	--------	------	------	------

Metal finish

M01	M02	M03	M05	M06	M50	M52
-----	-----	-----	-----	-----	-----	-----





Accessories

Api - Solis - Axis brackets
 Bussy - Catelam - Rà - Linea - Elea brackets
 Bussy - Catelam extensions
 End cap, bracket and mounting pad
 Cable and banner supports




Api

Materials
 Mechanically welded galvanized steel bracket and side-mounted bracket, polyester powder coating. Compatible with a minimum top section of 140 mm.

DCR2002 Single
 Tilt 2° • H 185 mm
 Outreach 785 mm



DCR2003 Double
 Tilt 2° • H 185 mm
 Outreach 2 × 785 mm



DCR2004 Side
 Tilt 2° • H 250 mm
 Outreach 750 mm




Solis

Materials
 Mechanically welded galvanized steel bracket, polyester powder coating. Compatible with a minimum top section of 120 mm for an outreach of 500 mm, and with a minimum top section of 140 mm for an outreach of 1 m.


DCR2005 Solis 1 light
 Tilt 5° • H 145 mm
 Outreach 500 mm

DCR2009 Solis 1 light
 Tilt 5° • H 145 mm
 Outreach 1 m




DCR2006 Solis 2 lights
 Tilt 5° • H 145 mm
 Outreach 500 mm

DCR2010 Solis 2 lights
 Tilt 5° • H 145 mm
 Outreach 1 m





DCR2007 Solis 3 lights
 Tilt 5° • H 145 mm
 Outreach 500 mm

DCR2011 Solis 3 lights
 Tilt 5° • H 145 mm
 Outreach 1 m



DCR2008 Solis 4 lights
 Tilt 5° • H 145 mm
 Outreach 500 mm


DCR2012 Solis 4 lights
 Tilt 5° • H 145 mm
 Outreach 1 m




Axis

Materials
 Mechanically welded galvanized steel bracket, polyester powder coating. Compatible with a minimum top section of 140 mm.


DCR2013 Axis 1 single
 H 650 mm • Outreach 630 mm




DCR2014 Axis 2 single
 H 730 mm • Outreach 920 mm




DCR2015 Axis 2 double
 H 730 mm • Outreach 2 × 920 mm



DCR2016 Axis 3 double
 H 650 mm • Outreach 1790 mm



DCR2018 Axis 4 side
 H 70 mm • Outreach 790 mm






Bussy

Materials
Cast aluminum extension, with polyester powder coating. Arms and tie rod in aluminum tube, with polyester powder coating. Compatible only with a round section pole, minimum top diameter 120 mm.

DCR2019 Single Ø 120 mm
Tilt 5° • H 1.20 m
Outreach 1.50 m

DCR2020 Double Ø 120 mm
Tilt 5° • H 1.20 m
Outreach 2 x 1.50 m



Catelam

Materials
Cast aluminum extension, with polyester powder coating. Arms and tie rod in mechanically welded galvanized steel. Adjustable tie rod with turnbuckle. Compatible only with a round section pole, minimum top diameter 140 mm or 168 mm.


DCR2024 Single Ø 140 mm
Tilt 0.5° • H 1 m
Outreach 1 m

DCR2025 Single Ø 168 mm
Tilt 0.5° • H 1 m
Outreach 1 m

DCR2026 Double Ø 140 mm
Tilt 0.5° • H 1 m
Outreach 2 x 1 m

DCR2027 Double Ø 168 mm
Tilt 0.5° • H 1 m
Outreach 2 x 1 m

DCR2028 Side
Tilt 0.5° • H 600 mm
Outreach 1.20 m



Accessories



Api - Solis - Axis brackets
Bussy - Catelam - Râ - Linea - Elea brackets
Bussy - Catelam extensions
End cap, bracket and mounting pad
Cable and banner supports


Râ

Materials
Cast aluminum side-mounted bracket and adapter, with polyester powder coating. Compatible with a top section diameter of 115 mm, 140 mm, and 168 mm for round poles. Compatible with a minimum top section of 120 mm for square poles.

DCR2031 Single
H 900 mm • Outreach 484 mm

DCR2032 Double
H 900 mm • Outreach 2 x 484 mm

DCR2033 Adapter pole Ø 140 mm
DCR2034 Adapter pole Ø 168 mm
DCR2035 Adapter for projector



Linea

Materials
Mechanically welded galvanized steel side-mounted bracket, polyester powder coating. Compatible with a minimum top section of 120 mm.

DCR2037 Single on round pole
H 150 mm • Outreach 500 mm

DCR2039 Single on square pole
H 150 mm • Outreach 500 mm

DCR2038 Double on round pole
H 150 mm • Outreach 2 x 500 mm

DCR2040 Double on square pole
H 150 mm • Outreach 2 x 500 mm




Elea

Materials
Brackets and side-mounted brackets in cast aluminum, polyester powder coating. Compatible with a minimum top section of 140 mm.

DCR2041 Single
H 413 mm • Outreach 1 030 mm

DCR2042 Double
H 413 mm • Outreach 2 x 1 030 mm

DCR2043 Wall-mounted
H 410 mm • Outreach 1 131 mm






Accessories

Api - Solis - Axis brackets
 Bussy - Catelam - Rà - Linea - Elea brackets
Bussy - Catelam extensions
End cap, bracket and mounting pad
 Cable and banner supports

The end caps serve to connect the pole support and the luminaire. Each of our poles comes equipped with one or more end caps, tailored in diameter, length, and placement to fit the chosen lantern or projector type for the project.

These end caps can be positioned at the top, on the side directly attached to the pole, or at the end of the bracket. The lateral end cap may have a slight tilt. Our standard lateral end cap on the pole is the Ceno end cap, crafted from cast aluminum, with a diameter of 60 mm, length of 100 mm, and a 5° tilt. Our brackets come standard with an end cap of 60 mm diameter and 100 mm length. When a different type of end cap is required, we study the appropriate solution.

The end cap diameter is determined based on the lantern so that it fits over the end cap. Please note, for certain lantern models, their end cap may fit inside our end cap. In such cases, we can study a specific end cap upon request.



Bussy

Materials

Cast aluminum cylindrical-conical extension, with polyester powder coating.
 Compatible with a top section diameter of 100 mm, 120 mm, and 140 mm for round poles.



- DCR2021 Extension Ø 100 mm**
H 1.10 m
- DCR2022 Extension Ø 120 mm**
H 1.20 m
- DCR2023 Extension Ø 140 mm**
H 1.55 m




Catelam

Materials

Cast aluminum extension, with polyester powder coating.
 Compatible with a minimum top section of 140 mm for round poles.




- DCR2029 Extension Ø 140 mm**
H 1 m
- DCR2030 Extension Ø 168 mm**
H 1 m



Ceno


DCR2036 Projector bracket

Made of cast aluminum with polyester powder coating, the projector bracket is fixed and pivots on its base. It is compatible with a minimum top section diameter of 120 mm for round poles and 100 mm for square poles.



DCR2001 Side end cap

Made of cast aluminum with polyester powder coating. Compatible with a minimum top section diameter of 120 mm for round poles and 100 mm for square poles.
 Tilt 5° • Ø 60 mm • Length 100 mm



DCR2000 Fixture mount for projector with G1/2 thread

Fixture mount for cast aluminum projector, with polyester powder coating.
 140 x 30 mm





Accessories

Api - Solis - Axis brackets
 Bussy - Catelam - Râ - Linea - Elea brackets
 Bussy - Catelam extensions
 End cap, bracket and mounting pad
Cable and banner supports




Rings for securing cables and decorative lights

Rings for securing cables and decorative lights on glulam poles. This system allows for creating sets of multiple poles with heights and spacing defined in the project layout.


A strength analysis is necessary to verify pole diameter based on wind conditions, terrain roughness, and the equipment to be hung, such as decorative lights, suspended luminaires, stretched sails, etc.

Materials
 Galvanized steel, with polyester powder coating.
 Designed exclusively for cylindrical poles.

- DAC2003 Lateral ring Ø 140 mm
- DAC2004 Lateral ring Ø 168 mm
- DAC2005 Lateral ring Ø 194 mm




- DAC2000 Top ring Ø 140 mm
- DAC2001 Top ring Ø 168 mm
- DAC2002 Top ring Ø 194 mm



Mounting banners

Mounting banners on a pole is accomplished using rings equipped with welded arms or mounting points. Banners can be secured using either two arms (through threading or with an elastic cord) or with one arm and a fixed point at the bottom.

It is essential to conduct a strength analysis to confirm the pole diameter or section and the dimensions of the banners to be installed. These calculations factor in wind conditions, terrain roughness, and the properties of the chosen fabric.



AURII







Catalog N° 17 published by AUBRILAM

Design AUBRILAM
83 rue Fontglève
63000 Clermont-Ferrand — France
+33 4 73 31 86 86

Printed in Limoges in march 2026 at Maqprint Group
printing, certified with the Imprim'vert label.

Photos and images

Agence Imaginium - Oussama Rhaleb
Anna Szonyi
BEGA
Design de Lux - Vincent Muracciole
Gilles Coutelier
Jaap Lotstra
Jean-Michel Gueugnot
La Cime
Ludovic Combe
Michel Denancé
Momentary Awe Photography
Saguez & Partners
Shutterstock
Tom Niven
Vincent Spinard
Woodhouse
Xavier Boymond

All offers and services provided by AUBRILAM on behalf of
companies are done so exclusively in accordance with our
Terms and Conditions of Sale, which can be accessed at
www.aubrilam.com.

Subject to technical or design modifications. The colors in
the catalog may vary due to the printing process.

© AUBRILAM — 2026

AUBRILAM

BEGA Group

83 rue Fontgèze
63000 Clermont-Ferrand
France
+33 4 73 31 86 86
www.aubrilam.com

