AREYOUREADY

0

TINTINGINTELLIGENCE5.0



TINTING INTELLIGENCE 5.0

DISPENSER TECHNOLOGY WITH 5 CONVINCING FEATURES

TINTA is the dispenser by Collomixfeaturing outstanding innovation and benefits to customers and users.

For both future and current tinting systems the machine offers a quantum leap in terms of performance, precision and reliability.

1.0 SIMPLE

An extremely compact machine concept based on a modular design that sets new standards for operation, ergonomics, processing speed and routine maintenance.

2.0 CLEAN

The patented recirculation system reduces the amount of waste paste to a minimum; paste can be refilled without soiling the surrounding area.

3.0 RELIABLE

Maximum process reliability and consistent results with high volume throughput. High-quality technical components and permanently conditioned pastes ensure constant readiness for operation.

4.0 LOW COST

Even state-of-the-art technology must come at a fair price. TINTA technology offers outstanding value for money.

5.0 INNOVATIVE

Collomix has decades of experience in the market for paint preparation and is highly valued for its outstanding technological products.

REVOLUTIONARY NEW TECHNOLOGIES

tint**ONE**

The centerpiece of the dispenser is the self-contained colorant recirculation system. The colorants are kept in motion in an integrated pumping process without a trouble-prone mixing unit, thereby preventing the sedimentation of the constituents. At the same time the sealed airtight canister also prevents the paste liquid evaporating. A multifunctional multi-port valve allows different flow directions for the colorant: for suctioning, for dosing or for recirculating in the canister. The colorant is therefore maintained in perfect condition for processing at all times, for high-precision, calibration-free and simultaneous dosing. Another feature is the compact design of the storage canister. In addition to holding the colorant, it also provides the support for the piston pump, the valve and the control elements.



coolNOZ

Generates a precisely balanced microclimate inside the tip of the dosing nozzle. The use of what is known as "dew point technology" prevents the exchange of moisture with the surrounds and therefore prevents any liquid evaporating from the colorant. As a result, the colorant is always moist and fluid at the nozzle outlet. This technology eliminates the need for problematic retaining mechanisms for the nozzles. The need for purging, also wasteful of paste, is largely eliminated too, reducing the amount of wasted colorant by up to 90%.

moveNOZ

The movable dosing head is adjusted to the height of the container, with the container table holding the heavy tub kept at a constant height. This makes it easier to handle the tub containing the material to be mixed and helps get each job completed more quickly. For even better work ergonomics, an optional roller conveyor is also available for connecting between the TINTA and the Collomix ROTA and VIBA mixers.



SIMPLYCOMPACT

The tint**ONE** module is a canister for colorants with an integrated piston pump, multi-port valve and control unit. Simply connect the supply hose and the plug for the control bus and you are ready. The colorant circulates in the sealed airtight canister without a mixing unit and therefore retains its characteristics.

SIMPLYERGONOMIC

The movable move**NOZ** nozzle head can be conveniently adjusted to the right height of the paint tub. The container table holding the heavy tub does not have to be moved at all. All parts of the machine are easy to reach and the canister is at a convenient height for refilling.

SIMPLY MODULAR

The dispenser is compact and modular in design and holds 16, 24 or 32 canisters with capacities of 2.5 or 5.0 liters. Simple to retrofit with other canister sizes, and mixed canister arrangements are also possible.

SIMPLYQUICK

Simultaneous dosing of several colorants for high output and quick completion of orders.



Compact, easy-to-change module with just a single hose and bus connection.



CLEAN

Minimum colorant waste, because separate purging is not needed before starting work each time, meaning up to 90% savings on colorant material.

CLEAN**REFILL**

Simple and easy to refill the canisters with colorant using a magnetic filling adapter and disposable paper funnels. Significant reduction in soiling the work area and the machine. Convenient filling height.

EASY**TO**CLEAN

Conceptual design makes it easy to keep the machine clean due to the smooth surfaces of the dosing head and the stainless steel covers on the refilling openings.



cool**NOZ** technology prevents paste drying on the dosing head.





RELIABLE



RELIABLE**USABILITY**

The tintONE technology ensures that the colorants are in an ideal state for processing at all times. Reliable piston pumps and the ceramic valves facilitate reliable operation over many years.

Good flow properties and no caking thanks to the cool**NOZ** technology permit quick, high-precision dosing, even for small batch volumes like sample pots. Maximum process reliability prevents formulation errors and deviations in follow-up tints. Simultaneous dosing of several pastes delivers high output at the same time.

RELIABLEFILLING

The sensor-based self-monitoring filling level prevents the canister running dry and therefore prevents interruptions to order processing. A warning is displayed if the level falls below the minimum.

RELIABLECLOSING

To prevent the colorant drying in the canister, the lid of the canister has to be closed tightly and securely. The lid monitor (lid**DETECTION**) shows if a canister lid is not closed properly.



LOW COST

LOWPRICE

TINTA offers outstanding value for money, and that starts with the attractive cost of buying the machine.

LOWSERVICE

The new tint**ONE** and cool**NOZ** technology ensures that the colorant in the canister and at the nozzle is in optimum condition at all times. This means less dirt, fewer malfunctions and a major reduction in service requirements.

The cool**NOZ** technology eliminates the need for regular purging of the nozzles – in other words, up to 90% less wasted paste.

HIGHPERFORMANCE

The new dispenser technology allows the pumps and hoses to be permanently under load while all the required pastes are being delivered at the dosing head at the same time. As a result, 80% of all dosing operations can be completed in less than 45 seconds.



INNOVATIVE COMPETENT

Collomix has been the recognized technology leader for four decades in machines for mixing paints and lacquers in closed containers at point of sale, in other words the complementary technology required for tinting. The initial idea for the development of the new dispenser technology came from the company's many years of experience in the market and an examination of the problem.

Many of the tinting systems available today are still based on concepts which are 20 or more years old. They have shortcomings in terms of their suitability for changing colorant systems and in terms of operating concepts and service-friendliness.

With the TINTA, Collomix offers a completely new development based on revolutionary new principles. Such as the tint**ONE** colorant recirculation system without any stirrer and no drying out, and the cool**NOZ** nozzle cooling system, or the ergonomic move**NOZ** operating concept.

TINTA is a modular machine concept with a clear arrangement comprised of 16, 24 or 32 canisters with capacities of 2.5 or 5.0 liters. The priority for the development was focused on a simple and intuitive operating concept for the user in the store. In summary, TINTA delivers much greater formulation precision and is also more economical in operation and far more sustainable.



CUSTOMIZABLE VERSIONS, ACCESSORIES & OPTIONS

The dispensers can be fitted with different equipment options according to individual requirements.

Adjustable holders for monitor and keyboard or even a touch display are available. For sample pot containers is the optional manual "small container tray" ideal. Label printers can be placed on a dedicated holder.

Other options

- Mechanical punch
- Laser indicator
- PC and monitor options
- Customizable magnetic advertising surface

Truly modular

The machine is modular in design. Versions with 16, 24 and 32 canisters are available. Of course, you can use less canisters for each version or do a possible double occupancy for increasing tinting speed or reduce refilling efforts. The capacity of each canister is 2.5 or 5.0 liters. You can switch between the required canister sizes without limitation.



ΓIN

COLLOMIX MIXERS COMPLETE THE SYSTEM

Collomix gyroscopic mixers and shakers have an outstanding reputation in the market. High performance and high-quality technology deliver exceptional economy and reliability. The mixing machines offered by Collomix vary according to the size and shape of the container sizes and the viscosity of the material.

One of the top priorities for the development of the machines is to make the job of the user as easy as possible. Ergonomics, simple and understandable operator guidance and a high-level of service-friendliness are a key conceptualization focus.

Over the course of their use the machines often mix hundreds of tons of material. Reliability and ruggedness are therefore of the essence. High-quality components and careful assembly ensure that these requirements are met over many, many years.

Plain and simple technology does not necessarily have to be boring. As a leading supplier we are also adventurous when it comes to design. The value of a product can also be reflected in a striking and attractive design, one which makes it a real eye-catcher.



The Clean Protect system for the mixing unit protects the drive components from dirt.



BIAXIAL MIXERS Rota 400

Unique on the market in terms of design, this mixer protects the entire drive and clamping mechanism of the mixing unit against dirt generated during operation; that reduces service requirements to a minimum.

The ergonomic handling concept featuring a push-and-slide plate allows the machine to be loaded directly without strain on the back or the need to exert strength; the container is simply pushed into the ROTA 400. The new integrated door disappears on the inside of the machine when opened. The functional design saves an enormous amount of space. The auto-open function opens the door automatically after mixing.

The optimized control unit—with integral printed circuit board can now be changed quickly and easily via a simple plug-type connector. The clearly comprehensible user guidance is impressively easy to use.



Examples of other models available:

TORO neo, BIAX 35; BIAX 45; BIAX 45 S; BIAX 45 P VISCO 550, DYNAX 450



Examples of other models available:

VIBA 330, VIRO neo

SHAKERS VIBA 300

The structural design of the mixing unit provides protection for the threaded spindles and the clamping mechanism against unintended dirt; that reduces service requirements to a minimum.

The high-level of mixing efficiency of the VIBA, resulting from its high speed and displacement, is unique in the market. There are many materials that can only be mixed by the VIBA 300. The new integrated door disappears on the inside of the machine when opened. The functional design saves an enormous amount of space. The auto-open function opens the door automatically after mixing. Just like on our biaxial mixers, we use our new control unit with clearly comprehensible user guidance here too.

COLLOMIX TINTING SYSTEM

With the TINTA dispenser and one or more mixers, Collomix offers a complete tinting system for retailers with innovative features and maximum economy. So that you can concentrate on what counts: selling perfect paint!





Daimlerstraße 9 · 85080 Gaimersheim · Germany Phone +49 (0) 84 58 / 32 98-0 · www.collomix-tinta.com