

Text and images should be  
rotated to this view.

## A6 LANDSCAPE TENT FOILED Greetings Card

148mm x 210mm flat size  
154mm x 216mm flat size with bleed  
148mm x 105mm folded finished size  
105mm fold/crease

### FORMAT REQUIREMENTS:

DO NOT edit the page orientation of the template as this will negatively impact how the front and back artwork aligns.

Please, always supply a four page PDF running in the following order:

Page 01 - Outer Spread (Front and Back Pages)  
Page 02 - Inner Spread (Inside of Back and Front Pages)  
Page 03 - Foil Artwork for the Outer Spread (Front and Back Pages)  
Page 04 - This is Blank as we cannot foil the inner pages but we still require this blank page

Please note: Foil application has registration tolerances of approximately  $\pm 3$  mm. It is not therefore recommended that small text (10pt minimum) or thin lines (2pt minimum) are foiled as a perfect register cannot be guaranteed. The foiling should not be represented on page 1. Slight misalignment of the foil could result in lines or 'shadows' of this foil representation being visible on your final product.

On the foiled page there is a 3mm non printable area all around as we cannot foil right up to the trim line - Please see the foiled page for more details.

Include 3mm bleed on all sides

Supply as a CMYK PDF, preferably in PDF/x1a format  
Outline or embed fonts  
300dpi resolution

We require that any foil is at least 3mm from the trim edge to achieve the best results.  
Vector graphics is required for the foiling page, we cannot accept bitmaps for the foiling page.  
The minimum font size is 10pt and line weights should be at least 2pt.  
Serif fonts are advised against as the serifs may contain elements that are not 2pt in thickness.

 **BLEED AREA:**  
This area will be removed.  
Extend any colour or images  
intended to go over the page  
edge 3mm bleed area.

 **TRIM LINE:**  
Finished print size.

 **SAFE AREA/QUIET  
MARGIN:**  
All text/images/colours not  
intended to go over the page  
edge should be kept within this  
safe zone.

Greeting appears in this area  
and rotated to this view

Text and images should be  
rotated to this view.

## FOILED Outer Spread (Front and Back Pages)

### FORMAT REQUIRMENTS:

DO NOT edit the page orientation of the template as this will negatively impact how the front and back artwork aligns.

Please note: Foil application has registration tolerances of approximately  $\pm 3$  mm. It is not therefore recommended that small text (10pt minimum) or thin lines (2pt minimum) are foiled as a perfect register cannot be guaranteed. The foiling should not be represented on page 1. Slight misalignment of the foil could result in lines or 'shadows' of this foil representation being visible on your final product.

On the foiled page there is a 3mm non printable area all around as we cannot foil right up to the trim line.

Supply as a CMYK PDF, preferably in PDF/x1a format

Outline or embed fonts

300dpi resolution

We require that any foil is at least 3mm from the trim edge to achieve the best results.


Vector graphics is required for the foiling page, we cannot accept bitmaps for the foiling page.

The minimum font size is 10pt and line weights should be at least 2pt.

Serif fonts are advised against as the serifs may contain elements that are not 2pt in thickness.

 **BLEED AREA:**  
This area will be removed.  
Extend any colour or images  
intended to go over the page  
edge 3mm bleed area.

 **TRIM LINE:**  
Finished print size.

 **SAFE AREA/QUIET MARGIN:**  
All text/images/colours not  
intended to go over the page  
edge should be kept within this  
safe zone.

**PLEASE LEAVE THIS PAGE BLANK**

**PLEASE LEAVE THIS PAGE BLANK**