

Sharp Mesa Vista Hospital Community Health Needs Assessment

Fiscal Year 2019



Committed to Improving the
Health and Well-Being of Our Community

SHARP Mesa Vista
Hospital

Sharp Mesa Vista Hospital
Community Health
Needs Assessment
Fiscal Year 2019

Table of Contents

Preface.....	i
Section 1: History & Background	1
Section 2: Executive Summary	9
Section 3: Methodology.....	27
Section 4: Community Defined.....	45
Section 5: Findings.....	57
Section 6: Community Assets, Recommendations and Next Steps.....	157
Section 7: Health Briefs: Select Identified Community Health Needs and SDOH	166

List of Appendices

Appendix A: SMV Programs and Services	167
Appendix B: An Overview of Sharp HealthCare.....	168
Appendix C: SMV FY 2020 – FY 2023 Implementation Strategy	180
Appendix D: Sharp HealthCare 2016 CHNA Phase 2 Findings.....	213
Appendix E: Sharp CHNA Community Guide.....	239
Appendix F: Description of Partnering Organizations – HASD&IC and IPH.....	240
Appendix G: Community Need Index Description	241
Appendix H: SMV Hospital Data.....	242
Appendix I: HASD&IC 2019 CHNA Community Engagement Tracking Form	245
Appendix J: Sharp HealthCare 2019 CHNA Case Studies	249
Appendix K: Sharp HealthCare 2019 CHNA Community Engagement Tracking Form.....	258
Appendix L: Sharp HealthCare 2019 CHNA Community Engagement Participant Descriptions	260
Appendix M: Sharp HealthCare 2019 CHNA Key Informant Interview Questions.....	263
Appendix N: Sharp HealthCare 2019 CHNA – Sharp Insight Community Survey Distributed.....	265
Appendix O: Secondary Data Sources from Findings Section.....	268
Appendix P: Map of Community and Region Boundaries in San Diego County.....	271
Appendix Q: Community Need Index Maps – San Diego County	272
Appendix R: Sharp HealthCare 2019 CHNA – Sharp Insight Community Survey Results	275
Appendix S: HASD&IC 2019 CHNA Summary of Online Survey Results	276
Appendix T: HASD&IC 2019 CHNA Focus Group and Key Informant Summary Tables	279
Appendix U: Sharp HealthCare 2019 CHNA Focus Group Summary Tables	287
Appendix V: Map of Sharp HealthCare Locations	301
Appendix W: Sharp HealthCare Involvement in Community Organizations	302
Appendix X: Glossary of Terms	308

Preface

Sharp Mesa Vista Hospital (SMV) prepared this Community Health Needs Assessment (CHNA) for Fiscal Year 2019 (FY 2019) in accordance with the requirements of Section 501(r)(3) within Section 9007 of the Patient Protection and Affordable Care Act (Affordable Care Act) and Internal Revenue Service (IRS) Form 990, Schedule H for not-for-profit hospitals.¹

Under the Affordable Care Act enacted in March 2010, IRS Code Section 501(r)(3) requires not-for-profit hospitals to conduct a triennial assessment of prioritized health needs for the communities served by its hospital facilities, and to adopt an implementation strategy to address health needs identified as a result of the CHNA.

The Sharp Mesa Vista Hospital 2019 Community Health Needs Assessment (SMV 2019 CHNA) and FY 2020 – FY 2023 Implementation Strategy received approval from the Sharp Metropolitan Medical Campus Board of Directors on September 16, 2019.



Daniel L. Gross
Executive Vice President, Hospital Operations
Sharp HealthCare

¹ See Section 9007(a) of the Patient Protection and Affordable Care Act (Affordable Care Act), Pub. L. No. 111-148, 124 Stat.119, enacted March 23, 2010. Notice 2011-52.

Acknowledgements

SMV's 2019 CHNA process included the time, effort, insight and contributions of many members of the San Diego community. The SMV 2019 CHNA is built off of the Hospital Association of San Diego & Imperial Counties 2019 Community Health Needs Assessment (HASD&IC 2019 CHNA), which was based on the collaboration of representatives from seven local San Diego hospitals called the CHNA Committee. The CHNA Committee (listed below) actively participated in the HASD&IC 2019 CHNA process, elements of which are described within this report.

Anette Blatt (Chair)
Scripps Health



Aaron Byzak
Tri-City Medical Center



Lisa Lomas
Rady Children's Hospital – San Diego



David Mier
UC San Diego Health



Joseph Parker
Palomar Health



Jillian Warriner (Vice Chair)
Sharp HealthCare



Lindsey Wright
Kaiser Foundation Hospital – San Diego and Zion



Dimitrios Alexiou

President and Chief Executive Officer
Hospital Association of San Diego & Imperial Counties

**Lindsey Wade**

Vice President, Public Policy
Hospital Association of San Diego & Imperial Counties

Ivonne Velazquez

Health Policy Assistant

Tanya Penn

Senior Research Scientist/Epidemiologist
Institute for Public Health, SDSU

Martha Crowe

Research Scientist
Institute for Public Health, SDSU

Lawrence Ayers

Research Assistant
Institute for Public Health, SDSU

**Stephanie Phann**

Research Assistant
Institute for Public Health, SDSU

Nhat Quang Thai

Research Assistant
Institute for Public Health, SDSU

For both the SMV 2019 CHNA and HASD&IC 2019 CHNA processes, the time and expertise devoted by hundreds of community members including community residents, physicians, health care professionals, community health leaders, public health officials, and others who are dedicated to the health and well-being of our community, were essential to develop a comprehensive, collaborative assessment of the health and social needs in San Diego. In particular, we are grateful to those patients and community residents who shared their personal insight regarding health care access and challenges to health and well-being.

Sharp HealthCare (Sharp) would like to extend our deepest thanks for the contributions made by all who participated in the 2019 CHNA process. Further, Sharp is committed to providing a CHNA that is valuable to all our community partners, and we look forward to strengthening that value and those community partnerships in the years to come.

Section

1 History & Background

Sharp Mesa Vista Hospital (SMV) is located at 7850 Vista Hill Avenue in San Diego, ZIP code 92123.

SMV Mid City Outpatient Mental Health Services is located at 4275 El Cajon Boulevard Suite 100 in San Diego, ZIP code 92115.

SMV East County Outpatient Mental Health Services is located at 1460 East Main Street in El Cajon, ZIP code 92021.

History

Since opening its doors in 1963, SMV has been the premier provider of behavioral health services in San Diego County (SDC), serving children, adolescents, adults and seniors challenged by significant mental illness or substance abuse issues, and providing support to their families. Upon opening, the hospital — known as Mesa Vista Hospital prior to affiliating with Sharp — had 52 beds and the ability to provide care for up to 500 outpatients. Community acceptance of Mesa Vista Hospital was immediately apparent. The hospital admitted six patients on its first day, and inpatient capacity was reached within the first few months. Today, SMV is the largest private behavioral health provider in SDC.

Hospital leaders broke ground on Mesa Vista Hospital in 1962, on land leased from the San Diego Hospital Association, the operator of the Donald N. Sharp Memorial Community Hospital (Sharp Memorial Hospital). The hospital was built, owned, and operated by Vista Hill Psychiatric Foundation, a non-profit organization composed of civic, business and professional leaders. The hospital was constructed at a total cost of \$1.3 million with the aid of Hill-Burton funds, a federal grant matched in equal sums by the state and Vista Hill Psychiatric Foundation. Constructed around a center courtyard, the original building included a kitchen, dining room, auditorium, gymnasium, swimming pool, music room, theatre stage and a dance floor, as well as tennis, croquet, badminton and shuffleboard courts. In addition, the original hospital featured a large occupational therapy department, which continues to be part of the multi-disciplinary treatment at SMV.

In 1965, construction began on a new wing that would increase the hospital's capacity to 112 beds. The two-story expansion opened in 1966 along with the enlargement of the gymnasium, kitchen and dining room. A large woodworking shop was also added, complete with machinery and a carpentry shop. In February 1979, the addition of a three-story building increased the hospital's capacity to 150 beds, enabling the expansion of its inpatient units and child and adolescent services.

With more community members relying on Mesa Vista Hospital for their behavioral health needs, the hospital further expanded its care offerings in the mid-1980s. This included opening the county's first dedicated alcohol and drug inpatient unit to care for patients who required a hospital environment for detoxification. In 1988, the hospital once again responded to community needs for additional treatment options by opening Vista Pacifica Hospital, the only free-standing chemical dependency recovery hospital in San Diego. Further expanding in 1992, Mesa Vista Hospital launched satellite locations offering outpatient treatment within the community.

Over the years, Mesa Vista Hospital and Sharp Memorial Hospital (SMH) maintained a close affiliation including overlapping medical staff. This relationship enabled Mesa Vista Hospital to take advantage of SMH's surgical, medical, laboratory and other services. In March 1998, Mesa Vista Hospital and Vista Pacifica Hospital were both purchased by Sharp HealthCare, becoming Sharp Mesa Vista Hospital and Sharp Vista Pacifica. In 2011, SMV partnered with local philanthropist Marianne McDonald, Ph.D., to expand services for those recovering from substance use. Sharp Vista Pacifica was renamed the Sharp McDonald Center in recognition of her generous support.

Today, SMV is a 158-bed hospital providing the most comprehensive behavioral health care in SDC. SMV provides services to help patients of all ages overcome anxiety, depression, substance abuse, eating disorders, bipolar disorder and more.

SMV is unique in its approach to the treatment of patients. Operating under the concept of milieu therapy, the hospital works to create and maintain an environment as close to that from which the patient came and to which they will return. Patients are restored to optimal functioning in the most therapeutic setting possible, including gardens and outdoor space that allow for quiet and meditative time for patients, staff and visitors. SMV is committed to eliminating challenges often experienced by those with mental illness, including stigma and barriers to social integration. Patients actively participate in developing their own recovery plan designed to meet their individual needs and are empowered towards successful reintegration into the community. For a complete listing of the programs and services provided at SMV, please refer to **Appendix A**.

SMV is part of Sharp HealthCare — an integrated, regional health care delivery system based in San Diego, California. The Sharp system includes four acute care hospitals; three specialty hospitals; three affiliated medical groups; 29 medical clinics; six urgent care centers; three skilled nursing facilities; two inpatient rehabilitation centers; home health, hospice and home infusion programs; numerous outpatient facilities and programs; and a variety of community health education programs and other related services. Sharp offers a full continuum of care, including but not limited to emergency and urgent care services, home care, hospice and palliative care, inpatient and outpatient care, primary and specialty care, long-term care, mental health services, and rehabilitation. Sharp also offers individual and group Health Maintenance Organization coverage through Sharp Health Plan.

Sharp serves a population of approximately 3.3 million in SDC and as of September 30, 2018, is licensed to operate 2,084 beds. It is Sharp's mission to improve the health of those it serves with a commitment to excellence in all that it does. Sharp's goal is to offer quality care and services that set community standards, exceed patient expectations and are provided in a caring, convenient, cost-effective and accessible manner. More than 2,700 affiliated physicians and 18,000 employees are dedicated to providing the extraordinary level of care that is called The Sharp Experience.

Please refer to **Appendix B** for a detailed overview of the Sharp HealthCare system.

Background: Sharp HealthCare CHNA

For the past 20 years, Sharp has been actively involved in a triennial community health needs assessment (CHNA) process. This process began in 1995, in accordance with the requirements of Senate Bill 697 (SB 697), community benefit legislation that requires not-for-profit hospitals in California to file a triennial CHNA that identifies community health needs. Further, the Sharp Mesa Vista Hospital 2019 Community Health Needs Assessment (SMV 2019 CHNA) responds to more recent Internal Revenue Service (IRS) regulatory requirements that private not-for-profit hospitals conduct and make publicly available a triennial CHNA and corresponding implementation strategy. The implementation strategy identifies and details current or planned strategies intended to address the needs identified in the hospital's CHNA.

SB 697 also requires submission of an annual community benefit report to the Office of Statewide Health Planning and Development (OSHPD) that describes programs and services provided to address those identified community health needs within their mission and financial capacity, as well as the financial value of those programs and services. To view the most recent Sharp HealthCare Community Benefit Plan and Report, please visit: <http://www.sharp.com/about/community/community-benefits-health-needs.cfm>.

Beginning in 1995, Sharp participated in a countywide collaborative that included a broad range of hospitals, health care organizations, and community agencies to conduct a triennial CHNA. Findings from the CHNA, program and services expertise of each Sharp hospital, and knowledge of the populations and communities served by those hospitals provide a foundation for community benefit programs and implementation strategies.

With the passing of the Patient Protection and Affordable Care Act, since 2013 Sharp has participated in a countywide CHNA effort under the auspices of the Hospital Association of San Diego & Imperial Counties (HASD&IC) and in contract with the Institute for Public Health (IPH) at San Diego State University (SDSU). Sharp partners with other San Diego hospitals and health systems (the CHNA Committee), on this countywide CHNA, which significantly informs both the process and findings for each of the CHNAs completed by Sharp hospitals.

Although only not-for-profit 501(c)(3) hospitals and health systems are subject to state and IRS regulatory requirements, the 2019 CHNA Committee includes hospitals and health systems who are not subject to any CHNA requirements, but who are deeply engaged in the communities they serve and committed to the goals of a collaborative CHNA.

For the 2019 CHNA, the HASD&IC Board of Directors convened a CHNA Committee to plan and implement the collaborative CHNA process. The CHNA Committee is comprised of representatives from all seven participating hospitals and health care systems:

- Kaiser Foundation Hospital – San Diego
- Palomar Health
- Rady Children's Hospital – San Diego
- Scripps Health (Chair)
- Sharp HealthCare (Vice Chair)
- Tri-City Medical Center
- University of California (UC) San Diego Health

In Spring 2018, HASD&IC contracted with the IPH at SDSU to provide assistance with the collaborative health needs assessment that was officially called the Hospital Association of San Diego & Imperial Counties 2019 Community Health Needs Assessment (HASD&IC 2019 CHNA). The purpose of the collaborative HASD&IC 2019 CHNA was to identify, understand and prioritize the health-related needs of the people of SDC. This was accomplished through two types of data collection: (1) qualitative data was collected through a community engagement process designed to solicit in-depth feedback from residents in high-need neighborhoods and from local health experts and leaders; and (2) quantitative data was collected by extracting and analyzing data from secondary data sources.²

The results of the collaborative HASD&IC 2019 CHNA process significantly informed the SMV 2019 CHNA and was further supported by additional data analysis and community engagement activities specific to the community served by SMV. The findings of the SMV 2019 CHNA will be used to help guide current and future community health programs and services at SMV, particularly for high need community members. In addition, SMV will develop and make publicly available its three-year implementation strategy to address the needs identified through the SMV 2019 CHNA process.

² The Centers for Disease Control & Prevention (CDC) defines secondary data as data that has been collected by another entity or for another purpose. Common sources for secondary data include the U.S. Census Bureau, California Health Interview Survey (CHIS), and OSHPD.

2016 CHNA: Progress Update

Upon completion of the Hospital Association of San Diego & Imperial Counties 2016 Community Health Needs Assessment (HASD&IC 2016 CHNA), the CHNA Committee reviewed all data in accordance with their own patient communities, determined their capacity to address the identified health needs, and evaluated opportunities for next steps. This process guided the development of Sharp's implementation strategies, which detail the programs, services and collaborations designed to address identified community health needs. Sharp hospital implementation strategies are updated annually and are available to the public on Sharp.com at:

<https://www.sharp.com/about/community/community-benefits/health-needs-assessments.cfm>.

Notable implementation strategies and program developments for SMV since the completion of the Sharp Mesa Vista Hospital 2016 Community Health Needs Assessment (SMV 2016 CHNA) are described in **Table 1** below.

Table 1: Implementation Strategy Updates, SMV 2016 CHNA

SELECT 2016 SMV IMPLEMENTATION STRATEGY UPDATES, BY IDENTIFIED NEED	
BEHAVIORAL HEALTH	
<ul style="list-style-type: none">♦ Continued provision of culturally competent outreach services to high-risk seniors through collaboration with senior community centers and organizations serving San Diego's disadvantaged communities to provide screening and referrals, as well as education focused on stigma reduction and healthy aging strategies♦ Continued community education and resources through the SMV Senior Intensive Outpatient Program (SIOP) to reduce stigma and better inform community providers and residents on senior behavioral health♦ Continued collaboration with community mental health providers to provide education to and improve conditions within independent living facilities; continued collaboration with law enforcement/PERT♦ Continued provision of free psychiatric screenings to community members through both participation in community events and hospital outreach programs♦ Remain committed to stigma reduction through participation in key mental health events alongside patients.♦ Continued provision of mental health education for patients, their loved ones, health care providers, and the community in order to raise awareness and reduce stigma; both through hosting community speaking engagements and participating in community partnerships (e.g., City of San Diego Education Partnership)♦ Continued provision of education and services specifically for Transition Age Youth, as well as veterans, servicemembers and their families; the latter includes multiple community collaborations♦ Continue to provide support to community members impacted by behavioral health and substance issues via the facilitation of SMV-run support groups, as well as by hosting nearly a dozen community-run support groups on-site at SMV	
CARDIOVASCULAR DISEASE, DIABETES, OBESITY	

- ♦ In general, as a specialty hospital providing treatment and services for behavioral health, these additional identified community health needs do not fall within the scope of SMV's services and resources.

However, in light of findings from the 2016 CHNA, SMV is exploring options to educate and address the issue of mind-body integration and effects of physical health on behavioral health and vice versa. Efforts focus around internal Sharp team member education on the intersection of food insecurity/lack of access to healthy food on health outcomes (specifically behavioral health). The effort is a collaboration with Sharp's Continuing Medical Education Department and Sharp Community Benefit. A CME-accredited educational session was provided to nutritionists at sharp Mesa Vista Hospital in FY 18. Further, SMV is exploring connections with 2-1-1 San Diego to address access to healthy food.

In addition, SMV continues to support the San Diego Rescue Mission by donating food three times weekly to help support approximately 400 men, women and children living in the shelter.

For complete details on the progress of programs developed by SMV in response to the 2019 CHNA findings, please refer to the SMV FY 2020 – FY 2023 Implementation Strategy included in **Appendix C** as well as online at:

<http://www.sharp.com/about/community/health-needs-assessments.cfm>.

HASD&IC 2016 CHNA: Phase 2

In addition, the HASD&IC 2016 CHNA Committee conducted a Phase 2, which included gathering community feedback on the HASD&IC 2016 CHNA process and strengthening partnerships around the identified health needs and social determinants of health (SDOH). Two community surveys were conducted — the first in the fall of 2016 and the second in the summer of 2017. The results of these community surveys helped guide individual hospital programs and greatly informed the design of the 2019 CHNA process.

The survey in fall of 2016 sought to gather feedback on the identified top four health needs and the top 10 SDOH that were identified in the 2016 CHNA. In addition, organizations were asked about their screening methods for behavioral health issues and methods for identifying SDOH.

Of the 132 respondents that completed the survey, 30 worked in hospitals or hospital-based settings, while the remaining 102 respondents self-identified as working for a range of entities including but not limited to community clinics, not-for-profits, community-based organizations, local government, and health insurance plans. Key findings from the survey included:

- Nearly 98% of respondents agreed (33.3%) or strongly agreed (64.4%) that behavioral health, cardiovascular disease, type 2 diabetes, and obesity are the top health needs of communities facing inequities within SDC.

- 99% of respondents agreed (33.0%) or strongly agreed (66.1%) that the top ten SDOH identified by the 2016 CHNA represented the greatest barriers for communities facing inequities within SDC.
- Nearly 72% of respondents are likely (40.0%) or very likely (31.8%) to use the findings and/or data that resulted from the CHNA to help inform their programs in the grant writing process.

A second community feedback survey was conducted in the summer of 2017. Community feedback was gathered in order to understand how the health and social needs of communities facing inequity had changed over the past year. Feedback was collected in several key areas, including:

1. How has access to care changed over the past 12 months.
2. Ways that hospitals can work more effectively with community organizations to ensure that patients are treated in the most appropriate setting.
3. How are patients'/clients' concerns about their immigration status impacting their access to needed health care.
4. Given the federal policies and budget cuts that are under consideration, what are the greatest challenges in the community's ability to address SDOH.

The full results of the HASD&IC 2016 CHNA Phase 2 can be found on the HASD&IC website, <https://hasdic.org/>.

Lastly, in 2017, the HASD&IC Board of Directors asked the CHNA Committee to conduct a focused analysis of the challenges to treating behavioral health patients in San Diego. The CHNA Committee adopted a methodology similar to 2013 and 2016 CHNAs that used focus groups, key informant interviews, and hospital discharge data. Issues examined included pre-acute, acute, and post-acute services and the impact of SDOH on access and outcomes. Throughout the interviews and focus groups, the most consistent theme was that patients are unable to access or are continuously delayed in accessing needed behavioral health services at every point across the continuum. The analysis found that even when clinical services are available, patients face many challenges to successfully managing their behavioral health conditions on their own. SDOH were identified as the most frequent barriers to creating a safe discharge plan. Please see the full report for the complete list of findings and recommendations — 2018 HASD&IC Behavioral Health Analysis Summary Report: available at <https://hasdic.org/key-issues/>.

Sharp 2016 CHNA: Phase 2

Sharp also conducted a 2016 CHNA Phase 2 analysis in contract with the IPH, similar to but distinct from the HASD&IC 2016 CHNA Phase 2. Sharp's 2016 CHNA Phase 2 process was conducted from December 2016 through December 2017. Sharp's 2016 CHNA Phase 2 consisted of a deeper analysis of the Sharp 2016 CHNA findings through follow-up with community partners and Sharp staff/community members who

participated in Sharp's 2016 CHNA process. Please refer to **Appendix D** for detailed findings of the Sharp 2016 CHNA Phase 2 process.

In addition, an analysis of programs in Sharp's implementation strategies (conducted as part of the HASD&IC 2016 CHNA Phase 2) combined with findings from Sharp's 2016 CHNA Phase 2 contributed to the development of a new document for community members — the Sharp CHNA Community Guide. The Sharp CHNA Community Guide was developed to provide community members with a more user-friendly document to learn about Sharp's CHNA process, findings and implementation strategy programs. The Sharp CHNA Community Guide also clearly identifies and connects the health and social needs addressed through Sharp hospital programs included in the implementation strategies. In addition, the Sharp CHNA Community Guide includes a direct link for community members to provide feedback on Sharp's CHNA process.

The most current (2016) Sharp CHNA Community Guide is publicly available on Sharp.com at: <https://www.sharp.com/about/community/community-benefits/health-needs-assessments.cfm>. Please refer to **Appendix E** for the Sharp CHNA Community Guide developed in 2016. An updated Sharp CHNA Community Guide will be available in 2020.

Findings from both the Sharp and HASD&IC 2016 CHNA Phase 2 processes provided essential guidance for the Sharp (including SMV) and HASD&IC 2019 CHNAs, the processes and findings of which are detailed in the following pages.

Section

2 Executive Summary

Introduction and Background

Sharp HealthCare (Sharp) has been a long-time partner in the process of identifying and responding to the health needs of the San Diego community. This partnership includes a broad range of hospitals, health care organizations, and community agencies that have worked together to conduct triennial Community Health Needs Assessments (CHNAs) for more than 20 years. Previous collaborations among not-for-profit hospitals and other community partners have resulted in numerous well-regarded CHNA reports. Sharp hospitals, including Sharp Mesa Vista Hospital (SMV), base their community benefit and community health programs on both the findings of these needs assessments and the combination of expertise in programs and services offered and the knowledge of the populations and communities served by each Sharp hospital.

SMV prepared this CHNA for Fiscal Year 2019 (FY 2019) in accordance with the requirements of Section 501(r)(3) within Section 9007 of the Patient Protection and Affordable Care Act (Affordable Care Act) enacted in March 2010, and Internal Revenue Service (IRS) Form 990, Schedule H for not-for-profit hospitals.³ The Sharp Mesa Vista Hospital 2019 Community Health Needs Assessment (SMV 2019 CHNA) examines the health needs of the community members it serves in San Diego County (SDC). SMV's 2019 CHNA process and findings are based on the collaborative Hospital Association of San Diego and Imperial Counties 2019 Community Health Needs Assessment (HASD&IC 2019 CHNA) process and findings for SDC.

The HASD&IC 2019 CHNA is implemented and managed by a standing CHNA Committee comprised of representatives from seven hospitals and health systems. Sharp is an integral hospital partner in the HASD&IC 2019 CHNA. This Committee reports to the HASD&IC Board of Directors who provide policy direction and ensure that the interests of all member hospitals and health systems are met. HASD&IC contracts with the Institute for Public Health (IPH) at San Diego State University (SDSU) to perform the needs assessment. The HASD&IC 2019 CHNA Committee includes representatives from the following San Diego hospitals and health care systems:

- Kaiser Foundation Hospital – San Diego
- Palomar Health
- Rady Children's Hospital – San Diego
- Scripps Health (Chair)
- Sharp HealthCare (Vice Chair)

³ See Section 9007(a) of the Patient Protection and Affordable Care Act (Affordable Care Act), Pub. L. No. 111-148, 124 Stat.119, enacted March 23, 2010. Notice 2011-52.

- Tri-City Medical Center
- University of California (UC) San Diego Health

The process and findings of the collaborative HASD&IC 2019 CHNA significantly informed the SMV 2019 CHNA and was further supported by additional data analysis and community engagement activities specific to the community served by SMV. The findings of the SMV 2019 CHNA will be used to help guide current and future community health programs and services at SMV, particularly for high need community members. In addition, SMV will develop and make publicly available its three-year implementation strategy — a federally-required written strategy to address the needs identified through the SMV 2019 CHNA process

The CHNA is considered adopted once it has been made widely available to the public. In addition, the CHNA and the implementation strategy must be approved by an authorized governing body of the hospital facility.

2019 CHNA Objectives

The 2019 CHNA processes (HASD&IC and Sharp) built on the results of the 2016 CHNA and included three types of community engagement efforts: focus groups with residents, patients and their family members, community-based organizations, service providers, and health care leaders; key informant (KI) interviews with health care experts; and online surveys for residents, patients and stakeholders. In addition, the CHNA included extensive quantitative analysis of national and state-wide data sets, SDC emergency department (ED) and inpatient hospital discharge data, community clinic usage data, county mortality and morbidity data, and data related to social determinants of health (SDOH). These different approaches allowed for the capability to view community health needs from multiple perspectives.

Specific objectives of the 2019 CHNA process included:

- To identify, understand and prioritize the health-related needs of the people of SDC, especially those community members served by Sharp.
- Provide a deeper understanding of barriers to health improvement in SDC, and to inform and guide local hospitals in the development of their programs and strategies that address identified community health needs.
- Build on and strengthen community partnerships established through the 2016 CHNA processes.
- Obtain deeper feedback from and about specific vulnerable populations in SDC.
- Align with national best practices around CHNA development and implementation, including the integration of health conditions with SDOH.

Community Defined

For the purposes of the collaborative HASD&IC 2019 CHNA, the study area is the entire County of San Diego due to a broad representation of hospitals in the area. More than three million people live in socially and ethnically diverse SDC. Information on key demographics, socioeconomic factors, access to care, health behaviors, and the physical environment can be found in the full HASD&IC 2019 CHNA report at: <https://hasdic.org/2019-chna/>.

SMV is the largest privately-operated psychiatric hospital and provider of mental health, chemical dependency and substance abuse treatment in SDC. As such, the community served by SMV includes all six regions of SDC: central, east, north central, north coastal, north inland and south. **Table 2** below presents the ZIP codes where the majority of SMV patients reside.

Table 2: Primary Communities Served by SMV

ZIP Code	Community	ZIP Code	Community
91910	Chula Vista	92107	Ocean Beach
91911	Chula Vista	92109	Pacific Beach
91913	Chula Vista - Eastlake	92110	Old Town
91932	Imperial Beach	92111	Linda Vista
91941	La Mesa	92113	Southeast San Diego
91942	La Mesa	92114	Encanto
91950	National City	92115	College Area
91977	Spring Valley	92116	Normal Heights
92019	El Cajon	92117	Clairemont Mesa
92020	El Cajon	92118	Coronado
92021	El Cajon	92120	Grantville
92037	La Jolla	92123	Serra Mesa
92040	Lakeside	92124	Tierrasanta
92064	Poway	92126	Mira Mesa
92071	Santee	92127	Rancho Bernardo
92101	Downtown San Diego	92128	Carmel Mtn. Ranch
92102	East San Diego	92129	Rancho Pensacitos
92103	Hillcrest	92130	Carmel Valley
92104	North Park	92154	Otay Mesa
92105	City Heights		

Source: Centricity HPA via Merlin (internal data warehouse), Sharp HealthCare, FY 2018.

Recognizing that health needs differ across the region and that socioeconomic factors impact health outcomes, SMV's 2019 CHNA process utilized the Dignity Health Community Need Index (CNI) to identify communities with the highest level of health disparities and needs. **Table 3** below presents primary communities (by ZIP code) served by SMV that have especially high need based on their CNI score.

Table 3: High-Need Primary Communities Served by SMV, CNI Score > 4.0

ZIP Code	Community
91910	Chula Vista
91911	Chula Vista
91932	Imperial Beach
91950	National City
91977	Spring Valley
92020	El Cajon
92021	El Cajon
92101	Downtown San Diego
92102	East San Diego
92105	City Heights
92111	Linda Vista
92113	Southeast San Diego
92114	Encanto
92115	College Area
92154	Otay Mesa

Source: Dignity Health Community Need Index. 2018.


Methodology

The HASD&IC 2019 CHNA process and findings significantly informed the SMV 2019 CHNA process and as such are described as applicable throughout this report. For complete details on the HASD&IC 2019 CHNA process, please visit the HASD&IC website at: <https://hasdic.org/2019-chna/> or contact Lindsey Wade at lwade@hasdic.org.

For the HASD&IC 2019 CHNA, quantitative analyses of publicly available data provided an overview of critical health issues across SDC, while qualitative analyses of feedback from the community provided an appreciation for the experiences and needs of San Diegans. The CHNA Committee reviewed these analyses and applied a pre-determined set of criteria to them to prioritize the top health needs in SDC. This process is represented in **Figure 1** below.

Figure 1: HASD&IC 2019 CHNA – Process Map

2019 COMMUNITY HEALTH NEEDS ASSESSMENT (CHNA) PROCESS MAP



Quantitative/Secondary Data

Quantitative data were drawn from several public sources to support the HASD&IC and SMV 2019 CHNAs. Data from the Dignity Health CNI and the Public Health Alliance of Southern California's Healthy Places Index were used to identify geographic communities in SDC that were more likely to be experiencing health inequities, which guided the selection of communities/individuals for community engagement activities (described below), as well as the development of community engagement questions.

Hospital discharge data exported from SpeedTrack's California Universal Patient Information Discovery (CUPID) application were used to identify current and three-year trends in primary diagnosis discharge categories and were stratified by age and race. This allowed for the identification of health disparities and the conditions having the greatest impact on hospitals and health systems in SDC.


Data from national and statewide data sets were analyzed including SDC mortality and morbidity data, and data related to SDOH. In addition, Kaiser Permanente (KP) consolidated data from several national and statewide data sets related to a variety of health conditions and SDOH in SDC and conducted a comprehensive statistical analysis to identify which SDOH were most predictive of negative health outcomes. KP then created a web-based data platform (chna.org/kp) to post these analyses for use in the CHNA.

Analysis specific to SMV inpatient data was also conducted in addition to the analyses described above.

Community Engagement

HASD&IC 2019 CHNA community engagement activities included focus groups, KI interviews, and an online survey which targeted stakeholders from every region of SDC, all age groups, and numerous racial and ethnic groups. Collaboration with the County of San Diego Health and Human Services Agency, Public Health Services was vital to this process. A total of 79 individuals participated in the 2019 CHNA: 138 community residents and 441 leaders and experts. Please see **Figure 2** below for details on the types of participants engaged.

Figure 2: HASD&IC 2019 CHNA – Summary of Community Engagement Activities




In addition to an active role in the collaborative HASD&IC 2019 CHNA process, Sharp contracted separately with the IPH at SDSU to conduct a number of community engagement activities to collect input specifically from Sharp providers as well as from patients and community members served by Sharp hospitals. This input focused on behavioral health, cancer, diabetes, maternal health and prenatal care, senior health (now termed aging concerns), and the needs of highly vulnerable patients and community members. These additional efforts included focus groups and key informant interviews involving 50 Sharp providers and 14 patients/community members. Further, IPH created case studies with the intent of representing a “typical” patient experience within Sharp. The case studies focused specifically on breast cancer and high-risk pregnancy. Data collected during the community engagement activities and from literature reviews supported development of the case studies.

For SMV, the most directly relevant input focused on behavioral health and came from facilitated discussions with Sharp case managers and social workers, as well as from patients and community members that participate in Sharp McDonald Center’s Aftercare program. The Aftercare program helps substance use/behavioral health patients maintain a sober lifestyle with support through the necessary transitions at home, work and in the community.

Lastly, the SMV 2019 CHNA community engagement process included a robust online survey conducted through the Sharp Insight Community. The Sharp Insight Community is a private online environment for Sharp patients and their families, community members, Sharp employees, and Sharp-affiliated physicians. The 2019 CHNA Sharp Insight Community online survey sought to obtain feedback on the top health and social needs faced by SDC community members, as well as assess their awareness of community outreach programs offered by Sharp. The online survey also provided participants the opportunity to provide specific suggestions for Sharp to improve community health and well-being. A total of 380 community members completed the online survey. **Figure 3** below summarizes SMV 2019 CHNA community engagement:

Figure 3: SMV 2019 CHNA – Summary of Community Engagement Activities



Prioritization of 2019 Health Needs

The CHNA Committee collectively reviewed the quantitative and qualitative data and findings. Several criteria were applied to the data to determine which health conditions were of the highest priority in SDC. These criteria included: the severity of the need; the magnitude/scale of the need; disparities or inequities; and change over time. Those health conditions and SDOH that met the largest number of criteria were then selected as top priority community health needs.

As the HASD&IC 2019 CHNA process included robust representation from the communities served by SMV, this prioritization process was replicated for the SMV 2019 CHNA.

Findings: Top 10 Community Health Needs

The 2019 CHNA Committee identified the following as the highest priority community health needs in SDC, (in alphabetical order by SDOH or health condition).

Figure 4: HASD&IC 2019 CHNA – Top 10 Community Health Needs for San Diego County




Figure 4 above illustrates the interactive nature of SDOH and health conditions — each impacting the other. In addition, an underlying theme of stigma and the barriers it creates arose across 2019 CHNA community engagement activities. For instance, stigma impacts the way in which people access needed services that address SDOH, which consequentially impacts their ability to maintain and manage health conditions.

These same findings were supported through both the quantitative analyses and community engagement activities conducted as part of the SMV 2019 CHNA. In addition, *Maternal and Prenatal Care, including High-Risk Pregnancy*, was also identified as a community health need by the SMV 2019 CHNA.

However, as a specialty hospital providing behavioral health programs and services, many of these identified health needs — including cancer, cardiovascular disease, diabetes, obesity, and maternal and prenatal care — fall outside the scope of services provided by SMV, and thus are not addressed through SMV's programs or activities. However, in light of these findings, SMV continues to explore partnerships and strategies that address the connection between behavioral health and physical health conditions and has made some strides in this area. For details, please refer to SMV's FY 2020 – FY 2023 Implementation Strategy at:

<https://www.sharp.com/about/community/community-benefits/health-needs-assessments.cfm>.

Description of Identified Needs

Access to health care. Overcoming barriers to health care, such as lack of health insurance and insurance issues, economic insecurity, transportation, the shortage of culturally competent care, fears about immigration status, and the shortage of health care providers emerged as a high priority community need. In addition, specific services were identified as challenging to obtain, including behavioral health care, dental care, primary care, and specialty care.

Aging concerns. Conditions that predominantly affect people who are 65 and older — such as Alzheimer's disease, Parkinson's disease, dementia, falls, and limited mobility — were identified as a high priority health need. Community engagement participants most often described aging concerns in relation to the SDOH, including: transportation, access to fresh food, social isolation and inadequate family support, and economic insecurity.

Behavioral health. Greater access to behavioral health care was cited as a priority health need. Three types of behavioral health care were identified as challenging to access: urgent care services for crisis situations; inpatient psychiatric beds and substance abuse facilities; and transitional programs and services for post-acute care. In addition, several barriers to behavioral health care were named as priorities to address, including a lack of availability of needed services and appointments, insurance issues, logistical issues, such as transportation and time off work, and the inability to pay co-pays and deductibles.

Cancer. Health needs related to cancer were described in relation to the effects on well-being beyond physical health. These include financial, practical, and emotional impacts on individuals and families; these effects are exacerbated by barriers to cancer care.

Chronic conditions. Three chronic conditions were identified as priorities: *cardiovascular disease, diabetes, and obesity*. Key factors that individuals struggle with to prevent chronic diseases include access to fresh, healthy foods and safe places to exercise and play. In addition, economic issues, transportation to medical care, fears about immigration status, and a lack of knowledge about chronic conditions were named as particular challenges related to the management of chronic conditions.

Community and social support. A high priority for the well-being of San Diego residents is ensuring that individuals have adequate resources and substantial support within their neighborhood. Valuable neighborhood resources include Federally Qualified Health Centers and those that are culturally and linguistically competent. Without adequate support from others, community engagement and community spirit are affected.

Economic security. Economic security was described as a vital social factor impacting every aspect of San Diegans' daily lives. The health of the economically insecure is worsened by food insecurity, chronic stress and anxiety, and reduced capability to manage health needs. Economically insecure community members are at greater risk of poor mental health days, asthma, obesity, diabetes, stroke, cancer, smoking, pedestrian injury and visits to the ED for heart attacks. Low wages, and costs associated with housing and childcare were identified as contributors to economic insecurity.

Education. Receiving a high school diploma, having the opportunity to pursue higher or vocational education, being health literate, and having opportunities for non-academic continuing education were identified as important priorities for the health and well-being of San Diego residents. Family stress and a lack of school and community resources were identified as factors underlying low levels of educational attainment.

Homelessness and housing instability. Homelessness and housing instability were identified as critical factors affecting the health of San Diegans. Serious health impacts of these issues were cited, including increased exposure to infectious disease, substantial challenges in chronic disease and wound care management (e.g., asthma), and increased stress and anxiety.

Maternal and prenatal care, including high-risk pregnancy. Maternal and prenatal care were cited as critical components of health and well-being. Maternal health is often complicated by co-existing health conditions including diabetes, preterm pregnancies, substance use, postpartum depression, anxiety, and other mood disorders. In addition, a number of SDOH present obstacles to maternal and prenatal care, such as lack of access to mental health services (even for those patients with insurance), lack of transportation, and economic stress related to childcare and maternity leave.

Unintentional injury and violence. Exposure to violence and neighborhood safety were cited as priority health needs for San Diegans. Neighborhood safety was discussed as influencing residents' ability to maintain good health, while exposure to violence was described as traumatic and impactful on mental health.

Community Assets & Recommendations

The 2019 CHNA identified many health resources in SDC, including those provided by community-based organizations, government departments and agencies, hospital and clinic partners, and other community members and organizations engaged in addressing many of the health needs identified by this assessment. In addition, 2-1-1 San Diego is an important community resource and information hub that facilitates access to services. Through its 24/7 phone service and online database, as well as a host of innovative navigation and support programs, 2-1-1 San Diego helps connect individuals with community, health, and disaster services.

2-1-1 San Diego researched their database using relevant search terms for each identified need. The number of resources located for each need are listed below:

- Aging Concerns: 91
- Access to Care: 260
- Behavioral Health: 703
- Cancer: 129
- Cardiovascular Disease: 161
- Diabetes: 144
- Maternal and Prenatal Care, including High-Risk Pregnancy: 251
- Obesity: 298
- Social Determinants of Health: 5,836 (transportation, food access, etc.)

In addition to community input on health conditions and SDOH, a wealth of ideas emerged from community engagement participants about how hospitals and health systems could support additional resources and partner with organizations to help meet San Diego's community health needs. **Figure 5** below outlines types of resources identified by community engagement participants:

Figure 5: HASD&IC 2019 CHNA – Resources & Opportunities

RESOURCES & OPPORTUNITIES TO ADDRESS PRIORITY HEALTH NEEDS

Community engagement participants identified three means by which the identified health needs could be better addressed:

1. The implementation of overarching *strategies* to address the health needs,
2. The development or expansion of *resources* to meet the needs,
3. The creation of *systemic, policy, and environmental changes* to better support health outcomes.

All of these approaches, participants emphasized, would require *collaboration* between political, health care system, and community leaders, health care professionals, community organizations, and residents.

STRATEGIES	<ol style="list-style-type: none"> 1. Increase community knowledge with educational campaigns <i>that promote available services within the community, clinics, and hospitals</i> 2. Address potential barriers to care such as <i>insurance, translation, navigation services, transportation, and potential impacts on immigration status</i> 3. Improve patient experience <i>through culturally competent health navigators and case managers, care coordination, and community clinical linkages including language services</i>
RESOURCES	<ol style="list-style-type: none"> 1. Urgent care services <i>that include expanded hours, availability to all populations, and mental health and substance use services</i> 2. Preventative care programs <i>that offer services such as immunizations (including the flu vaccine), HIV testing, and exercise programs</i> 3. Dental services <i>for preventive care and to address oral health issues such as carries and gum disease</i> 4. Onsite programs and mobile units <i>that bring services to the community, including programs in senior housing complexes, school clinics, mobile screening, and mobile food distribution</i> 5. Culturally competent programs <i>for refugees, Native Americans, Latinos, Blacks, African Americans, LGBTQ individuals, non-citizens, and asylum seekers</i> 6. Programs for the youth, <i>especially community centers and programs for young men and for homeless youth</i> 7. Homeless services and discharge support, <i>including mobile showers, more shelters, and further options for post-acute recuperative care</i> 8. Food insecurity navigation <i>that includes reference guides for food system/service navigation of San Diego County, private, and non-profit organizations, and signage for healthy food options for CalFresh/ Supplemental Nutrition Assistance Program (SNAP) users at stores and restaurants</i>
SYSTEMIC CHANGE	<ol style="list-style-type: none"> 1. Create universal and/or affordable health care 2. Increase minimum wage 3. Fund policies: <i>increase applications for federal funding and allow more time to prove a return on investment (ROI) for funding</i>
COLLABORATION	<ol style="list-style-type: none"> 1. Form partnerships <i>with community residents by engaging residents in advocacy</i> 2. Share and disseminate information <i>and data back into the communities from where the data came from</i> 3. Work with communities <i>to adapt programs and interventions to the unique needs of minority groups (go beyond collective impact approach)</i> 4. More collaboration <i>between social workers, law enforcement, and attorneys</i> 5. Warm hand-offs <i>between agencies and organizations</i>

Further, as part of Sharp's 2016 CHNA Phase 2 process, the Sharp CHNA Community Guide was developed in response to the 2016 CHNA and made publicly available on Sharp.com at: <https://www.sharp.com/about/community/community-benefits/health-needs-assessments.cfm>. The Sharp CHNA Community Guide seeks to provide community members with a user-friendly resource to learn about Sharp's CHNA process and findings, as well as the identified health and social needs addressed through Sharp programs. The Sharp CHNA Community Guide also provides a direct link for community members to provide feedback on Sharp's CHNA. An updated Sharp CHNA Community Guide will be publicly available on Sharp's website during early- to mid- 2020.

Implementation Strategy

SMV developed its FY 2020 – FY 2023 Implementation Strategy to address the needs identified through the 2019 CHNA process for the community it serves. Many of the programs included in the implementation strategy have been in place at SMV for several years. In addition, SMV leadership, Sharp Community Benefit and team members across Sharp are committed to an ongoing evaluation of the programs provided to address the needs of SMV's community members. The SMV FY 2020 – FY 2023 Implementation Strategy is submitted along with the IRS Form 990, Schedule H, and will be publicly available on Guidestar (<http://www.guidestar.org/>) in the coming months. Categories of programs and activities included in the SMV FY 2020 – FY 2023 Implementation Strategy are summarized in **Table 4** below:

Table 4: SMV FY 2020 – FY 2023 Implementation Strategy Summary

SMV FY 2020 – FY 2023 IMPLEMENTATION STRATEGY SUMMARY, BY IDENTIFIED NEED	
ACCESS TO CARE & HEALTH INSURANCE	
<ul style="list-style-type: none"> Continue collaboration between SMV Case Management, Utilization Review, Social Services and Patient Access Services to secure coverage for under- and un-funded patients Participation in the one-year pilot/partnership with 2-1-1 San Diego Community Information Exchange (CIE) to increase assessment for social determinant of health needs (SDOH) and connection to community resources addressing those SDOH needs See strategies included under Homelessness and Housing Instability 	
AGING CONCERNS	
<ul style="list-style-type: none"> Continue to provide community education and stigma reduction via efforts including through the SMV Senior Intensive Outpatient Program (e.g., City of San Diego education partnership, health fairs and events, etc.) Continue to provide services to senior community centers including behavioral health screening and referrals to low-income, at-risk seniors (e.g., Serving Seniors, Gary and Mary West Senior Wellness Center) Continue community collaboration to provide education and screenings to at-risk community seniors (e.g., Alzheimer's San Diego) 	
BEHAVIORAL HEALTH	

<ul style="list-style-type: none"> ♦ Continue to provide free psychiatric evaluations and referrals for the general community, both on site and through collaborations with community-based organizations. In FY 18 this totaled >16,000 free evaluations and referrals via phone calls, walk-ins and appointments ♦ Continue the Client Advisory Board and increase presence of SMV clinicians at community events to increase community engagement, reduce stigma, and better connect community members to resources ♦ Continue collaboration with law enforcement and housing planning committees to improve outcomes for community members living with mental health issues (e.g., ongoing PERT trainings and resource fair participation) ♦ Continue extensive provision of community education on various behavioral health topics for all age groups (seniors, adults, transition-age youth, etc.) through presentations and workshops on site, as well as in partnership with community-based organizations (e.g. monthly cognitive therapy lecture series, NAMI Friends in the Lobby Program, etc.) ♦ Continue to provide specific behavioral health education, support and resources for San Diego veterans and their families through SMV's Trauma and PTSD Recovery Program ♦ Continue to provide education to community behavioral health care professionals through continuing education classes, conference and trainings, and community collaboration (e.g., EAPA, etc.) ♦ Participate in community outreach activities across different Sharp entities to increase community awareness of behavioral health services (e.g., Sharp Chula Vista Medical Center Behavioral Health Resource Fair, etc.) ♦ Continue to collaborate with and provide space community behavioral health organization support groups to serve members of the community impacted by behavioral health issues ♦ Continue to lead multiple behavioral health support groups (e.g., SMV Mood Disorders support group, etc.) ♦ Participation in the one-year pilot/partnership with 2-1-1 San Diego Community Information Exchange (CIE) to increase assessment for social determinant of health needs (SDOH) and connection to community resources addressing those SDOH needs
CANCER, CARDIOVASCULAR, DIABETS, MATERNAL & PRENATAL CARE including HIGH-RISK PREGNANCY, OBESITY, UNINTENTIONAL INJURY & VIOLENCE
<p>In general, as a specialty hospital providing treatment and services for behavioral health, these additional identified community health needs do not fall within the scope of SMV's services and resources. However, in light of findings from Sharp's recent CHNAs, SMV is exploring options to educate and address the issue of mind-body integration and effects of physical health on behavioral health and vice versa.</p> <p>SMV screens all inpatients for tobacco use and provides tobacco cessation therapy, when appropriate, during treatment and after discharge. Further, partnership with local community clinics (e.g., Family Health Centers of San Diego) has increased facilitation of post-discharge behavioral AND physical health care appointments for patients.</p>
COMMUNITY & SOCIAL SUPPORT
<ul style="list-style-type: none"> ♦ Continue to provide ongoing SMV-led support groups as well as host/provide space for community-based behavioral health organizations support groups for community members ♦ Participation in the one-year pilot/partnership with 2-1-1 San Diego Community Information Exchange (CIE) to increase assessment for social determinant of health needs (SDOH) and connection to community resources addressing those SDOH needs
ECONOMIC SECURITY
<ul style="list-style-type: none"> ♦ Continue collaboration between SMV Case Management, Utilization Review, Social Services and Patient Financial Services to secure coverage for under- and un-funded patients ♦ Participation in the one-year pilot/partnership with 2-1-1 San Diego Community Information Exchange (CIE) to increase assessment for social determinant of health needs (SDOH) and connection to community resources addressing those SDOH needs
EDUCATION

- ♦ Continue to collaborate with local schools to provide opportunities for students to train for /explore a variety of health care professions. Includes: undergraduate, graduate and doctoral student programs and internships, as well as career pathway programs for middle and high school-age students in SDC (e.g., Health Sciences High and Middle College)
- ♦ Provide a variety of health and wellness education and services at events and sites throughout the community through the City of San Diego partnership (includes both City employees and residents)
- ♦ Also refer to education items noted within the Behavioral Health section

HOMELESSNESS & HOUSING INSTABILITY

- ♦ In FY 2019, in conjunction with the passing and signing of SB 1152, Hospital Discharge Processes: Homeless Patients, Sharp HealthCare develop formalized processes, procedures, and protocols to improve care for patients experiencing homelessness. This work includes technology to track and measure care and utilization of individuals experiencing homelessness served within the SHC system.
- ♦ For FY 2020, Sharp Integrated Care Management (ICM) will use captured data to isolate trends and gaps in care related to homeless populations served. The SB1152 Task Force (formally Homeless Task Force) will use the data to identify plans for future action.
- ♦ Participation in the one-year pilot/partnership with 2-1-1 San Diego Community Information Exchange (CIE) to increase assessment for social determinant of health needs (SDOH) and connection to community resources addressing those SDOH needs

Next Steps

SMV is committed to the health and well-being of its community, and the findings of the SMV 2019 CHNA will help inform the activities and services provided by SMV to improve the health of its community members. These programs are detailed in SMV's FY 2020 – FY 2023 Implementation Strategy, which will be made available online to the community at: <http://www.sharp.com/about/community/health-needs-assessments.cfm>.

Sharp will continue to work with HASD&IC and IPH as part of the CHNA Committee to develop and implement Phase 2 of the 2019 CHNA. Phase 2 will focus on continued engagement of community partners to analyze and improve the CHNA process, as well as refine hospital implementation strategies. Thus, the CHNA process will evolve to meet the needs of San Diegans and support the work of our community partners who also address identified community health needs. This will include a deeper dive into the impact of stigma on health, and an exploration of how hospitals may help address this impact.

In addition, in the first year of Sharp's FY 2020 – FY 2023 Implementation Strategy, Sharp hospitals (including SMV), medical groups, and health plans are embarking on a new, innovative partnership with 2-1-1 San Diego's Community Information Exchange (CIE). The CIE includes a longitudinal client record with community member history, access to and utilization of social programs (e.g., housing, food banks, community clinics, etc.), emergency transport data, and much more. The CIE also includes a direct-referral feature, which allows for documented, bi-directional, closed-loop referrals between all CIE partners — including hospitals, clinics, and social service programs. Currently, there are more than 60 community partners (organizations) participating in CIE, and more than 100,000 community members enrolled, with approximately 4,500 new community members enrolled each month. Sharp HealthCare is the first integrated

health system — including its hospitals, medical groups and health plan — to wholly participate in the CIE, that is, implementing utilization beyond individual hospitals. By leveraging this technology, and expanding upon this capability for shared data, consistent tracking and robust reporting, the CIE partnership presents an exciting opportunity for Sharp to strengthen and evaluate the impact of clinical-community linkages for its patients and community members in need, particularly regarding SDOH. The data collected in this one-year partnership will inform the value case for continuing with the partnership after the pilot year (Summer 2020).

The complete Sharp Mesa Vista Hospital 2019 Community Health Needs Assessment will be available for public download by September 30, 2019 at: <http://www.sharp.com/about/community/health-needs-assessments.cfm>. The report is also available by contacting Sharp HealthCare Community Benefit at: communitybenefits@sharp.com.

Sharp extends our deepest thanks for the contributions made by all who participated in the 2019 CHNA process. Further, Sharp is committed to providing a CHNA that is valuable to all our community partners, and we look forward to strengthening that value and those community partnerships in the years to come.

Section

3 Methodology

The Sharp Mesa Vista Hospital 2019 Community Health Needs Assessment (SMV 2019 CHNA) draws from and is based on the process and findings of the collaborative Hospital Association of San Diego & Imperial Counties 2019 Community Health Needs Assessment (HASD&IC 2019 CHNA). Sharp HealthCare (Sharp) served as vice-chair of the HASD&IC 2019 CHNA Committee and has actively participated in and collaborated on the HASD&IC-led CHNA process since 2012. The 2019 CHNA process of community engagement effectively began upon completion of the 2016 CHNA in Fall 2016. However, the formal HASD&IC 2019 CHNA contract and process began in late Spring 2017 and concluded in June 2019. Complete details of the methodology and findings of the HASD&IC 2019 CHNA are available at: <https://hasdic.org/2019-chna/>.

The SMV 2019 CHNA process included additional analyses of SMV behavioral health (including substance use) discharge data, as well as patient, staff and community member engagement activities in order to further explore the specific health and social determinants of health (SDOH) needs of the community served by SMV. As such, this section will include details of the SMV 2019 CHNA methods, and, where applicable, elements of the collaborative HASD&IC 2019 CHNA process.

Based on the findings of the 2016 CHNA and recommendations from the community, the SMV and HASD&IC 2019 CHNA processes sought to provide a deeper understanding of barriers to health improvement in San Diego County (SDC) and to inform and guide local hospitals in the development of their programs and strategies that address identified community health needs. These processes also respond to IRS regulatory requirements that tax-exempt hospitals conduct a health needs assessment in the community once every three years. With these goals in mind, the 2019 CHNAs were specifically designed to: build on and strengthen community partnerships established through the 2016 CHNA processes; obtain deeper feedback from and about specific vulnerable populations in San Diego; and align with national best practices around CHNA development and implementation.

The 2019 CHNA processes included analyses of community-identified health conditions as well as SDOH that create health inequities. The latter focus supports the understanding that the burden of illness, premature death, and disability disproportionately affects minority population groups and other underserved community members. Knowledge of regional and population-specific differences is an important factor in understanding and strategizing ways to effectively impact the health of our community.

HASD&IC 2019 CHNA Committee

For the HASD&IC 2019 CHNA, the HASD&IC Board of Directors continued with a CHNA Committee to plan and implement the collaborative CHNA process. The CHNA Committee comprises representatives from seven local participating hospitals and health care systems. Members of the 2019 CHNA Committee are listed below in alphabetical order.

Anette Blatt

Scripps Health
CHNA Committee Chair



Aaron Byzak

Tri-City Medical Center



Lisa Lomas

Rady Children's Hospital –
San Diego



David Mier

UC San Diego Health

UC San Diego Health

Joseph Parker

Palomar Health



Jillian Warriner

Sharp HealthCare
CHNA Committee Vice Chair



Lindsey Wright

Kaiser Foundation Hospital –
San Diego



In late spring of 2017, HASD&IC contracted with the Institute for Public Health (IPH) at San Diego State University (SDSU) to provide assistance with the collaborative health needs assessment (HASD&IC 2019 CHNA). Please see below for the list of individuals from HASD&IC and IPH that led the HASD&IC 2019 CHNA process. Please see **Appendix F** for detailed descriptions of these partnering organizations.

Hospital Association of San Diego & Imperial Counties

Dimitrios Alexiou

President and Chief Executive Officer

Lindsey Wade

Vice President, Public Policy

Ivonne Velazquez

Health Policy Assistant

Institute for Public Health, San Diego State University

Tanya Penn

Senior Research Scientist/Epidemiologist

Martha Crowe

Research Scientist

Lawrence Ayers

Research Assistant

Stephanie Phann

Research Assistant

Nhat Quang Thai

Research Assistant

The HASD&IC 2019 CHNA involved a mixed methods approach using the most current quantitative data available and more extensive qualitative outreach. Throughout the process, the IPH met bi-weekly with the HASD&IC CHNA Committee to analyze, refine, and interpret results as they were being collected.

SMV 2019 CHNA Planning Team

Team members from SMV and Sharp either led or provided insight to, support for, or participation in the 2019 CHNA process for SMV. In addition, Sharp contracted with the IPH in the development and implementation of the SMV 2019 CHNA community engagement activities. Members of the SMV 2019 Planning Team are listed below.

Sharp HealthCare

Jillian Warriner

Manager, Community Benefit and Health Improvement

Sharp HealthCare

Trisha Khaleghi

Senior Vice President and Chief Executive Officer
Sharp Mesa Vista Hospital and Sharp McDonald Center

Larkin Hoyt

Director of Outpatient Services
Sharp Mesa Vista Hospital

Institute for Public Health, San Diego State University

Please see the list above included as part of the HASD&IC 2019 CHNA Committee.

Additional support for the development of the SMV 2019 CHNA was provided by:

Kristine White

Senior Community Benefit Specialist
Sharp HealthCare

Diana Romaya

Community Benefit Specialist
Sharp HealthCare

Emily McCallum

Planning and Community Benefit Analyst
Sharp HealthCare

Sarah Grabe

Strategic Planning and Community Benefit Intern
Sharp HealthCare

Catherine (Cassie) Nordeman

Strategic Planning and Community Benefit Intern
Sharp HealthCare

2019 CHNA: Methodology Overview


HASD&IC 2019 CHNA

The HASD&IC 2019 CHNA Committee designed the 2019 CHNA process based on the findings and feedback from the HASD&IC 2016 CHNA. The aim of the HASD&IC 2019 CHNA methodology was to provide a more complete understanding of the identified health needs and associated SDOH in the San Diego community, including barriers connected with those identified needs.

To gain a deep and meaningful understanding of the health-related needs of SDC residents, two primary methods were employed in the HASD&IC 2019 CHNA. First, quantitative analyses were conducted of existing publicly available data to provide an overarching view of critical health issues across SDC. Second, extensive feedback was gathered from community residents, community-based organizations, Federally Qualified Health Centers (FQHCs), hospitals and health systems, local government agencies, philanthropic organizations, and San Diego County Public Health Services through a comprehensive community engagement process to understand the lived experiences and needs of people in the community. Once these analyses were complete, the CHNA Committee reviewed these data and applied an agreed-upon set of criteria to them to prioritize the top health needs in SDC. Please see the process map in **Figure 6** below for an overview of the community engagement activities and quantitative data utilized in the HASD&IC 2019 CHNA. For a summary of the HASD&IC 2019 CHNA community engagement activities, please refer to **Figure 7**.

Figure 6: HASD&IC 2019 CHNA – Process Map

2019 COMMUNITY HEALTH NEEDS ASSESSMENT (CHNA) PROCESS MAP



SMV 2019 CHNA

Guided by the same rationale, the SMV 2019 CHNA process also further explored the health needs and SDOH identified in the SMV 2016 CHNA. The HASD&IC 2019 CHNA process provided the foundation for the SMV 2019 CHNA, with additional SMV-specific data analysis and community engagement activities completing the SMV 2019 CHNA process. Quantitative and qualitative data methods for both the HASD&IC and SMV 2019 CHNAs are described within this section.

2019 CHNA Quantitative Data Collection and Analysis

HASD&IC 2019 CHNA

Quantitative data were used for three primary purposes: (1) to describe the SDC community (see **Section 4: Community Defined**); (2) to help plan and design the community engagement process; and (3) to facilitate the “prioritization process” — the identification of the most pressing health needs of SDC residents.

The HASD&IC 2019 CHNA Committee used several sources of data for the quantitative portion of the CHNA, including the:

- Public Health Alliance of Southern California’s Healthy Places Index (HPI)
- Community Needs Index (CNI)
- California’s Office of Statewide Health Planning and Development (OSHPD) SpeedTrack California Universal Patient Information Discovery (CUPID) application
- Kaiser Permanente (KP) CHNA Data Platform & Analytics (KP CHNA data platform)
- County of San Diego Community Health Statistics

For details on specific sources and dates of the data used, including any data in addition to sources mentioned above, please see the complete HASD&IC 2019 CHNA report at: <https://hasdic.org/2019-chna/>.

The Public Health Alliance of Southern California’s HPI mapping function and the CNI were used to identify the most under-resourced geographic communities in SDC. This information helped guide the 2019 CHNA community engagement process, including selecting communities from which to solicit input and developing relevant and meaningful engagement topics and questions. Please refer to the HASD&IC 2019 CHNA (<https://hasdic.org/2019-chna/>) for additional details on the HPI tool. Details regarding use of the CNI are included in **Section 4: Community Defined** as well as **Appendix G**.

SpeedTrack’s CUPID application, was utilized to export emergency department (ED) and inpatient SDC hospital discharge data. These data were analyzed to determine the most common primary diagnosis categories upon discharge. This analysis provided an

understanding of the specific health conditions that have the greatest impact on hospitals, which helped inform the CHNA Committee about priority health needs. For those health conditions identified as a high priority for the 2019 CHNA, full datasets were extracted and stratified by age and race. Rates were calculated for each group and for each condition per 100,000 in the population. Overall three-year trends from 2014-2016 were also calculated for each health condition as well as for each age group and race within each health condition. This stratification shed light on disparities that potentially impact health in SDC.

In addition, KP consolidated data about a wide variety of health conditions and SDOH. Data were pulled from datasets such as the California Health Interview Survey (CHIS), the Behavioral Risk Factor Surveillance System (BRFSS) Survey, and other national and state-wide data sets. These data included the prevalence of certain health conditions and SDOH in SDC, their relative prevalence to state and national rates and benchmarks, the average resulting reduction of life expectancy (calculated through empirical literature on disability-adjusted life years), disparities across racial and ethnic groups, and alignment with county rankings of top causes of mortality. KP also conducted a comprehensive statistical analysis to identify which SDOH were most predictive of negative health outcomes in SDC census tracts. KP then created a user-friendly, web-based data platform (chna.org/kp) and posted many of their analyses on this platform for use in the HASD&IC 2019 CHNA. These analyses guided the design of survey, interview, and focus group questions and were vital to understanding and prioritizing health needs in SDC. For a complete explanation of resources, please see the HASD&IC 2019 CHNA at: <https://hasdic.org/2019-chna/>.

SMV 2019 CHNA

Employing similar methodologies, SMV analyzed its own hospital data (OSHPD, 2017) specifically for the identified health need of behavioral health (including substance use) from the 2016 CHNA. This particular focus is due to SMV's role and services as a behavioral health hospital. Patients included in the analysis were SDC residents with an ambulatory visit, or inpatient discharge at SMV in calendar year (CY) 2017. Please refer to **Appendix H** for the complete SMV data analysis conducted for the 2019 CHNA.

In addition, SMV utilized the CNI to identify the most vulnerable and under-resourced communities within its service area. Further, Sharp overlaid hospital discharge data for CVD, Type 2 diabetes and behavioral health on top of CNI data to analyze the connection between these specific chronic health conditions and under-resourced communities in SDC. This information will further assist in the development of SMV programs to meet community needs in the areas of greatest disparity and inequity. Please refer to **Section 4: Community Defined** for additional detail on SMV's application of CNI data.

2019 CHNA Qualitative Data Collection and Analysis: Community Engagement Activities

HASD&IC 2019 CHNA

For the HASD&IC 2019 CHNA, in collaboration with Kaiser Foundation Hospital – San Diego and Zion, HASD&IC solicited input from the community through three types of efforts:

- Focus groups with community residents, community-based organizations, service providers, and health care leaders
- Key informant interviews with health care experts
- An online survey distributed to community stakeholders and residents

These efforts ensured a rich portrait of community health needs at multiple levels. A key priority of the community engagement process was to solicit input from a wide range of stakeholders so that the sample was as representative of the SDC population as possible. Special efforts were made to include a broad range of community members, including individuals from groups that experience health disparities and service providers who work with those groups. Groups and individuals were invited to participate who had knowledge, information, and expertise relevant to the health needs of the community.


Focus groups and key informant (KI) interviews were utilized to identify and explore priority health needs, SDOH, barriers to care, and community assets and resources. Focus groups and interviews were conducted in a semi-structured manner. Expert facilitators from the IPH employed questions developed and approved by the CHNA Committee to generate discussion about specific community health needs, as well as open-ended questions for broader discussions. Questions varied depending on engagement activity, as well as the expertise and/or specific interests of the person or group participating. The overarching categories explored in these engagement activities included: inequities and disparities; economic security; immigration; housing and homelessness; education; environmental factors; and food insecurity.

The CHNA Committee worked with community partners to plan community engagement activities with stakeholders representing every region of SDC and all age groups. In addition, the CHNA Committee explicitly sought to engage a wide variety of stakeholders representing numerous racial and ethnic groups. Health leaders and a diverse set of advocacy groups and organizations were also recruited for the process. A total of 579 individuals participated in the HASD&IC 2019 CHNA, including: 138 community residents and 441 leaders and experts. Please see **Table 5** and **Figure 7** below for details on the types of participants engaged. A list of individuals who provided input via interview, focus group, or online survey may be found in **Appendix I**.

Table 5: HASD&IC 2019 CHNA – Overview of Community Engagement Participants

Type of Engagement	# of Engagements	Participants Engaged		Total Individuals
		Community Residents	Leaders/Experts	
Focus Groups	18	91	123	214
Key Informant Interviews	12	0	12	12
CHNA Online Survey	-	47	306	353
TOTAL	30	138	441	579

Figure 7: HASD&IC 2019 CHNA – Summary of Community Engagement Activities



The HASD&IC 2019 CHNA online survey was used to rank health conditions and SDOH in order of importance within the community. The survey was distributed to a broad range of community-based organizations via email. Organizations were also asked to forward the survey on to the community members they serve if they felt it was appropriate. The survey was designed in and distributed via online survey software (Qualtrics). This allowed for the automatic capture of all survey data, which was subsequently imported into Statistical Analysis Software for analysis. Mean rankings for each health condition and social determinant were calculated, as were the percentage of respondents who thought each condition had improved, stayed the same, or gotten worse.

For a complete description of the HASD&IC 2019 CHNA engagement methodologies — including a list of participating individuals and organizations — as well as a complete description of the HASD&IC 2019 CHNA online survey, please refer to the full HASD&IC 2019 CHNA report at: <https://hasdic.org/2019-chna>.

SMV 2019 CHNA

In addition to an active role in the collaborative HASD&IC 2019 CHNA process, Sharp contracted separately with the IPH at SDSU to conduct multiple community engagement activities. The overall purpose of the Sharp (including SMV) 2019 CHNA community engagement activities was to gather information about the priority health needs and SDOH impacting Sharp patients in SDC. Specific objectives of this community engagement included:


- Gather in-depth feedback to aid in the understanding of the most significant health needs and social determinants impacting community members served by Sharp
- Identify opportunities for collaboration on community programs as well as areas of improvement for current community service offerings
- Align with CHNA best practices across the nation

Sharp solicited input from the community through three types of efforts:

- Focus groups with community residents and Sharp health care providers and leaders
- KI interviews with Sharp health care providers, including development of case studies representing a “typical” patient experience within Sharp
- Online survey utilizing the Sharp Insight Community

Figure 8 outlines the engagement activities for the Sharp 2019 CHNAs, followed by detailed descriptions of each effort.

Figure 8: Sharp 2019 CHNA – Summary of Community Engagement Activities



IPH collected input both from Sharp providers and from patients and community members served by Sharp hospitals. Sharp health care provider focus group members and KIs had knowledge, information, and expertise relevant to the health needs of underserved communities and patients served by Sharp. Community residents had either direct experience with Sharp health care services or experienced these services through the care of a loved one. Input focused on behavioral health, cancer, diabetes, maternal health and prenatal care, senior health (now termed aging concerns), and the needs of highly vulnerable patients and community members.

Focus groups were utilized to identify and explore priority health needs, SDOH, barriers to care, and community assets and resources. IPH conducted focus groups in a semi-structured manner and were facilitated by an expert moderator from the IPH. An additional IPH staff member took notes during the session and summarized these for later analysis. Each group began with a discussion about the purpose and process of the CHNA. The facilitator then received consent to proceed and reassured participants that their participation was voluntary, and their feedback would be anonymous. Questions were developed and approved by the IPH and the HASD&IC CHNA Committee, with input from Sharp team members and leaders. Focus groups were allowed to flow in a conversational manner to ensure that participants had the freedom to discuss issues of importance to them. Questions varied by engagement activity, depending on the expertise or specific interests of the group participating. Food was provided for the participants as an incentive and token of appreciation. A total of 62 people participated in eight focus groups, as detailed in **Table 6** below.

Table 6: Sharp 2019 CHNA – Focus Group Participants

Participant	# of Participants	Hospitals/ Facilities Represented	Participant Expertise
Sharp McDonald Center – After Care Support Group Members	6	SMC	Patient-specific challenges related to behavioral health and addiction issues
Sharp HealthCare – Cancer Navigators & Social Workers	18	SCVMC, SGH, SMH, SRSMG, System Services	Cancer expertise at Sharp HealthCare Regions: Central, East, North Central, South
Sharp HealthCare – Diabetes Health Educators	9	SCVMC, SGH, SMH, OPP	Low-income, medically underserved, populations with chronic diseases, minority populations Regions: Central, East, North Coastal, South
Sharp HealthCare – Patient Family Advisory Council – Community Residents	5	SGH	Patient-specific challenges related to health and SDOH
Sharp Mary Birch – Social Workers and Case Managers	10	SMBHWN	Low-income, medically underserved, populations with chronic diseases, minority populations Region: Central
Sharp HealthCare – Case Manager Leadership	8	SCHHC, SCMG, SCVMC, SGH, SMH, SRSMG, System Services	Low-income, medically underserved, populations with chronic diseases, minority populations Regions: Central East, North Central, North Coastal, North Inland, South
Senior Community Members	3	NA	Patient-specific challenges related to senior health issues
Sharp HealthCare – Senior Health Staff	3	SMH, OPP	Low-income, populations with chronic diseases, Medicare primary Region: Central

Sharp Entity Key: SCHHC = Sharp Coronado Hospital and HealthCare Center; SCVMC = Sharp Chula Vista Medical Center; SGH = Sharp Grossmont Hospital; SMBHWN=Sharp Mary Birch Hospital for Women & Newborns, SMC= Sharp McDonald Center; SMH = Sharp Memorial Hospital; SMVH = Sharp Mesa Vista Hospital; SRSMG = Sharp Rees-Stealy Medical Group; SCMG = Sharp Community Medical Group; OPP = Sharp Memorial Hospital Outpatient Pavilion; System Services = Sharp HealthCare System Services

IPH conducted the KI interviews in an informal, semi-structured manner with Sharp employees who have expertise and practice experience in the content area covered by of the case studies. Questions were developed and shared with the interviewees prior to the interviews (see **Appendix M**). The interviews flowed in a conversational manner, such that some questions were skipped and others were added in an ad-hoc manner. An IPH staff member with expertise in qualitative research conducted the interviews and took notes. Two interviews were performed, as detailed in **Table 7** below.

Table 7: Sharp 2019 CHNA – Key Informant Interview Participants

Participant	Hospital/Facility Represented	Participant expertise
Nurse Educator PSCU/ADC, Perinatal Special Care Unit	SMBHWN	High-risk pregnancy expertise
Clinical Social Worker and Patient Navigator	SCVMC Sharp Barnhart Cancer Center	Cancer expertise

SMBHWN=Sharp Mary Birch Hospital for Women & Newborns; **SCVMC** = Sharp Chula Vista Medical Center

Utilizing data gathered from the focus groups and KI interviews, as well as a review of relevant literature, two case studies were developed. Recognizing that each patient presents with unique needs, case studies are intended to represent a “typical” patient experience within Sharp. Two health conditions are presented in the case studies: high-risk pregnancy and breast cancer. The patients in the stories are not real patients; rather, they were created from a compilation of qualitative data collected as part of the CHNA and the literature review. The full case studies are presented in **Appendix J**.

Two focus groups were relevant to the case studies: (1) the cancer-centered group with 18 cancer navigators and social workers from four Sharp entities on January 3, 2019; and (2) the high-risk condition-centered group with 10 case managers and social workers at Sharp Mary Birch Hospital for Women & Newborns (SMBHWN) on January 10, 2019. Sharp entities participating in the cancer focus group included: SGH, Sharp Memorial Hospital (SMH), Sharp Chula Vista Medical Center (SCVMC) and Sharp Rees-Stealy Medical Group (SRSMG).

For the case study related to high-risk pregnancy, Joanna Hunt BSN, RNC-OB, C-EFM, Nurse Educator PSCU/ADC, Perinatal Special Care Unit, SMBHWN was interviewed on December 19, 2018. For the case study related to cancer, Cara Fairfax, MSW, LCSW, CN-BM, Clinical Social Worker and Patient Navigator, SCVMC Barnhart Cancer Center was interviewed on March 1, 2019.

To ensure that the case studies were reflective of current medical knowledge and practice regarding their topics, the IPH researcher consulted a body of literature for each case study. This allowed the case studies to reflect current information and trends regarding risk, symptoms, treatment, management, and morbidities from both health conditions. See **Appendix J** for a list of sources consulted.

For more information on Sharp’s focus group and KI interviews (e.g., date and focus), please see **Appendix K**. For additional details about these community engagement participants (e.g., services provided), please refer to **Appendix L**.

Lastly, Sharp conducted an online survey utilizing the Sharp Insight Community, a private online environment for Sharp patients and their families, community members, Sharp employees, and Sharp-affiliated physicians to share insight freely about important information that can help Sharp create a positive health care experience. This survey sought to obtain patient-level feedback on identified health and SDOH needs faced by SDC community members through a broad-reaching online tool. Out of 3,413 survey recipients, a total of 380 participants responded (~ 11%). Participants were asked to choose the top five most important health conditions and top five most important SDOH they felt had the greatest impact on the overall health of their community. Participants were then asked to rank their combined choices in order of importance from 1 to 10, with 1 having the greatest impact on overall community health and well-being. In addition, participants were asked to rate their awareness of five selected patient and community outreach programs offered by Sharp. Finally, survey participants were provided the opportunity to provide specific suggestions about what Sharp can do to improve the health and well-being of their community. Please see **Appendix N** for a copy of the survey that was distributed, as well as **Appendix R** for the complete Sharp Insight Community survey results.

2019 CHNA Prioritization Process

HASD&IC 2019 CHNA

In order to prioritize the top needs, the CHNA Committee analyzed the comprehensive findings from the needs assessment, including quantitative and qualitative data (see **Table 8**).


Table 8: Data Used in HASD&IC 2019 CHNA Prioritization Process

Data Used in Prioritization Process	
Quantitative Data	Qualitative Data
<ul style="list-style-type: none"> ▪ Analysis of secondary data, health conditions and SDOH ▪ County of San Diego leading causes of death 2016 data ▪ Hospital discharge trend data retrieved from OSHPD via SpeedTrack 	<ul style="list-style-type: none"> ▪ Community engagement findings from focus groups ▪ Community engagement findings from KI interviews ▪ 2019 CHNA survey data

The HASD&IC 2019 CHNA Committee used the following set of criteria in their prioritization process.

- **Severity of need:** This refers to how severe the health need is (such as its potential to cause death or disability) and its degree of poor performance against the relevant benchmark.
- **Magnitude/scale of the need:** The magnitude refers to the number of people affected by the health need.
- **Disparities or inequities:** This refers to differences in health outcomes by subgroups, which may be based on geography, languages, ethnicity, culture, citizenship status, economic status, sexual orientation, age, gender, or other factors.
- **Change over time:** This refers to whether or not the need has improved, stayed the same, or worsened.

Prioritization Criteria



Over the course of several meetings, the CHNA Committee collectively reviewed the quantitative and qualitative data and findings. The CHNA Committee discussed and considered each health condition and SDOH for which data was available. Those health conditions and SDOH that met the largest number of criteria were chosen as top priorities.

SMV 2019 CHNA

As the HASD&IC 2019 CHNA process included robust representation from the communities served by SMV, this prioritization process was replicated for the SMV 2019 CHNA. Findings from the SMV 2019 CHNA prioritization process and analysis of identified health needs and SDOH are summarized in **Section 5: Findings**.

2019 CHNA Data Limitations and Information Gaps

As with any CHNA process, the data available for use are limited. Limitations of the 2019 CHNA processes for both SMV and the collaborative HASD&IC CHNA effort are discussed here to potentially benefit future CHNA processes and reports.

In the KP CHNA data platform, for example, some data were only available at a county level, making an accurate translation to neighborhood-level health needs challenging. In the HPI platform, census tracts with very low populations were represented as missing data (to reduce unreliability of measurement). This caused under-sampling of rural areas. In both platforms, disaggregated data around age, ethnicity, race, and gender were not available for many indicators which limited the ability to examine disparities of health within the community. Additionally, data in both platforms were not often

collected on a yearly basis and therefore may not represent 2018 values. In order to offset these limitations, additional health data were collected and utilized. This data included SDC hospital data, county mortality data, health indicators from the CHIS, clinic data, and other local and national data sources. Please see **Appendix O** for a list of these additional data sources.

Additionally, the age of the data used throughout this CHNA process is worth noting as a limitation. Much of the quantitative data used in both the HASD&IC and SMV 2019 CHNA processes were based on several different sources at the state and county level, often over different time periods that were not current to 2019. For example, the most recent period available for hospital discharge data used in the report was CY 2017, and more current data (2018) will not be available until later in 2019.

Relatedly, lack of obesity data at the ZIP code level demonstrates another limitation. This lack of data presents an obstacle for community programs designed to target the issue of obesity within specific communities below the county level. To help reduce the impact of this limit, data and statistics regarding obesity-related illnesses (e.g., diabetes, CVD) are included in this CHNA.

To conduct a comprehensive CHNA, a mixed method approach was required, including the collection and analysis of quantitative data and community input from a variety of sources, and the primary data also have their own limitations. The HASD&IC 2019 CHNA process included nearly 580 participants in its community engagement processes, while the SMV 2019 CHNA process engaged nearly 445 community participants. For the community engagement processes, every effort was made to target those populations who experience the greatest health inequities. Community participation from these groups was strong; however, participants included only those community members who were interested and able to engage in the process. The first-person voices of certain groups, therefore, were underrepresented, such as those who suffer from severe physical or cognitive impairments and those without access to transportation to the community engagement activities. Another limitation to the 2019 CHNA process was that the population and disease-specific KI interviews may not have captured all of the challenges faced by the groups represented.

Additionally, CHNA surveys were distributed and collected electronically through both the HASD&IC 2019 CHNA survey and the Sharp Insight Community survey. For the HASD&IC 2019 CHNA survey, without access to community members' email addresses, surveys were distributed through those community-based organizations who were willing to share the survey with their clients. As a result, community member response to the survey was low. In addition, while there was representation from all regions and ethnicities based on the participants who completed both surveys, smaller sample sizes among certain groups may limit its generalizability to subsections of the population. Further, the format of the Sharp Insight Community online survey was not conducive to mobile (e.g., cell phone) users, which potentially limited the reach and reduced the response rate of the survey.

Section

4 Community Defined


SMV serves SDC as a whole, including the City of San Diego, Chula Vista, the East County area, and the North Inland communities surrounding Rancho Penasquitos. See **Table 9** and **Figure 9** below for a listing and map of where the majority of SMV patients reside. For a mapping of community and region boundaries in SDC overall, please refer to **Appendix P**.

Table 9: Primary Communities Served by SMV

ZIP Code	Community	ZIP Code	Community
91910	Chula Vista	92107	Ocean Beach
91911	Chula Vista	92109	Pacific Beach
91913	Chula Vista - Eastlake	92110	Old Town
91932	Imperial Beach	92111	Linda Vista
91941	La Mesa	92113	Southeast San Diego
91942	La Mesa	92114	Encanto
91950	National City	92115	College Area
91977	Spring Valley	92116	Normal Heights
92019	El Cajon	92117	Clairemont Mesa
92020	El Cajon	92118	Coronado
92021	El Cajon	92120	Grantville
92037	La Jolla	92123	Serra Mesa
92040	Lakeside	92124	Tierrasanta
92064	Poway	92126	Mira Mesa
92071	Santee	92127	Rancho Bernardo
92101	Downtown San Diego	92128	Carmel Mntn. Ranch
92102	East San Diego	92129	Rancho Penasquitos
92103	Hillcrest	92130	Carmel Valley
92104	North Park	92154	Otay Mesa
92105	City Heights		

Source: HPA Centricity via Merlin (internal data warehouse), Sharp HealthCare, FY 2018.

Figure 9: Map of SMV's Primary Communities Served



Map created by Sharp HealthCare Strategic Planning Department, April 2019.

Feedback on community health needs was solicited from both community members and service providers living and working in SDC, in order to assess priority health issues for the community.

Demographics

In this section, the SMV's community is defined not only by its demographic makeup but also by particular socioeconomic barriers known to contribute to health care access and health outcomes.

Wherever possible, the descriptions that follow will focus on primary communities served by SMV; however, certain secondary data sources are not available at this level of specificity and broader summaries of SDC are provided in these instances.

In the next five years, SMV's service area population is projected to grow 3.4%, which is slightly slower than the projected growth of SDC as a whole (3.9%).⁴ The service area's two fastest growing ZIP codes are Chula Vista and Otay Mesa, as shown in **Table 10** below.

Table 10: Fastest Growing ZIP Codes in SMV's Service Area, 2018-2023

ZIP Code	Community Name	Population		2018-2023
		2018	2023	Change
91911	Chula Vista	96,119	103,726	7.9%
92154	Otay Mesa	91,501	98,088	7.2%
91950	National City	69,064	74,051	7.2%
91910	Chula Vista	85,769	91,734	7.0%
92114	Encanto	74,011	78,570	6.2%

Source: Speedtrack, Inc.; U.S. Census Bureau

SDC is organized into six regions extending 4,205 square miles from the southern borders of Orange and Riverside Counties to the border between Mexico and the U.S. With a population of more than three million people, San Diego is the second largest county in California. The population is predominately white (46.7%), Hispanic or Latino (33.1%) and Asian/Pacific Islander (11.8%).⁵ According to the California Department of Social Services, more than 13,000 refugees have been admitted to SDC since 2010.⁶ From October 2012 to September 2017, SDC had the largest number of admissions among all counties in California.¹⁰ Of these, the majority arrived from Iraq (77.0%), and most have settled in the county's central and east regions.⁷

In 2018, there were 372,134 residents ages 65 and older in SMV's service area, representing 14.0% of its total population. Between 2018 and 2023, it is anticipated that the service area's senior population will grow by 23.6%.⁸

⁴ Speedtrack, Inc.; US Census Bureau

⁵ County of San Diego HHSA, Public Health Service, Community Health Statistics Unit, 2018. Demographic Profiles, 2016, and U.S. Census Bureau, American Community Survey 2012-2016.

⁶ California Department of Social Services – Refugee Programs Bureau. Refugee Arrivals into California Counties, FFYs 2013-2017.

⁷ County of San Diego HHSA, Refugee Programs Bureau, 2016. County of San Diego Refugee Employment Services Plan 2017-2019.

In 2016, the majority of households in SDC reported that the primary language spoken at home was English only (62.5%), while 22.6% reported as bilingual and 9.7% cited their primary language spoken at home as Spanish only. As of 2016, 13.6% of SDC's population ages 25 and older had no high school diploma (or equivalency).¹⁴ Please see **Table 11** for more SDC demographic data.

Table 11: SDC Demographics, 2016

Age	#	%	Race	#	%	Gender	#	%
0-4 Years	211,794	6.5%	White	1,519,704	46.7%	Male	1,635,137	50.3%
5 to 14 Years	395,252	12.1%	Hispanic	1,076,319	33.1%	Female	1,618,219	49.7%
15 to 24 Years	484,550	14.9%	Black	154,251	4.7%			
25 to 44 Years	951,666	29.3%	Asian/Pacific Islander	383,095	11.8%			
45 to 64 Years	796,659	24.5%	Other	119,987	3.7%			
65+ Years	413,435	12.7%						

Note: Table percentages may total more than 100% due to rounding.

Education	%	Primary Language Spoken at Home	%	Percent Below Poverty Level	%
< High School Graduate	13.6%	English Only	62.5%	Population	14.0%
High School Graduate	18.8%	Spanish Only	9.7%	Families	10.2%
Some College or AA	31.1%	Asian/Pacific Islander Only	3.7%	Families with Children	14.8%
Bachelor Degree	22.5%	Other Language Only	1.7%		
Graduate Degree	14.0%	Bilingual	22.6%		

Source: County of San Diego HHSA, Public Health Services, Community Health Statistics Unit, 2018. Demographic Profiles, 2016, and the U.S. Census Bureau, American Community Survey. 2012-2016.

Additional Income Barriers

In 2016, 14.0% of the SDC population reported living below 100% of the federal poverty level (FPL). The county's unemployment rate was 7.5%. See **Table 12** for details. In addition, in 2016 5.0% of households in SDC received Supplemental Security Income.⁸

Table 12: Unemployment Estimates for SDC, 2016

Eligible Labor Force	
16+ Years	2,607,875
Percent Unemployed	7.5%

Source: County of San Diego HHSA, Public Health Services, Community Health Statistics Unit, 2018. Demographic Profiles, 2016, and the U.S. Census Bureau, ACS. 2012-2016.

According to data from the San Diego Hunger Coalition, in 2016 one in seven people (15.0% of the population or 486,000 individuals) in SDC experienced food insecurity. An additional 185,000 San Diegans were food secure but relied on supplemental nutrition

⁸ County of San Diego HHSA, Public Health Services, Community Health Statistics Unit, 2018, Demographic Profiles, 2016, and U.S. Census Bureau, American Community Survey 2012-2016.

assistance to support their food budget.⁹ In 2016, 21.0% of households in SDC participated in Supplemental Nutrition Assistance Program (SNAP) benefits, while 23.3% of those below 138% of the FPL were eligible for such benefits.¹⁴ Please refer to **Table 13** for SNAP participation and eligibility in SDC.

Table 13: Food Stamps/SNAP Benefit Participation and Eligibility Estimates in SDC, 2016

Food Stamps/SNAP Benefits	Percent of Population
Households	7.0%
Families with Children	7.1%
Eligibility by Federal Poverty Level (FPL)	
Population ≤130% FPL	19.5%
Population ≤138% FPL	21.0%
Population 139% - 350% FPL	32.7%

Source: County of San Diego HHSA, Public Health Services, Community Health Statistics Unit, 2018. Demographic Profiles, 2016, and the U.S. Census Bureau, ACS. 2012-2016.

In 2016, 44.0% of the population in SDC spent 30% or more of their monthly household income on housing costs.¹⁶ See **Table 14** below for additional details on monthly housing costs in SDC.

Table 14: Housing Costs in SDC, 2016

Monthly Income Going to Housing Costs	Percent of Population
Less than 20% per Month	32.8%
20% to 29% per Month	23.3%
30% or more per Month	44.0%

Sources: County of San Diego HHSA, Public Health Services, Community Health Statistics Unit, 2018. Demographic Profiles, 2016, and the U.S. Census Bureau, ACS. 2012-2016.

Additional Health Insurance/Access Barriers

In SDC in 2016, 93.8% of children ages 0-17, 80.3% of young adults ages 18-24, 81.1% of adults ages 25-44, and 87.4% of adults ages 45-64 had health insurance.⁷ Health insurance coverage for each age group was lower than the Healthy People 2020 (HP2020) national target of 100% health insurance coverage for all individuals under age 65.¹⁰ See **Table 15** for health insurance coverage in SDC in 2016.

⁹ San Diego Hunger Coalition. Hunger Free San Diego Issue Brief: 2016 San Diego County Food Insecurity. San Diego, CA; August 2018.

¹⁰ The U.S. Department of Health and Human Services' (DHHS') HP2020 initiative represents the nation's prevention agenda for the second decade of the 21st century. HP2020 has four overarching goals: to attain high quality, longer lives free of preventable disease, disability, injury, and premature death; to achieve health equity, eliminate disparities, and improve the health of all groups; to create social and physical environments that promote good health for all, and to promote quality of life, healthy development, and healthy behaviors across all life stages.

Table 15: Health Insurance Coverage in SDC, 2016

Description	Rate	Year 2020 Target
Current Health Insurance Coverage		
Children 0 to 17 Years	93.8%	100%
Young adults 18 to 24 years	80.3%	100%
Adults 25 to 44 years	81.1%	100%
Adults 45 to 64 years	87.4%	100%
Seniors 65+ years	98.5%	100%

Source: County of San Diego HHSA, Public Health Services, Community Health Statistics Unit, 2018. Demographic Profiles, 2016, and U.S. Census Bureau, American Community Survey 2012-2016.

According to the CHIS, 25.8% of SDC's population was covered by Medi-Cal.¹¹ See **Table 16** for details.

Table 16: Medi-Cal (Medicaid) Coverage in SDC, 2016-2017

Description	Rate
Covered by Medi-Cal	25.8%
Not covered by Medi-Cal	74.2%

Source: 2016-2017 CHIS

CHIS data also revealed that 11.7% of individuals in SDC did not have a usual place to go when sick or in need of health advice (see **Table 17**).⁹ In addition, according the U.S. Department of Health and Human Services, there were 51.4 primary care physicians in 2015¹² and 2.97 FQHCs in 2016, per 100,000 persons in SDC.¹³

Table 17: Regular Source of Medical Care in SDC, 2016-2017

Regular Source of Medical Care	Rate ^a	HP2020 Target ^b
Has a usual source of care	88.3%	95%
Has no usual source of care	11.7%	5%

Source^a: 2016-2017 CHIS.

Source^b: U.S. Department of Health and Human Services' HP2020.

Among SDC adults ages 18-64 surveyed in 2015, 38.9% reported an episode of binge drinking in the past year. In 2016, five percent of SDC teens reported an episode of binge drinking during the previous month. In 2017, 23.5% of adults ages 18-64 reported needing help for emotional/mental health problems or use of alcohol/drugs. Of those needing help, 62.9% received treatment. Overall, 19.3% of SDC adults ages 18-64 reported seeing a health care provider for emotional/mental health problems or alcohol/drug use. Among SDC seniors surveyed in 2016-2017, 8.3% reported needing help for emotional/mental health problems or alcohol/drug use in the past year.¹⁴

¹¹2016-2017 CHIS

¹² California Health Care Foundation, 2017. California Maps: Supply of Primary Care Physicians (PCPs) in California, by County, 2015.

¹³ Hospital Association of San Diego and Imperial Counties, 2016. San Diego 2016 Community Health Needs Assessment.

¹⁴ CHIS 2015-2017.

In 2016, 5,692 individuals were discharged from the emergency department (ED) for self-inflicted injury in SDC, an age-adjusted rate of 173.2 per 100,000 population. This included 191 individuals ages 65 and older, an age-adjusted rate of 44.4 per 100,000 population. Of these seniors, 90 were hospitalized (20.9 per 100,000 population). During the same year, the age-adjusted death rate due to suicide in SDC was 11.9 deaths per 100,000 population, or 406 deaths. The rate for seniors was much greater at 18.3 deaths per 100,000 population.¹⁵ Both rates are higher than the HP2020 target of no more than 10.2 deaths from suicide per 100,000 population.¹⁶

An analysis of 2016 mortality data for SDC revealed Alzheimer's disease and suicide as the third and ninth leading causes of death for SDC, respectively. See **Table 18** for a summary of leading causes of death in SDC.

Table 18: Leading Causes of Death in SDC, 2016

Cause of Death	Number of Deaths	Percent of Total Deaths
Malignant Neoplasms (Overall Cancer)	5,096	24.1%
Diseases of Heart	4,808	22.7%
Alzheimer's Disease	1,403	6.6%
Cerebrovascular Diseases	1,363	6.4%
Accidents/Unintentional Injuries	1,071	5.1%
Chronic Lower Respiratory Diseases	1,027	4.8%
Diabetes Mellitus	734	3.5%
Chronic Liver Disease and Cirrhosis	412	1.9%
Intentional Self-Harm (Suicide)	407	1.9%
Essential Hypertension and Hypertensive Renal Disease	400	1.9%
All Other Causes	4,463	21.1%
Total Deaths	21,184	100.0%

Source: County of San Diego HHSA, Public Health Services, Community Health Statistics Unit, 2018.

¹⁵ County of San Diego, HHSA, Community Health Statistics Unit, 2018. Behavioral Health Outcomes Data, 2016.

¹⁶ The U.S. Department of Health and Human Services' (DHHS') HP2020 initiative represents the nation's prevention agenda for the second decade of the 21st century. HP2020 has four overarching goals: to attain high quality, longer lives free of preventable disease, disability, injury, and premature death; to achieve health equity, eliminate disparities, and improve the health of all groups; to create social and physical environments that promote good health for all, and to promote quality of life, healthy development, and healthy behaviors across all life stages.

Identifying SMV's High-Need Areas

A critical component of understanding community health is to identify geographic areas of inequities. SMV utilized a specific metric to determine which portions of its service area are likely experience the greatest health disparities: the Dignity Health CNI. The CNI generates a score for each ZIP code based on data about barriers to socioeconomic security.

The five barriers used to determine CNI scores are:

1. Income Barriers
2. Cultural Barriers
3. Educational Barriers
4. Insurance Barriers
5. Housing Barriers

The CNI provides a score for every populated ZIP code in the United States (U.S.) on a scale of 1.0 to 5.0. A score of 1.0 indicates a ZIP code with the least need (light blue in **Figures 10** below), while a score of 5.0 represents a ZIP code with the most need (dark green in **Figure 10** below). For a detailed description of the CNI please see **Appendix G** or visit the interactive website at: <http://cni.chw-interactive.org/>.

Table 19 below presents primary communities (by ZIP code) served by SMV that have especially high need based on their CNI score (4-5).


Table 19: High-Need Primary Communities Served by SMV, CNI Score > 4.0

ZIP Code	Community
91910	Chula Vista
91911	Chula Vista
91932	Imperial Beach
91950	National City
91977	Spring Valley
92020	El Cajon
92021	El Cajon
92101	Downtown
92102	East San Diego
92105	City Heights
92111	Linda Vista
92113	Southeast San Diego
92114	Encanto
92115	College Area
92154	Otay Mesa

Source: Dignity Health Community Need Index, 2018.


In addition, **Figures 10-12** below present CNI maps for SDC — including many communities served by SMV — with Sharp hospital discharge data for behavioral health, cardiovascular health, and diabetes overlaid on the map. These maps demonstrate that while these chronic diseases affect communities of varying need, those areas with the highest CNI score (and thus highest vulnerability) often present higher discharge rates for these chronic health conditions. Thus, the maps strongly suggest the connection between rates of chronic disease, health care utilization, SDOH/socioeconomic factors and thus, health equity. These maps are also available in **Appendix Q**.

Figure 10: Sharp Inpatient Behavioral Health Discharges CNI Map, SDC




Source: Truven Health Analytics, 2018; Insurance Coverage Estimates, 2018; The Nielson Company, 2018; and Community Need Index, 2018; California Office of Statewide Health Planning and Development (OSHPD) via SpeedTrack®, Inc., 2017.

Figure 11: Sharp Inpatient Cardiovascular Discharges CNI Map, SDC



Source: Truven Health Analytics, 2018; Insurance Coverage Estimates, 2018; The Nielson Company, 2018; and Community Need Index, 2018; California Office of Statewide Health Planning and Development (OSHPD) via SpeedTrack®, Inc., 2017.

Figure 12: Sharp Inpatient Type 2 Diabetes Discharges CNI Map, SDC



Source: Truven Health Analytics, 2018; Insurance Coverage Estimates, 2018; The Nielson Company, 2018; and Community Need Index, 2018; California Office of Statewide Health Planning and Development (OSHPD) via SpeedTrack®, Inc., 2017.

Section

5 Findings

This section describes findings of the SMV 2019 CHNA process. When applicable, findings from the HASD&IC 2019 CHNA are also described, as the HASD&IC 2019 CHNA process included strong representation of the community served by SMV, and a significant proportion of its findings reflect the same health needs of community members served by SMV.

2019 CHNA Findings: Top Community Health Needs


HASD&IC 2019 CHNA

Through the prioritization process described above in **Section 3: Methodology**, the HASD&IC 2019 CHNA Committee identified the following health conditions and SDOH as the most critical health needs within SDC (listed below in alphabetical order):

1. Access to Health Care
2. Aging Concerns
3. Behavioral Health
4. Cancer
5. Chronic Conditions
6. Community and Social Support
7. Economic Security
8. Education
9. Homelessness and Housing Instability
10. Unintentional Injury and Violence

Figure 13 below describes the interactive nature of SDOH and health conditions — each impacting the other. In addition, an underlying theme of stigma and the barriers it creates arose across both the HASD&IC and SMV 2019 CHNA community engagement efforts. For instance, stigma impacts the way in which people access needed services that address SDOH, which consequentially impacts their ability to maintain and manage health conditions.

Figure 13: HASD&IC 2019 CHNA – Top 10 Community Health Needs for San Diego County



SMV 2019 CHNA

Through the prioritization processes described in **Section 3: Methodology**, the SMV 2019 CHNA identified the same health conditions and SDOH as the HASD&IC 2019 CHNA. The priority needs identified for the communities served by SMV are listed below in alphabetical order:

1. **Access to Health Care**
2. **Aging Concerns**
3. **Behavioral Health**
4. **Cancer**
5. **Chronic Health Conditions (CVD, diabetes, obesity)**
6. **Community and Social Support**
7. **Economic Security**
8. **Education**
9. **Homelessness and Housing Instability**
10. **Maternal and Prenatal Care, including High-Risk Pregnancy**
11. **Unintentional Injury and Violence**

Findings related to each of these identified health priorities are described in this section. This includes a definition of the identified health need; a summary of findings from both secondary data analysis and community engagement activities; and a discussion of the findings. Applicable content from the HASD&IC 2019 CHNA process is also included. Please refer to **Section: 3 Methodology** for additional details on the secondary data analysis and community engagement processes. In addition, please refer to **Section 7: Health Briefs** for detailed health briefs — providing quantitative and qualitative data — on select community health needs.

SMV 2019 CHNA – Identified Health Conditions and SDOH

Overall Health Conditions and SDOH: Sharp Insight Community Survey

Individually identified health conditions/needs and SDOH are described in the following pages, however, findings from one specific Sharp community engagement strategy — the Sharp Insight Community survey — provide a snapshot of how Sharp 2019 CHNA participants view the connection between those identified health needs and SDOH impacting San Diegans. Please see **Figure 14** below for these overall findings and refer to **Appendix R** for the full findings of the Sharp Insight Community survey. **Section: 3 Methodology** provides additional details on the Sharp Insight Community survey process.

Figure 14: Sharp 2019 CHNA – Sharp Insight Community Survey Final Ranked Health Conditions and SDOH

Ranked Health Conditions and Social Determinants

Ranking score is a weighted score that was calculated for each listed item. Items ranked “#1” equate to 10 points, items ranked “#2” equate to 9 points, and so on. The higher the score the more value respondents placed on that particular item. The maximum possible score for an item (if all respondents were to have ranked an item “#1”) is 3,800.

No.	Health Condition/ Social Issue	Ranking Score
1	Health insurance (understanding, securing, and using health insurance)	1,941
2	Access to care (primary care, dental care, behavioral health, specialty care)	1,863
3	Aging concerns (e.g., arthritis, falls, Alzheimer's, etc.)	1,808
4	Behavioral/mental health issues (e.g. substance use, suicide, self-inflicted injury, etc.)	1,618
5	Cancer (all types)	1,528
6	Obesity	1,317
7	Economic security (consistent access to healthy food, financial stability, employment)	1,280
8	Heart disease (coronary)	1,188
9	Health behaviors (diet, physical and sexual activity, tobacco and substance use)	1,187
10	Diabetes (types 1 and 2)	951
11	Homelessness (overcrowding, substandard, housing affordability)	831
12	High blood pressure	725
13	Care management (disease management, community social service linkages)	621
14	Education (access, health literacy, workforce development and mobility)	587
15	Screening (BMI, blood pressure, diabetes, cancer, STD, depression)	542

No.	Health Condition/ Social Issue	Ranking Score
16	Social support (social interaction/engagement, cultural and linguistic support)	435
17	Infectious diseases (e.g., hepatitis, tuberculosis, etc.)	300
18	Stigma (immigration status, behavioral health, use of public programs - e.g., food stamps)	296
19	Physical environment (transportation, grocery store/market access, air quality, walkability)	295
20	Safety and violence (community violence, domestic violence, child or elder abuse)	246
21	Stroke	231
22	Respiratory issues (e.g., Asthma, COPD, etc.)	206
23	Maternal/infant health	197
24	Unintentional injury	185
25	Prenatal and maternal care (breastfeeding, post-partum support)	101
26	Other health condition	88
27	Sexually-transmitted disease (e.g., HIV/AIDS)	76
28	Other social issue	62
29	Oral health	56
30	Lung disease	29

Question: Below is a combined list of the health conditions and social issues that you selected in the previous questions. Please rank them in order of importance from 1 to 10, with 1 having the greatest impact on the overall health and well-being of your community.

Survey Responses: n=380

Page 10 Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey



Access to Health Care

Definition

Access to care refers to the ease with which an individual can obtain needed medical services.¹⁷

Findings

Access to health care includes two components: the specific services that individuals are unable to obtain, and the barriers and SDOH that prevent individuals from obtaining those services.

1. Types of care that are difficult to access:
 - Behavioral health care
 - Dental care
 - Primary care
 - Specialty care
2. Barriers to accessing care and associated SDOH:
 - Culturally competent care
 - Economic security
 - Fear related to immigration status
 - Lack of health insurance and insurance issues
 - Shortage of health care providers
 - Transportation

Access to health care emerged as a high priority health need in both the SMV and HASD&IC 2019 CHNA secondary data analyses and community engagement activities.

Secondary Data Findings


Data are available regarding three components of health care access in SDC: (1) health insurance coverage; (2) preventable hospital events; and (3) receipt of regular care from a primary care physician (PCP).

Health Insurance Coverage

A lack of health insurance coverage represents a major barrier to health care services. In SDC, 11.0% of people are uninsured. Certain groups, including those who identify as “other race,” Native American/Alaska Native, Hispanic, Pacific Islander, and Black, have higher rates of being uninsured than others. See **Figures 15, 16** and **17** below for additional details.


¹⁷ RAND Corporation. <https://www.rand.org/topics/health-care-access.html>

Figure 15: Percentage of Population without Health Insurance in SDC, CA, and the United States. Ages 18-64 Years, 2013-2017




Source: U.S. Census Bureau. American Community Survey, 2013-2017 1-Year Estimates. Includes civilian non-institutionalized population.
 *Ages 19-64 years

Figure 16: Percentage of Population without Health Insurance in SDC and CA. Ages 19-64 Years by Race, 2017



Source: U.S. Census Bureau. American Community Survey, 2017 1-Year Estimates. Includes civilian non-institutionalized population.
 *American Indian and Alaska Native
 **Native Hawaiian and Other Pacific Islander

Figure 17: Percentage of Population without Health Insurance in SDC and CA. Ages 19-64 Years by Ethnicity, 2017




Source: U.S. Census Bureau. American Community Survey, 2017 1-Year Estimates. Includes civilian non-institutionalized population.

Preventable Hospital Events

Another measure of access to care is how often “preventable hospital events” occur. This number is the patient discharge rate for health conditions that are “ambulatory care sensitive” — conditions that could have potentially been prevented or managed with proper preventive care, such as pneumonia, dehydration, asthma and diabetes. In SDC, the rate of preventable hospital events is 29.7 per 1,000 residents. For Black individuals, however, this rate is higher — 45.1 per 1,000 residents — suggesting that Black individuals may have more difficulty accessing primary care resources³ (see **Figure 18**).

Figure 18: Preventable Hospital Events for Medicare Beneficiaries in SDC by Race, 2015




Source: Dartmouth Atlas Data website, which was funded, in part, by the National Institute of Aging, under award number U01 AG046830 and by The Dartmouth Institute for Health Policy and Clinical Practice.

Visits with a Primary Care Physician

Finally, visits to a PCP are a measure of preventive health care service access and utilization, which contribute to health maintenance. While many San Diegans (71.8%) have seen a PCP in the past year, Medicare beneficiaries, a group made up primarily of people ages 65 and older, are less likely to receive regular care from a PCP. Of this group, only 67.4% have seen a PCP in the last year (2015). This is lower than the California state average of 72.9% (see **Figure 19**).

Figure 19: Percentage of Medicare Beneficiaries who have seen a PCP within the Past Year in SDC, 2015



Source: Dartmouth Atlas Data website, which was funded, in part, by the National Institute of Aging, under award number U01 AG046830 and by The Dartmouth Institute for Health Policy and Clinical Practice.

Please see **Appendix O** for Access to Health Care secondary source information.

Community Engagement Findings

HASD&IC 2019 CHNA

Across all types of *HASD&IC 2019 CHNA* community engagement activities, access to health care was identified by participants as a priority health need in SDC.

Respondents to the *HASD&IC 2019 CHNA* online survey ranked access to care as the health need having the greatest impact on the overall health and well-being of SDC residents out of all listed health conditions and SDOH. See **Appendix S** for a full summary of survey results.

During the *HASD&IC 2019 CHNA* focus groups and KI interviews, participants often cited accessing care as the most challenging issue facing their communities. Frequently discussed topics related to access to care included:

- Barriers to care
- The types of care most challenging to access
- People for whom access to care is particularly problematic

Please see **Table 20** or **Appendix T** for a summary of these findings. Further detail is included in the **Discussion of Community Engagement Findings** below.

Sharp 2019 CHNA – Focus Groups

Access to care was identified as having a significant impact on health outcomes and well-being consistently across all of the Sharp/SMV 2019 CHNA focus groups, including: *Sharp Diabetes Health Educators, Sharp Case Management Leadership, Sharp Cancer Patient Navigators and Social Workers, Sharp Senior Health Center staff and patients/community members and Sharp Patient Family Advisory Council (PFAC)* members. Details specific to the *Sharp Case Management Leadership* and *Sharp PFAC* focus groups are included in the **Discussion of Community Engagement Findings** below. **Tables 21** and **22** present summaries of findings from these two focus groups. Please refer to **Appendix U** for a summary of all SMV/Sharp focus groups.

Sharp 2019 CHNA – Sharp Insight Community

Sharp's Insight Community online survey provided greater understanding of access to health care as an identified health need among Sharp patients and community members. Among 14 SDOH, respondents (n=380) ranked access to health care (primary care, dental care, behavioral health, specialty care) as the second most important SDOH impacting their community. Please refer to **Appendix R** for *Sharp Insight Community* participant rankings of SDOH.

When health conditions and SDOH were combined among all respondents, access to health care once again ranked as the second most important health need among a total of 30 choices. Please refer back to **Figure 14** for the final ranking of health conditions and SDOH by *Sharp Insight Community* survey participants.

Discussion of Community Engagement Findings

HASD&IC 2019 CHNA Focus Groups and KI Interviews

HASD&IC 2019 CHNA community engagement participants identified five primary barriers to accessing health care in San Diego: (1) lack of insurance; (2) economic insecurity; (3) transportation; (4) fear related to immigration status; and (5) lack of culturally competent/linguistically appropriate care options.

Lack of insurance was named as an important barrier to care for San Diego residents. The lack of insurance, participants explained, arises from the inability to pay for insurance due to competing financial priorities (particularly housing), the limited

availability of insurance for undocumented residents, and from fears that applying for public insurance, such as Medi-Cal, for their children, will lead to deportation or interfere with a path to citizenship.

Economic insecurity was discussed not only as an underlying reason for not obtaining health insurance but also as a reason for not attempting to receive needed care for acute issues and, particularly, preventive care for health management. Health insurance premiums, co-pays, co-insurance, and out of pocket payments were described as financially prohibitive for many residents. In addition, participants indicated that taking time off work, and losing those paid hours as a result, is not a realistic option for most low-income people.

Transportation was also discussed as a significant obstacle to health care access. Community engagement participants noted that for those without cars, public transportation to health care appointments can be time-consuming, expensive and inconvenient, and some hospitals and clinics are not easily reached by public transportation. Transportation was noted to cause particular challenges for seniors, those in rural areas, and those who are homeless.

Fears related to immigration status came up as an important and pressing topic during nearly all of the community engagement activities. Participants described undocumented immigrants as living in a “constant state of fear” of detention and deportation. This fear, in turn, they said, prevents them from receiving health care, even in acute situations. During focus groups, many stories were told about Immigration and Customs Enforcement raids that resulted in the long-term detention and sometimes deportation of San Diego residents who have lived and worked in the community for decades. Parents talked about being terrified of being separated from their children. Community members also made clear that even immigrants who are in the country legally are worried that the receipt of public benefits or community services will create obstacles in their path to citizenship.

Finally, *HASD&IC 2019 CHNA* community engagement participants noted that the inability to obtain culturally competent/linguistically appropriate care keeps residents from receiving health care. They noted that most individuals prefer to receive health care from people who are from or who understand their cultural background, and that cultural mismatches between health care providers and patients can create mistrust. They also noted that translators are often not available, which makes health care visits frustrating for both the patient and the provider. At times, the participants discussed, children must be utilized as translators, which can create both an undue burden for the children and an uncomfortable situation for the parents when they would rather keep their health information private.

Several other barriers were mentioned but with less frequency:

- Lack of knowledge in the community about available resources and about where to receive specific types of health care

- How to navigate the health care system, particularly in regards to accessing specialists after a diagnosis
- Too few hospitals and clinics in SDC
- Workforce shortages in certain areas of health care (e.g., mental health)

HASD&IC 2019 CHNA community engagement participants emphasized that while all types of health care can be difficult to access, obtaining timely, quality behavioral health services is particularly challenging. Both mental health care and substance abuse treatment were discussed.

Several issues related to mental health care arose during the community engagement activities. For those who are insured, finding a mental health care provider who is available after work or school hours, located reasonably close to home or work, has openings in a short time-frame, and takes their insurance is a time-consuming and frustrating process. For those without insurance, participants felt that it is nearly impossible to find a mental health care provider. A shortage of urgent care mental health options was also discussed. Participants also noted that there are too few inpatient psychiatric beds and that, often, those who have been hospitalized cannot secure appropriate and effective transitional mental health services.

Participants also emphasized a dire shortage of substance use disorder treatment options. For those with addictions, inpatient programs have long waiting lists, and there are too few urgent care options.

Other types of care that *HASD&IC 2019 CHNA* community engagement participants mentioned less frequently included:

- Oral health/dental care
- Specialty appointments after a diagnosis is made
- Primary care
- Urgent care

HASD&IC 2019 CHNA community engagement participants stressed that for certain people, access to care is especially difficult, and that these challenges contribute to and worsen health disparities. Groups cited as particularly vulnerable included:

- Seniors
- Homeless individuals
- Sexual minorities (LGBTQ individuals)
- Immigrants
- Low-income individuals
- Racial/ethnic minorities

Participants explained that all of these groups may be more vulnerable to poor health, so the people who need consistent, quality health care the most may not receive it.

Sharp 2019 CHNA – Focus Groups

In the *Sharp PFAC* focus group, participants identified barriers to accessing care as financial issues, challenges navigating the health care system and insurance issues, lack of health literacy, fears regarding immigration issues, and cultural/language issues. Limited finances were portrayed as a primary barrier to care. Contributors emphasized that the cost of health insurance, co-pays and transportation prevents people from getting necessary health care. People in the community, they explained, are often faced with competing priorities for limited finances, and when the choice is between food or medicine, they choose food.

Sharp PFAC focus group participants highlighted that difficulties with navigation of both the health care system itself and the insurance system also create obstacles to care. One example shared by a focus group member is that some people do not understand that the lower their insurance premium is, the higher their deductible will be. Another contributor talked about how enrolling in public health insurance programs is complicated, and the materials can be difficult to read. Yet another contributor talked about how some people don't understand when they should go to a primary care appointment versus urgent care versus the emergency room. Lack of health literacy about preventive care, illness and disease was also described as a barrier to care.

Sharp PFAC focus group participants explained that all of these issues are exacerbated by language and cultural barriers. New immigrants may be unfamiliar with the U.S. health care system and unaware of available resources. Many are afraid that if they utilize services, their immigration status may be questioned and they may be deported. *Sharp PFAC* focus group contributors also reported that more translation services are needed, and that cultural mismatches between health care provider and patient can cause mistrust.

Sharp PFAC focus group participants also talked about specific challenges for patients who have been discharged from the hospital. Inadequate support at home for people living alone was noted to be a concern, including having enough food, especially among seniors. Transportation to follow-up appointments was also presented as a challenge, particularly for people with limited mobility.

Finally, *Sharp PFAC* focus group contributors highlighted the impact these types of challenges can have. They explained that trying to understand and utilize the health care system and insurance can be physically and mentally exhausting. They also asserted that, for some, depression may develop from the frustration of trying to figure out who will pay for their health care and how they will get there. Please refer to **Table 21** or **Appendix U** for a summary of feedback from the *Sharp PFAC* focus group.

Access to care was discussed extensively during the *Sharp Case Management Leadership* focus group, and contributors cited many factors that serve as obstacles to good care for high-risk populations, including economic and food insecurity, housing,

challenges with insurance for patients and for hospitals, fears related to immigration status, waiting lists for appointments, and issues specific to discharge care.

Sharp Case Management Leadership focus group participants discussed economic insecurity as a barrier to both care access and effective management of chronic conditions. For example, many people cannot afford to take time off work for medical appointments, so they attempt to manage their care around their work schedule. Some medications were identified as being particularly expensive. Related to this, many patients experience food insecurity. One participant shared that patients on a limited income have a hard time choosing between paying their copays and for their medications and eating. This, the participant emphasized, occurs even with those who are insured.

Housing costs and concerns also keep people from getting care, *Sharp Case Management Leadership* focus group members said. “Their main concern,” one participant noted, “is having a home to live in rather than managing their own care....so there is a tendency to delay receiving health care until an emergency situation arises.”

Insurance issues were also described as problematic, both for patients and for hospitals. It is difficult for patients to understand what their insurance will cover. *Sharp Case Management Leadership* focus group members reported that for hospitals, certain case managers spend a lot of time going back and forth with insurance companies — particularly about completed discharges — and the hospital often ends up taking the loss. In addition, many skilled nursing facilities and home health programs do not accept Medi-Cal, making them inaccessible to many people.

Fears related to immigration issues were also brought up as a concern for accessing care. Although eligibility for public insurance has broadened, many people will not sign up, they said, due to fear of being put on a “black list” for utilizing public services. For undocumented women, *Sharp Case Management Leadership* focus group participants explained, follow-up care is extremely difficult because while the mother wants to ensure the well-being of her baby, she is also fearful of immigration officials finding her at medical appointments.

Waiting lists to receive care also create obstacles, *Sharp Case Management Leadership* focus group participants emphasized. It can take a long time to see a PCP, and specialists have even longer waiting lists. Finally, focus group participants discussed issues related to discharge. Transportation support, *Sharp Case Management Leadership* focus group participants said, particularly for those with debilitating conditions, is difficult to access. Recuperative care, they outlined, is also scarce. And for patients who are elderly, it is challenging to find and afford short-term caregivers after hospital discharge. Please refer to **Table 22** or **Appendix U** for a summary of feedback from the *Sharp Case Management Leadership* focus group.

Access to care was mentioned frequently throughout the *Sharp Diabetes Health Educator*, *Sharp Mary Birch Hospital for Women & Newborns (SMBHWN) Social*

Workers & Case Managers, Sharp Cancer Navigators and Social Worker, and Sharp Senior Health Center focus groups as well. Please see the findings for **Aging Concerns, Diabetes, Maternal and Prenatal Care, including High-Risk Pregnancy** and **Cancer** for specific feedback on access to care and its connection to these identified health needs.

Sharp 2019 CHNA Suggestions

Sharp PFAC focus group participants proposed several suggestions to improve community health, all of which address the identified need of access to care:

- Prioritize the hiring and training of social workers. Social workers can coordinate care, create discharge plans, and make follow-up appointments. Patients are in need of a supportive advocate at the time of discharge.
- Offer free post-surgery home visits.
- Make follow-up phone calls to see if patients who have been discharged are doing well and getting proper follow-up care.
- Make in-home care more accessible, particularly for older patients.

Sharp Case Management Leadership focus group participants also offered suggestions to improve the health outcomes of their patients. These suggestions all seek to address the challenge of access to care:

- Ensure 2-1-1 Community Information Exchange (CIE)¹⁸ access for all Sharp facilities.
- Establish more patient-centered initiatives.
- House a program onsite at hospitals that helps place people in housing, gets them referrals/helps with applications to affordable housing.
- Create more home support services and adult day centers to help patients transition back to the community or home after hospital discharge.
- Establish a more streamlined process and a communication system between the hospitals and the County about those who qualify for wraparound services, such as Whole Person Wellness.

Sharp Insight Community survey participants also had the opportunity to provide specific suggestions about what Sharp can do to improve the health and well-being of the community. See **Appendix R** for the most commonly suggested themes, among which ‘Improving access to health care’ was second most common. Feedback related to access to care included:

¹⁸ 2-1-1 San Diego's Community Information Exchange (CIE) is an ecosystem comprised of multidisciplinary network partners that use a shared language, a resource database, and an integrated technology platform to deliver enhanced community care planning. Care planning tools enable partners to integrate data from multiple sources and make bi-directional referrals to create a shared longitudinal record. Source: <https://ciesandiego.org/what-is-cie/>

- Lower insurance premiums and co-pays; make lower cost health insurance available to per diem employees; lower prices and provide a “menu” of services with prices for people with or without insurance.
- Heighten access for low income or limited insurance community members; offer clinics or outreach health care for those without insurance or money to pay; help more people secure insurance to fund programs.
- Advocate for more community-based programs from politicians.
- Offer later appointments or early mornings for working people; shorten wait times for appointments; sometimes obtaining an appointment takes a long time — have more resources so that appointments can be made sooner.
- Provide bus schedules that show routes directly to Sharp facilities.
- Mobile Units — if it is possible to go out to the public, it could help address some of the transportation concerns and even help with some of the stigma concerns by coming to the patient and making it convenient to be seen.
- Create an “app” (for cell phone, etc.) for access to medical records and doctor appointments.

Additional recommendations from the *Sharp Insight Community* survey can be found in **Appendix R**.

Please refer to **Tables 21** and **22** for a summary of responses from the *Sharp PFAC* and *Sharp Case Management Leadership* focus groups.

Table 20: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Access to Care

SUMMARY OF RESPONSES RELATED TO ACCESS TO HEALTH CARE		
ASSOCIATED HEALTH CONDITIONS AND NEEDS		
All Age Groups <ul style="list-style-type: none"> ♦ Cancer ♦ Chronic diseases (diabetes) ♦ Mood disorders (anxiety, depression, stress) ♦ Substance use disorder ♦ Sexually transmitted diseases ♦ Suicide & self-harm ♦ Trauma (generational, PTSD, psychological) 	Children/Youth <ul style="list-style-type: none"> ♦ Mood disorders (anxiety) ♦ Substance abuse (alcohol, drugs) ♦ Suicide & self-harm ♦ Trauma from experiences before coming to America (war, bombing, gas attacks) 	Senior <ul style="list-style-type: none"> ♦ Alzheimer's ♦ Dementia ♦ Mood disorders (anxiety, depression, schizophrenia)
ASSOCIATED SOCIAL DETERMINANTS OF HEALTH		
All Age Groups <ul style="list-style-type: none"> ♦ Access to dental care: lack of access to dental care ♦ Access to mental health services: lack of services, psychiatrists, PERT, and detox centers for homeless ♦ Care coordination: lack of knowledge in navigating the health care system ♦ Cultural and language barriers in health care ♦ Economic insecurity: insurance costs, services for mental, dental, primary care, surgeries, transgender services, vaccinations, and preventative care ♦ Education: Lack of community resident awareness of services ♦ Follow-up care: limited follow-up care ♦ Healthy foods: lack of access to healthy foods 	<ul style="list-style-type: none"> ♦ Housing and homelessness ♦ Insurance issues ♦ Shortage of health care facilities: shortage of hospitals and clinics, especially in east region ♦ Shortage of health care providers: lack of specialists, nurses, medical assistants ♦ Stigma: LGBTQ marginalization, doctors refuse to prescribe PrEP, doctors shame patients for getting STD testing ♦ Transportation: lack of transportation ♦ Violence (fear, homelessness) 	Children/Youth <ul style="list-style-type: none"> ♦ Lack of school-based services to support emotional and mental health of students ♦ Education: lack of education on sexual health (e.g., HIV) ♦ Stigma ♦ Vaccinations (difficult to access especially among homeless families due to being transient) Seniors <ul style="list-style-type: none"> ♦ Economic insecurity ♦ Services: limited mental health insurance coverage, senior population increasing, but government is not adjusting to accommodate raising needs ♦ Social isolation and loneliness ♦ Stigma ♦ Transportation
ASSOCIATED BARRIERS AND CHALLENGES		
All Age Groups <ul style="list-style-type: none"> ♦ Distrust: community versus hospital, patient versus doctor and social worker ♦ Lack of patient autonomy in making discharge decisions ♦ Lack of storage (medications for homeless) 	Children/Youth <ul style="list-style-type: none"> ♦ Lack of follow-up care post-referral ♦ Lack of parental involvement due to cultural differences ♦ Parental consent to access services 	Seniors <ul style="list-style-type: none"> ♦ Mobility issues

♦ Long wait times	♦ Vaccinations and test results across the border are not accepted
	♦ Bullying

Table 21: Sharp 2019 CHNA – Sharp HealthCare Patient Family Advisory Council Focus Group Summary of Responses

SHARP HEALTHCARE PATIENT FAMILY ADVISORY COUNCIL - SUMMARY OF RESPONSES	
HEALTH CONDITIONS AND NEEDS	
Adults <ul style="list-style-type: none"> ♦ Behavioral/Mental health: including drug abuse ♦ Stroke ♦ Cardiac/Cardiovascular issues ♦ Diabetes ♦ Hepatitis ♦ Opioid addiction ♦ Sciatica 	Seniors <ul style="list-style-type: none"> ♦ Alzheimer's ♦ Aging concerns such as pain management ♦ Dementia Children and Youth <ul style="list-style-type: none"> ♦ Asthma ♦ Food allergies
SOCIAL DETERMINANTS OF HEALTH	
Adults <ul style="list-style-type: none"> ♦ Access to health care: difficult to navigate health care system ♦ Economic security <ul style="list-style-type: none"> ○ Unaffordable housing ○ Substandard housing conditions such as mold, asbestos, or lead paint in low-income neighborhoods. ○ Lack of access to healthy food: junk food is cheaper while healthy food is expensive. ○ Food insecurity: lack of access to WIC, CalFresh, and other publicly funded food programs. Blackout dates for electronic benefit transfer (EBT) funds due to federal funding. ♦ Education needed on: <ul style="list-style-type: none"> ○ Dementia or Alzheimer's ○ How to be a caregiver ○ Therapy options & available support groups ○ How to navigate the immigration system ♦ Fear: patients delay surgery due to fear. ♦ Immunization and Vaccinations: families are fearful of autism. <ul style="list-style-type: none"> ○ People are uncertain of where to get flu shots and how to pay for them. ○ Misinformation on side effects. ♦ Insurance issues: insurance is expensive especially copays for families. 	Seniors <ul style="list-style-type: none"> ♦ Food access and food insecurity which can lead to readmissions. ♦ Economic security: due to fixed income ♦ Transportation lack of access to transportation and decreased capacity to drive. Children and Youth <ul style="list-style-type: none"> ♦ Food insecurity and healthy food access <ul style="list-style-type: none"> ○ School meals are primary source of food, quality is questionable. ♦ Access to care is often times delayed. ♦ Behaviors: access to caffeine energy drinks and coffee is a concern especially in regards to brain development. <ul style="list-style-type: none"> ○ Drugs and Smoking: access to age-restricted substances such as marijuana, E-cigarettes and vaping. ♦ Community and Family Support: school pressure causes children to be stressed. <ul style="list-style-type: none"> ○ Pressured by parents to do extracurricular activities, volunteer work, and sports all in an effort to apply for Ivy League schools. ○ Peer pressure ♦ Immunization against measles and polio. ♦ Sex trafficking especially in the Parkway Plaza area which affects individuals of all socioeconomic statuses.

<ul style="list-style-type: none"> ♦ Transportation issues cause delays seeing doctors, especially those living in rural areas. 	<ul style="list-style-type: none"> ♦ Technology: electronics and social media leads to sleep deprivation, attention problems, and poor sleep quality.
YOUTH ROLES IN FAMILY CARE	
<ul style="list-style-type: none"> ♦ Help with family routines such as helping with taking care of siblings, driving, cooking. 	
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Economic security <ul style="list-style-type: none"> ○ High cost of medication is of special concern for seniors impacting their access to health care ○ Food insecurity. ♦ Education: lack of health education and health literacy. Patients do not understand when to use urgent care versus the ED. ♦ Problems navigating health insurance such as understanding health plans. 	
DAILY LIVES	
How do these health and social conditions affect community member's daily lives?	
<ul style="list-style-type: none"> ♦ People can develop depression when trying to figure out how they will pay for their health care or how to secure transportation to appointments. ♦ People experience mental and physical exhaustion from trying to understand the health care system and insurance. 	
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Transportation is a challenge. ♦ Medication reconciliation of old versus new medications. ♦ Language issues or language barriers. 	
HOSPITAL DISCHARGE SOLUTIONS	
<ul style="list-style-type: none"> ♦ Follow-up care and phone calls <ul style="list-style-type: none"> ○ Improving social workers role in ensuring follow up care and continuity of care post discharge. ○ Follow up phone calls post discharge especially if patients have rehabilitation scheduled. ♦ In-home care and visits <ul style="list-style-type: none"> ○ Providing free home visits for post-surgery follow-up. ○ Access to affordable in-home care options is needed. ♦ Patients need a supportive advocate at the time of discharge. 	
IMMIGRATION	
Have you observed any changes in the community's health and wellbeing as a result of immigration policies, attitudes and beliefs?	
<ul style="list-style-type: none"> ♦ Some community members believe that new diseases will arrive in the US due to the lack of health care received by immigrants prior to entering the U.S. 	
Accessing care for undocumented population:	
<ul style="list-style-type: none"> ♦ There is fear of looking for help or accessing care for the undocumented. Often times they have more health issues than the general population 	
Accessing care for the Middle Eastern (refugee) population:	
<ul style="list-style-type: none"> ♦ Cultural: Sometimes there is cultural preference or bias in the language especially with women because men often make choices for the women, so translation can sometimes be inaccurate <ul style="list-style-type: none"> ○ They are not accustomed to accessing health care or are unfamiliar with how to access health care in the U.S. ♦ Education: health literacy, knowledge of how to navigate healthcare system. New immigrants are unaware of services available. ♦ Fear: some are afraid of police or authority in general. ♦ Language barriers: there are issues surrounding translations services over the phone versus using someone such as a family member. Some hospital policies are to not use family members due to confidentiality and translation issues. 	

- If there is a workshop or a service refugees are interested in, it is generally not in their language
- **Translations:** for Sharp Grossmont Hospital specifically, many Middle Eastern immigrants need documents translated in their native languages (Farsi, for example)
- ♦ **Trauma:** Many come from war zones; have mental trauma, PTSD, and/or depression.

Table 22: Sharp 2019 CHNA – Sharp HealthCare Case Management Leadership Focus Group Summary of Responses

SHARP HEALTHCARE CASE MANAGEMENT LEADERSHIP - SUMMARY OF RESPONSES	
HEALTH CONDITIONS AND NEEDS FOR PATIENT AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Aging concerns ♦ Cancer ♦ Congestive heart failure ♦ COPD 	<ul style="list-style-type: none"> ♦ Diabetes ♦ Encephalopathy: specifically liver transplant patients from SGH ♦ Mental Health: including alcohol/substance misuse
SOCIAL DETERMINANTS OF HEALTH FOR PATIENT AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Access to health care <ul style="list-style-type: none"> ○ Lack of SNFs for Medi-Medi patients ○ Lack of access to timely care ♦ Behaviors such as smoking, alcohol and substance misuse. Smoking in East County and hookah habits in the Middle Eastern population. ♦ Community and social support <ul style="list-style-type: none"> ○ Lack of family support. ○ Lack of caretaker support: no family or spouse to care for when discharged. 	<ul style="list-style-type: none"> ♦ Economic security <ul style="list-style-type: none"> ○ Food insecurity ○ Lack of childcare due to cost and inability to take time off work to care for newborn. ♦ Housing: lack of affordable housing. ♦ Insurance issues and underfunding. <ul style="list-style-type: none"> ○ Skilled nursing facilities and home health do not accept Medi-Cal. ♦ Health literacy: not knowing where to get care. ♦ Lack of transportation
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Long wait times to access care leads to readmissions, often times there is a six-month minimum to see a specialist. ♦ Many access issues are insurance driven which creates a backup in hospitals. ♦ Many individuals are unaware that they have a primary care provider which can cause delays in home health referrals. 	
HOSPITAL COMMUNICATION	
Do you or your staff interact with community clinics, social services organizations, or other community resources in any way to support patients/their families?	
<ul style="list-style-type: none"> ♦ Some case managers use 2-1-1 San Diego as a means to connect patients to needed social services by sending a referral electronically using their electronic health record system. 	
HOSPITAL AND COMMUNITY SUPPORT NEEDED	
<ul style="list-style-type: none"> ♦ 2-1-1 Community Info Exchange Access is needed for all Sharp facilities to inform next steps for patient discharge (Sharp Grossmont and Sharp Chula Vista currently do not have access, as of 2/21/19). ♦ Housing is the number one need for many patients. <ul style="list-style-type: none"> ○ Patient-centered initiatives: there is a need for more patient-centered initiatives, especially with housing. 	

<ul style="list-style-type: none"> ○ Dedicated housing coordinator: there is a need for an on-site coordinator (non-Sharp staff) whose sole job is to place people in housing or get them referrals/applications to affordable housing.
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS
<ul style="list-style-type: none"> ♦ Transportation support is needed, especially for very debilitating health conditions. <ul style="list-style-type: none"> ○ Need a dedicated person on-site to help patients fill out the metropolitan transit system applications for those who qualify for discounted bus passes due to having a disability. ♦ Recuperative care <ul style="list-style-type: none"> ○ San Diego Rescue Mission's closure means less respite care capacity. ○ The lack of recuperative care forces case managers to discharge patients to Board and Care facilities or Independent Living Facilities, which is very expensive for patients. ♦ Short-term caregivers: need for additional short-term caregivers to help transport patients and check in on patients. ♦ Home support services: need additional in-home support services for hospitals or adult day centers to help patients transition back to the community or home. ♦ Wraparound service support: there is a need to streamline the process from the hospital to the County for those who qualify for wraparound services.
IMMIGRATION
Have you observed any changes over the past year in patient/community member attitude towards immigration issues?
<ul style="list-style-type: none"> ♦ Fear <ul style="list-style-type: none"> ○ There has been an increase of patients who are eligible for insurance, but who will not sign up due to fear of public charge. ○ Patients are fearful of being put on a blacklist if they use public funded services. ○ Immigrants fear that if they use Medi-Cal their property will be taken away.

Aging Concerns

Definition

Aging concerns are defined as those conditions that predominantly affect seniors — people who are 65 and older — such as Alzheimer's disease, Parkinson's disease, dementia, falls and limited mobility.

Findings


Conditions that disproportionately affect older adults were identified as a high priority health need through both the SMV and HASD&IC 2019 CHNA community engagement activities and secondary data analyses. Community engagement participants most often described aging concerns in relation to the SDOH that affect seniors such as:

- Transportation
- Access to fresh food
- Social isolation and inadequate family support
- Economic insecurity

Secondary Data Findings

According to SDC data, hospital discharges have increased from 2014-2016 for both Alzheimer's disease and dementia (see **Figure 20**). For Alzheimer's disease, the ED discharge rate increased by 35.1%, and the inpatient discharge rate increased by 16.3%. For dementia, the ED discharge rate increased by 10.6%, while the inpatient discharge rate increased by 7.1%.

Figure 20: ED Visit and Inpatient Discharge Rates for Alzheimer's Disease and Dementia in SDC, 2014-2016




Source: California Office of Statewide Health Planning and Development, OSHPD Patient Discharge Data. 2014-2016. SpeedTrack©

In addition, Alzheimer's disease was the third leading cause of death and Parkinson's disease was the 12th leading cause of death in SDC in 2016.

SDC data shows that falls disproportionately affect those over 65 years of age. From 2014 to 2016, ED visits for seniors increased by 2.5%, however, the mortality rate for falls decreased by 14.5% in the same time period. Please see **Figure 21** below for more details.

Figure 21: ED Visit, Inpatient Discharge, and Mortality Rates for Falls in SDC, 2014-2016



Source: Live Well San Diego. Live Well San Diego Data Access Portal. Injury. <https://data.livewellsd.org/>

Please see **Appendix O** for Aging Concerns secondary source information.

Notable findings from an analysis of SMV discharge data related to aging concerns included¹⁹:

- Among inpatient discharges for seniors at SMV in 2017, the top three behavioral health diagnoses were major depressive disorder, alcohol dependence with withdrawal, insomnia due to other mental disorder.
- In 2017, 50.0% of inpatient discharges for seniors at SMV had a principal diagnosis that was classified as a mood disorder, 18.4% as an alcohol-related disorder, and 11.5% as dementia.

¹⁹ California Office of Statewide Health Planning and Development (OSHPD) Non-Public Inpatient Discharge and Emergency Department Encounter Data, 2017. Accessed through SpeedTrack Inc.©

- Females accounted for 52.0% of all inpatient discharges at SMV in 2017, but 59.9% of discharges among seniors.
- Individuals identified as White represented 63.7% of all inpatient discharges at SMV in 2017, but 74.2% of discharges among seniors.
- Individuals identified as not Hispanic or Latino represented 78.8% of all inpatient discharges at SMV in 2017, but 87.3% of discharges among seniors.
- In 2017, 27.2% of inpatient discharges for seniors at SMV had co-occurring behavioral health and substance abuse diagnoses.
- Among inpatient discharges for seniors at SMV in 2017, 22.9% of females and 33.7% of males had co-occurring behavioral health and substance abuse diagnoses.
- In 2017, 23.6% of inpatient discharges for seniors at SMV had a diagnosis related to Alzheimer's disease or dementia.

Community Engagement Findings

HASD&IC 2019 CHNA

Respondents to the *HASD&IC 2019 CHNA* online survey identified Alzheimer's disease as one of the top 10 most impactful behavioral health conditions in SDC. See **Appendix S** for a full summary of survey results.

During the *HASD&IC 2019 CHNA* focus groups and KI interviews, conversations about aging concerns centered around conditions that disproportionately affect older adults and barriers to care for older adults. Please see **Table 23** or **Appendix T** for a summary of these findings. Further details are covered in the **Discussion of Community Engagement Findings** section below.

Sharp 2019 CHNA – Focus Groups

For SMV's 2019 CHNA, two focus groups were conducted with *Sharp Senior Health Center* staff and patients and community members to better understand the identified health need of aging concerns among Sharp's senior patients and community members. **Table 24** summarizes the findings of these focus groups. Further details are covered in the **Discussion of Community Engagement Findings** section below. For a description of focus group participants, see **Section 3: Methodology**.

In addition, participants in focus groups conducted with the *Sharp PFAC* and *Sharp Case Management Leadership*, also highlighted aging concerns and challenges specific

to seniors. However, this section will focus specifically on the focus groups held with *Sharp Senior Health Center* staff and patients and community members. For a summary of feedback from the *Sharp PFAC* and *Sharp Case Management Leadership* focus groups, please refer to **Appendix U**.

Sharp 2019 CHNA – Sharp Insight Community

Sharp's Insight Community online survey provided greater understanding of the identified health need of aging concerns for Sharp patients and community members.

Overall, *Sharp Insight Community* respondents (n=380) ranked aging concerns as the most important health condition impacting their community. Not surprisingly, respondents ages 65 or older (n=163) also ranked aging concerns number one in health conditions impacting their community. Following aging concerns, survey respondents ages 65 or older noted cancer, behavioral/mental health, obesity and heart disease as the next four most important health issues. See **Appendix R** for the ranked health conditions specifically among participants ages 65 or older.

Feedback regarding the most pressing SDOH was also observed specifically among *Sharp Insight Community* survey respondents ages 65 or older. Respondents in this age group ranked health insurance, access to care, health behaviors, economic security and homelessness as the top SDOH impacting their community. See **Appendix R** for details.

When health conditions and SDOH were combined among respondents in all age groups, aging concerns ranked as the third most important health need among a total of 30 choices. Please refer back to **Figure 14** for the final ranking of health conditions and SDOH by *Sharp Insight Community* survey participants.

After ranking various health conditions and SDOH, *Sharp Insight Community* survey participants were asked to rate their awareness of five community outreach programs offered by Sharp. Notably, 55% of respondents ages 65 or older were not at all familiar with the Sharp Senior Resource Centers, while 58% were not at all familiar with Sharp's transportation services — two programs that especially benefit seniors. Similarly, among all age groups, 59% were not at all familiar with the Sharp Senior Resource Centers, while 59% were not at all familiar with Sharp's transportation services — two programs that could lessen the burden on family members and caregivers of seniors. In addition, 63% of senior survey respondents were not at all aware of Sharp's behavioral health support groups, while 45% were unaware of Sharp's cancer support groups — programs that support two priority health conditions specifically identified by senior respondents. Additional feedback particularly from participants ages 65 or older is presented in **Appendix R**.

Discussion of Community Engagement Findings

HASD&IC 2019 CHNA – Focus Groups

HASD&IC 2019 CHNA focus group participants discussed several health conditions and SDOH that particularly affect older adults. These included Alzheimer's and Parkinson's diseases, dementia, arthritis, loss of mobility, opioid abuse, diabetes, heart disease, anxiety, depression, lung disease, obesity, and poor oral health. They also detailed SDOH that affect seniors, including lack of accessible or reliable transportation options, challenges accessing fresh food, social isolation and inadequate family support, economic insecurity, and environmental pollutants.

HASD&IC 2019 CHNA focus group participants also emphasized that health maintenance is more difficult for seniors. Medication management, including ordering refills, picking up prescriptions, and taking the right dose of medications at the right time, can be challenging for older adults who do not have adequate support. In addition, the health conditions associated with aging may interfere with an individual's ability to exercise and to access healthy, fresh food.

HASD&IC 2019 CHNA focus group contributors also explained that accessing health care for seniors can be particularly difficult. For instance, when seniors can no longer drive, finding reliable, affordable transportation can be challenging. In addition, seniors living off of social security, or other limited income, are concerned about their economic security. The high cost of medications, co-pays and deductibles may prohibit them from accessing health care. Physical limitations — such as limited mobility, hearing problems and vision issues — may also create difficulties for seniors.

HASD&IC 2019 CHNA focus group contributors highlighted that, for those seniors who do not speak English as a first language, language issues also pose a barrier to care. Please see the **Community and Social Support** section for more details on language issues.

Lastly, *HASD&IC 2019 CHNA* focus group participants noted that after discharge from a hospital, seniors may have inadequate support at home to recover well and follow-up care is difficult for them to locate and secure.

Sharp 2019 CHNA – Focus Groups

Focus groups held with *Sharp Senior Health Center* staff and senior patients and community members identified several health conditions that are especially impactful for seniors. These include opioid abuse, diabetes, heart failure and disease, dementia, depression, lung disease, obesity, and physical aging concerns including loss of mobility and falls. Social conditions that affect seniors were identified as lack of good transportation options, lack of access to fresh food, social isolation and inadequate family support, economic insecurity, housing issues and environmental pollutants (including sound). For seniors, the participants said, these issues lead to a loss of independence, which can contribute to increased stress, isolation, loneliness and poor mental health.

Sharp Senior Health Center staff and senior patients and community members explained that access to health care is especially challenging for several reasons. Since senior patients are often admitted to a hospital in order to receive the treatment they need, health care access becomes even more critical. Regarding transportation, focus group members noted that many seniors can no longer drive themselves and may not have friends or family to drive them. Using public transportation is an intimidating and financially prohibitive prospect for some seniors. Some participants described the difficulty in using public transportation when one is in a wheel chair or uses a cane or walker, and some health care facilities are not easily accessed by public transportation. Further, the cost of transportation can be a barrier.

Participants in both focus groups described isolation and loneliness due to lack of community and family support as barriers to care. This isolation is due to loss of independence and mobility which is exacerbated by the lack of transportation options for seniors. In addition, families are often unable to help their aging parents due to their own financial situations or due to the busy lives they lead with family and work.

Economic security also creates obstacles to care, focus group members said. Seniors generally live on fixed incomes and worry about how to balance high housing costs with high medical costs, especially for medications, as well as with purchasing food.

Physical limitations such as limited mobility, hearing problems and vision issues create substantial obstacles to care for seniors. Participants noted that even calling to schedule medical appointments is inordinately difficult for those who are hard of hearing.

For those who do not speak English as a first language, language issues are also a barrier to care.

After discharge from a hospital, additional barriers exist, the focus group participants said. Follow-up care is difficult for seniors to secure, as is the necessary medical equipment. This can be attributed to the previously described transportation, economic security and social isolation barriers, as well as a lack of awareness of resources in the community that might be helpful. Sometimes, they said, seniors are hesitant to seek help.

Sharp 2019 CHNA – Sharp Insight Community

The *Sharp Insight Community* survey reinforced the importance of addressing senior health issues, as aging concerns were ranked as the number one health condition affecting community members. In addition, the majority of respondents were not at all familiar with the Sharp Senior Resource Centers. This indicates a missed opportunity for seniors as well as their families and caregivers to receive resources and support for various senior needs such as exercise programs, educational classes, transportation and meal services, and government assistance. Further, although senior respondents ranked cancer and behavioral health as the second and third most important health

conditions impacting their community, the majority were not at all familiar with the support groups offered by Sharp to address these issues.

Sharp Insight Community survey participants expressed similar concerns to focus group participants. Survey respondents ages 65 and older identified access to care and economic security as being among the most important issues for the community, in addition to issues related to health insurance (understanding, securing and using), health behaviors (diet, physical activity, etc.), and homelessness (overcrowding, substandard conditions, housing affordability). Further, survey participants of all ages expressed a general lack of awareness of Sharp's community outreach programs, including the Sharp Senior Resource Centers and Sharp's transportation services, which offer resources and support that can address many of the barriers to care expressed above.

Sharp 2019 CHNA Suggestions

During the focus groups, *Sharp Senior Health Center* staff and senior patients and community members provided several suggestions to increase health care access for seniors, including:

- Establish a centralized communication database so that patient information can be shared across health care systems.
- Create and promote more programs to assist seniors with rides to medical appointments and to grocery stores.
- Create and promote more home visitor programs where volunteers visit seniors at home.
- Expand meal delivery services.
- Expand the behavioral health care, including psychiatric services, available to Medi-Cal and Medicare patients.
- Increase the availability of translators.

In addition, *Sharp Insight Community* survey participants (43.0% ages 65 and older) had the opportunity to provide specific suggestions about what Sharp can do to improve the health and well-being of the community. See **Appendix R** for the most commonly suggested themes. Feedback related to aging concerns included:

- Continue supporting efforts to address food insecurity.
- Help more people secure health insurance.
- Provide transportation for citizens who cannot drive or afford other means.
- Improve advertising of program and service offerings, ensuring the use of multiple media channels; hold a forum on senior resources.
- Increase investment in post-acute management.
- Promote accessing community centers for physical and social activity.

Additional recommendations from the *Sharp Insight Community* survey can be found in **Appendix R**.

Table 23: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Aging Concerns

SUMMARY OF RESPONSES RELATED TO AGING CONCERNS	
ASSOCIATED HEALTH CONDITIONS AND NEEDS	
<ul style="list-style-type: none"> ♦ Alzheimer’s Disease ♦ Arthritis: joint pain ♦ Behavioral/Mental Health Issues: anxiety (fear), depression from hopelessness and discrimination, generational trauma ♦ Dementia: including early onset ♦ Dental/Oral Health: tooth loss, dentures ♦ Heart Disease ♦ Hypertension (high blood pressure) 	<ul style="list-style-type: none"> ♦ Lung disease ♦ Obesity ♦ Physical limitations: mobility related to aging, being homebound, disabled, or walker/wheelchair-dependent ♦ Substance abuse and self-medication ♦ Vision and hearing loss
ASSOCIATED SOCIAL DETERMINANTS OF HEALTH	
<ul style="list-style-type: none"> ♦ Behavioral/mental care access: lack of access to mental health services ♦ Community and social support: lack of socialization opportunities, caregiving responsibilities for grandchildren, social isolation leads to loneliness ♦ Dental care access: lack of access to dental care, cost, and lack of dental insurance ♦ Economic security: limited and fixed incomes, government assistance 	<ul style="list-style-type: none"> ♦ Environmental issues: houses close to factories ♦ Food insecurity: healthy food access, and malnutrition ♦ Housing: affordability, senior housing availability, and evictions ♦ Homeless issues: Lack of homeless shelters for seniors ♦ Language Issues
ASSOCIATED BARRIERS AND CHALLENGES	
<ul style="list-style-type: none"> ♦ Cultural competency: lack of cultural/linguistically appropriate services ♦ Fear of pain or discrimination ♦ Follow-up: lack follow-up for referrals, missed appointments ♦ Health navigation issues ♦ Immigration: Fear of deportation/mistrust of the government 	<ul style="list-style-type: none"> ♦ Insurance Issues with benefits and cost of insurance ♦ Long wait times for appointments and specialists ♦ Medication management ♦ Transportation: Lack of transportation

Table 24: Sharp 2019 CHNA – Sharp Senior Health Center Staff, Senior Patients and Community Members Focus Group Summary of Responses

SHARP SENIOR HEALTH CENTER STAFF, PATIENTS & COMMUNITY MEMBERS - SUMMARY OF RESPONSES	
HEALTH NEEDS AND CONDITIONS IMPACTING SENIOR HEALTH	
<ul style="list-style-type: none"> ♦ Diabetes ♦ Dementia ♦ Depression ♦ Disability ♦ Heart failure/disease 	<ul style="list-style-type: none"> ♦ Lung disease ♦ Obesity ♦ Opioid abuse ♦ Physical aging concerns: loss of agility and mobility; falling.
SOCIAL DETERMINANTS OF HEALTH IMPACTING SENIOR HEALTH	
<ul style="list-style-type: none"> ♦ Economic insecurity: housing is too expensive for social security income checks. ♦ Environmental issues such as air and sound pollution. ♦ Housing issues ♦ Lack of access to fresh food 	<ul style="list-style-type: none"> ♦ Community and family support: a lack of support leads to social isolation. ♦ Transportation: seniors fear public transportation; do not use Lyft or Uber because of technology.
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Economic insecurity due to living on a fixed income. ♦ Fear: too scared to reach out for help; feel intimidated. ♦ Hearing and vision problems ♦ Community and family support: being alone leads to difficulties accessing emergency services. ♦ Language barriers ♦ Transportation: lack of transportation to health appointments; fear of public transportation. 	
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS FOR SENIORS	
<ul style="list-style-type: none"> ♦ Lack of follow-up care ♦ Language barriers 	
HOSPITAL AND COMMUNITY SUPPORT NEEDED	
<ul style="list-style-type: none"> ♦ Access to healthy food: provide meal delivery programs for seniors or transportation so they can access fresh and healthy groceries. ♦ Access to mental/behavioral health services: increase/expand psychiatric support for Medi-Cal and Medicare insured; there is a need for subsidized mental health care. ♦ Community and family support programs: create programs that help/prevent seniors from isolation and feeling lonely; encourage family members to help seniors. ♦ Database: need a centralized communication database that informs Sharp staff on information about patients that use Sharp services but are not Sharp members. ♦ Home visiting: have a home visiting program where volunteers visit seniors at least 1 time a month. ♦ Interpretation experts are needed. ♦ Transportation: provide seniors transportation to health care appointments. 	
IMMIGRATION	
Have you observed any changes over the past year in community members' attitude towards immigration issues?	
<ul style="list-style-type: none"> ♦ There has been an increased intolerance of those who have immigrated to this country. 	

Behavioral Health

Definition

Behavioral health problems include serious psychological distress, suicide, and mental and substance use disorders, including alcohol and drug addiction.

Findings

Behavioral health needs will be described within two main categories: barriers and SDOH that prevent individuals from obtaining care, and specific services that are most challenging to access.

1. Barriers to accessing care and associated SDOH:
 - Availability of needed services and appointments
 - Insurance issues
 - Logistical problems getting to the needed appointments (time off work, childcare, transportation)
 - Economic security and inability to pay co-pays and deductibles
2. Types of care that are difficult to access:
 - Urgent care services for crisis situations
 - Inpatient psychiatric beds and substance abuse facilities
 - Transitional programs and services (post-acute care services)

Behavioral health was identified as a high priority health need by both the SMV and HASD&IC 2019 CHNA secondary data analyses and community engagement activities.

Secondary Data Findings

Data were reviewed related to several aspects of behavioral health in SDC: (1) ED and inpatient discharge rates for some behavioral health conditions, including anxiety and mood disorders; (2) the percentage of people who report having thought about committing suicide; (3) the rate of suicide; (4) the ED and inpatient discharge rates for acute and chronic substance use; and (5) the ED and inpatient discharge rates for opioid misuse.


Mental Health Issues

SDC's rates of ED visits for anxiety increased by 4.3% between 2014-2016, while rates of inpatient discharges for anxiety decreased by 7.9% during the same time period (see **Figure 22**). People who identify as "other" race and Black/African American had the highest rates of ED visits and inpatient discharges for anxiety.

ED visits for mood disorders also increased (5.9%) from 2014-2016, while inpatient discharges for mood disorders decreased by 2.9% (see **Figure 22**). Discharge rates for

mood disorders were higher for people who identify their race as Black/African American than for any other race.

Figure 22: ED Visit and Inpatient Discharge Rates for Anxiety and Mood Disorders in SDC, 2014-2016




Source: California Office of Statewide Health Planning and Development, OSHPD Patient Discharge Data. 2014-2016. SpeedTrack©

Suicidal Ideation and Suicide Attempts

In 2017, 11.8% of adults in SDC seriously considered committing suicide.³ In 2016, the age-adjusted suicide rate in SDC was 11.9 per 100,000. Rates were highest among Whites (18.7), followed by Blacks (11.5), Asian/Pacific Islanders (8.2) and Hispanics (5.3). While the rate of suicide decreased slightly (1.3%) from 2014-2016 (see **Figure 23**), the rates of suicide for people who identify as Asian/Pacific Islander, Black and “other,” increased in those same years by 13.3%, 47.2% and 93.0%, respectively.

Figure 23: Age-Adjusted Suicide Rates in SDC by Race/Ethnicity, 2016




Source: Live Well San Diego. Live Well San Diego Data Access Portal. Injury. <https://data.livewellsd.org/>

Substance Use

While SDC's ED visits for acute substance use rose by 51.0% from 2014-2016, inpatient discharges dropped by 18.5%. The highest rates for both types of encounters were among Black/African Americans. Steep increases in both types of encounters occurred for chronic substance use; ED visit rates increased by 559.3%, and inpatient discharge rates increased by 195.1% (see **Figure 24**). ED visit rates were highest among Whites (36.7), while inpatient discharge rates were highest among those who identify as "other" race. Across age groups, rates of ED visits for chronic substance abuse increased the most for those ages 65 and older — by 714.0%. In addition, nearly 20% of adults ages 18 and older self-report excessive alcohol use.

Figure 24: ED Visit and Inpatient Discharge Rates for Acute and Chronic Substance Use in SDC, 2014-2016




Source: California Office of Statewide Health Planning and Development, OSHPD Patient Discharge Data. 2014-2016. SpeedTrack©

Opioid Misuse

In SDC, ED visits for opioid misuse increased by 267.2% from 2014-2016, while inpatient discharges increased by 239.3% (see **Figure 25**). The steepest increases in both rates were among people ages 65 and older, who experienced a 1,734.4% increase in ED visits and an 863.1% increase in inpatient discharges.

Figure 25: ED Visit and Inpatient Discharge Rates for Opioid Misuse in SDC, 2014-2016



Source: California Office of Statewide Health Planning and Development, OSHPD Patient Discharge Data. 2014-2016. SpeedTrack©

Please see **Appendix O** for Behavioral Health and definition secondary source information.

Notable findings from an analysis of SMV behavioral health discharge data included²⁰:

Overall

- In 2017, 52.5% of inpatient discharges at SMV had a principal diagnosis that was classified as a mood disorder, 17.4% as an alcohol-related disorder, and 15.4% as schizophrenia or other psychotic disorders.
- Among inpatient discharges at SMV in 2017, 52.0% were female and 48.0% were male.
- In 2017, 63.7% of inpatient discharges at SMV were identified as White, and 23.0% were identified as Other Race. Further, 19.4% of inpatient discharges at SMV were identified as Hispanic or Latino.
- In 2017, 56.3% of inpatient discharges at SMV were adults ages 27-64, 16.7% were children ages 17 and under, 15.8% were TAY (Transitional Age Youth, ages 18-26), and 11.2% were ages 65 and older.
- In 2017, 46.6% of inpatient discharges at SMV had co-occurring behavioral health and substance abuse diagnoses.

²⁰ California Office of Statewide Health Planning and Development (OSHPD) Non-Public Inpatient Discharge and Emergency Department Encounter Data, 2017. Accessed through SpeedTrack Inc.©

Children

- In 2017, 88.0% of inpatient discharges for children (ages 17 and under) at SMV had a principal diagnosis that was classified as a mood disorder, 4.7% as an attachment disorder, and 2.4% as schizophrenia or other psychotic disorders.
- Individuals identified as Hispanic or Latino represented 19.4% of all inpatient discharges at SMV in 2017, but 31.9% of discharges among children.
- In 2017, 26.1% of inpatient discharges for children at SMV had co-occurring behavioral health and substance abuse diagnoses.

Transitional Age Youth (TAY)

- In 2017, 48.4% of inpatient discharges for TAY at SMV had a principal diagnosis that was classified as a mood disorder, 20.7% as a substance-related disorder, and 17.8% as schizophrenia or other psychotic disorders.
- In 2017, 52.0% of inpatient discharges for TAY at SMV had co-occurring behavioral health and substance abuse diagnoses.

Adults

- In 2017, 43.5% of inpatient discharges for adults at SMV had a principal diagnosis that was classified as a mood disorder, 25.1% as an alcohol-related disorder, and 19.4% as schizophrenia or other psychotic disorders.
- Males accounted for 48.0% of all inpatient discharges at SMV in 2017, but 53.6% of discharges among adults.
- In 2017, 55.1% of inpatient discharges for adults at SMV had co-occurring behavioral health and substance abuse diagnoses.

Community Engagement Findings

HASD&IC 2019 CHNA

Across all community engagement activities conducted in the *HASD&IC 2019 CHNA* — focus groups, interviews and the survey — behavioral health issues were identified as both prevalent and debilitating.

In the online survey, behavioral health was ranked as the health condition having the greatest impact on the health and well-being of San Diego residents and as the second most impactful condition when health conditions and SDOH were combined (only access to care ranked higher). In addition, 63.0% of survey respondents indicated that they believe behavioral health is worsening in SDC. Respondents were also asked to

rank which specific behavioral health conditions have the greatest impact in San Diego, and they were ranked as follows:

1. Alcohol use disorder
2. Mood disorders
3. Substance use disorder
4. Anxiety
5. Opioid use
6. Suicide and suicidal thoughts/ideation
7. Self-harm or self-injury

See **Appendix S** for full results of the *HASD&IC 2019 CHNA* online survey.

During focus groups and interviews, frequent topics of discussion related to behavioral health included:

- Barriers to care
- The types of care most challenging to access
- The people who are most impacted by behavioral health issues

Table 25 presents a summary of feedback from the *HASD&IC 2019 CHNA* focus groups and KI interviews, related to behavioral health. Additional detail is included in the **Discussion of Community Engagement Findings** section below.

Sharp 2019 CHNA – Focus Groups

For SMV's 2019 CHNA, a focus group was conducted with members of the *Sharp McDonald Center (SMC) Aftercare Support Group*. Feedback from these individuals provided the unique perspective of people who have either lived through behavioral health or addiction issues themselves or who have helped loved ones through their recovery. Community engagement feedback addressed barriers to behavioral health care as well as the impact of behavioral health issues — particularly substance use and addiction on individuals.

Table 26 summarizes the findings of this focus group. Additional details are covered in the **Discussion of Community Engagement Findings** section. For a description of focus group participants, see **Section 3: Methodology**.

Behavioral health was mentioned frequently in additional focus groups, including the *Sharp Case Management Leadership, SMBHWN Social Workers & Case Managers, Sharp Cancer Navigators and Social Worker, Sharp Senior Health Center* staff, patients and community members, and *Sharp PFAC* focus groups. Please see the findings for **Aging Concerns, Maternal and Prenatal Care, including High-Risk Pregnancy, and Cancer** for specific feedback on behavioral health and its connection to these identified health needs. Please refer to **Appendix U** for a summary of Sharp 2019 CHNA focus groups.

Sharp 2019 CHNA – Sharp Insight Community

Sharp's Insight Community online survey provided greater understanding of the identified health need of behavioral health for Sharp patients and community members.

Among 16 health conditions, survey respondents (n=380) ranked behavioral/mental health (including substance use, suicide, self-inflicted injury, etc.) as the second most important health condition impacting their community. Refer to **Appendix R** for the ranking of the most important health conditions by the *Sharp Insight Community* survey.

Worth noting is that respondents in the youngest age group — ages 25-44 years — were significantly more likely than the sample as a whole to select behavioral/mental health as one of the top five most important health conditions impacting their community, when compared to all other survey respondents. In fact, as respondent age group decreased, the identification of behavioral/mental health as a priority health condition increased. See **Appendix R** for age group breakouts for the top most important health conditions.

When health conditions and SDOH were combined among all respondents, behavioral/mental health ranked as the fourth most important health need among 30 choices. Please refer back to **Figure 14** for the final ranking of health conditions and SDOH by *Sharp Insight Community* survey participants.

After ranking various health conditions and SDOH, *Sharp Insight Community* survey participants were asked to rate their awareness of select community outreach programs offered by Sharp, including behavioral health support groups. Notably, only 6% of respondents were very familiar with Sharp's behavioral health support groups, while the majority were either not at all familiar (55%) or somewhat familiar (39%). Further, among respondents ages 25-44 years, 0% were very familiar with Sharp's behavioral health support groups — the age group that was also significantly more likely than the rest of the sample to select behavioral/mental health as one of the five most important health conditions. See **Appendix R** for details.

Discussion of Community Engagement Findings

HASD&IC 2019 CHNA – Focus Groups and Key Informant Interviews

In the *HASD&IC 2019 CHNA* community engagement process, residents identified several obstacles to the receipt of effective behavioral health services. First, they said, the availability of therapists to address mental health issues and programs to address substance use treatment is extremely limited. Finding providers who accept a patient's insurance creates further obstacles, particularly if the patient is enrolled in a public insurance program like Medi-Cal. In addition, the participants noted, even when therapists or programs can be found, they are often not immediately available, creating challenges to the timely receipt of services. Therapists, it was further discussed, often

only have time available during work and school hours and may be located far from where the people who need the services live, work, and go to school, creating logistical problems. Finally, for those who are economically insecure, co-pays and deductibles were cited as prohibitive to the receipt of behavioral health services.

Two types of care for both mental health and substance use disorders were noted to be insufficient in San Diego during the *HASD&IC 2019 CHNA* community engagement events. Urgent care with availability of after-hours services for people in crisis were cited as a critical need for the community. Inpatient psychiatric beds and substance abuse facilities were also identified as being in short supply. Finally, more transitional programs and services (post-acute care services) for those who are being discharged from the inpatient level of care emerged as a priority need.

HASD&IC 2019 CHNA focus group participants emphasized that while accessing behavioral health services is hard for everyone, for people who may be at the highest risk for trauma-related mental illness — like veterans, refugees, and the LGBTQ community — and for those who are uninsured, access to this care can be particularly challenging.

HASD&IC 2019 CHNA participants also discussed the link between mental health and substance misuse, arguing that the failure to provide access to preventive and acute mental health services often leads to self-medicating with drugs and alcohol, which can then exacerbate mental health issues.

Sharp 2019 CHNA – Focus Groups

Focus groups conducted with the *SMC Aftercare Support Group* identified several barriers to behavioral health care. Specific to substance use disorders, participants stressed the need for more low-cost or free, easily and immediately accessible drug treatment programs. In addition, they described health insurance as both expensive and complicated to obtain. Focus group members also talked about challenges related to post-discharge care for all health conditions, including lack of adequate support at home, navigating denied insurance claims, and medication management.

SMC Aftercare Support Group focus group participants discussed specific themes related to the impact of substance use and addiction. First, they noted that certain groups are more vulnerable to addiction and mental health issues. Second, they described the spiral of addiction and the cycle of recovery. Third, they talked about how addiction changes people and can lead to premature mortality. Finally, they described the interlinked nature of substance use disorders and mental health disorders.

Focus group participants described young adults in their early to mid-20s and individuals in the LGBTQ community as being most severely affected by addiction. It was noted that these groups appear to become addicted faster than in the past and move on to more potent drugs sooner. Heroin was cited as a particularly common drug among these groups. Opioid misuse was also cited as a growing issue within the senior

population. A common scenario for seniors, focus group members explained, is to be prescribed pain medication for a chronic issue such as back pain, to unwittingly become dependent on that medication, and for this dependence to turn into a full-blown addiction. For youth under 18 years of age, anxiety, depression and suicide were noted as growing problems.

Most people who become addicted, *SMC Aftercare Support Group* participants said, start out by using drugs recreationally. People use drugs while partying — smoking or taking pills — but quickly come to depend on them. Most do not start out injecting drugs and believe they never will. Eventually, participants articulated, addiction takes over, and they become at the mercy of the drug and resort to injecting. Participants emphasized that recovery is a cyclical process. While some achieve long-term recovery, many people relapse, and a certain proportion of people go to detox, discharge 30 days later, and immediately relapse.

Focus group participants described how addiction “makes you do the complete opposite of what is good for you” and “takes away your soul.” They described daily lives being centered around getting high — that drugs are the first thing addicted people think about when they wake up and the last thing they think about before sleep. Once addicted, a person’s character is modified, they said. The addiction causes people to become unproductive and deceptive in service of obtaining drugs. Being addicted, they said, also causes the deterioration of interpersonal relationships and social isolation for the addict.

Of greatest concern, *SMC Aftercare Support Group* contributors emphasized, is the high level of mortality among people with addictions. Every couple of months, they said, someone within their recovery circle passes away. Overdoses are often fatal, and participants explained, people who recover and then relapse are more vulnerable to overdose. This is because following detox, tolerance for the substance has become much lower. During a relapse, the person often takes the same amount of the drug as they did prior to detoxing which their bodies can longer handle.

Focus group participants believe that levels of anxiety and depression are increasing in the community. These mental health issues often lead people to cope by using drugs to relieve their symptoms, which can lead to dependence and addiction. Social isolation and loneliness may also lead to drug use, they said. Participants asserted that drug use, while temporarily relieving some mental health symptoms, ultimately exacerbates anxiety and depression, leading to deeper loneliness, and at times, suicidal ideation and attempts.

In addition, although the primary emphasis of the focus group was on behavioral health issues, some *SMC Aftercare Support Group* members discussed other health issues of concern in the community. Conditions they listed as negatively affecting all residents include heart disease/cardiovascular issues, diabetes and obesity. Seniors, participants noted, struggle with arthritis, limited mobility, chronic pain, Alzheimer’s disease, social isolation and food insecurity. Children, they said, are impacted by obesity, diabetes,

racial discrimination, bullying, poor eating habits and exposure to dangerous behaviors on social media. Participants also described discrimination as more prevalent than in the past, and that the current environment is such that people feel emboldened to treat others, particularly immigrants, unkindly. Undocumented workers, they noted, are demonized but used by businesses to generate higher profits. See **Table 26** for a summary of feedback from the *SMC Aftercare Support Group*.

Sharp 2019 CHNA – Sharp Insight Community

The *Sharp Insight Community* survey reinforced the importance of addressing behavioral health issues, as behavioral/mental health was ranked as the second most important health condition affecting community members. In addition, only a minority of survey respondents (6%) were very familiar with Sharp’s behavioral health support groups. This indicates a missed opportunity to support community members with behavioral health issues, particularly younger adults ages 25-44 years, who were most likely to select behavioral/mental health as a priority health condition, but who were ‘not at all familiar’ with Sharp’s behavioral health support group offerings. Further, this younger age group was significantly more likely than the other age groups to select stigma as one of the five most important SDOH. Research illustrates that although stigma can exist in a variety of contexts (e.g., immigration status and use of public programs such as food stamps), it is one of the largest barriers for individuals who may seek or engage in treatment for behavioral/mental health conditions.²¹

Sharp 2019 CHNA Suggestions

Focus group participants from the *SMC Aftercare Support Group* proposed three ideas to improve behavioral health in the community:

- Offer more programs like the Sharp McDonald Center.
- Provide more education for health care providers related to addiction, including when and how to intervene when addiction is suspected, how to prevent addiction to pain medications, how alternative or holistic treatments can be used to manage pain, and how to act with compassion and empathy towards people with addiction.
- Hold forums for seniors to socially engage with each other and to interact with health advocates who would be available to meet with them, discuss their health issues, and help them navigate the health care system.

Sharp Insight Community survey participants also had the opportunity to provide specific suggestions about what Sharp can do to improve the health and well-being of the community. See **Appendix R** for the most commonly suggested themes. Feedback related to behavioral/mental health included:

²¹ Ahmedani B. K. (2011). Mental Health Stigma: Society, Individuals, and the Profession. *Journal of social work values and ethics*, 8(2), 41–416.

- Speed up the delivery of mental health care; referral to a therapist takes too long if in need of hospitalization.
- Advocate for improved access and insurance coverage for the underserved, particularly to stigmatized services including behavioral health.
- Offer more mental health resources, including more classes for mental health issues.

Additional recommendations from the *Sharp Insight Community* survey can be found in **Appendix R**.

Table 25: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Behavioral Health

SUMMARY OF RESPONSES RELATED TO BEHAVIORAL HEALTH		
ASSOCIATED HEALTH CONDITIONS AND NEEDS		
All Age Groups <ul style="list-style-type: none"> ♦ Mood disorders including anxiety, depression, and stress ♦ PTSD and trauma: including generational trauma ♦ Substance use disorder ♦ Suicide and self-harm 	Children/Youth <ul style="list-style-type: none"> ♦ Mood disorders: anxiety ♦ Substance abuse: alcohol, drugs ♦ Suicide and self-harm ♦ Trauma 	Senior <ul style="list-style-type: none"> ♦ Alzheimer's ♦ Dementia ♦ Mood disorders: anxiety, depression ♦ Schizophrenia
ASSOCIATED SOCIAL DETERMINANTS OF HEALTH		
All Age Groups <ul style="list-style-type: none"> ♦ Economic security: cost of mental health services ♦ Education: Lack of community resident awareness of services (unaware of detox requirements) ♦ Lack of services: mental health services, psychiatrists, mental health workforce including PERT ♦ Stigma ♦ Violence: fear, homelessness 	Children/Youth <ul style="list-style-type: none"> ♦ Bullying ♦ Lack of school-based services ♦ Stigma 	Senior <ul style="list-style-type: none"> ♦ Limited mental health insurance coverage ♦ Social isolation and loneliness ♦ Stigma
ASSOCIATED BARRIERS AND CHALLENGES		
All Age Groups <ul style="list-style-type: none"> ♦ Long wait times for mental health services 	Children/Youth <ul style="list-style-type: none"> ♦ Lack of follow-up care post-referral ♦ Parental consent to access services ♦ Lack of parental involvement due to cultural differences 	

Table 26: Sharp 2019 CHNA – Sharp McDonald Center Aftercare Support Group Focus Group Summary of Responses

SHARP MCDONALD CENTER AFTERCARE SUPPORT GROUP - SUMMARY OF RESPONSES	
HEALTH CONDITIONS AND NEEDS	
Adults <ul style="list-style-type: none"> ♦ Addiction/Substance abuse: especially young adults, and within the LGBTQ community ♦ Diabetes ♦ Heart disease/Cardiovascular issues ♦ Mental health: anxiety, depression, suicide ideation and suicide 	Seniors <ul style="list-style-type: none"> ♦ Addiction/Substance abuse: alcohol, opioids ♦ Alzheimer's ♦ Aging concerns: arthritis, mobility ♦ Behavioral/Mental health: anxiety ♦ Chronic pain: leads to substance abuse to deal with pain. Children and Youth <ul style="list-style-type: none"> ♦ Behavioral/Mental health: depression, anxiety from social media or bullying, and suicide. ♦ Diabetes ♦ Obesity
SOCIAL DETERMINANTS OF HEALTH	
Adults <ul style="list-style-type: none"> ♦ Community and family support: negative interpersonal relationships with friends or family that encourage substance use/abuse. ♦ Behaviors: less perceived danger of marijuana since legalization. Seniors <ul style="list-style-type: none"> ♦ Access to healthy/nutritious food ♦ Economic security: food insecurity. 	Children and Youth <ul style="list-style-type: none"> ♦ Environment ♦ Behaviors: eating habits and diet, excessive sugar intake. ♦ Fear/Racial discrimination and bullying: especially for young black children. ♦ Parental support: lack of support. ♦ Technology: lack of parental control over social media and internet content exposure.
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Education: access to information, for example November is prostate cancer month but there is no visible promotion for it. ♦ Economic security: high cost of health care, large deductibles create a financial burden on individuals. ♦ Insurance issues: the complicated process of health care enrollment. ♦ Lack of services: accessibility and availability of health care services for addiction. 	
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Medications and prescription issues: pain medication management is challenging and can lead to prescription drug addiction; over-prescription of opioids to treat back surgery. ♦ Insurance: insurance claim issues and the stress resulting from denied claims. ♦ Community and family support: lack of discharge support at home from friends, family members or caretakers. 	
HOSPITAL DISCHARGE IMPROVEMENTS THAT CAN BE MADE	
<ul style="list-style-type: none"> ♦ Alternative treatment options: physician openness to alternative treatments, such as holistic treatments instead of pain medication. ♦ Education: increase physician knowledge through training on topics such as proper bedside manner. 	
HOSPITAL AND COMMUNITY SUPPORT NEEDED	

<ul style="list-style-type: none"> ♦ Community support: places or forums for the elderly/seniors to talk and socially engage with one another. ♦ Education: <ul style="list-style-type: none"> ○ Community members: A place where health advocates are available for community members to discuss health issues. ○ Providers: More education for providers on patient’s recovery process; finding alternative treatments to avoid prescription drugs; education on patient struggles and issues and how to empathize. ♦ Additional services: more affordable addiction recovery services like Sharp McDonald Center. More beds in addiction recovery programs. ♦ Insurance: improve insurance process. ♦ Stigma: the system and society treats addiction as shameful.
IMMIGRATION Have you observed any changes over the past year in patient/community member attitude towards immigration issues?
<ul style="list-style-type: none"> ♦ The news/media is driving a lot of the negative talk, especially in regards to “The Wall”. ♦ The current administration has caused this change in attitude. ♦ There is a polarization of extremes in political views. People feel emboldened to treat others unkindly and say hateful things while the people being mistreated feel the need to hide or change behaviors to avoid being bullied.

Cancer

Definition

Cancer is a set of diseases in which abnormal cells grow, spread and crowd out normal cells, which can make it difficult for the body to function. Cancer can start anywhere in the body and can spread to other parts — cancers are named for where they originate in the body.

Findings


Health needs related to cancer were described in relation to the effects on well-being beyond physical health. These include financial, practical, and emotional impacts on individuals and families; these effects are exacerbated by barriers to cancer care.

Cancer was identified as a priority health need by the SMV and HASD&IC 2019 CHNAs in both the secondary data analyses and in the community engagement process.

Secondary Data Findings

For all cancer sites, the age-adjusted rate from 2011-2015 in San Diego was 402.5 per 100,000; the incidence rates by cancer site are represented in **Figure 26** below.


Figure 26: Incidence Rates for Cancer in SDC, 2011-2015



Source: California Cancer Registry. Age-Adjusted Invasive Cancer Incidence Rates in California, 2011- 2015, By County. <https://www.cancer-rates.info/ca/>. *Non-Hodgkin's Lymphoma (NHL), **Intrahepatic Bile Ducts (IBD)

Cancer is the leading cause of death in SDC. The age-adjusted mortality rate for all cancer sites from 2011-2015 was 150.2 per 100,000. Mortality rates by cancer site are represented in **Figure 27** below. San Diegans who identify as Black/African American have the highest cancer mortality rates (177.3) compared to people of other races.

Figure 27: Mortality Rates for Cancer in SDC, 2011-2015



Source: California Cancer Registry. Age-Adjusted Cancer Mortality Rates in California, 2011-2015, By County. *Intrahepatic Bile Ducts (IBD), **Non-Hodgkin's Lymphoma (NHL)

Please see **Appendix O** for Cancer definition and secondary source information

Community Engagement Findings

HASD&IC 2019 CHNA

Findings from the *HASD&IC 2019 CHNA* community engagement process show that San Diegans believe cancer is one of the top health priorities in the county.

In the *HASD&IC 2019 CHNA* online survey, cancer was ranked as the fourth most impactful health condition for the San Diego community. See **Appendix S** for a full summary of survey results.

In the *HASD&IC 2019 CHNA* focus groups and KI interviews, participants described barriers to receiving cancer screenings, diagnosis, and treatment along with the severe, negative impact a cancer diagnosis can have on individuals and their loved ones. See **Table 27** for a summary of findings from the *HASD&IC 2019 CHNA* community engagement activities related to cancer.

Sharp 2019 CHNA – Focus Group and KI Interview

A focus group with *Sharp Cancer Patient Navigators and Social Workers* and a KI interview with one *Sharp Cancer Patient Navigator/Clinical Social Worker*, were conducted to better understand the unique needs of Sharp cancer patients. Both the focus group and KI interview also informed the development of a case study.

Interview and focus group contributors described: barriers to care for cancer patients; the impact of a cancer diagnosis on family dynamics; the services provided by navigators and social workers and the ways in which they coordinate care with other community organizations; and suggestions for ways in which their work could be better supported. See **Table 28** or **Appendix U** for a summary of the focus group and interview findings.

Finally, please refer to **Appendix J** for the case study of “Camila” developed with insight collected from both the *Sharp Cancer Patient Navigators and Social Workers* focus group and the *Sharp Cancer Patient Navigator/Clinical Social Worker* KI interview.

Sharp 2019 CHNA – Sharp Insight Community Survey

Sharp’s Insight Community online survey also provided greater understanding of cancer as a concern among Sharp patients and community members. Out of 16 health conditions, respondents (n=380) ranked cancer as the second most important health condition impacting their community (see **Appendix R** for details).

When health conditions and SDOH were combined among all respondents, cancer ranked as the fifth most important health need among a total of 30 choices. Please refer

back to **Figure 14** for the final ranking of health conditions and SDOH by *Sharp Insight Community* survey participants.

Further, after ranking various health conditions and SDOH, *Sharp Insight Community* survey participants were asked to rate their awareness of select community outreach programs offered by Sharp, including Sharp's cancer support groups. Notably, only 13% of respondents were very familiar with this offering, while the majority were either not at all familiar (43%) or somewhat familiar (44%). See **Appendix R** for details.

Discussion of Community Engagement Findings

HASD&IC 2019 CHNA – Focus Groups

HASD&IC 2019 CHNA community engagement participants described cancer as a health condition that community residents find extremely scary. They discussed how fear about the impact of the cancer and about the stigma of cancer keeps people from accepting their diagnosis and pursuing cancer treatment. Brain, colon and breast cancer were specifically mentioned as diseases people find particularly intimidating. In addition, *HASD&IC 2019 CHNA* participants noted that people who have cancer are sometimes judged in the community and worry that others will avoid them once they know of their diagnosis.

Fears about immigration status, *HASD&IC 2019 CHNA* focus group members asserted, have also become a deterrent to receiving cancer screening, diagnosis and treatment. Asylum seekers in particular are hesitant to access cancer care because they believe they will be deported if they do not have insurance.

HASD&IC 2019 CHNA community engagement participants highlighted how finances related to cancer care are also burdensome for community members. Even for those with insurance, co-pays and deductibles can be prohibitive. People who have cancer also worry about losing their jobs and about who will take care of their children while they are undergoing treatment. Finally, *HASD&IC 2019 CHNA* community engagement participants named practical issues, such as transportation to medical appointments, as barriers to receiving cancer screenings and treatment.

Sharp 2019 CHNA – Focus Group and KI Interview

In both the *Sharp Cancer Patient Navigators and Social Worker* focus group and the *Sharp Cancer Patient Navigator/Clinical Social Worker* KI interview, barriers to effective cancer care were summarized as: fear, finances, frustration, and logistics.

Community engagement participants detailed the myriad ways that a patient's fear can interfere with the receipt of and compliance with cancer treatment. Denying their illness serves as a coping mechanism for this fear; by starting and complying with treatment patients must acknowledge the reality of their disease, and so, they sometimes delay treatment.

Sharp Cancer Patient Navigators and Social Workers focus group participants also described how patients will, out of fear, try “alternative” treatments instead — like eliminating sugar, taking high doses of vitamin C, and using herbs and marijuana. They explained that patients are also often afraid of the side effects of cancer treatment, such as losing their hair and becoming ill.

Fears about immigration status, *Sharp Cancer Patient Navigators and Social Worker* focus group members asserted, have become much more pronounced. Navigators and social workers described situations in which families have disenrolled from their health insurance out of fear of being placed on a “list” for deportation. In addition, sometimes undocumented residents choose not to receive cancer care rather than face the perceived risk of coming to the attention of immigration officials.

Sharp Cancer Patient Navigators and Social Worker focus group members and KI both emphasized that financial impacts create significant barriers to care. Patients worry about whether they can cover co-pays and co-insurance and how they will cope with any loss of income resulting from taking time off work during treatment. Relatedly, frustration related to negotiating insurance claims, *Sharp Cancer Patient Navigators and Social Workers* reported, is common for patients. Interactions with insurance companies can cause delays, which can cause patients to want to give up on their care. Delays caused by the unavailability of surgeons and other specialists or related to the commencement of chemotherapy also create patient frustration.

In addition, *Sharp Cancer Patient Navigators and Social Workers* identified logistical issues, like securing affordable, convenient transportation and covering responsibilities at home, as obstacles to the receipt of cancer care. Practical issues related to post-discharge care were described as particularly challenging, such as when the patient lives alone and has no one to assist with his or her recovery, when the patient is homeless, or when the patient is unable to arrange follow-up medical appointments.

Sharp Cancer Patient Navigators and Social Workers expressed great concern about the impact that a cancer diagnosis and subsequent treatment may have on families. Communication about diagnosis, treatment, and the types of assistance needed can be challenging for the patient. Engagement participants described how children can be traumatized not only by the prospect of a sick or dying parent but also by additional responsibilities they may have to take on that are beyond their maturity level. Children may provide translation services, transportation, and health care assistance. One 10-year-old child, for example, had the responsibility for draining her mother’s mastectomy bags.

Sharp 2019 CHNA Suggestions

The *Sharp Cancer Patient Navigators and Social Worker* focus group members and KI had several suggestions for how either Sharp or community organizations could support

the work of navigators and improve the outcomes of San Diego's community members facing cancer:

- Assign cancer patients to financial case managers or navigators to help them deal specifically and exclusively with health insurance issues.
- Create a one-stop shop for cancer patients that offers legal and financial services, pain clinics, and wig disbursements — and house that within the cancer center.
- Have more staff dedicated to breast cancer patients.
- Offer more post-surgery or post-chemotherapy follow-up to patients.

Sharp Insight Community survey participants also had the opportunity to provide specific suggestions about what Sharp can do to improve the health and well-being of the community. See **Appendix R** for the most commonly suggested themes. Feedback related to cancer included:

- Be more proactive in terms of getting patients in for cancer screening; provide free screenings and online educational webinars.
- Provide more educational programs, including for cancer.
- Increase access to primary health care services; shorten waiting times for primary and specialty care appointments.
- Invest more in post-acute care management.
- Provide opportunities for technical education on many areas of medicine; develop decision-making tools for complex patient decisions (e.g., prostate cancer treatment).

Additional recommendations from the *Sharp Insight Community* survey can be found in **Appendix R**.

Table 27: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Cancer

SUMMARY OF RESPONSES RELATED TO CANCER	
ASSOCIATED HEALTH CONDITIONS AND NEEDS	
<ul style="list-style-type: none"> ♦ Brain cancer ♦ Breast cancer ♦ Cancer (all types, especially in older populations) ♦ Chronic diseases: stress leads to increased cortisol levels which over time is linked to increases in chronic diseases such as asthma, heart disease, and cancer 	
ASSOCIATED SOCIAL DETERMINANTS OF HEALTH	
<ul style="list-style-type: none"> ♦ Healthy behaviors: poor diet, and lack of physical activity ♦ Physical environment: chemical exposures from industrial sites, and from being in war zones prior to arriving in the U.S. ♦ Substance use: tobacco, alcohol misuse ♦ Stigma: fear of community stigmatization due to cancer diagnosis 	
ACCESS TO SERVICES BARRIERS AND CHALLENGES	
<ul style="list-style-type: none"> ♦ Cost ♦ Delays to see specialists, like surgeons ♦ Fear of a diagnosis therefore people delay addressing serious health issue until it progresses too far ♦ Fear related to immigration status ♦ Frustration with navigating insurance issues ♦ Logistical issues such as transportation, childcare and home responsibilities ♦ Preventative care: people believe they are healthy due to not having any physical symptoms, therefore do not receive preventative care ♦ Screenings: avoidance of screenings, specifically breast cancer 	

Table 28: Sharp 2019 CHNA – Sharp HealthCare Cancer Patient Navigators and Social Worker Focus Group and KI Interview Summary of Responses

SHARP HEALTHCARE CANCER PATIENT NAVIGATORS AND SOCIAL WORKER - SUMMARY OF RESPONSES	
SOCIAL DETERMINANTS OF HEALTH – PATIENT AND FAMILY	
<ul style="list-style-type: none"> ♦ Access to health care specifically for recovery issues, post-surgery or post-treatment. ♦ Community and family support <ul style="list-style-type: none"> ○ Patients sometimes hide cancer status from their children. Sometimes it is due to the young age of their children. ○ Patients do not want to ask for help, they want to manage their health condition on their own. ○ Lack of caregivers ○ Lack of effective communication between patient and family members, especially senior patients. ♦ Transportation problems getting to health services ♦ Financial issues and needs related to their care plans ♦ Insurance Issues (i.e. having Medi-Cal, but no supplemental income) ♦ Homelessness: some patients live in cars ♦ Language barrier becomes a problem when trying to accurately translate cancer status to patient and family 	
YOUTH ROLES IN FAMILY CARE	
<ul style="list-style-type: none"> ♦ Children will often take on a role reversal when their parent is sick. ♦ Children provide transportation ♦ Children provide translation 	
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS FOR PATIENTS AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Economic security ♦ Fear <ul style="list-style-type: none"> ○ Fear and pain management are challenges for head and neck cancer patients. ○ Patients do not want chemotherapy because they do not want to lose their hair. ○ Patients fear the impact of treatment and are scared of the future and its uncertainty. ○ Sometimes other people will instill fear in the patients and tell them to partake in certain activities such as not eating sugar or going to Mexico to get their cancer treatments. ♦ Mental health issues and substance misuse can create challenges in care. ♦ Untimely access to providers and treatment, due to insurance issues or lack of providers to render services. ♦ Provider shortage ♦ Treatment compliance: providers may be unaware of a patient’s psychiatric history which may complicate treatment compliance. ♦ Conflicting treatments: some patients use holistic methods such as herbs and vitamin C therapy that may interact with treatments. 	
HOSPITAL COMMUNICATION	
Do you or your staff interact with community clinics, social services organizations, or other community resources in any way to support patients/their families?	

<ul style="list-style-type: none"> ♦ Referrals are made to resources such as financial services, In-Home Care, transportation, and housing. <ul style="list-style-type: none"> ○ Based on identified needs they refer to Komen Foundation or Cancer society. ○ Jewish Family Services and Mama's Kitchen are organizations that social workers and navigators rely on. ○ For patients with mental health issues or suicide ideation, social workers and navigators will call Sharp Mesa Vista to refer patients to a psychiatrist.
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS
<ul style="list-style-type: none"> ♦ Lack of family support: issues when there is no one at home for the patient to be discharged to. ♦ Homeless: when the patient does not have a home. ♦ Medications: when the patient has no access to their medications. ♦ Follow-up care: lack of follow-up care. ♦ Insurance issues, especially when patients have no outpatient care coverage. ♦ Education: some caregivers lack health education or are not capable of effectively being a caregiver.
HOSPITAL AND COMMUNITY SUPPORT NEEDED
<p>Financial navigators: there is a need for financial navigators to help oncology patients navigate their health insurance policy.</p> <p>One stop shop for patients that includes all the services they may need during this time, such as pain management clinics, wig disbursement, and help with legal issues.</p> <p>Additional staff: there is a need for more staff for breast cancer patients.</p> <p>Follow-up care: after surgery and chemotherapy follow up care.</p> <p>Education: patients need more education and support during this process such as education around why going back to work is not advisable.</p> <p>Legal Services: there is a need for more assistance with legal services and lawyers. Legal issues arise for some patients on immigration, custody of children, divorce, or work-related issues on discrimination.</p>
IMMIGRATION
Have you observed any changes over the past year in patient/community member attitude towards immigration issues?
<ul style="list-style-type: none"> ♦ Patients are afraid to talk when it comes to their citizenship status. ♦ Many patients disenrolled from their health insurance out of fear of being on a "list". ♦ There has been an increase in inpatient care due to placing patients on restricted Medi-Cal and then admitting them to obtain treatment and needed tests and scans such as MRI's. These services would otherwise not occur if the patient were an outpatient due to insurance. ♦ Many immigrants debate stopping treatment or just leaving the country all together. ♦ In terms of access to health care, there are a lot of legal and family issues involved.

Chronic Health Conditions (Cardiovascular disease, Diabetes, Obesity)

Definition

The Centers for Disease Control and Prevention (CDC) defines chronic health conditions as those that last at least one year and require ongoing medical care and/or limit activities of daily living.

Three chronic health conditions were identified as being of primary concern during the 2019 CHNA: CVD, diabetes and obesity.

CVD refers to a set of conditions related to the heart and blood vessels, including: heart disease, heart attack, stroke, heart failure, arrhythmia, and heart valve problems. The most common form of CVD is heart disease, and the most common heart disease is coronary artery disease (CAD – also referred to as coronary heart disease).

Diabetes is a set of diseases that affect the way the body metabolizes sugar (glucose). The three primary types of diabetes are: Type 2 (the most common type), Type 1, and gestational (occurring during pregnancy).

Overweight or obese people weigh more than is considered healthy for a given height. Body Mass Index (BMI) is a screening tool for overweight and obesity that divides people's weight by the square of their height. Obesity is defined in adults as having a BMI of 30.0 or higher. For children, obesity is defined as having a BMI at or above the 95th percentile for children of the same age and sex.

Findings

The chronic health conditions of CVD, diabetes and obesity were identified as priority health needs by both the SMV and HASD&IC 2019 CHNA secondary data analyses and community engagement efforts.

The community engagement activities identified key factors that community members struggle with to prevent chronic diseases, including access to fresh, healthy foods and safe places to exercise and play. In addition, barriers to care, SDOH, and disease management were identified as particularly difficult for those with chronic health conditions. This included:


- Economic security
- Transportation
- Immigration fears
- Lack of knowledge on health condition

Secondary Data Findings

Cardiovascular Disease

The rate of ED visits for coronary heart disease increased by 35.3% from 2014-2016. The steepest increases were for those ages 45-64 (41.9%) and Asian/Pacific Islanders (55.1%). Inpatient discharge rates decreased slightly (by 0.1%). See **Figure 28** below for details.


Figure 28: ED Visit and Inpatient Discharge Rates for Coronary Heart Disease in SDC, 2014-2016



Source: California Office of Statewide Health Planning and Development, OSHPD Patient Discharge Data. 2014-2016. SpeedTrack©

Heart disease was the second leading cause of death in SDC in 2016. The overall death rate from coronary heart disease decreased by 3.5% from 2014-2016 but increased among Black (8.7%) and American Indian/Alaska Native (29.4%) individuals. See **Figure 29** below for details.


Figure 29: Mortality Rates for Coronary Heart Disease in SDC, 2014-2016



Source: County of San Diego Health and Human Services
Agency Public Health Services, Regional & Community Data.


The rate of ED visits for stroke increased by 11.0% from 2014-2016. The steepest increases were for those ages 27-44 (20%) and for people who identify their race as “other” (28.9%). Rates of inpatient discharge for stroke decreased by 4.1%. Stroke was the fourth leading cause of death in SDC in 2016.⁶ Death rates for stroke increased by 17.6% from 2014-2016. The increase was steepest for Hispanics (28.5%). See **Figures 30 and 31** below for details.

Figure 30: ED Visit and Inpatient Discharge Rates for Stroke in SDC, 2014-2016



Source: California Office of Statewide Health Planning and Development, OSHPD Patient Discharge Data. 2014-2016. SpeedTrack©

Figure 31: Mortality Rates for Stroke in SDC, 2014-2016




Source: County of San Diego Health and Human Services
Agency Public Health Services, Regional & Community Data.

Diabetes

In SDC in 2017, 9.4% of adults had diabetes. ED visits for diabetes increased 7.2% from 2014-2016; increases in rates were highest (13.9%) for those ages 27-44 years and for Asian/Pacific Islander (16.3%) and Black individuals (15.1%). Inpatient discharge rates for diabetes decreased slightly (0.7%) from 2014-2016 but increased for Asian/Pacific Islanders (28.6%), for people ages 11-17 (15.7%) and for people 18-26 years old (28.8%). See **Figure 32** below for details.


Figure 32: ED Visit and Inpatient Discharge Rates for Diabetes in SDC, 2014-2016



Source: California Office of Statewide Health Planning and Development, OSHPD Patient Discharge Data. 2014-2016.
SpeedTrack©

Diabetes was the seventh leading cause of death in SDC in 2016. The age-adjusted death rate for diabetes increased 16.3% from 2014-2016. Increases were steepest for Hispanics (53.0%) and those who identify their race as “other” (35.0%). See **Figure 33** below for details.

Figure 33: Mortality Rates for Diabetes in SDC, 2014-2016




Source: County of San Diego Health and Human Services Agency Public Health Services, Regional & Community Data.

Obesity

In 2016, 25.3% of adults in SDC were obese, a 2.0% increase from 2014. See **Figure 34** below for details.

Figure 34: Percent of the Adult Population who are Obese in SDC, 2014-2017



Source: California Health Interview Survey, 2014-2017

Please see **Appendix O** for Chronic Health Conditions definition and secondary source information.

Community Engagement Findings

HASD&IC 2019 CHNA

CVD, diabetes and cancer were the chronic health conditions most frequently discussed by community members as priority health needs in SDC.

In the *HASD&IC 2019 CHNA* online survey, these conditions were ranked as three of the five most impactful health conditions on the overall well-being of San Diegans. In addition, of those who chose obesity as the greatest influence on poor health outcomes, 51.0% identified obesity as growing worse within SDC.

Conversations about chronic health conditions in the *HASD&IC 2019 CHNA* focus groups centered on barriers to care, particularly related to prevention and disease management, and on specific challenges faced by vulnerable populations. See **Table 29** for a summary of findings from the *HASD&IC 2019 CHNA* community engagement activities related to chronic health conditions.

Sharp 2019 CHNA – Focus Groups

A focus group conducted with the *Sharp PFAC* highlighted both CVD — including stroke — and diabetes as chronic health conditions of particular concern. In addition, a focus group conducted with *Sharp Case Management Leadership* specifically cited diabetes, chronic obstructive pulmonary disease (COPD) and congestive heart failure (CHF) as chronic health conditions that severely impact Sharp's more vulnerable patient populations; that is, the populations experiencing greater health disparities than others.

Please refer to **Tables 21** and **22** or **Appendix U** for a summary of these findings. The **Discussion of Community Engagement Findings** below highlights those focus group findings that specifically connect to chronic health conditions.

Lastly, a focus group conducted with *Sharp Diabetes Health Educators* facilitated a better understanding of the unique health needs of Sharp's diabetes patients. Please refer to **Table 30** or **Appendix U** for a summary of *Sharp Diabetes Health Educator* focus group findings.

For a description of all Sharp focus group participants, see **Appendix K** and **Appendix L**.

Sharp 2019 CHNA – Sharp Insight Community

Sharp's Insight Community online survey provided greater understanding of chronic health conditions of concern among Sharp patients and community members. Out of 16 health conditions, respondents (n=380) ranked obesity as the third most important

health condition impacting their community, while ranking heart disease (coronary) and diabetes (types 1 and 2) fourth and fifth, respectively (see **Appendix R** for details).

When health conditions and SDOH were combined among all respondents, obesity, heart disease, diabetes and health behaviors all ranked within the top 10 most important health needs among 30 choices. Please refer back to **Figure 14** for the final ranking of health conditions and SDOH by *Sharp Insight Community* survey participants.

Further, after ranking various health conditions and SDOH, *Sharp Insight Community* survey participants were asked to rate their awareness of select community outreach programs offered by Sharp. This included the education programs Sharp offers in partnership with the City of San Diego on various health and healthy lifestyle topics, including chronic health conditions such as diabetes, as well as heart health and nutrition. Notably, only 9% of respondents were very familiar with these education programs, while the majority were either not at all familiar (46%) or somewhat familiar (45%). See **Appendix R** for details.

Discussion of Community Engagement Findings

HASD&IC 2019 CHNA – Focus Groups

HASD&IC 2019 CHNA focus group participants repeatedly asserted that in order to prevent CVD, diabetes and obesity, community members must have economic and geographic access to fresh, healthy foods and to safe places to exercise and play. Focus group participants felt that some San Diego neighborhoods have an overabundance of fast food restaurants and convenience stores and far fewer grocery stores featuring affordable fresh produce, which makes healthy eating economically and logistically challenging. In addition, some neighborhoods lack safe, open places to play and exercise. In addition, in some families, they said, the adults work long hours to earn enough to cover their necessities, leaving little time for healthy cooking and exercise.

HASD&IC 2019 CHNA focus group participants noted that concerns about finances create obstacles to the effective management of chronic conditions like CVD and diabetes. Co-pays for doctor's visits and medications, loss of income due to time off work, and the cost of transportation to medical appointments are prohibitive. Focus group participants described instances in which people had to choose between feeding their families and getting their medications.

Immigration fears, *HASD&IC 2019 CHNA* focus group participants said, keep some of them from getting the health care they need to manage their conditions. Many undocumented residents fear being placed on an "alert list" for immigration officials when receiving health care. Residents who are attempting to become U.S. citizens fear that the receipt of services will interfere with their ability to become naturalized. Lack of knowledge, one participant asserted, is another primary obstacle to disease

management. Individuals may be unaware of how to manage their diseases and unsure about how to secure resources to assist them.

Further, *HASD&IC 2019 CHNA* focus group participants emphasized that managing chronic health conditions is particularly troublesome for two groups: (1) homeless and insecurely housed individuals and (2) seniors. For homeless and insecurely housed individuals, managing medical appointments and the storage of insulin were frequently mentioned as barriers to diabetes management. For seniors, transportation to care and the management of medication were discussed as especially challenging. For additional details on the *HASD&IC 2019 CHNA* community engagement findings, please refer to the full *HASD&IC 2019 CHNA* at: <https://hasdic.org/2019-chna/>.

Sharp 2019 CHNA – Focus Groups

Participants in the *Sharp PFAC* and *Sharp Case Management Leadership* focus groups discussed the conditions most negatively impacting the community, barriers to accessing care, and suggestions for ways in which patient/community health outcomes could be improved. Please refer to **Tables 21** and **22** at the end of this section for a summary of these findings. The discussion below highlights those focus group findings that specifically connect to chronic health conditions.

In the *Sharp Diabetes Health Educator* focus group, the discussion focused on diabetes. Topics covered were those barriers to disease management for diabetic patients; the impact of diabetes on an individual and his/her family; the services provided by Sharp diabetes health educators and the ways in which they coordinate care with other community organizations; and suggestions for ways in which their work could be better supported. Please refer to **Table 30** at the end of this section, as well as **Appendix U**, for a summary of *Sharp Diabetes Health Educator* focus group findings.

In the *Sharp PFAC* focus group, barriers to care connected to chronic disease management included economic insecurity (including food insecurity), housing and insurance issues, challenges with navigating the health care system, lack of health literacy, fears regarding immigration issues, and cultural and language barriers. Essentially, the very same barriers that have a critical impact on access to care. For a deeper discussion of these barriers, please refer to the **Access to Health Care** section.

During the focus group conducted with *Sharp Case Management Leadership*, barriers to accessing care were discussed extensively. Participants cited many factors that serve as obstacles to quality care for vulnerable populations, including economic and food insecurity, housing, challenges with insurance for patients and for hospitals, fears related to immigration status, waiting lists for appointments, and issues specific to discharge care. Regarding chronic disease management, the barriers of economic security, housing, waiting lists and discharge challenges were noted in particular. For a deeper discussion of these barriers, please refer to the **Access to Health Care** section.

In the *Sharp Diabetes Health Educator* focus group several barriers to effective diabetes management were described, including challenges with finances, pharmacies, insurance policies, fear, and lack of knowledge/cultural beliefs about food and illness. Focus group participants noted that concerns about finances create obstacles to effective diabetes management for their patients: co-pays for doctor's visits and medications, loss of income due to time off work, and the cost of transportation to medical appointments are prohibitive. Health educators described instances in which patients had to choose between feeding their families and getting their medications — and the inability to purchase healthy foods further exacerbates their diabetes.

The *Sharp Diabetes Health Educator* focus group also described challenges patients face with pharmacies — prescription renewals are sometimes denied because a physician fails to use the right language on a prescription and the pharmacists are unwilling or unable reach out to the doctor to resolve the issue. In addition, many pharmacies do not offer discount programs, creating further financial stress, and while some pharmacies will ensure that patients have testing strips and supplies, others will not. Relatedly, focus group participants also noted that insurance issues, such as a “donut hole²²” that creates challenges for some patients to receive medications between August and January, are also problematic.

In addition, *Sharp Diabetes Health Educator* focus group participants identified fears related to two subjects that prevent people from getting the care they need. First, for undocumented immigrants, concerns about revealing their immigration status may keep them from getting health care. Second, for people in certain professions, such as pilots and truck drivers, the use of insulin can result in job loss, leading them to avoid using this medication.

Further, focus group participants asserted that lack of knowledge is another primary obstacle to disease management for their patients. In particular, patients are often unaware of their rights as employees to, for example, take breaks to check their blood sugar. In addition, participants said, cultural beliefs about food and illness at times do not align with effective diabetes care. For example, among some groups, it is common to eat very late at night and to only eat twice a day — both of which make controlling blood sugar difficult. For other groups, eating high carbohydrate foods, like rice, with most meals is routine, and it can be difficult to change these behaviors.

In addition, the *Sharp Diabetes Health Educators* cited several impacts of diabetes management that can also create barriers. “Diabetes,” one focus group participant explained, “is a never-ending disease that includes a long journey of self-management. This takes a toll on the patient’s psyche as well as their work and family life.” *Sharp Diabetes Health Educators* described diabetes patients as, at times, feeling isolated and lonely. They experience, health educators said, a great deal of stigma — they are

²² Most plans with Medicare prescription drug coverage (Part D) have a coverage gap (called a “donut hole”). This means that after the individual and their insurance plan have spent a certain amount of money for covered prescriptions, the individual must pay all costs out-of-pocket for their prescriptions up to a yearly limit. Once the individual has spent up to the yearly limit, their coverage gap ends and their insurance plan helps pay for covered prescriptions again. Source: <https://www.healthcare.gov/glossary/donut-hole-medicare-prescription-drug/>

blamed for their disease and feel guilt and shame as a result. At times, this stigma is reinforced by physicians. Families, participants said, may not be supportive of dietary changes. The associated co-morbidities, including cardiovascular issues, kidney issues, neuropathy, and vision issues are also impactful. Attempting to manage their health, focus group participants emphasized, can therefore cause diabetes patients to feel overwhelmed and depressed.

Sharp 2019 CHNA – Sharp Insight Community

Feedback regarding the most important SDOH was also obtained from *Sharp Insight Community* survey participants (see **Appendix R**), and this feedback had profound implications for chronic health conditions. Notably, among 14 choices, health behaviors (diet, physical and sexual activity, tobacco and substance use) were ranked as the third most important SDOH impacting the community. According to the County of San Diego Health and Human Services Agency (HHSA), lack of physical activity and poor nutrition are risk factors for obesity²³, while poor diet, physical inactivity and tobacco use contribute to heart disease and diabetes.²⁴ All three of these health conditions — obesity, heart disease and diabetes — were identified as priority health conditions in the SMV and HASD&IC 2019 CHNAs.

Sharp 2019 CHNA Suggestions

Sharp 2019 CHNA focus group participants provided several suggestions to improve the health and well-being of patients and community members, particularly related to the chronic health conditions they experience.

In the *Sharp PFAC* focus group, suggestions focused around access to care and care coordination, which would have a significant impact on chronic disease management. Specific suggestions included:

- Prioritize the hiring and training of social workers. Social workers can coordinate care, create discharge plans, and make follow-up appointments. Patients are in need of a supportive advocate at the time of discharge.
- Offer free post-surgery home visits.
- Make follow-up phone calls to see if patients who have been discharged are doing well and getting proper follow-up care.
- Make in-home care more accessible, particularly for older patients.

In the *Sharp Case Management Leadership* focus group, suggestions centered around improved care coordination and programming that would also help address SDOH that challenge patient health. It was repeatedly emphasized that health outcomes could not

²³ County of San Diego HHSA. Public Health Services, Community Health Statistics. Obesity

https://www.sandiegocounty.gov/content/dam/sdc/hhsa/programs/phs/documents/CHS-Obesity_SlideSet.pdf

²⁴ County of San Diego HHSA. https://www.sandiegocounty.gov/content/sdc/hhsa/programs/phs/community_health_statistics/3-4-50.html

be improved until SDOH were included as part of patient care plans. Specific suggestions included:

- Ensure 2-1-1 CIE²⁵ access for all Sharp facilities.
- Establish more patient-centered initiatives.
- House a program onsite at hospitals that helps place people in housing, and gets them referrals/helps with applications to affordable housing.
- Create more home-based support services and adult day centers to help patients transition back to the community or home after hospital discharge.
- Establish a more streamlined process and a communication system between the hospitals and the County about those who qualify for wraparound services, such as Whole Person Wellness.

Sharp Diabetes Health Educators had several suggestions for ways in which their work could be better supported and their patients' health improved:

- Provide a 24-hour pharmacy in the Outpatient Pavilion, at Sharp Memorial Hospital.
- Build partnerships with organizations that provide transportation and food/meal services.
- Make sure health care providers are aware that the diabetes education department exists and allow them to refer out from Sharp Rees-Stealy.
- Improve technology: they need telehealth capability, the ability to download a patient's glucose device, Wi-Fi, and access to the Cloud.
- Providers on their team need to sign off on prescriptions — otherwise it is “time lost” in terms of disease progression.
- Add psychologists to their team who can vet patients for organ transplants.
- Give the Diabetes Educators more office space.
- Add social workers to their team.

Sharp Insight Community survey participants also had the opportunity to provide specific suggestions about what Sharp can do to improve the health and well-being of the community. See **Appendix R** for the most commonly suggested themes. Feedback related to chronic health conditions included:

- Make nutrition/weight loss assistance free and continue to encourage diet and nutrition education.
- Implement healthy living strategies in schools to avoid some of the issues that affect communities as adults (prevention).
- Network with other health care providers to provide a seamless approach to community health.

²⁵ 2-1-1 San Diego's Community Information Exchange (CIE) is an ecosystem comprised of multidisciplinary network partners that use a shared language, a resource database, and an integrated technology platform to deliver enhanced community care planning. Care planning tools enable partners to integrate data from multiple sources and make bi-directional referrals to create a shared longitudinal record. Source: <https://ciesandiego.org/what-is-cie/>

- Change the role or image of the role of being a health care provider as the place to go for emergency solutions to being looked to as an ongoing part of one's overall health, and as a reminder to maintain a healthy weight, diet and exercise plan.

Additional recommendations from the *Sharp Insight Community* survey can be found in **Appendix R**.

Please refer to **Tables 21** and **22** for a summary of responses from the *Sharp PFAC* and *Sharp Case Management Leadership* focus groups. **Table 30** presents a summary of feedback from the *Sharp Diabetes Health Educator* focus group.

Table 29: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Chronic Health Conditions

SUMMARY OF RESPONSES RELATED TO CHRONIC HEALTH CONDITION	
ASSOCIATED HEALTH CONDITIONS AND NEEDS	
All Age Groups <ul style="list-style-type: none"> ♦ Cardiovascular disease (heart attack, stroke) ♦ Cholesterol ♦ COPD 	<ul style="list-style-type: none"> ♦ Diabetes (Type I, II, and pre-diabetic) ♦ Hypertension (high blood pressure) ♦ Obesity/overweight
ASSOCIATED BARRIERS AND CHALLENGES	
All Age Groups <ul style="list-style-type: none"> ♦ Lack of access to healthy food (living in a 'food desert', lack of grocery stores with healthy or fresh food) ♦ Lack of transportation: difficulty in traveling to purchase groceries for rural areas and seniors ♦ Limited physical mobility: difficult to purchase groceries due to physical limitations or being homebound (seniors) ♦ Healthcare cost: high cost of insurance, medical bills, or medications ♦ Economic insecurity: cost of living (rent, utilities), cost of healthy food ♦ Lack of health education and/or knowledge: prevention, disease management, nutrition/diet modification ♦ Poor health behaviors: unhealthy diets, lack of exercise or physical activity ♦ Medication management: timing, frequency, and how to take medications ♦ Unsafe or poorly kept neighborhoods or public spaces for physical activity ♦ Housing: Unstable or complete lack of housing Children and youth <ul style="list-style-type: none"> ♦ Refusing to eat healthy foods ♦ Lack of safe places to exercise or play Individuals Experiencing Homelessness <ul style="list-style-type: none"> ♦ Lack of kitchen to cook healthy meals ♦ Lack of refrigeration to store temperature-specific medications such as insulin ♦ Lack of safe storage of medications: can get lost or stolen 	

Table 30: Sharp 2019 CHNA – Sharp HealthCare Diabetes Health Educators Focus Group Summary of Responses

SHARP HEALTHCARE DIABETES HEALTH EDUCATORS - SUMMARY OF RESPONSES	
HEALTH CONDITIONS AND NEEDS FOR PATIENTS AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Cardiovascular issues ♦ Behavioral health issues: depression associated with diabetes, bipolar ♦ Diabetes ♦ Eating disorders ♦ Gastric bypass issues 	<ul style="list-style-type: none"> ♦ Kidney issues ♦ Neuropathy: weakness, numbness, and pain from nerve damage, usually in the hands and feet ♦ Post kidney transplant issues ♦ Vision issues
SOCIAL DETERMINANTS OF HEALTH FOR PATIENTS AND FAMILIES	
<ul style="list-style-type: none"> ♦ Community and family support: families can be unsupportive of the “diet” they must adhere to. There are misconceptions about the health conditions by family members. ♦ Education for patients: general lack of patient empowerment and knowledge on diabetes ♦ Education for providers: patients are referred to general practitioners and medical doctors who are not knowledgeable in diabetes care ♦ Food insecurity ♦ Medication Issues: prescription issues such as medications not being covered under the patients insurance. This can be an issue when the doctor does not write “or” on the prescription renewal so that it can be replaced with different type of drug. ♦ Stigma: the burden is reinforced by medical providers who scare the patients. 	
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS FOR PATIENTS AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Community and family support: lack of family support due to economic reasons. ♦ Cultural differences <ul style="list-style-type: none"> ○ Middle Eastern patient population cultural/belief differences: <ul style="list-style-type: none"> ▪ Tendency to eat very late and only two times a day which make it harder to control blood glucose levels. ▪ Arab population –has difficulty trusting and believing the diabetes education content, which creates challenges when trying to change eating and life style habits. ▪ Husbands are dominant in the household and due to work status cannot support their wife during appointments. ○ Asian culture –eating two bowls of rice is the norm; lack health literacy in nutrition. ○ Some cultures believe big babies are healthier. ♦ Economic insecurity <ul style="list-style-type: none"> ○ If husband misses work, family does not eat; same goes for taking time off for sick leave or medical emergencies. ○ Food insecurity ♦ Education: lack of knowledge of disability and employment rights (i.e. employees are unaware that by law they must be allowed to check their blood sugar levels at work). <ul style="list-style-type: none"> ○ Some patients believe insulin causes blindness (not diabetes condition itself) or think that death or amputation is inevitable when diagnosed with diabetes. ○ Providers forget to remind patients to bring their blood glucose meters. ○ Even well-educated patients with gestational diabetes may not care for themselves properly. ♦ Health insurance issues ♦ Stigma: some patients have preconceived ideas of what a person living with diabetes looks like. There is stigma around the use of the word diabetic, and some people believe people with diabetes are lazy. ♦ Violence: instances of domestic/familial abuse. 	

HOSPITAL COMMUNICATION Do you or your staff interact with community clinics, social services organizations, or other community resources in any way to support patients/their families?
<ul style="list-style-type: none"> ♦ Referrals: refer patients with newborns who need resources to the Salvation Army and other organizations. ♦ Partner with community organizations such as: <ul style="list-style-type: none"> ○ Family Health Center (FHC) to help patients set goals, follow-up, and check in on patient progress. ○ 2-1-1 San Diego to work on food insecurity resources. ○ Sharp Mesa Vista Outpatient Center ○ Senior centers ○ Feeding America and Senior Meal Programs ♦ Additional partnerships include <ul style="list-style-type: none"> ○ WIC interns conduct projects with Sharp HealthCare to implement changes. WIC is a federally funded food supplement nutrition program for Women, Infants, and Children (WIC). ○ Help uninsured patients enroll into the Care Transitions Intervention (CTI) Program
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS
<ul style="list-style-type: none"> ♦ At discharge, there is no continuity of care. Patients are only provided with papers on resources. ♦ Language barrier when trying to understand discharge papers.
IMMIGRATION Have you observed any changes over the past year in patient/community member attitude towards immigration issues?
<ul style="list-style-type: none"> ♦ The group has observed changes in attitudes toward immigrant issues and stated that it is most noticeable in the Chula Vista location. ♦ There is fear of crossing the border from the South Bay.

Community and Social Support

Definition

Community support refers to the resources available within an individual's neighborhood to promote the well-being of the residents. Social support is defined as the types of help that people receive from other individuals including emotional, practical and informational assistance.

Findings

Community and social support were identified as a priority health need by both the SMV and HASD&IC 2019 CHNAs in the community engagement process. For health care in particular, community-clinical linkages that provide social support are critical. Per the CDC, community-clinical linkages are defined as connections between community and clinical sectors to improve population health.

Secondary Data Findings

SDC data related to the number of FQHCs, the percent of the population with limited English proficiency, and the percent of the population who are linguistically isolated were studied as proxies for the level of available community and social support in the county.

FQHCs are community assets that provide health care to vulnerable populations. In particular, they promote access to ambulatory care in areas designated as medically underserved. There are 3.17 FQHCs per 100,000 persons in SDC according to the U.S. Department of Health and Human Services Center for Medicare and Medicaid Services. Although this is higher than the rate for California (2.5) and the U.S. (2.5), individual health centers may not have large enough capacity to deliver the services required for the populations they serve.

In recent years, the role of FQHCs has evolved beyond providing access to health care services. FQHCs are medical homes and health homes that not only provide case management for health care needs, they also coordinate their patients' access to social services. FQHCs often screen and assess for a wide-range of SDOH and connect patients to internal resources or community-based services.

Regarding linguistic and cultural barriers, with SDC's large immigrant and refugee population, the indicators of limited English proficiency and linguistic isolation are especially important to understanding who might lack social support as a result of these factors. According to the American Community Survey (ACS), approximately 14.5% of San Diego residents ages 5 and older speak a language other than English at home and speak English less than "very well." In addition, 6.8% of the population ages 5 and older live in a home in which no person age 14 or older speaks only English, or speaks a non-English language but does not speak English "very well." Similar to those with limited English proficiency, linguistically isolated populations may struggle with accessing health services, communicating with health care providers, and understanding health information. Please see **Table 31** below for more information on how SDC compares to the state and nation.

Table 31: Federally Qualified Health Centers Rate, Primary Care Provider Rate, Percent of Population Living with Limited English Proficiency, and Linguistically Isolated

	San Diego County	California	United States
Rate of Federally Qualified Health Centers (per 100,000) ^a	3.17	2.51	2.45
Primary Care Provider Rate (per 100,000) ^b	78.3	72.4	72.4
Percent Limited English Proficiency ^c	14.6%	18.4%	8.5%
Percent Linguistically Isolated ^c	6.8%	9.2%	4.5%

^aSource: U.S. Department of Health & Human Services, Center for Medicare & Medicaid Services, Provider of Services File. December 2016.

^bSource: U.S. Department of Health & Human Services, Health Resources and Services Administration, Area Health Resource File. 2014

^cSource: U.S. Census Bureau, American Community Survey. 2013-2017.

Please see **Appendix O** for Community and Social Support definition and secondary source information.

Community Engagement Findings

HASD&IC 2019 CHNA

Community members in the *HASD&IC 2019 CHNA* identified community and social support as extremely important to the health of SDC residents.

In the *HASD&IC 2019 CHNA* community online survey, community and social support was ranked as one of the five most influential SDOH in SDC.

During *HASD&IC 2019 CHNA* focus group and KI interviews, participants emphasized three topics related to community and social support:

- Well-being is enhanced when people have adequate community and social support.
- When communities are disproportionately affected by economic stress and/or a poor physical environment, community engagement and the community spirit are affected.
- For certain populations, the receipt of services within their community is an important strategy to overcome barriers to care.

Sharp 2019 CHNA – Focus Groups

Community and social support was identified as having a significant impact on health outcomes and well-being across all of the Sharp/SMV 2019 CHNA focus groups, including: *Sharp Diabetes Health Educators, SMBHWN Case Managers & Social Workers, Sharp Case Management Leadership, Sharp Cancer Patient Navigators and*

Social Worker, Sharp Senior Health Center staff and patients/community members, SMC Aftercare Support Group members and Sharp PFAC members. Focus group participants also discussed community and social support specifically in connection to access to care challenges. Further details are included in the **Discussion of Community Engagement Findings** below.

Please refer to **Appendix U** for a summary of all SMV/Sharp 2019 CHNA focus groups.

Sharp 2019 CHNA – Sharp Insight Community

Sharp's Insight Community online survey provided greater understanding of community and social support as an identified health need among Sharp patients and community members. Among 14 SDOH, respondents (n=380) ranked community and social support (including social interaction/engagement, cultural and linguistic support) as the ninth most important SDOH impacting their community. See **Appendix R**.

When health conditions and SDOH were combined among all respondents, community and social support ranked as the 16th most important health need among 30 choices. Please refer back to **Figure 14** for the final ranking of health conditions and SDOH by *Sharp Insight Community* survey participants.

Discussion of Community Engagement Findings

HASD&IC 2019 CHNA – Focus Groups

HASD&IC 2019 CHNA focus group contributors frequently identified the support of family, friends and community as necessary to good health. People who are lonely or isolated, they said, are impacted physically and emotionally, whereas people who are connected to others feel better and are more motivated to stay healthy. In addition, contributors emphasized, people may be more likely to seek and receive both health and social services if they are able to do so within their own communities. The receipt of community-based services reduces logistical barriers to care, such as obtaining transportation. In addition, focus group participants explained, individuals are less hesitant to accept care from organizations that feel like part of their community.

In addition, *HASD&IC 2019 CHNA* focus group participants emphasized that the ability of people within a community to be civically engaged and supportive of other residents is impacted by economic stress and environmental conditions. When residents are focused on economic survival — paying rent and securing food for their families — they are less likely to be involved in their communities. In addition, residents are less likely to be active in their communities that suffer from air pollution, poor housing conditions, and lack of pleasant recreational areas like parks. Further, the essential “spirit” of communities that lack healthy conditions is affected, and this in turn negatively impacts residents’ ability to support one another.

HASD&IC 2019 CHNA focus group members also stressed that particular populations are deeply in need of services within their communities. This is especially true, they emphasized, for immigrants who are fearful about their legal status; these individuals are far more likely to trust information they receive from people within their communities and to believe that they will not be reported to authorities when they receive services. Community-based support and services are also important, focus group participants said, for people from other cultures. Trust is built, they explained, when services are offered by people within the community who are either from similar cultural backgrounds or who make the effort to immerse themselves in a community. Seniors would also benefit from having services that are offered closer to home and within a familiar neighborhood. Finally, those who are homeless are more likely to receive and be compliant with health care services, focus group members said, if clinics are available in the communities in which they reside.

Sharp 2019 CHNA – Focus Groups

Sharp PFAC focus group participants described community and social support specifically in connection to its impact on vulnerable populations navigating the health care system, particularly seniors. For seniors and other individuals living alone, inadequate support at home was noted to be a concern, including: having enough food; transportation to follow-up appointments; and support in understanding new prescriptions and reconciling previous medications with a new medication regimen. *Sharp PFAC* focus group participants also explained that trying to understand and utilize the health care system and insurance can be physically and mentally exhausting; which is only exacerbated for those who lack community and social support. Please refer to **Table 21** or **Appendix U** for a summary of feedback from the *Sharp PFAC* focus group.

Sharp Case Management Leadership focus group participants highlighted lack of family support, lack of a caregiver upon discharge and lack of childcare assistance as elements of community and social support that have devastating impacts on the health and well-being of their patients. In addition, for patients who are elderly, it is a significant challenge to locate affordable short-term caregivers upon discharge from the hospital. Please refer to **Table 22** or **Appendix U** for a summary of feedback from the *Sharp Case Management Leadership* focus group.

Community and social support was mentioned frequently throughout the *Sharp Diabetes Health Educator, SMBHWN Social Workers & Case Managers, Sharp Cancer Navigators and Social Worker, and Sharp Senior Health Center staff*, patients and community member focus groups as well. Please see the findings for **Aging Concerns, Diabetes, Maternal and Prenatal Care, including High-Risk Pregnancy** and **Cancer** for specific feedback on community and social support and its connection to these identified health needs.

Sharp 2019 CHNA Suggestions

Sharp PFAC suggestions that specifically address community and social support included:

- Prioritize the hiring and training of social workers. Patients are in need of a supportive advocate at the time of discharge.
- Offer free post-surgery home visits.
- Make follow-up phone calls to see if patients who have been discharged are doing well and getting proper follow-up care.
- Make in-home care more accessible, particularly for older patients.

Sharp Case Management Leadership suggestions that specifically address community and social support included:

- Ensure 2-1-1 CIE²⁶ access for all Sharp facilities.
- Create more home support services and adult day centers to help patients transition back to the community or home after hospital discharge.
- Establish a more streamlined process and a communication system between the hospitals and the County about those who qualify for wraparound services, such as Whole Person Wellness.

Sharp Insight Community survey participants also had the opportunity to provide specific suggestions about what Sharp can do to improve the health and well-being of the community. See **Appendix R** for the most commonly suggested themes. Feedback related to community and social support included:

- Mobile Units — if it is possible to go out to the public, it could help address some of the transportation concerns and even help with some of the stigma concerns by coming to the patient and making it convenient to be seen.
- Partner with schools to start health education early.
- Network with other health care providers to provide a seamless approach to community health.
- Actively advocate for health care reform to ensure fair, equitable health care for everyone.

Additional recommendations from the *Sharp Insight Community* survey can be found in **Appendix R**.

²⁶ 2-1-1 San Diego's Community Information Exchange (CIE) is an ecosystem comprised of multidisciplinary network partners that use a shared language, a resource database, and an integrated technology platform to deliver enhanced community care planning. Care planning tools enable partners to integrate data from multiple sources and make bi-directional referrals to create a shared longitudinal record. Source: <https://ciesandiego.org/what-is-cie/>

Economic Security

Definition

Economic security refers to the ability to meet essential financial needs sustainably, including those for food, shelter, clothing, hygiene, health care and education.

Economic insecurity is associated with:

- Poor mental health days
- Visits to the ED for heart attacks
- Asthma
- Obesity
- Diabetes
- Stroke
- Cancer
- Smoking
- Pedestrian injury

Economic insecurity may also lead to food insecurity, which is linked to:

- Fair or poor health, anemia and asthma in children
- Mental health problems, diabetes, hypertension, hyperlipidemia and oral health problems in adults
- Fair or poor health, depression and limitations in activities of daily living in seniors

Findings

For the purposes of this report, chief areas of economic security include poverty, wages and food insecurity.

Economic security was identified as a priority health need by the SMV and HASD&IC 2019 CHNAs in the secondary data analyses and in the community engagement process.


Secondary Data Findings

Data are available related to three indicators of economic security in SDC: the percent of the population living in poverty; the unemployment rate; and the percent of the population who are food insecure.

Poverty

For 2019, the federal poverty guidelines range from \$12,490 for a 1-person household, to \$25,750 for a 4-person household, to \$43,430 for an 8-person household. In SDC, 13.3% of residents live below the federal poverty guidelines, and 17.1% of children live in poverty. Poverty rates vary by race (see **Figure 35** below):

Figure 35: Percent of the Population below 100% Poverty Level in SDC, 2013-2017



Source: U.S. Census Bureau, American Community Survey, 2013-2017 5-Year Estimates.

*Non-Hispanic White


**Native Hawaiian and Other Pacific Islander

***American Indian and Alaska Native

Unemployment

In 2018, the average unemployment rate in SDC was 3.3%. This rate has decreased by 48.0% since 2014. See **Figure 36** below for more details on unemployment.

Figure 36: Unemployment Rate in SDC, CA and the United States, 2014-2018



Source: Local Area Unemployment Statistics, 2018 annual averages. U.S. Department of Labor. Bureau of Labor Statistics

Food insecurity

Food insecurity is defined as not always having enough food for everyone in the household to lead an active, healthy life. In San Diego:

- 14.0% of people experience food insecurity (1 in 7 people)
- 9.0% of seniors experience food insecurity (1 in 11 seniors)
- 22.0% of children live in food insecure households (more than 1 in 5 children)

Please see **Appendix O** for Economic Security definition and secondary source information.

Community Engagement Findings

HASD&IC 2019 CHNA

Economic insecurity was identified as a priority health need in each of the *HASD&IC 2019 CHNA* community engagement activities and was described as impacting “every aspect” of residents’ daily lives.

HASD&IC 2019 CHNA online survey results indicate that San Diegans believe that economic insecurity is profoundly impactful on the on the overall health and well-being of the community. Economic insecurity was ranked as the third most influential condition on well-being, after access to care and behavioral health. In addition, 55.0% of survey respondents reported that they believe that the economic situation in San Diego has gotten worse over time. See **Appendix S** for a full summary of survey results. During the *HASD&IC 2019 CHNA* focus groups and KI interviews, participants focused on two issues related to economic insecurity: (1) factors that contribute to economic insecurity; and (2) the impact of economic insecurity on well-being. See **Table 32** for a summary of findings from these community engagement activities. Additional details are included in the **Discussion of Community Engagement Findings** below.

Sharp 2019 CHNA – Focus Groups

Economic security was identified as having a significant impact on health outcomes and well-being consistently across all of the Sharp/SMV 2019 CHNA focus groups, including: *Sharp Diabetes Health Educators, SMBHWN Case Managers & Social Workers, Sharp Case Management Leadership, Sharp Cancer Patient Navigators and Social Worker, Sharp Senior Health Center* staff and senior patients/community members and *Sharp PFAC* members.

Additional details are included in the **Discussion of Community Engagement Findings** below. Please refer to **Appendix U** for a summary of all SMV/Sharp focus groups.

Sharp 2019 CHNA – Sharp Insight Community Survey

Sharp's *Insight Community* online survey provided greater understanding of economic security as an SDOH impacting Sharp patients and community members. Among 14 SDOH, survey respondents (n=380) ranked economic security (including consistent access to healthy food, financial stability, employment) as the fourth most important SDOH impacting their community (see **Appendix R**).

When health conditions and SDOH were combined among all respondents, economic security ranked as the seventh most important health need among 30 choices. Please refer back to **Figure 14** for the final ranking of health conditions and SDOH by *Sharp Insight Community* survey participants.

Discussion of Community Engagement Findings

HASD&IC 2019 CHNA – Focus Groups

HASD&IC 2019 CHNA community engagement participants identified housing and childcare costs as the two primary contributors to economic insecurity in SDC. Low wages were also cited as an underlying cause but were discussed but with less frequency.

Housing costs were repeatedly named as a cause of economic stress. *HASD&IC 2019 CHNA* community engagement participants asserted that rent is disproportionate to income in San Diego, and that for many people, a very high percentage of their wages must be used to cover this cost, leaving them with too little money to cover other basic expenses. Although community members are aware of affordable housing programs, they indicated that these programs have long waiting lists and are inaccessible to most people. Community engagement participants described multiple ways that San Diegans try to cope with housing costs, including living in small spaces with multiple families or roommates or in substandard housing without adequate facilities.

HASD&IC 2019 CHNA community engagement participants also cited childcare costs as a financial concern for San Diego families. Participants asserted that for those residents who participate in a welfare-to-work program, subsidized childcare is available, but for others it is either unavailable or inaccessible due to waiting lists.

In terms of its impact, *HASD&IC 2019 CHNA* community engagement participants focused on three main concerns about economic hardship. First, they talked about the association between economic insecurity and food insecurity. Second, they described how health maintenance necessarily becomes a low priority when incomes are not secure. Third, they explained that people who are financially unstable experience chronic stress and anxiety, which undermines their health and daily functioning.

Community members told many stories about friends, relatives, colleagues, and neighbors who struggle with food insecurity on a regular basis. Further, the community asserted, people who are food insecure must find cheap meals, which results in frequent dining at fast food restaurants and the purchase of lower cost, processed foods rather than fresh foods. The community is aware of available benefits, such as the Supplemental Nutrition Assistance Program (SNAP) and local food pantries, but these programs are, at times, inconvenient and challenging to obtain, and are often inadequate to cover a family's nutritional needs.

When making difficult financial decisions about which essential needs to cover, the community voiced that investing in health maintenance becomes a low priority. Purchasing health insurance, they explained, is expensive, and when people are worried about having enough to eat, spending money on something that they may not need does not make sense to them. Because of co-pays, co-insurance and lost wages due to time off work, visits to the doctor for preventive care or for an acute illness can be financially prohibitive even for those who have health insurance. In addition, participants explained that when people are working long hours and are excessively worried about finances, taking the time for activities that promote good health, like home cooking and exercise, simply isn't feasible.

Finally, the *HASD&IC 2019 CHNA* community engagement participants were clear that the chronic stress and anxiety of being financially insecure takes a toll on health. Emotional well-being and mental health are threatened, they explained, by constant worry and anxiety. Physical health is also compromised by being unable to care for oneself adequately. Community engagement participants stressed that for certain people, economic insecurity is especially impactful. This included:

- Children
- Seniors
- People living in rural areas, due to lack of access to social support
- Homeless individuals

Sharp 2019 CHNA – Focus Groups

Sharp PFAC focus group participants specifically cited economic security and financial issues as barriers to care, health and well-being. Economic insecurity was discussed as a primary contributor to poor health. *Sharp PFAC* focus group participants indicated food insecurity also worsens health, and leads to the purchase of cheap, unhealthy food, which is easier for families to access than nutritious food. Seniors, participants said, are particularly vulnerable to food insecurity.

Generally, *Sharp PFAC* focus group participants viewed limited finances as a primary barrier to care. The cost of health insurance, co-pays, and transportation, contributors emphasized, prevents people from getting necessary health care. *Sharp PFAC* focus group participants explained that people in the community are often faced with competing priorities for limited finances, and when the choice is between food or

medicine, they choose food. Participants highlighted that these circumstances are especially severe for seniors, particularly those who live alone. Please refer to **Table 21** or **Appendix U** for a summary of feedback from the *Sharp PFAC* focus group.

In the *Sharp Case Management Leadership* focus group, economic security came up repeatedly as a significant barrier to care, specifically calling out housing and economic stress. Focus group participants discussed economic insecurity as a barrier to effective management of health care, particularly chronic health conditions. For example, participants noted that many people cannot afford to take time off work for medical appointments, so they attempt to manage their care around their work schedule. *Sharp Case Management Leadership* focus group participants also cited that certain medications are particularly expensive, and, related to this, many patients also experience food insecurity. Consequently, one focus group participant shared that patients on a limited income have a hard time choosing between paying their copays and for their medications and eating. This, the participant emphasized, occurs even among those who are insured.

In addition, *Sharp Case Management Leadership* focus group participants highlighted that housing costs and concerns also keep people from getting care. “Their main concern,” one participant noted, “is having a home to live in rather than managing their own care....so there is a tendency to delay receiving health care until an emergency situation arises.” Please refer to **Table 22** or **Appendix U** for a summary of feedback from the *Sharp Case Management Leadership* focus group.

Economic security was mentioned consistently throughout the *Sharp Diabetes Health Educator*, *SMBHWN Social Workers & Case Managers*, *Sharp Cancer Navigators and Social Worker*, and *Sharp Senior Health Center* focus groups as well. Please see the findings for **Aging Concerns**, **Diabetes**, **Maternal and Prenatal Care, including High-Risk Pregnancy**, and **Cancer** for specific feedback on economic security and its connection to these identified health needs.

Sharp 2019 CHNA Suggestions

Sharp PFAC suggestions that specifically addressed economic security for more vulnerable patients included:

- Prioritize the hiring and training of social workers. Patients are in need of a supportive advocate at the time of discharge.
- Offer free post-surgery home visits.
- Make follow-up phone calls to see if patients who have been discharged are doing well and getting proper follow-up care.
- Make in-home care more accessible, particularly for older patients.

Sharp Case Management Leadership suggestions that specifically address economic security included:

- Ensure 2-1-1 CIE²⁷ access for all Sharp facilities.
- Establish more patient-centered initiatives.
- House a program onsite at hospitals that helps place people in housing, gets them referrals/helps with applications to affordable housing.

Sharp Insight Community survey participants also had the opportunity to provide specific suggestions about what Sharp can do to improve the health and well-being of the community. See **Appendix R** for the most commonly suggested themes. Feedback related to economic security included:

- Provide transportation for citizens who cannot drive and cannot afford other means.
- Make sure patients are aware of the rides available to Sharp facilities if they don't have their own transportation.
- Continue support for food insecurity.
- Heighten access for low-income or limited insurance community members; offer clinics or outreach health care for those without insurance or money to pay;
- Lower insurance premiums and co-pays; make lower cost health insurance available to per diem employees; lower prices and provide a “menu” of services with prices for people with or without insurance.

Additional recommendations from the *Sharp Insight Community* survey can be found in **Appendix R**.

²⁷ 2-1-1 San Diego's Community Information Exchange (CIE) is an ecosystem comprised of multidisciplinary network partners that use a shared language, a resource database, and an integrated technology platform to deliver enhanced community care planning. Care planning tools enable partners to integrate data from multiple sources and make bi-directional referrals to create a shared longitudinal record. Source: <https://ciesandiego.org/what-is-cie/>

Table 32: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Economic Security

SUMMARY OF RESPONSES RELATED TO ECONOMIC SECURITY		
ASSOCIATED HEALTH CONDITIONS AND NEEDS		
All Age Groups <ul style="list-style-type: none"> ♦ Malnutrition ♦ Overweight and obesity ♦ Stress ♦ Behavioral health: anxiety, depression, suicide ♦ Hypertension 	Children/Youth <ul style="list-style-type: none"> ♦ Growth and development ♦ Ability to focus and learn ♦ Trauma 	Seniors <ul style="list-style-type: none"> ♦ Behavioral/mental health issues and connection with not eating healthy foods
ASSOCIATED SOCIAL DETERMINANTS OF HEALTH		
All Age Groups <ul style="list-style-type: none"> ♦ Access to care: afraid of losing benefits to Medi-Cal ♦ Economic security: cost of medical bills and services. Childcare cost is high. ♦ Employment: unemployment, low wages ♦ Food insecurity: organic, healthy, and fresh foods are expensive ♦ Homeless: criminalization of the homeless, no kitchen for cooking food, difficulty accessing the types of food needed due to special diet needs 	<ul style="list-style-type: none"> ♦ Housing: cost of housing ♦ Language barrier ♦ Physical environment: lack of groceries stores with fresh and healthy food Transportation: lack of transportation especially for rural areas Children/Youth <ul style="list-style-type: none"> ♦ Safety: walking to school alone ♦ Stigma of being economically disadvantaged 	Seniors <ul style="list-style-type: none"> ♦ Economic security <ul style="list-style-type: none"> ♦ Gas prices are high and increasing ♦ Lack of affordable home food delivery options ♦ Wheelchairs need repair ♦ Social Security Income: wait time is long, ineligible when staying in the hospital ♦ Lack of fresh items in food pantries ♦ Food insecurity: hunger and nutrition ♦ Lower education, less economic empowerment and less family ties were described in specific locations such as City Heights
ASSOCIATED BARRIERS AND CHALLENGES		
All Age Groups <ul style="list-style-type: none"> ♦ Benefits: afraid of losing benefits to Medi-Cal, CalFresh, and WIC, wait time is too long ♦ Budget: ability to budget is difficult ♦ Childcare: lack of childcare programs ♦ Hygiene (homeless) ♦ Lack of time for adults between work and family to get additional training or education to help increase income level ♦ Legal status ♦ Sleep deprivation ♦ Special diet needs: culturally appropriate foods, allergies, and dietary restrictions due to chronic conditions make it difficult to eat healthy 	Children/Youth <ul style="list-style-type: none"> ♦ Refuse to eat healthy food ♦ Lack of healthy food education for youth ♦ Families have limited time and money to cook healthy meals. Eating fast food becomes an easier way to manage time and money. ♦ School lunches have a lot of unappetizing processed foods 	Seniors <ul style="list-style-type: none"> ♦ Cooking can be a challenge

Education

Definition:

Community engagement participants define educational attainment in a number of ways, including the receipt of a high school diploma, the opportunity to pursue vocational or higher education, being health literate, and having opportunities for non-academic continuing education.

Findings

Education was identified as a priority health need in both the SMV and HASD&IC 2019 CHNA secondary data analyses and community engagement processes.

Secondary Data Findings

Educational attainment, limited English proficiency, linguistic isolation, and poverty have profound implications for population health. These data elements were analyzed as indicators of the level of education within SDC.

Educational Attainment

Within SDC, almost 13.3% of the total population ages 25 and older (292,200) have no high school diploma (or equivalency) based on 2013-2017 ACS data. An assessment of educational attainment by San Diego regions showed that the percentage of adults who had less than a high school diploma was highest in the south (21.9%) and central regions (19.9%) and lowest in the north inland region (13.0%). As of 2013-2017, the SDC high school graduation rate (86.7%) was below the Healthy People 2020 (HP2020) benchmark goal of 87.0%. Graduation rates varied by racial and ethnic groups; non-Hispanic, “other” race (64.0%) and Hispanic/Latinos (67.6%) had the lowest proportion of graduates compared to non-Hispanic Whites (95.8%) which had the highest. Of children ages 3-4, the 2013-2017 ACS found that 51.0% were enrolled in school.

Limited English Proficiency and Linguistically Isolated Populations

Given SDC’s large immigrant and refugee population, the indicators of limited English proficiency and linguistic isolation are especially important to understanding health in the community. According to the ACS, approximately 14.5% of San Diego residents ages 5 and older speak a language other than English at home and speak English less than “very well.” In addition, 6.8% of the population ages 5 and older live in a home in which no person age 14 or older speaks only English, or speaks a non-English language but does not speak English “very well.” Similar to those with limited English proficiency, linguistically isolated populations may struggle with accessing health services, communicating with health care providers, and understanding health information.

Poverty

Please see the information on **Economic Security** within this Findings section for details on poverty in SDC.

Table 33: Poverty, Education, Limited English Proficiency, Linguistically Isolated and Unemployed in SDC, CA and United States, 2013-2017

	San Diego County	California	United States
Percent Population in Poverty	13.3%	15.1%	14.6%
Percent Population with Less than a High School Diploma	13.3%	17.5%	12.7%
Percent Limited English Proficiency	14.6%	18.4%	8.5%
Percent Linguistically Isolated	6.8%	9.2%	4.5%

Source: U.S. Census Bureau, American Community Survey, 2013-2017 5-Year Estimates.

Please see **Appendix O** for Education secondary source information.

Community Engagement Findings

HASD&IC 2019 CHNA

HASD&IC 2019 CHNA community engagement participants discussed four topics related to education and its impact on health and well-being:

- The underlying reasons that some youth in San Diego do not attain educational success
- The impact that low levels of educational achievement have on the health and well-being of San Diegans
- The barriers to care created by a lack of health literacy
- The need for continuing education beyond traditional academics

Sharp 2019 CHNA – Focus Groups

Education was identified as having a significant impact on health outcomes and well-being consistently across all Sharp/SMV 2019 CHNA focus groups, including: *Sharp Diabetes Health Educators, SMBHWN Case Managers & Social Workers, Sharp Case Management Leadership, Sharp Cancer Patient Navigators and Social Worker, Sharp Senior Health Center staff and senior patients/community members, and Sharp PFAC members.*

Additional details are included in the **Discussion of Community Engagement Findings** below. Please refer to **Appendix U** for a summary of all Sharp/SMV focus groups.

Sharp 2019 CHNA – Sharp Insight Community Survey

Sharp's *Insight Community* online survey provided greater understanding of education as an SDOH impacting Sharp patients and community members. Among 14 SDOH, survey respondents (n=380) ranked education (access, health literacy, workforce development and mobility) as the seventh most important SDOH impacting their community (see **Appendix R**).

When health conditions and SDOH were combined among all respondents, education ranked as the 14th most important health need among 30 choices. Please refer back to **Figure 14** for the final ranking of health conditions and SDOH by *Sharp Insight Community* survey participants.

Discussion of Community Engagement Findings

HASD&IC 2019 CHNA – Focus Groups

HASD&IC 2019 CHNA community engagement contributors cited two primary causes of low educational attainment: family stress and a lack of resources. Participants explained, first, that family support for youth education is sometimes unavailable. Parents may not know high school graduation requirements, for example, and language and cultural differences may create communication challenges with school personnel. Some parents, they said, may be unable to read their child's report card. Another issue focus group members pointed out is that some economically strained families may wish for their children to begin working as soon as possible — preferring for them to find a job after high school rather than attend college. Participants also mentioned that low-income families may have to be more transient, needing to move when rent increases. These moves, they said, can cause instability in children's educational placements, which negatively affects their potential to succeed in school.

HASD&IC 2019 CHNA community engagement participants mentioned that insufficient resources at home and in schools also hinder educational success. These include:

- Spotty Wi-Fi in neighborhoods
- Lack of computers in the home
- Crowded, noisy housing
- Lack of transportation to school
- Too few school counselors
- Large class sizes
- Lack of school-based family support systems

For students who are homeless or insecurely housed, focus group participants stressed that thriving in school is even more challenging. This is in part, they said, because education becomes a lower priority than simply surviving day to day. Focus group contributors believe, however, that their success is also impeded by socioemotional

issues. The stigma attached to being poor and, in particular, to poor hygiene and dirty clothing can make these students feel ashamed, they explained. They may experience bullying, have low social status, and have difficulty forming lasting friendships, which in turn can impact the students' mental health and undermine their motivation to attend and succeed in school.

HASD&IC 2019 CHNA focus group members relayed that both individual and community health are profoundly impacted when residents are not able to achieve high levels of educational attainment. First, participants explained, employment opportunities for those without college degrees and especially without high school diplomas are in short supply, and wages for available jobs tend to be low. Educational attainment, they pointed out, is directly related to economic security. Participants emphasized that families who are not secure live under the constant stress of worrying about paying rent and having enough food to eat, which then negatively impacts their health. Furthermore, contributors stated, without education, career mobility is "horizontal," and there is little potential for promotions and higher wages. Focus groups described scenarios for these San Diegans in which work seems endless and when the possibility of a better life seems impossible, they lose hope.

HASD&IC 2019 CHNA focus group participants also pointed out that a lack of health literacy is a significant barrier to care for some San Diegans. Community members, they said, need further education about preventive health care — including immunizations and health screenings — that is conducted in a manner that is sensitive to the individual's culture. They also need, they emphasized, more information about lifestyle choices that promote health, like smoking cessation, nutrition and exercise. Many people, focus group contributors said, need assistance understanding and navigating the health care and insurance systems. They emphasized that for people who have received a serious health diagnosis, like cancer, having a health advocate who can explain the diagnosis and potential treatment options is beneficial and enhances patient compliance with care.

HASD&IC 2019 CHNA participants also noted community members are seeking educational opportunities beyond traditional academics. They want and need health education and parenting classes. For their children, they indicated a need for programs about sexual health, self-esteem, and transitional life skills. They are also seeking enrichment classes — for themselves and their children — in the arts and in athletics. Focus group participants emphasized that education needs to be viewed from a broader perspective than traditional academics.

Sharp 2019 CHNA – Focus Groups

Sharp PFAC focus group participants cited lack of health education and health literacy as posing a significant barrier to health and well-being. Specifically, lack of health literacy about preventive care, illness, and disease, were described as barriers to health care. One particular topic emphasized by this group was parent's hesitancy to have their children immunized because of fears about debunked myths such as the

relationship between vaccines and autism. In addition, *Sharp PFAC* focus group participants highlighted that many community members and patients do not understand how to navigate the health care system, particularly in identifying the appropriate sites of care to meet their health needs. That is, when it is appropriate to seek care from the ED versus an urgent care site. *Sharp PFAC* focus group participants emphasized that this lack of education poses especially significant challenges for newly immigrated community members. Please refer to **Table 21** or **Appendix U** for a summary of feedback from the *Sharp PFAC* focus group.

In the *Sharp Case Management Leadership* focus group, education was also brought up specifically as a lack of health literacy, and the negative impact this has on maintaining health and well-being. Health literacy is of particular importance for the patients that *Sharp Case Management Leadership* focus group participants work with, as the majority of these community members are managing chronic health conditions such as diabetes, COPD, congestive heart failure, and cancer. Please refer to **Table 22** or **Appendix U** for a summary of feedback from the *Sharp Case Management Leadership* focus group.

Education was mentioned throughout the *Sharp Diabetes Health Educator, SMBHWN Social Workers & Case Managers, Sharp Cancer Navigators and Social Worker, and Sharp Senior Health Center* focus groups as well. Please see the findings for **Aging Concerns, Diabetes, Maternal and Prenatal Care, including High-Risk Pregnancy, and Cancer** for specific feedback and recommendations on education and its connection to these identified health needs.

Sharp 2019 CHNA Suggestions

To address education, *Sharp Case Management Leadership* suggested the establishment of more patient-centered initiatives, in which health literacy could be a component. The addition of more social workers, proposed by *Sharp PFAC* focus group participants, could also assist in this area.

Sharp Insight Community survey participants also had the opportunity to provide specific suggestions about what Sharp can do to improve the health and well-being of the community. See **Appendix R** for the most commonly suggested themes. Feedback related to education included:

- Partner with schools to start health education early.
- Increase educational/informational awareness by partnering with public school systems' adults programs.
- Put education facilities in the impoverished communities.
- Provide a mobile bus for education and screenings.
- Offer classes for how to file for Medicare, Medicaid and how to choose what plans are right for your family.

- Remind patients of programs during routine visits if relevant; provide fliers in doctors' offices; make a video about health and well-being and play it in waiting rooms.
- Provide opportunities for technical education on many areas of medicine.

Additional recommendations from the *Sharp Insight Community* survey can be found in **Appendix R**.

Homelessness and Housing Instability

Definition

Homelessness is when a person does not have a fixed, regular, and adequate nighttime residence. Housing problems include a lack of full kitchen or plumbing facilities, a household comprised of more than one person per room, or a housing cost burden of more than 30% of the household income. Severe housing problems include a lack of full kitchen or plumbing facilities, severe overcrowding, or a housing cost burden of more than 50% of the household income.

According to the American Hospital Association, housing instability is an umbrella term for the continuum between homelessness and a completely stable, secure housing situation. Housing instability takes many forms: physical conditions like poor sanitation, heating and cooling; compromised structural integrity; exposure to allergens or pests; homelessness; and unstable access to housing or severe rent burden.

Findings

Homelessness and housing instability includes the impact of homelessness and housing on community health:

- Homelessness seriously impacts health in both direct and indirect ways, such as exposure to infectious disease, difficulty managing chronic diseases, and maintaining wound care.
- Poor housing conditions have a direct, negative impact on physical and mental health.
- The cost of housing affects health because it is the primary driver of economic insecurity in San Diego.
- Several subsets of the San Diego population are particularly vulnerable to homelessness and housing problems.

Homelessness and housing instability was identified as a priority health need by the SMV and HASD&IC 2019 CHNAs in the secondary data analyses and in the community engagement process.

Secondary Data Findings

On a given night in San Diego in 2018, 8,576 individuals were homeless; the number of homeless decreased by 6.0% between 2017-2018 and 3.4% since 2013. Among the homeless, 3,586 (41.8%) were sheltered, and 4,990 (58.2%) were unsheltered. Of those who were unsheltered, 50.0% slept on the street/sidewalk; 18.0% slept in a vehicle; 14.0% slept in a park; 5.0% slept in a hand-built structure or tent. Nearly half (43.0%) of homeless people had a chronic health condition.

From 2011-2015, in San Diego, 42.7% of households were cost burdened, spending more than 30.0% of their income on housing, while 20.0% were severely cost burdened, spending more than half of their income on housing. The lowest-income families had the highest rates of severely cost burdened housing — 47.4% of families with incomes 30.0% or less of the median family income in the county were severely cost burdened. Approximately 46.0% of San Diegans had housing problems, and 25.2% of San Diegans had severe housing problems.

Please see **Appendix O** for Homelessness and Housing Instability definition and secondary source information.

Community Engagement Findings

HASDIC 2019 CHNA

In the *HASDIC 2019 CHNA* online community engagement survey, homelessness was identified as the fifth most impactful condition on the health and well-being of San Diego residents, and housing was ranked the sixth most impactful condition.

HASDIC 2019 CHNA community engagement participants made four main points about the impact of homelessness and housing on community health:

- Homelessness seriously impacts health in both direct and indirect ways.
- Poor housing conditions have a direct, negative impact on physical and mental health.
- The cost of housing affects health because it is the primary driver of economic insecurity in San Diego.
- Several subsets of the San Diego population are particularly vulnerable to homelessness and housing problems.

For a summary of community engagement findings related to homelessness and housing instability, see **Table 34**. Additional details are included in the **Discussion of Community Engagement Findings** section below.

Sharp 2019 CHNA – Focus Groups

Homelessness and housing instability was identified as having a significant impact on health outcomes and well-being consistently across all Sharp/SMV 2019 CHNA focus groups, including: *Sharp Case Management Leadership, Sharp Cancer Patient Navigators and Social Worker, Sharp Senior Health Center staff and senior patients/community members and Sharp PFAC members*. Please refer to **Appendix U** for a summary of all Sharp/SMV focus groups. Additional details are included in the **Discussion of Community Engagement Findings** below.

Sharp 2019 CHNA – Sharp Insight Community

Sharp's Insight Community online survey provided greater understanding of homelessness and housing instability as an SDOH impacting Sharp patients and community members. Among 14 SDOH, survey respondents (n=380) ranked homelessness (overcrowding, substandard conditions, housing affordability) as the fifth most important SDOH impacting their community (see **Appendix R**).

When health conditions and SDOH were combined among all respondents, homelessness ranked as the 11th most important health need among 30 choices. Please refer back to **Figure 14** for the final ranking of health conditions and SDOH by *Sharp Insight Community* survey participants.

Discussion of Community Engagement Findings

HASDIC 2019 CHNA – Focus Groups and KI Interviews

HASDIC 2019 CHNA community engagement participants argued that being homeless directly impacts health by increasing exposure to infectious disease, particularly hepatitis A, and to contagious illnesses. In addition, homeless individuals are exposed to extreme weather conditions, which contributes to poor health. Participants also explained that managing chronic diseases, like diabetes, without a place to store medications is impossible, and without the ability to maintain hygiene, so is effective wound care. In addition, they suggested that those homeless individuals who have prescription medications become targets of street violence. Care after discharge from the hospital is particularly challenging for the homeless, they argued, since they have no safe place to recover. Homelessness also indirectly affects health through its influence on access to care, since homeless individuals face challenges in transportation and in making and keeping medical appointments. In addition, homeless people face stigma in the health care community, participants said, which can make them hesitant to seek care when they need it.

HASDIC 2019 CHNA community engagement participants also noted that health is negatively impacted for those who worry about maintaining their housing. This is in part, they explained, because paying rent becomes their primary focus; attending to their own health, and the health of their families, is a lower priority than keeping a roof over their heads. Participants also argued that stress and anxiety about housing contribute to both

physical and mental health issues. Housing conditions, they claimed, also affect health. Crowded housing, for instance, was presented as contributing to the spread of illness, and environmental hazards, such as the presence of lead paint, cockroaches and other pests, are believed to exacerbate conditions like asthma.

HASDIC 2019 CHNA community engagement participants contended that housing costs are the primary driver of economic insecurity in SDC and described lower-income residents as a population that lives “on the edge of homelessness.” Increases in rent outpace increases in pay, they explained, creating a scenario in which many people cannot achieve stability, no matter how hard they work. In addition, community residents suggested that affordable housing is scarce, and housing assistance programs like Section 8 have long waiting lists. These costs, then, render people economically insecure, which impacts their health in numerous ways.

Community residents participating in the *HASDIC 2019 CHNA* focus groups expressed particular concern related to housing and homelessness for three groups: transitional age youth, seniors and immigrants.

Focus group participants highlighted how transitional age youth (youth who have recently reached legal adulthood of 18 years old), are not allowed in “family” homeless shelters; parents, then, must decide whether to let their young adult children fend for themselves on the street or risk the entire family’s safety by leaving the shelter. Focus group contributors also asserted that young adults who are desperate for places to stay may make poor decisions that jeopardize their safety and well-being — trading their bodies, for instance, for a place to sleep, or using drugs to stay warm. Former foster youth were described as being particularly vulnerable. In addition, community engagement contributors said that homeless youth who are younger than 18 years old and living apart from their parents often do not know how to obtain needed health care. When they try to get health care services parental consent is usually needed, so they are turned away.

Regarding seniors, focus group participants suggested that older community members are in particular need of assistance with locating and utilizing housing resources, with applications for senior housing, and with managing landlord-tenant relationships. Lastly, community engagement participants argued that immigrants, particularly those who do not have documentation, are at the mercy of their landlords; fear of deportation keeps them from complaining about substandard housing conditions and rent increases.

Sharp 2019 CHNA – Focus Groups

Sharp PFAC focus group participants cited housing specifically as an SDOH that poses a significant barrier to health and health care. The cost of housing was identified as a primary factor underlying economic stress, and cheaper, substandard housing was noted to contribute to poor health. Please refer to **Table 21** or **Appendix U** for a summary of feedback from the *Sharp PFAC* focus group.

In addition, *Sharp Case Management Leadership* focus group participants identified housing instability as a primary factor impacting community health, particularly the lack of housing available in the community. *Sharp Case Management Leadership* focus group participants also highlighted that housing costs and concerns keep people from getting care. “Their main concern,” one focus group participant noted, “is having a home to live in rather than managing their own care....so there is a tendency to delay receiving health care until an emergency situation arises.” Please refer to **Table 22** or **Appendix U** for a summary of feedback from the *Sharp Case Management Leadership* focus group.

Housing was mentioned frequently throughout the *Sharp Cancer Navigators and Social Worker* and *Sharp Senior Health Center* focus groups as well. Please see the findings for **Aging Concerns** and **Cancer** for specific feedback on homelessness and housing instability and its connection to these identified health needs.

Sharp 2019 CHNA Suggestions

Sharp Case Management Leadership suggestions that could potentially help address challenges with homelessness and housing instability include:

- Ensure 2-1-1 CIE²⁸ access for all Sharp facilities.
- Establish more patient-centered initiatives.
- House a program onsite at hospitals that helps place people in housing and gets them referrals/helps with applications to affordable housing.
- Establish a more streamlined process and a communication system between the hospitals and the County about those who qualify for wraparound services, such as Whole Person Wellness.

The addition of more social workers, proposed by *Sharp PFAC* focus group participants, could also assist in this area.

Sharp Insight Community survey participants also had the opportunity to provide specific suggestions about what Sharp can do to improve the health and well-being of the community. See **Appendix R** for the most commonly suggested themes. Feedback related to homelessness and housing instability included:

- Offer clinics that serve homeless and uninsured individuals.
- Put education facilities in the impoverished communities.
- Create discounted programs for immigrants, the poor or underemployed, and the homeless.
- Provide more community events in high-risk areas.

²⁸ 2-1-1 San Diego's Community Information Exchange (CIE) is an ecosystem comprised of multidisciplinary network partners that use a shared language, a resource database, and an integrated technology platform to deliver enhanced community care planning. Care planning tools enable partners to integrate data from multiple sources and make bi-directional referrals to create a shared longitudinal record. Source: <https://ciesandiego.org/what-is-cie/>

Additional recommendations from the *Sharp Insight Community* survey can be found in **Appendix R**.

Table 34: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Homelessness and Housing Instability

SUMMARY OF RESPONSES RELATED TO HOMELESSNESS AND HOUSING INSTABILITY		
ASSOCIATED HEALTH CONDITIONS AND NEEDS		
All Age Groups <ul style="list-style-type: none"> ♦ Behavioral health: depression, schizophrenia, PTSD ♦ Hygiene and cleanliness ♦ Infectious diseases: hepatitis, HIV/AIDS ♦ Stress and anxiety ♦ Substance abuse: opioids, meth, crack, Xanax, Percocet, heroin 	Children/Youth <ul style="list-style-type: none"> ♦ Flu ♦ Hepatitis A ♦ Pregnancy 	Senior <ul style="list-style-type: none"> ♦ Disabilities ♦ Chronic conditions ♦ Behavioral health issues
ASSOCIATED SOCIAL DETERMINANTS OF HEALTH, BARRIERS AND CHALLENGES		
All Age Groups <ul style="list-style-type: none"> ♦ Employment difficulty ♦ Health insurance ♦ Housing: lack of affordable housing ♦ Access to health care: poor quality health care ♦ Vaccinations and immunizations are difficult to get because homeless move locations depending on shelters and availability. To get immunization must go to the primary provider they signed up with which could be too far once they move. ♦ Stigma 	Children/Youth <ul style="list-style-type: none"> ♦ Community and social support: Foster children are not prepared to move out once they turn 18. They have no family support and have not been taught how to survive on their own ♦ Safety: Youth (18 years old) who turn 18 while in shelters with their family are kicked out and have no safe place to stay ♦ Safety & violence: gang violence, neighborhood safety, rape and sex trafficking ♦ Vaccinations can be difficult to get due to moving (see adult section) 	Seniors <ul style="list-style-type: none"> ♦ Physical limitations: mobility issues make it difficult to access services ♦ Housing: Lack of senior housing
ASSOCIATED BARRIERS AND CHALLENGES		
All Age Groups <ul style="list-style-type: none"> ♦ Lack of resources: limited short-term & emergency resources, lack of affordable services ♦ Food: lack of ability to store and cook food, eating unhealthy foods to fill stomach ♦ Shelters: lack of women emergency shelters ♦ Storage for personal belongings and medical supplies 	Children/Youth <ul style="list-style-type: none"> ♦ Endless cycle of homelessness ♦ Lack of transitional housing ♦ Low paying jobs 	Seniors <ul style="list-style-type: none"> ♦ Food: Special dietary needs due to chronic health conditions

Maternal and Prenatal Care, including High-Risk Pregnancy

Definition

Maternal health refers to the health of women during pregnancy, childbirth and the postpartum period.²⁹ Early and regular prenatal care helps many women have healthy pregnancies and deliveries without complications. This care can begin even before pregnancy with a preconception care visit to a health care provider.³⁰

A high-risk pregnancy is one that threatens the health or life of the mother or her fetus. High-risk pregnancy may result from a medical condition present before pregnancy or a medical condition that develops during pregnancy for either mom or baby and causes the pregnancy to become high risk. A high-risk pregnancy can pose problems before, during or after delivery and may require special monitoring throughout the pregnancy.³¹

Risk factors for high-risk pregnancy include: advanced maternal age — there is an increased risk for mothers age 35 years and older; lifestyle choices such as smoking, alcohol consumption or the use of illegal drugs; medical history including prior high-risk pregnancies or deliveries, fetal genetic conditions or family history of genetic conditions; underlying conditions such as diabetes, high blood pressure, obesity and epilepsy; and multiple pregnancies.³²

Findings

Maternal and prenatal care, including high-risk pregnancy, was identified as a priority health need in the SMV 2019 CHNA community engagement activities and secondary data analysis.

Secondary Data Findings

According to the CDC, in the U.S., the number of births decreased 2.0% (to 3.85 million) from 2016-2017, continuing the downward trend that is now at the lowest number of births in 30 years. This trend held true across all major racial/ethnic groups. The 2017 national general fertility rate and total fertility rate are both down 3.0% from 2016 — the largest single-year drop since 2000.³³

The teenage birth rate reached a record low in 2017, dropping to 18.8 births per 1,000 women. The teen birth rate has declined 70.0% since its most recent peak in 1991. The birth rate of women in their 20s and 30s declined while the birth rate rose for women in

²⁹ 2019 World Health Organization. <https://www.who.int/maternal-health/en/>

³⁰ National Institutes of Health (NIH). What is prenatal care and why is it important? <https://www.nichd.nih.gov/health/topics/pregnancy/conditioninfo/prenatal-care>

³¹ NIH. What is a high-risk pregnancy? <https://www.nichd.nih.gov/health/topics/pregnancy/conditioninfo/high-risk>

³² 1998-2019 Mayo Foundation for Medical Education and Research. High-risk pregnancy: Know what to expect. <https://www.mayoclinic.org/healthy-lifestyle/pregnancy-week-by-week/in-depth/high-risk-pregnancy/art-20047012>

³³ CDC. Infant Mortality. 2016

their early 40s. **Table 35** below presents age-adjusted infant mortality rates in SDC. The central and east regions of SDC present the highest rates of infant mortality when compared to other regions of the county, although all SDC regions meet the HP2020 target rate of 6.0 infant deaths per 100,000 population.

Table 35: Age-Adjusted Infant Mortality Rates*, 2016

Geographic Area	Death Rate (per 1,000 live births)
United States ^a	5.9
California	4.2
SDC ^b	3.7
San Diego Regions ^b	
Central	3.8
North Central	3.9
North Coastal	3.4
North Inland	3.2
East	3.7
South	4.3
HP 2020 Target^c	6.0

^aSource: CDC. Infant Mortality. 2016.

^bSource: SDC HHS, Public Health Service. Community Health Statistics Unit. Maternal and Child Health Data: Infant Mortality VRBIS, 2016, 2018

*Note: Infant mortality rates are deaths under 1 year per 1,000 live births in specified group.

There were 42,741 live births in SDC overall in 2016, and the infant mortality rate in SDC was 3.7 per 1,000 live births. These statistics meet the HP2020 national targets for all maternal and infant health indicators including the target of less than 6.0 infant deaths per 1,000 live births. **Table 36** below presents a summary of maternal and infant health indicators.

Table 36: Maternal and Infant Health Indicators in SDC, 2016

Maternal and Infant Health Indicator	Rate	Year 2020 Target
First Trimester Prenatal Care	84.2%	77.9%
Preterm Births	8.5%	9.4%
Very Low Birth Weight (VLBW) Infants	1.2%	1.4%
Low Birth Weight (LBW) Infants	6.7%	7.8%
Infant Mortality	3.7%	6.0%

Source: County of San Diego, HHSA, Public Health Services, Community Health Statistics Unit. Maternal and Child Health, 2016, 2018.

Notes:

Preterm births are births with less than 37 weeks gestation.

Very low birth weight infants weigh less than 1,500 grams, approximately 3.5 pounds.

Low birth weight infants weigh less than 2,500 grams, approximately 5.5 pounds.

Infant mortality refers to the death of infants less than one year of age.

Infant mortality rates are per 1,000 live births. Fetal mortality rates are per 1,000 live births and fetal deaths.

SDC regions met all HP2020 national targets in 2016. Infant mortality has continued to decrease. SDC has continued to see a trend over the last few years of a decreasing birth rate, which is in line with state and national trends as well. However, despite the decreasing birth rate, unhealthy births such as infants born VLBW, LBW, preterm, and with other health issues are on the rise, while first trimester prenatal care has seen a decrease. See **Table 37** for a summary of maternal and infant health indicators by region.

Table 37: Maternal and Infant Health Indicators by SDC Region, 2016

Indicator	North Coastal	North Central	Central	South	East	North Inland
Prenatal Care	85.6%	89.1%	80.3%	85.5%	81.5%	82.9%
Preterm Births	8.1%	8.1%	8.8%	8.6%	8.7%	8.5%
VLBW Infants	1.0%	1.1%	1.2%	1.3%	1.2%	1.2%
LBW Infants	6.3%	7.1%	6.8%	6.4%	6.6%	6.7%
Infant Mortality	3.4%	3.9%	3.8%	4.3%	3.7%	3.2%

Source: County of San Diego, HHSA, Public Health Services, Community Health Statistics Unit, Maternal and Child Health. 2016. 2018.

Note: Infant mortality rates are per 1,000 live births.

Community Engagement Findings

Sharp 2019 CHNA – Focus Group and KI Interview

For SMV's 2019 CHNA, a focus group was conducted with case managers and social workers from Sharp Mary Birch Hospital for Women & Newborns (SMBHWN) — Sharp's freestanding women's hospital specializing in labor and delivery services, high-risk pregnancy, obstetrics, gynecology, gynecologic oncology and neonatal intensive care. This *SMBHWN Case Manager and Social Worker* focus group was held to better understand the identified health need of maternal and prenatal care, including high-risk pregnancy, for Sharp patients and community members. **Table 28** summarizes the findings of this focus group. Further details are covered in the **Discussion of Community Engagement Findings** section below. For a description of focus group participants, see **Section 3: Methodology**.

In addition, a KI interview was conducted with a Nurse Educator from SMBHWN's Perinatal Special Care Unit (PSCU) to dive deeper into this identified need, as well as to develop a case study around maternal and prenatal care. Further details are covered in the **Discussion of Community Engagement Findings** section below. Please refer to **Appendix J** for the case study.

Sharp 2019 CHNA – Sharp Insight Community

In addition, the online survey that was sent to participants in *Sharp's Insight Community* provided greater understanding of prenatal and maternal care (including high-risk

pregnancy) as identified health needs among Sharp patients and community members. Among 16 health conditions, respondents (n=380) ranked maternal/infant health as the 10th most important health condition impacting their community. Among 14 SDOH, respondents ranked prenatal and maternal care (breastfeeding, post-partum support) as the 13th most important SDOH impacting their community. See **Appendix R**. Further, respondents in the \$100,000 to \$149,000 income range were significantly less likely than the sample as a whole to select prenatal and maternal care as one of the five most important SDOH.

When health conditions and SDOH were combined among all respondents, maternal/infant health ranked as the 23rd most important health need, and prenatal and maternal care ranked as the 25th most important health need, among a total of 30 choices. Please refer back to **Figure 14** for the final ranking of health conditions and SDOH by *Sharp Insight Community* survey participants.

Discussion of Community Engagement Findings

Sharp 2019 CHNA – Focus Group and KI Interview

The *SMBHWN Case Manager and Social Worker* focus group, and *PSCU Nurse Educator KI* interview focused on the conditions affecting Sharp maternal and prenatal care patients, the obstacles they face to receiving care, the services provided at Sharp, and suggestions for ways in which patient health and access to care could be improved.

Several health conditions were listed as negatively impacting Sharp maternal and prenatal care patients, including: diabetes; preterm pregnancies; short interval pregnancies; substance use; and postpartum depression, anxiety, and other mood disorders. SDOH impacting patients were noted to be: lack of access to mental health services, even for those patients with insurance; lack of access to transportation; and economic stress related to childcare and maternity leave.

In addition, *SMBHWN Case Manager and Social Worker* focus group participants and the *PSCU Nurse Educator KI* interviewee outlined a number of obstacles to care for maternal and prenatal care patients. Finances were discussed as a primary barrier to care, particularly related to receiving appropriate follow-up care after hospital discharge. Parents have difficulty obtaining and paying for childcare and transportation, and they worry about losing their jobs if they prioritize their newborn's needs over work. In addition, focus group participants said, women often do not understand the nuances of health care leave and disability rights.

SMBHWN Case Manager and Social Worker focus group participants also cited fears related to immigration as obstacles keeping people from applying for Medi-Cal; some patients believe that their contact information will be registered somewhere and are afraid that they will be turned in to authorities. Focus group participants reported that some immigrants are, in fact, afraid to give any contact information. Participants shared

that, sometimes, asylum seekers from Africa will not seek services because they feel they cannot talk about their faith or about the country they come from because of discrimination against Muslims.

Further, *SMBHWN Case Manager and Social Worker* focus group participants noted that an inadequate supply of health care providers, particularly mental health providers, posed a significant obstacle to care, as does the unavailability of home health services.

Sharp 2019 CHNA Suggestions for Maternal and Prenatal Care, including High-Risk Pregnancy

Both the *SMBHWN Case Manager and Social Worker* focus group participants, and the *PSCU Nurse Educator KI* interviewee suggested several strategies to improve women's health, including:

- Build awareness about the importance of preconception and prenatal care.
- Establish more options for home health care, particularly for postpartum women.
- Increase lactation consulting and services.
- Increase availability of translation services.
- Hire more providers who are linguistically and culturally compatible with patients.
- Have nurses, lactation consultants, dietitians, social workers and interpreters engage with patients as one team so that all needs can be discussed at once.
- Provide inpatient and outpatient mental health services including freestanding women's hospital support groups.
- Improve communication between physicians and pharmacists so that, for instance, a generic medication can be given in place of a brand name.

Sharp Insight Community survey participants also had the opportunity to provide specific suggestions about what Sharp can do to improve the health and well-being of the community. See **Appendix R** for the most commonly suggested themes. Feedback related to maternal/infant health and prenatal and maternal care included:

- Offer fun preventative care opportunities (i.e., outdoor activities with information on diet and its effect on health, or mother/mother-to-be informational events with a socializing component).
- Provide prenatal care and delivery to mothers who cannot afford it.
- Advocate for improved access for the underserved, such as insurance coverage, particularly to stigmatized services like behavioral health and sexual health.

Additional recommendations from the *Sharp Insight Community* survey can be found in **Appendix R**.

Table 38: Sharp 2019 CHNA – SMBHWN Case Manager and Social Worker Focus Group Summary of Responses

SMBHWN CASE MANAGER AND SOCIAL WORKER - SUMMARY OF RESPONSES	
HEALTH CONDITIONS AND NEEDS FOR PATIENT AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Diabetes ♦ Preterm pregnancies ♦ Short interval pregnancy 	<ul style="list-style-type: none"> ♦ Substance use and abuse: including alcohol use. Use of marijuana during pregnancy
SOCIAL DETERMINANTS OF HEALTH FOR PATIENT AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Lack of access to mental health services outside of the Sharp Mary Birch facility, even for patients with good insurance coverage <ul style="list-style-type: none"> ○ Difficult for patients with Medi-Cal coverage. ○ UC San Diego mental health program is overcrowded most of the time. ♦ Economic security: lack of affordable postpartum child care. 	<p>Economic security (continued)</p> <ul style="list-style-type: none"> ○ New mothers may sign out of hospital against medical advice because they cannot afford childcare and need to return to work to pay bills. ○ Many mothers spend their entire maternity leave in the hospital with their premature baby. ♦ Education needed on postpartum anxiety and mood disorders. ♦ Transportation: lack of access to transportation.
YOUTH ROLES IN FAMILY CARE	
<ul style="list-style-type: none"> ♦ High school aged siblings typically take over a babysitting role, which can cause them to miss school. ♦ Children translate for parents. 	
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Education: lack of health education such as patients and their families not being aware of preventive medicine. ♦ Services: not enough health-related programs and not enough providers. <ul style="list-style-type: none"> ○ Access to home care programs is difficult. ♦ Providers: lack of mental health providers across all payer sources. 	
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Transportation issues: hard to keep appointments if you do not have reliable transportation. ♦ Access to health care ♦ Financial issues ♦ Medication availability: once a patient is discharged with special medications, they often have difficulty getting the same medication in outpatient pharmacies due to insurance issues. ♦ Health literacy & education, patients do not understand: <ul style="list-style-type: none"> ○ the nuances of health care leave and disability rights. ○ the difference between inpatient and home services or what is covered by their insurance. 	
HOSPITAL AND COMMUNITY SUPPORT NEEDED	
<ul style="list-style-type: none"> ♦ More home health, especially for postpartum ♦ Lactation consulting and services to increase breastfeeding rates and potentially divert readmissions. ♦ Interpretation and translations: access to language compatible providers and services – Muslim patients most notably. In-person translators needed. ♦ Have nursing, lactation consultants, dieticians, social workers, and interpreters come in as one team for each patient so that all needs are met. ♦ Maternal mental health services - inpatient and outpatient. ♦ Support groups: freestanding women hospital support groups. 	

- ♦ Improving communication between doctors and pharmacists - making sure that for certain medications, doctors indicate a substitute can be given in place of a brand name.

IMMIGRATION

Have you observed any changes over the past year in patient/community member attitude towards immigration issues?

Fear and Stigma have increased:

- ♦ Immigrant's fear of applying for Medi-Cal has multiplied; some fear their contact information will be registered.
- ♦ Fearful of public charge rule and of being turned into the authorities.
- ♦ Asylum seekers from Africa who are Muslim are scared to seek services because of the stigma to their faith and country of origin.
- ♦ People feel emboldened by the current administration to act out.
 - Providers often make assumptions and racist remarks before looking at the patient's fact sheet.

Unintentional Injury and Violence

Definition

Per HP2020, "unintentional injuries and violence-related injuries can be caused by a number of events, such as motor vehicle crashes and physical assault, and can occur virtually anywhere."

Unintentional injuries include motor vehicle accidents, falls, firearms, fire/flame, drowning, poisoning, machinery and suffocation.

Findings

Unintentional injury and violence are described as three issues:

- Exposure to violence is traumatic and impacts mental health.
- Neighborhood safety impacts residents' ability to maintain health.
- Certain groups have increased risk of being exposed to or victims of violence.

Unintentional injury and violence was identified as a priority health need by the SMV and HASD&IC 2019 CHNAs in both the secondary data analysis and the community engagement process.

Secondary Data Findings


Data were reviewed related to several aspects of unintentional injury and violence in SDC: falls; motor vehicle injuries; and overall crime rate.

Falls

The rate of ED visits caused by falls increased by 1.9% from 2014-2016. In that same time period, death rates decreased by 8.4% (see **Figure 37**). Falls disproportionately

affect those over 65 years of age; please see the **Aging Concerns** section for a breakdown of falls by age groups.

Figure 37: Age-Adjusted ED Visit and Mortality Rates for Falls in SDC, 2014-2016




Source: County of San Diego Health and Human Services Agency Public Health Services, Regional & Community Data

Motor Vehicle Injuries

SDC data shows that from 2014-2016, age-adjusted ED visit rates for motor vehicle injuries increase by 9.3%, while deaths due to motor vehicle injuries increased 1.08%. Please see **Figure 38** below for more details.

Figure 38: Age-Adjusted ED Visit and Mortality Rates for Motor Vehicle Injuries in SDC, 2014-2016




Source: County of San Diego Health and Human Services Agency Public Health Services, Regional & Community Data

Overall Crime Rate

The overall crime rate has increased in both SDC and California (1.9% and 5.7 % respectively) from 2014-2016. Please see **Figure 39** below for more details.

Figure 39: Overall Crime Rate in SDC, CA and the United States, 2014-2016



Source: Live Well San Diego. Live Well San Diego Data Access Portal. Injury. <https://data.livewellsd.org/>

Please see **Appendix O** for Unintentional Injury and Violence definition and secondary source information.

Community Engagement Findings

HASD&IC 2019 CHNA

Within the *HASD&IC 2019 CHNA* online survey, of those who chose safety and violence as the greatest influence on poor health outcomes, 55.0% believed that safety and violence is getting worse in SDC.

Additional feedback from the *HASD&IC 2019 CHNA* focus groups is included in the **Discussion of Community Engagement Findings** section below.

Sharp 2019 CHNA – Focus Groups

Safety and violence was identified as having a significant impact on health and well-being specifically within the *Sharp Diabetes Health Educators* and *Sharp PFAC* focus groups. Please refer to **Appendix U** for a summary of findings from both of these focus

groups. Further detail is included in the **Discussion of Community Engagement Findings** below.

Sharp 2019 CHNA – Sharp Insight Community

Sharp's Insight Community online survey provided greater understanding of unintentional injury and violence as an SDOH impacting Sharp patients and community members. Among 14 SDOH, survey respondents (n=380) ranked safety and violence (including community violence, domestic violence, child or elder abuse) as the 12th most important SDOH impacting their community (see **Appendix R**).

When health conditions and SDOH were combined among all respondents, safety and violence ranked as the 20th most important health need among 30 choices. Please refer back to **Figure 14** for the final ranking of health conditions and SDOH by *Sharp Insight Community* survey participants.

Discussion of Community Engagement Findings

HASD&IC 2019 CHNA – Focus Groups

HASD&IC 2019 CHNA community engagement participants emphasized that people who are a victim of or witness to violence may experience trauma as a result. This trauma can lead to PTSD and to other mental health conditions like anxiety and depression. These conditions, in turn, they said, may make people less able to seek out and receive the care they need. They asserted furthermore that mental health care is extremely difficult to access even when a person is not struggling with the after-effects of trauma.

HASD&IC 2019 CHNA focus group members also discussed the importance of a safe environment for good health. Residents need to feel safe outside in order to play and exercise, and when they do not, contributors said, they are far more likely to be sedentary. Physical inactivity, they asserted, lends to poor health and is a risk factor for obesity, which is then a risk factor for chronic conditions like diabetes and CVD. They explained that a safe and pleasant neighborhood also contributes to reducing anxiety and stress.

In addition, *HASD&IC 2019 CHNA* focus group participants talked about two groups who have increased risk of exposure to violence. Homeless individuals were discussed as frequent targets of violence. Health care providers identified injuries from violence as one of the conditions for which they often treat homeless individuals. In addition, the constant stress or worrying about staying safe, contributors stressed, creates severe anxiety among some homeless individuals. Refugees were also noted to be a group who are more likely to have been exposed to violence and to suffer from that exposure. As a result of witnessing violence, participants said, refugees may be hyper vigilant to perceived threats and mistrustful of those who try to help them.

Sharp 2019 CHNA – Focus Groups

In the *Sharp PFAC* focus group, safety and violence was brought up specifically in connection to sex trafficking and its serious impact on youth. *Sharp PFAC* focus group participants highlighted how in certain areas, especially in the east region of SDC, sex trafficking affects individuals of all socioeconomic status. Please refer to **Table 21** or **Appendix U** for a summary of feedback from the *Sharp PFAC* focus group.

The *Sharp Diabetes Health Educator* focus group also stated that instances of domestic violence and familial abuse pose a challenge to accessing care and a barrier for both patients and their family members.

Section

6 Community Assets, Recommendations and Next Steps

The findings of this CHNA revealed significant priority health needs impacting communities served by SMV, particularly those communities facing inequities. In addition, the findings provided insight and recommendations from direct conversations with the community. This insight will assist in the design and implementation of SMV programs and services to help improve the health and well-being of the community it serves.

To support cross-sector information-sharing about the CHNA-identified health needs for San Diegans, the HASD&IC 2019 CHNA Committee worked with IPH to develop health briefs for selected identified health needs. **Section 7: Health Briefs** provides both quantitative and qualitative data on selected identified health needs and SDOH. These health briefs are intended to both provide educational resources for the community, as well as to support community-based organizations who may utilize this data to pursue funding opportunities. Through these health briefs, the CHNA Committee seeks to aid and champion the work of the community-based organizations and social support networks that are critical community assets in San Diego.

Community Assets to Respond to Identified Needs

Community assets and resources are integral to addressing the full spectrum of health needs that exist in the population. For purposes of this report, available community assets and resources to address the top health needs are separated into two categories:

- Programmatic and/or organizational resources
- Health initiatives and public policy

The County of San Diego has many assets and resources addressing the health needs identified in this assessment including: community-based organizations; government departments and agencies; hospital and clinic partners; and community members.

The HASD&IC and Sharp 2019 CHNAs relied on and utilized the 2-1-1 San Diego database as its comprehensive resource for community assets in San Diego. Details are provided below.

2-1-1 San Diego

2-1-1 San Diego is an important community resource and information hub. Through its 24/7 phone service and online database, it helps connect individuals with community, health, and disaster services. Recognizing that available programs and services are

continuously changing, we encourage the community to access the most available data through 2-1-1 San Diego. For more specific information about the programs within each category, please contact 2-1-1 San Diego or visit their website (<http://www.211sandiego.org/>).

Data were pulled by searching the 2-1-1 San Diego taxonomy using relevant search terms for each condition/need. The number of resources/services that were located for each condition were as follows:

- Aging Concerns: 91
- Access to Care: 260
- Behavioral Health: 703
- Cancer: 129
- Cardiovascular Disease: 161
- Diabetes: 144
- Maternal and Prenatal Care: 251
- Obesity: 298
- Social Determinants of Health: 5,836

Please note, this is an assessment of the type and number of services available as of June 17, 2019, but it is not an exhaustive list of resources available in SDC. Due to the interconnectedness of chronic conditions, organizations, programs and services may be repeated if they provide more than one service and if they are located in more than one location. For more specific information about the programs within each category, please contact 2-1-1 San Diego or visit their website at: <http://www.211sandiego.org>.

Sharp CHNA Community Guide

As part of Sharp's 2016 CHNA Phase 2 process, a Sharp CHNA Community Guide was developed and made publicly available on Sharp.com at:

<https://www.sharp.com/about/community/community-benefits/health-needs-assessments.cfm>. The Sharp CHNA Community Guide was developed to provide community members with a more user-friendly resource to learn about Sharp's CHNA process and findings, as well as the identified health and social needs addressed in Sharp's programs. In addition, the Sharp CHNA Community Guide provides a direct link for community members to provide feedback on Sharp's CHNA process. Please refer to **Appendix E** for the Sharp CHNA Community Guide. An updated Sharp CHNA Community Guide will be publicly available on sharp.com during early- to mid- 2020.

HASD&IC 2019 CHNA: Community Recommendations

HASD&IC 2019 CHNA community engagement participants identified three means by which the identified health needs could be better addressed:

1. The implementation of overarching strategies to address the health needs
2. The development or expansion of resources to meet the needs

3. The creation of systemic, policy and environmental changes to better support health outcomes

All of these approaches, participants emphasized, would require collaboration between political, health care system, and community leaders, health care professionals, community organizations, and residents. Please refer to **Figure 40**, the Resource & Opportunities to Address Priority Health Needs graphic below for a summary of these approaches.

Strategies to improve / enhance knowledge, patient experience, and collaboration

Community knowledge

Community residents of all ages and backgrounds need a better understanding of how to maintain good health and prevent illness and disease. Culturally competent and linguistically appropriate educational campaigns should be developed that target groups experiencing health disparities.

Educational campaigns should:

- Promote available services in the community, clinics, and hospitals
- Address potential barriers to care, including:
 - how to apply for health insurance and/or public benefits
 - how to access transportation
 - whether translation and navigation services are available
 - any potential impact on immigration status
- Market services to address SDOH, such as:
 - affordable housing
 - resources targeted to food insecurity

Patient experience

The patient experience would be improved by a more diverse hospital workforce with knowledge of the specific needs of racial/ethnic and sexual minorities. Navigating the health care system for people whose first language is not English or who have recently immigrated, for example, presents overwhelming challenges. In addition, coordinating care between health care providers and with social service organizations is crucial to improving the patient experience. Efforts should be made to:

- Provide more health navigators and case managers who speak the patient's language and understand the patient's culture
- Coordinate care between health care providers and across clinics
- Provide continuity of care with warm hand-offs between health care systems and social service organizations

Collaboration

Enhanced collaboration was named as essential to improving health. This includes collaboration between health care professionals — such as primary care providers and specialists — and between health care systems and social service organizations. Improved collaboration between social workers, law enforcement, and attorneys would also be beneficial. Partnerships with community residents and organizations would improve the efficacy of health care services and develop trust between health care providers and the people they serve. These partnerships should include collaborative advocacy efforts, efforts to adapt programs and interventions to the unique needs of specific groups, and the dissemination of information back to communities collected from research projects in those communities.

The development and expansion of specific types of resources

Community engagement participants identified several specific types of resources that are necessary to address the priority health needs of the community:

- Urgent Care services that include expanded hours, availability to all populations, and mental health and substance use services
- Preventive care programs that offer services such as immunizations (including the flu vaccine), HIV testing, and exercise programs
- Dental services for preventive care and to address oral health issues such as carries and gum disease
- Onsite programs and mobile units that bring services to the community, including programs in senior housing complexes, school clinics, mobile screening, and mobile food distribution
- Culturally competent programs for refugees, Native Americans, Latinos, Black/African Americans, LGBTQ individuals, non-citizens, and asylum seekers
- Programs for the youth, especially community centers and programs for young men and for homeless youth
- Homeless services and discharge support, including mobile showers, more shelters, and further options for post-acute recuperative care
- Food insecurity navigation that includes reference guides for food system/service navigation of San Diego County, private, and non-profit organizations, and signage for healthy food options for CalFresh/SNAP users at stores and restaurants

Systemic change

Finally, it was evident from the community engagement findings that San Diegans think that large-scale system, policy, and environmental changes are necessary to make true progress toward good health for all residents. These changes include:

- Creating universal and/or affordable health care
- Increasing the minimum wage
- Increasing applications for federal funding and allowing more time to prove a return on investment for this funding
- Enabling easy sharing of information about patients between organizations and hospitals

Figure 40 below presents a summary of approaches recommended by HASD&IC 2019 CHNA community engagement participants.

Figure 40: HASD&IC 2019 CHNA – Resources & Opportunities

RESOURCES & OPPORTUNITIES TO ADDRESS PRIORITY HEALTH NEEDS

Community engagement participants identified three means by which the identified health needs could be better addressed:

1. The implementation of overarching **strategies** to address the health needs,
2. The development or expansion of **resources** to meet the needs,
3. The creation of **systemic, policy and environmental changes** to better support health outcomes

All of these approaches, participants emphasized, would require **collaboration** between political, health care system, and community leaders, health care professionals, community organizations, and residents.

STRATEGIES	<ol style="list-style-type: none"> 1. Increase community knowledge with educational campaigns <i>that promote available services within the community, clinics, and hospitals</i> 2. Address potential barriers to care such as insurance, translation, navigation services, transportation, and potential impacts on immigration status 3. Improve patient experience through culturally competent health navigators and case managers, care coordination, and community clinical linkages including language services
RESOURCES	<ol style="list-style-type: none"> 1. Urgent care services that include expanded hours, availability to all populations, and mental health and substance use services 2. Preventative care programs that offer services such as immunizations (including the flu vaccine), HIV testing, and exercise programs 3. Dental services for preventive care and to address oral health issues such as carries and gum disease 4. Onsite programs and mobile units that bring services to the community, including programs in senior housing complexes, school clinics, mobile screening, and mobile food distribution 5. Culturally competent programs for refugees, Native Americans, Latinos, Blacks, African Americans, LGBTQ individuals, non-citizens, and asylum seekers 6. Programs for the youth, especially community centers and programs for young men and for homeless youth 7. Homeless services and discharge support, including mobile showers, more shelters, and further options for post-acute recuperative care 8. Food insecurity navigation that includes reference guides for food system/service navigation of San Diego County, private, and non-profit organizations, and signage for healthy food options for CalFresh/ Supplemental Nutrition Assistance Program (SNAP) users at stores and restaurants
SYSTEMIC CHANGE	<ol style="list-style-type: none"> 1. Create universal and/or affordable health care 2. Increase minimum wage 3. Fund policies: increase applications for federal funding and allow more time to prove a return on investment (ROI) for funding
COLLABORATION	<ol style="list-style-type: none"> 1. Form partnerships with community residents by engaging residents in advocacy 2. Share and disseminate information and data back into the communities from where the data came from 3. Work with communities to adapt programs and interventions to the unique needs of minority groups (go beyond collective impact approach) 4. More collaboration between social workers, law enforcement, and attorneys 5. Warm hand-offs between agencies and organizations

SMV 2019 CHNA: Community Recommendations

Community engagement participants throughout the SMV 2019 CHNA process provided specific suggestions to help address the identified health needs and SDOH in the CHNA. These recommendations were highly aligned with the suggestions outlined in the narrative above and summarized in **Figure 40**. For specific recommendations from each SMV 2019 CHNA community engagement group, please refer to **Section 5: Findings** of this report.

HASD&IC 2019 CHNA: Hospital Next Steps

Hospitals and health systems that participated in the HASD&IC 2019 CHNA process have varying requirements for next steps. Private, not-for-profit (tax exempt) hospitals and health systems are required to develop hospital or health system community health needs assessment reports and implementation strategy plans to address selected identified health needs. The participating district hospitals and health systems do not have the same CHNA requirements but work very closely with their patient communities to address health needs by providing programs, resources, and opportunities for collaboration with partners. Every participating hospital and health care system will review the CHNA data and findings in accordance with their own patient communities and principal functions and evaluate opportunities for next steps to address the top identified health needs in their respective patient communities.

The CHNA report will be made available as a resource to the broader community to solicit additional feedback on findings and may serve as a useful resource to both residents and health care providers to further community-wide health improvement efforts.

The CHNA Committee is in the process of planning Phase 2 of the 2019 CHNA, which will include gathering community feedback on the 2019 CHNA process and strengthening partnerships around the identified health needs and SDOH. This will include an exploration to deepen the understanding of stigma's impact on SDOH and health needs, as well as how hospitals and health systems could better address stigma in patient care.

The complete summary of the HASD&IC 2019 CHNA is available online at: <https://hasdic.org/2019-chna/>. Paper copies or electronic files are also available upon request, as well as items provided in the HASD&IC 2019 CHNA developed by the Institute for Public Health (IPH) at San Diego State University. Please contact Lindsey Wade at the HASD&IC with any questions.

Lindsey Wade
Vice President, Public Policy
Hospital Association of San Diego & Imperial Counties
5575 Ruffin Road, Ste 225 • San Diego, CA 92123
P: 858.614.1553
lwade@hasdic.org

SMV 2019 CHNA: Next Steps

SMV has developed its FY 2020 – FY 2023 Implementation Strategy to address the needs identified through the 2019 CHNA process for the primary communities it serves. In addition, the SMV 2019 CHNA Planning Team, in addition to Sharp leadership, Sharp Community Benefit, service line leaders, and other team members are committed to an ongoing exploration of partnerships and collaborations that help address the needs of SMV's community members.

Tools such as the asset map of currently existing resources within SDC, as well as the CNI data, will be utilized to help continue to identify gaps in community resources and provide insight into further program development.

The SMV FY 2020 – FY 2023 Implementation Strategy is available on sharp.com at: <http://www.sharp.com/about/community/health-needs-assessments.cfm>. In addition, the implementation strategy is submitted along with the Internal Revenue Service (IRS) Form 990, Schedule H. The IRS Form 990, Schedule H will also be publicly available on Guidestar (<http://www.guidestar.org/>) in the coming months.

Sharp will continue to work with HASD&IC and IPH as part of the CHNA Committee to develop and implement Phase 2 of the 2019 CHNA. Phase 2 will focus on continued engagement of community partners to analyze and improve the CHNA process, as well as the hospital implementation strategies that address the 2019 CHNA findings. Thus, the CHNA process will evolve to meet the needs of our community members and support the work of our community partners who also address those identified needs.

In addition, in the first year of Sharp's FY 2020 – FY 2023 Implementation Strategy, Sharp hospitals (including SMV), medical groups, and health plans are embarking on a new, innovative partnership with 2-1-1 San Diego's Community Information Exchange (CIE). The CIE includes a longitudinal client record with community member history, access to and utilization of social programs (e.g., housing, food banks, community clinics, etc.), emergency transport data, and much more. The CIE also includes a direct-referral feature, which allows for documented, bi-directional, closed-loop referrals between all CIE partners — including hospitals, clinics, and social service programs. Currently, there are more than 60 community partners (organizations) participating in CIE, and more than 90,000 community members enrolled, with approximately 4,500 new community members enrolled each month. Sharp is the first integrated health system — including its hospitals, medical groups and health plan — to participate in the CIE. By leveraging this technology, and expanding upon this capability for shared data, consistent tracking and robust reporting, the CIE partnership presents an exciting opportunity for Sharp to strengthen and evaluate the impact of clinical-community linkages for its patients and community members in need, particularly regarding SDOH. The data collected in this one-year partnership will inform the value case for continuing with the partnership after the pilot year (Summer 2020).

Overall, there is broad recognition that all regions of SDC will continue to experience changes that directly affect the health of the communities served by SMV. This uncertainty in the general environment — including changes at the local, state and federal levels of government, as well as transformation of the health care market landscape — continues to be a serious issue and key consideration for the health care community. While this CHNA provides a high-level view of health in the communities served by SMV, hospital leaders are mindful of the need to be responsive to those emerging trends and needs in health care that shape the health and well-being of our community.

Section

7 Health Briefs: Select Identified Community Health Needs and SDOH

To support cross-sector information-sharing about the CHNA-identified health needs for San Diegans, the HASD&IC 2019 CHNA Committee worked with IPH to develop health briefs for selected identified health needs. This section includes those health briefs, which provide both quantitative and qualitative data on the selected identified health needs and SDOH. The health briefs are intended to both provide educational resources for the community, as well as to support community-based organizations who may utilize this data to pursue funding opportunities. Through these health briefs, the CHNA Committee seeks to aid and champion the work of the community-based organizations and social support networks that are critical community assets in San Diego.



Access to Health Care

28.5 million people are without health insurance in the U.S.¹

Access to high quality, comprehensive care is vital for preserving good health, preventing and managing disease, decreasing disability, averting premature death, and achieving health equity for all.²

To access care, people need health insurance coverage and a consistent source of care that provides evidence-based, culturally competent preventive and emergency medical services in a timely manner.²

Uninsured in the U.S.¹ (2017)

8.8% of people are without health insurance.

By Age

Seniors and children are the least likely to be uninsured, while a large percentage of working adults have no coverage:

- People age 65+ have the highest rates of coverage, with only 1.3% uninsured.
- 5.4% of children under the age of 19 are uninsured (7.8% for children living in poverty).
- Working adults ages 26-34 are more likely to be uninsured than the overall working population (15.6% vs 12.2%).

By Race

- Uninsured rates are highest for people who identify as Hispanic (16.1%), followed by Black (10.6%), and Asian (7.3%).

By Educational Attainment

The uninsured rate decreases as education level increases. While only 4.3% of people with a graduate or professional degree are uninsured, 26.3% of people without a high school diploma are uninsured.

By Income


Uninsured rates increase as level of income decreases. The highest uninsured rates are among those who make less than \$25,000 annually (13.9%), and the lowest are among those who make more than \$125,000 (4.3%).

UNINSURED IN SAN DIEGO COUNTY


In 2017, 10.6% of adults aged 19-64 years were uninsured³ in San Diego County.

- Uninsured rates have decreased across all racial/ethnic groups. Those who identify as Hispanic, however, are disproportionately without health insurance, 13.3% (Hispanic) compared to 4.2% (non-Hispanic White).

Percent Uninsured (Ages 18-64)*, 2013-2017



Percent Uninsured (Ages 19-64) by Ethnicity*, 2017



*Note: Includes civilian noninstitutionalized population. 2017 data includes 19-64 years olds.

Ongoing Care with a Primary Care Provider in the U.S.⁴ (2015)

76.4% of people in the U.S. have a primary care provider (PCP).

By Age

The youngest and oldest age groups have the highest percentages of people with a PCP: 93.2% of those under the age of 5 and 92.4% of those 85 years old and older. More broadly, people less than 18 years old have the highest proportion with a usual PCP (90.0%), followed by those 65 and older (89.4%), and those 45-64 (79.2%). The lowest percentage was among those 18-44 (60.1%).

By Race

The percentage of people with a PCP is highest among Native Hawaiian or Other Pacific Islander individuals (82.3%), followed by people of two or more races (80%), non-Hispanic Whites (79.1%), American Indian or Alaska Natives (74.3%), Asians (74.2%), and Black individuals (72.6%). The percentage was lowest (70.1%) among Hispanics.

By Educational Attainment

The highest proportion of people with a usual PCP is among those with an advanced degree (77.8%), followed by those with a college degree (74.2%). The lowest rate is among those with less than a high school diploma (68.9%).

By Income

The percentage of people with a PCP increases in proportion to income. Among those with income levels 600% or more over the federal poverty level (FPL), 81.7% have a usual PCP, whereas among those with incomes of less than 100% of the FPL, 71.8% have a usual PCP.

The Affordable Care Act (ACA)⁹


The **ACA** increased access to healthcare. In 2014, a number of changes took effect in California:

- The expansion of Medi-Cal to individuals making less than 138% of the poverty level.
- The establishment of Covered California for individuals who make up to 400% of the poverty level to purchase subsidized health insurance.
- The elimination of the health coverage discrimination due to pre-existing conditions.

PREVENTIVE & PRIMARY CARE IN SAN DIEGO COUNTY


In 2015, San Diego had fewer hospital discharges for preventable conditions (29.7 per 1,000) than the state average (36.2 per 1,000); however, Black individuals have a far greater number of these events.⁶

Preventable Hospital Events for Medicare Beneficiaries, 2015⁶



In 2015, 71.3% of adults in San Diego County had seen a PCP in the past year,⁸ however Medicare beneficiaries have

Medicare Beneficiaries who Have Seen a PCP Within Past Year, 2015⁶



lower rates (68.2%).⁶

HEALTH IMPACTS

Being uninsured is associated with:⁷

- Poor mental health days
- More heart attack ED visits
- Asthma
- Obesity
- Low birth weight

Sources: Access to Health Care

1. Berchick ER, Hood E, and Barnett JC. Health Insurance Coverage in the United States: 2017, U.S. <https://www.census.gov/library/publications/2018/demo/p60-264.html>. Published September 2018. Accessed March 29, 2019.
2. U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion. Access to health services. HealthyPeople Web site. <https://www.healthypeople.gov/2020/topics-objectives/topic/Access-to-Health-Services>. Updated March 29, 2019. Accessed March 29, 2019.
3. U.S. Census Bureau. American Community Survey, 2017, 1-Year Estimates.
4. U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion. Access to health services: Latest data. HealthyPeople Web site. <https://www.healthypeople.gov/2020/leading-health-indicators/2020-lhi-topics/Access-to-Health-Services/data#primary-care>. Updated March 29, 2019. Accessed March 29, 2019.
5. U.S. Census Bureau. American Community Survey, 2013-2017, 5-Year Estimates.
6. The Dartmouth Institute for Health Policy and Clinical Practice. Primary care access and quality measures, 2015. https://atlasdata.dartmouth.edu/static/general_atlas_rates
7. Kaiser Permanente of Southern California Community Health Department. Secondary Data Analysis, 2018.
8. UCLA Center for Health Policy Research. California Health Interview Survey, 2015.
9. Insure the Uninsured Project, Mapping the Future Individual Health Insurance, http://www.itup.org/wp-content/uploads/2019/03/ITUP_Mapping_Health_Insurance.pdf



Aging Concerns

By 2030, 1 in 5 Americans will be 65 years or older¹

Older adults are at greater risk of having multiple chronic conditions, including dementia, and of suffering injury and death from falls.^{2,3}

Dementia in the U.S. (2017)

Dementia is a general term used to describe symptoms indicative of cognitive decline, like memory loss or confusion. The most common cause of dementia is Alzheimer's disease.^{4,5}

- Approximately 5.7 million people are living with dementia
 - Alzheimer's disease accounts for about 60-70% of these cases.⁶
- Dementia is the 3rd leading cause of death in the U.S. when combining all four causes of dementia.^{*,7}
- About 262,000 people will die from dementia each year
 - 46.4% of these deaths result from Alzheimer's disease⁷
- Age-adjusted death rate due to dementia is 66.7 per 100,000.⁷
- Alzheimer's disease is the 5th leading cause of death among those over 65 years in the U.S.⁸

By Sex

More women than men have Alzheimer's disease or other dementias:

- Among people 65 years and older (65+), 62.5% of people with Alzheimer's disease are women⁵

By Race and Ethnicity

Blacks and Hispanic individuals are more likely to have Alzheimer's disease or other dementias than Whites.⁵

Leading causes of death among persons aged 65 and over⁸


1. Heart disease (25.1%)
2. Cancer (20.7%)
3. Chronic lower respiratory disease (6.6%)
4. Stroke (6.1%)
5. Alzheimer's disease (5.8%)

*Includes: unspecified dementia, Alzheimer disease, Vascular dementia, other degenerative disease of nervous system


DEMENTIA AND ALZHEIMER'S IN SAN DIEGO COUNTY⁹ (2016)

In San Diego, White residents, followed by Black residents are disproportionately affected by dementia and Alzheimer's disease.

Alzheimer's Disease Death Rate by Race/Ethnicity, 2016



Dementia Death Rate by Race/Ethnicity, 2016



*Asian & Pacific Islander

The percentage of San Diego population who have seen a primary care physician in the last year, 71.8%, is slightly lower than the state average of 72.7% (2015).¹⁴

For Medicare beneficiaries, this gap is larger: only 68.2% of Medicare beneficiaries in San Diego have seen a PCP in the past year, compared to the state average of 72.9% (2015).¹⁵

Falls in the U.S.

More than 31,000 people 65 years and older died from falls in 2017¹⁰

In 2017, for every individual 65 years and older who died from falls, 28 were hospitalized, and 62 were treated for fall-related injuries.^{10,11} In 2015, the total cost for falls for those 65 years and older was more than \$50 billion.

Since the U.S. population is aging, both the number of falls and the cost to treat fall injuries are likely to rise.¹²

Among people 65 years and older (65+) (2017)

- Falls are the leading cause of injury-related *mortality*, accounting for 55.7% of unintentional fatal injuries in 2017.¹³
- The *death* rate due to falls was 61.3 per 100,000.¹⁰
- The *nonfatal* rate due to falls is 5,841.1 per 100,000 (about 3 million nonfatal fall injuries).¹¹

By Sex

- For *fatal* falls, males who are 65+ are more likely to die than females who are 76+ (75.3 vs 54.8 per 100,000).¹⁰
- For *nonfatal* fall-related injuries, females who are 65+ accounted for 64.6%.¹¹

By Race and Ethnicity


Non-Hispanic Whites are more impacted by falls:

- Non-Hispanic Whites have the highest *death* rate (70.6 per 100,000), followed by non-Hispanic Native American (49.3 per 100,000)¹⁰
- Non-Hispanic Whites have the highest number of *nonfatal* fall injuries (1,648,923)¹¹

FALLS IN SAN DIEGO COUNTY⁹(2016)

In San Diego, thousands of residents 65 years and older visit an emergency department (ED) for fall-related injuries.


Hospital Discharge and Death Rates for Falls, Age 65+, 2016



In San Diego, male residents and White residents are more likely to die from a fall than any other groups.

- Males** are 1.7 times more likely to die than females.
- Whites** are at least 2.2 times more likely to die than API, Black, and Hispanic.

Falls Death Rate by Sex and Race/Ethnicity, 2016



*Asian & Pacific Islander

Sources: Aging Concerns

- 1 Projected Age Groups and Sex Composition of the Population: Main Projections Series for the United States, 2017-2060. U.S. Census Bureau, Population Division: Washington, DC.
- 2 Centers for Medicare & Medicaid Services. Multiple Chronic Conditions. Prevalence State/County Level: All beneficiaries by age, 2007-2017. https://www.cms.gov/Research-Statistics-Data-and-Systems/Statistics-Trends-and-Reports/Chronic-Conditions/MCC_Main.html. Accessed April 22, 2019.
- 3 Burns E, Kakara, R. Deaths from falls among persons aged ≥ 65 years – United States, 2007-2016. MMWR Morbid Mortal Wkly Rep. 2018. 67:509-514.
- 4 Olivari BS, Baumgart M, Lock SL, et al. CDC Grand Rounds: Promoting Well-Being and Independence in Older Adults. MMWR Morb Mortal Wkly Rep. 2018;67(37):1036-1039.
- 5 Alzheimer's Association. 2019 Alzheimer's Disease Facts and Figures. Alzheimers Dement 2019;15(3):321-87. <https://www.alz.org/media/Documents/alzheimers-facts-and-figures-2019-r.pdf>
- 6 American Speech-Language-Hearing Association. Dementia. https://www.asha.org/PRPSpecificTopic.aspx?folderid=8589935289§ion=Incidence_and_Prevalence#United_States. 2018;73(suppl_1):S10-S19.
- 7 Kramarow EA, Tejada-Vera, B. Dementia mortality in the United States, 200-2017. March 14. 2019. National Vital Statistics Report, 68(2). https://www.cdc.gov/nchs/data/nvsr/nvsr68/nvsr68_02-508.pdf.
- 8 Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Leading Causes of Death, WISQARS Fatal Injury Data. <https://webappa.cdc.gov/sasweb/ncipc/leadcause.html>. Updated January 18, 2019. Accessed on July 15, 2019.
- 9 County of San Diego Health and Human Services Agency Public Health Services, Regional & Community Data. https://www.sandiegocounty.gov/content/sdc/hhsa/programs/phs/community_health_statistics/regional-community-data.html
- 10 Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Web-based Injury Statistics Query and Reporting System (WISQARS) Fatal Injury Data, 2017. <https://wisqars-viz.cdc.gov:8006/>
- 11 Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Web-based Injury Statistics Query and Reporting System (WISQARS) Nonfatal Injury Data, 2017. <https://wisqars-nfviz.cdc.gov:8005/>
- 12 Centers for Disease Control and Prevention. Cost of Falls Among Older Adults. CDC Web site. <https://www.cdc.gov/homeandrecreationalafety/falls/fallcost.html>. Updated August 19, 2016. Accessed July 3, 2019.
- 13 National Vital Statistics System 2017, National Center for Health Statistics, CDC.
- 14 UCLA Center for Health Policy Research. California Health Interview Survey, 2015.
- 15 The Dartmouth Institute for Health Policy and Clinical Practice. Primary care access and quality measures, 2015. https://atlasdata.dartmouth.edu/static/general_atlas_rates



Asthma

26.5 million Americans suffer from this chronic disease¹

Asthma is a chronic lung disease that causes inflammation and narrowing of the airways. Symptoms of asthma attacks include wheezing, tightness or pain in the chest, shortness of breath, and coughing. The severity of attacks range from mild to life threatening.²

Asthma has significant impact on the daily lives of the people who suffer,² and in California alone, the 2020 projected medical costs are estimated to be \$4.9 billion.³

Asthma in the U.S. (2016)

In 2016, 8.3% of Americans currently had asthma⁴, and 13.6% will be diagnosed with asthma at some point in their lifetime.⁵

By Sex

- Among children, asthma is more common among boys (9.2%) than girls (7.4%), but among adults asthma is more common among women (10.4%) than men (6.2%).⁴

By Age

- 8.3% of children younger than 18 years old have asthma, a decrease from 9.4% in 2010. Rates are higher among those 5-11 years old (9.6%) and 12-17 years old (10.5%) than among children 0-4 years old (3.8%).^{4,6}
- The rate is the same among adults 18+ (8.3%).⁴

By Race/Ethnicity

- Puerto Ricans have the highest rates of asthma (14.3%), followed by Non-Hispanic Black (11.6%), Non-Hispanic Whites (8.3%), Other Non-Hispanic (8.0%), and Hispanics (6.6%).⁴

By Income & Housing Quality

- Asthma is most prevalent among the lowest economic groups: 11.8% of those whose income is below 100% of the federal poverty level (FPL) have asthma, compared to 8.9% with incomes 100% to less than 250% of the FPL and 7.4% of those with incomes 250% to less than 450% of the FPL.⁴
- Poor housing quality is independently associated with asthma diagnoses and higher rates of *emergency department (ED) discharges* for asthma.⁷

ASTHMA IN SAN DIEGO COUNTY⁸


Inpatient Discharge Rates

In 2016, 264.4 people per 100,000 were discharged from an ED for asthma and 38.6 per 100,000 people were discharged from inpatient hospitalizations.


ED Discharge Rates by Region

Asthma disproportionately affects San Diegans living in certain areas. ED discharge rates are highest (per 100,000) for children (0-14 yrs.) in the Mountain Empire region and for all age groups in Southeast San Diego.

ED Discharge Rates for Asthma by Top 5 Regions (Ages 0-14), 2016



ED Discharge Rates for Asthma by Top 5 Regions, 2016



Impact of Asthma in the U.S.

Children: School achievement

- Asthma is associated with cognitive deficits, particularly among low-income, minority youth with severe asthma.⁹
- 49.0% of children with asthma miss one or more days of school annually and 13.8 million school days are missed altogether.¹⁰ (2013).

Adults: Reports of poor and fair health¹¹ (2015)

- Among adults with asthma, 33.1% report fair or poor health compared to those without asthma (15.9%). In California 29.1% of adults with asthma report fair or poor health compared to 17.0% without asthma.

Mortality¹² (2016)

- Approximately 3,500 people die annually from asthma (10 per 1 million).
- Adults are more likely to die from asthma than children – the *death rate* is highest (29.2 per million) among those 65 years and older.
- Non-Hispanic Blacks are two to three times more likely (22.3 per million) to die from asthma than people from other races/ethnicities.
- *Deaths* from asthma are largely preventable.

Risk Factors and Triggers for Asthma

Factors that **increase the risk** of an asthma diagnosis include:¹³

- Parental asthma
- Prenatal environmental tobacco smoke
- Premature birth
- Maternal weight gain or obesity during pregnancy
- Maternal stress
- Maternal use of antibiotics or paracetamol
- Birth by caesarean delivery
- Severe respiratory syncytial virus (RSV) in infancy
- Overweight or obesity
- Indoor exposure to mold or fungi
- Outdoor air pollution


Triggers that **exacerbate asthma** and/or cause attacks include:¹⁴

- Tobacco smoke
- Dust mites
- Outdoor air pollution
- Cockroaches and their droppings
- Pets
- Mold
- Smoke from burning wood or grass
- Certain illnesses
- Bad weather


HOSPITAL DISCHARGES IN SAN DIEGO COUNTY⁸

Inpatient discharge rates (per 100,000) in San Diego County are highest among Black and Hispanic individuals as well as those who identify as “Other”.

ED Discharge Rates
for Asthma by Race/Ethnicity, 2016



Inpatient Discharge Rates
for Asthma by Race/Ethnicity, 2016



Hospital Discharge Rates by Age (2016)

- Children 0-14 years old have the highest rate of ED discharges for asthma – 530.9 per 100,000, while people ages 65+ have the lowest rates – 128.7 per 100,000.
- Children also have the highest rates of discharge for asthma from inpatient hospitalizations – 104.0 per 100,000, while people ages 15-24 have the lowest – 12.5 per 100,000.

Sources: Asthma

1. Centers for Disease Control and Prevention. Current asthma population estimates – in thousands by age, United States: National Health Interview Survey, 2016. <https://www.cdc.gov/asthma/nhis/2016/table3-1.htm>. Updated May 18, 2018. Accessed April 11, 2019.
2. Centers for Disease Control and Prevention, National Center for Environmental Health, Division of Environmental Hazards and Health Effects. Asthma's impact on the nation. https://www.cdc.gov/asthma/impacts_nation/asthmafactsheet.pdf Accessed on April 15, 2019.
3. Nurmagambetov T, Khavjou O, Murphy L, Orenstein D. State-level medical and absenteeism cost of asthma in the United States. *J Asthma*. 2017;54(4):357-370.
4. Centers for Disease Control and Prevention. Current asthma prevalence percents by age, United States: National Health Interview Survey, 2016. <https://www.cdc.gov/asthma/nhis/2016/table4-1.htm>. Accessed April 11, 2019.
5. Centers for Disease Control and Prevention. Lifetime asthma prevalence percents by age - United States: National Health Interview Survey, 2016. <https://www.cdc.gov/asthma/nhis/2016/table2-1.htm>. Accessed April 11, 2019.
6. Zahran HS, Bailey CM, Damon SA, Garbe PL, Breyse PN. Vital Signs: Asthma in Children - United States, 2001-2016. *MMWR Morb Mortal Wkly Rep*. 2018;67(5):149-155.
7. Hughes HK, Matsui EC, Tschudy MM, Pollack CE, Keet CA. Pediatric Asthma Health Disparities: Race, Hardship, Housing, and Asthma in a National Survey. *Acad Pediatr*. 2017;17(2):127-134.
8. HealthDat San Diego. Data: Diseases and Conditions. <http://www.healthdat.org/data.php>. Original data source: California Office of Statewide Health Planning and Development, OSHPD Patient Discharge Data.
9. Irani F, Barbone JM, Beausoleil J, Gerald L. Is asthma associated with cognitive impairments? A meta-analytic review. *J Clin Exp Neuropsychol*. 2017;39(10):965-978.
10. Centers for Disease Control and Prevention. Percent of asthma-related missed school days among children aged 5-17 years: United States, NHIS 2003, 2008, 2013. https://www.cdc.gov/asthma/asthma_stats/missing_days.htm. Updated October 5, 2015. Accessed on April 11, 2019.
11. Centers for Disease Control and Prevention. Asthma and fair or poor health. https://www.cdc.gov/asthma/asthma_stats/default.htm. Updated March 23, 2017. Accessed on April 11, 2019. Original Source: Behavioral Risk Factor Surveillance System, 2015.
12. Centers for Disease Control and Prevention. Asthma as the underlying cause of death. https://www.cdc.gov/asthma/asthma_stats/asthma_underlying_death.html. Updated April 24, 2018. Accessed April 11, 2019.
13. Castro-Rodriguez JA, Forno E, Rodriguez-Martinez CE, Celedon JC. Risk and Protective Factors for Childhood Asthma: What Is the Evidence? *J Allergy Clin Immunol Pract*. 2016;4(6):1111-1122.
14. Centers for Disease Control and Prevention. Asthma. Common asthma triggers. <https://www.cdc.gov/asthma/triggers.html>. Updated December 14, 2010. Accessed April 15, 2019.



Behavioral Health

Nearly 1 in 5 U.S. adults live with a mental illness

Behavioral health problems include serious psychological distress, mental and substance use disorders, suicide, and alcohol and drug addiction.¹ If left untreated, these issues can have a devastating impact. They are a leading cause of disability, are associated with chronic disease, and may lead to premature mortality.^{2,3,4}

Mental Illness in the U.S.

Among Adults, 18 years old and older (2017):

- 18.9% of adults 18 and older have a **mental illness** in this past year⁵
- 7.1% of adults experienced a **major depressive episode (MDE)** in the past year; 66.8% received treatment⁵

Among Youth and Young Adults (2017):

- 31.5% of high school students are so sad or hopeless every day for 2 or more weeks in a row that they stop doing some usual activities. Rates are particularly high (63.0%) among gay, lesbian, and bisexual students and are higher among females (41.1%) than males (21.4%).⁶
- 13.3% of youth aged 12 to 17 had an **MDE** in the past year; only 41.5% received treatment for depression.⁵
- 13.1% of young adults aged 18-25 had an **MDE** in the past year; only 50.7% received treatment.⁵

Mood Disorder and Anxiety in San Diego County⁸

Mood Disorders

- From 2014-2016, *inpatient discharge* rates for **mood disorders** decreased by 2.9%.
- From 2014-2016, rates of emergency department (ED) *discharge* for **mood disorders** increased by 5.9%.


Anxiety

- From 2014-2016, *inpatient discharge* rates for **anxiety** decreased by 7.9%.
- From 2014-2016, rates of *ED discharge* for **anxiety** increased by 4.3%.


MOOD DISORDER & ANXIETY IN SAN DIEGO COUNTY

The most common mood disorders include depression, bipolar disorder, and seasonal affective disorder⁷


Inpatient Discharge Rates for Mood Disorder by Race⁸



ED Discharge Rates for Mood Disorder by Age⁸



ED Discharge Rates for Anxiety by Age⁸



*American Indian / Alaskan Native / Eskimo / Aleut
**Asian Pacific Islander

Suicide in the U.S.

Among Adults, 18 years and older (2017):

- **Suicide** is the 2nd leading cause of death among 10-34 year olds and the 4th among 35-54 year olds⁹
- 1.4 million people have nonfatal **suicide** attempts each year⁵
- 10.6 million people (4.3%) think seriously about trying to kill themselves each year⁵

Among Youth and Young Adults (2017):


- Rates of **suicide attempts** in high school students are higher among females (9.3%) than males (5.1%) and much higher among gay, lesbian, and bisexual students (23.9%) than among heterosexual students (5.4%)⁶
- 17.2% of high school students⁶ and 10.5% of young adults seriously considered suicide in the past year⁵

Suicide and Self Inflicted Injury in San Diego County⁷


- In 2016, **suicide** was the 9th leading cause of death in San Diego County.¹⁵
- 11.8% of adults in San Diego have seriously considered suicide.¹⁰ (2017)
- Rates of **suicide** *decreased* 1.3% from 2014-2016 among all San Diegans.¹⁶
 - Rates *increased* during these same years among those who identified as Asian/Pacific Islander, Black, and "Other," by 13.3%, 47.2%, and 93% respectively.
 - Rates also *increased* for two age groups during this period: for those 15-24 years old (by 36.4%) and 25-44 years old (by 10.4%).
- *ED discharge rates* for **self-inflicted injury** have *decreased* slightly (0.1%) from 2014-2016.¹⁶
 - Rates are highest among those 15-24 years old and among people who identify their race/ethnicity as "Other," American Indian/Alaska Native, and Black.

SUICIDE & SELF INFLICTED INJURY IN SAN DIEGO COUNTY⁷


Suicide Rates by Race/Ethnicity



Suicide Rates by Age



ED Discharge Rates for Self-Inflicted Injury by Age



*Asian Pacific Islander

Substance Misuse in the U.S.⁵ (2017)


- 30.5 million people 12 and older have used an illicit drug in the past 30 days – this is equal to 1 in 9 people (11.2%).
- Approximately 19.7 million people ages 12 and older have a **substance use disorder**:
 - 14.5 million have an alcohol use disorder
 - 7.5 million have an illicit drug use disorder
- Only 4 million people 12 and older received substance use treatment in the past year.
- About 1 in 3 people 12 and older who perceive a need for treatment do not receive it because they do not have health insurance and cannot afford it.
- 8.5 million adults 18 or older (3.4%) have both a **mental illness and a substance use disorder**.
 - 1 in 3 of these people did not receive care for either condition.

Substance Misuse in San Diego County⁸


- Nearly 20% of adults ages 18 and older self-report excessive alcohol use, exceeding the state and national averages of approximately 18%.¹¹ (2015)
- ED discharge rates for chronic substance abuse* grew substantially (by 559%) from 2014-2016.⁸
 - The steepest *increase* (714%) was for those 65 years old and older, followed by those 27-44 years old (657%).
- ED discharge rates for acute substance abuse* increased by 51% from 2014-2016.⁸
 - These rates rose the most for 0-17 year olds (61%), followed by 27-44 year olds (59%), and 18-26 olds (57%).
 - Rates *increased* for all races, but the most substantial increase (177%) was among Black individuals.

SUBSTANCE MISUSE IN SAN DIEGO COUNTY⁸


ED Discharge Rates for Chronic Substance Use by Age



ED Discharge Rates for Acute Substance Use by Age



ED Discharge Rates for Acute Substance Use by Race



*American Indian / Alaskan Native / Eskimo / Aleut

** Asian Pacific Islander

Opioid Misuse in the U.S.

Opioid misuse is defined as the use of opioids without a prescription or in a manner other than as directed by a doctor, which can result in an overdose.¹²

Opioid Deaths in the U.S.¹³ (2017)


- The rate of **opioid overdose** deaths rose by 12.0% from 2016-2017.
- Males are twice as likely to die from an opioid overdose than females (20.4 per 100,000 vs 9.4 per 100,000).
- Non-Hispanic White individuals have the highest opioid overdose death rate (19.4 per 100,000), followed by non-Hispanic American Indian/Alaska Native (15.7 per 100,000).
- The highest opioid overdose death rate is among those 25-34 years old (29.1 per 100,000).

Opioids in San Diego County


- **Opioids were prescribed** 1,701,077 times in San Diego in 2017, an annual age-adjusted rate of 475.5 times per 1,000 residents.¹⁴
 - This represents a 17% decrease from 2015.
- Death rates from **opioid overdose** are highest for individuals who are Native American, followed by White, Black, Latino, and Asian individuals.¹⁴ (2017)
- **ED discharges for opioid misuse** rose 267.2% from 2014-2016.⁸
 - Rates are highest for those 27-44 years old, but the largest *increase* (1,734%) was for those 65 years and older.
- **ED discharge rates for opioid overdose** rose by 18.1% from 2014-2016.⁸
 - Rates increased for all racial groups, but the largest increase was seen among Black individuals (88.2%).
- Rates of **inpatient discharge for opioid overdose** decreased overall by 6.3% from 2014-2016.⁸
 - Rates of those 65 years and older decreased by 11.6%.

OPIOID MISUSE & OVERDOSE IN SAN DIEGO COUNTY⁸


ED Discharge Rates for Opioid Misuse by Age



ED Discharge Rates for Opioid Overdose by Race



ED Discharge Rates for Opioid Overdose by Age



*Asian Pacific Islander

Sources: Behavioral Health

- 1 Substance Abuse and Mental Health Services Administration. Leading Change: A Plan for SAMHSA's Roles and Actions 2011-2014. https://www.ncceh.org/media/files/article/SAMHSA_Plan_2011-14.pdf. Published 2011. Accessed March 28, 2019.
- 2 Murray CJ, Atkinson C, Bhalla K, et al. The state of US health, 1990-2010: burden of diseases, injuries, and risk factors. *JAMA*. 2013;310(6):591-608.
- 3 World Health Organization. Information sheet: Premature death among people with severe mental disorders. https://www.who.int/mental_health/management/info_sheet.pdf. Accessed on March 28, 2019.
- 4 Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health promotion, Division of Population Health. Mental health and chronic diseases, Issue Brief No. 2. <https://www.cdc.gov/workplacehealthpromotion/tools-resources/pdfs/issue-brief-no-2-mental-health-and-chronic-disease.pdf>. Published October 2012. Accessed March 28, 2019.
- 5 Bose J, Hedden SL, Lipari RN, et al. Key substance use and mental health indicators in the United States: Results from the 2017 National Survey on Drug Use and Health. *HHS Publication*. 2018;No. SMA 18-5068, NSDUH Series H-53. <https://www.samhsa.gov/data/sites/default/files/cbhsq-reports/NSDUHFFR2017/NSDUHFFR2017.htm> Accessed March 28, 2019.
- 6 Kann L, McManus T, Harris WA, et al. Youth Risk Behavior Surveillance—United States, 2017. *MMWR Surveillance Summ*. 2018;67(8):1-114.
- 7 U.S. Department of Health and Human Services. Mood disorders. MentalHealth.gov Web site. <https://www.mentalhealth.gov/what-to-look-for/mood-disorders>. Updated August 22, 2017. Accessed March 28, 2019.
- 8 California Office of Statewide Health Planning and Development. OSHPD Patient Discharge Data, 2013-2016. SpeedTrack©
- 9 Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Leading Causes of Death, WISQARS Fatal Injury Data. <https://webappa.cdc.gov/sasweb/ncipc/leadcause.html>. Updated January 18, 2019. Accessed March 28, 2019.
- 10 UCLA Center for Health Policy Research. California Health Interview Survey, 2013-2017.
- 11 Kaiser Permanente. CHNA Data Platform. <https://kp-chna.ip3app.org/>. Original data source: Centers for Disease Control and Prevention. Behavioral Risk Factor Surveillance System Survey Data, 2015.
- 12 Centers for Disease Control and Prevention. Opioid overdose: Commonly used terms. Centers for Disease control and Prevention Web site. <https://www.cdc.gov/drugoverdose/opioids/terms.html>. Updated August 29, 2017. Accessed March 28, 2019.
- 13 Scholl L, Seth P, Kariisa M, et al. Drug and Opioid-Involved Overdose Deaths—United States, 2013–2017. *MMWR Morb Mortal Wkly Rep*. 2019;67:1419–1427. doi: <http://dx.doi.org/10.15585/mmwr.mm675152e1>
- 14 California Department of Public Health. San Diego opioid overdose snapshot: 2015-Q4 to 2018-Q3. Downloaded from the California Opioid Overdose Surveillance Dashboard Web site. <https://discovery.cdph.ca.gov/CDIC/ODdash/>. Accessed on March 28, 2019.
- 15 County of San Diego Health & Human Services Agency. Measures of Mortality: Leading Causes of Death, 2016. HHSA website: https://www.sandiegocounty.gov/content/sdc/hhsa/programs/phs/community_health_statistics/CHSU_Mortality.html.
- 16 Live Well San Diego. Live Well San Diego Data Access Portal: Injury. <https://data.livewellsd.org/>



Cancer

*15.5 million Americans have a history of cancer, and in 2019, 606,880 Americans will die from cancer and 1.7 million new cases will be diagnosed.*¹

Cancer is a set of diseases in which abnormal cells grow and spread.¹ In 2017, it was the second leading cause of death in the U.S.² The annual direct medical costs for cancer are over \$80 billion in the U.S. (2015).³

Cancer in the U.S.

The Most Common Cancers: Prevalence and Mortality Estimates for 2019¹

The most common types of cancer among women are breast, lung, colorectal, and uterine. Among men, they are prostate, lung, colorectal, and urinary. Mortality rates for women are highest for lung, breast, colorectal, and pancreatic, and for men are highest for lung, prostate, colorectal, and pancreatic cancer.

Breast (invasive)

- 271,270 cases will be diagnosed
- 42,260 people will die

Lung

- 228,150 cases will be diagnosed
- 142,670 people will die

Prostate

- 174,650 cases will be diagnosed
- 78,500 men will die

Colorectal

- 145,600 cases will be diagnosed
- 51,020 people will die

Urinary

- 80,470 cases will be diagnosed
- 17,670 people will die

Uterine/Endometrial

- 61,880 cases will be diagnosed
- 12,160 people will die

Pancreatic

- 56,770 cases will be diagnosed
- 45,750 people will die


CANCER RATES IN SAN DIEGO COUNTY

Incidence Rates (2012-2016)⁵

The age-adjusted cancer (all-sites) incidence rates per 100,000:

San Diego County	399.9
California	393.6

Cancer Incidence Rates by Race/Ethnicity




Mortality Rates (2012-2016)⁶

The age adjusted cancer (all-sites) mortality rates per 100,000:

San Diego County	148.3
California	144.6

Cancer Mortality Rates by Race/Ethnicity



Disparities in the U.S.*

By Socioeconomic Status¹ (SES)

- Individuals with lower SES have higher cancer *mortality* rates than people with higher SES, regardless of factors such as race/ethnicity.

By Race/Ethnicity¹

The overall cancer *incidence* (2011-2015) and *mortality* rates (2012-2016) for all race/ethnicities per 100,000 is 44⁹.8 and 161.0 respectively.

- 465.3/165.4 for Non-Hispanic Whites
- 463.9/190.6 for Non-Hispanic Blacks
- 291.7/100.4 for Asian/Pacific Islanders
- 398.5/148.8 per American Indian/Alaska Natives
- 346.6/113.6 for Hispanic/Latinos

Non-Hispanic Blacks⁴

- Collectively, Black people have the highest *death* rates (2016)
- Black women have 21.5% higher cancer *mortality* rates than White women (2012-2016).
- Mortality rates* from uterine/endometrial cancer for Black women is nearly double that of White women and is 40% higher for breast cancer (2012-2016).
- Mortality rates* from prostate cancer for Black men are more than double those of every other group (2012-2016).
- Black men have the highest cancer *incidence* rates compared to all other racial/ethnic groups (2011-2015).
- Black people have the highest *incidence* rates of colorectal cancers of any racial/ethnic groups (2011-2015).

Hispanic/Latinos¹

- Collectively, Hispanics have lower overall cancer *incidence* (2011-2015) and *mortality* rates (2012-2016)
- Hispanics have the highest *incidence* rates for cancers linked to infectious agents, like cervical, liver, and stomach cancer (2011-2015)

Asian/Pacific Islanders (API)¹

- APIs have the lowest overall cancer *incidence* (2011-2015) and *mortality* rates (2012-2016)
- APIs have the highest rate of stomach cancer (2011-2015)


American Indian/Alaska Natives (AI/ANs)¹

- AI/ANs have lower than average overall cancer *incidence* (2011-2015) and *mortality* rates (2012-2016)
- AI/ANs have the highest kidney cancer *incidence* (2011-2015) and *mortality* (2012-2016) rate of any population – nearly 3 times the rates among APIs.


*Cancer **mortality (death) rates** are from years 2012-2016 unless otherwise specified.
Cancer **incidence rates** are from years 2011-2015

TOP CANCERS IN SAN DIEGO COUNTY

Cancer Incidence Rate by Site⁵



Cancer Mortality Rates by Site⁶



*Inflammatory Bowel Disease

**Non-Hodgkin Lymphoma

San Diego County Disparities

Incidence⁵ (2012-2016)

The following table shows age-adjusted *incidence* rates per 100,000 for the top cancers in San Diego County, by race. Of note:

- Blacks have the highest rates of prostate, and colorectal cancer (followed closely by Whites).
- Hispanics have the highest rates of liver and intrahepatic bile duct cancer (followed closely by APIs) and pancreatic cancer (followed closely by Whites).

Site-Specific Cancer Age-Adjusted Incidence Rates in San Diego County by Race/Ethnicity (per 100,000)				
	White	Black	Hispanic	API
Prostate	95.5	123.1	94.7	49.2
Breast	72.3	57.5	56.3	55.8
Lung	47.2	46.8	27.5	35.9
Colorectal	34.1	36.9	33.2	28.2
Urinary	35.3	31.3	29.5	16.8
Melanoma Skin	37.9	**	5.1	1.5
Uterine	23.6	15.1	19.9	21.4
Non-Hodgkin Lymphoma	19.8	13.4	19.3	12.8
Pancreatic	11.7	10.1	12.2	8.9
Liver & IBD*	6.8	11.4	15.8	12.2

Mortality⁶ (2012-2016)

The following table shows age adjusted *mortality* rates per 100,000 for the top cancers in San Diego County by race. Of note:

- Black individuals have the highest *mortality* rates from breast, lung, and colorectal cancer.
- Hispanics have the highest *mortality* rates from liver and intrahepatic bile duct cancers, followed by Asian Pacific Islanders.

Site-Specific Cancer Mortality Age-Adjusted Rates in San Diego County by Race/Ethnicity (per 100,000)				
	White	Black	Hispanic	API
Lung	34.6	39.3	18.6	26.7
Prostate	22.2	34.6	20.9	13.2
Colorectal	13.1	17.6	13.4	10.8
Breast	11.7	13.7	9.3	7.5
Pancreatic	10.8	10.1	10.4	8.5
Urinary	9.1	7.7	6.6	5.0
Liver & IBD*	5.6	8.3	12.0	10.9
Non-Hodgkin Lymphoma	5.3	4.9	4.9	4.6
Melanoma Skin	4	**	1.1	**
Uterine	1.8	**	2.0	**

*Inflammatory Bowel Disease

**Rates are too low to be statistically stable

CANCER MORTALITY BY REGION IN SAN DIEGO COUNTY

(per 100,000 population)

Cancer is the leading cause of death in San Diego County representing 24% of all underlying causes of death.⁸

Breast⁷ (2016)

Female *mortality* rates were *highest* in La Mesa (62.9), Spring Valley (35.1), Santee (33.8) National City (33.3), and Elliott-Navajo (33.2) and *lowest* Vista (13.1), Sweetwater (16.3), Central San Diego (16.9), Southeastern San Diego (18.4), Chula Vista (18.5)

Lung⁷ (2016)

Age-adjusted *mortality* rates were *highest* for Coronado (48.6), Lakeside (47.6), Pauma (46.8), Fallbrook (46.7), and Harbison Crest (42.9) and *lowest* for National City (11.5), San Dieguito (15.6), University (15.8), Coastal (19.5), and North San Diego (21.9)

Colorectal⁷ (2016)

Age-adjusted *mortality* rates were *highest* in Spring Valley (20.5), La Mesa (20.2), El Cajon (20.0), Vista (19.6), and Chula Vista (18.7) and *lowest* in San Dieguito (7.8), Poway (8.4), North San Diego (8.5), Peninsula (9.6), and Oceanside (10.1)

Liver⁷ (2015)

Age-adjusted *mortality* rates were *highest* for National City (13.8), South Bay (13.7), Lemon Grove (13.6), Southeastern San Diego (12.0), and Oceanside (11.9) and *lowest* for Del Mar-Mira Mesa (3.2), North San Diego (4.7), Carlsbad (5.0), Coastal (5.2), Harbison Crest-El Cajon (5.4)

Prostate⁷ (2016)

Male *mortality* rates were *highest* for Jamul (57.7), Valley Center (41.0), Spring Valley (39.9), Fallbrook (34.2), and Santee (32.6) and *lowest* for South Bay (9.9), Mid-City (10.5), Central San Diego (12.9), North San Diego (14.0), and Chula Vista (14.1)

Sources: Cancer

1. American Cancer Society. Cancer Facts & Figures 2019. <https://www.cancer.org/content/dam/cancer-org/research/cancer-facts-and-statistics/annual-cancer-facts-and-figures/2019/cancer-facts-and-figures-2019.pdf>. Accessed April 16, 2019.
2. Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Leading Causes of Death, WISQARS Fatal Injury Data. <https://webappa.cdc.gov/sasweb/ncipc/leadcause.html>. Updated January 18, 2019. Accessed on March 28, 2019.
3. Agency for Healthcare Research and Quality. Total expenditures in millions by condition, United States, 2015. https://meps.ahrq.gov/mepstrends/hc_cond/. Generated interactively Apr 16 2019.
4. American Cancer Society. Cancer Facts & Figures for African Americans 2019-2021. <https://www.cancer.org/content/dam/cancer-org/research/cancer-facts-and-statistics/cancer-facts-and-figures-for-african-americans/cancer-facts-and-figures-for-african-americans-2019-2021.pdf>. Accessed April 16, 2019.
5. California Cancer Registry. Age-Adjusted Invasive Cancer Incidence Rates in California, 2012- 2016, By County. <https://www.cancer-rates.info/ca/>. Accessed June 20. 2019
6. California Cancer Registry. Age-Adjusted Cancer Mortality Rates in California, 2012-2016, By County. <https://www.cancer-rates.info/ca/>. Accessed June 20. 2019.
7. HealthDat San Diego. Data: Diseases and Conditions. <http://www.healthdat.org/data.php>. Original data source: California Office of Statewide Health Planning and Development, OSHPD Patient Discharge Data.
8. County of San Diego Health & Human Services Agency. Measures of Mortality: Leading Causes of Death, 2016. HHSA website: https://www.sandiegocounty.gov/content/sdc/hhsa/programs/phs/community_health_statistics/CHSU_Mortality.html.



Cardiovascular Disease

More than one-third of the U.S. adult population has cardiovascular disease (CVD)¹

Cardiovascular disease refers to a set of conditions related to the heart and blood vessels, including: heart disease, heart attack, stroke, heart failure, arrhythmia, and heart valve problems.²

Cardiovascular Disease in the U.S.

- 836,000 people die from CVD annually while the annual financial burden from direct and indirect costs was \$329.7 billion annually.¹ (2015)
- By 2035, more than 130 million adults, or 45.1%, are projected to have CVD with total costs expected to reach \$1.1 trillion.⁵
- 36.6% of adults have been diagnosed with a CVD.¹ (2011-2014)

Heart Disease

- The most common CVD is **heart disease**, which occurs in 10.6% of adults and is the leading cause of death accounting for more than 647,000 deaths annually.^{3, 4} (2017)
 - **Coronary artery or coronary heart disease (CHD)** is the most common type of heart disease.⁶

Stroke

- Stroke** affects 2.9% of the population and is the 5th leading cause of death, accounting for more than 146,000 deaths annually.^{3, 4} (2017)

Reducing the Risk of CVD

Seven health factors and behaviors can reduce the risk of developing and dying from CVD:⁷


- Not smoking
 - Being physically active
 - Having normal blood pressure
 - Maintaining normal blood glucose levels
 - Having low total cholesterol levels
 - Maintaining a healthy weight
 - Eating a healthy diet
- Adults who meet at least six of these criteria reduce their risk of death from CVD by 76% compared to those who meet none.⁸
 - Only 8.8% of Americans meet at least six of these criteria.⁸

CORONARY HEART DISEASE & STROKE IN SAN DIEGO COUNTY⁹

Coronary Heart Disease (CHD)

Emergency department (ED) discharge rates for CHD increased by 35.3% from 2014-2016. The steepest increases were for those ages 45-64 (41.9%) and Asian/Pacific Islanders (55.1%).


ED Discharge Rates for
Coronary Heart Disease by Race



Stroke

ED discharge rates for stroke increased by 11% between 2014-2016. The steepest increases were for those ages 27-44 (20.1%) and for people who identify their races "Other" (28.9%).

ED Discharge Rates for
Stroke by Race



*American Indian / Alaskan Native / Eskimo / Aleut
**Asian Pacific Islander

CVD Disparities in the U.S.⁴ (2017)

CVD is more common among males, older adults, some minorities, people with lower educational and income levels, and people living in the Midwest and the South.

By Sex

- Males are more likely to have heart disease (11.8%), coronary heart disease (7.2%), hypertension (26.0%), and stroke (3.3%) compared to females (9.5%, 4.2%, and 2.5% respectively).

By Age

- **CVD** is more common with age. The prevalence among those 75 and older is highest (35% for heart disease; 23.8% for CHD; 59.8% for hypertension, and 12.0% for stroke), followed by those 65-74 (23.1% for heart disease; 14.0% for CHD; 53.7% for hypertension; and 6.4% for stroke).

By Race

Compared to **stroke** and **heart disease**, racial disparities are largest for **hypertension** among adults:

- 32.1% of Black/African Americans
- 30.6% of American Indians or Alaska Natives
- 28.2% of individuals of 2 or more races
- 23.5% of Whites
- 22.1% of Asians
- 21.1% of Hispanics

By Educational Levels

- **CVD** rate is lower among people with a bachelor's degree or higher compared to people with some college, a high school diploma or GED, or less than a high school diploma. Hypertension rates again offer the largest comparative difference with 22.7% of people with a bachelor's degree or more having hypertension compared to 32.3% of people with less than a high school diploma.

By Income

- People who are living below the federal poverty level (FPL) guidelines have higher rates of **heart disease** (12.6%), **CHD** (8.0%), **hypertension** (29.4), and **stroke** (5.8%) compared to those with an income above the FPL (10.3%, 5.0%, 22.9%, and 2.2% respectively).

By Region

- The largest regional disparities are for **hypertension**: 26.8% of people living in the South and 25.9% of people living in the Midwest have hypertension, compared to 22.1% of people living in the West, and 21.3% of people living in the Northeast.


CHD & STROKE MORTALITY IN SAN DIEGO COUNTY¹⁰

Mortality Rates for CHD (2016)

Mortality (**death**) rates for CHD were higher for males (102.5) compared to females (75.0), and for people 65+ (559.3) compared to those ages 45-64 (59.5).

The overall mortality rate attributed to **CHD** decreased by 3.5% from 2014-2016. However, Black (8.7%) and American Indian/Alaska Native (29.4%) individuals experienced an increase in rates.

Mortality Rates for Coronary Heart Disease by Race/Ethnicity




Mortality Rates for Stroke (2016)

Mortality rates for **stroke** are higher for females (47.9) compared to males (35.0) and for people 65 years and older (276.4) compared to those ages 45-64 (144.0).

Deaths attributed to stroke increased by 17.6% from 2014-2016 -- most substantially for Hispanics (28.5%).

Mortality Rates for Stroke by Race/Ethnicity



*American Indian / Alaskan Native / Eskimo / Aleut
**Asian Pacific Islander

Sources: Cardiovascular Disease

1. Benjamin EJ, Virani SS, Callaway CW, et al. Heart disease and stroke statistics-2018 update: a report from the American Heart Association. *Circulation*. 2018;137(12):e67-e492.
2. American Heart Association. What is cardiovascular disease? American Heart Association Web site. <https://www.heart.org/en/health-topics/consumer-healthcare/what-is-cardiovascular-disease>. Updated May 31, 2017. Accessed on March 30, 2019.
3. Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Leading Causes of Death, WISQARS Fatal Injury Data. <https://webappa.cdc.gov/sasweb/ncipc/leadcause.html>. Updated January 18, 2019. Accessed on March 28, 2019.
4. The Centers for Disease Control and Prevention. National Center for Health Statistics. Summary health statistics: National Health Interview Survey, 2017. https://ftp.cdc.gov/pub/Health_Statistics/NCHS/NHIS/SHS/2017_SHS_Table_A-1.pdf. Accessed March 30, 2019.
5. RTI International. Projections of Cardiovascular Disease Prevalence and Costs: 2015-2035. http://www.heart.org/idc/groups/heart-public/@wcm/@adv/documents/downloadable/ucm_491513.pdf. Published November 2016. Accessed March 30, 2019.
6. Centers for Disease Control and Prevention. Heart Disease Facts. CDC Web site. <https://www.cdc.gov/heartdisease/facts.htm>. Accessed March 30, 2019.
7. American Heart Association. Life's simple 7. American Heart Association Web site. <https://www.heart.org/en/professional/workplace-health/lifes-simple-7>. Accessed March 30, 2019.
8. Yang Q, Cogswell ME, Flanders WD, et al. Trends in cardiovascular health metrics and associations with all-cause and CVD mortality among US adults. *JAMA*. 2012;307(12):1273-1283.
9. California Office of Statewide Health Planning and Development. OSHPD Patient Discharge Data, 2013-2016. SpeedTrack©
10. County of San Diego Health and Human Services Agency Public Health Services, Regional & Community Data. Retrieved from: https://www.sandiegocounty.gov/content/sdc/hhsa/programs/phs/community_health_statistics/regional-community-data.html



Diabetes Mellitus

More than 30 million Americans suffer from this chronic disease¹

Diabetes is a set of diseases that affect the way the body metabolizes sugar (glucose). The three primary types of diabetes are: **Type 2** (the most common type), **Type 1**, and **gestational** (occurring during pregnancy).

Diabetes has a significant impact on morbidity and mortality¹ and has an economic burden of approximately \$245 billion in the United States.²

Diabetes in the U.S.

- Approximately 9.7% of adults have a diabetes diagnosis.³ (2016-2017)
- Among those with diabetes, 91.2% have **type 2** diabetes and 5.6% have **type 1**.³ (2016-2017)
- 132,000 youth younger than 18 years old have diabetes.¹ (2013-2015)
- Type 2** diabetes is more common among adults 65+, males, those with higher body mass index, Asian-Americans, those with lower family incomes, and lower educational levels.³ (2016-2017)
- The age adjusted *death rate* for diabetes in the U.S. is 21.5 per 100,000.⁵ (2016)
- Diabetes is the 7th leading cause of *mortality* in the U.S., and the 5th leading cause of death for those 55-64 years old.⁴ (2017)
- The number of adults diagnosed with diabetes in the U.S. has more than tripled in the last 20 years.⁶ (2017)

Risk Factors

According to the CDC, the following are risk factors for developing diabetes:¹

- Being overweight or obese
- Smoking
- Having a parent, brother, or sister with diabetes
- Having high blood pressure measuring 140/90 or higher, high cholesterol, and high blood glucose
- Being physically inactive-exercising fewer than three times a week


DIABETES IN SAN DIEGO COUNTY

9.4% of adults have diabetes; lower than the state rate of 10.7%⁷ (2017)

Mortality

- In 2017, diabetes was the 7th leading cause of death in San Diego County.⁸
- The age-adjusted *death rate* for diabetes was 20.7 per 100,000 population.⁹ (2016)
- American Indian and Alaska Natives have the highest diabetes *death rate*, 63.8 compared to the unadjusted county rate of 22.3 per 100,000.⁹ (2016)

Mortality Rate for Diabetes by Race/Ethnicity, 2016



Opportunities for Prevention:¹¹

- 97% of the population lives in close proximity to a park or recreational facility, an indicator of strong "exercise opportunities".
- San Diego receives an 8.3/10 on the "Food Environment Index (2015/2016)," a measure of affordable, close, and nutritious food retailers. This exceeds the national benchmark of 7.4.

*Asian Pacific Islander

**American Indian / Alaskan Native / Eskimo / Aleut

Diabetes in San Diego: Disparities and Risk

Disparities in Diabetes

Emergency department (ED) discharge rates for **diabetes** remained fairly stable from 2014-2016, but disparities are apparent:¹⁰

- ED discharge rates are highest for those 65 and older and for Black individuals
- Increases in discharge rates occurred for those 27-44 years old and for Asian/Pacific Islander and Blacks

Inpatient discharges for **gestational diabetes** are decreasing, but disparities are evident here as well:¹⁰

- Asian/Pacific Islanders and those who identify their race as "Other" are disproportionately impacted by gestational diabetes

Most San Diegans manage their diabetes well, but disparities are also seen in these data:¹² (2015)

- 81.2% of Medicare patients with diabetes have had a hemoglobin A1c blood sugar test by a health care professional in the past year
- This rate is 5.2% lower for Black individuals than for White individuals


Risk Factors for Diabetes in San Diego County

Relative to state averages, San Diego has a lower proportion of people with risk factors for diabetes.⁷ (2017)


- While 22.5% of adults in San Diego are **obese**, this is lower than the California rate of 26.4%.
- San Diego children (5-11 years old) have higher rates of at least one hour a day of **physical activity**, each day of the week (33.6%) than the California average (31.2%).
- Among adults in San Diego, 20.4% have at least 20 minutes of **physical activity** each day of the week, similar to the state average of 20.%.
- Rates of **smoking** (10.2%) are the same in San Diego and across California.

HOSPITAL DISCHARGES FOR DIABETES IN SAN DIEGO COUNTY¹⁰


ED Discharge Rates for Diabetes by Race



ED Discharge Rates for Diabetes by Age



Inpatient Discharge Rates for Gestational Diabetes



*Asian Pacific Islander

**American Indian / Alaskan Native / Eskimo / Aleut

Sources: Diabetes Mellitus

1. Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Diabetes Translation. National Diabetes Statistics Report, 2017. <https://www.cdc.gov/diabetes/pdfs/data/statistics/national-diabetes-statistics-report.pdf>. Accessed March 29, 2019.
2. American Diabetes Association. Economic costs of diabetes in the US in 2012. *Diabetes Care*. 2013; 36(4):1033-1046.
3. Xu G, Liu B, Sun Y, et al. Prevalence of diagnosed type 1 and type 2 diabetes among US adults in 2016 and 2017: population based study. *BMJ*. 2018;362:k1497. Published 2018 Sep 4. doi:10.1136/bmj.k1497
4. Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Leading Causes of Death, WISQARS Fatal Injury Data. <https://webappa.cdc.gov/sasweb/ncipc/leadcause.html>. Updated January 18, 2019. Accessed March 28, 2019.
5. Centers for Disease Control and Prevention, National Center for Health Statistics. Stats for the state of California. National Center for Health Statistics Web site. <https://www.cdc.gov/nchs/pressroom/states/california/california.htm>. Updated April 13, 2018. Accessed on March 29, 2019.
6. Centers for Disease Control and Prevention. Diabetes. CDC Web site. <https://www.cdc.gov/diabetes/basics/diabetes.html>. Updated May 30, 2019. Accessed May 30, 2019.
7. UCLA Center for Health Policy Research. California Health Interview Survey, 2017.
8. County of San Diego Health & Human Services Agency. Measures of Mortality. Leading Causes of Death Among San Diego County Residents by Gender, 2016. HHSA website: https://www.sandiegocounty.gov/content/sdc/hhsa/programs/phs/community_health_statistics/CHSU_Mortality.html
9. Live Well San Diego. Live Well San Diego Data Access Portal: Diabetes. <https://data.livewellsd.org/>
10. California Office of Statewide Health Planning and Development. OSHPD Patient Discharge Data, 2013-2016. SpeedTrack©
11. County Health Rankings and Roadmaps. California, San Diego, 2019. <https://www.countyhealthrankings.org/app/california/2019/rankings/san-diego/county/outcomes/overall/snapshot>. Generated interactively March 29, 2019.
12. The Dartmouth Institute for Health Policy and Clinical Practice. Primary care access and quality measures, 2015. https://atlasdata.dartmouth.edu/static/general_atlas_rates



Economic Security¹

39.7 million people in the U.S. live in poverty (2017)

Federal poverty level (FPL) is a measure of income that varies according to the size of a family and are updated each year. For 2019, the poverty guidelines range up to \$12, 490 for a 1-person household, to \$25, 750 for a 4-person household, and up to \$43, 430 for an 8-person household.²

Poverty in the U.S.¹ (2017)

- The U.S. poverty rate in 2017 was 12.3%.

By Age

Poverty rates are highest for the youngest individuals:

- 17.5% for those under 18
- 11.2% for those 18-64
- 9.2% for those 65 and older

By Race

Poverty rates are highest for Black and Hispanic individuals:

- 21.2% for Black individuals
- 18.3% for Hispanic individuals
- 10.7% for White individuals
- 10.0% for Asian individuals

By Region

People in the Southern U.S. have the highest poverty rates:

- 13.6% in the South
- 11.8% in the West
- 11.4% in the Midwest
- 11.4% in the Northeast

By Educational Attainment


Among people 25 years old and older, less education is associated with higher poverty rates:

- 24.5% for those with no high school diploma
- 12.7% for those with a high school diploma, but no college
- 8.8% for those with some college, but no degree
- 4.8% for those with a Bachelor's degree or higher

POVERTY IN SAN DIEGO COUNTY

In San Diego, residents belonging to minority ethnic groups are disproportionately affected by poverty.³

**Population Below Poverty Level
in San Diego County³, 2013-2017**



*non-Hispanic White, **Native Hawaiian & Pacific Islander, ***Native American & Alaskan Native

San Diegans are struggling:

- In 2017, 13.3% lived below the federal poverty guidelines, which is a decrease since 2013.³ (5 year estimates compared)
- The per capita income is \$34,350.³ (2013-2017)
- 17.1% of all children live below the federal poverty level.³ (2013-2017)
- 33% of working age families can not cover their basic expenses.⁴ (2015)

Unemployment in San Diego County

In 2018, the overall unemployment rate in San Diego is 3.3%, which is a 48% decrease since 2014 (6.4%).⁵

Food insecurity in the U.S.⁶

40 million Americans do not have enough to eat

Food-insecure households face challenges providing enough food for all members of the household to have an active, healthy life. Households with **very low food security** are those in which the food intake of at least one member is reduced and normal eating patterns are disrupted due to limited resources.

Food Insecure Households in the U.S. (2017)

- 11.8% of households – nearly 1 in 8 - are *food insecure*
- 4.5% of households have *very low food security*

By Household Composition

Food insecurity is highest for households with young children:

- 15.7% of households with children
- 16.4% of household with children less than six years old
- 13.9% of adult women who live alone
- 13.4% of men who live alone
- 8.6% of seniors who live alone
- 7.7% of households with no children and more than one adult

By Race/Ethnicity

Minority households have higher rates of food insecurity:

- 21.8% of Black households
- 18% of Hispanic households
- 9.9% of households who identify as “other”
- 8.8% of White households

By Region

People living in the Southern regions of the US have the highest rates of food insecurity:

- 13.4% of households in the South
- 11.7% of households in the Midwest
- 10.7% of households in the West
- 9.9% of households in the Northeast

ECONOMIC INSECURITY IN SAN DIEGO COUNTY

Housing (2013-2017)

- The median gross rent was \$1,467 per month³
- 46.7% of San Diegans who rent their homes spend 35% or more of their household income on rent³

Childcare (2016)

- The average monthly cost of childcare in San Diego in 2016 was between \$620 and \$1,293⁸

Food insecurity

- 14% of people experience food insecurity, more than 1 in 7⁷ (2016)
- 22% of children are in food insecure households, more than 1 in 5⁷ (2016)
- 7.2% of San Diegans receive Supplemental Nutrition Assistance Program (SNAP) Benefits³ (2013-2017)

Health impacts of food insecurity

Lower incomes are associated with:⁹

- Poor mental health days
- Visits to the ED for heart attacks
- Asthma
- Obesity
- Diabetes
- Stroke
- Cancer
- Smoking
- Pedestrian Injury

Food insecurity is linked to:¹⁰

- Fair or poor health, anemia, and asthma in *children*
- Mental health problems, diabetes, hypertension, hyperlipidemia, and oral health problems in *adults*
- Fair or poor health, depression, and limitations in activities of daily living in *seniors*

Sources: Economic Security

- 1 Fontenot K, Semega J, Kollar M. Income and poverty in the United States: 2017. <https://www.census.gov/content/dam/Census/library/publications/2018/demo/p60-263.pdf>. Published September 2018. Accessed March 28, 2019.
- 2 U.S. Department of Health & Human Services. 2019 Poverty Guidelines. Office of the Assistant Secretary for Planning and Evaluation Web site. <https://aspe.hhs.gov/2019-poverty-guidelines>. Accessed March 28, 2019.
- 3 U.S. Census Bureau. American Community Survey, 2013-2017 5-Year Estimates.
- 4 The Center on Policy Initiatives. Making ends meet. San Diego County self-sufficiency standard. The Center on Policy Initiatives San Diego Web site. <http://www.cpisandiego.com/MEM/index.html>. Published January 2017. Accessed March 28, 2019.
- 5 U.S. Bureau of Labor Statistics. Local Area Unemployment Statistics, 2018 annual averages.
- 6 Coleman-Jensen A, Rabbitt MP, Gregory CA, Singh A. Household Food Security in the United States in 2017. <https://www.ers.usda.gov/webdocs/publications/90023/err-256.pdf?v=0>. Published September 2018. Accessed March 28, 2019.
- 7 San Diego Hunger Coalition. Current Research on Hunger in San Diego County. <https://www.sandiegohungercoalition.org/research>. Accessed April 10, 2019. Original source: California Health Interview Survey, 2014-2016.
- 8 California Department of Education. 2016 regional market rate survey of California child care providers. <https://cappa.memberclicks.net/assets/CDE/2016-17/2016%20ca%20market%20rate%20survey%20of%20final%20report%202.pdf>. Published April 14, 2017. Accessed March 28, 2019. 2016.
- 9 Kaiser Permanente of Southern California Community Health Department. Secondary Data Analysis, 2018.
- 10 Gundersen C, Ziliak JP. Food insecurity and health outcomes. *Health Affairs*. 2015. 34(11): 1830-1839.



Homelessness & Housing Instability

553,000 people in the U.S. are homeless¹, 1.3 million people live in severely inadequate housing², and 8.3 million households have "worst case housing needs"⁴

Homelessness is when a person does not have a fixed, regular, and adequate nighttime residence.¹ **Housing problems** include a lack of full kitchen or plumbing facilities, a household comprised of more than one person per room, or a housing cost burden of more than 30% of the household income. **Severe housing problems** include a lack of full kitchen or plumbing facilities, severe overcrowding, or a housing cost burden of ⁴ Health outcomes are strongly influenced by the stability, quality, safety and affordability of housing.⁵

Homelessness in the U.S.^{1,*} (2018)

From 2010-2018, rates of homelessness fell by 13.2% nationwide.

By Sex

- 60.2% of the nation's homeless population are male; 39.1% are female; 0.5% are transgender, and 0.2% are gender non-conforming

By Age

- A fifth (20.2%) of the homeless population is comprised of children, while 8.7% are 18-24, and 71.1% are over 24

By Race/Ethnicity

Race	%
White	48.9%
Black	39.8%
Multiple races	5.9%
Native American	2.8%
Pacific Islander	1.5%
Asian	1.2%

Ethnicity	%
Hispanic/Latino	22.2%

By Sheltered Status

- 65% of people who experience homelessness stay in sheltered locations, while 35% are unsheltered

In California (2018)

- California has the highest rates of unsheltered homeless (68.9% of the homeless population) and the largest number of homeless unaccompanied youth (12,396)

*Data is from the Point-in-Time Count that takes place one morning in late January where volunteers and outreach workers engage and survey those experiencing homelessness.

HOMELESSNESS IN SAN DIEGO COUNTY, POINT-IN-TIME COUNT⁶

8,576 individuals are homeless in San Diego on any given night (2018)

- The number of homeless decreased by 6% between 2017-2018 and 3.4% since 2013

Sheltered and unsheltered (2018)

- 3,586 (41.8%) are sheltered, and 4,990 (58.2%) are unsheltered
- 54.3% of **sheltered** homeless individuals are sheltered in an emergency shelter; 43.9% are in transitional housing; 1.8% are in a safe haven
- 50% of **unsheltered** homeless sleep on the street/sidewalk; 18% sleep in a vehicle; 14% sleep in a park; 5% sleep in a hand-built structure or tent

Health conditions among unsheltered

- 43% report having a chronic health condition
- 43% report instances of mental health issues
- 43% report having a physical disability

Length of time among unsheltered

- More than half of those who become homeless remain homeless for longer than one year

Demographics among unsheltered respondents

- 70% have been in jail, prison, or juvenile hall
- 13.3% are veterans
- 13.2% are youth under the age of 24

The American Hospital Association describes housing instability as an umbrella term for the continuum between homelessness and completely stable, secure housing.

***Housing instability** takes on many forms: physical conditions like poor sanitation, heating and cooling; compromised structural integrity; exposure to allergens or pests; homelessness; and unstable access to housing or severe rent burden.⁸*

Severely Inadequate Housing in the U.S.² (2017)

1,348,000 households have **severely inadequate housing** conditions; an additional 4,648,000 households have **moderately inadequate** conditions

- 3,267,000 have exposed wiring
- 938,000 have inadequate heating capacity
- 3,602,000 have had water stoppages in the last three months
- 1,391,000 have had sewage disposal breakdowns in the last three months
- 3,775,000 have mold

Worst Case Housing Needs⁴ (2015)

The number of households that have **worst case needs** has increased by 41% since 2007

- 98.2% of **worst case needs** renters have severe rent burdens, paying one half or more of their income for rent.

By Race/Ethnicity

Among all renters, the percent who have **worse case housing** needs:

- 45.5% of non-Hispanic Whites
- 25.3% of Hispanics
- 21.7% of non-Hispanic Blacks
- 7.5% of renters of other races and ethnicities

By Household Composition

Among the households with **worst case needs**:

- 34.8% are families with children
- 33.2% are single adults with roommates
- 22.3% are elderly households
- 9.7% are “other family” households

Health Impacts⁵

- People who are **chronically homeless** have higher rates of physical and mental health problems, higher health care expenditures, and higher rates of premature mortality
- People who are **unstably housed** (who move frequently, fall behind on rent and/or “couch surf”) are more likely to experience poor health. Among youth, **housing instability** is associated with a higher risk of teen pregnancy, substance abuse, and depression
- **Homelessness and residential instability** make the proper storage of medications challenging or impossible, impacting the management of illness and chronic disease
- **Substandard housing conditions** are linked to poor health outcomes, including asthma and cardiovascular events
- **Crowded housing** is associated with infectious disease and psychological distress
- **Cost burdened households** are less likely to have a primary care provider and to postpone needed medical treatment
- **Cost burdened households** are also more likely to face food insecurity

HOUSING INSTABILITY IN SAN DIEGO COUNTY

Rental and owner-occupied units

- The median gross rent is \$1,467 per month⁷ (2013-2017)
- The median value of owner-occupied housing units is \$484,900⁷ (2013-2017)
- 52.9% of households are owned, while 47.1% are rented³ (2011-2015)
- 8.3% of households that are owned have an income of less than 30% of the average median family income, while 33.7% of households that are rented have incomes of that level³ (2011-2015)

Cost burden³ (2011-2015)

- 42.7% of San Diegans have **cost burdened housing**—spending more than 30% of their income on housing
- 20.0% of San Diegans have **severely cost burdened** housing—spending more than 50% of their income on housing
- The lowest-income families have the highest rates of severely cost burdened housing—47.4% of families with incomes 30% or less of the median family income in the County are severely cost burdened

Housing problems³ (2011-2015)

- 46.0% of San Diegans have housing problems: their household lacks full kitchen or plumbing facilities, has more than 1 person per room, or is cost burdened
- 25.2% of San Diegans have severe housing problems: their household lacks full kitchen or plumbing facilities, is severely overcrowded (more than 2 people per room), or is severely cost burdened

Sources: Homelessness & Housing Instability

1. U.S. Department of Housing and Urban Development, Office of Community Planning and Development. The 2018 Annual Homeless Assessment Report (AHAR) to Congress. <https://www.hudexchange.info/resources/documents/2018-AHAR-Part-1.pdf>. Published December 2018. Accessed April 1, 2019.
2. U.S. Census Bureau. American Housing Survey Table Creator. United States Census Bureau Web site. <https://www.census.gov/programs-surveys/ahs/data/interactive/ahstablecreator.html>. Generated interactively April 1, 2019.
3. U.S. Department of Housing and Urban Development, Office of Policy Development and Research. Consolidated Planning/CHAS data, San Diego County 2011-2015. <https://www.huduser.gov/portal/datasets/cp.html>. Original Source: American Community Survey, 2011-2015.
4. U.S. Department of Housing and Urban Development, Office of Policy Development and Research. Worst Case Housing Needs: 2017 Report to Congress. <https://www.huduser.gov/portal/sites/default/files/pdf/Worst-Case-Housing-Needs.pdf>. Published August 2017. Accessed April 1, 2019.
5. Taylor, LA. Housing and health: an overview of the literature. *Health Affairs Health Policy Brief*. June 7, 2018. DOI: 10.1377/hpb20180313.396577
6. San Diego Regional Task Force on the Homeless. 2018 WEALLCOUNT Annual Report: San Diego County. <https://www.rtfhsd.org/wp-content/uploads/2017/06/2018-WPoint-in-Time-Count-Annual-Report.pdf>. Accessed April 1, 2019.
7. U.S. Census Bureau. American Community Survey, 2013-2017 5 Year- Estimates.
8. American Hospital Association. Social determinants of health series: housing and the role of hospitals. American Hospital Association Web site. <https://www.aha.org/ahahret-guides/2017-08-22-social-determinants-health-series-housing-and-role-hospitals>. Accessed April 5, 2019.



Unintentional Injury and Violence

More than 243,000 people died from injury and violence in 2017⁴

In the first half of life (44 years), more Americans die from violence and injuries than from any other cause. In addition, for every person who dies from injury or violence, another 13 are hospitalized and 129 are treated in an emergency room. Those who survive may be faced with life-long mental, physical, and financial problems.¹

Unintentional Injuries in the U.S. (2017)

- Unintentional injury is the third leading cause of death in the U.S. overall and is the first leading cause of death among persons 1-44.^{2,3}
- Unintentional Injury accounts for 93.2% nonfatal injuries and 69.9% fatal injuries.⁴

By Sex:

Unintentional injuries are more common among males:

- Males are 2.1 times more likely die from an unintentional injury than females (67.7 vs 31.9 per 100,000)⁴
- Males are 1.2 times more likely to be involved in a non-fatal unintentional injury than female⁵

By Age:

Older people (65+ years) have the highest mortality rate from unintentional injury:⁴

- 374.9 per 100,000 among people 85+
- 152.4 per 100,000 among people 80-84
- 86.6 per 100,000 among people 75-79

Older people also have the highest nonfatal unintentional injury rate:⁵

- 19,833.3 per 100,000 among people 85+
- 12,656.8 per 100,000 among people 80-84
- 10,883.7 per 100,000 among people 20-24

By Race and Ethnicity:

Native Americans have the highest fatality from unintentional injury:⁴


- 86.4 per 100,000 for Non-Hispanic Native American
- 56.1 per 100,000 for Non-Hispanic White
- 47.4 per 100,000 for Non-Hispanic Black

UNINTENTIONAL INJURY IN SAN DIEGO COUNTY⁶ (2016)


San Diegan males are:

- 2.2 times more likely to die from an unintentional injury than female (48.2 vs 21.9 per 100,000).
- 1.3 times more likely to be hospitalized from an unintentional injury than female (1177 vs 891 per 100,000).

Inpatient Discharge Rates by Sex, 2016



Emergency Department Discharge Rates by Sex, 2016



Per the Healthy People 2020, "unintentional injuries and violence-related injuries can be caused by a number of events, such as motor vehicle crashes and physical assault, and can occur virtually anywhere."⁷

Unintentional injuries include motor vehicle accidents, falls, firearms, fire/flame, drowning, poisoning, machinery, suffocation, etc.⁴

Unintentional Injury in Youth (under 18 years) in the U.S.⁴ (2017)

More than 5,700 youth died from an unintentional injury in 2017 (7.7 per 100,000)

By Type of Injury:

- 39.7% are due to motor vehicle
- 22.9% due to suffocation
- 14.2% due to drowning

By Race/Ethnicity

- 16.8 per 100,000 for Non-Hispanic Native American
- 12.5 per 100,000 for Non-Hispanic Blacks
- 7.7 per 100,000 for Non-Hispanic White

Unintentional Injury in San Diego County

By Age:

- **Older San Diegans** 65 years and older have the highest death and emergency department (ED) discharge rate from unintentional injury: (97.1 and 7,698 respectively).⁶
- **Youth aged 0-14** are impacted by ED discharges for unintentional injury with a rate of 6,781 per 100,000.⁶
- The leading causes of ED discharge for an unintentional injury in 2018 (**1-14 years**):⁸
 1. 18,072 falls
 2. 8,029 struck by object
 3. 1,999 natural/environmental
 4. 2,452 motor vehicle
 5. 1,318 cut/pierce


By Race and Ethnicity:⁶

In San Diego, residents belonging to minority groups are disproportionately affected by unintentional injury.


- Those who identify as "Other" have the highest ED discharge rate (12,151 per 100,000) followed by Blacks (8,792 per 100,000) and Whites (5,583 per 100,000).
- Black individuals have the second highest mortality and ED discharge rate compared to all other race/ethnicities (58.6 and 8,792 per 100,000).
- American Indian and Alaska Natives have the highest mortality rates for unintentional injury, however they have the second lowest ED discharge rate (106.3 and 3,705 per 100,000 respectively)

UNINTENTIONAL INJURY IN SAN DIEGO COUNTY⁶ (2016)


ED Discharge Rates for Unintentional Injury by Age Groups, 2016



Mortality Rates for Unintentional Injury by Race/Ethnicity, 2016



ED Discharge Rates for Unintentional Injury by Race/Ethnicity, 2016



*American Indian & Alaska Native
**Asian & Pacific Islander

Motor Vehicle Injuries

More than 37,000 people died from motor vehicle injuries in 2017 in the U.S.⁹

The total estimated lifetime medical and work-loss cost associated with motor vehicle injuries in the U.S. is more than \$63 billion.¹²

Motor Vehicle Injuries in the U.S.⁹ (2017)

- More than 2.7 million people were seen in the ED due to motor vehicle-related injuries in 2017.
- In 2017, the fatality rate was 11.4 per 100,000, while the injury rate was 843 per 100,000 population.
- Among all fatalities, 29.3% were due to drunk driving (Blood alcohol concentration (BAC) of 0.08 g/dL or higher) while 26.2% were due to speeding.
- More than two-thirds (70.2%) of the pedestrians killed in traffic crashes were males.
- Pedestrians 75 and older have the highest fatality rate (2.7 per 100,000) while pedestrians ages 16-20 have the highest injury rate (37.6 per 100,000).

By Sex

- Males account for 71.1% of all fatalities due to motor vehicle injuries.

By Age

Drivers 15-20 (younger) and 65+ (older) are mostly impacted:

- Although *younger drivers* account for 5.4% of total licensed drivers, they are involved in 8.4% of fatal crashes.
- Among *younger drivers*, the rate of fatal crashes for males was 2.3 times greater than that of female drivers.
- Younger drivers* were speeding or driving drunk at the time of fatal crashes more than all other age groups.
- Among *older drivers*, the rate of fatal crashes with male drivers was 2.6 times greater than that of female drivers.
- Among *older drivers*, the rate of involvement in fatal crashes increases as age increases.

By Race/Ethnicity

- American Indian/Alaska native (AI/AN) adults are 1.5 times more likely to die in a crash than White or Black adults.

MOTOR VEHICLE INJURIES IN SAN DIEGO COUNTY⁶ (2016)

In San Diego, males experience more injuries related to motor vehicles than females:

Mortality Rates for Motor Vehicle Injury by Sex, 2016




Motor vehicle injury mortality (death) rate per 100,000 among San Diego residents:

- Individuals who identify as **AI/AN** have the highest death rate (35.4), followed by **Black** individuals (11.5).
- Those **65+** have the highest death rate (12.3), followed by those 15-24 (8.8).

Motor vehicle injury inpatient discharge rate per 100,000 among San Diego residents:

- Blacks** have the highest inpatient discharge rate (132.5), followed by American Indian & Alaska Native (92.1).
- Those **15-24** have the highest inpatient discharge rate (105.1), followed by those 65+ (99.2)

Mortality Rates for Pedestrian Death Due to Motor Vehicle Injuries by Age, 2016



Crime in the U.S.

Property crime is currently the biggest criminal issue

In 2017, the estimated number of violent crime offenses was 1,247,321, a decrease of 0.2 percent from the 2016 estimate.¹⁰

Violent Crimes in the U.S.¹¹ (2017)

- Aggravated assault accounted for 65% of reported violent crimes, followed by robbery (25.6%), rape (8.0%), and murder (1.4%).
- Firearms were used in 72.6% of the nation's murders, 40.6% robberies, and 26.3% of aggravated assaults.

Homicide:

Both murder victims and offenders were more likely to be:

- Black (victims: 53.7%) (offenders: 54.2%)
- Male (victims: 78.6%) (offenders: 88.1%)
- 20-29 years old (victims: 32.6%) (offenders: 39.9%)

Property Crimes in the U.S.¹¹ (2017)

- In 2017, the rate of property crime was 2362.2 per 100,000, a 3.6% decrease from 2016.
- Losses were estimated at \$15.3 billion in 2017 with only 29.2% of stolen properties recovered.
- Larceny-theft accounted for 71.7% of all property crimes, followed by burglary (18.2%), and motor vehicle theft (10.0%).

VIOLENT CRIMES IN SAN DIEGO COUNTY⁶ (2016)

In San Diego, crime rates have increased slightly since 2014.¹³


For crimes involving assault:⁶

- Males** are 3.2 times more likely to die and 4.9 more likely to be hospitalized than females.
- Blacks** have the highest death (17.2 per 100,000), ED discharge (700.3 per 100,000), and inpatient discharge rates (109.0 per 100,000)..
- Those **15-24** have the highest death (4.6 per 100,000), and hospital discharge rates (**ED**: 416.8 per 100,000, **inpatient**: 47.2 per 100,000).

For crimes involving a firearm:⁶

- Males** are 3.5 times more likely to die and 9.3 times more likely to be hospitalized than females.
- Blacks** are 16.2 times more likely to die and 26.3 times more likely to be hospitalized than Whites.
- Those **15-24** have the highest death (2.9 per 100,000) and hospital discharge rates (**ED**: 13.4 per 100,000, **inpatient**: 10.2 per 100,000).

Hospital Discharge & Mortality
Rates for Firearms by
Race/Ethnicity, 2016



Sources: Unintentional Injury and Violence

1. Centers for Disease Control and Prevention. Key Injury and Violence Data. https://www.cdc.gov/injury/wisqars/overview/key_data.html. Updated May 8, 2017. Accessed May 30, 2019.
2. Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Leading Causes of Death, WISQARS Fatal Injury Data. <https://webappa.cdc.gov/sasweb/ncipc/leadcause.html>. Updated January 18, 2019. Accessed June 10, 2019.
3. Murphy SL, Xu JQ, Kochanek KD, Arias E. Mortality in the United States, 2017. <https://www.cdc.gov/nchs/data/databriefs/db328-h.pdf>. Published November 2018. Accessed June 10, 2019.
4. Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Web-based Injury Statistics Query and Reporting System (WISQARS) Fatal Injury Data, 2017. <https://wisqars-viz.cdc.gov:8006/>
5. Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Web-based Injury Statistics Query and Reporting System (WISQARS) Nonfatal Injury Data, 2017. <https://wisqars-nfviz.cdc.gov:8005/>
6. County of San Diego Health and Human Services Agency Public Health Services. Regional & Community Data. https://www.sandiegocounty.gov/content/sdc/hhsa/programs/phs/community_health_statistics/regional-community-data.html
7. Office of Disease Prevention and Health Promotion. Injury and Violence. Healthy People2020 Web site. <https://www.healthypeople.gov/2020/leading-health-indicators/2020-lhi-topics/Injury-and-Violence>. Accessed June 7, 2019.
8. Rady Children's Hospital, Safe Kids San Diego. Childhood Unintentional Injuries in San Diego County: A Report to the Community. <https://www.rchsd.org/documents/2019/05/childhood-unintentional-injuries-in-san-diego-county-a-report-to-the-community.pdf>. Published December 2018. Accessed July 2, 2019.
9. National Highway Traffic Safety Administration. Traffic Safety Facts Annual report Tables. <https://cdan.nhtsa.gov/tsfables.tsfar.htm>. Accessed May 30, 2019.
10. Federal Bureau of Investigation. Crime in the United States, 2017. <https://ucr.fbi.gov/crime-in-the-u.s/2017/crime-in-the-u.s.-2017/tables/table-1/table-1-overview.pdf>. Released Fall 2018. Accessed June 30, 2019.
11. Federal Bureau of Investigation. Uniform Crime Reporting Program. <https://ucr.fbi.gov/crime-in-the-u.s/2017/crime-in-the-u.s.-2017>.
12. Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Cost of Injury Reports, 2013. <https://wisqars.cdc.gov:8443/costT/>
13. Live Well San Diego. Live Well San Diego Data Access Portal. Injury. <https://data.livewellsd.org/>

Appendix

A

SMV Programs and Services

Sharp Mesa Vista Hospital:

- Child, adolescent, adult and older adult inpatient, partial hospitalization, and outpatient psychiatric and chemical dependency services
- Clinical trials for a range of psychiatric conditions
- Don Allen Garden and Garden of Recovery as relaxing spaces for patients and caregivers
- On- and off-campus specialty outpatient programs treating seniors, eating disorders, trauma, chronic pain, opiate and prescription drug dependence and dual diagnosis
- Cognitive behavioral therapy and dialectical behavioral therapy programs
- Electroconvulsive therapy (ECT)
- Inpatient and outpatient child and adolescent programming
- Inpatient and outpatient substance use disorder services
- Support for active duty military, veterans and their families through programs geared specifically toward servicemembers, including the VA Choice Program
- Transportation services and complimentary lunches
- Practicum programs for graduate MSW and MFT interns
- Clinical supervision site for graduate psychology doctoral interns

Sharp Mesa Vista Mid-City Outpatient Programs:

- Treatment for adults with psychiatric conditions
- Individualized treatment planning and medication management
- Group, family and individual therapies
- Transitional Age Youth Program (ages 18-27), including the Sustainable Early Episode Clinic

Sharp Mesa Vista East County Outpatient Programs:

- Treatment for seniors, adults and adolescents with psychiatric conditions
- Individualized treatment planning and medication management
- Group, family and individual therapies
- Trauma /PTSD treatment

Appendix

B An Overview of Sharp HealthCare

FOUR ACUTE CARE HOSPITALS:

Sharp Chula Vista Medical Center (343 licensed beds)

The largest provider of health care services in SDC's fast-growing South Bay, Sharp Chula Vista Medical Center (SCVMC) operates the region's busiest emergency department (ED) and is the closest hospital to the busiest international border in the world. SCVMC is home to the region's most comprehensive heart program, services for orthopedic care, cancer treatment, women's and infant's services, and the only bloodless medicine and surgery center in SDC.

Sharp Coronado Hospital and Healthcare Center (181 licensed beds)

Sharp Coronado Hospital and Healthcare Center (SCHHC) provides services that include acute, subacute and long-term care, liver care, rehabilitation therapies, orthopedics, and hospice and emergency services.

Sharp Grossmont Hospital (524 licensed beds)

Sharp Grossmont Hospital (SGH) is the largest provider of health care services in San Diego's East County and has one of the busiest EDs in SDC. SGH is known for outstanding programs in heart care, oncology, orthopedics, rehabilitation, stroke care and women's health.

Sharp Memorial Hospital (656 licensed beds)

A regional tertiary care leader, Sharp Memorial Hospital (SMH) provides specialized care in cancer treatment, orthopedics, organ transplantation, bariatric surgery, heart care and rehabilitation. SMH also houses the county's largest emergency and trauma center.

THREE SPECIALTY CARE HOSPITALS:

Sharp Mary Birch Hospital for Women & Newborns (206 licensed beds)

A freestanding women's hospital specializing in labor and delivery services, high-risk pregnancy, obstetrics, gynecology, gynecologic oncology and neonatal intensive care, Sharp Mary Birch Hospital for Women & Newborns (SMBHWN) delivers more babies than any other hospital in California.

Sharp Mesa Vista Hospital (158 licensed beds)

As the most comprehensive mental health hospital in San Diego, Sharp Mesa Vista Hospital (SMV) provides behavioral health services to treat anxiety,

depression, substance abuse, eating disorders, bipolar disorder and more for patients of all ages.

Sharp McDonald Center (16 licensed beds)³⁴

Sharp McDonald Center (SMC) is the only medically supervised substance abuse recovery center in SDC. Offering the most comprehensive hospital-based treatment program in San Diego, SMC provides services such as addiction treatment, medically supervised detoxification and rehabilitation, day treatment, outpatient and inpatient programs, and aftercare.

Collectively, the operations of SMH, SMBHWN, SMV and SMC are reported under the not-for-profit public benefit corporation of SMH and are referred to as the Sharp Metropolitan Medical Campus. The operations of Sharp Rees-Stealy Medical Centers (SRSMC) are included under the not-for-profit public benefit corporation of Sharp, the parent organization. The operations of SGH are reported under the not-for-profit public benefit corporation of Grossmont Hospital Corporation. The operations of Sharp HospiceCare are reported under SGH.

Please refer to **Appendix V** for a map of Sharp HealthCare locations in SDC.

Mission Statement

It is Sharp's mission to improve the health of those it serves with a commitment to excellence in all that it does. Sharp's goal is to offer quality care and services that set community standards, exceed patients' expectations and are provided in a caring, convenient, cost-effective and accessible manner.

Vision

Sharp's vision is to become the best health system in the universe. Sharp will attain this position by transforming the health care experience through a culture of caring, quality, safety, service, innovation and excellence. Sharp will be recognized by employees, physicians, patients and families, volunteers and the community as the best place to work, the best place to practice medicine and the best place to receive care. Sharp will be known as an excellent community citizen embodying an organization of people working together to do the right thing every day to improve the health of those it serves.

Values

- Integrity
 - Trustworthy, Respectful, Sincere, Authentic, Committed to Organizational Mission and Values
- Caring

³⁴ As a licensed chemical dependency recovery hospital, SMC is not required to file a community benefit plan. However, SMC is committed to community programs and services and has presented community benefit information in Section 11: SMV and SMC.

- Compassionate, Communicative, Service-Oriented, Dedicated to Teamwork and Collaboration, Serves Others Above Self, Celebrates Wins, Embraces Diversity
- Safety
 - Reliable, Competent, Inquiring, Unwavering, Resilient, Transparent, Sound Decision Maker
- Innovation
 - Creative, Drives for Continuous Improvement, Initiates Breakthroughs, Develops Self, Willing to Accept New Ideas and Change
- Excellence
 - Quality-Focused, Compelled by Operational and Service Excellence, Cost Effective, Accountable

Culture: The Sharp Experience

For more than 19 years, Sharp has been on a journey to transform the health care experience for patients and their families, physicians and staff. Through a sweeping organization-wide performance-and-experience-improvement initiative called The Sharp Experience, the entire Sharp team has recommitted to purposeful, worthwhile work and creating the kind of health care people want and deserve. This work has added discipline and focus to every part of the organization, helping to make Sharp one of the nation's top-ranked health care systems. Sharp is San Diego's health care leader because it remains focused on the most important element of the health care equation: the people.

Supported by its extraordinary culture, Sharp is transforming the health care experience in San Diego by striving to be:

- *The best place to work:* Attracting and retaining highly skilled and passionate staff members who are focused on providing quality health care and building a culture of teamwork, recognition, celebration, and professional and personal growth. This commitment to serving patients and supporting one another will make Sharp “the best health system in the universe.”
- *The best place to practice medicine:* Creating an environment in which physicians enjoy positive, collaborative relationships with nurses and other caregivers; experience unsurpassed service as valued customers; have access to state-of-the-art equipment and cutting-edge technology; and enjoy the camaraderie of the highest-caliber medical staff at San Diego's health care leader.

- *The best place to receive care:* Providing a new standard of service in the health care industry, much like that of a five-star hotel; employing service-oriented individuals who see it as their privilege to exceed the expectations of every patient—treating them with the utmost care, compassion and respect; and creating healing environments that are pleasant, soothing, safe, immaculate, and easy to access and navigate.

Through this transformation, Sharp continues to live its mission to care for all people, with special concern for the underserved and San Diego's diverse population. This is something Sharp has been doing for more than 60 years.

Pillars of Excellence

In support of Sharp's organizational commitment to transform the health care experience, Sharp's Pillars of Excellence serve as a guide for its team members, providing framework and alignment for everything Sharp does. In 2014, Sharp made an important decision regarding these pillars as part of its continued journey toward excellence.

Each year, Sharp incorporates cycles of learning into its strategic planning process. In 2014, Sharp's Executive Steering and Board of Directors enhanced Sharp's safety focus, further driving the organization's emphasis on its culture of safety and incorporating the commitment to become a High Reliability Organization (HRO) in all aspects of the organization. At the core of HROs are five key concepts:

- Sensitivity to operations
- A reluctance to simplify
- Preoccupation with failure
- Deference to expertise
- Resilience

Applying high-reliability concepts in an organization begins when leaders at all levels start thinking about how the care they provide could improve. It begins with a culture of safety.

With this learning, Sharp is a seven-pillar organization — Quality, Safety, Service, People, Finance, Growth and Community. The foundational elements of Sharp's strategic plan have been enhanced to emphasize Sharp's desire to do no harm. This strategic plan continues Sharp's transformation of the health care experience, focusing on safe, high-quality and efficient care provided in a caring, convenient, cost-effective and accessible manner.

The seven pillars listed below are a visible testament to Sharp's commitment to become the best health care system in the universe by achieving excellence in these areas:



Demonstrate and improve clinical excellence and exceed customer expectations.



Keep patients, employees and physicians safe and free from harm.



Create exceptional experiences at every touch point for patients and families, enrollees, physicians, partners and team members.



Create a values-driven culture that attracts, retains and promotes the best people who are committed to Sharp's mission and vision.



Achieve financial results to ensure Sharp's ability to deliver on its mission and vision.



Achieve net revenue growth to enhance market position, sustain infrastructure improvements and support innovative development.



Be an exemplary public citizen by improving the health of our community and environment.

Awards

Below please find a selection of recognitions Sharp has received in recent years:



In 2013, 2014, 2016 and 2017, Sharp was recognized as one of the “World’s Most Ethical (WME) Companies” by the Ethisphere Institute, the leading business ethics think tank. WME companies are those that truly embrace ethical business practices and demonstrate industry leadership, forcing peers to follow suit or fall behind.

Forbes

Sharp was ranked No. 45 out of 500 large employers on *Forbes’* 2017 America’s Best Employers listing. In 2016, Sharp ranked No. 16 and received the No. 2 spot on the newcomer’s list. In 2018, *Forbes* ranked Sharp No. 25 on its first-ever list of Best Employers for Women and No. 52 on its list of Best Employers for Diversity.



Becker’s Hospital Review recognized Sharp as one of “150 Top Places to Work in Healthcare” in 2017 and 2018. The list recognizes hospitals, health systems and organizations committed to fulfilling missions, creating outstanding cultures and offering competitive benefits to their employees.



From 2013 to 2018, Sharp ranked in the top 10 of the large employers category as one of the “Best Places to Work” for information technology professionals by the International Data Group’s *Computerworld* survey. The list is compiled by evaluating a company’s benefits, training, retention, career development, average salary increases, employee surveys, workplace morale and more.



In 2015, 2017 and 2018, Sharp ranked first for “San Diego’s Best Hospital Group” in the annual *San Diego Union-Tribune* Readers Poll. In 2017, SMH was ranked “San Diego’s Best Hospital” and, in 2018, Sharp’s Weight Management Programs ranked first for “Best Weight Loss Clinic/Counseling.” Sharp Community Medical Group (SCMG) was ranked “San Diego’s Best Medical Group” from 2015 to 2018. Sharp Rees-Stealy Medical Group (SRSMG) was ranked “Best Hearing Aid Store” in 2018 for the second year in a row, as well as first for “Best Audiologist,” second for “Best Laser Eye Center” and third for “Best Pharmacy.”



In 2016 and 2017, SMBHWN was named to The Leapfrog Group's Top Hospitals list, which recognizes facilities that meet the highest standards of patient safety, care quality and efficiency. In 2016, SMH was also recognized as a Top Hospital.



SGH, SMH and SMBHWN received MAGNET® recognition by the American Nurses Credentialing Center (ANCC). The MAGNET Recognition Program® is the highest level of honor bestowed by the ANCC and is recognized nationally as the gold standard in nursing excellence. SGH first received the designation in 2006, and was most recently re-designated in 2017. SMBHWN received its current designation in 2015. SMH was first designated in 2008, and received its most recent re-designation in 2018.



Sharp was named one of the nation's "Most Wired" health care systems from 2012 to 2018 by *Hospitals & Health Networks* magazine's annual Most Wired Survey and Benchmark Study. "Most Wired" hospitals are committed to using technology to enhance quality of care for both patients and staff.



Planetree is a coalition of more than 80 hospitals worldwide that are committed to improving medical care from the patient's perspective. SCHHC became a Designated Planetree Person-Centered Hospital in 2007, and was re-designated in 2017 for the fourth consecutive time. Additionally, in 2014, SCHHC achieved Planetree Designation with Distinction for its leadership and innovation in patient-centered care. SMH became a Planetree Person-Centered Hospital in 2012 and achieved Planetree Designation with Distinction in 2014. In 2015, SMH was re-designated as a Planetree Person-Centered Hospital. SCVMC joined SCHHC and SMH as a Designated Planetree Person-Centered Hospital in 2014, and was re-designated in 2018. In addition, Planetree awarded SGH the Gold Certification for Excellence in Person-Centered Care in 2018.



SCHHC and SCVMC received Energy Star (ES) designation from the U.S. Environmental Protection Agency (EPA) for outstanding energy efficiency. Buildings that receive ES certification use an average of 40 percent less energy than other buildings

and release 35 percent less carbon dioxide into the atmosphere. SCHHC first earned ES certification in 2007, and SCVMC was first certified in 2009. Both entities were most recently re-certified in 2018.



San Diego Gas & Electric (SDG&E) named Sharp the 2017 Grand Energy Champion at its annual Energy Showcase Awards. Sharp was recognized for making tremendous strides in reducing its consumption of electricity and natural gas, and in promoting energy-saving techniques to the community.



Sharp received the Environmental Stewardship Award in the large business category from the Better Business Bureau (BBB), serving San Diego, Orange and Imperial counties, as part of BBB's 2017 Torch Awards. The award recognizes businesses that increase efforts toward a more sustainable footprint and green initiatives.



Sharp was named the 2017 Outstanding Recycling Program by California Resource Recovery Association (CRRA) — California's statewide recycling association — for its innovative waste-minimization initiatives. As the oldest and one of the largest nonprofit recycling organizations in the country, CRRA is dedicated to achieving environmental sustainability in and beyond California through zero waste strategies, including product stewardship, waste prevention, reuse, recycling and composting.



Sharp was one of nine awardees in San Diego to receive a 2018 EMIES *UnWasted Food* Award by the San Diego Food System Alliance for its collaboration as an innovator and early adopter with upstream "unusual but usable" procurement, soup stock program, organic gardens, animal feed and composting. Sharp was also recognized in 2016, for developing best practices in waste prevention, composting, recycling, food donation and source reduction efforts in partnership with the Sodexo Food and Nutrition team.



In 2016, Sharp ranked third on *San Diego Business Journal's* list of Healthiest Companies. The Healthiest Companies list honors those organizations that have created a supportive environment for their employees and fostered a work/life balance for their families.



In 2016, Sharp Best Health received the American Heart Association® (AHA) Fit-Friendly Worksites Honor Roll award (Gold Category) for the fourth consecutive year, which recognizes employers that promote a culture of health and physical activity in the workplace or community.



SRSMG was recognized by the Centers for Disease Control and Prevention (CDC) as a 2017 Million Hearts Hypertension Control Champion for achieving blood pressure control for at least 70 percent of its adult patients with hypertension.



PRESS GANEY® From 2013 to 2018, the Press Ganey organization recognized multiple Sharp entities with Guardian of Excellence Awards®. Based on one year of data, this designation recognizes recipients that reach the 95th percentile for patient satisfaction, employee engagement, physician engagement surveys or clinical quality. Awarded Sharp entities in the employee engagement category included SCVMC, SCHHC, SGH, SMBHWN, SMH, SMH Outpatient Pavilion (OPP), SMV, Sharp HospiceCare, SRSMG, SCMG and Sharp Home Health, while SMH, SMH OPP and SMBHWN have been awarded for Patient Experience and SCHHC, SMBHWN and SMV have received awards for Physician Engagement.



PRESS GANEY® Press Ganey also recognized multiple Sharp entities with the Pinnacle of Excellence Award® (formerly named the Beacon of Excellence Award). This award recognizes the top three performing health care organizations that have maintained consistently high levels of excellence over three years in the categories of Patient Experience, Employee Engagement, Physician Engagement and Clinical Quality Performance. In 2013 as well as 2015 through 2017, Press Ganey recognized SMH for patient experience. From 2013 to 2015, Sharp was recognized for Employee Engagement. In 2013, SCHHC and SMV were recognized for Physician Engagement.



SHP has maintained a National Committee for Quality Assurance's (NCQA) Private Health Insurance Plan Rating of 4.5 out of 5 each year since 2016, making it one of the highest-rated health plans in the nation. SHP has also maintained the NCQA's highest level "Excellent" Accreditation status for service and clinical quality each year from 2013 to 2018. The NCQA awards accreditation status based on compliance with rigorous requirements and performance on Healthcare Effectiveness Data and Information Set and Consumer Assessment of Healthcare Providers and Systems measures.



Covered California is California's official health insurance marketplace, offering individuals and small businesses the ability to purchase health coverage at federally subsidized rates. SHP earned a five-star rating — the highest possible — in Covered California's 2018 Coverage Year Quality Ratings in the categories of "Summary Quality Rating," "Getting the Right Care" and "Plan Services for Members."



America's Physician Groups (APG) is a professional association, representing over 300 medical groups, independent practice associations, and integrated health care systems across the nation. APG has awarded its highest level of distinction — "Elite Status" — to SCMG and SRSMG each year from 2010 to 2018.



The Women's Choice Award® is a symbol of excellence in customer experience awarded by the collective voice of women. In 2018, SGH received the Women's Choice Award® as one of America's Best Breast Centers, Best Stroke Centers and Best Hospitals for Heart Care. The Women's Choice Award® also recognized SMH and SMBHWN in 2018 among America's Best Hospitals for Bariatric Surgery, Cancer Care, Obstetrics and Patient Experience, as well as among America's Best Breast and Stroke Centers. SCVMC was also recognized as one of America's Best Breast Centers in 2018. In addition, SCHHC has maintained its ranking as one of America's Best 100 Hospitals for Patient Experience from 2012 to 2018.



Powered by the San Diego Association of Governments (SANDAG) in cooperation with the 511 transportation information service, iCommute is the Transportation Demand Management program for the San Diego region and encourages use of transportation alternatives to help reduce traffic congestion and greenhouse gas emissions. Sharp received iCommute Diamond Awards — which recognize employers in the San Diego region who have made strides to promote alternative commute choices — in the platinum tier in 2016 and the gold tier in 2017 and 2018.



For the fourth year in a row, and the fifth time in six years, Sharp won the top spot in the Mega Employer category in SANDAG's 2016 iCommute Rideshare Corporate Challenge. The annual monthlong challenge encourages the replacement of solo drivers with sustainable carpool, vanpool, bike, walk or transit commutes.



Global Healthcare Exchange (GHX) recognized Sharp as one of the 2016 GHX "Best 50" Supply Chains in North America. Organizations receiving this distinction are recognized for their work in improving operational performance and driving down costs through supply chain automation.

C

SMV FY 2020 – FY 2023 Implementation Strategy

Identified Health Need: Health Conditions

Aging Concerns

Behavioral Health

Cancer

Cardiovascular Disease

Diabetes

Maternal and Prenatal Care, including High-Risk Pregnancy

Obesity

Identified Health Need: Social Determinants of Health

Access to Care and Health Insurance

Community and Social Support

Economic Security

Education

Homelessness and Housing Instability

Unintentional Injury and Violence

Identified Community Health Need: Aging Concerns					
Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
1. Improve outcomes for seniors through culturally competent outreach services to high-risk seniors, including those in San Diego's disadvantaged communities, and through education targeting stigma reduction and healthy aging strategies.	a. Reduce stigma through education for community members and community providers on senior behavioral health issues.	9/30/2019 (Ongoing; evaluated annually)	Lead Clinical Psychologist, SMV Senior Intensive Outpatient Program (SIOP)	Behavioral Health Alzheimer's Senior Health Collaboration Education Screening	<p>In FY 2019, SMV's SIOP plans to provide education and support to community members around senior behavioral health issues.</p> <p>The SMV SIOP participates in Sharp's partnership with the City of San Diego to provide behavioral health education and resources to employees and residents in the City's nine districts. Topics include coping with caregiver stress, older adults and depression, and coping with life's transitions.</p> <p>The SMV SIOP offered seven educational sessions in FY 2018 addressing the following topics: Coping with Caregiver Stress, Coping with Life's Transitions, and Older Adults and Depression — to benefit both the older adult patients providing the community service as well as members of the community. Lectures were delivered at various senior centers, a YMCA, a church, and a library.</p> <p>SMV's SIOP both provided behavioral health resources and presented at senior health-focused conferences throughout SDC, serving nearly 2,500 community members in FY 2018. At these conferences, SIOP clinicians presented on a variety of topics, including stress management; healthy, mindful aging; and dementia and brain health.</p> <p>Throughout the year, SMV's SIOP provided behavioral health resources, memory screenings, and information about the hospital's senior services at numerous senior health fairs and community events in SDC.</p>
	b. Continue to provide 16 hours each week to senior community	9/30/2019	Chief Medical Officer, Sharp	Behavioral Health	In FY 2019, SMV plans to continue to collaborate with Serving Seniors to provide outreach and education to seniors without stable housing. SMV also

Identified Community Health Need: Aging Concerns					
Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
	centers (Gary and Mary West Center) as well as eight hours each week to Potiker Family Senior Residence, offering screening and referrals to low-income, at-risk seniors.	(Ongoing; evaluated annually)	Behavioral Health Manager, Sharp Mesa Vista (SMV) Hospital Intake	Alzheimer's Senior Health Collaboration Education Screening	<p>plans to continue to address behavioral health needs of high-risk, culturally diverse seniors.</p> <p>Throughout FY 2018, SMV clinicians collaborated with Serving Seniors to provide more than 750 hours of clinical services to senior clients at the Gary and Mary West Senior Wellness Center. Seniors received a variety of early intervention services, including examination by a nurse or psychiatrist; medication; referrals or counseling to reduce the risk of hospitalization and homelessness; and behavioral health screenings including Montreal Cognitive Assessments, which detect cognitive impairment.</p> <p>SMV also continued to collaborate with the Gary and Mary West Senior Wellness Center beyond the provision of clinical services. At this site, SMV provided free prevention and early intervention initiatives designed to improve the utilization and effectiveness of behavioral health services for high-risk, culturally diverse seniors and address barriers to accessing behavioral health care, including stigma, isolation and lack of available services. These services were further enhanced with free education as well as a weekly healthy aging support group led by an SMV clinician, which focused on aging and behavioral health issues, including depression, anxiety and coping with loss.</p> <p>Senior IOP referrals are tracked on SMV's internal dashboard. SMV had 2 IOP referrals in the past year.</p>
	c. Continue community collaboration efforts to provide education and screenings to at-risk senior community members.	9/30/2019 (Ongoing; evaluated annually)	SMV Business Development Specialist SMV Clinical Research Lead	Behavioral Health Alzheimer's Senior Health Collaboration Education	In FY 2018, SMV partnered with Alzheimer's San Diego to provide a variety of screenings, behavioral health education and resources to community members. This included conferences, panels, and events focused on discussing dementia-related behavior, care strategies, resources, medications, recent advances in treatment, and clinical trials with over 600 community members.

Identified Community Health Need: Aging Concerns					
Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
				Screening	On a monthly basis, SMV and Alzheimer’s San Diego provided free memory screenings — a wellness tool that identifies possible changes in memory and cognition — to over 100 community members who were concerned about memory loss or interested in establishing a baseline to detect future changes. In addition, an SMV clinician provided training on the administration and use of the Montreal Cognitive Assessment to seven Alzheimer’s San Diego staff members.

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
1. Improve care management and clinical-community linkages that address social determinants of health (SDOH) through implementation of a new technology platform that shares health and social services data across health care and social service sectors.	a. SMV (along with other Sharp entities) will participate in a one-year pilot utilizing 2-1-1 San Diego's Community Information Exchange.	July, 2020 To be evaluated in May 2020, for continued participation after the one-year pilot.	Manager, SMV Case Management SMV Business Development Specialist Manager, Sharp HealthCare Community Benefit and Health Improvement	Clinical Community Linkages Data Sharing Community Collaboration All SDOH e.g., housing, nutrition, transportation, etc.	Beginning in July, 2019 SMV will participate along with multiple Sharp entities (hospitals, medical groups, and health plan) in a one-year pilot with the Community Information Exchange stewarded by 2-1-1 San Diego. Sharp teams are working closely with 2-1-1 San Diego on the implementation plan for Community Information Exchange, which includes ongoing metrics, such as Community Information Exchange utilization across the system, referral tracking, impact on case management efficacy and successful connection to needed social services, health care utilization (e.g., inpatient readmissions, unnecessary ED visits, LOS, etc.) and others. This data will be used to re-evaluate the value and sustainability of Community Information Exchange for Sharp HealthCare after the one-year pilot.
2. Improve outcomes for seniors through culturally competent outreach services to high-risk seniors, including those in San Diego's disadvantaged communities, and through education targeting stigma	a. Reduce stigma through education for community members and community providers on senior behavioral health issues.	9/30/2019 (Ongoing; evaluated annually)	Lead Clinical Psychologist, SMV Senior Intensive Outpatient Program	Behavioral Health Alzheimer's Senior Health Collaboration Education Screening	This strategy also addresses Identified Community Health Need: Aging Concerns 1a . Please refer to that section for details.

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
reduction and healthy aging strategies.					
	b. Continue to provide 16 hours each week to senior community centers (Gary and Mary West Center) as well as eight hours each week to Potiker Family Senior Residence, offering screening and referrals to low-income, at-risk seniors.	9/30/2019 (Ongoing; evaluated annually)	Chief Medical Officer, Sharp Behavioral Health Manager, Sharp Mesa Vista Hospital Intake	Behavioral Health Alzheimer's Senior Health Collaboration Education Screening	This strategy also addresses Identified Community Health Need: Aging Concerns 1b . Please refer to that section for details.
	c. Continue community collaboration efforts to provide education and screenings to at-risk senior community members.	9/30/2019 (Ongoing; evaluated annually)	SMV Business Development Specialist SMV Clinical Research Lead	Behavioral Health Alzheimer's Senior Health Collaboration Education Screening	This strategy also addresses Identified Community Health Need: Aging Concerns 1c . Please refer to that section for details.
3. Advocate for the improvement of housing options and living conditions for community members with behavioral health issues.	a. Continue collaboration with community behavioral health providers and provide education to independent living facilities (ILF).	9/30/2019 (Ongoing; evaluated annually)	SMV Business Development Specialist	Behavioral Health Housing Access to Care	SMV continues its involvement in and support of an initiative to improve housing conditions for community members living with serious, persistent mental illness. The Independent Living Association (ILA) is an initiative of CHIP's Behavioral Health Work Team, in which SMV actively participates. Within the past couple of years, ILA has acquired 84 member homes. Alameda and Fresno counties have modeled San Diego's member homes, and the model continues to be extended to other counties in California. Background: Since 2012, SMV has actively participated in a community work team with CHIP, housing organizations and other community partnerships to

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
					establish an Independent Living Registry and an ILA. Since then, SMV continues to maintain quality standards, seek improvement of conditions for ILFs, link residents with essential services and providers, and reduce crime and unnecessary arrest rates.
	b. Explore and expand collaborations with law enforcement and housing planning committees to improve outcomes for community members living with behavioral health issues.	9/30/2019 (ongoing, evaluate annually)	SMV Lead PET Manager, SMV Intake	Behavioral Health Housing Access to Care	SMV continued to collaborate with PERT through monthly meetings and community-oriented trainings. SMV staff also supported approximately 250 SDC police officers at three PERT Academy Resource Fair events. During these events, SMV team members provided officers with educational resources on understanding psychiatric emergencies and community psychiatric services. The police officers were subsequently paired with licensed behavioral health clinicians to help them evaluate and assess an individual's behavioral health condition and needs, and, if appropriate, transport the individual to a hospital or refer the individual to a community resource or treatment facility.
4. Increase access to behavioral health screenings and referral sources to members of the general community.	a. Continue to provide free psychiatric evaluations and referrals for the general community.	Ongoing (evaluated annually)	Manager, SMV Intake	Behavioral Health Screenings Education Access to Care	<p>In FY 2018, SMV and Sharp McDonald Center (SMC) supported community members impacted by behavioral health and substance use issues by providing a variety of screenings, both on-site and in partnership with local organizations. Throughout the year, SMV psychiatric evaluation and intake teams provided approximately 16,500 free psychiatric evaluations and referrals for the general community via phone calls, walk-ins and scheduled appointments.</p> <p>Referrals are tracked; approximately 60% of the evaluated community members are referred to SMV outpatient or inpatient programs, or Sharp Grossmont Hospital or another inpatient psychiatric facility; the remaining evaluated patients receive referrals to outpatient community resources. Approximately 76% of patients evaluated in the outpatient setting for chemical dependency were admitted to SMV IOP, SMC or another Sharp entity; the</p>

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
					remaining evaluated patients receive referrals to other inpatient and outpatient community resources.
5. Reduce stigma and improve outcomes for individuals with behavioral health issues by community integration through community service activities.	a. Continue participation in key behavioral health events alongside patients.	Ongoing (evaluated annually)	SMV Business Development Specialist	Behavioral Health Stigma Education Access to Care	SMV continues to maintain a Client Advisory Board, which obtains feedback from the hospital's outpatients, former patients and employees on how to improve programs, empower patients, promote advocacy and better serve the community. During FY 2018, members of the Client Advisory Board encouraged community members, staff, current and former patients, friends and family to join their walking team, the Mighty Mesa Vista Movers, in the annual San Diego County NAMI Walk to raise awareness and reduce stigma around behavioral health. SMV clinicians now also have increased presence at community events to further increase engagement and connect community members to helpful resources.
6. Raise awareness and reduce stigma through the provision of behavioral health education for patients, their loved ones, and the community.	a. Participate in Sharp's partnership with the City of San Diego to provide behavioral health education and resources to employees and residents in the City's nine districts.	Spring 2021 (three-year contract with the City)	SMV Business Development Specialist Identified Content Expert, SMV Clinicians	Behavioral Health Stigma Education Access to Care	SMV continues to participate in Sharp's partnership with the City of San Diego to provide behavioral health education and resources to employees and residents in the City's nine districts. SMV and SMC clinicians delivered eight lectures on various topics, including: the basics of behavioral health; cultural perceptions and beliefs around behavioral health; and overcoming behavioral health issues in conjunction with chemical dependency. Lectures were delivered to approximately 25 community members at various libraries and recreation centers in San Diego.
	b. Continue to host community speaking engagements and provide a variety of educational	Ongoing (evaluated annually)	SMV Business Development Specialist	Behavioral Health Stigma Education	In FY 2018, SMV and SMC provided behavioral health education, resources and presentations to more than 650 community members through participation in health and wellness fairs, conferences and events. SMV and SMC also hosted numerous on-site community speaking engagements and workshops to

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
	opportunities addressing various behavioral health topics.		Identified Content Expert, SMV Clinicians	Access to Care	<p>increase awareness of behavioral health and substance use issues. Education addressed a variety of topics, including cognitive therapy, chemical dependency, life transitions, domestic violence and child and geriatric psychiatry.</p> <p>Among many topics, this included SMV's monthly cognitive therapy lecture series designed to educate participants about cognitive behavioral therapy — used to treat anxiety, anger, depression, panic disorder, bipolar disorder, phobias, relationship problems, grief and loss, and other challenges.</p> <p>In response to the need for information and support for caregivers of individuals with mental illness, SMV provided educational materials, local behavioral health resources and information on behavioral health support to family and friends in the hospital lobby through NAMI San Diego's Friends in the Lobby program.</p> <p>Team members also provided education about opportunities for individuals with schizophrenia to enroll in clinical research trials. This included residents of Carroll's Community Care, an assisted living facility for mentally ill adults located in El Cajon, as well as health professionals at The Meeting Place, an organization that provides support to adults living with behavioral health disorders in SDC.</p>
	c. Continue to host speaking engagements for community health professionals and students on various topics in behavioral health.	Ongoing (evaluated annually)	SMV Business Development Specialist	Behavioral Health Substance Use Disorders	SMV and SMC provided several educational offerings for behavioral health care professionals in FY 2018, including continuing education classes, conferences and trainings. SMV and SMC provided education to a variety of audiences, including psychologists, psychiatrists, community physicians, social workers, nurses and other health and human service providers, as well as the community at large. Topics included stress management for caregivers,

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
			<p>Manager, Outpatient – SMV/East</p> <p>Manager, Specialty Outpatient Programs, SMV</p>	<p>Stigma Education Access to Care</p>	<p>behavioral health resources, behavioral health in schools, understanding behavioral health in homeless youth and families, and early childhood behavioral health.</p> <p>SMV participated in the Employee Assistance Professionals Association (EAPA) during FY 2018, to increase knowledge and education in the behavioral health professional community.</p> <p>SMV clinicians shared knowledge and best practices with the larger professional health care community through the development of educational materials on behavioral health and patient care as well as participation in student research. In FY 2018, SMV continued to assist with the development of geriatric behavioral health and dementia care curricula for SDSU's Behavioral Health Education & Training Academy. In addition, clinicians and patients from SMV's SIOP participated in research to help graduate psychology students from SDSU better understand the needs of people with serious mental illness, as well as barriers preventing this population from accessing cancer screenings.</p> <p>In FY 2019, SMV and SMC plan to provide educational offerings for behavioral health care professionals, community groups and community members.</p> <p>Education and screening programs are evaluated by participants through survey. The goal is to educate and raise awareness for community members and physicians. To date, the overall response is that community members request more education. Thus, SMV is working on additional opportunities that will include board and care facilities, ILAs and sober living facilities.</p>
	d. Continue to provide clinical programs and education focused on drug/alcohol addiction of	December 31, 2019	SMV Sustainable Early Episode	Behavioral Health	Clinical Programs: Year-to-date FY 2019, the SEEC clinic has provided 885 contact hours providing psychoeducation for young adults with schizophrenia

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
	teens and Transitional Age Youth (TAY).		Clinic (SEEC) Clinical Research Team SMV Clinical Trials Specialist	Substance Use Disorders Education Stigma Access to Care	<p>and schizoaffective disorder and over 160 contact hours providing psychoeducation for families on how to support their young adult children.</p> <p>The impact of the SEEC program on participants' symptoms and quality of life are evaluated using standardized measures. The SEEC clinic is also measuring participants' rates of involvement in community activities/work/school and improvements in caregiver burden. The SEEC Clinic will continue providing services through December 2019, at which time it will be replaced with a new research program that will also likely address this community health need.</p> <p>Background: SMV opened the SEEC Clinic in January 2017 and began providing services for young adults newly diagnosed with schizophrenia and schizoaffective disorder and their caregivers. All services are provided free of cost and include education sessions about illness and recovery, support groups, community integration, employment and educational support, psychotherapy, peer support services, and medication management.</p>
	e. Provide education (general health, workforce development, etc.) and resources to TAY with behavioral health issues to empower and support their continued health and well-being.	9/30/2019 (evaluate annually)	SMV Business Development Specialist	Behavioral Health Education Workforce Development Stigma Community Reintegration	<p>In FY 2018, SMV provided a specialized TAY Program for young adults, ages 18 to 26, with behavioral health issues. Through the TAY Program, SMV offered education and resources to empower and support the continued health and well-being of these young adults.</p> <p>SMV participated in the City College Health Expo in FY 2019 and will continue to work with San Diego State University on future events.</p> <p>New in FY 2018: In October, SMV worked with SCVMC and Urban Street Angels to provide behavioral health resources to approximately 15 homeless TAY during an event at Sharp Chula Vista Medical Center's (SCVMC's) Barnhart Cancer Center. SMV also provided education and resources to 170 TAY at the</p>

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
				Care Management	<p>Oasis Clubhouse youth center’s Ducky Awards and Community College Health Resource Fair events. In addition, SMV collaborated with Planned Parenthood to provide two classes on safe sex practices to 25 attendees. Further, the SMV TAY Program partnered with the Consumer Center for Health Education and Advocacy to assist more than 30 TAY with completing insurance and legal forms and help them understand their rights.</p> <p>In FY 2019, SMV plans to continue to explore opportunities for outreach to multicultural and at-risk groups through increased community involvement and education.</p>
	f. Continue to provide behavioral health education, support and resources for San Diego veterans and their families through the Trauma and PTSD Recovery Intensive Outpatient Program (IOP).	Ongoing (evaluated annually)	Manager, Specialty Outpatient Programs, SMV	Behavioral Health Screenings Education Support Access to Care	<p>In FY 2018, SMV provided specialized services to active duty service members, veterans and their families. These programs provide a safe environment for veterans to learn effective methods for managing symptoms of post-traumatic stress disorder (PTSD), acute stress disorder and mood-related disruptions. SMV’s Trauma and PTSD Recovery IOP programs work to decrease the use of maladaptive coping skills through evidence-based practices and include services for spouses and family members who experience distress when a loved one returns with symptoms related to the trauma of war. Team members provide education and resources to reduce the stigma surrounding behavioral health issues in the military and civilian communities. During FY 2018, SMV’s Trauma and PTSD Recovery programs supported approximately 200 veterans and community members.</p> <p>In addition, SMV and SMC collaborated with partners in the military community to provide behavioral health education and resources to more than 600 community members at events throughout SDC. In October, SMV participated in a panel discussion following a screening of a documentary titled <i>After Fire</i>, which highlights the challenges faced by women in the military, as well as</p>

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
					<p>participated in a resource fair at the 2017 Women Veterans Forum titled Be the Change at San Diego State University (SDSU). In September, SMV offered behavioral health resources during a resource fair at the VA San Diego Healthcare System's sixth annual Community Mental Health Summit at Jacobs Center for Neighborhood Innovation.</p> <p>Further, in FY 2018, SMV provided education and resources about opportunities for participation in PTSD and depression research to physicians. SMV also continued to participate in the SDMFC, which meets monthly to discuss community-based services for military service members and their families, as well as the Hidden Heroes campaign, which raises awareness and support for caregivers of veterans and active duty service members.</p> <p>SMV's Trauma and PTSD Recovery Program (formerly Veterans Engaged in Supportive Treatment) began in FY 2015 and is based at SMV's east county location. Evidence-based practices are used to provide comprehensive treatment for post-traumatic stress disorder and substance abuse.</p> <p>The Trauma and PTSD Recovery IOP utilizes the PCL-5 to measure the severity of PTSD symptoms and influence treatment. The tool is utilized upon admission, on a monthly basis throughout treatment and at discharge to inform treatment planning decisions. The PCL-5 is a gender-neutral tool normed for many populations, to include: civilians, first responders and military personnel.</p> <p>Screening results and follow-up data continue to show clinically significant reduction of PTSD symptoms over an average eight weeks of IOP treatment.</p>

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
					Over the past three years, the Trauma and PTSD Recovery IOP has evolved to a program that treats veterans, active duty military, civilians and first responders alike.
	g. Participate in outreach activities across different Sharp entities to increase community awareness of behavioral health services.	Ongoing (evaluated annually)	SMV Business Development Specialist	Behavioral Health Stigma Education Staff Development Access to Care	<p>SMV and SMC assisted in planning Sharp Chula Vista Medical Center’s Changing Minds — Minds Matter South County Behavioral Health Resource Fair, a free during which more than 40 community partners gathered to educate South Bay community members about behavioral health challenges and raise awareness of available community services and resources. During the event, SMV and SMC provided workshops on substance use and behavioral health, as well as Check Your Mood screenings and behavioral health resources to approximately 100 community members.</p> <p>In FY 2018, SMV and SMC also provided nearly 30 Check Your Mood screenings and offered behavioral health resources as well as hourly mindfulness circles to approximately 1,000 attendees at the 2018 Sharp Women’s Health Conference in April. An SMV clinician also presented at the conference on evidence-based practices to promote self-love, end suffering, and facilitate healing of the mind and body.</p> <p>Education programs are evaluated by participants through survey. The goal is to educate and raise awareness for community members and physicians.</p>
	h. Continue to provide care and education to adolescents and youth.	Ongoing	?		<p>Continue to care for adolescents and keep them on track at school by providing them with education when admitted as inpatients or program participants. A San Diego Unified School District teacher provides education to adolescents for about 15-20 hours per week.</p> <p>In addition, psychologists provided a mental health talk on teen development for parents in the community.</p>

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
7. Provide support and resources to community members impacted by behavioral health and chemical dependency issues.	a. Collaborate with community behavioral health organizations and provide space for support groups to serve members of the community impacted by behavioral health issues.	Ongoing (evaluated annually)	SMV Business Development Specialist	Behavioral Health Support Collaboration Access to Care	<p>SMV further supported the community by providing free space for a variety of self-help groups to meet each week. The hospital's meeting spaces were booked for more than 2,000 hours in FY 2018 for groups including: Narcotics Anonymous; the Narcotics Anonymous Family group; Alcoholics Anonymous (AA); Al-Anon; AA Dual Diagnosis; Cocaine Anonymous; Pills Anonymous; Project SMILE 12 Step Recovery Workshop; SMART Recovery San Diego; Co-Dependents Anonymous; Obsessive Compulsive Disorder support group; Hoarders Working support group; Shyness and Social Anxiety group; San Diego Phobia Foundation; Concerned United Birthparents; the California Board of Registered Nursing's Nursing support group; A New PATH; and the SMV and SMC Aftercare and Lifetime Support meetings. An average of 440 community members received support from these groups each week during FY 2018.</p> <p>In FY 2019, SMV and SMC plan to continue to host and facilitate various support groups and provide free meeting space for use by a variety of community self-help groups.</p>
	b. Facilitate various support group meetings (monthly, weekly, etc.).	Ongoing (evaluated annually)	SMV Business Development Specialist	Behavioral Health Support Education Access to Care	<p>Current SMV facilitated support groups include:</p> <p>A weekly Mood Disorders support group was available for individuals, family and friends impacted by depression, bipolar disorder, PTSD or anxiety. A National Association of Anorexia Nervosa and Associated Disorders support group was also offered weekly for individuals and families affected by an eating disorder. Further, a biweekly Dialectical Behavioral Therapy support group helped attendees develop coping skills to manage severe emotional reactions, intense anxiety, impulsivity, self-harm, suicidal thoughts and high-conflict relationships. SMV also offered a free support group to provide psychoeducation and support for veterans and their families. More than 1,800 community members attended these support groups in FY 2018.</p>

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
8. Strengthen partnerships with community organizations to foster future collaborations and fundraise for behavioral health services.	a. Continue participation in key behavioral health events and fundraising activities.	Ongoing (evaluated annually)	CEO, SMV SMV Business Development Specialist SMV Philanthropy Council	Behavioral Health Collaboration Education Access to Care	<p>Throughout the year, SMV and SMC sponsored and participated in nine walks to increase awareness and raise funds for behavioral health services. At eight of the walks, SMV and SMC provided a booth with behavioral health resources.</p> <p>In FY 2018, SMV sponsored and participated in four events benefitting behavioral health organizations across SDC.</p> <p>During the annual Check Your Mood Day, SMV partnered with Community Health Improvement Partners (CHIP) and Live Well San Diego to provide Check Your Mood screenings — a brief questionnaire aimed at assessing risk for depression — and resources at events across SDC to 100 community members, including students at San Diego City College and seniors at Gary and Mary West Senior Wellness Center.</p> <p>Throughout FY 2018, staff at SMV and SMC regularly led or attended more than 30 behavioral health community and professional health boards, committees, and advisory and work groups. New organizations in FY 2018 included the Contextual Behavioral Science – Aging Special Interest Group, San Diego Dementia Consortium, San Diego Psychological Association Supervision Committee and Transitional Age Youth Behavioral Health Services Council. For a complete listing, please see the Sharp HealthCare FY 2018 Community Benefit Report. Further, partnership with Community Research Foundation (http://www.comresearch.org/aboutUs.php) to improve collaboration with patients in the community continues.</p> <p>SMV also partners with Family Health Centers of San Diego (FHCS), specifically with SMV inpatient social workers to use the web-based software ED Connect, allowing SMV social workers the ability to schedule post-discharge behavioral and physical healthcare appointments.</p>

Identified Community Health Need: Behavioral Health					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
					In addition, SMV social workers have partnered with Optum to manage the crisis house search for Medi-Cal patients. When a Medi-Cal patient is going to a crisis house upon discharge, they are put on a list managed by Optum. Optum takes care of calling the local crisis houses several times a day and notifying SMV when a bed has been found. This has shortened the length of stay for these patients and decreased the staff burden on social workers.

Identified Community Health Needs: Cancer, Cardiovascular Disease, Diabetes, Maternal and Prenatal Care including High-Risk Pregnancy, Obesity					
Objectives/ Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Themes in 2019 CHNA Findings	Evaluation Methods, Measurable Targets, and Other Comments
1. Address the integration of physical and behavioral health by exploring programs that address SDOH and common co-occurring chronic health conditions (e.g., diabetes, cardiovascular disease, etc.).	NA	NA	<p>SMV Business Development Specialist</p> <p>Manager, Community Benefit and Health Improvement</p> <p>Sharp Continuing Medical Education</p> <p>Various SMV Departments/ Teams</p>	<p>Behavioral Health</p> <p>Cardiovascular Disease</p> <p>Diabetes</p> <p>Obesity</p> <p>Stress</p> <p>Nutrition</p> <p>Co-morbidity with physical health conditions (Diabetes, etc.)</p>	<p>In general, as a specialty hospital providing treatment and services for behavioral health, these additional identified community health needs do not fall within the scope of SMV's services and resources.</p> <p>However, in light of findings from Sharp's recent CHNAs, SMV is exploring options to educate and address the issue of mind-body integration and effects of physical health on behavioral health and vice versa. One partnership with Family Health Centers of San Diego (FHCS), has assisted this area. The partnership is specifically between FHCS and SMV inpatient social workers to use the web-based software ED Connect, allowing SMV social workers the ability to schedule post-discharge behavioral AND physical health care appointments.</p> <p>SMV screens all inpatients for tobacco use and provides tobacco cessation therapy, when appropriate, during treatment and after discharge.</p>

Identified Community Health Need – Access to Care and Health Insurance

Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
<p>1. Continue to explore opportunities for collaboration with community organizations to enhance access as appropriate for individuals experiencing homelessness to:</p> <ul style="list-style-type: none"> • Medical care • Financial assistance • Psychiatric and social services 	<p>a. Creation of a Homeless Task Force within Sharp HealthCare, led by Integrated Care Management, and including leaders across the Sharp continuum (Sharp HealthCare, SMV, Sharp Rees-Stealy Medical Group, and Sharp Community Medical Group) for the purposes of:</p> <ul style="list-style-type: none"> • Identifying alternative solutions for hard to place patients requiring long-term supportive care, assisted living, and/or custodial care • To guide assessment and planning for: <ul style="list-style-type: none"> ○ Allocation of internal resources ○ Possible expansion of existing external relationships <p>b. Identification of new opportunities for partnership and/or collaboration</p>	Ongoing	Sharp VP Integrated Care Management	Access to Care Collaboration Care Management	<p>Integrated Care Management:</p> <ul style="list-style-type: none"> • Seeks to have metrics to best measure successes in place for strategic planning FY 2019 – 2020 • Measures of success will include quality of care improvements, with decreased costs of care for the target population • Metrics may include measuring change in ALOS, days to transition to safe and sustainable home or home like settings

Identified Community Health Need – Access to Care and Health Insurance

Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
2. Increase coverage for patients seen in the Emergency Department (ED) by providing assistance to secure health coverage for all individuals entitled to the benefit; also provide payment options for individuals that chose not to secure coverage or are not currently eligible for health benefits. Secure benefit concurrent with stay when Medi-Cal Presumptive Eligibility rules apply.	a. Continue to provide services to help every unfunded patient received in the ED find coverage options.	Ongoing (evaluated annually)	Sharp Patient Access Services Supervisor, Patient Assistance Navigators	Access to Care Financial assistance	<p>The PointCare program continues to collect metrics on a number of individuals served and cost savings. From October 2015 to June 2019, Sharp helped nearly 47,934 self-pay patients through PointCare, while maintaining each patient’s dignity throughout the process.</p> <p>PointCare has expanded its website to also provide linkage to Covered California as appropriate. The tool interfaces patient screening information in the GE record.</p> <p>Thus far in FY 2019, Sharp’s Patient Access Services department has assisted 1,630 recipients in maintaining Medi-Cal eligibility after the HPE period lapse via advanced advocacy efforts.</p> <p>In FY 2018, Sharp’s Patient Access Services department processed real-time Medi-Cal eligibility determinations under the Hospital Presumptive Eligibility Program for 5,125 unfunded patients in the ED.</p> <p>Continued unknowns in understanding the efficacy of efforts include: the increase in the patient out of pocket responsibility resulting from health plan coverage purchased off the exchange; and the transition of qualified unfunded patients directly to Medi-Cal.</p> <p>Sharp has initiated a process of trending straight self-pay collections separate from balance after insurance collections in an effort to closely monitor these two distinct populations.</p> <p>Background: PointCare is a quick, web-based screening, enrollment and reporting technology designed by a team of health coverage experts to provide community members with health coverage and financial assistance options. At Sharp HealthCare (Sharp), patients use PointCare’s</p>

Identified Community Health Need – Access to Care and Health Insurance

Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
					simple online questionnaire to generate personalized coverage options that are filed in their account for future reference and accessibility. The results of the questionnaire enable Sharp staff to have an informed and supportive discussion with the patient about health care coverage, and empower them with options. PointCare also directs patients to the Covered California website for health coverage or Medi-Cal enrollment as Presumptively Eligible and/or full scope benefits.
3. Provide payment options, education and support to high-risk, uninsured, underinsured, and patients admitted to hospital facilities with an inability to pay their financial responsibility after health insurance.	a. Provide the Maximum Out of Pocket Program to patients who express an inability to pay their financial responsibility after health insurance.	Ongoing	All Revenue Cycle Staff	Access to care Financial assistance	In FY 2019 YTD, the Maximum Out of Pocket Program made a total of more than \$384,500 in adjustments to patient bills. Background: The Maximum Out of Pocket Program was launched in October 2014. Sharp provides one-on-one interviews during the hospital stay focusing on educating the patient regarding their health insurance benefits, accessing care, and payments options with a compassionate approach while promoting healing.
	b. Provide a Public Resource Specialist for uninsured and underinsured patients, to offer support patients needing advanced guidance on available funding options.	Ongoing	Patient Access Services (system- level) Public Resource Specialists	Access to care Financial assistance Provide education on patient access services	In 2015, positions were created within Sharp’s Patient Access Services department (system level) entitled Public Resource Specialists – to support patients at all Sharp hospitals (including Sharp Coronado Hospital and Healthcare Center) needing extra guidance on available funding options. Public Resource Specialists also perform what is traditionally called “field calls” (home visits) to patients who required assistance with completing the coverage application process after leaving the hospital.
	c. Patient Assistance Team will continue to assist patients in need of assistance gain access to free or low-cost medications.	Ongoing	Supervisor, Patient Assistance Navigators	Access to care Provide education on patient access services	Cost savings for replacement drugs is monitored through pharmacy and supply chain. The patient accounting staff remove the charges from the patient’s statement. Patients are identified through usage reports, or referred through case management, nursing, physicians or even other patients. If eligible, uninsured patients are offered assistance, which can

Identified Community Health Need – Access to Care and Health Insurance

Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
			Manager Patient Access Services, Self-Pay Patients		<p>help decrease readmissions due to lack of medication access. The team members research all options available, including programs offered by drug manufacturers, grant-based programs offered by foundations, copay assistance, low-cost alternatives, or research where the patient might find their medication at a lower cost.</p> <p>Sharp also tracks each individual that has applied for financial assistance. The patient account is noted with the findings, and a specific adjustment code is used to track the dollars associated with these reviews.</p>
	d. Continue to offer ClearBalance – a specialized loan program for patients facing high medical bills. Through this collaboration with San Diego-based CSI Financial Services, both insured and uninsured patients have the opportunity to secure small bank loans in order to pay off their medical bills in low monthly payments.	Ongoing	Supervisor, Patient Assistance Navigators Manager Patient Access Services, Self-Pay Patients	Access to Care Insurance Economic Security	YTD FY 2019, nearly 4, 079 Sharp hospital encounters have been assisted through the ClearBalance zero-interest loan program since its inception.
4. Improve care management and clinical-community linkages that address SDOH through implementation of a new technology platform that shares health and social services data across health care and social service sectors.	a. SMV (along with other Sharp entities) will participate in a one-year pilot utilizing 2-1-1 San Diego's Community Information Exchange.	July, 2020 To be evaluated in May 2020, for continued participation after the one-year pilot.	Manager, SMV Case Management Psychological Social Worker, SMV	Clinical Community Linkages Data Sharing Community Collaboration	This strategy also addresses Identified Community Health Need: Behavioral Health 1a . Please refer to that section for details.

Identified Community Health Need – Access to Care and Health Insurance					
Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
			SMV Business Development Specialist Manager, Sharp HealthCare Community Benefit and Health Improvement	All SDOH	

Identified Community Health Need – Community and Social Support					
Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
1. Provide support and resources to community members impacted by behavioral health and chemical dependency issues.	a. Collaborate with community behavioral health organizations and provide space for support groups to serve members of the community impacted by behavioral health issues.	Ongoing (evaluated annually)	SMV Business Development Specialist	Behavioral Health Support Collaboration Access to Care	This strategy also addresses Identified Community Health Need: Behavioral Health 7a . Please refer to that section for details.
	b. Facilitate various support group meetings (monthly, weekly, etc.).	Ongoing (evaluated annually)	SMV Business Development Specialist	Behavioral Health Support Education Access to Care	This strategy also addresses Identified Community Health Need: Behavioral Health 7b . Please refer to that section for details.
2. Improve care management and clinical-community linkages that address SDOH through implementation of a new technology platform that shares health and social services data across health care and social service sectors.	a. SMV (along with other Sharp entities) will participate in a one-year pilot utilizing 2-1-1 San Diego's Community Information Exchange.	July, 2020 To be evaluated in May 2020, for continued participation after the one-year pilot.	Manager, SMV Case Management Psychological Social Worker, SMV Business Development Specialist, SMV Manager, Sharp HealthCare Community	Clinical Community Linkages Data Sharing Community Collaboration All SDOH e.g., housing, nutrition, transportation, etc.	This strategy also addresses Identified Community Health Need: Behavioral Health 1a . Please refer to that section for details.

Identified Community Health Need – Community and Social Support					
Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
			Benefit and Health Improvement		

Identified Community Health Need – Economic Security					
Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
1. Advocate for the improvement of housing options and living conditions for community members with behavioral health issues.	a. Continue collaboration with community behavioral health providers and provide education to independent living facilities (ILF).	9/30/2019 (Ongoing; evaluated annually)	SMV Business Development Specialist	Behavioral Health Housing Access to Care	This strategy also addresses Identified Community Health Need: Behavioral Health 3a . Please refer to that section for details.
	b. Explore and expand collaborations with law enforcement and housing planning committees to improve outcomes for community members living with behavioral health issues.	9/30/2019 (ongoing, evaluate annually)	SMV Lead PET Manager, SMV Intake	Behavioral Health Housing Access to Care	This strategy also addresses Identified Community Health Need: Behavioral Health 3b . Please refer to that section for details.
2. Support San Diego’s homeless through collaboration with the San Diego Rescue Mission.	a. SMV continued to donate food to the San Diego Rescue Mission to help support San Diego individuals living in a shelter.	Ongoing	SMV Cafeteria Services SMV Business Development Specialist	Homelessness Collaboration Food Insecurity	In addition, SMV continued to support the San Diego Rescue Mission by donating food three times weekly to help support approximately 400 men, women and children living in the shelter. Each week during FY 2018, SMV collected and donated more than 250 pounds of food, totaling approximately 12,000 pounds per year, for the San Diego Rescue Mission – an organization that helps San Diego’s homeless and poor population create better lives for themselves through comprehensive programs, including services that address housing, hunger, behavioral health and other education and awareness programs.
3. Improve care management and clinical-community linkages that address SDOH through implementation of a new technology platform that shares health and social services data across health care and social service sectors.	a. SMV (along with other Sharp entities) will participate in a one-year pilot utilizing 2-1-1 San Diego’s Community Information Exchange.	July, 2020 To be evaluated in May 2020, for continued participation after the one-year pilot.	Manager, SMV Case Management Psychological Social Worker, SMV	Clinical Community Linkages Data Sharing Community Collaboration	This strategy also addresses Identified Community Health Need: Behavioral Health 1a . Please refer to that section for details.

Identified Community Health Need – Economic Security					
Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
			Business Development Specialist, SMV Manager, Sharp HealthCare Community Benefit and Health Improvement	All SDOH e.g., housing, nutrition, transportation, etc.	

Identified Community Health Need – Education					
Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
1. Raise awareness and reduce stigma through the provision of behavioral health education for patients, their loved ones, and the community.	a. Participate in Sharp’s partnership with the City of San Diego to provide behavioral health education and resources to employees and residents in the City’s nine districts.	Spring 2021 (three-year contract with the City)	SMV Business Development Specialist Identified Content Expert, SMV Clinicians	Education Collaboration Behavioral Health	This strategy also addresses Identified Community Health Need: Behavioral Health 6a . Please refer to that section for details.
	b. Continue to provide care and education to adolescents and youth.	Ongoing	Manager, SMV Child and Adolescent Services		This strategy also addresses Identified Community Health Need: Behavioral Health 6h . Please refer to that section for details.
2. Collaborate with local schools to promote interest in health care careers and provide opportunities for students and interns to explore behavioral health care professions. Longer-term impact of improving behavioral health workforce shortages in San Diego.	a. Continue to support workforce development and provide student mentorship in various health care disciplines.	Ongoing	Supervisor, Psychology Lead Clinical Psychologist Manager, Professional Development/ Patient Safety/MAGNET	Education Collaboration	Throughout FY 2018, SMV participated in internship and clinical training programs for trainees and students in various health care disciplines, including clinical dietary/nutrition, psychology, clinical social work, social work administration, marriage and family therapy, pharmacy, health information technology, clinical chaplains, medicine and nursing. SMV provided clinical supervision and training for 29 psychology trainees, 21 marriage and family therapy, eight Master of Social Work (MSW) and three Bachelor of Social Work student interns. In FY 2018, ancillary (non-nursing) students served approximately 46,500 hours on the SMV campus, representing an increase of nearly 17,000 hours from fiscal year 2017. In addition, more than 300 nursing students spent more than 26,400 hours at SMV, including time spent with groups and individual preceptors, in FY 2018. Nursing students from various universities and colleges were also provided free meeting space as needed.

Identified Community Health Need – Education					
Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2019 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
					<p>In FY 2018, eight doctoral interns participated in Sharp’s highly competitive yearlong, American Psychological Association-accredited doctoral internship in clinical psychology. Psychology doctoral students provided approximately 360 detailed psycho-diagnostic assessments, more than 3,000 hours of group therapy and approximately 1,980 hours of individual therapy. Further, SMV had the opportunity to mentor psychology assistant trainees during FY 2018, enabling the hospital to extend the availability of clinical programming on the inpatient units to seven days per week.</p> <p>At SMV and SMC, psychologists, licensed marriage and family therapists and licensed clinical social workers provided nearly 33,800 hours of direct clinical supervision to trainees. SMV provided two hours of lectures every week for psychology doctoral interns. These lectures were also open to trainees and staff throughout the hospital.</p> <p>In FY 2019, SMV plans to offer internship and clinical training programs and/or placement for clinical dietary/nutrition, psychology, clinical social work, social work administration, marriage and family therapy, medicine, music therapy, health information technology, clinical chaplains and pharmacy students.</p>
	b. Provide opportunities and early professional development for high school students.	Ongoing		Education Collaboration Behavioral Health	<p>SMV continued to participate in the Health Sciences High and Middle College program in FY 2018. The program provided 22 students in grades 11 and 12 with professional development opportunities within SMV’s nursing units (Intensive Treatment Program, Mood Disorders, Senior Behavioral Health, SIOP and Chemical Dependency Recovery) as well as nutrition services. In addition, students received instruction on educational and job requirements as well as career ladder development. During FY 2018, Health Sciences High and Middle College students spent nearly 4,000 hours at SMV.</p>

Identified Community Health Need – Homelessness and Housing Instability

Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2016 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
1. Collaborate with organizations in San Diego to serve homeless individuals.	a. Sponsor and participate in the Downtown San Diego Partnership Family Reunification Program.	Ongoing	Sharp Executive Vice President Hospital Operations	Homelessness Housing Instability Transportation Collaboration	With Sharp’s help, the Family Reunification Program has reunited nearly 2,200 homeless individuals in Downtown San Diego with friends and family across the nation. In FY 2019, Sharp provided financial assistance for two additional vans to support the program. Background: Since 2011, Sharp has sponsored the Downtown San Diego Partnership’s Family Reunification Program, which serves to reduce the number of homeless individuals on the streets of downtown San Diego. Through the program, homeless outreach coordinators from the Downtown San Diego Partnership’s Clean & Safe Program identify homeless individuals who will be best served by traveling back home to loved ones. Family and friends are contacted to ensure that the individuals have a place to stay and the support they need to get back on their feet. Once confirmed, the outreach team provides the transportation needed to reconnect with their support system.
2. Support San Diego’s homeless through collaboration with the San Diego Rescue Mission.	a. SMV continued to donate food to the San Diego Rescue Mission to help support San Diego individuals living in a shelter.	Ongoing	SMV Cafeteria Services SMV Business Development Specialist	Homelessness Health	This strategy also addresses Identified Community Social Determinant of Health – Economic Security 2a . Please refer to that section for details.
3. Continue to explore opportunities for collaboration with community organizations to enhance access as appropriate for individuals experiencing homelessness to:	a. Creation of a Homeless Task Force within Sharp HealthCare, led by Integrated Care Management, and including leaders across the Sharp continuum (Sharp HealthCare, SMV, Sharp Rees-Stealy Medical Group, and Sharp	Ongoing	Sharp VP Integrated Care Management	Access to Care Collaboration Care Management Homelessness	This strategy also addresses Identified Community Social Determinant of Health – Access to Care and Health Insurance 1a . Please refer to that section for details.

Identified Community Health Need – Homelessness and Housing Instability

Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2016 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
<ul style="list-style-type: none"> Medical care Financial assistance Psychiatric and social services 	<p>Community Medical Group) for the purposes of:</p> <ul style="list-style-type: none"> Identifying alternative solutions for hard to place patients requiring long-term supportive care, assisted living, and/or custodial care To guide assessment and planning for: <ul style="list-style-type: none"> Allocation of internal resources Possible expansion of existing external relationships Identification of new opportunities for partnership and/or collaboration 			Housing Instability	
4. Improve care management and clinical-community linkages that address SDOH through implementation of a new technology platform that shares health and social	a. SMV (along with other Sharp entities) will participate in a one-year pilot utilizing 2-1-1 San Diego's Community Information Exchange.	July, 2020 To be evaluated in May 2020, for continued participation after the one-year pilot.	Manager, SMV Case Management SMV Business Development Specialist	Clinical Community Linkages Data Sharing	This strategy also addresses Identified Community Health Need: Behavioral Health 1a . Please refer to that section for details.

Identified Community Health Need – Homelessness and Housing Instability

Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2016 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
services data across health care and social service sectors.			Manager, Sharp HealthCare Community Benefit and Health Improvement	Community Collaboration All SDOH e.g., housing, nutrition, transportation, etc.	

Identified Community Health Need – Unintentional Injury & Violence

Objectives/Anticipated Impact	Strategy/Action Items	Target Completion Date	Responsible Party/ies	Identified Themes in 2016 CHNA	Evaluation Methods, Measurable Targets, and Other Comments
1. Improve care management and clinical-community linkages that address SDOH through implementation of a new technology platform that shares health and social services data across health care and social service sectors.	a. SMV (along with other Sharp entities) will participate in a one-year pilot utilizing 2-1-1 San Diego's Community Information Exchange.	July, 2020 To be evaluated in May 2020, for continued participation after the one-year pilot.	Manager, SMV Case Management SMV Business Development Specialist Manager, Sharp HealthCare Community Benefit and Health Improvement	Clinical Community Linkages Data Sharing Community Collaboration All SDOH, e.g., housing, nutrition, transportation, etc.	This strategy also addresses Identified Community Health Need: Behavioral Health 1a . Please refer to that section for details.
2. Not applicable (NA)	NA	NA	NA	Unintentional Injury Violence	In general, as a specialty hospital providing treatment and services for behavioral health, these additional identified community SDOH do not fall within the scope of SMV's services and resources. This social determinant of health is addressed through programs/services provided through SMH. SMV is located on the Sharp Metropolitan Medical Campus – the same campus as SMH.

Appendix

D

**Sharp HealthCare 2016 CHNA
Phase 2 Findings**

SHARP HEALTHCARE
2016 CHNA PHASE 2
FOLLOW-UP SURVEY RESULTS

[Abstract](#)

This document includes the results of the Phase 2 Sharp specific survey.

Table of Contents

Introduction

Health Care Provider Survey

Behavioral Health Community Survey

Cancer Community Survey

Promotores Community Survey

Senior Health Community Survey

Introduction

Sharp conducted hospital-specific analyses and contracted separately with IPH to conduct community engagement activities expressly for the communities served by each of its hospitals in the follow-up to the needs assessment. The following are Sharp HealthCare’s identified health needs and social determinants of health (SDOH) from the 2016 Community Health Needs Assessment (CHNA).

FIGURE 1. TOP IDENTIFIED HEALTH NEEDS ACROSS ALL SHARP HEALTHCARE HOSPITALS, SHARP HEALTHCARE 2016 CHNA





FIGURE 2. SOCIAL DETERMINANTS OF HEALTH, SHARP HEALTHCARE 2016 CHNA



As a follow up to the 2016 CHNA process a community and health care provider survey was conducted in order to gain feedback on the top four health needs and top 10 SDOH that were identified in the 2016 CHNA. Electronic and paper surveys were created in both English and Spanish for the following Sharp community engagement groups: behavioral health, cancer, senior health, and Promotores.

Health Care Provider Survey

Health care provider surveys were collected from different provider groups within Sharp HealthCare. All surveys were given to the IPH for analysis. A total of 11 surveys were completed, six were completed online and five were completed via pencil/paper format.

TABLE 2. HEALTH CARE PROVIDER SURVEY, 2016 CHNA FOLLOW-UP SURVEY (N=11)

Survey Question and Response Choices	n	%
1. Who/what group did you represent in Sharp's 2016 CHNA process? (n=11)		
Sharp cancer patient navigator	3	27%
Sharp care coordinator	0	0%
Sharp nurse* (including nurse practitioner)	4	36%
Promotora	0	0%
Sharp social worker	3	27%
Other, please specify	1	9%
Senior center manager		
Total	11	100%
2. Do you agree that the health needs listed above are the top health needs of communities facing inequities within San Diego County? (n=11)		
Strongly Agree	7	64%
Agree	4	36%
Neutral	0	0%
Disagree	0	0%
Strongly Disagree	0	0%
Total	11	100%
3. Please add any additional comments about the top health needs of communities facing inequities within San Diego County (n=5)		
Total Comments	5	
Behavioral Health		
Narcotic addiction		
Does behavioral health include drug abuse?		
Substance abuse - alcohol and heavy recreational drugs (i.e. meth) and pain medication (narcotics), mental health, and pain management.		
Senior Health Issues		
Seniors on Medi-Cal are particularly vulnerable population for a variety of reasons.		
Access to transportation for seniors is also a high priority		

4. Do you/does your organization or department screen for behavioral health issues when treating patients for a physical health condition? (n=11)		
Yes	11	100%
No	0	0%
I Don't Know	0	0%
Total	11	100%
5. Please choose the different screening methods you utilize to identify and/or document behavioral health issues. Check all that apply. (n=10)		
Casually talk with patients to gather information on possible behavioral health issues.	5	50%
Ask standardized screening questions on specific behavioral health issues.	8	80%
Document identified behavioral health issues within the patients' chart or records.	6	60%
Refer patients to behavioral health resources.	6	60%
Conduct trend analysis on the behavioral health issues for your patients and clients.	0	0%
Follow-up with patients' behavioral health care provider (if they have one).	2	20%
Follow-up with patients on their behavioral health screening and referrals.	3	30%
Other, please specify	2	20%
Distress screening tool (for radiation patients)		
Total Respondents	10	
6. Please explain your organization's/department's screening process. (n=6)		
Total comments	6	
7. Have you tried to gain access to patient medical records outside of your organization for patients' physical conditions? (n=5)		
Yes	7	70%
No	3	30%
Total	10	100%
8. What has been your experience when trying to obtain patient medical records? (n=7)		
Very Easy	1	14%
Easy	2	29%
Neutral	2	29%
Difficult	2	29%
Very Difficult	0	0%
Total	7	100%
9. Please explain your experience with obtaining patient medical records. (n=6)		
Total comments	6	
10. Do you agree that the ten factors listed above represent the greatest barriers for communities with poor health outcomes in San Diego County? (n=9)		
Strongly Agree	7	78%
Agree	1	11%
Neutral	1	11%
Disagree	0	0%
Strongly Disagree	0	0%

Total	9	100%
11. Please add any additional comments about factors representing the greatest barriers for communities with poor health outcomes in San Diego County. (n=2)		
Total comments	2	
I do not have an adequate vision across the broad needs because I deal only with a subset (geriatrics) of the whole (population). View complete survey for this response		
I agree with all of the above list!		
12. Do you/does your organization identify factors that contribute to a person's health within the populations that you serve? (n=9)		
Yes	8	89%
No	0	0%
I Don't Know	1	11%
Total	9	100%
13. What factors that contribute to a person's health does your organization screen for? Check all that apply. (n=8)		
Food Insecurity & Access to Healthy Food	5	63%
Access to Care or Services	7	88%
Homeless/Housing issues	6	75%
Physical Activity	6	75%
Education/Knowledge	8	100%
Cultural Competency	4	50%
Transportation	8	100%
Insurance Issues	6	75%
Stigma	4	50%
Poverty	5	63%
Other	0	0%
Total Respondents	8	
14. Please choose the different screening methods you utilize in your organization to identify and/or document the factors that contribute to a patients' health. Check all that apply. (n=8)		
Casually talk with patients to gather information on possible factors that contribute to a person's health	8	100%
Ask standardized screening questions on these specific factors.	1	13%
Document any identified factors within the patients' chart or records.	8	100%
Refer patients to resources that address these factors.	8	100%
Conduct trend analysis on the factors that contribute to a person's health identified for your patients and clients.	1	13%
Follow-up with patients who were identified with high risk factors.	3	38%
Other	2	25%
Distress screening in radiation identifies social issues. Radiation oncology nurses do an assessment as well as navigators.		
Distress screening tool, radiology oncology (RadOnc) RN assessment, and patient navigator interactions.		
Total Respondents	8	

15. How likely are you to use these findings and/or data that resulted from the CHNA to help inform your programs or help in the grant writing process? (n=9)		
Very Likely	3	33%
Likely	1	11%
Neutral	4	44%
Unlikely	1	11%
Very Unlikely	0	0%
Total	9	100%
16. Sharp HealthCare is trying to learn about the work already being done to address factors that contribute to a person's health and reduce health inequity. Please take a moment to identify organizations who are leading in the areas identified below. (n=8)		
Food Insecurity & Access to Healthy Food	7	88%
Access to Care or Services	5	63%
Homeless/Housing issues	3	38%
Physical Activity	5	63%
Education/Knowledge	2	25%
Cultural Competency	2	25%
Transportation	7	88%
Insurance Issues	5	63%
Stigma	0	0%
Poverty	3	38%
Total Respondents	8	
17. Please provide any additional comments about the results of the CHNA: (n=1)		
Total comments	1	
Often times we can identify a need, but there may be a lack of resources to help meet those needs.		
18. For reporting purposes for the hospitals, please provide the type of organization you work for. (n=9)		
Sharp Coronado Hospital and Healthcare Center	0	0%
Sharp Chula Vista Medical Center	0	0%
Sharp Grossmont Hospital	2	22%
Sharp McDonald Center	0	0%
Sharp Memorial Hospital	3	33%
Sharp Mary Birch Hospital for Women & Newborns	1	11%
Sharp Mesa Vista Hospital	0	0%
Community Based Organization	0	0%
Other (non Sharp) Health Care Provider	0	0%
Community Clinic (Federally Qualified Health Center)	0	0%
Other, please specify	3	33%
Sharp Senior Health Centers (Downtown)		
Total	9	100%

Health Care Provider - Open Ended Responses

Question 6. Please explain your organization's/department's screening process. (N=6)

Depression Screening (including dementia and functional status) (n=2)

1. All new patients get screened for depression and again if an annual wellness visit is done. Patient may be screened again for interval symptom development. Patients are treated in this office/or referred to as appropriate.
2. When we do their annual wellness visit, we do a dementia, functional status, and depression screening.

Distress Screening for radiation patients (n=2)

1. Distress screening is done with radiation patients to identify barriers and needs incorporating psycho-social assessment. Radiation nurses ask about social situation when doing their consults.
2. The distress screening tool is given prior to the start of radiation treatment and reviewed by the Radiation Oncology nurses and social workers. Asks questions about: thoughts about death and dying, personal safety, suicidal thoughts, substance use, and other emotions.

Standardized Screening (including social worker follow-up) (n=2)

1. Alcohol, Depression, Tobacco, Falls, Immunizations, Preventative health measures, Obesity, Diabetes
2. There are standardized questions asked of all pts [patients] upon admission and if they screen positive to any of the, a social worker f/u with them for further assessment and to provide referrals as appropriate.

Question 9. Please explain your experience with obtaining patient medical records. (N=6)

1. If the doctor office is Sharp affiliated or has good referral relations, it is typically easy to get information on shared patients. Typically, there are time delays for patients outside of Sharp affiliates i.e. UCSD.
2. Usually straightforward process. Once the proper papers are signed, sometimes can take several days to receive copies.
3. Difficult at times; sometimes I need to request 2-3 times.
4. Takes extra time. Most, but not all requested records arrive in a timely manner.
5. Sometimes can present a challenge with the efficiency of the office that we are dealing with.
6. We rarely get notes automatically sent to us from referral clinics and have to request them, often taking extended periods of time to obtain.

Question 16. Sharp HealthCare is trying to learn about the work already being done to address factors that contribute to a person's health and reduce health inequity. Please take a moment to identify organizations who are leading in the areas identified below. (N=8)

Food Insecurity & Access to Healthy Food

1. Mama's Kitchen
2. Jewish Family Services Food Pantry
3. Serving Seniors (2)

4. San Diego Food Bank (3)
5. General comments: (food bank, nutrition classes, nutrition services)

Access to Care or Services

1. PACE (Programs of All-Inclusive Care for the Elderly)
2. Insurance companies (some provide translation and transportation)
3. San Diego County Aging and Independence Services
4. General comment: provide resources for home care services, in-home care services information

Homeless/Housing Issues

1. 2-1-1 San Diego, but they do not have too much to offer
2. Serving Seniors
3. General comment: need more resources for outpatients such as actual housing and/or funding for housing

Physical Activity

1. Feeling Fit
2. Sharp HealthCare
3. Silver Sneakers, for Medicare patients (2)
4. YMCA (2)
5. General comment: will order physical therapy (PT) when necessary

Education Knowledge

1. General comment: community education classes on senior topics

Cultural Competency

1. Jewish Family Service - Refugee Program

Transportation

1. American Cancer Society Road to Recovery
2. Jewish Family Services Sharp
3. Sharp HealthCare Van Services (2)
4. Sharp Senior Center
5. General comments: our clinic offers limited transportation; there is a need for more free transportation for patients who have appointments/ treatment. (3)

Insurance Issues

1. HiCAP (Health Insurance Counseling & Advocacy Program)
2. Sharp HealthCare
 - a. Referrals to local clinics for the Breast and Cervical Cancer Treatment Program
 - b. Vital support fund for breast cancer patients who cannot afford out of pocket for services at Sharp Grossmont
 - c. Financial Counselors
3. Sharp Senior Center
4. Social services

Poverty

1. Breast Cancer Angels
2. Cancer care grants for breast cancer patients

3. Jewish Family Community Service
4. Patient Advocate Foundation
5. Shades of Pink
6. St. Vincent De Paul
7. General comments: Referrals are needed and some are income-based, need for more financial assistance resources and for all types of cancer patients (disease sites)

Behavioral Health Community Survey

As part of Sharp HealthCare's specific needs assessment process, attendees of an aftercare support group were asked to fill out the follow-up survey during an existing meeting. The purpose was to follow-up with the same aftercare group that was targeted during the 2016 CHNA Phase 1 process, but generally speaking, respondents to this survey were not the original participants in Phase 1 of the 2016 CHNA process/survey. This is due to turnover in this particular patient population.

TABLE 3. COMMUNITY SURVEY, AFTERCARE SUPPORT GROUP, 2016 CHNA FOLLOW-UP SURVEY (N=65)

Survey Question and Response Choices	n	%
1. Who/what group did you represent in Sharp's 2016 CHNA process? (n=65)		
Aftercare support group	56	86%
Cancer support group	0	0%
Patient Family Advisory Council (PFAC)	0	0%
Senior	0	0%
I was not involved in the 2016 CHNA process	9	14%
Other	0	0%
Total	65	100%
2. Do you agree that the health needs listed above are the top health needs for you or others in your community? (n=65)		
Strongly Agree	27	42%
Agree	29	45%
Neutral	8	12%
Disagree	1	2%
Strongly Disagree	0	0%
Total	65	100%
3. Please add any additional comments about the top health needs for you or others in your community (n=14)		
Total Comments	14	
4. Do you agree that the ten factors listed above represent the greatest barriers to health for you or others within your community? (n=65)		
Strongly Agree	22	34%
Agree	22	34%
Neutral	19	29%
Disagree	1	2%
Strongly Disagree	1	2%
Total	65	100%
5. Please add any additional comments about factors that contribute to a person's health. (n=15)		
Total Comments	15	

6. Please provide any additional comments about the results of the CHNA (n=6)	
Total Comments	6

Behavioral Health Community - Open Ended Responses

Question 3. Please add any additional comments about the top health needs for you or others in your community. (N=14)

Access to services (n=1)

1. Need additional attention and aftercare services.

Behavioral Health (addiction, inquiry regarding inclusiveness of definition) (n=4)

1. I think addiction is in behavioral health category. But I somewhat feel that for some of us, once you take the drugs and alcohol away, there are no other present mental health issues.
2. Addiction should be its own category.
3. Addiction.
4. Substance abuse (if that is considered behavioral health).

Cancer (n=1)

1. Cancer should be [the] #1 [health need] in my opinion.

Compliment (n=2)

1. Sharp is great.
2. Aftercare has been instrumental in my continued sobriety.

Education/Knowledge (n=1)

1. Ignorant of big picture.

Health Insurance/Access to Care (Socio-Economic) (n=1)

1. More health care for the poor.

Miscellaneous (including critiques) (n=3)

1. Med-nurse at McDonald Center "Chester" is highly inappropriate and oversteps boundaries with patients during their inpatient treatment.
2. Not sure about it.
3. Monte Morbach here - I have two degrees in college. This survey is ridiculous (sorry for the poor wording). I'm doing this in a meeting (as requested). Regarding this aftercare program - it is a very important program to those of us that went through the IOP programs. Please call me or email me and I will be happy to help you put together a useful and realistic survey for all of us in this Sharp program. (left contact info) What do you really want to know?

Sexual Health Education/Awareness (n=1)

1. HIV/AIDS awareness/ Sexual health

Question 5. Please add any additional comments about factors that contribute to a person's health. (N=15)

Access to care (time to see provider, behavioral health, insurance issues, stigma) (n=4)

1. One factor is also the time it takes to get to see a doctor.
2. We need more residential treatment centers in San Diego County. Jail is not recovery!
3. Access to affordable healthcare - affordable healthcare that provides coverage to preexisting conditions. Stress related to insurance complexities.
4. More focus needed on stigma and access to care or services

Behavior (Health Habits) (n=1)

1. Lazy is a bigger cause of poor eating.

Compliment (n=1)

1. Sharp is doing a great job in identifying needs and acting on them.

Education/Knowledge (financial competence, prevention) (n=2)

1. Financial competence and its relationship to cooking competence.
2. Not enough attention paid to preventative health care.

Miscellaneous (including critiques) (n=3)

1. Not sure about it.
2. Ignorant of big picture.
3. More food options for diabetics, less sweets!

Supportive Services (n=4)

1. Individual support services.
2. Support system.
3. Spiritual.
4. Spirituality and a strong support group.

Question 6. Please provide any additional comments about the results of the CHNA. (N=6)

Compliment (aftercare program, McDonald Center) (n=4)

1. Thank you.
2. McDonald aftercare has been instrumental in my sobriety. This group has changed my life by the friendships I have developed as a result of this amazing group of people.
3. Aftercare has given me a sense of community. Staying connected to those I went through treatment with is an important part of my sobriety.
4. Aftercare is incredibly successful.

Miscellaneous (n=1)

1. Was not a part of [the CHNA].

Stigma/Access to Care/Access to Services (n=1)

1. More focus needed on stigma and access to care or services

Cancer Community Survey

As part of Sharp HealthCare's specific follow-up process, cancer support group participants were asked to fill out a follow-up survey. The cancer surveys were slightly modified compared to the community surveys after receiving feedback from the Cancer Patient Navigators. The survey was facilitated by a Cancer Patient Navigator with the purpose of gathering feedback from community residents within San Diego County whose lives are impacted by cancer. All surveys were given to the IPH for analysis. A total of 60 surveys were completed by cancer support group participants.

TABLE 4. CANCER SURVEY, 2016 CHNA FOLLOW-UP SURVEY (N=60)

Survey Question and Response Choices	n	%
1. Please mark the category that best describes your connection to Sharp. (n=57)		
Cancer Patient	57	100%
Family member of a cancer patient	0	0%
Other, please specify	0	0%
Total	57	100%
2. Did you participate in Sharp's 2016 community health needs assessment survey last year? (n=57)		
Yes	2	4%
No	42	74%
I Don't Know	13	23%
Total	57	100%
3. Do you agree that health needs listed below are the top health needs for you or others in your community? (n=60)		
Strongly Agree	31	49%
Agree	24	42%
Neutral	4	7%
Disagree	0	0%
Strongly Disagree	1	2%
Total	60	100%
4. Are there any other health needs for you or others in your community? (n=22)		
Total Comments	22	
5. Do you agree that the ten factors listed below are the greatest health concerns for you and others within your community? (n=60)*		
Strongly Agree	19	32%
Agree	24	39%
Neutral	15	26%
Disagree	1	2%
Strongly Disagree	1	2%
Total	60	100%
6. Please let us know of any other issues that you feel affects a person's health. (n=13)		
Total Comments	13	

*Question 5 on the community survey had slightly different wording compared to the cancer survey, three responses were completed with the community survey. Q5: Do you agree that the ten factors listed above represent the greatest barriers to health for you or others within your community?

Question 4. Are there any other health needs for you or others in your community? (N=22)

Access to care (providers, specialists, services) (n=2)

1. Better access to second opinions. Better access to fast emergency room care.
2. Lungs primary care doctor

Behavioral Health (Mental Health) (n=3)

Chronic Disease (Parkinson's Disease) (n=1)

Compliment (n=2)

1. Good
2. Note: All your workers are very kind and professional and caring people

Critique (Transportation services, appointments, related costs) (n=2)

1. Better coordination for appointments, perhaps 2 or 3 in one day saves time, cost of time, and travel. We spend a minimum of \$9.00 a day for an appointment.
2. The transport of all times and having to call every day before is a true mess. I get so flustered. I want to be nice, but the person doing the day to day does not make it easy!

No additional comment (n=9)

- Written response of "no", don't know, "not at this time/to my knowledge"

Nutrition (Proper nutrition) (n=1)

Prevention/Early Screening (for Children and Teens) (n=1)

- Physicals for healthy kids that are at risk for heart attacks and food options that are healthy for growing teens (the risk of so much caffeine, sodas, etc.).

Senior Health Supportive Care/Services (n=1)

- Alzheimer's/elderly care for those that live a full life. We need to take care of our elderly by providing better care of us when we get old.

Question 6. Please let us know of any other issues that you feel affects a person's health. (N=13)

Access to care and services (n=1)

- Service from all of branches of healthcare are number one.

Behavioral Health (n=2)

1. Mental health/depression.
2. Mental attitude. Teeth care.

Health (General) Risk Factors (genetics, stress) (n=2)

1. Genetic - family history of disease
2. Work environment - stress

Compliment (n=2)

1. Satisfied.
2. You've covered the bases quite well in our opinion. We have always been very pleased with our care here. You are stellar at what you do for patients and their families. Thank you!

Food and Nutrition Habits (n=1)

- Daily food preparation for self and family

Housing Issues (n=1)

- Affordable rent

Physical Health (n=1)

- Chronic Pain

Senior Health Issues (n=1)

- Aging issues

No additional comments (n=2)

- Written response of "no" and "none".

Promotores Community Survey

A survey was conducted during a bi-monthly Sharp HealthCare Share and Learn Breakfast in order to follow-up with the community health workers and Promotores who were involved in the Phase 1 process, but generally speaking, respondents to this survey were not the original participants in Phase 1 of the 2016 CHNA process/survey. This is due to turnover in this particular community group. The Conviva y Aprende (Share and Learn) Breakfast is an educational breakfast seminar that Sharp HealthCare Multicultural Services offers to community health workers and Promotores. During this event attendees were asked to complete a survey after a brief presentation about Sharp HealthCare's CHNA results. The presentation was conducted in Spanish; and Spanish surveys were distributed. The surveys were completed in pencil/ paper format and were collected by a Sharp HealthCare representative. All surveys were given to the IPH for analysis. A total of 38 surveys were completed.

TABLE 5. PROMOTORA SURVEY, 2016 CHNA FOLLOW-UP SURVEY (N=38)

Survey Question and Response Choices	n	%
1. Who/what group did you represent in Sharp's 2016 CHNA process? (n=38)		
Sharp cancer patient navigator	2	5%
Sharp care coordinator	0	0%
Sharp Nurse	0	0%
Promotora	18	47%
Sharp social worker	1	3%
Other: <i>not specified (5)*, volunteer (2), patient (1), community health worker (2), community outreach/health promotion/health education (7)**</i>	17	45%
Total	38	100%
2. Do you agree that the health needs listed above are the top health needs of communities with poor health outcomes within San Diego County? (n=37)		
Strongly Agree	22	59%
Agree	13	35%
Neutral	2	5%
Disagree	0	0%
Strongly Disagree	0	0%
Total	37	100%
3. Please add any additional comments about the top health needs of communities with poor health outcomes within San Diego County. (n=28)		
Total Comments	28	

4. Do you/does your organization or department screen for behavioral health issues when treating patients for a physical health condition? (n=38)		
Yes	16	42%
No	15	39%
I Don't Know	7	18%
Total	38	100%
5. Please choose the different screening methods you utilize to identify and/or document behavioral health issues. Check all that apply. (n=16)		
Casually talk with patients to gather information on possible behavioral health issues.	12	75%
Ask standardized screening questions on specific behavioral health issues.	8	50%
Write down any identified behavioral health issues within the patients' chart or records.	7	44%
Refer patients to behavioral health resources.	9	56%
Look at trends on the behavioral health issues for your patients and clients.	6	38%
Follow-up with patients' behavioral health care provider (if they have one).	5	31%
Follow-up with patients on their behavioral health screening and referrals.	7	44%
Other, please specify (<i>Request further study on the problem at hand, Recommend books, etc., Do a follow-up with the patient about their needs, appointments and help provided.</i>)	3	19%
Total	16	
6. Please explain your organizations/departments screening process. (n=9)		
Total comments	9	
7. Have you tried to gain access to patient medical records outside of your organization for patients' physical conditions? (n=34)		
Yes	10	29%
No	24	71%
Total	34	100%
8. What has been your experience when trying to obtain patient medical records? (n=8)		
Very Easy	2	25%
Easy	1	13%
Neutral	3	38%
Difficult	1	13%
Very Difficult	1	13%
Total	8	100%
9. Please explain your experience with obtaining patient medical records. (n=5)		
Total comments	5	
10. Do you agree that the ten factors listed above represent the greatest barriers for communities with poor health outcomes in San Diego County? (n=35)		
Strongly Agree	21	60%
Agree	11	31%
Neutral	3	9%
Disagree	0	0%
Strongly Disagree	0	0%
Total	35	100%
11. Please add any additional comments about factors representing the greatest barriers for communities with poor health outcomes in San Diego County.(n=16)		
Total comments	16	

12. Do you/does your organization identify factors that contribute to a person's health within the populations that you serve? (n=32)		
Yes	21	66%
No	6	19%
I Don't Know	5	16%
Total	32	100%
13. What factors that contribute to a person's health does your organization screen for? Check all that apply. (n=21)		
Food Insecurity & Access to Healthy Food	9	43%
Access to Care or Services	14	67%
Homeless/Housing issues	8	38%
Physical Activity	9	43%
Education/Knowledge	10	48%
Cultural Competency	7	33%
Transportation	10	48%
Insurance Issues	10	48%
Stigma	5	24%
Poverty	7	33%
Other	0	0%
Total	21	
14. Please choose the different screening methods you utilize in your organization to identify and/or document the factors that contribute to a patients' health. Check all that apply. (n=21)		
Casually talk with patients to gather information on possible factors that contribute to a person's health	12	57%
Ask standardized screening questions on these specific factors.	11	52%
Write down any identified factors within the patients' chart or records.	7	33%
Refer patients to resources that address these factors.	13	62%
Look at trends on the factors that contribute to a person's health identified for your patients and clients.	7	33%
Follow-up with patients who were identified with high risk factors.	10	48%
Other (<i>Workshops, Go to shelters to help women and men who have been abused physically and mentally, Give patients/clients written information on health/resources and references and a phone number where people can contact me in a secure way with no compromise.</i>)	3	14%
Total	21	
15. How likely are you to use these findings and/or data that resulted from the CHNA to help inform your programs or help in the grant writing process? (n=32)		
Very Likely	15	47%
Likely	10	31 %
Neutral	4	13%
Unlikely	3	9%
Very Unlikely	0	0%
Total	32	100%

16. Sharp HealthCare is trying to learn about the work already being done to address factors that contribute to a person's health and reduce health inequity. Please take a moment to identify organizations who are leading in the areas identified below. (n=14)		
Food Insecurity & Access to Healthy Food	12	86%
Access to Care or Services	10	71%
Homeless/Housing issues	6	43%
Physical Activity	6	43%
Education/Knowledge	5	36%
Cultural Competency	2	14%
Transportation	7	50%
Insurance Issues	7	50%
Stigma	1	7%
Poverty	1	7%
Total	14	
17. Please provide any additional comments about the results of the CHNA: (n=12)		
Total comments	12	
18. For reporting purposes for the hospitals, please provide the type of organization you work for. (n=25)		
Community Based Organization	12	48%
Other (non-Sharp) Health Care Provider	1	4%
Community Clinic (Federally Qualified Health Center)	5	20%
Other, please specify	7	28%
Vision y Compromiso		
Invited Guest		
PAC (Amigaspunto)		
Casa Familiar of San Ysidro		
CASA/ San Ysidro Health Center		
American Diabetes Association Volunteer		
Other, not specified		
Total	25	100%

Health Care Provider Survey, Promotores - Open Ended Responses

Question 3. Please add any additional comments about the top health needs of communities with poor health outcomes within San Diego County. (N=28)

Access to care (Doctors/medical staff, Appointment availability and length of scheduling time) **(n=16)**

1. When I request an appointment, there is no availability for when I need it when I am sick.
2. Appointments are too far out. Doctors do not treat you as needed.
3. Appointments are too hard.
4. Follow-up appointments are too far out and very little listening to the patient's symptoms.
5. Maybe more medical staff and offer appropriate amount of attention as necessary.
6. Medical appointments are (scheduled) too far away.
7. Need for health coverage.

8. Promote community clinics that can serve and primary doctors who can help in that area.
9. Sometimes appointments are given too far out (in time).
10. The appointment process is slow due to the high volume of patients.
11. The appointments are too far out. The invoice sometimes does not correspond to the care being provided, the time of care is very little, and they do not treat you properly. They do not treat all of your health problems.
12. The appointments given are too far out.
13. The doctors have a slow process. Doctors are in a hurry.
14. The process of appointments is very prolonged (2 to 3 months). The main (primary) doctor does not send you to see a specialist until your situation is critical.
15. There are no basic services being done like annual physicals and annual dental exams.
16. Very short time for the appointments.

Behavioral Health (n=1)

1. In behavioral health, the topic of "depression" should be more exposed continually and how to identify it in kids, adolescents, adults, and the elderly. Also, oral health.

Cultural Competency/Knowledge/Education (n=6)

1. There is a need for more health education in the community in general...the consequences of not going to an appointment. There needs to be education on prevention.
2. Language - they do not reach out because it is embarrassing. They do not have trust in giving their personal information and other people do not have the information of where to go for help. They take forever to treat and the appointments are given too far out.
3. Give them the information in their primary language and socially-cultural competency according to each generation being treated.
4. Offer classes or conferences to people, especially house wives and thousands of women that do not work.
5. Both the community group and the group of people who provide a service must be well informed about the service as well as providing a collaborative service.
6. Health fairs with education information and disease prevention information.

Insurance Issues (n=3)

1. I would like for the process to not be so difficult. And for there to be an Obamacare that is truly a good health coverage...and for everyone to be treated without excuses.
2. Very little information on how to obtain health coverage. Opportunity to express ourselves with the doctor without having to worry about another patient coming in.
3. Currently it is unknown on whether Obamacare is in effect or not.

Oral/dental health* (mentioned with behavioral health comment) (n=1)

Senior Issues (n=1)

1. More information to the population of 65+ in the process of Medicare and Medi-Cal to be able to evaluate the health services for the older adult.

Sexually transmitted diseases and teen pregnancy (n=1)

Question 6. Please explain your organization's screening process.

1. Talk with the patient and accompany them
2. When a behavioral health issue is observed, a referral is made to a specialty provider. We keep in contact with the patient.
3. We start off with a questionnaire. Based on this we start a conversation. And based on the reaction and response, we give an orientation.
4. At the beginning there is a questionnaire to be filled out to be able to detect behavioral health issues.
5. Follow the patient's requirements for their health.
6. Workshops on identification in their personality and emotions.
7. I do not have the information or details, but I know it is a process that happens with every patient.
8. After determining that the client needs our services, a process of demographic exploration starts with a worker that links them to medical services.
9. Used internal referrals and self-referrals information as referral number for behavioral health!

Question 9. Please explain your experience (with obtaining patient medical records).

1. As a patient, sometimes with clinics, it is a long process. One has to be calling and they do not pay attention or they charge.
2. They do not give access to the medical records quickly.
3. It is a bit of a slow process and it is confidential information. We ask for information from the patient of where to ask for their information. Then the patient signs a form to release their information.
4. Having the authorization from your health insurance makes it faster to schedule an appointment.
5. One requests that the patient request their own medical records and then send it to us via mail.

Question 11. Please add any additional comments about factors representing the greatest barriers for communities with poor health outcomes in San Diego County. (N=16)

Education (n=5)

1. Knowledge - lack of knowing what is good for your health.
2. Provide the patient with more clear information about their health care plan.
3. Ignorance, but that depends on each person. They can go to a library to learn and know more about a topic, specifically about health.
4. Culture - it is hard for people to be preventative. They wait until they are ill to see a doctor.
5. I'm new to the country. I do not know who to go to or where.

Immigration (n=1)

1. Migration problems

Lack of quality care (n=1)

1. The fast lifestyle that one lives obstructs a service of excellence. Everything is with very little amount of time for both the provider and the patient. There needs to be

more time to create quality service and to create a link between providers and patients. In doing so, there will be more medical follow-ups.

Language (n=2)

1. Language, socially cultural, generational (baby boomers, generation x, millennials, etc.).

Miscellaneous (n=2)

1. Medical personnel only devote themselves to prescribe without guiding the patients about their diagnosis.
2. "Barriers: fear, education, socio-economic level, language, immigration status, transportation, child care, civil status, attitude/conduct, information, social environment. Necessities: healthy foods, basic necessities (clothes, shoes, food), health services that are accessible, recreational areas, public security/safety, education (access) information and support, community support."

Oral Health (n=1)

1. One other topic that is almost never considered is oral health in kids, adults, and the elderly (taking care of dentures).

Socio-economic (n=1)

1. Missing: abuse of every class (socio-economic?)

Transportation (n=1)

Trust (n=1)

1. There needs to be trust in the community workers, promotores, and clinics from the community members.

Question 16. Sharp HealthCare is trying to learn about the work already being done to address factors that contribute to a person's health and reduce health inequity. Please take a moment to identify organizations who are leading in the areas identified below. (N=14)

Social Determinant of Health	Organization
Access to Care or Services (n=10)	Casa Familiar of San Ysidro (n=2)
	Family Health Centers of San Diego
	Live Well San Diego
	PAC
	San Ysidro Health Center (n=5)
Homeless/Housing Issues (n=7)	CASA Familiar
	Chula Vista Police Department Homeless Outreach Team (CVPD HOT)
	Family Health Centers of San Diego
	Homeless grant
	HOPWA (Housing Opportunities for Persons with AIDS) (n=2)
	SBCS (Southbay Community Services)
Physical Activity (n=8)	CASA (n=2)
	Casa Familiar of San Ysidro (n=4)
	Public Library Yoga Classes at Chula Vista and Otay

	YMCA
Education Knowledge (n=6)	CASA
	Casa Familiar of San Ysidro
	Instituto Cisotifico San Luis
	San Ysidro Health Center (SYHC) (n=2)
	Vision y Compromiso (Vision and Commitment) - Education/training for health promoters and community workers
Cultural Competency (n=2)	Depending on a patient's health care plan.
	Employee training at Family Health Centers of San Diego
Transportation (n=7)	Depending on age/health insurance
	Medical insurance plans
	MTS (San Diego Metropolitan Transit System) (n=3)
	PACE (San Diego Program of All-Inclusive Care for the Elderly) as offered through SYHC
	San Ysidro Health Center (SYHC)
Insurance Issues (n=10)	2-1-1 San Diego
	Chula Vista Community Collaborative * (n=2)
	Family Health Centers of San Diego (n=2)
	HICAP (the Health Insurance Counseling & Advocacy Program)
	San Ysidro Health Center (n=3)
	Sharp HealthCare
Stigma (n=1)	HIV, HEP C, STD Programs
Food Insecurity & Access to Healthy Food (n=16)	2-1-1 San Diego
	Alma Sandoval
	Family Health Centers of San Diego
	Farmers Markets
	Food Bank
	Heart and Hands Working Together - San Ysidro
	Homestart Program
	Mama's Kitchen (n=4)
	PAC
	SNAP
	WIC (n=3)
Poverty (n=2)	Family Health Centers of San Diego - homeless program
	Food lines

*Respondents did not define acronym for org. This was our best guess in identifying the organization.

Question 17. Please provide any additional comments about the results of the CHNA (N=12)

1. "everything is fine"
2. It is good to have these statistics. But there should be a priority on people rather than number resulting from a study. Let's take care of issues, not be worried by them.
3. Promotores/community workers should have the opportunity to learn strategies to reach our communities.
4. I do not know many people in these situations.
5. Complement (n=4):
 - a. Excellent information. Inform the leaders and new generations for them to see and understand.
 - b. Good job. Thank you for your valuable assistance to our community's well-being
 - c. They have been very beneficial and helpful for everyone. Thank you very much.
 - d. Very good.
6. Take into account that these results change with every major event in society. Please continue studying the results to be able to update community needs.
7. Dental health - access to dentists and health coverage.
8. In reference to health fairs, it would be good to implement a new concept that is not for people who are already ill, but to prevent it. And try to implement something new that attracts attention from patients like Zumba, informative loteria (Mexican bingo card game), vaccines, dental revision.
9. Nowadays because of our new government, we have the problem of fear in communities to seek and receive medical attention or services offered to the community.

Senior Health Community Survey

As part of Sharp HealthCare's specific needs assessment process, community members accessing services from Sharp Senior Health Centers were asked to fill out the follow-up survey with assistance from their health care practitioner; most often a nurse. The purpose was to follow-up with the same senior groups that were targeted during the 2016 CHNA Phase 1 process; however generally speaking, respondents to this survey were not the original participants in Phase 1 of the 2016 CHNA process/survey. This is due to turnover in this particular patient population

TABLE 6. COMMUNITY SURVEY, SENIOR CENTER, 2016 CHNA FOLLOW-UP SURVEY (N=5)

Survey Question and Response Choices	n	%
1. Who/what group did you represent in Sharp's 2016 CHNA process? (n=5)		
Aftercare support group	0	0%
Cancer support group	0	0%
Patient Family Advisory Council (PFAC)	0	0%
Senior	1	20%
I was not involved in the 2016 CHNA process	4	80%
Other	0	0%
Total	5	100%
2. Do you agree that the health needs listed above are the top health needs for you or others in your community? (n=5)		
Strongly Agree	2	40%
Agree	2	40%
Neutral	1	20%
Disagree	0	0%
Strongly Disagree	0	0%
Total	5	100%
3. Please add any additional comments about the top health needs for you or others in your community (n=1)		
Total Comments (Senior mobility is very important to me.)	1	
4. Do you agree that the ten factors listed above represent the greatest barriers to health for you or others within your community? (n=5)		
Strongly Agree	3	60%
Agree	1	20%
Neutral	1	20%
Disagree	0	0%
Strongly Disagree	0	0%
Total	5	100%
5. Please add any additional comments about factors that contribute to a person's health. (n=1)		
Total Comments (I feel that teen pregnancy is another issue that should be talked about more.)	1	
6. Please provide any additional comments about the results of the CHNA (n=0)*		
Total Comments	0	

*excluded one comment due to individual not understanding question

Appendix

E Sharp CHNA Community Guide

Sharp HealthCare Community Health Needs Assessment Guide



As a not-for-profit organization, Sharp HealthCare places great value on the health and wellness of the San Diego community. This value is reflected in Sharp's mission to improve the health of those it serves with a commitment to excellence in all that it does.

Since 1995, Sharp has participated in a countywide collaborative to conduct a triennial Community Health Needs Assessment (CHNA) in an effort to identify the priority health needs facing the San Diego community. In 2013, the Patient Protection and Affordable Care Act presented a new requirement for not-for-profit hospitals and health care systems to develop a separate CHNA for each individually licensed hospital.


To address these new requirements, in 2013 and 2016, Sharp began its CHNA process by collaborating with other hospitals and health care systems in San Diego County to create a collaborative CHNA — an effort led by the Hospital Association of San Diego and Imperial Counties (HASD&IC) and in contract with the Institute for Public Health (IPH) at San Diego State University. The collaborative CHNA process and findings provided the foundation for the development of CHNAs for each Sharp hospital.

In 2016, Sharp contracted separately with IPH to develop tailored CHNAs through two phases:

Phase 1

Sharp conducted discussions, interviews and surveys to collect feedback from Sharp clinicians and staff, as well as patients and community members served specifically by each of its hospitals. This allowed Sharp to understand the unique needs of those who live throughout its hospitals' communities. Phase 1 findings identified the priority health needs and social determinants of health (factors that contribute to challenges faced by community members in their attempts to maintain health and well-being) highlighted in the figures below.

2016 CHNA Priority Health Needs



2016 CHNA Social Determinants of Health (in Rank Order)

1. FOOD INSECURITY AND ACCESS TO HEALTHY FOOD	6. CULTURAL COMPETENCY
2. ACCESS TO CARE OR SERVICES	7. TRANSPORTATION
3. HOMELESS/HOUSING ISSUES	8. INSURANCE ISSUES
4. PHYSICAL ACTIVITY	9. STIGMA
5. EDUCATION/KNOWLEDGE	10. POVERTY

Phase 2

Upon the completion of Phase 1, Sharp distributed follow-up surveys to Sharp patients, community members and health care providers to collect feedback on the CHNA findings and process, including input on the priority health needs and related social determinants of health identified in Phase 1. This feedback helps guide planning for future CHNAs.

Annual Implementation Strategy



In response to the 2016 CHNA findings, each Sharp hospital created an implementation strategy that highlights the programs, services and resources provided by the hospital to address the identified health needs in its community. A general list of these programs, services and resources is provided in the table below. To view the full implementation strategy for each Sharp hospital, please visit sharp.com/about/community/health-needs-assessments.cfm.

PRIORITY HEALTH NEED							
Implementation Strategy	Behavioral Health	Cancer	Cardio-vascular Disease	Type 2 Diabetes	High-Risk Pregnancy	Obesity	Senior Health
Community education and resources (includes advance care planning) through health fairs, seminars, lectures, educational classes, conferences and events	✓	✓	✓	✓	✓	✓	✓
Collaboration with community organizations	✓	✓	✓	✓			✓
Education/training for staff and community health professionals	✓	✓	✓	✓	✓	✓	✓
Flu shots			✓				✓
Screening programs	✓	✓	✓		✓	✓	✓
Support groups/programs	✓	✓	✓		✓		✓
Research (actively exploring or participating in research activities)	✓	✓			✓		✓

SOCIAL DETERMINANTS OF HEALTH (SDOH)							
SDOH Strategy	Behavioral Health	Cancer	Cardio-vascular Disease	Type 2 Diabetes	High-Risk Pregnancy	Obesity	Senior Health
Food Insecurity and Access to Healthy Food (includes screenings, referrals, community collaboration, education or provision of medically tailored meals, fruits and vegetables)		✓		✓		✓	✓
Access to Care/Insurance Issues (includes financial assistance programs and assistance with public program enrollment such as Medi-Cal and CalFresh)	✓	✓	✓	✓	✓	✓	✓
Homeless/Housing Issues: Sharp HealthCare works with various community entities — including the state and local government — to coordinate appropriate post-discharge support for those who are homeless or at risk of homelessness; Sharp also sponsors the Family Reunification Program, which has connected 1,700 formerly homeless with families and loved ones	✓	✓	✓	✓	✓	✓	✓
Physical Activity	✓	✓	✓	✓	✓	✓	✓
Education/Knowledge (includes health literacy programs and resources as well as community education events, lectures, etc.)	✓	✓	✓	✓	✓	✓	✓
Cultural Competency (includes educational materials designed for different cultures, staff education on cultural competency, etc.)	✓	✓		✓			✓
Transportation (available to all patients who meet criteria: sharp.com/hospitals/transportation-services.cfm)	✓	✓	✓	✓	✓	✓	✓
Stigma (includes education around stigma, support for community organizations addressing stigma, and community integration programs to reduce stigma)	✓	✓					

Insight from the San Diego community is critical to Sharp's CHNA process and the programs provided to meet the needs of its community members. For questions or additional information on Sharp's CHNAs or implementation strategies, please contact Jillian Barber, Manager, Community Benefit and Health Improvement, at jillian.barber@sharp.com.

Appendix

F Description of Partnering Organizations – HASD&IC and IPH

The Hospital Association of San Diego and Imperial Counties

The Hospital Association of San Diego and Imperial Counties (HASD&IC) was established in 1956 (then the Hospital Council) and is a nonprofit organization representing over 35 hospitals and integrated health systems in the two-county area. HASD&IC's mission is to support its members by advancing the organization, management and effective delivery of affordable, medically necessary, quality health care services for the communities of San Diego and Imperial counties. HASD&IC's board of directors represents all member sectors and provides policy direction to ensure the interests of member hospitals and health systems are preserved and promoted. HASD&IC contracted with San Diego State University's Institute for Public Health (IPH) to conduct a hospital-based Community Health Needs Assessment (CHNA) throughout the region.

The Institute for Public Health at San Diego State University

For the 2019 Community Health Needs Assessment process, HASD&IC contracted with the Institute for Public Health (IPH) at San Diego State University (SDSU). In the last 20 years, the IPH has partnered with over 70 local, state, national and international public and private community-based agencies and organizations representing more than 120 multiple-year contracts with a wide variety of needs and methodologies. The IPH has expertise in qualitative and quantitative community-based research methods. In addition, the IPH has extensive experience in successful community engagement with diverse groups, including non-English speakers. The IPH has been working across cultures and with vulnerable populations for 25 years, including programs with Asian and Pacific Islander communities, African-American communities, East African communities, Latino communities, Native American communities, low-income communities, gay, bisexual, transgender individuals, people living with HIV/AIDS, individuals experiencing homelessness, adolescents who are pregnant or parenting, and survivors of domestic violence and sexual assault, among others. IPH staff have special expertise in conducting culturally competent work and exploring sensitive issues. IPH community engagement efforts have included performing key informant interviews, leading focus groups, facilitating town hall meetings, and conducting patient and provider interviews.

Appendix

G Community Need Index Description

The Community Need Index

Dignity Health and Truven Health jointly developed the nation's first standardized Community Need Index (CNI).³⁵ The CNI identifies the severity of health vulnerability for every ZIP code in the U.S. based on specific barriers to health care access.

The CNI provides a score for every populated ZIP code in the U.S. on a scale of 1.0 to 5.0. A score of 1.0 indicates a ZIP code with the least need (dark green in maps), while a score of 5.0 represents a ZIP code with the most need (bright red in maps). For a detailed description of the CNI please visit the interactive website at: <http://cni.chw-interactive.org/>. The five barriers are listed below along with the individual statistics that were analyzed for each barrier.

1. Income Barrier

- Percentage of households below poverty line, with head of household age 65 or more
- Percentage of families with children under 18 below poverty line
- Percentage of single female-headed families with children under 18 below poverty line

2. Cultural Barrier

- Percentage of the population that is minority (including Hispanic ethnicity)
- Percentage of the population over age 5 that speaks English poorly or not at all

3. Educational Barrier

- Percentage of the population over 25 without a high school diploma

4. Insurance Barrier

- Percentage of the population in the labor force, aged 16 or more, without employment
- Percentage of the population without health insurance

5. Housing Barrier

- Percentage of the population renting their home

Based on these 5 categories and 9 total criteria, every ZIP code in the U.S. was assigned an index number:

- Scale of 1 – 5
- 5 represents the most vulnerable communities; 1 the least vulnerable

³⁵ Source: Dignity Health, Community Need Index. http://cni.chw-interactive.org/Truven%20Health_2015%20Source%20Notes_Community%20Need%20Index.pdf

Appendix

H SMV Hospital Data

Table 1: SMV Behavioral Health, including Substance Use – Top 10 Inpatient ICD-10 Codes, CY 2017

Top 10 ICD-10 Diagnosis Codes	ICD-10 Code	Frequency	Percentage	Male Freq.*	% Male	Female Freq.*	% Female
Nicotine Dependence Cigarettes Uncomplicated	F17.210	1,021	5.65%	577	3.19%	444	2.46%
Alcohol Dependence With Withdrawal Unspecified	F10.239	953	5.28%	584	3.23%	369	2.04%
Major Depressive Disorder Recurrent Severe Without Psychotic Features	F33.2	839	4.65%	274	1.52%	565	3.13%
Insomnia Due to Other Mental Disorder	F51.05	605	3.35%	236	1.31%	369	2.04%
Generalized Anxiety Disorder	F41.1	552	3.06%	206	1.14%	346	1.92%
Major Depressive Disorder Recurrent Moderate	F33.1	523	2.90%	231	1.28%	292	1.62%
Cannabis Abuse Uncomplicated	F12.10	492	2.72%	290	1.61%	202	1.12%
Anxiety Disorder Unspecified	F41.9	468	2.59%	228	1.26%	240	1.33%
Nicotine Dependence Unspecified Uncomplicated	F17.200	462	2.56%	288	1.59%	174	0.96%
Cannabis Dependence Uncomplicated	F12.20	440	2.44%	262	1.45%	178	0.99%
<i>Other Diagnoses In This Identified Health Area</i>	--	11,707	64.82%	5,845	32.36%	5,862	32.45%
Total ICD-10 Code Count		18,062	--	9,021	49.9%	9,041	50.1%

Data Source: SpeedTrack CUPID; OSHPD Inpatient Hospital Discharge Data.

*Note: Male Frequency and Female Frequency are out of the combined Frequency total

Table 2: SMV Behavioral Health, including Substance Use – Encounters by Age, CY 2017

Age Range	Frequency	%
Under 1 Year	0	0.00%
1 - 17 Years	525	14.69%
18 - 34 Years	1,084	30.34%
35 - 64 Years	1,616	45.23%
65 Years or Greater	348	9.74%
Total Encounters	3,573	--

Data Source: SpeedTrack CUPID; OSHPD Inpatient Hospital Discharge Data

Table 3: SMV Senior Health – Top 10 Behavioral Health, including Substance Use Inpatient ICD-10 Codes, CY 2017

Top 10 ICD-10 Diagnosis Codes	ICD-10 Code	Frequency	Percentage	Male Freq.*	% Male	Female Freq.*	% Female
Major Depressive Disorder Recurrent Severe Without Psychotic Features	F33.2	113	7.13%	34	2.15%	79	4.98%
Alcohol Dependence With Withdrawal Unspecified	F10.239	96	6.06%	56	3.53%	40	2.52%
Insomnia Due to Other Mental Disorder	F51.05	79	4.98%	19	1.20%	60	3.79%
Generalized Anxiety Disorder	F41.1	79	4.98%	20	1.26%	59	3.72%
Nicotine Dependence Cigarettes Uncomplicated	F17.210	66	4.16%	32	2.02%	34	2.15%
Adjustment Disorder With Mixed Anxiety and Depressed Mood	F43.23	52	3.28%	21	1.32%	31	1.96%
Anxiety Disorder Unspecified	F41.9	52	3.28%	13	0.82%	39	2.46%
Other Specified Eating Disorder	F50.89	48	3.03%	12	0.76%	36	2.27%
Dementia in Other Diseases Classified Elsewhere With Behavioral Disturbance	F02.81	43	2.71%	20	1.26%	23	1.45%
Major Depressive Disorder Single Episode Unspecified	F32.9	38	2.40%	18	1.14%	20	1.26%
<i>Other Diagnoses In This Identified Health Area</i>	--	919	57.98%	371	23.41%	548	34.57%
Total ICD-10 Code Count		1,585	--	616	38.9%	969	61.1%

Data Source: SpeedTrack CUPID; OSHPD Inpatient Hospital Discharge Data. Pulled for patients ages 65 years and older.

*Note: Male Frequency and Female Frequency are out of the combined Frequency total

Table 4: SMV Opioid Use – Top 10 Inpatient ICD-10 Codes, CY 2017

Top 10 ICD-10 Diagnosis Codes	ICD-10 Code	Frequency	Percentage	Male Freq.*	% Male	Female Freq.*	% Female
Opioid Dependence With Withdrawal	F11.23	423	43.16%	261	26.63%	162	16.53%
Opioid Dependence Uncomplicated	F11.20	232	23.67%	131	13.37%	101	10.31%
Opioid Abuse Uncomplicated	F11.10	120	12.24%	75	7.65%	45	4.59%
Opioid Dependence in Remission	F11.21	73	7.45%	41	4.18%	32	3.27%
Opioid Dependence With Opioid-Induced Mood Disorder	F11.24	51	5.20%	26	2.65%	25	2.55%
Opioid Dependence With Other Opioid-Induced Disorder	F11.288	24	2.45%	14	1.43%	10	1.02%
Poisoning by Other Opioids Intentional Self-Harm Initial Encounter	T40.2x2a	17	1.73%	7	0.71%	10	1.02%
Poisoning by Other Opioids Intentional Self-Harm Subsequent Encounter	T40.2x2d	8	0.82%	4	0.41%	4	0.41%
Opioid Use Unspecified Uncomplicated	F11.90	7	0.71%	4	0.41%	3	0.31%
Poisoning by Other Synthetic Narcotics Intentional Self-Harm Subsequent Encounter	T40.4x2d	3	0.31%	3	0.31%	0	0.00%
<i>Other Diagnoses In This Identified Health Area</i>	--	22	2.24%	13	1.33%	9	0.92%
Total ICD-10 Code Count		980	--	579	59.1%	401	40.9%

Data Source: SpeedTrack CUPID; OSHPD Inpatient Hospital Discharge Data.

*Note: Male Frequency and Female Frequency are out of the combined Frequency total

Table 5: SMV Opioid Use Behavioral Health Inpatient – Encounters by Age, CY 2017

Age Range	Frequency	Percentage
Under 1 Year	0	0.00%
1 - 17 Years	28	3.21%
18 - 34 Years	334	38.26%
35 - 64 Years	430	49.26%
65 Years or Greater	81	9.28%
Total Encounters	873	--

Data Source: SpeedTrack CUPID; OSHPD Inpatient Hospital Discharge Data

Appendix

HASD&IC 2019 CHNA Community Engagement Tracking Form

Focus Groups							
#	Organization/Participants	Number of participants	Minority, medically underserved, & low-income group	Expertise	Role in target group	Region	Date input was gathered
1	Health Center Partners, Promoters	3	Yes	Minority, underserved communities, behavioral health, social service navigation, stigma	Community Leader	South	10/9/18
2	Alliance for Regional Solution, Homeless providers, healthcare providers, government, law enforcement, non-profits	40	Yes	Homeless, housing and health, stigma	Community Leader	North Coastal, North Inland	10/24/18
3	School Based Health Center – Southwest High School, Clinic staff including providers, school staff, parents, interns	17	Yes	Children/youth, students, stigma	Representative Health Expert	South	11/28/18
4	San Diego Hunger Coalition, Task Force Meeting Members	11	Yes	Food Insecurity, healthy food access, hunger and health	Community Leader	All Regions	11/29/18
5	California State University of San Marcos, School of Nursing, Student Healthcare Project, Director and Student Nurses	10	Yes	Underserved communities, undocumented, stigma	Representative Health Expert	North Coastal, North Inland	1/29/19
6	Casa Familiar, South Bay Community Center, and San Ysidro Health, Promotoras	14	Yes	Minority communities	Community Leader	South	1/31/19

Focus Groups							
#	Organization/Participants	Number of participants	Minority, medically underserved, & low-income group	Expertise	Role in target group	Region	Date input was gathered
7	Regional Task Force on the Homeless , General Membership Meeting Members	12	Yes	Homeless, homeless TAY population, housing and health	Community Leader	North Central	1/31/19
8	Family Health Centers of San Diego , Special populations health educators and program coordinators	13	Yes	LGBTQ, stigma	Representative Health Expert	Central	2/4/19
9	University of California San Diego School of Medicine Center for Community Health, Partnership for the Advancement of New Americans, United Women of East Africa	3	Yes	Underserved communities, refugee, new immigrant	Community Leader	Central	2/7/19
10	Community Housing Works , Residents	20	Yes	Minority, medically underserved, and low income, aging concerns	Community Resident	Central	1/16/18
11	Environmental Health Coalition , Community Advisory Members	9	Yes	Minority, environmental issues	Community Resident	Central	11/14/18
12	Monarch School , Parents of homeless youth	8	Yes	Homeless Youth, students, stigma	Community Resident	Central	12/4/18
13	Chaldean & Middle-Eastern Social Services , Community Advisory Board Members	10	Yes	Refugee, new immigrant	Community Resident	East	12/4/18
14	Vista Community Clinic , Youth Patient Advisory Board Members	7	Yes	Minority youth, underserved communities, stigma	Community Resident	North Coastal, North Inland	12/5/18

Focus Groups							
#	Organization/Participants	Number of participants	Minority, medically underserved, & low-income group	Expertise	Role in target group	Region	Date input was gathered
15	Vista Community Clinic, Patient Advisory Board Members	10	Yes	Minority, underserved communities, stigma	Community Resident	North Coastal, North Inland	12/5/18
16	Education Without Borders, San Diego State University, Students	8	Yes	College students, minority, undocumented, stigma	Community Resident	Central	1/22/19
17	Family Health Centers of San Diego, Patients, community members	12	Yes	LGBTQ, stigma	Community Resident	Central	2/6/19
18	San Diego Youth Services, Youth Action Board Members	7	Yes	Homeless Youth	Community Resident	Central, East	2/7/19

Online Survey				
#	Participants	Number	Expertise	Date input was gathered
1	Community Based Organizations, Federally Qualified Health Centers, Hospital/Health System, Local Government Agency, Philanthropic Organizations, San Diego County Public Health Services	306	Minority, medically underserved, and low income, population with chronic diseases	1/29/19 – 2/12/19
2	Community Residents	47	Minority, medically underserved, and low income, population with chronic diseases	1/29/19 – 2/12/19

Key Informant Interviews					
#	Organization/Participants	Expertise	Role in target group	Region	Date input was gathered
1	University of California San Diego School of Medicine Center for	Underserved communities	Community Leader	Central	11/5/18

Key Informant Interviews					
#	Organization/Participants	Expertise	Role in target group	Region	Date input was gathered
	Community Health , Executive Director				
2	Mountain Health , CEO	Rural Health	Community Leader	North Inland, East	11/30/18
3	O'Farrell Charter School , Teacher	Children/youth, students	Community Leader	Central	12/4/18
4	Jewish Family Service , Director of Nutrition	Military hunger	Community Leader	All Regions	12/4/18
5	Think Dignity , Executive Director	Homeless	Community Leader	Central	12/5/18
6	ElderHelp , Advocate	Senior Health	Community Leader	All Regions	12/12/18
7	San Diego American Indian Health Center , Substance Abuse Treatment Provider	Native American Health	Community Leader	Central	1/18/19
8	Dreams for Change , CEO	Homeless	Community Leader	Central	1/22/19
9	International Rescue Committee , Senior Food and Farming Program Manager	Refugees	Community Leader	Central	1/29/19
10	Pillars of the Community , Program Coordinator	Minority, underserved communities	Community Leader	Central	1/31/19
11	Otay Elementary, Chula Vista School District , School Counselor	Children/youth, students	Community Leader	South	2/4/19
12	San Diego County Health and Human Services Agency , Director and Deputy Chief Administrative Officer	Health Department Representative, Low-income, medically underserved, minority population, population with chronic disease	Community Leader	All Regions	2/19/19

Appendix

J

**Sharp HealthCare 2019 CHNA
Case Studies**

Sharp 2019 CHNA Case Study: Breast Cancer

Sharp 2019 CHNA Case Study: High-Risk Pregnancy

Sharp 2019 CHNA: Case Study – “Camila”

Breast Cancer: A Crisis One in Eight Women Will Face

Camila is a 55-year-old, single Latina woman who works as an LVN at a skilled nursing facility. Camila loves her job, and she is known for the nurturing and intelligent way she cares for her patients. At home, Camila has a 15-year-old son, and she also cares for her 75-year-old mother. They are a close and loving family. Camila is a legal resident of the United States, and her son is a citizen. Her mother, however, is in the country without proper documentation.

After a recent mammogram at the Sharp Memorial Outpatient Pavilion, an abnormality is found in Camila’s right breast. After further imaging, Camila is sent for a biopsy, and she is diagnosed with invasive ductal carcinoma — the most common type of breast cancer. Camila is referred to a medical oncologist and a breast surgeon.

Meeting Camila’s Medical Needs

Camila’s care team is housed at Sharp Memorial Hospital. They formulate a treatment plan for her, which will include:

- Four months of chemotherapy
- Surgery (breast conserving, if possible)
- Radiation therapy five days a week for six weeks
- Five years of hormone targeted therapy drugs
- Five years of close surveillance once treatment has ended

Breast Cancer

As of 2016, 3.5 million women in the United States had a history of breast cancer.¹

American women have a 1 in 8 (12.4%) chance of developing breast cancer.²

In San Diego from 2011-2015, 127 women per 100,000 had breast cancer diagnosis.²

In the same time period, 20.3 per 100,000 women died from breast cancer. Death rates from breast cancer in San Diego vary by race³:

- 25.7 for Black women
- 22.1 for White women
- 18.1 for Hispanic women
- 12.6 for Asian/Pacific Islander women

“You are never again the person you were before the cancer diagnosis”

— Clinical Social Worker and Patient Navigator Sharp Barnhart Cancer Center

Clinical staging assessed Camila’s breast cancer as Stage IIb. The tumor is initially too large for Camila to be a candidate for breast conserving surgery. Therefore, Camila undergoes neoadjuvant chemotherapy — systemic therapy that occurs *before* surgery. Camila receives the chemotherapy every three weeks for four months. As expected, Camila loses her hair, and while she is able to continue working after the first round of

Community Engagement Findings: Gaps in Services

Financial concerns are a primary source of stress for cancer patients. Financial navigators to deal specifically and exclusively with health insurance and other financial issues are needed.

Social and support services for cancer patients are fragmented. They would benefit from an in-house “one-stop” shop that provide services to meet a variety of needs.

Too few therapists who specialize in oncology accept insurance; this leaves those who cannot self-pay without vital long-term mental health care.

More resources are needed to provide adequate post-surgery or post-chemotherapy follow-up to cancer patients.

chemotherapy, after the second, she becomes too sick to work. She also feels as if her brain is foggy — she can’t concentrate well, and she is especially forgetful. Once the chemotherapy has concluded, new imaging scans show that the tumor has adequately shrunk to allow for breast conserving surgery. Camila has the surgery and returns home the same day. Three weeks later, she begins radiation therapy, attending five days a week for six weeks. She is also taking Tamoxifen, a hormone-targeted drug, to lower her risk of recurrence. She will take this medication for at least five years. After her treatment concludes, Camila will have physical examinations every six months for the next three years and a mammogram every six months for the next five years, at which time she will return to annual mammograms.

Meeting Camila’s Social, Emotional, and Practical Needs

Camila is surprised at how deeply this diagnosis has shaken her given her experience in the health care field. She is scared and overwhelmed with worry about her health and about how she will manage her family while she is undergoing treatment.

Camila knows that her chances of survival are excellent. Nevertheless, she is scared of dying and can’t help but wonder what will happen to her son and to her mother if she dies. Camila knows it isn’t the most important thing, but she is also deeply upset about losing her hair.

Camila also has a long list of practical concerns. She isn’t sure how the family will make it financially — the co-pays for her treatment are high, and her disability check will be smaller than her regular income. Her car

is old, and the hospital is 15 miles from her home, and she is concerned that her car will break down. She also isn’t sure what she will do about getting home from surgery or about driving herself to chemotherapy and radiation if she is sick — she’s the only person in the house who drives. At home, her mom tries to help, but her mother is not in the best of health and her mobility is limited. Camila does not want her to son to have to take care of her during her chemotherapy and after surgery. She worries about how his needs will be met while she is sick — how will he get to school and to sports and to his friends’ houses? And, although she doesn’t like to discuss this openly, Camila is worried

that all of this contact with the health care community might result in her residency status being revoked — or worse — her mother’s deportation.

Fortunately, Camila is referred to a Sharp Memorial Hospital cancer patient navigator. The navigator calls her before she begins chemotherapy and:

- Administers a distress scale which helps the navigator assess Camila’s physical, social, emotional, and practical needs
- Helps Camila schedule her appointments for surgery
- Talks to Camila about what to expect during treatment and what side effects might occur
- Offers Camila tips and tools to manage treatment side effects
- Refers Camila to community resources that can help with transportation
- Helps Camila apply for a grant that will provide her with financial assistance
- Refers her to a Sharp social worker who provides Camila with several counseling sessions during her cancer treatment
- Comes to her bedside before her surgery to reassure her
- Refers her to twice-monthly support group for women with breast cancer at Sharp Memorial Outpatient Pavilion
- Encourages her to attend a “Lunch and Learn” education program at Sharp Memorial Outpatient Pavilion to cope with the emotional aspects of cancer
- Discusses some of the integrative care options available at Sharp Memorial Hospital and whether they would be beneficial to Camila

Potential Long-term Side Effects of Breast Cancer Treatment^{9,10}

Anxiety
Depression
Suicide
Neurocognitive dysfunction
Sexual dysfunction
PTSD
Fear of recurrence
Poor body image
Cardiovascular toxicities
Lymphedema
Fatigue
Pain
Bone loss
Premature menopause
Infertility
Skin changes

Survivorship: Meeting Camila’s Needs After Treatment Ends

Mood disorders, including depression, are common among cancer patients. Depression, in turn, is associated with higher levels of cancer mortality.⁴⁻⁸

Seven months after her diagnosis, Camila’s cancer treatment comes to a successful end. The cancer has been treated, and Camila recovers quickly. The cancer navigator helps Camila complete a survivorship care plan, which will ensure that Camila is aware of symptoms of recurrence and of potential long-term effects from her treatment. The plan also gives details about the kind of follow-up care Camila should receive.

Physically, Camila is doing fairly well. Fortunately, she did not develop lymphedema, cardiovascular issues, or neuropathy as some breast cancer patients do. Camila is, however, exhausted and continues to be forgetful and less organized than she was before she had cancer. She also struggles emotionally. She doesn't understand why she isn't happier and is extremely anxious that the cancer will recur. Her son, too, struggles. He worries about leaving his mom home alone and has taken over some of the care for his grandmother.

Camila isn't sure where to turn for help. Her relationship with the cancer patient navigator ended when her treatment ended, as did her counseling with the social worker. She knows that support groups are available for breast cancer survivors, but she doesn't have the energy to find one. She is trying to find a therapist, both for her and for her son, but the therapists she locates who have experience in cancer survivorship don't take her insurance. Camila's experience is not uncommon. A key finding of the 2019 CHNA was that cancer survivors need easily accessible, long-term support and services after their treatment has concluded.

Sources Cited:

1. Miller KD, Siegel RL, Lin CC, et al. Cancer treatment and survivorship statistics, 2016. *CA Cancer J Clin*. 2016;66: 271-289.
2. American Cancer Society. Breast Cancer Facts & Figures 2017-2018. Atlanta: American Cancer Society, Inc. 2017.
3. California Cancer Registry. Age-Adjusted Cancer Mortality Rates in California, 2011-2015, By County. <https://www.cancer-rates.info/ca/>. Accessed April 17, 2019.
4. Jones SM, LaCroix AZ, Li W, et al. Depression and quality of life before and after breast cancer diagnosis in older women from the Women's Health Initiative. *J Cancer Surviv*. 2015;9(4):620-629.
5. Mitchell AJ, Chan M, Bhatti H, et al. Prevalence of depression, anxiety, and adjustment disorder in oncological, hematological, and palliative-care settings: a meta-analysis of 94 interview-based studies. *Lancet Oncol*. 2011;12(2):160-174.
6. Pinquart M, Duberstein PR. Depression and cancer mortality: a meta-analysis. *Psychol Med*. 2010;40(11):1797-1810.
7. Kornblith AB, Herndon JE, 2nd, Weiss RB, et al. Long-term adjustment of survivors of early-stage breast carcinoma, 20 years after adjuvant chemotherapy. *Cancer*. 2003;98(4):679-689.
8. Ganz PA, Desmond KA, Leedham B, Rowland JH, Meyerowitz BE, Belin TR. Quality of life in long-term, disease-free survivors of breast cancer: a follow-up study. *J Natl Cancer Inst*. 2002;94(1):39-49.
9. Kenyon M, Mayer DK, Owens AK. Late and long-term effects of breast cancer treatment and surveillance management for the general practitioner. *J Obstet Gynecol Neonatal Nurs*. 2014;43(3):382-398.
10. Carreira H, Williams R, Muller M, Harewood R, Stanway S, Bhaskaran K. Associations Between Breast Cancer Survivorship and Adverse Mental Health Outcomes: A Systematic Review. *J Natl Cancer Inst*. 2018;110(12):1311-1327.

Other Sources Consulted:

11. Khatcheressian JL, Hurley P, Bantug E, et al. Breast cancer follow-up and management after primary treatment: American Society of Clinical Oncology clinical practice guideline update. *J Clin Oncol*. 2013;31(7):961-965.
12. Treating breast cancer. The American Cancer Society website: <https://www.cancer.org/cancer/breast-cancer/treatment.html>. Accessed May 21, 2019.

Sharp 2019 CHNA: Case Study – “Ashley”

Ashley’s High-Risk Pregnancy: A Physical and Emotional Journey

Ashley is a 42-year-old, African American woman who has taught elementary school for nearly two decades; she is beloved for her intelligence, genuine love of children, infectious laugh, and strong work ethic.

Ashley is pregnant with her second child. She has a 7-year-old girl, Natasha, at home, who was born at 35 weeks, 1 day gestation, two and a half hours after Ashley’s membranes ruptured. Natasha spent 4 days in the Neonatal Intensive Care Unit (NICU) and was discharged. Natasha suffered no long-term effects from her early delivery, but Ashley remembers the time her daughter spent in the NICU as extremely stressful and anxiety-provoking — unlike anything she and her husband had ever experienced before.

Ashley and her husband waited four years before trying to conceive again, in part because of the traumatic nature of Natasha’s birth. Unfortunately, Ashley had two miscarriages, one at 7 weeks’ gestation and the other at 15 weeks’ gestation, before this pregnancy. As a result, Ashley and her husband are both thrilled and very nervous about this pregnancy.

Thirty weeks into her pregnancy, Ashley comes into the triage unit at Sharp Mary Birch Hospital for Women & Newborns (SMBHWN). After a physical examination, a physician confirms that Ashley’s membranes have ruptured. As in her first pregnancy, Ashley is once again experiencing what is known as *Preterm Premature Rupture of the Membranes* or PROM, one of the most common causes of premature birth, and one of the most common reasons women are admitted to the Perinatal Special Care Unit (PSCU) at SMBHWN.

Meeting Ashley’s Medical Needs

Ashley is admitted to the PSCU at SMBHWN, where she will remain until she delivers. Ashley’s obstetrician consults with a perinatologist and neonatologist, and they agree on the following plan:

- Administer intravenous antibiotics for 48 hours followed by 5 days of oral antibiotics to minimize risk of infection, two doses of corticosteroid to enhance fetal lung development, and one dose of magnesium sulphate for fetal neural protection
- Check Ashley’s vital signs every four hours, monitor for signs of infection
- Check fetal heart rate and for uterine contractions every four hours

Premature Birth and PROM

Premature delivery occurs in approximately 10% of all births in the United States¹ Preterm Premature Rupture of the Membranes (PROM) complicates an estimated 3% of all pregnancies.²

About 1/3 of premature births are caused by PROM.³

- Perform weekly ultrasounds to check amniotic fluid levels
- Arrange physical therapy (PT) consult within 48 hours of admission, offer PT as necessary

The hope is that Ashley's labor will not begin for at least another three weeks, but no attempts will be made to stop her labor once it begins. If the baby is born, as expected, before full-term, he will be transferred immediately to the NICU at SMBHWN for assessment, monitoring, and any necessary interventions.

Women with high-risk pregnancies are at risk of anxiety and depression.⁴⁻⁷

Meeting Ashley's Social, Emotional, and Practical Needs

Ashley knew that her pregnancy was considered higher risk than usual since she was older and had a history of PROM, and she is grateful for the care she is receiving. Nevertheless, the practical and

emotional realities of Ashley's situation are overwhelming to her. She feels as if she has no control over her life and is worried about being a burden.

Ashley finds herself crying a lot and is worried about her baby: *Will her baby be ok? Will he live? How long will he have to be in the hospital after he is born? Are there long-term effects of being born so early? Will he be able to nurse? Will his breathing be labored? Will she be able to hold him? Will he be lonely in the NICU if she isn't there all the time? Will he bond with her if she can't bring him home?*

Ashley remembers the NICU and all its beeping machines and long tubes. She also remembers the tiny, fragile-looking babies housed within its walls. And she is scared. On top of that, she is uncomfortable lying in bed all the time. And she is lonely. And bored.

Ashley is also worried about a host of practical issues: *Who will find a substitute teacher for her and how will she get the lesson plans to the substitute? How long will her maternity leave be now that she is out of work so much earlier than expected? How will they afford the co-pays for her hospitalization? When will her disability payments start? How will her husband cope with caring for their home, their child, and their pets by himself?*

And is she worried about her daughter at home: *How will Natasha cope with being without her mom until the baby is born? Will she be scared? Who will pick her up from school, help her with her homework, and get her to playdates and birthday parties? How will they take care of the baby in the NICU and take care of Natasha at the same time? Will Natasha's relationship with the baby be affected by his time in the NICU?*

Fortunately, the caregivers on the SMBHWN PSCU have extensive experience in caring for women like Ashley with high-risk pregnancies. They answer her questions, reassure her about her baby's health, monitor her health and the health of her baby closely, and

ensure that she receives a wide range of services to meet her psychosocial needs. During her stay, Ashley:

- Works with a SMBHWN social worker, who assesses Ashley's needs and helps her arrange her disability payments, navigate her insurance plan, and formulate a plan for after the baby is born; teaches her about resources for premature babies, like the Early Start program; and provides her with much-needed emotional support. The social worker is also actively monitoring Ashley for signs of serious depression. Equally important, the social worker arranges for a tour of the NICU, where Ashley meets other moms of premature babies and is able to see babies who were born at the same gestation her baby is at now.
- Attends the Baby Chat group with other mothers on the PSCU. The prenatal educator who facilitates the group answers the moms' questions about caring for babies, both premature and full-term, and talks about resources in the community. She also goes to an Arts for Healing group in the lobby of the unit. Both of these groups help Ashley battle the loneliness and isolation of being hospitalized.
- Receives bedside pet therapy, music therapy, and art therapy. Ashley treasures her time with the therapy dog who visits her and she enjoys her time in music and art therapy. She also loves it when the volunteer violinist comes to her room — they love to chat, and the music cheers her up.

Community Engagement Findings: Gaps in Services

High-risk pregnancies take an emotional toll on women and their families.

Financial concerns are a primary source of stress for women with high-risk pregnancies.

Women need help navigating the insurance and disability systems.

The lack of available transitional services once the mother and her baby are home is a major gap in care.

The Baby

Fifteen days after Ashley's admission to SMBHWN, contractions begin. She delivers her little boy just three hours later. He is 33 weeks, 1 day gestation. The delivery goes smoothly, and Ashley and her husband welcome Baby Neal who weighs 4 pounds, 6 ounces and is 17 inches long. Ashley is officially discharged 48 hours later. She decides, however, to take advantage of the SMBHWN "hotel" program where she is allowed to stay in a hospital room, without hospital services, to be near her baby. She is concerned about the additional expense but cannot bear the thought of being away from Neal.

Ashley returns home after a week and makes twice daily visits to see Neal in the NICU. The transition home is challenging for Ashley and her family on many levels. They are faced with renegotiating their

Women who are hospitalized with high- risk pregnancies benefit from services such as support groups and music, art, and recreational therapy.⁸⁻¹¹

roles and responsibilities within the family and with rebuilding the structure of their daily lives. In addition, now that the major crisis has passed, Ashley and her husband must contend with paying the accumulating bills, determining when Ashley will need to return to work, and getting a nursery and supplies ready for Neal. Physically, Ashley is still recovering from childbirth, and she is pumping breast milk every four hours. She is exhausted and overwhelmed.

Overall, Neal does well. He can breathe on his own but does have difficulty with feeding and develops a severe case of jaundice. He spends three weeks in the hospital. When he is discharged, the family joyfully welcomes him home but also faces new challenges to the family schedule and routines. Ashley, especially, struggles. She wants to breastfeed her baby, but Neal does not latch well, and Ashley cannot find the time or the energy to return to the hospital to receive lactation consulting, so she continues to pump milk every four hours. She finds this both depressing and exhausting. Ashley is also anxious about finding appropriate childcare for her tiny baby as she must return to work in six short weeks. Ashley desperately needs more support but simply does not know how to find it.

Sources Cited:

1. Martin JA, Hamilton BE, Osterman MJK, Driscoll AK, Drake P. Births: Final Data for 2017. *Natl Vital Stat Rep.* 2018;67(8):1-50.
2. Waters TP, Mercer B. Preterm PROM: prediction, prevention, principles. *Clin Obstet Gynecol.* 2011;54(2):307-312.
3. Meis PJ, Ernest JM, Moore ML. Causes of low birth weight births in public and private patients. *Am J Obstet Gynecol.* 1987;156(5):1165-1168
4. Fiskin G, Kaydirak MM, Oskay UY. Psychosocial Adaptation and Depressive Manifestations in High-Risk Pregnant Women: Implications for Clinical Practice. *Worldviews Evid Based Nurs.* 2017;14(1):55-64.
5. Byatt N, Hicks-Courant K, Davidson A, et al. Depression and anxiety among high-risk obstetric inpatients. *Gen Hosp Psychiatry.* 2014;36(6):644-649.
6. Maloni JA, Kane JH, Suen LJ, Wang KK. Dysphoria among high-risk pregnant hospitalized women on bed rest: a longitudinal study. *Nurs Res.* 2002;51(2):92-99.
7. Dunn LL, Shelton MM. Spiritual well-being, anxiety, and depression in antepartal women on bedrest. *Issues Ment Health Nurs.* 2007;28(11):1235-1246.
8. Sharpe L, Conron MK. Making the most of bedrest: weekly support group and education for hospitalized antepartum patients. *JOGNN.* 2014;43:S10.
9. Thorman KE, McLean A. While You Are Waiting: a family-focused antepartum support program. *J Perinat Neonatal Nurs.* 2006;20(3):220-226.
10. Maloni JA, Kutil RM. Antepartum support group for women hospitalized on bed rest. *MCN Am J Matern Child Nurs.* 2000;25(4):204-210.
11. Bauer CL, Victorson D, Rosenbloom S, Barocas J, Silver RK. Alleviating distress during antepartum hospitalization: a randomized controlled trial of music and recreation therapy. *J Womens Health (Larchmt).* 2010;19(3):523-531.

Other Sources Consulted:

1. Rundell K, Panchal B. Preterm Labor: Prevention and Management. *Am Fam Physician.* 2017;95(6):366-372.
2. American College of Obstetricians and Gynecologists Committee on Practice Bulletins. Practice Bulletin No. 172: Premature Rupture of Membranes. *Obstet Gynecol.* 2016;128(4):e165-177.
3. Rubarth LB, Schoening AM, Cosimano A, Sandhurst H. Women's experience of hospitalized bed rest during high-risk pregnancy. *J Obstet Gynecol Neonatal Nurs.* 2012;41(3):398-407.

Appendix

K Sharp HealthCare 2019 CHNA Community Engagement Tracking Form

#	Type of Engagement	Who Participated	# of Participants	Date	Hospital/Facility Represented	Description of public health knowledge/expertise
1.	Focus Group	Sharp McDonald Center – After Care Support Group Members	6	2/27/2019	SMC	Patient specific challenges related to behavioral health and addiction issues
2.	Focus Group	Sharp HealthCare – Cancer Navigators & Social Workers	18	1/03/2019	SCVMC, SGH, SMH, SRSMG, System Services	Cancer expertise at Sharp HealthCare Regions: Central East, North Central, South
3.	Focus Group	Sharp HealthCare – Diabetes Health Educators	9	11/20/2018	SCVMC, SGH, SMH, OPP	Low income, medically underserved, population with chronic diseases, minority population Regions: Central East, North Coastal, South
4.	Focus Group	Sharp HealthCare – Patient and Family Advisory Council – Community Residents	5	1/21/2019	SGH	Patient specific challenges related to health and social determinants of health
5.	Focus Group	Sharp Mary Birch – Social Workers and Case Managers	10	1/10/2019	SMBHWN	Low income, medically underserved, population with chronic diseases, minority population Region: Central
6.	Focus Group	Sharp HealthCare – Case Manager Leadership	8	2/21/2019	SCHHC, SCMG, SCVMC, SGH, SMH, SRSMG, System Services	Low income, medically underserved, population with chronic diseases, minority population Regions: Central East, North Central, North Coastal, North Inland, South

7.	Focus Group	Senior Community Members	3	2/20/2019	NA	Patient specific challenges related to senior health issues
8.	Focus Group	Sharp HealthCare – Senior Health Staff	3	2/12/2019	SMH, OPP	Low income, population with chronic diseases, Medicare primary Region: Central
9.	Key Informant Interview	Nurse Educator PSCU/ADC, Perinatal Special Care Unit	1	12/19/2018	SMBHWN	High risk pregnancy expertise
10	Key Informant Interview	Clinical Social Worker and Patient Navigator	1	1/03/2019	SCVMC Sharp Barnhart Cancer Center	Cancer expertise

Sharp Entity Key: SCHHC = Sharp Coronado Hospital and HealthCare Center; SCVMC = Sharp Chula Vista Medical Center; SGH = Sharp Grossmont Hospital; SMBHWN=Sharp Mary Birch Hospital for Women & Newborns, SMC= Sharp McDonald Center; SMH = Sharp Memorial Hospital; SMVH = Sharp Mesa Vista Hospital; SRSMG = Sharp Rees-Stealy Medical Group; SCMG = Sharp Community Medical Group; OPP = Sharp Memorial Hospital Outpatient Pavilion; **System Services** = Sharp HealthCare System Services

Appendix

L Sharp HealthCare 2019 CHNA Community Engagement Participant Descriptions

Cancer Navigation Services and Care Coordination

Community engagement participants described their work as helping patients and loved ones navigate the treatment process and secure additional needed support and resources. Navigators and social workers may set up family meetings to initiate conversations and provide clear communication about the treatment trajectory. They help structure family roles and responsibilities during treatment. They talk to physicians about recommending home health when needed. They may help parents figure out how to talk about the cancer in an age-appropriate way with their children, and they help patients and their families find local resources. Social workers and navigators continually reevaluate patients' needs and serve as a source of reassurance and support. All of this is done in the context of a trusting relationship that is built over time. In addition, the navigators and social workers:

- Provide ongoing reinforcement of treatment plan and goals
- Provide education on what to expect during treatment, anticipated side effects, and ways to manage them
- Support patient compliance and best outcomes
- Provide ongoing assessment of patient barriers to care, nutrition, and psychosocial support needs
- Assist with resources/referrals for transportation, financial grants, and other services as appropriate
- Provide and review survivorship care plans
- Provide patients with education information
- Inform patients about programs and services at Sharp

Navigators and social workers also coordinate care with organizations such as Jewish Family Service and Mama's Kitchen for meal delivery and transportation options. They also refer patients to Sharp Mesa Vista Hospital during psychiatric emergencies and to psychiatrists for psychotropic medications when mental health issues are of concern.

Diabetes Navigation Services and Care Coordination

Community engagement participants described the purpose of the diabetes health educator's job as to empower the patients to "own their health" and provide education to all family members who are willing to participate. Health educators work with adults and seniors (over 65 years) who have type 1, type 2, or gestational diabetes mellitus. Focus group participants emphasized the importance of treating patients as a community and

not just as an individual — changes made in the family, they stressed, can have lasting positive effects on the children and their future health trajectories. Sharp Diabetes Health Educators also:

- Perform assessments of patient knowledge and ability to perform self-care
- Work with organ transplant patients about nutrition and eating
- Teach patients how to use insulin and navigate the system to get diabetes supplies
- Provide case management for patients with multiple comorbidities
- Offer workshops at Family Health Centers of San Diego and senior centers about nutrition, exercise, and self-management
- Support physicians in helping manage their patients
- Explain side effects of medications
- Provide emotional support and help lessen anxiety
- Make referrals to Feeding America, Salvation Army, WIC, and other organizations
- Help patients secure resources through 2-1-1 San Diego
- Partner with the Sharp Mesa Vista Outpatient Center

Services Provided by Patient Family Advisory Council (PFAC)

Community engagement participants described PFAC members as advocates for patients and family members at Sharp Grossmont Hospital to make the patient experience more welcoming and to help address their needs. They give input to the hospital from the patient perspective about how to serve patients and their families better and help patients be more informed. They are also engaged in various improvement projects within the hospital.

Sharp HealthCare has PFAC members at each of its hospital entities.

Services Provided by SMBHWN Case Managers, Social Workers, and the Perinatal Special Care Unit

Community engagement participants who serve as case managers and social workers at SMBHWN and the Perinatal Special Care Unit provide a variety of services for maternal-child health issues and work directly with the Neonatal Intensive Care Unit. They explained that their work helps women heal faster and enhances mother-newborn bonding. They provide:

- Advocacy for families
- Assessments of family needs
- Emotional support and crisis intervention to mothers and families
- Support and resources for mothers with a high-risk pregnancy, including vulnerable groups such as those who are drug users, teens, or homeless
- Crisis intervention in different hospital units
- Referrals to child protective services when necessary
- Discharge planning
- Referrals for home health services for the mother and baby

- Referrals for durable medical equipment
- Referrals for skilled nursing facilities
- Referrals to Early Start for premature babies
- Set up for *gastrostomy* tube supplies (feeding tube to help deliver nutrition)
- Group, art, music, and pet therapy for women in the hospital
- Set up for lactation services

Appendix

M Sharp HealthCare 2019 CHNA Key Informant Interview Questions



Sharp 2019 CHNA Case Study Questions – High-Risk Pregnancy

Joanna Hunt BSN, RNC-OB, C-EFM
Nurse Educator PSCU/ADC
Perinatal Special Care Unit
Sharp Mary Birch Hospital for Women & Newborns
December 3, 2018

1. What kind of high-risk pregnancies do you see most often at Mary Birch?
2. What kinds of services do these women receive in your unit? Inpatient, outpatient?
3. Do you notice any disparities in: (1) who is most likely to have a high-risk pregnancy (e.g., we know that Black women, in particular, have much higher rates of maternal mortality — do you see this at Mary Birch?); and (2) who receives services at Mary Birch?
4. What do you think the barriers are, at an individual, community, hospital, or cultural level for women to: (1) receive the kind of care that might prevent a high-risk pregnancy; and (2) receive the care they need after it is known that they have a high-risk pregnancy?
5. How do women get referred to you? Can any MD, nurse practitioner/midwife refer a woman to your unit or does the health care provider have to be Sharp-affiliated? Are your services covered by most insurance? Medi-Cal?
6. Are there women you wish you were serving that you think you are not serving?
7. Do you see immigration/documentation as a factor that is impacting women's willingness/ability to receive the care they need for a high-risk pregnancy?
8. How do you work through some of the barriers to care with women, such as: transportation; work hours/appointments; child care; mistrust of health care system; cultural beliefs?
9. Can you tell me about one (or more!) of the cases that has stayed with you in terms of a really positive outcome for a woman and her child who received care from your unit?
10. Can you think of a patient for whom the outcome might have been very different if she had not received the special services of your unit?
11. Can you tell me about one (or more) of the cases that has stayed with you in terms of sad/negative outcomes for a woman who received care from your unit? Was there any way this could have turned out differently?

Sharp CHNA 2019 Case Study Questions – Cancer

Cara Fairfax, MSW, LCSW, CN-BM
Clinical Social Worker and Patient Navigator
Sharp Chula Vista Barnhart Cancer Center
March 1, 2019

1. Tell me about the work you do at the Cancer Center.
 - a. What is a typical day like for you?
2. Tell me about the Cancer Center. What medical, social, or other services are available for patients?
3. Tell me about the patients you work with — who are they? What kind of cancer do they have? Is there a “typical” patient for you?
4. What are some of the most significant challenges your patients face?
 - a. Physically
 - b. Practically — managing care, appointments, transportation
 - c. Socially
 - d. Emotionally
5. How does your work impact these challenges?
6. Can you think of and describe to me a “case” on which you felt that you were able to be especially helpful?
7. Can you think of and describe to me a “case” that you felt was not as successful as you would have liked?
8. What is the most important thing you do for your patients?
9. If you had all the money in the world, how would you change the care that your patients receive — in terms of medical care, the services your team offers, and services in the community? What could be done to make their lives better?
10. I’m a 67-year-old woman, recently widowed, who lives alone. I’ve recently been diagnosed with stage 3 breast cancer and am referred to your program. What will that experience be like for me?

Appendix

N Sharp HealthCare 2019 CHNA – Sharp Insight Community Survey Distributed

EMAIL INVITATION:

Email subject line:

Help us positively impact the health of your community

Email body:

Hi [Panelist Name],
We have a new survey activity for you. Sharp HealthCare is seeking your input to identify and prioritize the most critical health-related needs in San Diego County, as part of its Community Health Needs Assessment (CHNA) process. The findings from this survey will be used in combination with other CHNA findings to provide a foundation for community benefit program planning and implementation. This activity should take about 10 minutes to complete, and must be completed on a computer. Thank you for your time and for your valuable opinion!

EMAIL REMINDER:

Email subject line:

Reminder: Help us positively impact the health of your community.

Email body:

Hi [Panelist Name],

As a reminder, you have a survey activity waiting for your input.

We can't wait to hear your thoughts on your community's most critical health-related needs. With your help, we will have the insight we need to make a positive impact on health in your community. This activity must be completed on a computer.

The activity will close on [Closing Date] at 11:59 PM.

SURVEY DRAFT:

MOBILE USERS:

Page 1 –

On behalf of the Sharp Insight Community, thank you for taking time to complete this activity.

Your honest feedback will help improve the health needs within the communities where you live, work, play, and receive services.

This activity cannot be completed on a mobile device or tablet. Please access the activity from a computer.

[Next button redirects to Sharp Insight Community website]

DESKTOP USERS:

Page 1 – Welcome

On behalf of the Sharp Insight Community, thank you for taking time to complete this activity. Your honest feedback will help improve the health needs within the communities where you live, work, play, and receive services.

This activity should take about 10 minutes of your time.

Page 2 –

1. In the following list, what do you think are the **five** most important **health conditions** in your community (those health conditions that have the greatest impact on overall community health)?

Please select five options.

- Aging concerns (e.g., arthritis, falls, Alzheimer's, etc.)
- Behavioral/mental health issues (e.g., substance use, suicide, self-inflicted injury, etc.)
- Cancer (all types)
- Diabetes (types 1 and 2)
- Heart disease (coronary)
- High blood pressure
- Infectious diseases (e.g., hepatitis, tuberculosis, etc.)
- Lung disease
- Obesity
- Oral health
- Respiratory issues (e.g., asthma, COPD, etc.)
- Sexually-transmitted disease (e.g., HIV/AIDS)
- Stroke
- Unintentional injury
- Maternal/infant health
- Other health condition [please specify box]

Page 3 –

2. In the following list, what do you think are the **five** most important **social determinants** of health in your community (those social issues that have the greatest impact on overall community health)?

Please select five options.

- Access to care (primary care, dental care, behavioral health, specialty care)
- Health insurance (understanding, securing, and using health insurance)
- Care management (disease management, community social service linkages)
- Social support (social interaction/engagement, cultural and linguistic support)
- Economic security (consistent access to healthy food, financial stability, employment)
- Education (access, health literacy, workforce development and mobility)
- Health behaviors (diet, physical and sexual activity, tobacco and substance use)
- Homelessness (overcrowding, substandard, housing affordability)
- Physical environment (transportation, grocery store/market access, air quality, walkability)
- Prenatal and maternal care (breastfeeding, post-partum support)
- Safety and violence (community violence, domestic violence, child or elder abuse)
- Screening (BMI, blood pressure, diabetes, cancer, STD, depression)
- Stigma (immigration status, behavioral health, use of public programs - e.g., food stamps)
- Other social issue

Page 4 –

3. Below is a combined list of the health conditions and social issues that you selected in the previous questions. Please rank them in order of importance from 1 to 10, with 1 having the greatest impact on the overall health and well-being of your community.

Page 5 –

4. Please rate your awareness of the following patient and community outreach programs implemented by Sharp HealthCare:

Not at all familiar/ somewhat familiar/ very familiar

- Transportation
- Education programs through the City of San Diego Partnership (diabetes, heart health, nutrition and healthy lifestyle, new moms)
- Sharp Senior Resource Centers
- Sharp cancer support groups
- Behavioral health support groups (mood disorders, aftercare, etc.)

5. What would you suggest Sharp do to improve the health and well-being of your community?
[open response]

Page 6 –

Thank you for taking the time to complete this activity. Your feedback provides valuable insight on the health needs in your community. We look forward to sharing the survey findings and continuing this conversation with you in the near future.

Please click Finish below to submit your answers.

END OF SURVEY:

Redirect to Community Benefit page on Sharp.com.

Appendix

O

Secondary Data Sources From Findings Section


Access to Health Care Sources	
1.	U.S. Census Bureau. American Community Survey, 2013-2017 1-Year Estimates. Includes civilian non-institutionalized population ages 18-64. Note: year 2017 includes ages 19-64 years
2.	The Dartmouth Institute for Health Policy and Clinical Practice. Primary care access and quality measures, 2015. https://atlasdata.dartmouth.edu/static/general_atlas_rates .
3.	U.S. Department of Health & Human Services, Health Resources and Services Administration. Area Health Resource File, 2014.
4.	County Health Rankings and Roadmaps. California, San Diego County, 2018. https://www.countyhealthrankings.org/app/california/2019/rankings/san-diego/county/outcomes/overall/snapshot . Generated interactively March 29, 2019.
5.	UCLA Center for Health Policy Research. California Health Interview Survey, 2015-2016.
Aging Concerns Sources	
1.	California Office of Statewide Health Planning and Development, OSHPD Patient Discharge Data. 2013-2016. SpeedTrack©
2.	County of San Diego Health and Human Services Agency. Measures of Mortality. Leading Causes of Death, 2016. HHSA website: https://www.sandiegocounty.gov/content/sdc/hhsa/programs/phs/community_health_statistics/CHSU_Mortality.html .
3.	Live Well San Diego. Live Well San Diego Data Access Portal. Injury. https://data.livewellsd.org/
Behavioral Health Sources	
1.	Substance Abuse and Mental Health Services Administration (SAMHSA). Leading Change: A Plan for SAMHSA's Roles and Actions 2011-2014. https://www.ncceh.org/media/files/article/SAMHSA_Plan_2011-14.pdf . Published 2011. Accessed March 28, 2019.
2.	California Office of Statewide Health Planning and Development, OSHPD Patient Discharge Data. 2013-2016. SpeedTrack©
3.	UCLA Center for Health Policy Research. California Health Interview Survey, 2017.
4.	Live Well San Diego. Live Well San Diego Data Access Portal. Injury. https://data.livewellsd.org/
5.	CDC. BRFSS Survey Data, 2015.
Cancer Sources	
1.	American Cancer Society. Cancer Facts & Figures 2019. https://www.cancer.org/content/dam/cancer-org/research/cancer-facts-and-statistics/annual-cancer-facts-and-figures/2019/cancer-facts-and-figures-2019.pdf . Accessed April 16, 2019.
2.	California Cancer Registry. Age-Adjusted Invasive Cancer Incidence Rates in California, 2012- 2016, By County. https://www.cancer-rates.info/ca/ . Accessed June 20. 2019
3.	County of San Diego Health and Human Services Agency. Measures of Mortality. Leading Causes of Death, 2016. HHSA website: https://www.sandiegocounty.gov/content/sdc/hhsa/programs/phs/community_health_statistics/CHSU_Mortality.html .
4.	California Cancer Registry. Age-Adjusted Cancer Mortality Rates in California, 2012-2016, By County. https://www.cancer-rates.info/ca/ . Accessed June 20. 2019.
Chronic Conditions Sources	

1.	Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. About chronic diseases. CDC Web site: https://www.cdc.gov/chronicdisease/about/index.htm . Updated March 8, 2019. Accessed May 16, 2019.
2.	American Heart Association. What is cardiovascular disease? American Heart Association Web site. https://www.heart.org/en/health-topics/consumer-healthcare/what-is-cardiovascular-disease . Updated May 31, 2017. Accessed on March 30, 2019.
3.	Centers for Disease Control and Prevention. Diabetes. CDC Web site: https://www.cdc.gov/diabetes/basics/diabetes.html . Updated June 1, 2017. Accessed May 16, 2019.
4.	Centers for Disease Control and Prevention. Overweight & obesity. CDC Web site: https://www.cdc.gov/obesity/adult/defining.html . Updated July 3, 2018. Accessed May 16, 2019.
5.	California Office of Statewide Health Planning and Development, OSHPD Patient Discharge Data. 2013-2016. SpeedTrack©
6.	County of San Diego Health and Human Services Agency. Measures of Mortality. Leading Causes of Death, 2016. HHSA website: https://www.sandiegocounty.gov/content/sdc/hhsa/programs/phs/community_health_statistics/CHSU_Mortality.html .
7.	County of San Diego Health and Human Services Agency Public Health Services, Regional & Community Data. https://www.sandiegocounty.gov/content/sdc/hhsa/programs/phs/community_health_statistics/regional-community-data.html .
8.	UCLA Center for Health Policy Research. California Health Interview Survey, 2013-2017. Rates indicate the percentage of people who had a diagnosis of diabetes in 2017.
9.	UCLA Center for Health Policy Research. California Health Interview Survey, 2014-2017.
Community and Social Support Sources	
1.	MacArthur Research Network on SES & Health. Research, psychosocial notebook. https://macses.ucsf.edu/research/psychosocial/socsupp.php . Updated April 2008. Accessed May 17, 2019.
2.	U.S. Department of Health & Human Services, Center for Medicare & Medicaid Services, Provider of Services File. December 2016.
3.	U.S. Census Bureau. American Community Survey, 2013-2017 5-Year Estimates.
Economic Security Sources	
1.	What is economic security? The International Committee of the Red Cross. 18 June 2015. Accessed from: https://www.icrc.org/en/document/introduction-economic-security on May 8, 2019.
2.	Kaiser Permanente of Southern California Community Health Department. Secondary Data Analysis, 2018.
3.	Gundersen C, Ziliak JP (2015). Food insecurity and health outcomes. <i>Health Affairs</i> . 2015. 34(11): 1830-1839.
4.	U.S. Department of Health & Human Services. 2019 Poverty Guidelines. Office of the Assistant Secretary for Planning and Evaluation Web site. https://aspe.hhs.gov/2019-poverty-guidelines . Accessed March 28, 2019.
5.	U.S. Census Bureau. American Community Survey, 2013-2017 5-Year Estimates.
6.	U.S. Bureau of Labor Statistics. Local Area Unemployment Statistics, 2018 annual averages.
7.	Coleman-Jensen A, Rabbitt MP, Gregory CA, Singh A. Household Food Security in the United States in 2017. https://www.ers.usda.gov/webdocs/publications/90023/err-256.pdf?v=0 . Published September 2018. Accessed March 28, 2019.
8.	San Diego Hunger Coalition. Current Research on Hunger in San Diego County. https://www.sandiegohungercoalition.org/research . Accessed April 10, 2019. Original source: California Health Interview Survey, 2014-2016.
Education Sources	
1.	U.S. Census Bureau. American Community Survey, 2013-2017 5-Year Estimates.
2.	U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion. Social Determinants: Latest Data. HealthyPeople Web site. https://www.healthypeople.gov/2020/leading-health-indicators/2020-lhi-topics/Social-Determinants/data . Accessed June 5, 2019.
Homelessness and Housing Sources	

1.	U.S. Department of Housing and Urban Development, Office of Community Planning and Development. The 2018 Annual Homeless Assessment Report (AHAR) to Congress. https://www.hudexchange.info/resources/documents/2018-AHAR-Part-1.pdf . Published December 2018. Accessed April 1, 2019.
2.	U.S. Department of Housing and Urban Development, Office of Policy Development and Research. Consolidated Planning/CHAS data, San Diego County 2011-2015. https://www.huduser.gov/portal/datasets/cp.html . Original Source: American Community Survey, 2011-2015.
3.	San Diego Regional Task Force on the Homeless. 2018 WEALLCOUNT Annual Report: San Diego County. https://www.rtfhsd.org/wp-content/uploads/2017/06/2018-WPoint-in-Time-Count-Annual-Report.pdf . Accessed April 1, 2019.
Unintentional Injury and Violence Sources	
1.	U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion. Injury and Violence. HealthyPeople Web site. https://www.healthypeople.gov/2020/leading-health-indicators/2020-lhi-topics/Injury-and-Violence . Accessed June 5, 2019.
2.	Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Web-based Injury Statistics Query and Reporting System (WISQARS) Fatal Injury Data, 2017. https://wisqars-viz.cdc.gov:8006/
3.	County of San Diego Health and Human Services Agency Public Health Services, Regional & Community Data. https://www.sandiegocounty.gov/content/sdc/hhsa/programs/phs/community_health_statistics/regional-community-data.html .
4.	Live Well San Diego. Live Well San Diego Data Access Portal. Injury. https://data.livewellsd.org/

Appendix

P Map of Community and Region Boundaries in San Diego County



Map by County of San Diego, Emergency Medical Services. Contact: Isabel Corcos or Leslie Ray, 619.285.6429
Map Date: January, 2015




Appendix

Q


Community Need Index Maps San Diego County

Sharp Inpatient Behavioral Health Discharges CNI Map, SDC




Source: Truven Health Analytics, 2018; Insurance Coverage Estimates, 2018; The Nielson Company, 2018; and Community Need Index, 2018; California Office of Statewide Health Planning and Development (OSHPD) via SpeedTrack®, Inc., 2017.

Sharp Inpatient Cardiovascular Discharges CNI Map, SDC



Source: Truven Health Analytics, 2018; Insurance Coverage Estimates, 2018; The Nielson Company, 2018; and Community Need Index, 2018; California Office of Statewide Health Planning and Development (OSHPD) via SpeedTrack®, Inc., 2017.

Sharp Inpatient Type 2 Diabetes Discharges CNI Map, SDC



Source: Truven Health Analytics, 2018; Insurance Coverage Estimates, 2018; The Nielson Company, 2018; and Community Need Index, 2018; California Office of Statewide Health Planning and Development (OSHPD) via SpeedTrack®, Inc., 2017.

Appendix

**R Sharp HealthCare 2019 CHNA –
Sharp Insight Community Survey
Results**

Sharp Insight Community: Community Health Needs Assessment

Consumer Research Report
February 2019

Survey Methodology and Background

- **Survey was sent to:** 3413 active participants of the Sharp Insight Community
- **Total respondents:** 380 (11.1% response rate)
- **Data collected from:** February 1, 2019 – February 11, 2019
- **Median survey completion time:** 6 minutes 4 seconds
- **Survey goals:**
 - To obtain feedback from San Diego County community residents and Sharp HealthCare health professionals about what they believe are the most important health problems and social determinants of health faced by their communities
 - To identify the top health and social needs of community members served by Sharp HealthCare
- **Note:** Participants using a mobile phone or tablet to complete the study were excluded due to the incompatibility of study question types with those devices.

Executive Summary

- Respondents most often selected **aging concerns, behavioral/mental health issues, cancer, obesity, or coronary heart disease** as those **health conditions** that had the greatest impact on overall community health.
- Respondents most often selected **health insurance, access to care, health behaviors, economic security, or homelessness** as those **social determinants** of health that had the greatest impact on overall community health.
- When respondents ranked the top ten health conditions and social determinants of health in order of impact, the **highest ranked** items were **health insurance, access to care, and aging concerns**.
- Though most respondents were **unfamiliar** with Sharp HealthCare's **community outreach programs**, respondents were **most familiar** with **Sharp cancer support groups**.

Panel Demographics


Gender
n= 380





Female: 68%

Male: 32%

Age
n= 380



Panel Demographics




Source: Sharp Insight Community Invitation Survey
Survey Responses: n=380

Panel Demographics


Household Income

n= 380




Marital Status

n= 380



Source of Health Insurance

n= 380



Sharp Insight Community: CHNA 2019 Survey


Survey Results

Health Conditions with the Greatest Impact on Overall Community Health

Most respondents view aging concerns (78%), behavioral/mental health issues (67%), and cancer, obesity, and coronary heart disease (67%) among the top five health conditions with the greatest impact on their community.

Top Five Most Important Health Conditions

Respondents were able to select up to 5 options from a list of health conditions. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item.



Question: In the following list, what do you think are the five most important health conditions in your community (those health conditions that have the greatest impact on overall community health)?

Survey Responses: n=380


Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Social Determinants with the Greatest Impact on Overall Community Health

Most respondents view health insurance (80%), access to care (72%), and health behaviors (61%) among the top five social issues with the greatest impact on their community.

Top Five Most Important Social Determinants of Health

Respondents were able to select up to 5 options from a list of social issues. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item.



Question: In the following list, what do you think are the five most important social determinants of health in your community (those social issues that have the greatest impact on overall community health)?

Survey Responses: n=380

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Ranked Health Conditions and Social Determinants

Ranking score is a weighted score that was calculated for each listed item. Items ranked “#1” equate to 10 points, items ranked “#2” equate to 9 points, and so on. The higher the score the more value respondents placed on that particular item. The maximum possible score for an item (if all respondents were to have ranked an item “#1”) is 3,800.

No.	Health Condition/ Social Issue	Ranking Score
1	Health insurance (understanding, securing, and using health insurance)	1,941
2	Access to care (primary care, dental care, behavioral health, specialty care)	1,863
3	Aging concerns (e.g., arthritis, falls, Alzheimer's, etc.)	1,808
4	Behavioral/mental health issues (e.g. substance use, suicide, self-inflicted injury, etc.)	1,618
5	Cancer (all types)	1,528
6	Obesity	1,317
7	Economic security (consistent access to healthy food, financial stability, employment)	1,280
8	Heart disease (coronary)	1,188
9	Health behaviors (diet, physical and sexual activity, tobacco and substance use)	1,187
10	Diabetes (types 1 and 2)	951
11	Homelessness (overcrowding, substandard, housing affordability)	831
12	High blood pressure	725
13	Care management (disease management, community social service linkages)	621
14	Education (access, health literacy, workforce development and mobility)	587
15	Screening (BMI, blood pressure, diabetes, cancer, STD, depression)	542

No.	Health Condition/ Social Issue	Ranking Score
16	Social support (social interaction/engagement, cultural and linguistic support)	435
17	Infectious diseases (e.g., hepatitis, tuberculosis, etc.)	300
18	Stigma (immigration status, behavioral health, use of public programs - e.g., food stamps)	296
19	Physical environment (transportation, grocery store/market access, air quality, walkability)	295
20	Safety and violence (community violence, domestic violence, child or elder abuse)	246
21	Stroke	231
22	Respiratory issues (e.g., Asthma, COPD, etc.)	206
23	Maternal/infant health	197
24	Unintentional injury	185
25	Prenatal and maternal care (breastfeeding, post-partum support)	101
26	Other health condition	88
27	Sexually-transmitted disease (e.g., HIV/AIDS)	76
28	Other social issue	62
29	Oral health	56
30	Lung disease	29


Question: Below is a combined list of the health conditions and social issues that you selected in the previous questions. Please rank them in order of importance from 1 to 10, with 1 having the greatest impact on the overall health and well-being of your community.

Survey Responses: n=380

Awareness of Sharp HealthCare Community Outreach Programs

Respondents are most familiar with Sharp cancer support groups (13%) and least familiar with transportation programs (59%) and Sharp Senior Resource Centers (59%).


Sharp HealthCare Program Awareness



Question: Please rate your awareness of the following patient and community programs implemented by Sharp HealthCare:
Survey Responses: n=380
Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Suggestions to Improve Community Health and Well-being

Several respondents (43%) suggested that existing Sharp HealthCare community outreach programs be more broadly advertised. Respondents also suggested improvements to access (17%), and expansion of educational programs (13%).



Note: Percentages may not equal 100% because respondents may have offered more than one suggestion.

Suggestions to Improve Awareness of Existing Community Health and Well-being Programs

43% of respondents mention a need for awareness of existing programs

“For those that regularly visit their doctor, have the staff (doctor, nurses, technicians) be **familiar with the various options available to patients** and recommend them. I've been to many Sharp-sponsored programs and my awareness of them always came from my doctor, the nurses or my dietitian. People today prefer to receive their information through **various channels**. Some like it presented in person, some like to read, some prefer videos. Making information available through all these channels would help.”

“Better **promotion** in the community. Open Houses of the facilities and resources that are available. Looking at the demographics of a community - I live next to a university which has different needs based on the very young population of the students and thus my neighbors.”

“Improve community awareness for patient and community education programs. Include **publicizing to employees** for better communication and follow up.”

“Continue with your support for food insecurity and the support groups you provide. Continue to work with other health organizations and coordinating your efforts. I think there is **a lot of support out there but the public isn't aware.**”

“Who knew? Where are these secrets kept, and **how do you communicate** to your patients?”

“**Advertise** these programs to Sharp patients through a **variety of methods** (e.g. mail, electronic/computer, literature available at SHR facilities.)”

Suggestions to Improve Access to Health Care Through Existing Community Health and Well-being Programs

17% of respondents mention a need for improved access to health care

“Greatly increase **access to primary health care services**, shorten **waiting times** for primary and specialty care appointments, free preventive health screenings, become politically active and advocate for public policies that address **access to health care/food insecurity/etc.**, increase number of physicians in the South Bay, get SRS to work with the hospital entities to promote screenings, i.e., lung cancer (because right now they refuse to work with the hospital entities), invest more in post-acute care management.”

“Speed up the delivery of mental health care in the community. It **takes too long to get a referral and finally see a therapist** if you are at the level of needing hospitalization.”

“Community screenings, **ride share, bus schedules** that show routes directly to Sharp facilities.”

“Help more people **secure insurance** to fund programs. Advocate for more community-based programs from politicians.”

“**Mobile units** - If it is possible to go out to the public, it could help us address some of the transportation concern and even help with some of the stigma concerns... by coming to the patient and **making it convenient to be seen.**”

“Offer clinics or outreach healthcare for **those without insurance** or money to pay.”

“Sometimes obtaining an appointment takes a long time-perhaps having **more resources so that appointments can be made** sooner.”

Suggestions to Expand Education of Community Health and Well-being Programs

13% of respondents mention expanding education programs

“First you need to change the role or image of the role of being a health care provider as the place to go for emergency solutions vs. being looked to as **an ongoing part of my overall health**. I see you as only being valued when I break an arm or have an obstructed bowel, not as a **reminder to maintain healthy weight and diet and exercise plan**. BIG CHANGE to see you that way.”

“**Educate regarding expectations** for age-related degeneration and develop program to help.”

“How to file for **Medicare, Medicaid** and how to choose what plans are right for your family.”

“Provide opportunities for technical education on many areas of medicine; **develop decision-making tools for complex patient decisions** e.g., prostate cancer treatment.”

“Educational/informational awareness by **partnership with public school systems' adult programs**.”

Question: What would you suggest Sharp do to improve the health and well-being of your community? (open-ended)
Survey Responses: n=380
Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Other Suggestions to Improve Community Health and Well-being

- 11% of respondents mentioned ways to **expand offerings**

“Recognize and include **oral care/ dentistry** in health system. It's critically important, undervalued and extremely difficult to get insurance for this as well as very expensive to maintain.”

“Promote accessing community center for **physical and social activity.**”

- 7% of respondents mentioned ways to **assist with costs**

“Create **discounted programs** for immigrants, the poor or underemployed, and the homeless.”

“**Lower prices** and a **'menu' of services** with prices for people with or without insurance.”

- 4% of respondents mentioned ways to **provide vaccinations/ screenings**

“More proactive in terms of **getting patients in for screening** (cancer etc.)”

“Possibly offer **free vaccines** to children.”

- 2% of respondents mentioned **policy/ advocacy work**

“Actively advocate for **health care reform**, to ensure fair, equitable health care for everyone.”

“**Advocate** for improved access for underserved: insurance coverage, access (particularly to stigmatized services like behavioral health and sexual health.)”

- 2% of respondents mentioned **focus on youth education**

“Try to **implement healthy living strategies in schools** to avoid some of the issues that affect communities as adults.”

“**Partner with schools** to start health education **early.**”


Sharp Insight Community: CHNA 2019 Survey

Additional Survey Findings

Age Group Breakouts – Health Conditions

Top Five Most Important Health Conditions

Respondents were able to select up to 5 options from a list of health conditions. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item. Due to low response rates, age groups 25 to 34 and 35 to 44 were combined to form the 25 to 44 age group.



Question: In the following list, what do you think are the five most important health conditions in your community (those health conditions that have the greatest impact on overall community health)?


Survey Responses: n=380

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

65+ Age Group Breakout – Health Conditions

Top Five Most Important Health Conditions

Respondents were able to select up to 5 options from a list of health conditions. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item.



Question: In the following list, what do you think are the five most important health conditions in your community (those health conditions that have the greatest impact on overall community health)?


Survey Responses: n=163

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey


Age Group Breakouts – Health Conditions

Statistically Significant Differences

The frequency with which each group selected a particular health issue was compared with the frequency with which the sample as a whole selected that issue. The charts below represent these frequencies and do not reflect group size or significance of the difference between the group frequency and the sample frequency. The statistical significance of these differences was determined using a two-tailed Student's t-test with a 95% confidence interval. Due to low response rates, age groups 25 to 34 and 35 to 44 were combined to form the 25 to 44 age group.



Respondents in the **25 to 44** age group were significantly **more** likely than the sample as a whole to select **behavioral/mental health issues** as one of the five most important health issues.




Respondents in the **25 to 44** age group were significantly **less** likely than the sample as a whole to select **heart disease**, **high blood pressure**, or **stroke** as one of the five most important health issues.

Age Group Breakouts – Social Determinants

Top Five Most Important Social Determinants of Health

Respondents were able to select up to 5 options from a list of social issues. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item. Due to low response rates, age groups 25 to 34 and 35 to 44 were combined to form the 25 to 44 age group.



Question: In the following list, what do you think are the five most important social determinants of health in your community (those social issues that have the greatest impact on overall community health)?


Survey Responses: n=380

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

65+ Age Group Breakout – Social Determinants

Top Five Most Important Social Determinants of Health

Respondents were able to select up to 5 options from a list of social issues. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item.



Question: In the following list, what do you think are the five most important social determinants of health in your community (those social issues that have the greatest impact on overall community health)?


Survey Responses: n=163

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Age Group Breakouts – Social Determinants

Statistically Significant Differences

The frequency with which each group selected a particular social determinant was compared with the frequency with which the sample as a whole selected that item. The charts below represent these frequencies and do not reflect group size or significance of the difference between the group frequency and the sample frequency. The statistical significance of these differences was determined using a two-tailed Student's t-test with a 95% confidence interval. Due to low response rates, age groups 25 to 34 and 35 to 44 were combined to form the 25 to 44 age group.



Respondents in the **25 to 44** age group were significantly **more** likely than the sample as a whole to select **stigma** as one of the five most important social determinants of health.

Respondents in the **25 to 44** age group were significantly **less** likely than the sample as a whole to select **screening, physical environment, or safety and violence** as one of the five most important social determinants of health.

Respondents in the **45 to 54** age group were significantly **less** likely than the sample as a whole to select **prenatal and maternal care** as one of the five most important social determinants of health.

Question: In the following list, what do you think are the five most important social determinants of health in your community (those social issues that have the greatest impact on overall community health)?


Survey Responses: n=380

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Age Group Breakouts – Community Outreach Awareness

Awareness of Sharp HealthCare Community Outreach Programs

Percentages reflect the proportion of respondents in each age group who selected the indicated level of familiarity. Due to low response rates, age groups 25 to 34 and 35 to 44 were combined to form the 25 to 44 age group.



Question: Please rate your awareness of the following patient and community programs implemented by Sharp HealthCare:


Survey Responses: n=380

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

65+ Age Group Breakout – Community Outreach Awareness

Awareness of Sharp HealthCare Community Outreach Programs

Percentages reflect the proportion of respondents in each age group who selected the indicated level of familiarity.



Question: Please rate your awareness of the following patient and community programs implemented by Sharp HealthCare:


Survey Responses: n=163

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Age Group Breakouts – Community Outreach Awareness

Statistically Significant Differences

The frequency with which each group selected a particular level of familiarity was compared with the frequency with which the sample as a whole selected that level. The chart below represents these frequencies and does not reflect group size or significance of the difference between the group frequency and the sample frequency. The statistical significance of these differences was determined using a two-tailed z-test with a 95% confidence interval. Due to low response rates, age groups 25 to 34 and 35 to 44 were combined to form the 25 to 44 age group.




Respondents in the **45 to 54** age group were significantly **less** likely than the sample as a whole to indicate that they were **not at all familiar** with Sharp HealthCare's **behavioral health support groups**.

Region Breakouts – Health Conditions

Top Five Most Important Health Conditions

Respondents were able to select up to 5 options from a list of health conditions. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item.



Question: In the following list, what do you think are the five most important health conditions in your community (those health conditions that have the greatest impact on overall community health)?


Survey Responses: n=380

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

East County Breakout – Health Conditions

Top Five Most Important Health Conditions

Respondents were able to select up to 5 options from a list of health conditions. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item.



Question: In the following list, what do you think are the five most important health conditions in your community (those health conditions that have the greatest impact on overall community health)?


Survey Responses: n=97

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

South Bay Breakout – Health Conditions

Top Five Most Important Health Conditions

Respondents were able to select up to 5 options from a list of health conditions. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item.



Question: In the following list, what do you think are the five most important health conditions in your community (those health conditions that have the greatest impact on overall community health)?


Survey Responses: n=36

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey


Region Breakouts – Health Conditions

Statistically Significant Differences

The frequency with which each group selected a particular health issue was compared with the frequency with which the sample as a whole selected that issue. The charts below represent these frequencies and do not reflect group size or significance of the difference between the group frequency and the sample frequency. The statistical significance of these differences was determined using a two-tailed Student's t-test with a 95% confidence interval.



Respondents in **South Bay** were significantly **more** likely than the sample as a whole to select **cancer(all types)** as one of the five most important health issues. Respondents in **Metro Central** were significantly **more** likely than the sample as a whole to select **sexually-transmitted disease** as one of the five most important health issues.



Respondents in **Metro Central** were significantly **less** likely than the sample as a whole to select **cancer (all types)** as one of the five most important health issues. Respondents in **East County** were significantly **less** likely than the sample as a whole to select **unintentional injury** as one of the five most important health issues. Respondents in **North County Inland** were significantly **less** likely than the sample as a whole to select **sexually-transmitted disease** as one of the five most important health issues.

Question: In the following list, what do you think are the five most important health conditions in your community (those health conditions that have the greatest impact on overall community health)?


Survey Responses: n=380

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Region Breakouts – Social Determinants

Top Five Most Important Social Determinants of Health

Respondents were able to select up to 5 options from a list of social issues. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item.



Question: In the following list, what do you think are the five most important social determinants of health in your community (those social issues that have the greatest impact on overall community health)?


Survey Responses: n=380

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

East County Breakout – Social Determinants

Top Five Most Important Social Determinants of Health

Respondents were able to select up to 5 options from a list of social issues. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item.



Question: In the following list, what do you think are the five most important social determinants of health in your community (those social issues that have the greatest impact on overall community health)?


Survey Responses: n=97

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

South Bay Breakout – Social Determinants

Top Five Most Important Social Determinants of Health

Respondents were able to select up to 5 options from a list of social issues. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item.



Question: In the following list, what do you think are the five most important social determinants of health in your community (those social issues that have the greatest impact on overall community health)?


Survey Responses: n=36

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Region Breakouts – Social Determinants

Statistically Significant Differences

The frequency with which each group selected a particular social determinant was compared with the frequency with which the sample as a whole selected that item. The chart below represents these frequencies and does not reflect group size or significance of the difference between the group frequency and the sample frequency. The statistical significance of these differences was determined using a two-tailed Student's t-test with a 95% confidence interval.




Respondents in **Metro Central** were significantly **more** likely than the sample as a whole to select **homelessness** as one of the five most important social determinants of health.

Region Breakouts – Community Outreach Awareness

Awareness of Sharp HealthCare Community Outreach Programs

Percentages reflect the proportion of respondents in each regional group who selected the indicated level of familiarity.



Question: Please rate your awareness of the following patient and community programs implemented by Sharp HealthCare:


Survey Responses: n=380

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

East County Breakout – Community Outreach Awareness

Awareness of Sharp HealthCare Community Outreach Programs

Percentages reflect the proportion of respondents in each regional group who selected the indicated level of familiarity.



Question: Please rate your awareness of the following patient and community programs implemented by Sharp HealthCare:

Survey Responses: n=97

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

South Bay Breakout – Community Outreach Awareness

Awareness of Sharp HealthCare Community Outreach Programs




Percentages reflect the proportion of respondents in each regional group who selected the indicated level of familiarity.

■ Very familiar ■ Somewhat familiar ■ Not at all familiar


Transportation

Sharp cancer support groups


Education programs



Behavioral health support groups



Sharp Senior Resource Centers



Question: Please rate your awareness of the following patient and community programs implemented by Sharp HealthCare:


Survey Responses: n=36

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Household Income Breakouts – Health Conditions

Top Five Most Important Health Conditions

Respondents were able to select up to 5 options from a list of health conditions. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item.



Question: In the following list, what do you think are the five most important health conditions in your community (those health conditions that have the greatest impact on overall community health)?


Survey Responses: n=380

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Household Income Breakouts – Health Conditions

Statistically Significant Differences

The frequency with which each group selected a particular health issue was compared with the frequency with which the sample as a whole selected that issue. The charts below represent these frequencies and do not reflect group size or significance of the difference between the group frequency and the sample frequency. The statistical significance of these differences was determined using a two-tailed Student's t-test with a 95% confidence interval.




Respondents in the **\$150,000 or more** income range were significantly **less** likely than the sample as a whole to select **respiratory issues** as one of the five most important health issues. Respondents in the **\$75,000 to \$99,999** income range were significantly **less** likely than the sample as a whole to select **stroke** as one of the five most important health issues. Respondents who **preferred not to indicate** their income were significantly **less** likely than the sample as a whole to select **unintentional injury** as one of the five most important health issues.

Household Income Breakouts – Social Determinants

Top Five Most Important Social Determinants of Health

Respondents were able to select up to 5 options from a list of social issues. These selections are not ordinal. Percentages reflect the proportion of respondents who selected a specific listed item.



Question: In the following list, what do you think are the five most important social determinants of health in your community (those social issues that have the greatest impact on overall community health)?


Survey Responses: n=380

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey


Household Income Breakouts – Social Determinants

Statistically Significant Differences

The frequency with which each group selected a particular social determinant was compared with the frequency with which the sample as a whole selected that item. The charts below represent these frequencies and do not reflect group size or significance of the difference between the group frequency and the sample frequency. The statistical significance of these differences was determined using a two-tailed Student's t-test with a 95% confidence interval.



Respondents in the **\$25,000 to \$49,999** income range were significantly **more** likely than the sample as a whole to select **care management** or **screening** as one of the five most important social determinants of health.




Respondents in the **\$25,000 to \$49,999** income range were significantly **less** likely than the sample as a whole to select **health insurance** as one of the five most important social determinants of health. Respondents in the **\$100,000 to \$149,999** income range were significantly **less** likely than the sample as a whole to select **prenatal and maternal care** as one of the five most important social determinants of health.

Question: In the following list, what do you think are the five most important social determinants of health in your community (those social issues that have the greatest impact on overall community health)?
 Survey Responses: n=380
 Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Household Income Breakouts – Community Outreach Awareness

Awareness of Sharp HealthCare Community Outreach Programs

Percentages reflect the proportion of respondents in each household income group who selected the indicated level of familiarity.



Question: Please rate your awareness of the following patient and community programs implemented by Sharp HealthCare:

Survey Responses: n=380

Source: Sharp Insight Community – Community Health Needs Assessment 2019 Survey

Appendix

S HASD&IC 2019 CHNA Summary of Online Survey Results

2019 Community Health Needs Assessment Survey Findings


The online community health needs assessment survey was distributed to targeted community-based organizations, Federally Qualified Health Centers, governmental agencies, and public health systems who serve a diverse array of people in San Diego County. When possible, these organizations shared the link to the survey with their clientele. Table 1 (below) describes the online 2019 CHNA survey respondents. Survey questions were primarily centered around the prioritization of health needs and the identification of social predictors of health.

TABLE 1. 2019 COMMUNITY HEALTH NEEDS ASSESSMENT - OVERVIEW OF ONLINE SURVEY PARTICIPANTS

Organization	n	Percent
Community Resident	47	13.3%
Community-Based Organization	69	19.5%
Community Clinic (Federally Qualified Health Center)	33	9.3%
Hospital/Health System	47	13.3%
Local Government Agency	32	9.1%
Philanthropic Organization	3	0.8%
San Diego County Public Health Services	104	29.5%
Other	18	5.1%
Total	353	100%

Ranking Questions

Three separate ranking questions were asked in the 2019 survey on 1) health conditions, 2) social determinants of health (SDOH), and 3) health conditions and SDOH together. The first question asked survey participants to rank 13 health conditions, with 1 having the greatest impact on the overall health and well-being within San Diego communities. The following were identified as the top five health conditions in San Diego County.



In addition to behavioral health being identified as the number one health condition, 63% of survey respondents believe that behavioral health is worsening for San Diego County residents.

From a list of 15, the following were identified as the SDOH that have the greatest influence on poor health outcomes in San Diego County communities.



In addition, the majority of survey respondents thought economic security (55%), has gotten worse over the past three years.

The final ranking question took the top five health conditions and top five SDOH that participants previously ranked and put them into one list of ten. Participants were asked to rank this combined list in order of importance, 1 through 10. Below are the top ten ranked list of health conditions and SDOH together, with 1 having the greatest impact on the overall health and well-being of San Diego County residents.

1. Access to Care
2. Behavioral Health
3. Economic Security
4. Health Insurance
5. Homelessness
6. Housing
7. Diabetes
8. Care Management
9. Health Behaviors
10. Cardiovascular Disease

A total of three health conditions and seven SDOH are represented in this list. This demonstrates that survey respondents consider social determinants to be more significant than health conditions in terms of their overall well-being.

Trends over Time

Survey participants were asked whether the top five health conditions they identified were improving, staying the same, or getting worse over the past 3 years. Behavioral health, economic security, homelessness, and housing were identified by the majority of survey participants as getting worse in San Diego County. Please see the Table 2 below for more information.

TABLE 2. 2019 HASD&IC CHNA SURVEY, TRENDS OVER TIME QUESTION

Health Conditions & Social Determinants of Health	Improved		Stay the Same		Worse	
	n	%	n	%	n	%
Behavioral/Mental Health	21	7.92%	77	29.06%	167	63.02%
Cardiovascular Disease	24	12.83%	125	66.84%	38	20.32%
Diabetes	25	12.89%	110	56.70%	59	30.41%
Access to Care	96	39.34%	96	39.34%	52	21.31%
Health Insurance	64	32.00%	71	35.50%	65	32.50%
Care Management	31	25.41%	72	59.02%	19	15.57%
Economic Security	21	9.29%	80	35.40%	125	55.31%
Health Behaviors	11	9.57%	56	48.70%	48	41.74%
Homelessness	3	2.31%	18	13.85%	109	83.85%
Housing	1	0.88%	10	8.85%	102	90.27%

Behavioral Health Conditions

Due to continued identification of behavioral health as an important health issue in San Diego County, a follow-up question asked participants to rank behavioral health conditions in order of greatest impact on the overall health and well-being of San Diego County residents. The following is the ranked order identified by survey participants, with number one having the greatest impact.

1. Alcohol Use Disorder
2. Mood Disorders
3. Substance Use Disorder
4. Anxiety
5. Opioid Use
6. Suicide and Suicidal thoughts/Ideation
7. Self-Harm or Self-Injury
8. Alzheimer's Disease

Appendix

T

**HASD&IC 2019 CHNA Focus Group
and Key Informant Summary Tables**

Access to Care

Aging Concerns

Behavioral Health

Cancer

Chronic Health Conditions

Economic Security

Homelessness and Housing Instability

Table 1: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Access to Care

SUMMARY OF RESPONSES RELATED TO ACCESS TO HEALTH CARE		
ASSOCIATED HEALTH CONDITIONS AND NEEDS		
All Age Groups <ul style="list-style-type: none"> ♦ Cancer ♦ Chronic diseases (diabetes) ♦ Mood disorders (anxiety, depression, stress) ♦ Substance use disorder ♦ Sexually transmitted diseases ♦ Suicide & self-harm ♦ Trauma (generational, PTSD, psychological) 	Children/Youth <ul style="list-style-type: none"> ♦ Mood disorders (anxiety) ♦ Substance abuse (alcohol, drugs) ♦ Suicide & self-harm ♦ Trauma from experiences before coming to America (war, bombing, gas attacks) 	Senior <ul style="list-style-type: none"> ♦ Alzheimer's ♦ Dementia ♦ Mood disorders (anxiety, depression, schizophrenia)
ASSOCIATED SOCIAL DETERMINANTS OF HEALTH		
All Age Groups <ul style="list-style-type: none"> ♦ Access to dental care: lack of access to dental care ♦ Access to mental health services: lack of services, psychiatrists, PERT, and detox centers for homeless ♦ Care coordination: lack of knowledge in navigating the health care system ♦ Cultural and language barriers in health care ♦ Economic insecurity: insurance costs, services for mental, dental, primary care, surgeries, transgender services, vaccinations, and preventative care ♦ Education: Lack of community resident awareness of services ♦ Follow-up care: limited follow-up care ♦ Healthy foods: lack of access to healthy foods 	Children/Youth <ul style="list-style-type: none"> ♦ Housing and homelessness ♦ Insurance issues ♦ Shortage of health care facilities: shortage of hospitals and clinics, especially in East Region ♦ Shortage of health care providers: lack of specialists, nurses, medical assistants ♦ Stigma: LGBTQ marginalization, doctors refuse to prescribe PrEP, doctors shame patients for getting STD testing ♦ Transportation: lack of transportation ♦ Violence (fear, homelessness) 	Children/Youth <ul style="list-style-type: none"> ♦ Lack of school-based services to support emotional and mental health of students ♦ Education: lack of education on sexual health (e.g., HIV) ♦ Stigma ♦ Vaccinations (difficult to access especially among homeless families due to being transient) Seniors <ul style="list-style-type: none"> ♦ Economic insecurity ♦ Services: limited mental health insurance coverage, senior population increasing, but government is not adjusting to accommodate raising needs ♦ Social isolation and loneliness ♦ Stigma ♦ Transportation
ASSOCIATED BARRIERS AND CHALLENGES		
All Age Groups <ul style="list-style-type: none"> ♦ Distrust: community versus hospital, patient versus doctor and social worker ♦ Lack of patient autonomy in making discharge decisions ♦ Lack of storage (medications for homeless) ♦ Long wait times 	Children/Youth <ul style="list-style-type: none"> ♦ Lack of follow-up care post-referral ♦ Lack of parental involvement due to cultural differences ♦ Parental consent to access services ♦ Vaccinations and test results across the border are not accepted ♦ Bullying 	Seniors <ul style="list-style-type: none"> ♦ Mobility issues

Table 2: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Aging Concerns

SUMMARY OF RESPONSES RELATED TO AGING CONCERNS	
ASSOCIATED HEALTH CONDITIONS AND NEEDS	
<ul style="list-style-type: none"> ♦ Alzheimer’s Disease ♦ Arthritis: joint pain ♦ Behavioral/Mental Health Issues: anxiety (fear), depression from hopelessness and discrimination, generational trauma ♦ Dementia: including early onset ♦ Dental/Oral Health: tooth loss, dentures ♦ Heart Disease ♦ Hypertension (high blood pressure) 	<ul style="list-style-type: none"> ♦ Lung disease ♦ Obesity ♦ Physical limitations: mobility related to aging, being homebound, disabled, or walker/wheelchair-dependent ♦ Substance abuse and self-medication ♦ Vision and hearing loss
ASSOCIATED SOCIAL DETERMINANTS OF HEALTH	
<ul style="list-style-type: none"> ♦ Behavioral/mental care access: lack of access to mental health services ♦ Community and social support: lack of socialization opportunities, caregiving responsibilities for grandchildren, social isolation leads to loneliness ♦ Dental care access: lack of access to dental care, cost, and lack of dental insurance ♦ Economic security: limited and fixed incomes, government assistance 	<ul style="list-style-type: none"> ♦ Environmental issues: houses close to factories ♦ Food insecurity: healthy food access, and malnutrition ♦ Housing: affordability, senior housing availability, and evictions ♦ Homeless issues: Lack of homeless shelters for seniors ♦ Language Issues
ASSOCIATED BARRIERS AND CHALLENGES	
<ul style="list-style-type: none"> ♦ Cultural competency: lack of cultural/linguistically appropriate services ♦ Fear of pain or discrimination ♦ Follow-up: lack follow-up for referrals, missed appointments ♦ Health navigation issues ♦ Immigration: Fear of deportation/mistrust of the government 	<ul style="list-style-type: none"> ♦ Insurance Issues with benefits and cost of insurance ♦ Long wait times for appointments and specialists ♦ Medication management ♦ Transportation: Lack of transportation

Table 3: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Behavioral Health

SUMMARY OF RESPONSES RELATED TO BEHAVIORAL HEALTH		
ASSOCIATED HEALTH CONDITIONS AND NEEDS		
All Age Groups <ul style="list-style-type: none"> ♦ Mood disorders including anxiety, depression, and stress ♦ PTSD and trauma: including generational trauma ♦ Substance use disorder ♦ Suicide and self-harm 	Children/Youth <ul style="list-style-type: none"> ♦ Mood disorders: anxiety ♦ Substance abuse: alcohol, drugs ♦ Suicide and self-harm ♦ Trauma 	Senior <ul style="list-style-type: none"> ♦ Alzheimer's ♦ Dementia ♦ Mood disorders: anxiety, depression ♦ Schizophrenia
ASSOCIATED SOCIAL DETERMINANTS OF HEALTH		
All Age Groups <ul style="list-style-type: none"> ♦ Economic security: cost of mental health services ♦ Education: Lack of community resident awareness of services (unaware of detox requirements) ♦ Lack of services: mental health services, psychiatrists, mental health workforce including PERT ♦ Stigma ♦ Violence: fear, homelessness 	Children/Youth <ul style="list-style-type: none"> ♦ Bullying ♦ Lack of school-based services ♦ Stigma 	Senior <ul style="list-style-type: none"> ♦ Limited mental health insurance coverage ♦ Social isolation and loneliness ♦ Stigma
ASSOCIATED BARRIERS AND CHALLENGES		
All Age Groups <ul style="list-style-type: none"> ♦ Long wait times for mental health services 	Children/Youth <ul style="list-style-type: none"> ♦ Lack of follow-up care post-referral ♦ Parental consent to access services ♦ Lack of parental involvement due to cultural differences 	

Table 4: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Cancer

SUMMARY OF RESPONSES RELATED TO CANCER	
ASSOCIATED HEALTH CONDITIONS AND NEEDS	
<ul style="list-style-type: none"> ♦ Brain cancer ♦ Breast cancer ♦ Cancer (all types, especially in older populations) ♦ Chronic diseases: stress leads to increased cortisol levels which over time is linked to increases in chronic diseases such as asthma, heart disease, and cancer 	
ASSOCIATED SOCIAL DETERMINANTS OF HEALTH	
<ul style="list-style-type: none"> ♦ Healthy behaviors: poor diet, and lack of physical activity ♦ Physical environment: chemical exposures from industrial sites, and from being in war zones prior to arriving in the United States. ♦ Substance use: tobacco, alcohol misuse ♦ Stigma: fear of community stigmatization due to cancer diagnosis 	
ACCESS TO SERVICES BARRIERS AND CHALLENGES	
<ul style="list-style-type: none"> ♦ Cost ♦ Delays to see specialists, like surgeons ♦ Fear of a diagnosis therefore people delay addressing serious health issue until it progresses too far ♦ Fear related to immigration status ♦ Frustration with navigating insurance issues ♦ Logistical issues such as transportation, childcare and home responsibilities ♦ Preventative care: people believe they are healthy due to not having any physical symptoms, therefore do not receive preventative care ♦ Screenings: avoidance of screenings, specifically breast cancer 	

Table 5: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Chronic Health Conditions

SUMMARY OF RESPONSES RELATED TO CHRONIC HEALTH CONDITION	
ASSOCIATED HEALTH CONDITIONS AND NEEDS	
All Age Groups <ul style="list-style-type: none"> ♦ Cardiovascular disease (heart attack, stroke) ♦ Cholesterol ♦ COPD 	<ul style="list-style-type: none"> ♦ Diabetes (Type I, II, and pre-diabetic) ♦ Hypertension (high blood pressure) ♦ Obesity/overweight
ASSOCIATED BARRIERS AND CHALLENGES	
All Age Groups <ul style="list-style-type: none"> ♦ Lack of access to healthy food (living in a ‘food desert’, lack of grocery stores with healthy or fresh food) ♦ Lack of transportation: difficulty in traveling to purchase groceries for rural areas and seniors ♦ Limited physical mobility: difficult to purchase groceries due to physical limitations or being homebound (seniors) ♦ Healthcare cost: high cost of insurance, medical bills, or medications ♦ Economic insecurity: cost of living (rent, utilities), cost of healthy food ♦ Lack of health education and/or knowledge: prevention, disease management, nutrition/diet modification ♦ Poor health behaviors: unhealthy diets, lack of exercise or physical activity ♦ Medication management: timing, frequency, and how to take medications ♦ Unsafe or poorly kept neighborhoods or public spaces for physical activity ♦ Housing: Unstable or complete lack of housing 	
Children and youth <ul style="list-style-type: none"> ♦ Refusing to eat healthy foods ♦ Lack of safe places to exercise or play 	
Individuals Experiencing Homelessness <ul style="list-style-type: none"> ♦ Lack of kitchen to cook healthy meals ♦ Lack of refrigeration to store temperature-specific medications such as insulin ♦ Lack of safe storage of medications: can get lost or stolen 	

Table 6: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Economic Security

SUMMARY OF RESPONSES RELATED TO ECONOMIC SECURITY		
ASSOCIATED HEALTH CONDITIONS AND NEEDS		
All Age Groups <ul style="list-style-type: none"> ♦ Malnutrition ♦ Overweight and obesity ♦ Stress ♦ Behavioral health: anxiety, depression, suicide ♦ Hypertension 	Children/Youth <ul style="list-style-type: none"> ♦ Growth and development ♦ Ability to focus and learn ♦ Trauma 	Seniors <ul style="list-style-type: none"> ♦ Behavioral/mental health issues and connection with not eating healthy foods
ASSOCIATED SOCIAL DETERMINANTS OF HEALTH		
All Age Groups <ul style="list-style-type: none"> ♦ Access to care: afraid of losing benefits to Medi-Cal ♦ Economic security: cost of medical bills and services. Childcare cost is high. ♦ Employment: unemployment, low wages ♦ Food insecurity: organic, healthy, and fresh foods are expensive ♦ Homeless: criminalization of the homeless, no kitchen for cooking food, difficulty accessing the types of food needed due to special diet needs 	<ul style="list-style-type: none"> ♦ Housing: cost of housing ♦ Language barrier ♦ Physical environment: lack of groceries stores with fresh and healthy food Transportation: lack of transportation especially for rural areas Children/Youth <ul style="list-style-type: none"> ♦ Safety: walking to school alone ♦ Stigma of being economically disadvantaged 	Seniors <ul style="list-style-type: none"> ♦ Economic security <ul style="list-style-type: none"> ♦ Gas prices are high and increasing ♦ Lack of affordable home food delivery options ♦ Wheelchairs need repair ♦ Social Security Income: wait time is long, ineligible when staying in the hospital ♦ Lack of fresh items in food pantries ♦ Food insecurity: hunger and nutrition ♦ Lower education, less economic empowerment and less family ties were described in specific locations such as City Heights
ASSOCIATED BARRIERS AND CHALLENGES		
All Age Groups <ul style="list-style-type: none"> ♦ Benefits: afraid of losing benefits to Medi-Cal, CalFresh, and WIC, wait time is too long ♦ Budget: ability to budget is difficult ♦ Childcare: lack of childcare programs ♦ Hygiene (homeless) ♦ Lack of time for adults between work and family to get additional training or education to help increase income level ♦ Legal status ♦ Sleep deprivation ♦ Special diet needs: culturally appropriate foods, allergies, and dietary restrictions due to chronic conditions make it difficult to eat healthy 	Children/Youth <ul style="list-style-type: none"> ♦ Refuse to eat healthy food ♦ Lack of healthy food education for youth ♦ Families have limited time and money to cook healthy meals. Eating fast food becomes an easier way to manage time and money. ♦ School lunches have a lot of unappetizing processed foods 	Seniors <ul style="list-style-type: none"> ♦ Cooking can be a challenge

Table 7: HASD&IC 2019 CHNA – Focus Group and KI Interview Summary of Responses Related to Homelessness and Housing Instability

SUMMARY OF RESPONSES RELATED TO HOMELESSNESS AND HOUSING INSTABILITY		
ASSOCIATED HEALTH CONDITIONS AND NEEDS		
All Age Groups <ul style="list-style-type: none"> ♦ Behavioral health: depression, schizophrenia, PTSD ♦ Hygiene and cleanliness ♦ Infectious diseases: hepatitis, HIV/AIDS ♦ Stress and anxiety ♦ Substance abuse: opioids, meth, crack, Xanax, Percocet, heroin 	Children/Youth <ul style="list-style-type: none"> ♦ Flu ♦ Hepatitis A ♦ Pregnancy 	Senior <ul style="list-style-type: none"> ♦ Disabilities ♦ Chronic conditions ♦ Behavioral health issues
ASSOCIATED SOCIAL DETERMINANTS OF HEALTH, BARRIERS AND CHALLENGES		
All Age Groups <ul style="list-style-type: none"> ♦ Employment difficulty ♦ Health insurance ♦ Housing: lack of affordable housing ♦ Access to health care: poor quality health care ♦ Vaccinations and immunizations are difficult to get because homeless move locations depending on shelters and availability. To get immunization must go to the primary provider they signed up with which could be too far once they move. ♦ Stigma 	Children/Youth <ul style="list-style-type: none"> ♦ Community and social support: Foster children are not prepared to move out once they turn 18. They have no family support and have not been taught how to survive on their own ♦ Safety: Youth (18 years old) who turn 18 while in shelters with their family are kicked out and have no safe place to stay ♦ Safety & violence: gang violence, neighborhood safety, rape and sex trafficking ♦ Vaccinations can be difficult to get due to moving (see adult section) 	Seniors <ul style="list-style-type: none"> ♦ Physical limitations: mobility issues make it difficult to access services ♦ Housing: Lack of senior housing
ASSOCIATED BARRIERS AND CHALLENGES		
All Age Groups <ul style="list-style-type: none"> ♦ Lack of resources: limited short-term & emergency resources, lack of affordable services ♦ Food: lack of ability to store and cook food, eating unhealthy foods to fill stomach ♦ Shelters: lack of women emergency shelters ♦ Storage for personal belongings and medical supplies 	Children/Youth <ul style="list-style-type: none"> ♦ Endless cycle of homelessness ♦ Lack of transitional housing ♦ Low paying jobs 	Seniors <ul style="list-style-type: none"> ♦ Food: Special dietary needs due to chronic health conditions

Appendix

U

**Sharp HealthCare 2019 CHNA
Focus Group Summary Tables**

Sharp Patient Family Advisory Council

Sharp Case Management Leadership

Sharp Senior Health Center Staff/ Senior Patients/ Community Members

SMC Aftercare Support Group

Sharp Cancer Patient Navigators & Social Worker

Sharp Diabetes Health Educators

SMBHWN Case Manager & Social Worker

Table 1: Sharp 2019 CHNA – Sharp HealthCare Patient Family Advisory Council Focus Group Summary of Responses

SHARP HEALTHCARE PATIENT FAMILY ADVISORY COUNCIL - SUMMARY OF RESPONSES	
HEALTH CONDITIONS AND NEEDS	
Adults <ul style="list-style-type: none"> ♦ Behavioral/Mental health: including drug abuse ♦ Stroke ♦ Cardiac/Cardiovascular issues ♦ Diabetes ♦ Hepatitis ♦ Opioid addiction ♦ Sciatica 	Seniors <ul style="list-style-type: none"> ♦ Alzheimer's ♦ Aging concerns such as pain management ♦ Dementia Children and Youth <ul style="list-style-type: none"> ♦ Asthma ♦ Food allergies
SOCIAL DETERMINANTS OF HEALTH	
Adults <ul style="list-style-type: none"> ♦ Access to health care: difficult to navigate health care system ♦ Economic security <ul style="list-style-type: none"> ○ Unaffordable housing ○ Substandard housing conditions such as mold, asbestos, or lead paint in low-income neighborhoods. ○ Lack of access to healthy food: junk food is cheaper while healthy food is expensive. ○ Food insecurity: lack of access to WIC, CalFresh, and other publicly funded food programs. Blackout dates for electronic benefit transfer (EBT) funds due to federal funding. ♦ Education needed on: <ul style="list-style-type: none"> ○ Dementia or Alzheimer's ○ How to be a caregiver ○ Therapy options & available support groups ○ How to navigate the immigration system ♦ Fear: patients delay surgery due to fear. ♦ Immunization and Vaccinations: families are fearful of autism. <ul style="list-style-type: none"> ○ People are uncertain of where to get flu shots and how to pay for them. ○ Misinformation on side effects. ♦ Insurance issues: insurance is expensive especially copays for families. ♦ Transportation issues cause delays seeing doctors, especially those living in rural areas. 	Seniors <ul style="list-style-type: none"> ♦ Food access and food insecurity which can lead to readmissions. ♦ Economic security: due to fixed income ♦ Transportation lack of access to transportation and decreased capacity to drive. Children and Youth <ul style="list-style-type: none"> ♦ Food insecurity and healthy food access <ul style="list-style-type: none"> ○ School meals are primary source of food, quality is questionable. ♦ Access to care is often times delayed. ♦ Behaviors: access to caffeine energy drinks and coffee is a concern especially in regards to brain development. <ul style="list-style-type: none"> ○ Drugs and Smoking: access to age-restricted substances such as marijuana, E-cigarettes and vaping. ♦ Community and Family Support: school pressure causes children to be stressed. <ul style="list-style-type: none"> ○ Pressured by parents to do extracurricular activities, volunteer work, and sports all in an effort to apply for Ivy League schools. ○ Peer pressure ♦ Immunization against measles and polio. ♦ Sex trafficking especially in the Parkway Plaza area which affects individuals of all socioeconomic statuses. ♦ Technology: electronics and social media leads to sleep deprivation, attention problems, and poor sleep quality.
YOUTH ROLES IN FAMILY CARE	

<ul style="list-style-type: none"> ♦ Help with family routines such as helping with taking care of siblings, driving, cooking.
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS
<ul style="list-style-type: none"> ♦ Economic security <ul style="list-style-type: none"> ○ High cost of medication is of special concern for seniors impacting their access to health care ○ Food insecurity. ♦ Education: lack of health education and health literacy. Patients do not understand when to use urgent care versus the emergency department. ♦ Problems navigating health insurance such as understanding health plans.
DAILY LIVES
How do these health and social conditions affect community member's daily lives?
<ul style="list-style-type: none"> ♦ People can develop depression when trying to figure out how they will pay for their health care or how to secure transportation to appointments. ♦ People experience mental and physical exhaustion from trying to understand the health care system and insurance.
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS
<ul style="list-style-type: none"> ♦ Transportation is a challenge. ♦ Medication reconciliation of old versus new medications. ♦ Language issues or language barriers.
HOSPITAL DISCHARGE SOLUTIONS
<ul style="list-style-type: none"> ♦ Follow-up care and phone calls <ul style="list-style-type: none"> ○ Improving social workers role in ensuring follow up care and continuity of care post discharge. ○ Follow up phone calls post discharge especially if patients have rehabilitation scheduled. ♦ In-home care and visits <ul style="list-style-type: none"> ○ Providing free home visits for post-surgery follow-up. ○ Access to affordable in-home care options is needed. ♦ Patients need a supportive advocate at the time of discharge.
IMMIGRATION
Have you observed any changes in the community's health and wellbeing as a result of immigration policies, attitudes and beliefs?
<ul style="list-style-type: none"> ♦ Some community members believe that new diseases will arrive in the United States due to the lack of health care received from immigrants prior to entering the U.S. <p>Accessing care for undocumented population:</p> <ul style="list-style-type: none"> ♦ There is fear of looking for help or accessing care for the undocumented. Often times they have more health issues than the general population <p>Accessing care for the Middle Eastern (refugee) population:</p> <ul style="list-style-type: none"> ♦ Cultural: Sometimes there is cultural preference or bias in the language especially with women because men make the choices for the women, so translation can sometimes be inaccurate <ul style="list-style-type: none"> ○ They are not accustomed to accessing health care or are unfamiliar with how to access health care in the U.S. ♦ Education: health literacy, knowledge of how to navigate healthcare system. New immigrants are unaware of services available. ♦ Fear: some are afraid of police or authority in general. ♦ Language barriers: there are issues surrounding translations services over the phone versus using someone such as a family member. Some hospital policies are to not use family members due to confidentiality and translation issues. <ul style="list-style-type: none"> ○ If there is a workshop or a service refugees are interested in, it is generally not in their language ○ Translations: for Sharp Grossmont Hospital specifically, many Middle Eastern immigrants need documents translated in their native languages (Farsi, for example) ♦ Trauma: Many come from war zones; have mental trauma, PTSD, and/or depression.

Table 2: Sharp 2019 CHNA – Sharp HealthCare Case Management Leadership Focus Group Summary of Responses

SHARP HEALTHCARE CASE MANAGEMENT LEADERSHIP - SUMMARY OF RESPONSES	
HEALTH CONDITIONS AND NEEDS FOR PATIENT AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Aging concerns ♦ Cancer ♦ Congestive heart failure (CHF) ♦ COPD 	<ul style="list-style-type: none"> ♦ Diabetes ♦ Encephalopathy: specifically liver transplant patients from SGH ♦ Mental Health: including alcohol/substance misuse
SOCIAL DETERMINANTS OF HEALTH FOR PATIENT AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Access to health care <ul style="list-style-type: none"> ○ Lack of SNFs for Medi-Medi patients ○ Lack of access to timely care ♦ Behaviors such as smoking, alcohol and substance misuse. Smoking in East County and hookah habits in the Middle Eastern population. ♦ Community and social support <ul style="list-style-type: none"> ○ Lack of family support. ○ Lack of caretaker support: no family or spouse to care for when discharged. 	<ul style="list-style-type: none"> ♦ Economic security <ul style="list-style-type: none"> ○ Food insecurity ○ Lack of childcare due to cost and inability to take time off work to care for newborn. ♦ Housing: lack of affordable housing. ♦ Insurance issues and underfunding. <ul style="list-style-type: none"> ○ Skilled nursing facilities and home health do not accept Medi-Cal. ♦ Health literacy: not knowing where to get care. ♦ Lack of transportation
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Long wait times to access care leads to readmissions, often times there is a six month minimum to see a specialist. ♦ Many access issues are insurance driven which creates a backup in hospitals. ♦ Many individuals are unaware that they have a primary care provider which can cause delays in home health referrals. 	
HOSPITAL COMMUNICATION	
Do you or your staff interact with community clinics, social services organizations, or other community resources in any way to support patients/their families?	
<ul style="list-style-type: none"> ♦ Some case managers use 2-1-1 San Diego as a means to connect patients to needed social services by sending a referral electronically using their electronic health record system. 	
HOSPITAL AND COMMUNITY SUPPORT NEEDED	
<ul style="list-style-type: none"> ♦ 2-1-1 Community Info Exchange Access is needed for all Sharp facilities to inform next steps for patient discharge (Sharp Grossmont and Sharp Chula Vista currently do not have access, as of 2/21/19). ♦ Housing is the number one need for many patients. <ul style="list-style-type: none"> ○ Patient-centered initiatives: there is a need for more patient-centered initiatives, especially with housing. ○ Dedicated housing coordinator: there is a need for an on-site coordinator (non-Sharp staff) whose sole job is to place people in housing or get them referrals/applications to affordable housing. 	
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Transportation support is needed, especially for very debilitating health conditions. 	

<ul style="list-style-type: none"> ○ Need a dedicated person on-site to help patients fill out the metropolitan transit system) applications for those who qualify for discounted bus passes due to having a disability. ♦ Recuperative care <ul style="list-style-type: none"> ○ San Diego Rescue Mission's closure means less respite care capacity. ○ The lack of recuperative care forces case managers to discharge patients to Board and Care facilities or Independent Living Facilities, which is very expensive for patients. ♦ Short term caregivers: need for additional short term caregivers to help transport patients and check in on patients. ♦ Home support services: need additional in-home support services for hospitals or adult day centers to help patients transition back to the community or home. ♦ Wraparound service support: there is a need to streamline the process from the hospital to the County for those who qualify for wraparound services.
<p>IMMIGRATION</p> <p>Have you observed any changes over the past year in patient/community member attitude towards immigration issues?</p>
<ul style="list-style-type: none"> ♦ Fear <ul style="list-style-type: none"> ○ There has been an increase of patients who are eligible for insurance, but will not sign up due to fear of public charge. ○ Patients are fearful of being put on a blacklist if they use public funded services. ○ Immigrants fear that if they use Medi-Cal their property will be taken away.

Table 3: Sharp 2019 CHNA – Sharp Senior Health Center Staff, Senior Patients and Community Members Focus Group Summary of Responses

SHARP SENIOR HEALTH CENTER STAFF, PATIENTS & COMMUNITY MEMBERS - SUMMARY OF RESPONSES	
HEALTH NEEDS AND CONDITIONS IMPACTING SENIOR HEALTH	
<ul style="list-style-type: none"> ♦ Diabetes ♦ Dementia ♦ Depression ♦ Disability ♦ Heart failure/disease 	<ul style="list-style-type: none"> ♦ Lung disease ♦ Obesity ♦ Opioid abuse ♦ Physical aging concerns: loss of agility and mobility; falling.
SOCIAL DETERMINANTS OF HEALTH IMPACTING SENIOR HEALTH	
<ul style="list-style-type: none"> ♦ Economic insecurity: housing is too expensive for social security income checks. ♦ Environmental issues such as air and sound pollution. ♦ Housing issues ♦ Lack of access to fresh food 	<ul style="list-style-type: none"> ♦ Community and family support: a lack of support leads to social isolation. ♦ Transportation: seniors fear public transportation; do not use Lyft or Uber because of technology.
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Economic insecurity due to living on a fixed income (i.e. Cannot afford to buy the “life button”). ♦ Fear: too scared to reach out for help; feel intimidated. ♦ Hearing and vision problems ♦ Community and family support: being alone leads to difficulties accessing emergency services. ♦ Language barriers ♦ Transportation: lack of transportation to health appointments; fear of public transportation. 	
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS FOR SENIORS	
<ul style="list-style-type: none"> ♦ Lack of follow-up care ♦ Language barriers 	
HOSPITAL AND COMMUNITY SUPPORT NEEDED	
<ul style="list-style-type: none"> ♦ Access to healthy food: provide meal delivery programs for seniors or transportation so they can access fresh and healthy groceries. ♦ Access to mental/behavioral health services: increase/expand psychiatric support for Medi-Cal and Medicare insured; there is a need for subsidized mental health care. ♦ Community and family support programs: create programs that help/prevent seniors from isolation and feeling lonely; encourage family members to help seniors. ♦ Database: need a centralized communication database that informs Sharp staff on information about patients that use Sharp services but are not Sharp members. ♦ Home visiting: have a home visiting program where volunteers visit seniors at least 1 time a month. ♦ Interpretation experts are needed. ♦ Transportation: provide seniors transportation to health care appointments. 	
IMMIGRATION	
Have you observed any changes over the past year in community members’ attitude towards immigration issues?	
<ul style="list-style-type: none"> ♦ There has been an increased intolerance for those who have immigrated to this country. 	

Table 4: Sharp 2019 CHNA – Sharp McDonald Center Aftercare Support Group Focus Group Summary of Responses

SHARP MCDONALD CENTER AFTERCARE SUPPORT GROUP - SUMMARY OF RESPONSES	
HEALTH CONDITIONS AND NEEDS	
Adults <ul style="list-style-type: none"> ♦ Addiction/Substance abuse: especially young adults, and within the LGBTQ community ♦ Diabetes ♦ Heart disease/Cardiovascular issues ♦ Mental health: anxiety, depression, suicide ideation and suicide 	Seniors <ul style="list-style-type: none"> ♦ Addiction/Substance abuse: alcohol, opioids ♦ Alzheimer's ♦ Aging concerns: arthritis, mobility ♦ Behavioral/Mental health: anxiety ♦ Chronic pain: leads to substance abuse to deal with pain. Children and Youth <ul style="list-style-type: none"> ♦ Behavioral/Mental health: depression, anxiety from social media or bullying, and suicide. ♦ Diabetes ♦ Obesity
SOCIAL DETERMINANTS OF HEALTH	
Adults <ul style="list-style-type: none"> ♦ Community and family support: negative interpersonal relationships with friends or family that encourage substance use/abuse. ♦ Behaviors: less perceived danger of marijuana since legalization. Seniors <ul style="list-style-type: none"> ♦ Access to healthy/nutritious food ♦ Economic security: food insecurity. 	Children and Youth <ul style="list-style-type: none"> ♦ Environment ♦ Behaviors: eating habits and diet, excessive sugar intake. ♦ Fear/Racial discrimination and bullying: especially for young black children. ♦ Parental support: lack of support. ♦ Technology: lack of parental control over social media and internet content exposure.
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Education: access to information, for example November is prostate cancer month but there is no visible promotion for it. ♦ Economic security: high cost of health care, large deductibles create a financial burden on individuals. ♦ Insurance issues: the complicated process of health care enrollment. ♦ Lack of services: accessibility and availability of health care services for addiction. 	
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Medications and prescription issues: pain medication management is challenging and can lead to prescription drug addiction; over-prescription of opioids to treat back surgery. ♦ Insurance: insurance claim issues and the stress resulting from denied claims. ♦ Community and family support: lack of discharge support at home from friends, family members or caretakers. 	
HOSPITAL DISCHARGE IMPROVEMENTS THAT CAN BE MADE	
<ul style="list-style-type: none"> ♦ Alternative treatment options: physician openness to alternative treatments, such as holistic treatments instead of pain medication. ♦ Education: increase physician knowledge through training on topics such as proper bedside manner. 	
HOSPITAL AND COMMUNITY SUPPORT NEEDED	

- ♦ **Community support:** places or forums for the elderly/seniors to talk and socially engage with one another.
- ♦ **Education:**
 - **Community members:** A place where health advocates are available for community members to discuss health issues.
 - **Providers:** More education for providers on patient’s recovery process; finding alternative treatments to avoid prescription drugs; education on patient struggles and issues and how to empathize.
- ♦ **Additional services:** more affordable addiction recovery services like Sharp McDonald Center. More beds in addiction recovery programs.
- ♦ **Insurance:** improve insurance process.
- ♦ **Stigma:** the system and society treats addiction as shameful.

IMMIGRATION

Have you observed any changes over the past year in patient/community member attitude towards immigration issues?

- ♦ The news/media is driving a lot of the negative talk, especially in regards to “The Wall”.
- ♦ The current administration has caused this change in attitude.
- ♦ There is a polarization of extremes in political views. People feel emboldened to treat others unkindly and say hateful things while the people being mistreated feel the need to hide or change behaviors to avoid being bullied.

Table 5: Sharp 2019 CHNA – Sharp HealthCare Cancer Patient Navigators and Social Worker Focus Group and KI Interview Summary of Responses

SHARP HEALTHCARE CANCER PATIENT NAVIGATORS AND SOCIAL WORKER - SUMMARY OF RESPONSES	
SOCIAL DETERMINANTS OF HEALTH – PATIENT AND FAMILY	
<ul style="list-style-type: none"> ♦ Access to health care specifically for recovery issues, post-surgery or post-treatment. ♦ Community and family support <ul style="list-style-type: none"> ○ Patients sometimes hide cancer status from their children. Sometimes it is due to the young age of their children. ○ Patients do not want to ask for help, they want to manage their health condition on their own. ○ Lack of caregivers ○ Lack of effective communication between patient and family members, especially senior patients. ♦ Transportation problems getting to health services ♦ Financial issues and needs related to their care plans ♦ Insurance Issues (i.e. having Medi-Cal, but no supplemental income) ♦ Homelessness: some patients live in cars ♦ Language barrier becomes a problem when trying to accurately translate cancer status to patient and family 	
YOUTH ROLES IN FAMILY CARE	
<ul style="list-style-type: none"> ♦ Children will often take on a role reversal when their parent is sick. ♦ Children provide transportation ♦ Children provide translation 	
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS FOR PATIENTS AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Economic security ♦ Fear <ul style="list-style-type: none"> ○ Fear and pain management are challenges for head and neck cancer patients. ○ Patients do not want chemotherapy because they do not want to lose their hair. ○ Patients fear the impact of treatment and are scared of the future and its uncertainty. ○ Sometimes other people will instill fear in the patients and tell them to partake in certain activities such as not eating sugar or going to Mexico to get their cancer treatments. ♦ Mental health issues and substance misuse can create challenges in care. ♦ Untimely access to providers and treatment, due to insurance issues or lack of providers to render services. ♦ Provider shortage ♦ Treatment compliance: providers may be unaware of a patient’s psychiatric history which may complicate treatment compliance. ♦ Conflicting treatments: some patients use holistic methods such as herbs and vitamin C therapy that may interact with treatments. 	
HOSPITAL COMMUNICATION	
Do you or your staff interact with community clinics, social services organizations, or other community resources in any way to support patients/their families?	

<ul style="list-style-type: none"> ♦ Referrals are made to resources such as financial services, In-Home Care, transportation, and housing. <ul style="list-style-type: none"> ○ Based on identified needs they refer to Komen Foundation or Cancer society. ○ Jewish Family Services and Mama's Kitchen are organizations that social workers and navigators rely on. ○ For patients with mental health issues or suicide ideation, social workers and navigators will call Sharp Mesa Vista to refer patients to a psychiatrist.
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS
<ul style="list-style-type: none"> ♦ Lack of family support: issues when there is no one at home for the patient to be discharged to. ♦ Homeless: when the patient does not have a home. ♦ Medications: when the patient has no access to their medications. ♦ Follow-up care: lack of follow-up care. ♦ Insurance issues, especially when patients have no outpatient care coverage. ♦ Education: some caregivers lack health education or are not capable of effectively being a caregiver.
HOSPITAL AND COMMUNITY SUPPORT NEEDED
<p>Financial navigators: there is a need for financial navigators to help oncology patients navigate their health insurance policy.</p> <p>One stop shop for patients that includes all the services they may need during this time, such as pain management clinics, wig disbursement, and help with legal issues.</p> <p>Additional staff: there is a need for more staff for breast cancer patients.</p> <p>Follow-up care: after surgery and chemotherapy follow up care.</p> <p>Education: patients need more education and support during this process such as education around why going back to work is not advisable.</p> <p>Legal Services: there is a need for more assistance with legal services and lawyers. Legal issues arise for some patients on immigration, custody of children, divorce, or work-related issues on discrimination.</p>
IMMIGRATION
<p>Have you observed any changes over the past year in patient/community member attitude towards immigration issues?</p> <ul style="list-style-type: none"> ♦ Patients are afraid to talk when it comes to their citizenship status. ♦ Many patients unenrolled from their health insurance out of fear of being on a “list”. ♦ There has been an increase in inpatient care due to placing patients on restricted Medi-Cal and then admitting them to obtain treatment and needed tests and scans such as MRI’s. These services would otherwise not occur if the patient were an outpatient due to insurance. ♦ Many immigrants debate stopping treatment or just leaving the country all together. ♦ In terms of access to health care, there are a lot of legal and family issues involved.

Table 6: Sharp 2019 CHNA – Sharp HealthCare Diabetes Health Educators Focus Group Summary of Responses

SHARP HEALTHCARE DIABETES HEALTH EDUCATORS - SUMMARY OF RESPONSES	
HEALTH CONDITIONS AND NEEDS FOR PATIENTS AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Cardiovascular issues ♦ Behavioral health issues: depression associated with diabetes, bipolar ♦ Diabetes ♦ Eating disorders ♦ Gastric bypass issues 	<ul style="list-style-type: none"> ♦ Kidney issues ♦ Neuropathy: weakness, numbness, and pain from nerve damage, usually in the hands and feet ♦ Post kidney transplant issues ♦ Vision issues
SOCIAL DETERMINANTS OF HEALTH FOR PATIENTS AND FAMILIES	
<ul style="list-style-type: none"> ♦ Community and family support: families can be unsupportive of the “diet” they must adhere to. There are misconceptions about the health conditions by family members. ♦ Education for patients: general lack of patient empowerment and knowledge on diabetes ♦ Education for providers: patients are referred to general practitioners and medical doctors who are not knowledgeable in diabetes care ♦ Food insecurity ♦ Medication Issues: prescription issues such as medications not being covered under the patients insurance. This can be an issue when the doctor does not write “or” on the prescription renewal so that it can be replaced with different type of drug. ♦ Stigma: the burden is reinforced by medical providers who scare the patients. 	
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS FOR PATIENTS AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Community and family support: lack of family support due to economic reasons. ♦ Cultural differences <ul style="list-style-type: none"> ○ Middle Eastern patient population cultural/belief differences: <ul style="list-style-type: none"> ▪ Tendency to eat very late and only two times a day which make it harder to control blood glucose levels. ▪ Arab population –has difficulty trusting and believing the diabetes education content, which creates challenges when trying to change eating and life style habits. ▪ Husbands are dominant in the household and due to work status cannot support their wife during appointments. ○ Asian culture –eating two bowls of rice is the norm; lack health literacy in nutrition. ○ Some cultures believe big babies are healthier. ♦ Economic insecurity <ul style="list-style-type: none"> ○ If husband misses work, family does not eat; same goes for taking time off for sick leave or medical emergencies. ○ Food insecurity ♦ Education: lack of knowledge of disability and employment rights (i.e. employees are unaware that by law they must be allowed to check their blood sugar levels at work). <ul style="list-style-type: none"> ○ Some patients believe insulin causes blindness (not diabetes condition itself) or think that death or amputation is inevitable when diagnosed with diabetes. ○ Providers forget to remind patients to bring their blood glucose meters. ○ Even well-educated patients with gestational diabetes may not care for themselves properly. ♦ Health insurance issues ♦ Stigma: some patients have preconceived ideas of what a person living with diabetes looks like. There is stigma around the use of the word diabetic, and some people believe people with diabetes are lazy. ♦ Violence: instances of domestic/familial abuse. 	

HOSPITAL COMMUNICATION

Do you or your staff interact with community clinics, social services organizations, or other community resources in any way to support patients/their families?

- ♦ **Referrals:** refer patients with newborns who need resources to the Salvation Army and other organizations.
- ♦ **Partner with community organizations such as:**
 - Family Health Center to help patients set goals, follow-up, and check in on patient progress.
 - 2-1-1 San Diego to work on food insecurity resources.
 - Sharp Mesa Vista Outpatient Center
 - Senior centers
 - Feeding America and Senior Meal Programs
- ♦ **Additional partnerships include**
 - WIC Interns conduct projects with Sharp HealthCare to implement changes. WIC is a federally funded food supplement nutrition program for Women, Infants, and Children (WIC).
 - Help uninsured patients enroll into the Care Transitions Intervention Program

HOSPITAL DISCHARGE CHALLENGES AND BARRIERS

- ♦ At discharge, there is no continuity of care. Patients are only provided with papers on resources.
- ♦ Language barrier when trying to understand discharge papers.

IMMIGRATION

Have you observed any changes over the past year in patient/community member attitude towards immigration issues?

- ♦ The group has observed changes in attitudes toward immigrant issues and stated that it is most noticeable in the Chula Vista location.
- ♦ There is fear of crossing the border from the South Bay.

Table 7: Sharp 2019 CHNA – SMBHWN Case Manager and Social Worker Focus Group Summary of Responses

SMBHWN CASE MANAGER AND SOCIAL WORKER - SUMMARY OF RESPONSES	
HEALTH CONDITIONS AND NEEDS FOR PATIENT AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Diabetes ♦ Preterm pregnancies ♦ Short interval pregnancy 	<ul style="list-style-type: none"> ♦ Substance use and abuse: including alcohol use. Use of marijuana during pregnancy
SOCIAL DETERMINANTS OF HEALTH FOR PATIENT AND FAMILY MEMBERS	
<ul style="list-style-type: none"> ♦ Lack of access to mental health services outside of the Sharp Mary Birch facility, even if you have good insurance coverage <ul style="list-style-type: none"> ○ Difficult for patients with Medi-Cal coverage. ○ UC San Diego mental health program is overcrowded most of the time. ♦ Economic security: lack of affordable postpartum child care. 	<ul style="list-style-type: none"> ♦ Economic security continued <ul style="list-style-type: none"> ○ New mothers may sign out of hospital against medical advice because they cannot afford childcare and need to return to work to pay bills. ○ Many mothers spend their entire maternity leave in the hospital with their premature baby. ♦ Education needed on postpartum anxiety and mood disorders. ♦ Transportation: lack of access to transportation.
YOUTH ROLES IN FAMILY CARE	
<ul style="list-style-type: none"> ♦ High school aged siblings typically take over a babysitting role, which can cause them to miss school. ♦ Children translate for parents. 	
ACCESS TO HEALTH CARE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Education: lack of health education such as patients and their families not being aware of preventive medicine. ♦ Services: not enough health-related programs and not enough providers. <ul style="list-style-type: none"> ○ Access to home care programs is difficult. ♦ Providers: lack of mental health providers across all payer sources. 	
HOSPITAL DISCHARGE CHALLENGES AND BARRIERS	
<ul style="list-style-type: none"> ♦ Transportation issues: hard to keep appointments if you do not have reliable transportation. ♦ Access to health care ♦ Financial issues ♦ Medication availability: once a patient is discharged with special medications, they often have difficulty getting the same medication in outpatient pharmacies due to insurance issues. ♦ Health literacy & education, patients do not understand: <ul style="list-style-type: none"> ○ the nuances of <i>health care leave and disability</i> rights. ○ the difference between <i>inpatient and home services</i> or what is covered by their insurance. 	
HOSPITAL AND COMMUNITY SUPPORT NEEDED	
<ul style="list-style-type: none"> ♦ More home health, especially for postpartum ♦ Lactation consulting and services to increase breastfeeding rates and potentially divert readmissions. ♦ Interpretation and translations: access to language compatible providers and services – Muslim patients most notably. In-person translators needed. ♦ Have nursing, lactation consultants, dieticians, social workers, and interpreters come in as one team for each patient so that all needs are met. ♦ Maternal mental health services - inpatient and outpatient. ♦ Support groups: freestanding women hospital support groups. 	

- ♦ Improving communication between doctors and pharmacists - making sure that for certain medications, doctors indicate a substitute can be given in place of a brand name.

IMMIGRATION

Have you observed any changes over the past year in patient/community member attitude towards immigration issues?

Fear and Stigma have increased:

- ♦ Immigrant's fear of applying for Medi-Cal has multiplied; some fear their contact information will be registered.
- ♦ Fearful of public charge rule and of being turned into the authorities.
- ♦ Asylum Seekers from Africa who are Muslim are scared to seek services because of the stigma to their faith and country of origin.
- ♦ People feel emboldened by the current administration to act out.
 - Providers often make assumptions and racist remarks before looking at the patient's fact sheet.

Appendix



Map of Sharp HealthCare Locations



CORP0028711.18 ©2018 SHC

Appendix

W Sharp HealthCare Involvement in Community Organizations

The list below shows the involvement of Sharp executive leadership and other staff in community organizations and coalitions in Fiscal Year 2018. Community organizations are listed alphabetically.

- 2-1-1 San Diego Board
- A New PATH (Parents for Addiction, Treatment and Healing)
- Adult Protective Services
- Alliance for African Assistance
- Altrusa International Club of San Diego
- Alzheimer's Project Safety Workgroup
- Alzheimer's San Diego
- Alzheimer's San Diego Client Advisory Board
- American Academy of Nursing
- American Association of Colleges of Nursing
- American Association of Critical-Care Nurses
- American Cancer Society
- American College of Healthcare Executives
- American Congress of Obstetricians and Gynecologists
- American Diabetes Association
- American Foundation for Suicide Prevention
- American Heart Association
- American Hospital Association
- American Hospital Association Regional Policy Board
- American Lung Association
- American Nurses Association
- American Psychiatric Nurses Association
- American Red Cross of San Diego
- Angels Foster Family Network
- The Arc of San Diego
- Asian Business Association of San Diego
- Association for Ambulatory Behavioral Healthcare
- Association for Clinical Pastoral Education
- Association for Community Health Improvement
- Association for Contextual Behavioral Science – Aging Special Interest Group
- Association of California Nurse Leaders
- Association of Fundraising Professionals – San Diego Chapter
- Association of Women's Health, Obstetric and Neonatal Nurses
- Azusa Pacific University
- Balboa Institute of Transplantation
- BAME Renaissance, Inc. (BAME CDC)

- Bayside Community Center
- Beacon Council's Patient Safety Collaborative
- Behavioral Health Recognition Dinner Planning Team
- Borrego Health
- Boys and Girls Club of South County
- Cabrillo Credit Union Sharp Division Board
- Cabrillo Credit Union Supervisory Committee
- California Academy of Nutrition and Dietetics – San Diego District
- California Association of Health Plans
- California Association of Hospitals and Health Systems Committee on Volunteer Services and Directors' Coordinating Council
- California Association of Marriage and Family Therapists San Diego Chapter
- California Association of Physician Groups
- California Board of Behavioral Health Sciences
- California College San Diego
- California Department of Public Health (CDPH)
- CDPH Healthcare Acquired Infections/Antimicrobial Stewardship Program subcommittee
- CDPH Healthcare Associated Infection Advisory Committee
- CDPH Joint Advisory Committee
- California Dietetic Association
- California Emergency Medical Services Authority
- California Health Care Foundation
- California Health Information Association
- California Hospice and Palliative Care Association
- California Hospital Association (CHA)
- CHA Board of Trustees
- CHA Center for Behavioral Health
- CHA Emergency Management Advisory Committee
- CHA Hospital Quality Institute Regional Quality Leaders Network
- CHA San Diego Association of Directors of Volunteer Services
- CHA Workforce Committee
- California Immunization Coalition
- California Library Association
- California Maternal Quality Care Collaborative
- California Perinatal Quality Care Collaborative
- California Society for Clinical Social Work Professionals
- California State University San Marcos
- California Teratogen Information Service
- Cameron Family YMCA
- Community Health Improvement Partners Behavioral Health Work Team
- Chula Vista Chamber of Commerce
- Chula Vista Community Collaborative
- Chula Vista Police Foundation
- City of Chula Vista
- City of San Diego

- City of San Diego Park & Recreation
- Clairemont Lutheran Church
- Community Center for the Blind and Visually Impaired
- Consortium for Nursing Excellence, San Diego
- Coronado Chamber of Commerce
- Coronado Public Library
- Coronado SAFE (Student and Family Enrichment)
- Coronado Senior Center Planning Committee
- Council of Women's and Infants' Specialty Hospitals
- County Service Area – 69 Advisory Board
- Doors of Change
- Downtown San Diego Partnership
- East County Action Network
- East County Senior Service Providers
- Emergency Nurses Association – San Diego Chapter
- Employee Assistance Professionals Association
- EMSTA College
- Family Health Centers of San Diego
- Father Joe's Villages
- Feeding San Diego
- Friends of Scott Foundation
- Gary and Mary West Senior Wellness Center
- George G. Glenner Alzheimer's Family Centers, Inc.
- Girl Scouts San Diego
- Grossmont College Occupational Therapy Assistant Advisory Board
- Grossmont College Respiratory Advisory Committee
- Grossmont Healthcare District Community Grants and Sponsorships Committee
- Grossmont Healthcare District Independent Citizens' Bond Oversight Committee
- Grossmont Imaging LLC Board
- Grossmont Union High School District
- Hands United for Children
- Health and Science Pipeline Initiative
- Health Care Communicators Board
- Health Industry Collaboration Effort, Inc.
- Health Insurance Counseling and Advocacy Program
- Health Sciences High and Middle College (HSHMC)
- Healthy Chula Vista Advisory Commission
- Helix Charter High School
- Hidden Heroes campaign
- Home Start, Inc.
- Hospice and Palliative Nurses Association — San Diego Chapter
- Hospital Association of San Diego and Imperial Counties (HASD&IC)
- HASD&IC Community Health Needs Assessment Advisory Group
- HSHMC Board
- Hunger Advocacy Network

- I Love a Clean San Diego
- Inner City Action Network
- Institute for Public Health, San Diego State University (IPH)
- Integrative Therapies Collaborative
- International Association of Eating Disorders Professionals
- The Jacobs & Cushman San Diego Food Bank
- Jewish Family Service of San Diego (JFS)
- JFS Behavioral Health Committee
- JFS Public Affairs Committee
- Kiwanis Club of Bonita
- La Maestra Community Health Centers
- La Mesa Lion's Club
- La Mesa Parks and Recreation
- Lantern Crest Senior Living Advisory Board
- Las Damas de San Diego International Nonprofit Organization
- Las Patronas
- Las Primeras
- Life Rolls On
- Live Well San Diego Check Your Mood Committee
- Live Well San Diego – South Region
- Lightbridge Hospice
- Mama's Kitchen
- March of Dimes
- Meals on Wheels San Diego County
- Meals on Wheels Greater San Diego East County Advisory Board
- Mental Health America
- Miracle Babies
- MRI Joint Venture Board
- National Active and Retired Federal Employees Association
- National Alliance on Mental Illness
- National Association of Hispanic Nurses, San Diego Chapter
- National Association of Perinatal Social Workers
- National Association of Neonatal Nurses
- National Association of Orthopedic Nurses
- National Hospice and Palliative Care Organization
- National Institute for Children's Health Quality
- National University
- Neighborhood Healthcare
- Neighborhood House Association
- North San Diego Business Chamber
- Pacific Arts Movement
- Palomar Community College
- Paradise Village
- Partnership for Smoke-Free Families
- Partnerships with Industry
- Peninsula Family YMCA

- Peninsula Shepherd Senior Center
- Perinatal Safety Collaborative
- Perinatal Social Work Cluster
- Planetree Board of Directors
- Point Loma/Hervey Library
- Point Loma Nazarene University
- Postpartum Health Alliance
- Practice Greenhealth
- Promises2Kids
- Psychiatric Emergency Response Team
- Public Health Emergency Hospital Preparedness Program
- Regional Perinatal System
- Residential Care Committee
- Ronald McDonald House Operations Committee
- Rotary Club of Chula Vista
- Rotary Club of Coronado
- San Diego Association of Diabetes Educators
- San Diego Association of Governments
- San Diego Blood Bank
- San Diego Community Action Network
- San Diego Community College District
- San Diego County
- San Diego County Aging and Independence Services
- San Diego Dietetic Association
- San Diego East County Chamber of Commerce
- San Diego Eye Bank Nurses' Advisory Board
- San Diego Fire-Rescue Department
- San Diego Food System Alliance
- San Diego Freedom Ranch
- San Diego Habitat for Humanity
- San Diego Health Information Association
- San Diego Housing Commission
- San Diego Human Dignity Foundation
- San Diego Humane Society
- San Diego Hunger Coalition
- San Diego Imaging – Chula Vista
- San Diego Immunization Coalition
- San Diego-Imperial County Council of Hospital Volunteers
- San Diego North Chamber of Commerce
- San Diego Organization of Healthcare Leaders
- San Diego Physician Orders for Life-Sustaining Treatment Coalition/San Diego Coalition for Compassionate Care
- San Diego Psych-Law Society
- San Diego Psychological Association Supervision Committee
- San Diego Regional Chamber of Commerce
- San Diego Regional Healthcare Sustainability Collaborative

- San Diego Regional Home Care Council
- San Diego Rescue Mission
- San Diego River Park Foundation
- San Diego Square
- San Diego State University
- San Diego Unified School District
- San Diego Workforce Partnership (SDWP)
- Santee-Lakeside Rotary Club
- SAY San Diego
- Serving Seniors
- Sharp and Children's MRI Board
- Sharp and UC San Diego Health's Joint Venture
- Smart Kitchens San Diego
- South Bay Community Services
- South Bay Senior Providers
- South County Action Network
- South County Economic Development Council
- Southern Caregiver Resource Center
- Southwestern College
- Special Needs Trust Foundation
- Special Olympics
- Ssubi is Hope
- St. Paul's PACE
- St. Paul's Retirement Home Foundation
- Statewide Medical Health Exercise Program
- SuperFood Drive
- The Meeting Place
- Transitional Age Youth Behavioral Health Services Council
- Trauma Center Association of America
- Union of Pan Asian Communities
- University of California, San Diego
- University of San Diego
- University of Southern California
- USS Midway Museum
- VA San Diego Healthcare System
- VA San Diego Mental Health Council
- Veterans Village of San Diego
- Vista Hill ParentCare
- We Honor Veterans
- Westminster Tower
- Women, Infants and Children Program
- Wreaths Across America — San Diego
- YMCA
- YWCA Becky's House®
- YWCA Board of Directors
- YWCA In the Company of Women Event

Appendix



Glossary of Terms

ACS	American Community Survey
Affordable Care Act	Patient Protection and Affordable Care Act
BMI	Body Mass Index
BRFSS	Behavioral Risk Factor Surveillance System
CAD	Coronary Artery Disease
CDC	Centers for Disease Control and Prevention
CDPH	California Department of Public Health
CHIS	California Health Interview Survey
CHNA	Community Health Needs Assessment
CIE	Community Information Exchange
CNI	Community Need Index
COPD	Chronic Obstructive Pulmonary Disease
CTI	Care Transitions Intervention
CUPID	California Universal Patient Information Discovery
CVD	Cardiovascular Disease
CY	Calendar Year
ED	Emergency Department
FPL	Federal Poverty Level
FQHCs	Federally Qualified Health Centers
FY 2019	Fiscal Year 2019
HASD&IC	Hospital Association of San Diego and Imperial Counties
HASD&IC 2016 CHNA	Hospital Association of San Diego and Imperial Counties 2016 Community Health Needs Assessment
HASD&IC 2019 CHNA	Hospital Association of San Diego and Imperial Counties 2019 Community Health Needs Assessment
HHSA	County of San Diego Health and Human Services Agency
HP2020	Healthy People 2020
HPI	The Public Health Alliance of Southern California's Healthy Places Index
HRO	High Reliability Organization
ICU	Intensive Care Unit
IPH	Institute for Public Health
IRS	Internal Revenue Service
KI	Key Informant
KP	Kaiser Permanente
LGBTQ	Lesbian, Gay, Bisexual, Transgender and Queer (or Questioning)
LBW	Low Birth Weight

MVT	Motor Vehicle Traffic
NCQA	National Committee for Quality Assurance
NICU	Neonatal Intensive Care Unit
OSHPD	Office of Statewide Health Planning and Development
PCP	Primary Care Physician
PFAC	Sharp Patient Family Advisory Council
PTSD	Post-Traumatic Stress Disorder
SAMHSA	Substance Abuse and Mental Health Services Administration
SANDAG	San Diego Association of Governments
SCHHC	Sharp Coronado Hospital and Healthcare Center
SCVMC	Sharp Chula Vista Medical Center
SDC	San Diego County
SDSU	San Diego State University
SMV	Sharp Mesa Vista Hospital
SMV 2016 CHNA	Sharp Mesa Vista Hospital 2016 Community Health Needs Assessment
SMV 2019 CHNA	Sharp Mesa Vista Hospital 2019 Community Health Needs Assessment
Sharp	Sharp HealthCare
SHP	Sharp Health Plan
SMBHWN	Sharp Mary Birch Hospital for Women & Newborns
SMC	Sharp McDonald Center
SMH	Sharp Memorial Hospital
SMV	Sharp Mesa Vista Hospital
SNAP	Supplemental Nutrition Assistance Program
UC	University of California
U.S.	United States
VLBW	Very Low Birth Weight

