

PRODUCT SHEET COLLECTION

GUIDING INNOVATION, ONE PRODUCT AT A TIME.

SEE THE LATEST INSIDE!













4" AND 6" MODELS IN ROUND **AND SQUARE**

STARFISH™ SMART ENABLED **PRODUCT**

RGB. COLOR-CHANGING & TUNABLE WHITE

PRE-SET AND CUSTOM **EFFECTS**

SUGGESTED APPLICATIONS: Residential, Multifamily, Commercial, Hospitality, Offices

LED SMART SLIMFIT DOWNLIGHTS

FLAT LENS | REMOTE DRIVER



SATCO|NUVO's LED Slimfit Downlights with STARFISH™ technology are the ultimate choice for smart lighting and ambiance control. Download the STARFISH™ app to customize any tunable white color temperatures from 2000K warm white light to 5000K natural light, or choose from millions of colors on the RGB spectrum, all from your mobile device. Offered in round and square, with flat lens, these slimfit downlights are ideal for transforming residential

These downlights are also compatible with Siri, Alexa, Google Home, and SmartThings so they can be easily incorporated into your smart home.







and multifamily environments.

























LED SMART SLIMFIT DOWNLIGHTS

FLAT LENS | REMOTE DRIVER

GENERAL SPECIFICATIONS

Input Voltage, Frequency: 120V, 60Hz **Power Factor, THD%:** >0.9, <30% Tunable White CCT: 2000K-5000K

RGB: Millions of colors Functional Life: 50.000 Hours **Dimmable:** Only with STARFISH™ app

CRI: 90

Efficacy: up to 62 LPW Beam Angle: 110°

Construction: Aluminum

Finish: White

Lens: Polycarbonate

Ambient Operating Temperature:

-20°C (-4°F) to +40°C (+104°F) **Location Rating: Wet**

IC Rating: Yes













ITEM SPECIFICATIONS / ORDER INFO

Item	Size	Shape	Lumens	Wattage	Incandescent Replacement Wattage	Input Current	Master Carton
S11560	4"	Round	540	9W	45W	0.08A	20
S11561	4"	Square	540	9W	45W	0.08A	20
S11562	6"	Round	750	12W	60W	0.10A	20
S11563	6"	Square	750	12W	60W	0.10A	20

DIMENSIONS/WEIGHTS

Item	Diameter/Width (A)	Length (B)	Height (C)	Weight
S11560	5.00"	•	1.00"	0.88 Lbs.
S11561	5.04"	5.04"	1.00"	0.99 Lbs.
S11562	7.17"	•	1.00"	1.15 Lbs.
S11563	7.13"	7.13"	1.00"	1.28 Lbs.





OPTIONAL ACCESSORIES

Item	Description
80-943	4'' Adjustable Rough-In Mounting Plate
80-944	6'' Adjustable Rough-In Mounting Plate
80-950	4" Rough-In Mounting Plate
80-952	6" Mounting Plate for New Construction
80-946	4" Round Goof Ring
80-947	6" Round Goof Ring
80-986	6' Remote Driver Extension Cable



4" & 6" Adjustable Rough-In Mounting Plates



4" & 6" Rough-In Mounting Plate



4" & 6" Goof Rings Round only



6' Extension Cable





DOWNLOAD THE STARFISH APP



CONNECT Download the STARFISH™ app



INSTALL Pair the smart downlights and configure your settings



ENJOY The convenience and customization of smart lighting

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

WARNING: Some products included in this specification sheet may be subject to the warning requirements of California's Proposition 65. Please refer to your product packaging for more information.





4" & 6" MODELS IN ROUND & SQUARE

STARFISH™ SMART ENABLED PRODUCT

SMOOTH BAFFLE REDUCES GLARE

RGB, COLOR-CHANGING & TUNABLE WHITE

PRE-SET AND CUSTOM EFFECTS

SUGGESTED APPLICATIONS:
Residential, Multifamily,
Commercial, Hospitality,
Offices

LED SMART SLIMFIT DOWNLIGHTS

SMOOTH BAFFLE | REMOTE DRIVER



Millions of Colors

Warm to Cool Tunable White

SATCO|NUVO's LED Slimfit Downlights with STARFISH™ technology are the ultimate choice for smart lighting and ambiance control. Download the STARFISH™ app to customize any tunable white color temperatures from 2000K warm white light to 5000K natural light, or choose from millions of colors on the RGB spectrum, all from your mobile device. Offered in round and square with a smooth baffle to reduce glare, these slimfit downlights are ideal for transforming residential and multifamily environments.

These downlights are also compatible with Siri, Alexa, Google Home, and SmartThings so they can be easily incorporated into your smart home.
































LED SMART SLIMFIT DOWNLIGHTS

SMOOTH BAFFLE | REMOTE DRIVER

GENERAL SPECIFICATIONS

Input Voltage, Frequency: 120V, 60Hz **Power Factor, THD%:** >0.9, <30% Tunable White: 2000K-5000K CCT

RGB: Millions of Colors

Dimmable: Only with STARFISH™ App

CRI: 90

Efficacy: up to 62 LPW Beam Angle: 110°

Construction: Aluminum

Finish: White

Lens: Polycarbonate

Ambient Operating Temperature: -20°C (-4°F) to +40°C (+104°F)

Location Rating: Wet

IC Rating: Yes









ITEM SPECIFICATIONS / ORDER INFO

Item	Size	Shape	Lumens	Wattage	Incandescent Replacement Wattage	Input Current	Master Carton
S11564	4"	Round	540	9W	45W	0.08A	20
S11565	4"	Square	540	9W	45W	0.08A	20
S11566	6"	Round	750	12W	60W	0.10A	20
S11567	6"	Square	750	12W	60W	0.10A	20

OPTIONAL ACCESSORIES

Item	Description
80-943	4'' Adjustable Rough-In Mounting Plate
80-944	6" Adjustable Rough-In Mounting Plate
80-950	4" Rough-In Mounting Plate
80-952	6" Mounting Plate for New Construction
80-946	4" Goof Ring
80-947	6" Goof Ring
80-986	6' Remote Driver Extension Cable



4" & 6"Adjustable Rough-In Mounting Plates



4" & 6"Rough-In Mounting Plates




4" & 6" Goof Rings




6' Extension Cable

DIMENSIONS/WEIGHTS

Item	Diameter/ Width (A)	Length (B)	Height (C)	Weight
S11564	5.00"	•	1.25"	0.93 Lbs.
S11565	5.00"	5.00"	1.25"	1.04 Lbs.
S11566	7.17"	•	1.25"	1.19 Lbs.
S11567	7.13"	7.13"	1.25"	1.32 Lbs.









DOWNLOAD THE STARFISH APP



CONNECT Download the STARFISH™ app



INSTALL

Pair the smart downlights and configure your settings



ENJOY

The convenience and customization of smart lighting

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

WARNING: Some products included in this specification sheet may be subject to the warning requirements of California's Proposition 65. Please refer to your product packaging for more information.

Replacement wattage shown depends on application and fixture. Specifications are subject to change without prior notice.





4" & 6" MODELS IN ROUND & SQUARE

STEPPED BAFFLE REDUCES **GLARE**

STARFISH™ SMART ENABLED **PRODUCT**

RGB, COLOR-CHANGING & TUNABLE WHITE

PRE-SET & CUSTOM EFFECTS

SUGGESTED APPLICATIONS Residential, Multifamily Commercial, Hospitality, Offices

LED SMART RETROFIT **DOWNLIGHTS**

STEPPED BAFFLE



SATCO|NUVO's LED Retrofit Downlights with STARFISH™ technology are the ultimate choice for smart lighting and ambiance control. Download the STARFISH™ app to customize any tunable white color temperatures from 2000K warm white light to 5000K natural light, or choose from millions of colors on the RGB spectrum, all from your mobile device. Available in round and square with stepped baffle, these trims offer added dimension while reducing glare.

These downlights are also compatible with Siri, Alexa, Google Home, and SmartThings so they can be easily incorporated into your smart home.































LED SMART RETROFIT DOWNLIGHTS

STEPPED BAFFLE

GENERAL SPECIFICATIONS

Input Voltage, Frequency: 120V, 60Hz **Power Factor, THD%:** >0.9, <30% Tunable White: 2000K-5000K CCT

RGB: Millions of Colors

Dimmable: Only with Starfish App

CRI: 90

Efficacy: up to 65 LPW Beam Angle: 110°

Construction: Aluminum

Finish: White

Lens: Polycarbonate

Ambient Operating Temperature: -20° C (-4° F) to $+40^{\circ}$ C ($+104^{\circ}$ F)

Location Rating: Wet

IC Rating: Yes




OMPHANT COMPLIANT COMPLIAN


ITEM SPECIFICATIONS / ORDER INFO

Item	Size	Shape	Lumens	Wattage	Incandescent Replacement Wattage	Input Current	Master Carton
S11568	4"	Round	650	10.5W	50W	0.09A	24
S11569	4"	Square	650	10.5W	50W	0.09A	24
S11570	6"	Round	850	13W	65W	0.11A	12
S11571	6"	Square	850	13W	65W	0.11A	12

DIMENSIONS/WEIGHTS

ltem	Diameter/Width (A)	Length (B)	Height (C)	Weight
S11568	5.00"	•	2.71"	0.40 Lbs.
S11569	5.00"	5.00"	2.71"	0.57 Lbs.
S11570	7.32"	•	3.03"	0.57 Lbs.
S11571	6.77"	6.77"	3.38"	0.97 Lbs.









DOWNLOAD THE STARFISH APP



CONNECT Download the STARFISH™ app



INSTALL Pair the smart downlights and configure your settings



ENJOY The convenience and customization of smart lighting

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

WARNING: Some products included in this specification sheet may be subject to the warning requirements of California's Proposition 65. Please refer to your product packaging for more information.





4" & 6" ROUND MODELS IN BLACK & WHITE

STARFISH™ SMART ENABLED PRODUCT

RGB, COLOR-CHANGING & TUNABLE WHITE

PRE-SET & CUSTOM EFFECTS

SUGGESTED APPLICATIONS
Residential, Multi-family,
Commercial, Retail, Offices

LED SMART DIRECTIONAL LOW-PROFILE DOWNLIGHTS

REMOTE DRIVER



SATCO|NUVO's LED Directional Low-Profile Downlights with STARFISH™ technology are the ultimate choice for smart lighting and ambiance control. Download the STARFISH™ app to customize any tunable white color temperatures from 2700K warm white light to 5000K natural light, or choose from millions of colors on the RGB spectrum, all from your mobile device. The 360° rotation and 0° to 80° tilt allow for the light to be positioned as needed, focusing light where it's needed most.

These downlights are also compatible with Siri, Alexa, Google Home, and SmartThings so they can be easily incorporated into an existing automated system.































REMOTE DRIVER

GENERAL SPECIFICATIONS

Range Voltage, Frequency: 120V-277V, 60Hz

Power Factor: >0.9

Tunable White CCT: 2700K-5000K

RGB: Millions of colors Functional Life: 50.000 Hours **Dimmable:** Only with STARFISH™ app

CRI: 90

Efficacy: up to 80 LPW Beam Angle: 36° Aiming Angle: 80°

Rotation: 360°

Construction: Aluminum

Shape: Round Lens: Plastic

Ambient Operating Temperature: -20°C (-4°F) to+45°C (+113°F) Location Rating: Damp

IC Rating: Yes











ITEM SPECIFICATIONS / ORDER INFO

Item	Size	Shape	Finish	Lumens	Wattage	Incandescent Replacement Wattage	Input Current	Master Carton
S11293	4"	Round	White	650	9W	50W	0.08 - 0.03A	12
S11294	4"	Round	Black	650	9W	50W	0.08 - 0.03A	12
S11295	6"	Round	White	1,200	15W	75W	0.13 - 0.05A	12
S11296	6"	Round	Black	1,200	15W	75W	0.13 - 0.05A	12

OPTIONAL ACCESSORIES

4'' Adjustable Rough-In Mounting Plate
6" Adjustable Rough-In Mounting Plate
4" Rough-In Mounting Plate
6" Rough-In Mounting Plate
4" Round Goof Ring
6" Round Goof Ring
6' Remote Driver Extension Cable



4" & 6" Adjustable Rough-In Mounting Plates



4" & 6" Rough-In Mounting Plate




4" & 6" Goof Rings Round only




6' Extension Cable

DIMENSIONS/WEIGHTS

Item	Diameter (A)	Height (B)	Weight
4"	4.92"	1.44"	0.99lbs
6"	7.48"	2.13"	1.22lbs









DOWNLOAD THE STARFISH APP



CONNECT Download the STARFISH™ app



INSTALL Pair the smart downlights and configure your settings



ENJOY The convenience and customization of smart lighting

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

WARNING: Some products included in this specification sheet may be subject to the warning requirements of California's Proposition 65. Please refer to your product packaging for more information.

COMPATIBLE WITH SATCO SINGLE CIRCUIT H-TRACK SYSTEMS

STARFISH® SMART ENABLED **PRODUCT**

> ADVANCED PAIRING **TECHNOLOGY**

RGB COLOR-CHANGING & TUNABLE WHITE

PRE-SET AND CUSTOM COLOR-CHANGING EFFECTS

SUGGESTED APPLICATIONS:

Showrooms, Retail, Hospitality, Commercial, Residential, Multi-family

SMART LED TRACK HEADS

ROUND AND PINCH BACK STYLES



SATCO|NUVO's LED SMART Track Heads with STARFISH® technology present the timeless appeal of track lighting fused with the contemporary design and conveniences of intelligent lighting. Download the STARFISH app to customize any tunable white color temperatures from 2000K warm white light to 5000K natural light or choose from millions of colors on the RGB spectrum, all from your mobile device. Available in round or pinch-back shapes, and offered in sleek black or white finishes, these track heads boast adjustability, enabling you to pivot per your lighting requirements. Experience vibrant hues, seamless control, and enchanting lighting effects tailored to your unique style and preferences with these SMART track fixtures.





























SMART LED TRACK HEADS

ROUND AND PINCH BACK STYLES

GENERAL SPECIFICATIONS

Input Voltage, Frequency: 120V, 50/60Hz

Power Factor, THD%: 0.94, 30%

Wattage: 12W

Incandescent Replacement Wattage: 60W

Input Current: 0.10A Efficacy: 91 LPW

CCT Tunable: 2000K-5000K with STARFISH® App

RGB: Millions of colors

CRI: 80

Dimmable: Yes-only with STARFISH® App*

Lumens: 1100 Beam Angle: 36°

Functional Life: 50,000 Hours

Location Rating: Dry

Ambient Operating Temperature:-15°C (+5°F) to +50°C (+122°F)

Track Type: SATCO H-Track Compatible Construction: Die-Cast Aluminum

Lens Material: Poly Methyl Methacrylate (PMMA)

Warranty: 3 Year







ITEM SPECIFICATIONS / ORDER INFO


ltem	Finish	Shape
TH903	Matte White	Round
TH904	Matte Black	Round
TH913	Matte White	Pinch Back
TH914	Matte Black	Pinch Back


DIMENSIONS/WEIGHTS


Item	Width (A)	Length (B)	Extension (C)	Weight
TH903	5.38"	2.25"	6.38"	1.10 Lbs.
TH904	5.38"	2.25"	6.38"	1.10 Lbs.
TH913	5.91"	2.83"	5.63"	1.30 Lbs.
TH914	5.91"	2.83"	5.63"	1.30 Lbs.


OPTIONAL ACCESSORIES (SOLD SEPARATELY)

Item	Description	
TP176	Offset Monopoint: Square; White Finish	
TP177	Offset Monopoint: Square; Black Finish	











STARFISH* live life enlightened



DOWNLOAD THE STARFISH APP



CONNECT Download the STARFISH® app



INSTALL Pair the smart downlights and configure your settings



ENJOY

The convenience and customization of smart lighting

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

WARNING: Some products included in this specification sheet may be subject to the warning requirements of California's Proposition 65. Please refer to your product packaging for more information. Replacement wattage shown depends on application and fixture. Specifications are subject to change without prior notice.

* Not for use with in-wall dimmer switches.



WI-FI LED RGB & **TUNABLE WHITE BULBS**

LED Color Changing and Tunable White bulbs replace standard medium base lamps with smart technology adding dynamic color changes and toning whites from warm-to-cool light.



RGB Color



Tunable White, 80 or 90 CRI Ranging from 2200-5000K



Damp or wet location























WI-FI LED RGB & TUNABLE WHITE BULBS











ITEM	TYPE	CCT TECH		NSIONS	WATTS	LUMENS	CRI	BASE	VOLTS	HRS	PACK	MASTER
	_		MOD (mm)	MOL (mm)								
Standard A1	9 Color Ch	angeable & T	unable White									
S11252	A19	RGB/TW	2.36" (60)	4.57" (116)	9.5W	800	80	E26	120	25K	1pk Box	24
S11253	A19	RGB/TW	2.36" (60)	4.57" (116)	9.5W	800	80	E26	120	25K	2pk Box	24
S11254*	A19	RGB/TW	2.36" (60)	4.57" (116)	10W	800	90	E26	120	15K	1pk Box	24
S11275*	A19	RGB/TW	2.36" (60)	4.57" (116)	10W	800	90	E26	120	15K	2pk Box	24
S11287*	A21	RGB/TW	2.4" (61)	5.35" (135.9)	13W	1100	90	E26	120	15K	1pk Box	48
LED Filamen	t Tunable \	White										•
S11250**	A19	TW	2.36" (59.94)	4.33" (110)	5W	450	80	E26	120	15K	1pk Box	24
S11274**	A19	TW	2.36" (59.94))	4.33" (110)	7.5W	800	90	E26	120	15K	1pk Box	24
S11251**	G25	TW	3.15" (80.01)	4.45" (113.03)	4.5W	450	80	E26	120	15K	1pk Box	24
Directional P	Reflectors (Color Change	able & Tunable W	/hite								
S11283	R20	RGB/TW	2.48" (63)	3.69" (93.7)	6W	480	90	E26	120	25K	1pk Box	24
S11255	BR30	RGB/TW	3.70" (94)	5.12" (130)	9.5W	800	80	E26	120	25K	1pk Box	12
S11256	BR30	RGB/TW	3.70" (94)	5.12" (130)	9.5W	800	80	E26	120	25K	2pk Box	12
S11257*	BR30	RGB/TW	3.70" (94)	5.12" (130)	9.5W	760	90	E26	120	25K	1pk Box	12
S11276*	BR30	RGB/TW	3.70" (94)	5.12" (130)	9.5W	760	90	E26	120	25K	2pk Box	12
S11284*	BR40	RGB/TW	4.72" (127)	6.42" (163.1)	12W	960	90	E26	120	25K	1pk Box	12
S11258	PAR38	RGB/TW	4.72" (127)	5.00" (127)	15W	1200	80	E26	120	25K	1pk Box	12
S11277*	PAR38	RGB/TW	4.72" (127)	5.00" (127)	15W	1200	90	E26	120	25K	1pk Box	12
S11271	MR16	RGB/TW	2.2" (56)	1.97" (50)	5.5W	400	80	GU10	120	25K	1pk Box	48
S11278	MR16	RGB/TW	2.2" (56)	1.97" (50)	5.5W	385	90	GU10	120	25K	1pk Box	48

^{**} Not Energy Star *T20 Compliant

MOD = Diameter | MOL = Length



STARFISH SMART LED LIGHTING AND CONTROLS

WI-FI 24' LED RGB & WARM WHITE 10-LIGHT **OUTDOOR STRING LIGHT**

Dimmable, long lasting and wet location certified, STARFISH™ plug-in string lights are portable and can be used indoors or out.



RGB Color**



Wet location



Warm White, 80 CRI 2700K



Dimmable, with app



Durable black wire Connect up to 3 sets







										(STED)	
ITEM	CCT TECH	TYPE	DIMENSIONS				CRI	VOLTS	HRS	PACK	MASTER
IIEW	CCI IECH	IIFE	LENGTH (mm)	WIDTH(mm)	HEIGHT(mm)	WATTS	UNI	VULIS	ппə	FAUR	WASTER
S11288	RGB/TW	String Lights	24'(7315.2)	1.77" (45)	7.48" (190)	10W	80	120	15K	1 set Box	4
S11289		Replacement Bulb (S11288 Only)	_	1.77" (45)	3.46"(87.9)	1W	80		15K	2pk Card	12
S11290	RGB/TW	String Lights	24' (7315.2)	1.77" (45)	7.48" (190)	12W	-	120	15K	1 set Box	4
S11291	RGB/TW	String Lights	48'(14630.4)	1.77" (45)	7.48" (190)	15W	-	120	15K	1 set Box	4
S11292	TW	String Lights	24'(7315.2)	1.77" (45)	7.48" (190)	12W	-	120	15K	1 set Box	4
Accessories	3										
80-2812		6ft. Extension for S11288, 10W									

STARFISH™ WI-FI SMART SWITCHES & OUTLETS

Enable smart on-off or dimming control throughout a circuit utilizing STARFISH™ Wall and Dimmer Switches and Outlets.



Dry location



Dimmer Only



Direct Wire, Neutral Wire required





Dimmer switch

Enable smart on-off of small appliances with STARFISH™ plug-in outlets.



Dry location



Plug-in

The rectangular Wi-Fi DIMMER outlet allows for on-off and dimming operation of lighting to a maximum of 300W of incandescent or 150W LED loads.




Dry location



Dimmable, with app



Plug-in





STARFISH™ WI-FI SMART SWITCHES & OUTLETS







ITEM	TYPE		DIMENSIONS							PACK	MASTER
ITEM	life	WIDTH(mm)	DEPTH (mm)	HEIGHT(mm)	AMPS	MOTOR	INC.	LED	VOLTAGE	PAUK	WASTER
S11267	ON-OFF Switch	2.76"(70)	1.71"(43.43)	4.53" (115)	6A	3.6A	720W	720W	120V	1pk Box	12
S11268	Dimmer	2.76"(70)	1.71"(43.43)	4.53" (115)	N/A	N/A	450W	150W	120V	1pk Box	12
S11266	ON-OFF Outlet	2.87"(72.89)	1.69"(42.92)	1.97" (50.03)	15A	N/A	1800W	1800W	120V	1pk Box	12
S11269	Mini Square Plug-In Outlet	1.99"(50.54)	1.99"(50.54)	1.99" (50.54)	10A	N/A	1200W	1200W	120V	2pk Box	12
S11270	ON-OFF DIMMER Outlet	2.87"(72.89)	1.69"(42.92)	1.97" (50.03)	N/A	N/A	300W	150W	120V	1pk Box	12

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ) 110 HEARTLAND BLVD BRENTWOOD, NY 11717 F. 631-243-2027

2000 VALWOOD PKWY FARMERS BRANCH, TX 75234 F 972-247-5408

FLORIDA 900 NW 159TH DR MIAMI, FL 33169 T. 305-624-2044 F. 305-623-0286

CALIFORNIA 31288 SAN BENITO ST HAYWARD, CA 94544 T. 510-487-4822 F. 510-487-8955

WASHINGTON 4710 116TH ST SW MUKILTEO, WA 98275 T. 425-789-3300 F. 425-789-3310

PUERTO RICO CAMPECHE STREET, 23 JULIO N. MATOS INDUSTRIAL PARK CAROLINA, PR 00984 T. 787-757-3510 F. 787-757-3540

Products inventoried in Canada & Mexico. contact; internationalsales@satco.com / 631-243-2022 Ext. 315

SATCO® | **NUVO**® PERFECT FOR INDOOR OR OUTDOOR USE...







STARFISH™

live life enlightened

STARFISH SMART LED INDOOR/OUTDOOR **STRING LIGHTS**

- Wi-Fi Enabled, multi-function system with infinite color options
- Mobile app or voice control
- Dimmable with app.**
- 12-15 Smart LED bulbs included
- Connect up to 144 Ft.⁺, 3 sets max.
- For residential and commercial use
- Heavy duty 18 gauge wire
- Easy installation and setup
- 3 Year warranty







SEARCH FOR SATCO STARFISH IN THE APP STORE













access



schedules



scenes



secure



multi location



multi user

COLOR CHANGEABLE

WARM TO COOL WHITE























		BULE	3S	FIXTURES						
Item	Description	# Incl.	Watts/ Bulb	Connectible Units		W	V	Finish	UPC	M/Case Qty.
S11290	24FT/LED/SL/S14/SF/RGBW	12	1W	3	2700K-5000K	12	120	Black	045923112904	4
S11291	48FT/LED/SL/S14/SF/RGBW	15	1W	3	2700K-5000K	15	120	Black	045923112911	4
S11292*	24FT/LED/SL/S14/SF/TW	12 Frosted	1W	3	2700K-5000K	12	120	Black	045923112928	4





EASE OF INSTALLATION

SATCO|NUVO COUNTERQUICK™ Under Cabinet Fixtures were developed with a simple purpose— design a high quality under cabinet lighting solution that is easy to install.



WIRING MADE EASY

KEEPING IT CLEAN

Professionals and seasoned DIYers alike will appreciate the ample internal wiring space for ease of installation. Optional under cabinet junction boxes offer even greater flexibility for retrofit applications or installations in tight areas. Use the cord and plug accessory when direct wiring isn't an option or if you want a simple update without a complete remodel.

One power source is all that's needed for most applications, making for a clean installation.

Optional extension cables in various lengths interconnect fixtures across large areas, around corners and between cabinets, eliminating the need for additional wiring to the power source or outlet.



GOING TO NEW LENGTHS

The included end-to-end wire connector allows you to mix and match various sizes and to configure customized lengths for any under cabinet installation.

10

WHAT'S
IN THE BOX?

63-511
END-TO-END
CONNECTOR
(1 included with fixture)







AVAILABLE IN BOTH CCT SELECTABLE OR STARFISH™ SMART RGBTW





(max)

28"

22"

14"

34"



DOWNLOAD THE STARFISH APP









live life enlightened

RGB COLOR-CHANGING AND WARM-TO-COOL TUNABLE WHITE DIMMABLE VIA APP

WI-FI ENABLED NO HUB REQUIRED















ITEM #	DESCRIPTION	WATTS	LUMENS	VOLTAGE	DIMENSIONS L x W x H	CONNECTION QTY
63-551	11" LED RGB Smart	6.5	450	120	11" x 3.5" x 1"	up to 72
63-552	14" LED RGB Smart	9	650	120	14" x 3.5" x 1"	up to 48
63-553	22" LED RGB Smart	13	920	120	22" x 3.5" x 1"	up to 36
63-554	28" LED RGB Smart	17	1350	120	28" x 3.5" x 1"	up to 22
63-555	34" LED RGB Smart	20	1500	120	34" x 3.5" x 1"	up to 18

11"

Packing: 12/Master

ACCESSORIES FOR MORE WAYS TO CONNECT






NO JOB IS TOO BIG FOR COUNTERQUICK


Configure up to 22 of the 28" fixtures and up to 96 of the 8" fixtures. Custom installations are possible by mixing different lengths using a combination of link cables, junction boxes and end-to-end connectors.





ITEM #	DESCRIPTION	DIMENSIONS	MASTER	PACKAGE
63-510	Power Cord	60" Length	96	Polybag
63-511*	End-to-End Connector (Included)	1" Length	96	Polybag
63-512	3/8" Wire Connector (Attached to Junction Box)	1.5" x 0.67" x 0.35"	96	Polybag
63-513	Junction Box - Plastic	4" x 2" x 1"	48	Box
63-514	Junction Box - Metal	4" x 2" 1"	48	Box
63-515	Link Cable 6"	6" Length	96	Polybag
63-516	Link Cable 12"	12" Length	96	Polybag
63-517	Link Cable 24"	24" Length	96	Polybag
63-518	Cable Link Connector	3" Length	96	Polybag

^{*}Included End-to-End Connector can be reordered if needed



DIMENSION

Indoor & Outdoor LED Tape Light Kits



DIMENSION PRO

INDOOR LED SMART TAPE LIGHT KIT











STARFISH™ SMART ENABLED PRODUCT

DYNAMIC RGB, COLOR-CHANGING & TUNABLE WHITE

PRE-SET & CUSTOM COLOR-CHANGING EFFECTS

IR REMOTE CONTROL
OR APP CONTROLLED

16FT, 32FT & 64FT KITS AVAILABLE

PLUG-IN OR DIRECT-WIRE KITS

CUTTABLE

SUGGESTED APPLICATIONS:

Commercial or Decorative Residential Applications

HIGH BRIGHTNESS

Millions of Colors

Warm to Cool Tunable White



Immerse yourself in a world of limitless possibilities with DIMENSION Pro, the smart app-controlled tape light that will redefine your lighting experience. With the ability to choose from millions of colors or adjust the light from warm to cool tunable white, this STARFISH™ smart product puts the power of customization in your hands. Sync your light to the rhythm of your favorite music and watch as your space comes alive with vibrant hues and captivating effects. From soothing transitions to dynamic color-changing displays, DIMENSION Pro offers a wide range of mesmerizing options that will transform your space into a visual spectacle.
























GENERAL SPECIFICATIONS

Color: RGBTW CRI: 80

Functional Life: 50.000 Hours

Location Rating: Dry (Indoor Only)

Wired Controller: Yes

Ambient Operating Temperature: -20°C (-4°F) to +40°C (+104°F)

Cuttable: Yes*, Distance between cuts: 4.92" (125mm)

Dimmable: Yes, Dimmable with App or Remote

Warranty: 1 Year

Remote: IR

ITEM SPECIFICATIONS / ORDER INFO



Item	Length	Style	Input Voltage	DC Voltage	Watts	Lumens	Number of Reels	UPC
64/130	16′	Plug In	120V	24V	18W	1920L	1	045923640292
64/131	32'	Plug In	120V	24V	30W	3080L	1	045923640308
64/132	64′	Plug In	120V	24V	68W	6300L	2	045923640520
64/133	16′	Direct Wired	120V-277V	24V	20W	1920L	1	045923640537
64/134	32'	Direct Wired	120V-277V	24V	30W	3080L	1	045923640544
64/135	64′	Direct Wired	120V-277V	24V	68W	6300L	2	045923640551

ACCESSORIES INCLUDED IN KITS



Plug-In Driver



Direct Wire Junction Box 64/133 Includes 5, % Knockouts 64/134 Includes 5, % Knockouts 64/135 Includes 7, % Knockouts



Controller/Receiver



Dual Controller/Receiver For Models 64/132 and 64/135



IR Remote



Single Reel for 64/130, 64/131, 64/133, and 64/134



Dual Reel for 64/132 and 64/135 Kits

^{*} Tape may be cut where indicated for customized installations. Cut tape can be reconnected using optional connector accessories. Total tape length should not exceed the tape supplied in the kit.

DIMENSION PRO

OUTDOOR LED SMART TAPE LIGHT KIT











STARFISH™ SMART ENABLED PRODUCT

DYNAMIC RGB, COLOR-CHANGING & TUNABLE WHITE

PRE-SET & CUSTOM COLOR-CHANGING EFFECTS

RF REMOTE CONTROL OR APP CONTROLLED

16FT, 32FT & 64FT KITS AVAILABLE

PLUG-IN OR DIRECT-WIRE KITS

SUGGESTED APPLICATIONS:

Outdoor Commercial or Decorative Outdoor Residential Applications

HIGH BRIGHTNESS

Millions of Colors

Warm to Cool Tunable White



Elevate your outdoor space with DIMENSION Pro Outdoor tape light kits. This smart, app-controlled lighting solution offers limitless customization. Choose from millions of colors and adjust the light from warm to cool tunable white. Sync it with your music for vibrant and captivating effects. With mesmerizing options, DIMENSION Pro transforms your outdoor area into a visual spectacle.























GENERAL SPECIFICATIONS

Location Rating: Wet **Wired Controller:** No

CRI: 80

Color: RGBTW **Ambient Operating Temperature:** -20°C (-4°F) to +40°C (+104°F)

Cuttable: Not Cuttable*

Functional Life: 50,000 Hours **Dimmable:** Yes, Dimmable with App or Remote

Warranty: 1 Year Remote: RF

ITEM SPECIFICATIONS / ORDER INFO



Item	Length	Style	Input Voltage	DC Voltage	Watts	Lumens	Number of Reels	UPC
64/140	16′	Plug In	120V	24V	18W	1920L	1	045923640568
64/141	32'	Plug In	120V	24V	30W	3080L	1	045923640575
64/142	64'	Plug In	120V	24V	68W	6300L	2	045923640582
64/143	16′	Direct Wired	120V-277V	24V	20W	1920L	1	045923640599
64/144	32'	Direct Wired	120V-277V	24V	33W	3080L	1	045923640605
64/145	64'	Direct Wired	120V-277V	24V	68W	6300L	2	045923640506

INCLUDED ACCESSORIES



Plug-In Driver



Direct Wire Junction Box 64/143 Includes 5, % Knockouts 64/144 Includes 5, % Knockouts 64/145 Includes 7, % Knockouts



Mounting Clips



Receiver



RF Remote



Single Reel for 64/140, 64/141, 64/143, and 64/144 Kits



Dual Reel for 64/142 and 64/145 Kits



Dual Receiver For Models 64/142 and 64/145

OPTIONAL ACCESSORIES



Mounting Clip Pack

 $^{^{*}}$ Outdoor tape light is not recommended to be cut. Cutting tape invalidates the IP65 rating and warranty.

DIMENSION PLUS

INDOOR LED SMART TAPE LIGHT KIT











STARFISH™ SMART ENABLED PRODUCT

DYNAMIC RGB, COLOR-CHANGING & TUNABLE WHITE

PRE-SET & CUSTOM COLOR-CHANGING EFFECTS

IR REMOTE CONTROL OR APP CONTROLLED

16FT KITS AVAILABLE

PLUG-IN OR DIRECT-WIRE KITS

CUTTABLE

SUGGESTED APPLICATIONS:

Commercial or Decorative Residential Applications Millions of Colors

Warm to Cool Tunable White



Unlock a world of possibilities with DIMENSION Plus, the versatile tape light designed for residential lighting and more. Choose from millions of vibrant colors or create the perfect ambiance. Sync the lighting to your favorite soundtrack and elevate your gaming experience or transform your living space. With its user-friendly features and top-notch quality, DIMENSION Plus brings a touch of magic to any setting.



















GENERAL SPECIFICATIONS

Color: RGBTW

CRI: 80

Functional Life: 50,000 Hours **Location Rating:** Dry (Indoor Only)

Wired Controller: Yes

Ambient Operating Temperature: -20°C (-4°F) to $+40^{\circ}\text{C}$ ($+104^{\circ}\text{F}$)

Cuttable: Yes*, Distance between cuts: 6.56" (166.67mm)

Dimmable: Yes, Dimmable with App or Remote

Warranty: 1 Year Remote: IR

ITEM SPECIFICATIONS / ORDER INFO



ltem	Length	Style	Input Voltage	DC Voltage	Watts	Lumens	Number of Reels	UPC
64-120	16′	Plug In	120V	24V	12W	1120L	1	045923640278
64-121	16'	Direct Wired	120V-277V	24V	14W	1120L	1	045923640285

ACCESSORIES INCLUDED IN KITS



Plug-In Driver



Direct Wire Junction Box - 5, 3/8" Knockouts



Controller/Receiver



IR Remote



Single Reel for 64/120 and 64/121 Kits

^{*} Tape may be cut where indicated for customized installations. Cut tape can be reconnected using optional connector accessories. Total tape length should not exceed the tape supplied in the kit.



OPTIONAL ACCESSORIES

Item	Description	Qty/Bag or Box	Bag or Box/Case	UPC				
Tape Extension and Connectors								
Tape to Ta	пре							
64/160	Tape-to-Tape Connector	5	100	045923644788				
64/161	6" Jumper Wire	5	100	045923644795				
64/162	90° Connector	5	100	045923644801				
Wire to Tape								
64/164	Wire to Tape Connector	6	100	045923644177				
64/165	50' Tape Wire	1	50	045923644184				

ltem	Description	Length/ Channel	Channel/ Box	Channel Sets/Case	UPC				
Channels and Diffusers									
Recessed									
64/150	Recessed Deep Channel and Diffuser	3.28′	5	12	045923644733				
Surface									
64/151	Deep Channel and Diffuser	3.28′	5	12	045923644740				
64/154	Shallow Channel and Diffuser	3.28′	5	12	045923644771				
Corner									
64/152	45° Corner Channel and Diffuser	3.28'	5	12	045923644757				





This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Fixture may not be compatible with all dimmers.



SMART LED SECURITY FLOODLIGHT CAMERA

1080P HD CAMERA WITH 150° VIEWING ANGLE



SATCO NUVO

SECURITY WITHOUT A SUBSCRIPTION

SATCO's Security Floodlight Camera offers the latest technology in home security and surveillance without the monthly subscription fees associated with competing products.

When motion is detected, the 1080p HD camera records events and stores them directly to the devices included 32GB microSD card. Live and recorded events can instantly be viewed on any mobile device using the STARFISH™ app, anywhere, any time.



NO MONTHLY SUBSCRIPTION

REAL-TIME MOTION EVENTS

VIDEO HISTORY & NIGHT VISION

REMOTE ACCESS

ADJUSTABLE LED FLOODLIGHTS

270° MOTION DETECTION

20W - 1900 LUMENS - 3000K

IP65 WEATHERPROOF DESIGN

50,000 HOURS

5 YEAR WARRANTY





NO MONTHLY SUBSCRIPTION -

Access video content on included 32G microSD Card (expandable to 128G)



REAL-TIME MOTION EVENTS -

Get real-time notifications when motion is detected around your home



VIDEO HISTORY -

Check your motion recording history to see activity while you're away


A WHOLE HOME SMART SOLUTION

STARFISH™ is a leading technology that combines smart home security and lighting controls into one complete solution. With a growing line of security and lighting products, SATCO's STARFISH products are the premier choice in building your smart home—all controlled by a single app.



SMART LED SECURITY FLOODLIGHT CAMERA

1080P HD CAMERA WITH 150° VIEWING ANGLE



ADVANCED MOTION DETECTION

Set motion zones and sensitivity of mobile alerts



HD VIDEO

1080p high definition



NIGHT VISION

Integrated infrared lights allow viewing in low lit areas



For an in-depth exploration of STARFISH™ features including the latest products, visit SATCOSTARFISH.COM







Mobile App

























S	

ITEM	DESCRIPTION	w	V	DIMENSIONS	UPC
65-900	SECURITY LIGHT CAMERA - WHITE	20W	120-277V	W 7.6 x H 10.04	045923659683
65-901	SECURITY LIGHT CAMERA - BLACK	20W	120-277V	W 7.6 x H 10.04	045923659690
65-902	SECURITY LIGHT CAMERA - BROWN	20W	120-277V	W 7.6 x H 10.04	045923659706

SATCO DISTRIBUTION CENTERS-

NEW YORK (HQ) TEXAS

F. 631-243-2027

 110 HEARTLAND BLVD
 2000 VALWOOD PKWY
 1694 NW 215TH ST
 31288 SAN BENITO ST

 BRENTWOOD, NY 11717
 FARMERS BRANCH, TX 75234
 MIAMI GARDENS, FL 33056
 HAYWARD, CA 94544

 T. 631-243-2022
 T. 972-247-2437
 T. 305-624-2044
 T. 510-487-4822

FLORIDA

F. 305-623-0286

CALIFORNIA

WASHINGTON 4710 116TH ST SW MUKILTEO, WA 98275 T. 425-789-3300 F. 425-789-3310

PUERTO RICO CAMPECHE STREET, 23 JULIO N. MATOS INDUSTRIAL PARK CAROLINA, PR 00984 T. 787-757-3510 F. 787-757-3540

For International Sales, contact: internationalsales@satco.com /631-243-2022 Ext. 315





ADJUSTABLE RECTANGULAR HIGH-LUMEN LIGHT HEADS

REAL-TIME MOTION ALERTS
AND VIDEO HISTORY

1080P HD CAMERA WITH NIGHT VISION

REMOTE VIEWING AND TWO-WAY TALK

INTEGRATED SECURITY SIREN

OFFERED IN WHITE AND BLACK FINISHES

SUGGESTED APPLICATIONS
Residential, Multifamily,
Hospitality, Commercial

SMART LED SECURITY LIGHT & CAMERA

RECTANGLE HEADS

































STARFISH



GENERAL SPECIFICATIONS

Input Voltage, Frequency: 120V-277V, 50-60Hz
Tunable White CCT: 3000K-5000K with STARFISH® app

Dimmable: Down to 10% with STARFISH® app

CRI: 80

Efficacy: up to 125 LPW Functional Life: 50,000 Hours

IP Rating: IP65

Location Rating: Wet

Ambient Operating Temperature: -20°C (-4°F) to +45°C (+113°F)

Body Construction: Aluminum Lens Construction: Polycarbonate Camera Construction: Plastic

Mounting Options: Wall/Eave Mounts to Standard Surface

or Recessed J-Box

Camera: 1080P, 100° viewing angle

Memory Card: 32GB SD Card included (upgradeable to 128GB)

Warranty: 3 Years







DOWNLOAD THE STARFISH APP



CONNECTDownload the STARFISH® app



INSTALLPair and configure your settings



ENJOYThe convenience and customization of smart lighting

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

WARNING: Some products included in this specification sheet may be subject to the warning requirements of California's Proposition 65. Please refer to your product packaging for more information.

RECTANGLE HEADS









ITEM SPECIFICATIONS/ORDERING INFO

Item	Description	Lumens	Wattage	Replacement Wattage	Width (A)	Height (B)	Extends (C)	Weight
65-920	White	4500	36W	200W	9.80"	7.05"	6.00"	1.65 Lbs.
65-921	Black	4500	36W	200W	9.80"	7.05"	6.00"	1.65 Lbs.









3-CCT SELECTABLE

ADJUSTABLE BULLET HIGH-LUMEN LIGHT HEADS

REAL-TIME MOTION ALERTS
AND VIDEO HISTORY

1080P HD CAMERA WITH NIGHT VISION

REMOTE VIEWING AND TWO-WAY TALK

INTEGRATED SECURITY SIREN

OFFERED IN WHITE AND BLACK FINISHES

SUGGESTED APPLICATIONS

Residential, Multifamily,

Hospitality, Commercial

SMART LED SECURITY LIGHT & CAMERA

BULLET HEADS



SATCO|NUVO's Smart Security Flood Lights with Camera offers the latest technology in home security and surveillance. CCT selectable flood lights provide illumination when it's needed most. View live and event history remotely from any mobile device with the STARFISH® app anywhere, any time. These energy efficient smart fixtures are also compatible with Google Home, Alexa, and Siri so they can be easily incorporated into your smart home.















STARFISH® ENABLED PRODUCT

















Input Voltage, Frequency: 120V-277V, 50-60Hz

CCT Selectable: 3000K/4000K/5000K Dimmable: Down to 10% with STARFISH* app

CRI: 80

Efficacy: up to 87 LPW

Functional Life: 50,000 Hours

IP Rating: IP65 Location Rating: Wet

Ambient Operating Temperature: -20°C (-4°F) to +45°C (+113°F)

Body Construction: Aluminum Lens Construction: Polycarbonate Camera Construction: Plastic

Mounting Options: Wall/Eave Mounts to Standard Surface

or Recessed J-Box

Camera: 1080P, 100° viewing angle

Memory Card: 32GB SD Card included (upgradeable to 128GB)

Warranty: 3 Years







DOWNLOAD THE STARFISH APP



CONNECTDownload the STARFISH™ app



INSTALLPair and configure your settings



The convenience and customization of smart lighting

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.




BULLET HEADS








Item	Description	Max Lumens	Wattage	Replacement Wattage	Width (A)	Height (B)	Extension (C)	Weight
65-930	White	1750	20W	100W	8.60"	6.31"	7.32"	1.43 Lbs.
65-931	Black	1750	20W	100W	8.60"	6.31"	7.32"	1.43 Lbs.







COMPLETE DOORBELL SYSTEM

SIMPLE WIRELESS **INSTALLATION**

RECHARGEABLE BATTERY

REMOTE VIEWING AND TWO-WAY TALK

LIVE AND EVENT HISTORY MONITORING

EXPANDABLE MICRO SD CARD STORAGE

SMART WIRELESS VIDEO DOORBELL

WITH REMOTE CHIME





Easily expand home security with SATCO|NUVO's Smart Wireless Doorbell with Remote Chime. This complete doorbell system comes with rechargeable battery so that the unit can be installed with no electrical work. Motion detection sends alerts directly to your mobile device allowing you to view historical events and live events in real time, from anywhere. The included chime plugs into standard 120V outlets, making the doorbell audible, even if your mobile is on silent.

































SMART WIRELESS VIDEO DOORBELL

WITH REMOTE CHIME

GENERAL SPECIFICATIONS

Input Voltage, Frequency: WiFi: 2.4GHz

Camera Resolution: 1080p Field of View: 140° Diagonal

Local Storage:

32GB SD Card Included (Expandable up to 128GB)


Battery Type: 5000mAh Rechargeable

Rechargeable Battery:

Lasts 4-6 Months with Average 10 Daily Activations

Operating Temperature: -20°C (-4°F) to +45°C (+113°F)

Location Rating: IP65 Rated for use in Wet Locations







DOWNLOAD THE STARFISH APP



CONNECTDownload the STARFISH® app



INSTALLPair and configure your settings



ENJOYThe convenience and customization of smart lighting


This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.


SMART WIRELESS VIDEO DOORBELL

WITH REMOTE CHIME

FC

Item	Finish	Chime Finish	Width (A)	Height (B)	Extends (C)	Weight
65-935	White	Black	2.09"	5.45"	1.19"	0.45 Lbs.
65-936	Black	Black	2.09"	5.45"	1.19"	0.45 Lbs.







SIMPLE PLUG & PLAY INSTALLATION

3MP CAMERA

ADJUST CAMERA POSITION AND VIEWING ANGLE VIA APP

> **REMOTE VIEWING AND** TWO-WAY TALK

LIVE AND EVENT HISTORY MONITORING

EXPANDABLE MICRO SD CARD STORAGE

SMART OUTDOOR PAN & TILT CAMERA

WHITE FINISH



Easily expand home security with SATCO|NUVO's Smart Outdoor Pan and Tilt Camera. Easily mount to siding or eaves to view any outdoor space. Use the app to adjust the viewing angle panning 310° and tilting up to 130°. View real-time or review motion activated events from anywhere on your mobile device with the STARFISH® app. Discreetly listen in or actively engage in conversation with the two-way talk feature. Best of all, no subscription fees, ever.

This camera is also compatible with Google Home, Siri, SmartThings, and Alexa, including the Alexa Show.











Add to Siri







WiFi Frequency: 2.4GHz

Camera Resolution: 1296P (3MP) Field of View: 110° Diagonal / 96° High Rotation Angle: Pan 310°, Tilt 130° LED Lights: 400 Lumens, 6,000K

Local Storage:

32GB SD Card Included (Expandable up to 128GB)

Finish: White

Location Rating: Wet IP Rating: IP65

Operating Temperature: -10° C (+14°F) to +50°C (+122°F)

Mounting Options: Ceiling/Wall

Includes: Smart Camera, Mounting Bracket, Plug-In Cable,

Wall Screws, Quick Start Guide

Warranty: 1 Year



Mounting Bracket and Wall Screws





Plug-In Cable





DOWNLOAD THE STARFISH APP



CONNECTDownload the STARFISH® app



INSTALLPair and configure your settings



The convenience and customization of smart lighting

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.




SMART OUTDOOR PAN & TILT CAMERA


WHITE FINISH





Item	Finish	Height (A)	Diameter (B)	Extends (C)	Weight
65-925	White	4.43"	3.09"	3.75"	0.6 Lbs.







SIMPLE PLUG & PLAY INSTALLATION

ADJUST VIEWING ANGLE VIA APP

REMOTE VIEWING AND TWO-WAY TALK

LIVE AND EVENT HISTORY
MONITORING

EXPANDABLE MICRO SD CARD STORAGE

SMART INDOOR PAN & TILT CAMERA

WHITE FINISH





Easily expand home security with SATCO|NUVO's Smart Indoor Pan and Tilt Camera. Easily mount to the ceiling or wall to view any indoor space. Use the app to adjust the viewing angle panning 345° and tilting -10° to 40°. View real-time or review motion activated events from anywhere on your mobile device with the STARFISH® app. Discreetly listen in or actively engage in conversation with the two-way talk feature. Best of all, no subscription fees, ever.

This camera is also compatible with Google Home, Siri, SmartThings, and Alexa, including the Alexa Show.











Add to Siri





WiFi Frequency: 2.4GHz Camera Resolution: 1080p Field of View: 93° Diagonal

Rotation Angle: Pan 345°, Tilt -10° - 40°

Local Storage:

32GB SD Card Included (Expandable up to 128GB)

Finish: White

Operating Temperature: -10°C (+14°F) to +45°C (+113°F)

Installation: Includes Mounting Base for fixed placement,

Ceiling or Wall hanging.

Warranty: 1 Year







DOWNLOAD THE STARFISH APP



CONNECTDownload the STARFISH® app



INSTALLPair and configure your settings



ENJOYThe convenience and customization of smart lighting

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.





SMART INDOOR PAN & TILT CAMERA

WHITE FINISH



Item	Finish	Width (A)	Height (B)	Extends (C)	Weight
65-945	White	2.8"	4.33"	2.76"	0.37 Lbs.







SIMPLE PLUG & PLAY INSTALLATION

REMOTE VIEWING AND TWO-WAY TALK

LIVE AND EVENT HISTORY
MONITORING

EXPANDABLE MICRO SD CARD STORAGE

SMART INDOOR CAMERA

WHITE FINISH



Easily expand home security with SATCO|NUVO's Indoor Smart Camera. Mount to the ceiling or wall to view any indoor space. View in real-time, or playback motion activated events from anywhere on your mobile device with the STARFISH® app. Discreetly listen in or actively engage in conversation with the two-way talk feature. Best of all, no subscription fees, ever.

This camera is also compatible with Google Home, Siri, SmartThings, and Alexa, including the Alexa Show.

WIFI 🐬

NO MONTHLY
SUBSCRIPTION











WiFi Frequency: 2.4GHz Camera Resolution: 1080p Field of View: 93° Diagonal

Local Storage:

32GB SD Card Included (Expandable up to 128GB)

Finish: White

Operating Temperature:

-20°C (-4°F) to +45°C (+113°F)

Installation: Includes double-sided mounting tape for fixed

placement, Ceiling or Wall application.

Power: USB-C Cable and Plug-In adapter (included)

Warranty: 1 Year







DOWNLOAD THE STARFISH APP



CONNECTDownload the STARFISH® app



INSTALLPair and configure your settings



ENJOYThe convenience and customization of smart lighting


This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.




SMART INDOOR CAMERA WHITE FINISH



Item	Finish	Width (A)	Height (B)	Extends (C)	Weight
65-940	White	3.58"	3.58"	2.64"	0.13 Lbs.









POWER TWO DEVICES WITH ONE DUAL OUTLET

SET-UP SCHEDULES AND TIMERS WITH THE STARFISH APP

VOICE CONTROL WITH COMPATIBLE ASSISTANTS

SUGGESTED APPLICATIONS:

Residential Multifamily Hospitality Commercial

SMART PLUG DUAL OUTLET | OUTDOOR



The SATCO|NUVO Outdoor Smart Plug by STARFISH is the perfect companion for managing your outdoor electronics effortlessly. Designed to withstand outdoor conditions with its wet location rating, this smart plug handles up to 15 amps and supports devices up to 0.5 horsepower. Through the STARFISH app, you can effortlessly control its power status remotely, enabling you to schedule times, turn devices on or off, and more. It's an ideal choice for controlling holiday lights, electronic decorations, as well as practical outdoor installations like ponds and fountains.













Add to Siri






Watts: 1875W Amps: 15.00A Volts: 125V Motor: 0.50 HP WiFi: 2.4GHz

Location Rating: Wet

NEMA Type: 3R

Construction: Polypropylene

Finish: Matte Black
Power Cord: 14AWGx3C
Warranty: 3 Years







DOWNLOAD THE STARFISH APP



CONNECTDownload the STARFISH® app



INSTALLPair and configure your settings



ENJOYThe convenience and customization of smart lighting

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

WARNING: Some products included in this specification sheet may be subject to the warning requirements of California's Proposition 65. Please refer to your product packaging for more information.


Visit satco.com/service/warranty for complete warranty details.








ltem	Finish	Length (A)	Height (B)	Width (C)	Weight
S11281	Matte Black	2.99"	4.17"	2.76"	0.50 Lbs.









WALL & HANGING LANTERN
OPTIONS OFFERED

STARFISH® SMART ENABLED PRODUCT

RGB, COLOR-CHANGING & TUNABLE WHITE

PRE-SET AND CUSTOM COLOR-CHANGING EFFECTS

SUGGESTED APPLICATIONS

Residential Multifamily Hospitality

AUSTEN COLLECTION

OUTDOOR LED SMART LANTERN









SATCO|NUVO's Austen Collection of Outdoor LED Smart Lanterns with STARFISH® technology are the sophisticated choice for smart lighting and ambiance control. Download the STARFISH® app to customize any tunable white color temperatures from 2700K warm white light to 5000K natural light, or choose from millions of colors on the RGB spectrum, all from your mobile device. Offered as wall and hanging lanterns, these outdoor fixtures offer durable black housing with clear water glass for a timeless look with modern amenities.

These elegant fixtures are also compatible with Siri, Alexa, Google Home, and SmartThings so they can be easily incorporated into your smart home.





















Input Voltage, Frequency: 120V, 60Hz Power Factor, THD%: >0.5, <20% Tunable White CCT: 2700K-5000K

RGB: Millions of colors

Dimmable: Only with STARFISH® app

CRI: 80

Efficacy: up to 85 LPW

Construction: Die-Cast Aluminum

Finish: Matte Black


Glass Type: Clear Water Glass Ambient Operating Temperature: -40°C (-40°F) to +40°C (+104°F) Functional Life: 35,000 Hours


Warranty: 1 Year



ITEM SPECIFICATIONS/ORDERING INFO

Item	Description	Lumens	Wattage	Location Rating	Chain Length	Wire Length	Length/Width (A)	Height (B)	Extension (C)	Weight
62-5996	Hanging	850	10W	Damp	48"	144"	7.75"	17.75"		6.03 Lbs.
62-5997	Wall	850	10W	Wet			6.00"	13.25"	7.75"	3.57 Lbs.









DOWNLOAD THE STARFISH APP



CONNECTDownload the STARFISH™ app



INSTALLPair and configure your settings



ENJOYThe convenience and customization of smart lighting

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.





HANGING AND WALL
LANTERN OPTIONS OFFERED

STARFISH® SMART ENABLED PRODUCT

RGB, COLOR-CHANGING & TUNABLE WHITE

PRE-SET AND CUSTOM COLOR-CHANGING EFFECTS

SUGGESTED APPLICATIONS

Residential Multifamily Hospitality EAST RIVER COLLECTION

OUTDOOR LED SMART LANTERN









SATCO|NUVO's East River Collection of Outdoor LED Smart Lanterns with STARFISH® technology are the sophisticated choice for smart lighting and ambiance control. Download the STARFISH® app to customize any tunable white color temperatures from 2700K warm white light to 5000K natural light, or choose from millions of colors on the RGB spectrum, all from your mobile device. Offered as hanging and wall lanterns, these outdoor fixtures offer durable black housing with clear water glass for a timeless look with modern amenities.

These elegant fixtures are also compatible with Siri, Alexa, Google Home, and SmartThings so they can be easily incorporated into your smart home.





















EAST RIVER COLLECTION

OUTDOOR LED SMART LANTERN

GENERAL SPECIFICATIONS

Input Voltage, Frequency: 120V, 60Hz **Power Factor, THD%:** >0.5, <20% Tunable White CCT: 2700K-5000K

RGB: Millions of colors

Dimmable: Only with STARFISH® app

CRI: 80

Efficacy: up to 85 LPW

Construction: Die-Cast Aluminum

Finish: Matte Black

Glass Type: Clear Water Glass

Ambient Operating Temperature:-40°C (-40°F) to +40°C (+104°F)


Functional Life: 35.000 Hours


Warranty: 1 Year



ITEM SPECIFICATIONS/ORDERING INFO

Item	Description	Lumens	Wattage	Location Rating	Chain Length	Wire Length	Length/Width (A)	Height (B)	Extension (C)	Weight
62-5944	Hanging	850	10W	Damp	48"	144"	8.5"	14.5"		4.26 Lbs.
62-5945	Wall	850	10\\/	Wet			6 25"	12 00"	7 78"	2 71 l hs









DOWNLOAD THE STARFISH APP



CONNECT Download the STARFISH™ app



INSTALL Pair and configure your settings



ENJOY The convenience and customization of smart lighting

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

WARNING: Some products included in this specification sheet may be subject to the warning requirements of California's Proposition 65. Please refer to your product packaging for more information.

Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. and its affiliates. Siri is a registered trademark of Apple Inc. Google, Google Play and Google Home are trademarks of Google LLC.



Securely Connect to Your Home from Anywhere!

Works with Alexa & Google Home!

Add to Siri | Integrates with SmartThings!




connect to wifi






















Create a different scene for every room and every mood

SMART LIGHTING

STARFISH



connects life and home together

Outdoor Smart Security Floodlight Camera



website



phone app



Geofencing Feature Allows Starfish to turn on the lights to your settings when you arrive home



To learn more about SATCO|NUVO, visit www.satco.com or contact 1-800-437-2826



Like us on Facebook



in Connect with us on LinkedIn



Follow us on Instagram

National Toll-Free: 1.800.43.SATCO (1.800.437.2826)

Corporate Offices &

Distribution Center: NEW YORK 110 Heartland Blvd., Brentwood, NY 11717 | 800.437.2826 | 631.243.2022 | Fax 631.243.2027

Distribution Centers: FLORIDA 1694 NW 215th St. Miami Gardens, FL 33056 | Tel. 305.624.2044 FAX 305.623.0286

CALIFORNIA 31288 San Benito St. Hayward, CA 94544 | Tel. 510.487.4822 FAX 510.487.8955 **WASHINGTON** 4710 116th St. S.W., Mukilteo, WA 98275 | Tel. 425.789.3300 FAX 425.789.3310 **TEXAS** 2000 Valwood Parkway, Farmers Branch, TX 75234 | Tel. 972.247.2437 FAX 972.247.5408

PUERTO RICO Campeche St. 23, Julio N. Matos Industrial Park, Carolina, PR 00984 | Tel. 787.757.3510 FAX 787.757.3540

Product specifications and availability are subject to change without notice. Please visit us online at www.satco.com for our full product line and ordering details, or consult factory for additional information

