



PORSCHE



911 Quick Start Guide

Quick Questions & Answers

Please do not read while driving. Quick Start Guide does not replace the Owner's Manual.

Opening / Unlocking / Locking Vehicle

What are the functions of the vehicle key?



- A** Unlock the vehicle
- B** Lock the vehicle
- C** Unlock luggage compartment lid
- D** Panic button
- E** Emergency key

NOTE: The Porsche crest on the vehicle key lights up when buttons are pressed.

Unlocking

Press button A on the key once.

The emergency flasher flashes once. The driver's door can be opened.

Press button A on the key twice.

The emergency flasher flashes twice. All vehicle doors can be opened.

Press button C on the key once.

The front luggage compartment lid is unlocked and all the doors can be opened. To open the front lid, raise the lid slightly, unlatch the safety catch, and then open the lid.

Locking

Press button B on the key once.

The emergency flasher flashes twice. The doors are locked. The interior surveillance alarm is activated.

Press button B on the key twice.


The emergency flasher emits one long flash. The doors are locked. The interior surveillance alarm is turned off.

HELPFUL TIP: Locking the vehicle but deactivating the interior surveillance alarm is useful should persons or animals remain in the vehicle.

Emergency Key

Insert emergency key E into the door lock F.

Turning the emergency key counter-clockwise unlocks the doors. Turning the emergency key clockwise locks the doors. The emergency key needs to be turned back and pulled out before you can open the door. Ensure the ignition is switched on within 15 seconds.



Opening / Unlocking / Locking Vehicle

What do I need to know about Comfort Access?


Vehicles with Comfort Access can be unlocked and locked without using the vehicle key. The vehicle key must be carried by the driver, e.g. in a pocket.

Unlocking Doors: Grasp into the handle recess of the door handle and do not touch the proximity sensor on the front of the door handle. The door handle will then extend; pull on the door handle.

Locking Doors: Once leaving the vehicle, touch proximity sensor **A** at the door handle. Two warning signals sound and the emergency flasher flashes twice. The door handles will then retract into the door.

Luggage Compartment Lid: Move your hand between the Porsche crest and the top of the front bumper using either a back-and-forth or a swiping motion; the lid will unlock. Lift the lid slightly and open the lid safety catch. When the lid is completely open, the luggage compartment light will come on.

HELPFUL TIP: If washing your vehicle by hand, do not keep the key in your pocket while washing the vehicle. The Porsche Comfort Access sensor used to open the front lid may be triggered from the spray of the water if the key is in close proximity while washing the vehicle. The key can be disabled by holding down the lock and unlock buttons simultaneously until the crest lights up solid briefly. The key can subsequently be turned back on by pressing any button.



How do I program the HomeLink®/Garage Door Opener?

Before You Start:

- Ensure you are physically near the garage being programmed and GPS functions are enabled.
- Ensure relatively fresh batteries are in the existing remote before starting.
- The engine does not have to be running but the ignition must be in the on position.

Initial Programming:

- Go to **SET > VEHICLE SETTINGS > HOMELINK® > Configure new Homelink® profile**
- While inside the car, push the existing remote button to be copied until the screen changes to **Synchronization Is Necessary** or **Add Current Position**.

NOTE: If the screen goes to **Configuration Error**, try the following:

- Some remotes may require the button to be briefly pressed and released, try pressing the button multiple times.
- Newer style remotes such as the mini one pictured at right take longer to detect. Be patient and try again with multiple button presses, ensuring there are fresh batteries in the remote.



Opening / Unlocking / Locking Vehicle

- If the prompt says **Synchronization Is Necessary**, proceed to the *Rolling Code Synchronization* section.
- If the prompt says **Add Current Position**, proceed to the *GPS Location* section.

Rolling Code Synchronization:

- If you are near your garage door, find the learn button on your garage door unit to begin the rolling code pairing process. You may need to refer to your opener's manual. Otherwise, if you are not near your garage, you can click **Later** to resume this process when you are near your garage.
- Once the learn button has been pushed, return to the car and click **Synchronize**.
- Hold down the **Send Signal** button until the garage door begins to move. Do not let go of the button until the garage door starts to move. If the garage door does not move after 10 seconds, please follow the "NOTE" below for the alternative process.
- At the **Was Your Homelink Signal Received?** prompt, click **Yes**, and proceed to the *GPS Location* section.

NOTE: If you did not see the door move, still continue on the next prompt by saying **Yes** and follow the alternate process:

- Ensure the opener is still in the **Learn** mode and it has not timed out. Refer to your opener's instructions for the indications of Learn mode being enabled.
- In the PCM, go to **CAR**  > **CONTROL**  > **HOMELINK® > Profiles**
- Click **Send Signal** repeatedly on the appropriate profile until you see the door move.

GPS Location:

- Move your vehicle to where you would typically click your garage door opener remote when approaching the door.

NOTE: It is not recommended to program the location from inside the garage. If your desired location is on an active roadway, please use caution to ensure traffic is clear before programming/using.

- Click **Add Position**.
- If you want to program the position later or refine it after initial programming, you can go to **CAR**  > **CONTROL**  > **HOMELINK® > Profiles** and click **Edit**.
 - On this menu, click **Edit Current Position** and **Save Current Position** if you are at the location desired.
 - Alternatively, if you do not want to use the GPS location feature any longer, you can click **Don't Save Position** to remove the existing position and only manually bring up the profile.
 - Click **Confirm** to save all the changes.

HELPFUL TIP: If you want to test this function immediately, drive more than 0.25mi away to simulate a coming/leaving home scenario. For alternate ways to activate HomeLink, also consider adding the shortcut to the side menu on the right or program a Quick Access button to pull up the prompt (if equipped with Sport Chrono).

Notes

.

.

Configuration & Personalization

What should I know about the Auto Start Stop feature?

When the vehicle stops, e.g., at a traffic light or in a traffic jam, the engine automatically stops, provided all the requirements for the auto stop function are met. In this way, the automatic Start/Stop function helps to save fuel.

The ignition remains on even when the engine is stopped automatically.
All safety functions continue to operate.

Prerequisites for Auto Start Stop:


- Auto Start Stop turned on
- Hood closed
- Brake pedal pressed
- PDK in D, M, N, P, or Manual Transmission in neutral with the clutch released
- Engine, transmission, and A/C have reached operating temperature
- Driver's seat belt fastened

Switching the Auto Start Stop off and on: CAR > DRIVE> Start/Stop

Defaulted On: Auto Start Stop is automatically activated whenever the vehicle is turned on.

How do I operate the Front Axle Lift System? OPTIONAL

With the front axle lift system, the front end can be raised by around 1.57 in. (40 mm) (leading edge of the front spoiler). This helps prevent damage to the bodywork, such as when entering underground parking garages or crossing speed bumps.



Raising the front end:

While the engine is running press button A. The front end will raise, the A button will flash red and a message will appear on the instrument cluster. When the front end is fully raised, the A button lights up red and a message appears on the instrument cluster.

NOTE: There is a risk of damage if the front end is lowered inadvertently. Because of the system design, the front end lowers automatically after a certain time when the engine is stopped. The vehicle must always be lowered before it is switched off.

Lowering the front end:

With the doors closed and the engine running, press button A. The front end will lower, the A button will flash red and a message will appear on the instrument cluster. When the front end is fully lowered the red illumination of the button will go out and a message will appear on the instrument cluster. If a door is opened while the vehicle is being lowered, the front end is raised again automatically.

NOTE: There is a risk of damage if the vehicle hits an obstacle. Do not lower the vehicle when positioned over an obstacle.

Configuration & Personalization

I notice more tire noise and tire wear than I've experienced with some other cars. Why is that?

Porsche cars are engineered for a high level of performance and are also designed to ensure safety, driving pleasure, comfort, and daily use. The hardness of the tire depends on the tire's temperature, as well as the compound specifications and the tread pattern of the tire. The side effects of these tire constructions may create louder noises while making a sharp turn when the tire is cold, such as pulling out of a parking spot.

HELPFUL TIP: All tires slowly lose air, and tire pressure also changes considerably when a tire heats up as a result of being driven. To keep tire noise and wear to a minimum, check tire pressure frequently and top off to recommended pressure. Also, have your dealership perform alignment and balancing at intervals noted in the Owner's Manual.

How do I save my personal settings in my vehicle?

Certain settings can be stored or retrieved in the 911 via the **Driver Profile** or **Memory Buttons**.

When the ignition is switched off, the settings just previously made are automatically saved to the driver profile in the PCM. When entering the vehicle, the settings will automatically be retrieved via the vehicle key, or when the driver profile is changed. If multiple persons driving the vehicle, it is recommended to use one driver profile and vehicle key per person.

Driver Profile Management:

Up to 6 driver profiles and 1 guest profile can be created in the Porsche 911.

When the Porsche Communication Management (PCM) system is first activated, the **Set-up Wizard** will display and guide you through important steps for configuring your PCM. It is recommended you run the wizard to ensure you create a full driver profile for yourself. To manage driver profiles, go to **SET > Driver**.

Driver Profiles affect the **Comfort settings**:


- Temperature
- Vision
- Infotainment Settings
- Air Conditioning Settings
- Assistance Systems
- All Ergonomic Settings
- Lights
- Instrument Cluster

Memory Buttons OPTIONAL

Additionally, up to three sets of **Ergonomic settings** can be manually saved and retrieved via the three **Memory Buttons** in the driver door. **Ergonomic settings** affect the seat, exterior mirror and steering wheel settings.


Storing Ergonomic settings on the Memory Buttons:

1. Press the **SET** button. The indicator light will light up.
2. Press the preferred memory button (**1**, **2**, or **3**) within 10 seconds.
3. There will be an acoustic chime and the light indicator in the **SET** button will go out.



Instruments & Controls

How do I operate the climate control?



What do I want to do?

What do I have to do?

Defrost windshield

Press button A.

Switch on heated rear windshield/door mirror heating

Press button B.

Switch A/C Max mode (maximum air conditioning) on

Press button C.

Switch on automatic mode

Press button D.

Set temperature

Press button E for the driver's side or button G for the passenger's side up (warmer) or down (colder).

Set airflow manually

Press button F up (increase) or down (decrease).

Operate the air conditioning system in Porsche Communication Management (PCM)

Set the strength of the airflow in automatic mode

CLIMATE > AIR > Style

Manually adjust the air distribution

CLIMATE > AIR > Air Distribution

Set the footwell temperature


CLIMATE > AIR > Footwell

Adjust the upper ventilation panel

CLIMATE > AIR > Center

Instruments & Controls

What should I know about the instrument cluster?



A. Speed & Assist Display

Information on the time, outside temperature, speed, and assistance systems are shown in tubes 1 and 2.

B. Tachometer

The start of the red zone on the tachometer scale is a visual warning of the maximum permissible engine speed.

C. Digital Speedometer

Information on the speed, selector lever position and engaged gear is displayed in the digital speedometer.

D. Car & Info Display

Information on the driving program, vehicle status and driver assistance is displayed in tubes 4 and 5.

E. Fuel Gauge

F. Coolant Temperature

HELPFUL TIP: A second fuel gauge is also shown in tube 4 under the Vehicle menu for easier visibility in certain seating positions.

What do the different steering wheel controls do?

A. Setting the volume and muting the audio source

- Setting volume: Turn rotary push button up or down
- Muting: Press down on the rotary push button

B. Activating voice control

- NOTE: A short press will activate the Porsche's voice control and a long press will activate the paired phone's voice assistance such as Siri.®

C. Opening a saved function

- NOTE: Hold down the button to program a favorite function via the PCM

D. Play next station/track


E. Scrolling and selecting menus and functions within the Speed & Assist (1) and Car & Info (2) displays

- Scrolling: Turn rotary push button up or down
- Selecting: Press rotary push button

F. Switch between operating the Speed & Assist (1) and Car & Info (2) displays

G. Skipping back one or several selection levels in the Car & Info (2) display

H. Answer a phone call or end a call



How do I turn on the heated steering wheel? OPTIONAL

Press the button **A** in the central steering wheel spoke until the message "Heated steering wheel on" or "Heated steering wheel off" appears briefly on the multifunction display.



How do I operate the cruise control systems?

Cruise Control:

Cruise control maintains the chosen speed in the range between approx. 20 and 150 mph without the driver having to press the gas pedal.

- A. Switch cruise control on/off
1. Reduce the desired speed
2. Set/increase the desired speed
3. Interrupt cruise control operation (CANCEL)
4. Resume the stored speed (RESUME)



InnoDrive/Adaptive Cruise Control* (ACC) OPTIONAL:

Adaptive Cruise Control behaves like a speed control system. The desired speed setting is kept constant. If another vehicle that is traveling slower than the selected speed is detected up ahead in the same lane, Adaptive Cruise Control automatically maintains a set distance.


If the vehicle in front stops, Adaptive Cruise Control slows the vehicle and brings it to a stop, provided that this is possible within the system's control parameters. The speed of the vehicle can be increased at any time by pressing the accelerator.

- R. Switch driver assistance systems on/off
1. Set/increase the desired speed
2. Reduce the desired speed
3. Continue (RESUME)
4. Interrupt (CANCEL)



How do I activate Voice Control?

Numerous Media, Phone, Navigation functions, A/C settings as well as Apps can be activated via voice commands. The voice control function adapts to the speaker and learns from the very first dialog. On-board and Online voice recognition functions are linked seamlessly in the voice control system. The voice control function does not support all system languages.



1. Briefly press the  on the steering wheel. A rising acoustic signal is heard and the symbol  for voice control appears on the PCM.
2. Say the voice command.


IMPORTANT: To experience full functionality of the Voice Control system, please ensure all Porsche Connect services are activated.

HELPFUL TIP: For a list of all voice commands, please refer to the Digital Owner's Manual.

*Please see important limitations of assistance systems in your vehicle's owner's manual.

Instruments & Controls

How do I operate the windshield wipers?



What do I want to do?

**Wipe automatically at front
(rain sensor/intermittent operation)**

Set rain sensor/intermittent operation sensitivity

Wipe at front

Spray and wipe at front

Wipe at rear (intermittent wiping)

Wipe at rear (wipe once)

Fold windshield wipers out

What do I have to do?

Press lever to detent position 1.

Adjust switch B on the right of the lever upward (wipe more often) or downward (wipe less often).

Slow: Press the lever to detent position 2.

Fast: Press the lever to detent position 3.

Once: Push the lever to position 4 (holding lever in position 4 accelerates wiping action).

Pull the lever towards the steering wheel at position 5 and hold.

Press switch A.

Press switch B all the way up or down.

Switch off the ignition and press the wiper lever downward once in position 4. The windshield wipers move upward through approximately 90 degrees.

Where are the cupholders in the 911?

There is one drink holder in the center console and one below the outer air vent on the passenger side. Additionally, there are bottle holders located in the doors.



NOTE: Objects that are not intended for a cupholder can fall out.

Center Console Cupholder: The drink holder in the center console is removable, so please pay attention to the following instructions:

- Insert the drink holder and push it downward until it clicks into place. The drink holder can now be used.
- Press the button and remove the drink holder upwards to remove it.




Passenger-side Cupholder



Where are the communication device plugs located in the armrest?

- Ⓐ SIM card reader
- Ⓑ SD card reader
- Ⓒ USB ports (type A)



Instruments & Controls

How do I activate the electric parking brake?

The electric parking brake acts on the rear wheels and serves to secure the vehicle while parked.

Applying the parking brake: Pull (P) switch.

The light indicator on the button (P) and the brake warning light illuminate.

Manually releasing the parking brake: With the ignition switched on, press the brake pedal and then press (P) button. The brake warning light goes out.

Automatically releasing the parking brake: Despite the active parking brake, you can drive off as normal. Check that the engine is running, the driver's door is closed, the driver's seat belt is fastened, or operating mode **D**, **R**, or **M** is selected. The electric parking brake detects the start request and opens automatically.



What are the Quick Access Buttons and where are they located?

The Quick Access Buttons (◈ buttons) of the multifunction steering wheel or the center console switch panel can be freely assigned to a wide range of vehicle and infotainment functions (e.g. radio/media playback, navigation, etc.) depending on vehicle equipment.

The assign menu can be easily accessed by holding down any of the Quick Access buttons and checking the PCM screen.



Is there anything I should know about the brakes on my 911?



<https://www.youtube.com/watch?v=fUNHb9052WQ>

NOTE: Please download a QR Reader on your mobile device in order to scan the QR code. Point the camera of your mobile device on the QR code.

Notes

How do I pair my mobile phone to the PCM via Bluetooth®?

To connect a compatible mobile phone to the Porsche Communication (PCM) System, please make sure the Bluetooth® function is activated on both the mobile phone and PCM.


1. **PHONE**  > **KEYPAD**  > **Search for new phone**
2. Select a cellphone from the device list. A six-digit Bluetooth® code is generated and displayed in the PCM system, and on the cellphone.
3. Compare the Bluetooth® code in the PCM system and on the cellphone.
4. If the Bluetooth® code in the PCM and on the cellphone match, confirm. When the phone is successfully connected, the numeric input (**KEYPAD**  menu) is displayed in the PCM.

How do I activate Apple CarPlay® in my 911?

Apple CarPlay® must be selected when connecting for the first time. Apple CarPlay® can be connected via USB or wirelessly (see the previous section) when first pairing an Apple® device to the vehicle.

Opening Apple CarPlay® in the PCM:

1. Connect the iPhone® to the USB port (A) in the armrest.
 2. Confirm on the PCM display that you wish to use Apple CarPlay®. The available apps are displayed and Apple CarPlay® will open.
- To go from a different menu item to Apple CarPlay®, select **Apple CarPlay** .



Operating Apple CarPlay® in the PCM:

All available apps can be operated via the touch display, the rotary push button and the Back button of the PCM.


- To access the main menu with **Apple CarPlay** , select the Home button  on the touch display.
- To go to the main function of the PCM, select **Apple CarPlay**  > **PORSCHE** or select a function (for example, **MEDIA** .

Operating Apple CarPlay® via Siri® Voice Recognition:

1. Press and hold the  button on the steering wheel.
2. Say the desired voice command.

Ending Siri® Voice Recognition:

Check that Siri® is active and waiting for a voice command. Press the  button on the control lever. A fading acoustic signal sounds.



NOTE: Apple CarPlay® will only work on this vehicle if the noted conditions are met: iPhone 6S or later, iOS 11.4 or later., Siri® and Apple CarPlay® must be activated in the settings of the iPhone® that is used. For flawless operation use original Apple cables that are undamaged and that do not have a USB adapter.

Communication & Porsche Connect

What is a Porsche ID?

Your Porsche ID is your universal Porsche account containing your personal data, contact information, vehicles, payment information, and much more. With a Porsche ID and your password, you can log in to most Porsche websites and apps. Your email address is your Porsche ID. Please contact us at 1-800-PORSCHE to receive an email invitation to create a Porsche ID.

What is My Porsche?

My Porsche is the Porsche owners' portal. After logging on with your Porsche ID, you can manage your garage of Porsche vehicles, their Connect services, and your personal information in My Porsche. In addition, you will be able to purchase vehicle-related products and services, discover local events, and learn more about the latest news from Porsche. Please visit porscheusa.com to log on to My Porsche.

What is Porsche Connect?

With Porsche Connect services activated, you can enhance your vehicle infotainment experience with some of the following features:

- Emergency Call and Breakdown Call
- Real-Time Traffic Information
- Online Map Updates for Navigation
- Fuel Prices
- Online-based Voice Control
- Weather and News

If your Porsche Connect services have yet to be activated, please contact your Porsche Sales Professional or call us at 1-800-PORSCHE.

What is a Pairing Code?

Your Pairing Code links your vehicle with your Porsche ID account and allows you to use a variety of individualized services, such as personalized destinations, newsfeeds, personal calendar or remote vehicle functions from your smartphone.

What are Porsche Apps?

Porsche offers a variety of apps for Apple® and Android® devices that allow you to manage your vehicles, their Porsche Connect services, and many other functions on your smartphone. Please contact your Porsche Sales Professional for more information on Porsche apps or visit the app store on your phone.

On-board Owner's Manual



You can find more information on your vehicle and Porsche Connect in the Owner's Manual in the Porsche Communication Management (PCM) under **CAR**  > **CONTROL**  > **Manual**

How do I make an emergency call in my 911?

Different emergency call systems may be used depending on model, country, and equipment. Help can be requested via the emergency call system in an emergency or in dangerous situations. Despite activated private mode, location information for the vehicle can be transmitted in the event of a breakdown or emergency call as well as theft.

Triggering an emergency call via SOS button:

1. Open the cover plate by pressing on it.
2. Press SOS button **A** for at least one second.
If the SOS button is pressed again for at least one second within six seconds, the emergency call is canceled.
3. If conditions permit, wait in the vehicle until the connection to the emergency call center is established. Light indicator **B** flashes green when the emergency call to the call center has been established.



A. SOS button
B. Light Indicator


NOTE: If queries from the emergency call remain unanswered, rescue measures are initiated automatically.

Breakdown Call

Help can be requested via the breakdown call in the case of breakdowns or accident.

Triggering a breakdown call:

1. Select breakdown call **A**. To end the breakdown call select  in the footer or the phone menu.
2. If conditions permit, wait in the vehicle until the connection to the call center is established.



Notes

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



Want to know more about your Porsche?

Download the **Good to know** App today. Available via the Apple® App Store®, or Google Play® Store. The Porsche App is available via the Apple® App Store®.



Apple® App Store



Google Play® Store

Note: Please focus the camera of your mobile device on the QR code.

Porsche Customer Relations may be reached at **1-800-PORSCHE** for any questions or information on the Porsche owner services.

NOTE: Some features described in this document are optional equipment and may not be fitted to your automobile.

Dr. Ing. h.c. F. Porsche AG is the owner of numerous trademarks, both registered and unregistered, including, without limitation, the Porsche Crest®, Porsche®, Boxster®, Carrera®, Cayenne®, Cayman®, Macan®, Panamera®, Spyder®, Taycan®, PCM®, PDK®, 911®, 718®, RS®, 4S®, and the model numbers and distinctive shapes of the Porsche automobiles, such as the federally registered 911 and Boxster automobiles. The third-party trademarks contained herein are the properties of their respective owners. All text, images, and other content in this publication are protected by copyright. No part of this publication may be reproduced in any form or by any means without prior written permission of Porsche Cars North America, Inc. Some vehicles may be shown with non-U.S. equipment. Porsche recommends seat belt usage and observance of traffic laws at all times.

© 2021 Porsche Cars North America, Inc. Printed in U.S.A.

Model Year 2021 Shown

CRM 001 300 21

www.porscheusa.com

1-800-PORSCHE