



The Greater Metropolitan
Cemeteries Trust
Lasting memories, peaceful places.

STONEMASON FACT FILE





Our locations

WEST REGIONAL OFFICE

- Altona Memorial Park
2-14 Dohertys Road
Altona North VIC 3025
- Footscray General Cemetery
- Keilor Cemetery
- Truganina Cemetery
- Werribee Cemetery
- Williamstown Cemetery

NORTH REGIONAL OFFICE

- Fawkner Memorial Park
1187 Sydney Road
Fawkner VIC 3060
- Coburg Pine Ridge Cemetery
- Northcote Cemetery
- Northern Memorial Park
- Preston Cemetery

EAST REGIONAL OFFICE

- Lilydale Memorial Park
126-128 Victoria Road
Lilydale VIC 3140
- Andersons Creek Cemetery
- Burwood Cemetery
- Emerald Cemetery
- Healesville Cemetery
- Lilydale Lawn Cemetery
- Templestowe Cemetery
- Yarra Glen Cemetery

Contents



About GMCT	4
Key terminology	5
Occupational health and safety requirements (Cm3)	7
Responsibilities of stonemasons	8
Monumental components	12
Stonemason permits definitions	14
Stonemason application checklist	16
Legislation	17
Area specifications	18

About GMCT

Each year, we help more than 15,000 families – of all cultures and faiths – plan and prepare for funeral, cremation, interment and memorial services.

We offer a variety of different memorialisation products and services to give you, your family and future generations peace of mind.

The Greater Metropolitan Cemeteries Trust is a self-funding organisation, entrusted with caring for our 19 cemeteries and memorial parks in perpetuity - forever. We are committed to maintaining these beautiful, restful and sustainable places to preserve and protect the memories they hold.

About this guide

The GMCT Stonemasons Guide provides information for stonemasons about the individual areas in our cemeteries, in particular the types and sizes of memorials that may be erected.

This guide provides stonemasons with the following:

- Occupational health and safety requirements
- GMCT requirements for stonemasons
- Stonemason application checklist
- Stonemasonry permit definitions
- A list of all the stonemasonry permits
- Extracts from Cemeteries and Crematoria Act 2003, Cemeteries and Crematoria Regulations 2015

The extracts from the Cemeteries and Crematoria Act 2003, Cemeteries and Crematoria Regulations 2015, and the GMCT requirements for stonemasons contain the legal authority for many of the guidelines and procedures outlined in this guide.

Stonemasons can find the following on the GMCT website:

- CCAV guidelines – application to establish or alter a memorial or place of interment
- CCAV application to establish or alter a memorial or place of interment form

For further information you can contact our customer care team on 1300 022 298 or email enquiries@gmct.com.au.

Key terminology

Interment

The burial or entombment of human remains or of cremated human remains.

Right of Interment (ROI)

A right of interment is a legal entitlement to inter human remains or cremated human remains in a particular grave or cremation memorial.

Holder of Right of Interment

The holder is the person or persons to whom the right of interment is granted. They are, in effect, the 'owner' of the grave or cremation memorial.

Memorial

Monument, tombstone, grave marker or headstone identifying a grave or graves. Can also refer to a nameplate, name bar or inscription identifying a crypt or niche.



IN
LOVING MEMORY OF
JOSEPH
DEAR HUSBAND OF
MARY ANN WEARNE
DIED 29TH MAY 1924
AGED 69 YEARS
MARY ANN WEARNE
DIED 9TH FEB 1946
AGED 86 YEARS
TO THEIR DAUGHTER
MARY ANN
DIED 1ST DEC 1941
AGED 60 YEARS

In Loving Memory
— OF —
HARDINA FOX
PASSED AWAY 17TH JULY 1948
AGED 58 YEARS
SAMUEL FOX
PASSED AWAY 30TH NOV. 1962
AGED 75 YEARS
ALSO THEIR GRAND-DAUGHTER
HELEN MARGARET BEDFORD
DIED 29TH JAN. 1957
AGED 7½ MONTHS.

Occupational health and safety requirements

Commitment

The Greater Metropolitan Cemeteries Trust (GMCT) is committed to provide and maintain a safe and healthy environment for its employees, contractors, visitors and members of the public, upon whom it may impact.

GMCT's Health Safety & Wellbeing Policy publicises its commitment to comply with all legislative, regulatory and related requirements and industry standards as well as the welfare of every person's mental and physical health, safety and wellbeing, and believe that no undertaking is so important that it cannot be performed safely.

Contractors

The word 'contractor' is deemed to include, but not be limited to, contractors, stonemasons, their employees, their contractors, their sub-contractors and all personnel, whether working directly or indirectly for the GMCT or on grounds under the control of the GMCT.

GMCT requires stonemasons, to demonstrate how they will work in a manner that keeps everyone safe. To assist with this, GMCT uses the Cm3 Contractor Occupational Health Safety (OHS) Prequalification system. Contractors are expected to satisfy and maintain their annually prequalification requirements of the system.

Stonemasons must have onsite, available for inspection, the following:

- Safe Work Method Statement (SWMS) – specific to the allocated permit
- Licences
- Evidence of sling/chain inspections

GMCT reserve the right to conduct spot check audits to ensure the above mentioned items are produced on request, and effective.

In addition, GMCT may inspect memorials during construction to check if they are compliant with the conditions of application. Part of this involves use of a 'Pin Pointer', a type of metal detector, to identify whether monuments have been constructed to standard.

OHS Prequalification system

Cm3 is Australia's leading online Contractor OHS Prequalification system and addresses the need for both contractors and the organisations they conduct work for, to demonstrate their health and safety management capabilities.

Successfully achieving Cm3 prequalification shows us (and also your current and potential clients), how you manage safety, and this really helps us to meet our legal duty of care to ensure you have safe systems of work in place.

Achieving Cm3 prequalification also helps you review your own current safety practices, identify any gaps that you may have, and improve your safety management processes.

To obtain Cm3 certification go to www.cm3.com.au or email OH&S@gmct.com.au for assistance.

Any observed or reported non-compliance with OHS controls may be investigated and result in a corrective action report being issued. The seriousness of any non-compliance will determine the extent of any action or directive issued by GMCT. This could include the withdrawal of permission to work at any GMCT site.

Monument Safety Program

GMCT's Monument Safety Program includes inspections of monuments to ensure that our sites are safe for people to visit and contractors to work near.

Part of this program involves the use of a 'Pin Pointer', a type of metal detector, to identify whether monuments have been constructed to standard.

In the event a monument is deemed to be unstable or sub-standard (not meeting standards), GMCT's Monument Safety Officer will review permit and application and may need to liaise with the applicant or the holder of ROI, possibly the respective stonemason. This action is to ensure any risk posed to persons such as visitors or staff are managed, and that further damage is prevented wherever possible.

GMCT encourages and commends stonemasons whom report hazards identified onsite. This includes a monument that is unstable as this will allow allowing GMCT to take action by inspecting and making safe until a longer term solution may be sought. To report a monument hazard, call GMCT and ask to speak to GMCT Monument Safety Officer.

GMCT requirements for stonemasons

1. Mailing list:

Once a stonemason is Cm3 registered, the stonemason's name will be placed on a mailing list and, from time to time, stonemasons will receive notice about matters & or changes that may affect them. A stonemason's name may be removed from our mailing list if communication is lost or the CM3 registration has lapsed. Up to date information can be sourced from the GMCT's website or, stonemasons may contact us at stonemasons@gmct.com.au to enquire about current requirements before contracting any new work.

2. Applications:

Prior to commencing any work, stonemasons must obtain a permit from GMCT. Applications must be submitted to the GMCT on an Application to Establish or Alter a Memorial or Place of Interment which can be found on the Cemeteries and Crematoria Association of Victoria (CCAV's) website. This application form must be accompanied with the appropriate fee. The application fee will be updated from time to time and you must check the GMCT website prior to lodging applications for the correct fee.

All applications for memorial installations and alterations will only be accepted in metric measurements.

GMCT will endeavour to process applications within 14 days, under normal circumstances, this period may be reduced to seven days, provided that all required information is supplied. Naturally, if you lodge a large number of applications at the one time, processing will take longer. Processing will be quicker if the application form is filled in correctly and accompanied with the correct fee. Please note that pursuant to section 99(4)(a) of the Cemeteries and Crematoria Act 2003, the GMCT is permitted up to 45 days to process correctly completed applications.

If an application is rejected the 45 day processing period will commence from the date when the updated application has been lodged with GMCT.

GMCT prefer that you do not lodge an application until shortly before a stonemason is ready to commence work. If a proposed memorial is unusual, or there is some doubt as to whether it is acceptable, GMCT will be happy to give earlier advice as to whether a permit will be issued. Please contact us by email at stonemasons@gmct.com.au.

An application will be rejected for

- not providing metric measurements
- providing incorrect or insufficient information eg no photos, not providing the ROI holder details
- not meeting GMCT guidelines and specifications

Please note American chapel designs are not permitted. Chapels of more than 400mm in length are also not permitted.

3. Signs and branded logos:

All foreign language inscriptions must be accompanied by a certified English translation of the inscription. If using symbols and branded logos, stonemasons must obtain written permission by the owner of the symbol or logo and include a copy of the written permission in the application. GMCT will review the use of any symbol or branded logo as part of the application process.

4. Location:

When stonemasons are contracted to erect a monument or memorial they should obtain all the correct information from their client including name, location, ROI, applicant, statutory declaration if required, birth and death certificate if required.

5. Site assessment:

Stonemasons must visit and assess the site prior to submitting an application. Stonemasons are also required to take photos of the site when adding inscriptions and conducting minor renovations.

6. Fees:

Applications must be accompanied with a payment of the correct fee as per the current product and services guide which is located on the GMCT website. Fees are non-transferable and non-refundable. Any cancelled application the permit fee is not refundable or transferable.

7. Contract:

The issue of a permit creates a contract under which stonemasons agree to abide by the conditions of the application, the permit, the Cemeteries and Crematoria Regulations 2015, the Cemeteries and Crematoria Act 2003 and the GMCT's requirements.

8. Permits:

When an application is approved, a permit will be issued to the stonemason. The issuance of a permit does not constitute an admission of liability for defects in design, construction, workmanship or materials.

Stonemasons, contractors and/or sub-contractors working on a memorial at any GMCT site must have a copy of the permit with them at all times. If the permit cannot be produced on request, they will be required to stop work.

Memorials must be built according to the plan submitted with the permit application. A memorial that is built that does not meet the requirements of the permit or is not in accordance with the approved plan shall be considered illegal and shall be removed immediately by the stonemason at the stonemasons cost. No further permits shall be issued to the stonemason until that fault is rectified.

GMCT requirements for stonemasons (continued)

All permits for memorial works expire twelve (12) months from the date of issue.

8. Permits: (continued)

All memorial works must be completed within that time period. Failing this, an application for renewal of the permit will be required, as well as additional fees payable. Further, the incomplete memorial will be required to meet any new introduced regulations.

9. Behaviour:

The stonemason and their staff are expected to remember that they are working in a cemetery and to behave in an appropriate manner. Unnecessary loud noise including music, running, shouting and offensive language are not acceptable.

Stonemasons' staff and contractors must act in accordance with the provisions of the Cemeteries and Crematoria Act and Regulations, and the Regulations made by the Trustees. Stonemasons must always give way to funeral traffic and obey all instructions given to you by the GMCT's staff.

10. Cancellation of registration:

A stonemason's registration may be cancelled if GMCT receive an excessive number of complaints about their workmanship or performance or if, in GMCT's opinion, stonemasons conduct their activities in a manner that is inappropriate.

The following steps will be taken but, these will also depend on the severity of the complaint:

- First infraction reported by a GMCT staff member or a member of the public to a GMCT officer.
A discussion will take place between the stonemason and the responsible GMCT manager. The interview will be recorded and a verbal warning issued, if necessary;
- Second infraction reported by a GMCT staff member or a member of the public to a GMCT officer.
An interview will take place between the offending stonemason and the responsible GMCT manager with a written warning being issued advising that further infractions may result in the cancellation of their GMCT registration; and
- Third infraction reported by a GMCT staff member or a member of the public to a GMCT officer.
An interview will take place between the offending stonemason and the responsible GMCT manager. If the offending stonemason cannot provide satisfactory supportive evidence, they may incur cancellation of their GMCT registration.

11. Advertising:

A manufacturer's nameplate may be placed on the memorial. It must not be larger than 100mm x 40mm and it may contain only business name, address, telephone number and email address, all in letters not more than 12mm high.

In accordance with the Cemeteries and Crematoria Act 2003 (Vic) (the Act) and the Cemeteries and Crematoria Regulations 2015 (Vic) (the Regulations). Part 7 (35) "A person must not, in a public cemetery, initiate unsolicited contact with another person for the purpose of promotion or marketing of the supply of goods or services relating to the interment, cremation or memorialisation of the dead."

CONSTRUCTION

1. Construction/materials:

All memorial work must comply with the Australian Standard Headstones and Cemetery monuments AS 4204:2019 7 GMCT's requirements. During monumental construction works, the stonemason is responsible to maintain the safety of the site at all times during the progress of the works. Cover boards supplied by the GMCT may be collected from and returned to designated areas by the stonemason and be used for the temporary covering of uncompleted foundations or monumental works. Locations of the designated areas may be obtained from the site operations supervisor.

The monument proper should be constructed of granite, marble, cast concrete or other durable masonry. Construction in brick, concrete block, plastic, timber or fibreglass is not permitted.

Trim items may be of brass, copper, bronze, aluminium, stainless steel, wrought iron, other durable metals or acrylic. Mild steel, whether black galvanised or plated and glass, are not permitted.

Ashlar is required in sections where the GMCT provide common foundations. Ashlar must be 70mm-150mm thick by 125mm wide.

Ashlar components are to be placed directly onto mortar mix. In areas where foundations are not level place mortar accordingly to acquire level. Components may be used within mortar mix to ensure maximum rigidity.

1180mm wide ashlar may be used when a walkway is requested between two monuments side by side and owned by the same family.

Each joint in the ashlar must be fixed with stainless steel cramps.

GMCT requirements for stonemasons (continued)

1. Construction/materials: (continued)

Kerbing must be greater than 125mm thick. 70mm thick side kerbings may be used, subject to the following conditions:

- The ledger overhangs the kerbings.
- The ledger and kerbings carry no load, other than the usual small ornaments such as vases and/or plaques
- Each joint in the kerbs must be fixed with a stainless steel cramp and a 12mm diameter stainless steel pin or similar approved material, with a minimum penetration into each stone of 70mm
- The joints are made with Mega poxy or approved alternative gap filling epoxy adhesive, or similar approved high strength cement mortar mix.

The following conditions are subject to memorials that have 125mm kerbs or greater:

- The ledger must meet a minimum size requirement of 850mm wide and 70mm thick.
- Ledger placement, requires a minimum 25mm surface area placement on both kerb sides and footstone.
- Rustic kerbs will need to be recessed to accommodate a minimum 25mm surface area placement on both kerb sides and footstone
- It is recommended that a 3mm gap between kerb and ledger is maintained by inserting a suitable spacer.
- The ledger seal on both kerbs requires a minimum 100mm length of open seal area to accommodate for expansion of air.

Ashlar, kerbs and ledger will not exceed the maximum height of 450mm from foundation level. This does not include excess mortar on uneven foundations.

A maximum height of 550mm may be used subject to the following conditions:

- New monuments built in vault sections not requiring machinery for interment.
- New monuments built in North Park section Sturt and La Trobe rows AB-AR and BA-BL

Free standing headstones up to 900mm high must be at least 70mm thick and, over that height, 100mm thick. Inscription panels for chapel designs must be at least 70mm thick.

Each joint in the construction of the headstone is dowelled with 2 units x 12mm diameter stainless steel pins or similar approved material, with a minimum penetration into each stone of 70mm.

Headstones with pillars shall be dowelled to each other and to the back stone or base

A headstone base may not exceed 400mm depth on monumental graves. If they do it may need to be removed at the time of burial.

All jobs should be fore pointed (grinded back) to ensure joints properly adhere.

Ornaments such as vases, candle boxes must be set back a minimum of 400mm from the front of the ledger.

For Islamic traditional burials, if a memorial is erected at a location prior to the last interment and the grave requires re-entering, the memorial will require full dismantle prior to burial.

Full dismantling of the memorial will also be required in case of an exhumation. GMCT is not financially responsible for this removal.

If a memorial is to be erected in a non-common foundation area prior to first burial interment. Families will be required to organise a pre dig to take place before a memorial can be built. Please contact GMCT customer care to organise pre dig.

GMCT accepts no responsibility if a stonemason needs to stop work for any changes in environmental conditions .

2. Standards:

The intention of these standards is to ensure that a memorial, once erected, will remain in good structural condition without maintenance for perpetuity. These standards should be regarded as minimum requirements.

2. (a) Australian Standards:

Memorials shall be designed and constructed in accordance with Australian Standard AS4204-2019. Where there is any conflict between that standard and the other provisions of these requirements, these requirements shall prevail.

<https://www2.health.vic.gov.au/public-health/cemeteries-and-crematoria/interments-and-memorials/stonemasons>

3. Type:

- Monumental - GMCT does not permit construction of a headstone and base in a full monumental area with common foundations.
- Headstone - memorials must consist of a vertical headstone on a base.
- Plaque - plaque sizes differ between different GMCT sites. For info contact GMCT customer care on 1300 022 298.

GMCT requirements for stonemasons (continued)

4. Size:

The size of memorials will depend on the area in which it is to be built. Stonemasons should refer to the accompanying specification sheets.

A grave or plot size may vary across the GMCT sites so it is recommended that stonemasons check and confirm the plot size before submitting an application to the GMCT.

6. Foundations:

In most new areas, GMCT has installed foundations. In other areas, stonemasons must build them to the Australian standard shown on the CCAV standard application form or, as advised by us on your Permit Form. Excavated foundations shall not be left unattended by the stonemason, contractor and/or sub-contractor without being safely covered or safely barricaded off. The stonemason, contractor and/or sub-contractor is responsible for the safety of the site at all times and shall supply all necessary materials for keeping the site safe.

7. Number:

The grave number, including the row letter and section number (if applicable), must be permanently engraved into the memorial.

8. Working hours:

Memorial work may only be carried out between 7.00am and 5.00pm, Monday to Friday. Monumental work shall not be permitted on Public Holidays on any circumstances. On weekends stonemasons may apply for a weekend permit.

Stonemasons will be required to temporarily cease work if, in GMCT's opinion, it would interfere with the conduct of a funeral or other cemetery operations.

Each day, when the stonemason's staff and contractors arrive at the cemetery, they must advise the nominated

site operations officer by telephone as indicated on your permits, of the locations at which they will be working on that day.

9. Damage:

Before commencing work at a site, stonemasons must inspect the surrounds and advise GMCT if there is any existing damage nearby. Stonemasons are responsible for any damage they cause, whether to nearby memorials or to our paths, roads, trees, lawns, etc.

10. Motor vehicles:

Motor vehicles must not be driven at no more than 30km/h and must always keep to defined roads. The GMCT's nominated site officer may, under certain conditions, give approval for a vehicle to be driven off the road. A traffic management plan will be provided in these cases.

11. Cranes:


Cranes may be used, provided the operators have the appropriate licences. Our roads, lawns and gardens must be protected from damage caused by stabiliser legs and wheels. If a mobile crane is to be used for the construction of any monumental works, the GMCT's nominated site officer shall be informed of this intention, 24 hours prior to the crane being on site.

No road shall be totally closed by the use of a crane, unless previously arranged with the GMCT Manager, for which a minimum one week's notice is required, if approved. Partial road closures are permitted when using cranes. However, the stonemason, contractor and/or sub-contractor is totally responsible for the provision and operation of signage for traffic detours and flagmen for traffic control for the duration of the crane being on site. Traffic control and signage shall meet all current accepted safety standards according to Australian standards.




Monumental components


The diagrams below outline all the monumental and headstone components involved in the construction of monuments.



Plaque components



Headstone components



Stonemasonry permit definitions

Additional inscription

Applications for addition inscriptions must include a photo of the memorial in its current state.

Addition of new text to an existing memorial (second inscription) new inscription on a monument, headstone, or base where the inscription is completed in-situ without the need to remove the monument or part of the monument. Plus one additional photo.

Additional inscription means the addition of new text to and existing memorial where the inscription is completed in in-situ. Should a memorial need to be removed for inscription a major renovation application is required

Additional inscription – contiguous grave

A continuous grave covers two or more monuments. Inscription works on a continuous grave of two or more forming the same monument.

This fee is payable in addition to the primary fee.

Minor renovation

Stonemasons are required to attach a photo of the site of their application prior to conducting any new or additional works.

Minor repair, restoration or alteration work conducted in-situ without the need to remove the monument or part of the monument. Repairs include:

- surface re-polishing
- scratch repair
- chip repair
- crack repair
- re-grouting

Restorations include:

- joint, hinge or lock replacement for chapel doors
- candle box perspex
- headstone - removal and replace
- ledger - removal and replace
- flower vase re-positioning

Alterations include:

- Addition of flower vases, statuettes

Minor renovation – contiguous grave

A continuous grave covers two or more monuments. Minor renovation works on a continuous grave of two or more forming the same monument.

This fee is payable in addition to the primary fee.

Major renovation

Major repair, restoration or alteration work conducted where there is a need to remove the monument or part of the monument:

- Any part of the substantive monument removed for the purpose of repair or replacement of the monument and/or foundations
- Any alteration that changes the physical characteristics of the monument, including size, shape, access or other dimension.

The removal of an old monument and replacement with a new monument is not considered to be a renovation. This is permitted as new construction (see below).

Major renovation – contiguous grave

A continuous grave covers two or more monuments. Major renovation works on a continuous grave of two or more forming the same monument.

This fee is payable in addition to the primary fee.

Headstone – with existing foundation

Installation of a new headstone or headstone and base onto a common foundation concrete beam. Includes the installation of vase blocks

Headstone with existing foundation – contiguous grave

A continuous grave covers two or more monuments. Headstone with existing foundation works on a continuous grave of two or more forming the same monument.

This fee is payable in addition to the primary fee.

Headstone without existing foundation

Installation of a new headstone or headstone and base and associated foundations. Includes the installation of vase blocks.

Headstone without foundation – contiguous grave

A continuous grave covers two or more monuments. Headstone without foundation works on a continuous grave of two or more forming the same monument.

This fee is payable in addition to the primary fee.

Monument with common foundation

Installation of a new monument (headstone, kerbs, ashlar) onto a full-surround common foundation concrete beam.

Stonemasonry permit definitions (continued)

Monument with common foundation – contiguous grave

A continuous grave covers two or more monuments. Monument with common foundation works on a continuous grave of two or more forming the same monument.

This fee is payable in addition to the primary fee.

Monument without existing foundation

Installation of a new monument and associated foundations.

Mausoleum crypt shutter permit for monumental works

Includes the removal of the crypt shutter by GMCT and permit for the inscription. For any changes, removals and additions contact GMCT.

Affixing of base plaques (lawn)

Replacing or fixing a plaque in a lawn section. For specific plaque sizes contact GMCT customer care.

Stonemason to affix externally supplied plaque

To install a plaque to an existing or new memorial within a monumental and headstone and base section.

Weekend permit (up to 4 hours)

Additional fee for any works conducted in full or in part on a Saturday, Sunday, State or Commonwealth gazetted public holidays.

Weekend permit (more than 4 hours)

Additional fee for any works conducted in full on Saturday, Sunday or public holiday.

Special memorial (plus disbursements)

For any works not otherwise defined in this list, including but not limited to works on:

- Private mausolea renovations
- Installation of Vaults
- Family gazebos or cenotaphs
- American chapel

Additional site/works inspection

Applicable to any permit category where GMCT determines the need for progress inspections during works per inspection report

If you are in doubt of which permit to apply for or require assistance please contact GMCT to discuss specific requirements.

Stonemason application checklist

Please use this checklist to ensure you have all the correct information prior to submitting an application.

- ❑ All Stonemasons must be CM3 certified before any works are carried out at GMCT premises
- ❑ Stonemasons need to have applications filled out correctly and ensure the following items are included in their application:
 1. Grave locations
 2. Deceased names
 3. Applicant name and signature
 4. Stonemason name
 5. Proposed inscriptions
 6. Photos if site (required for inscription/minor renovation)
 7. Sketch/drawing of proposed works
 8. All applicants must be the rightful owners or have permission to arrange for Stonemason works
- ❑ Stonemasons are encouraged to inspect all gravesites before sending an application for works.
- ❑ Stonemason needs to notify the relevant GMCT officer of arrival prior to works.

Legislation

Extract from the Cemeteries & Crematoria Act 2003

99. Cemetery trust may approve or refuse the application

(1) After considering an application made under section 98, a cemetery trust—

(a) may approve the application; or

(b) may refuse the application if it is satisfied that—

(i) the memorial or place of interment would be unsafe, dangerous or not of a sufficiently permanent nature; or

(ii) the establishment or alteration of the memorial or place of interment would be incompatible with the general nature and standard of surrounding memorials or places of interment or would not be sufficiently in keeping with the nature and character of the public cemetery; or

(iii) the establishment or alteration of the memorial or place of interment would not comply with the model rules or the cemetery trust rules (if any); or

(iv) the establishment or alteration of the memorial or place of interment does not comply with the prescribed requirements; or

(c) may refuse the application for any other reason that the cemetery trust thinks fit.

(2) An approval under this section may be granted subject to—

(a) a condition that the memorial or place of interment be erected or placed in the position determined by the cemetery trust; and

(b) any other terms and conditions which the cemetery trust thinks fit.

(3) A cemetery trust may cancel an approval under this section if the terms and conditions of the approval have not been complied with.

(4) A cemetery trust must make a decision on an application made under section 98—

(a) within 45 days after the receipt of the application, if sufficient information has been provided with the application; or

(b) if the cemetery trust has requested further information because sufficient information was not provided with the application, within 45 days after the cemetery trust has received the further information.

100. Cemetery trust may remove memorials or places of interment

(1) A cemetery trust may require a person to remove or alter a memorial or place of interment in a public cemetery if that person—

(a) has established or altered, or caused to be established or altered, the memorial or place of interment in the public cemetery without the approval of the cemetery trust under section 99; or

(b) has failed to comply with any term or condition to which the approval of the cemetery trust under section 99 was subject.

(2) If a person to whom sub-section (1) applies fails or refuses to remove or alter the memorial or place of interment, the cemetery trust may—

(a) remove the memorial or place of interment and dispose of it as it sees fit; or

(b) remedy the failure to comply.

(3) A cemetery trust may recover the costs of taking action under sub-section (2) from the person referred to in sub-section (1) as a debt recoverable in a court of competent jurisdiction.

95. Offence to desecrate memorials

(1) Except in accordance with this Act, a person must not wilfully break open, damage, desecrate or destroy a memorial.

Penalty: 240 penalty units or 2 years imprisonment or both.

(2) Nothing in this section prevents a cemetery trust from carrying out any function under this Act.

96. Offence to desecrate places of interment

(1) Except in accordance with this Act, a person must not wilfully break open, damage, desecrate or destroy a place of interment.

Penalty: 240 penalty units or 2 years imprisonment or both.

(2) Nothing in this section prevents a cemetery trust from carrying out any function under this Act.

Area specifications

The following pages contain the essential information relating to individual areas in the GMCT sites. In particular, they specify the types and sizes of monuments that may be erected.

The areas listed are provided for the purpose of a guide as they are representative of the types of graves available at the GMCT.

GMCT requires all stonemasons to inspect gravesites prior to submitting applications due to possible variations that may not be covered in the area specifications information.



Altona Memorial Park

Altona Memorial Park is a beautifully landscaped lawn cemetery with extensive memorial gardens. Services and facilities available include burial, cremation, memorialisation, chapels and a function venue.

Area	Memorial Type	Granite Base Size - Single	Granite Base Size- Double	Plaque Size - Single	Plaque Size - Double	Length (mm)	Width (mm)	Height (mm)	Foundations
EUC Lawn	Bronze plaque**	660x410x50	1200x450x50	560x300	864x356	N/A	N/A	N/A	N/A
Cypress Lawn	Bronze plaque*	660x410x50	1200x450x50	560x300	864x356	N/A	N/A	N/A	Common
Wattle Lawn	Bronze plaque*	660x410x50	1200x450x50	560x300	864x356	N/A	N/A	N/A	Common
Correa Lawn	Bronze plaque*	660x410x50	1200x450x50	560x300	864x356	N/A	N/A	N/A	Common
Blackwood Lawn	Bronze plaque*	660x410x50	1200x450x50	560x300	864x356	N/A	N/A	N/A	N/A
Grevillia Lawn	Bronze plaque*	660x410x50	1200x450x50	560x300	864x356	N/A	N/A	N/A	N/A
Garden of Little Angels	Bronze plaque*	410x380x50	N/A	300x280	N/A	N/A	N/A	N/A	N/A
Childrens Lawn	Bronze plaque*	410x380x50	N/A	300x280	N/A	N/A	N/A	N/A	N/A
Willow Lawn	Bronze plaque*	660x410x50	1200x450x50	560x300	864x356	N/A	N/A	N/A	N/A
Elm Lawn	Bronze plaque*	660x410x50	1200x450x50	560x300	864x356	N/A	N/A	N/A	N/A
Poplar Lawn	Bronze plaque*	660x410x50	1200x450x50	560x300	864x356	N/A	N/A	N/A	N/A
Robinson Lawn	Bronze plaque*	660x410x50	1200x450x50	560x300	864x356	N/A	N/A	N/A	N/A
Casuarina Lawn	Broneplaque*	660x410x50	1200x450x50	560x300	864x356	N/A	N/A	N/A	N/A
Swallow Lawn	Bronze plaque*	660x410x50	N/A	560x300	N/A	N/A	N/A	N/A	Common
Lorikeet Lawn	Bronze plaque*	660x410x50	N/A	560x300	N/A	N/A	N/A	N/A	Common
Lorikeet Lawn row A	Headstone & Base	N/A	N/A	N/A	N/A	250	800	720	N/A
Wren Lawn	Bronze plaque*	660x410x50	N/A	560x300	N/A	N/A	N/A	N/A	Common
Wagtail Lawn	Bronze plaque*	660x410x50	N/A	560x300	N/A	N/A	N/A	N/A	Common
Rosella Lawn	Bronze plaque*	660x410x50	N/A	560x300	N/A	N/A	N/A	N/A	Common
Wagtail Lawn premium	Headstone & Base	N/A	N/A	N/A	N/A	250	800	720	Common

Andersons Creek Cemetery

Andersons Creek Cemetery first opened in 1858 and is one of the oldest cemeteries in Victoria. It provides both lawn graves and cremated remains memorials.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Adams Lawn	Bronze plaque*	N/A	380	280	N/A	None
Blair Lawn	Bronze plaque*	N/A	380	280	N/A	None
Butterfly Lawn	Bronze plaque*	N/A	380	280	N/A	None
Children's Ashes	Bronze plaque*	N/A	230	190	N/A	None
Church of England	Monumental	2400x1200	2400	1150	2500	None
Clarke Lawn	Bronze plaque*	N/A	380	280	N/A	None
Condon Lawn	Bronze plaque*	N/A	380	280	N/A	None
Houghton Lawn	Bronze plaque*	N/A	380	280	N/A	None
Hutchinson Lawn	Bronze plaque*	N/A	380	280	N/A	None
Jones Lawn	Bronze plaque*	N/A	380	280	N/A	None
Keen Lawn	Brnze plaque*	N/A	380	280	N/A	None
Logan Lawn	Bronze plaque*	N/A	380	280	N/A	None
Mahoney Lawn	Bronze plaque*	N/A	380	280	N/A	None
McDonald Lawn	Bronze plaque*	N/A	380	280	N/A	None
Moore Lawn	Bronze plaque*	N/A	380	280	N/A	None
Mullins Lawn	Bronze plaque*	N/A	380	280	N/A	None
Peart Lawn	Bronze plaque*	N/A	380	280	N/A	None
Perry Lawn	Bronze plaque*	N/A	380	280	N/A	None
Presbyterian	Monumental	2400x1200	2400	1150	2500	None
Roman Catholic	Monumental	2400x1200	2400	1150	2500	None
Schneider Lawn	Bronze plaque*	N/A	380	280	N/A	None
Sloan Lawn	Bronze plaque*	N/A	380	280	N/A	None
Speers Lawn	Bronze plaque*	N/A	380	280	N/A	None
Squires Lawn	Bronze plaque*	N/A	380	280	N/A	None
Stiggants Lawn	Bronze plaque*	N/A	380	280	N/A	None
Victor Lawn	Bronze plaque*	N/A	380	280	N/A	None
Wesleyan	Monumental	2400x1200	2400	1150	2500	None

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information



Burwood Cemetery

Burwood Cemetery dates back to 1857 and is also one of the oldest cemeteries in Melbourne. In the early 1980s the cemetery reached capacity and now only offers additional interments in existing graves.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Monumental	Headstone & Base	N/A	400	1150	1200	None
Lawn	Bronze plaque*	N/A	560	300	N/A	N/A
Monumental	Monument	2400x1200	2400	1150	2500	None



Coburg Pine Ridge Cemetery

The cemetery began servicing the community in 1856. Records for this historic cemetery begin in 1875 and show around 52,000 interments until 1971.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)
Baptist	Monumental	2400x1200	2350	1150	2500
Church Of England A	Monumental	2400x950	2350	900	2500
Church Of England B, D, E - Frontside rows	Monumental	2400x1200	2400	1200	2500
Church Of England B, D, E - Other rows	Monumental	2400x950	2350	900	2500
Church Of England AC	Monumental	2400x1050	2350	1050	2500
Church Of England C,P	Monumental	2400x1200	2350	1150	2500
Independent	Monumental	2400x1200	2350	1150	2500
Other Denominations Lawn	Bronze plaque*	N/A	560	300	N/A
Methodist A,B,S	Monumental	2400x1200	2350	1150	2500
Presbyterian A,D, P	Monumental	2400x1200	2350	1150	2500
Presbyterian DD	Monumental	2400x950	2350	900	2500

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information

Coburg Pine Ridge Cemetery

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)
Roman Catholic S	Monumental	2400x1200	2350	1150	2500
Roman Catholic A	Monumental	2400x1200	2350	1150	2500
Roman Catholic B	Monumental	2400x950	2350	900	2500
Roman Catholic C	Monumental	2400x1200	2350	1150	2500
Roman Catholic D	Monumental	2400x1200	2350	1150	2500
Roman Catholic E	Monumental	2400x950	2350	900	2500
Roman Catholic F	Monumental	2400x1200	2350	1150	2500

Emerald Cemetery

Emerald Cemetery was originally known as Macclesfield Cemetery. This cemetery historically serviced the regional farming community of the district.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
All areas	Headstone & Base	N/A	400	1150	1200	None
All areas	Bronze plaque*	N/A	380	280	N/A	None
All areas	Monument	2400x1200	2400	1150	2500	None

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information

Fawkner Memorial Park

Fawkner Memorial Park opened in 1906 and has a long and proud history of innovation and leadership, introducing the first grand public mausolea into Australia in the 20th century.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Aust. Druses	Full Monument	2700x1200	2650	1150	2500	None
Baptist B-C	Full Monument	2700x1200	2650	1150	2500	None
Boulevard Special Lawn	Bronze plaque*	N/A	560	300	N/A	Common
Boulevard Special Lawn	Granite plaque	N/A	560	300	30-70	Common
Byelorussian	Full Monument	2700x1200	2650	1150	2500	None
Chaldean	Full Monument	2700x1200	2650	1150	2500	Common
Chapel Lawn	Bronze plaque*	N/A	560	300	N/A	Common
Chinese B	Full Monument	2700x1200	2650	1150	2500	Common
Church Of Christ	Full Monument	2700x1200	2650	1150	2500	None
Church Of England A-I, K-M, O, R, S, T	Full Monument	2700x1200	2650	1150	2500	None
Congregational A-C	Bronze plaque*	N/A	560	300	N/A	None
Estonian Lutheran	Bronze plaque*	N/A	380	280	N/A	None
Fawkner Allambie	Headstone & Base	950 wide	830	300	1200	None
Fawkner Garden Of Angels	Headstone & Base	950 wide	830	300	1200	Common
Fountain Lawn	Bronze plaque*	N/A	560	300	N/A	Common
Fountain Lawn	Granite plaque	N/A	560	300	30-70	Common
Greek A-D	Full Monument	2700x1200	2650	1150	2500	None
Greek E	Full Monument	2400x1200	2350	1150	2500	None
Greek E Rows D - E	Full Monument	2700x1200	2650	1150	2500	None
Hebrew A-B	Full Monument	2700x1200	2650	1150	2500	None
Islamic	Full Monument	2700x1200	2650	1150	2500	None
Jewish A -C	Full Monument	2700x1200	2650	1150	2500	None
Latvian Lutheran	Bronze plaque*	N/A	380	280	N/A	Common
Lawn Of Tranquillity	Bronze plaque*	N/A	560	300	N/A	Common
Lutheran	Full Monument	2700x1200	2650	1150	2500	None
Macedonian	Full Monument	2700x1200	2650	1150	2500	None

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information

Fawkner Memorial Park

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Merlynston Lawn	Bronze plaque*	N/A	560	300	N/A	Common
Methodist A - C	Full Monument	2700x1200	2650	1150	2500	None
New Lawn A,B,C,D,E	Bronze plaque*	N/A	560	300	N/A	Common
New Lawn A,B,C,D,E	Granite plaque	N/A	560	300	30-70	Common
Non-Denominational UV Vaults	Full Monument	2700x1200	2650	1150	2500	Common
Non-Denominational VE Vaults	Full Monument	2700x1200	2650	1150	2500	Common
Non-Denominational ZZ Vaults	Full Monument	2700x1200	2650	1150	2500	Common
Other denominations B	Full Monument	2700x1200	2650	1150	2500	None
Orthodox	Full Monument	2700x1200	2650	1150	2500	None
Other Denominations A	Full Monument	2700x1200	2650	1150	2500	None
Presbyterian A-F	Full Monument	2700x1200	2650	1150	2500	None
Presbyterian F Common Area	Full Monument	2700x1201	2650	1150	2500	Common
Protestant A-E	Full Monument	2700x1200	2650	1150	2500	None
Roman Catholic A, C-I, M, O, R-T, W, XA	Full Monument	2700x1200	2650	1150	2500	None
Roman Catholic B	Headstone & Base	N/A	400	1150	1200	None
Roman Catholic Ext Vaults	Full Monument	2700x1200	2650	1150	2500	Common
Roman Catholic R Ext	Headstone & Base	N/A	400	1150	1200	None
Roman Catholic S Ext	Bronze plaque*	N/A	560	300	N/A	Common
Roman Catholic SF	Headstone & Base	N/A	400	1150	1200	None
Roman Catholic YB Vaults	Full Monument	2700x1200	2650	1150	2500	Common
Roman Catholic ZC	Headstone & Base	N/A	400	1150	1200	None
Salvation Army C	Full Monument	2700x1200	2650	1150	2500	None
South Lawn	Bronze plaque*	N/A	560	300	N/A	Common
Fawkner Special Lawn	Headstone & Base	N/A	450	1150	1800	None
Sunset Lawn Children's Lawn	Headstone & Base	N/A	350	820	1200	None
Swedish	Bronze plaque*	N/A	380	280	N/A	None
Ukrainian A-B	Full Monument	2700x1200	2650	1150	2500	None
Ukrainian Catholic	Full Monument	2700x1200	2650	1150	2500	None

Please note there is a mausoleum option at this cemetery, contact customer care for further information

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information

Footscray General Cemetery

The first burial in the cemetery was on 26 June 1869 and by 1939, there had been nearly 19,000 burials.

From 9 May 2016 GMCT has taken over the day-to-day management of Footscray General Cemetery from the Maribyrnong City Council. The gazetted fee structure below applies to Footscray only.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Baptist A - B	Monumental	2450x1200	2400	1150	2500	None
Church of England A - E	Monumental	2450x1200	2400	1150	2500	None
Church of England R	Monumental	2450x1200	2400	1150	2500	None
Lawn A	Bronze plaque*	N/A	560	300	N/A	N/A
Lawn B	Headstone & Base /Plaque	N/A	400	1150	1200	Common
Lawn B2	Headstone & Base /Plaque	N/A	400	1150	1200	Common
Orthodox A - C	Monumental	2450x1200	2400	1150	2500	None
Presbyterian A - D	Monumental	2450x1200	2400	1150	2500	None
Roman Catholic A - D- F	Monumental	2450x1200	2400	1150	2500	None
Roman Catholic Circle	Monumental	2450x1200	2400	1150	2500	None
Roman Catholic E	Monumental	2450x1200	2400	1150	2500	None
Wesleyan A - C- PM	Monumental	2450x1200	2400	1150	2500	None

Healesville Cemetery

The cemetery is designed to blend in with the natural environment and accommodates burials and cremated remains memorials.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Eucalypt Lawn beams	Headstone & Base	N/A	400	1150	1200	Common
Lawn Areas	Bronze plaque*	N/A	560	300	N/A	None
Monument Areas	Monument	2400x1200	2400	1150	2500	None

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information

Keilor Cemetery

Keilor Cemetery has been serving the community's evolving needs and diverse multicultural community for more than 150 years, with its pioneer graves a reflection of the history of its position on the road to the goldfields.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Monumental A, B, C, D, J, K, L, M, N	Monumental	2450x1200	2400	1150	2500	None
Monumental A Common area	Monumental	2600x1200	2400	1150	2500	Common
Monumental C Common area (old)	Monumental	2500x1200	2400	1150	2500	Common
Monumental C Common area (new)	Monumental	2700x1200	2650	1150	2500	Common
Eastern Lawn Garden	Headstone & Base	N/A	300	1150	1200	Common
Monumental J Common area (North)	Monumental	2570x1200	2400	1150	2500	Common
Monumental R, T	Monumental	2600x1200	2400	1150	2500	Common
Monumental S	Monumental	2600x1200	2400	1150	2500	Common
Monumental U	Monumental	2680x1200	2650	1150	2500	Common
East Vaults	Monumental	2470x1200	2400	1150	2500	Common
Ely Court - Lawn	Headstone & Base	N/A	400	1150	1200	Common
Ely Court - Monumental	Monumental	2680x1200	2600	1150	2500	Common
Ely Court - Vaults	Monumental	2700x1200	2600	1150	2100	Common
Central Lawn	Headstone & Base - Plaque	N/A	400	1150	1200	Common
Lawn H	Headstone & Base	N/A	300	1150	1200	Common
Lawn P Lawn Q	Headstone & Base - Plaque	N/A	300	1150	1200	Common
Lawn W	Bronze plaque*	N/A	560	300	N/A	None
Monumental F	Monumental	2570x1200	2400	1150	2500	Common
Monumental V Vaults	Monumental	2750x1200	2700	1150	2500	Common
Monumental W	Monumental	2680x1200	2400	1150	2500	Common
North Lawn Beams	Bronze plaque*	N/A	560	300	N/A	None
Western Lawn	Headstone & Base	N/A	300	1150	700	Common

Please note there is a mausoleum option at this cemetery, contact customer care for further information

Please note there are inconsistencies in certain areas surrounding monumental common foundations.

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information

Lilydale Lawn Cemetery

When the first burial was conducted at Lilydale Lawn Cemetery more than 140 years ago, the cemetery serviced a small group of pioneer communities.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Lawn A-H, J	Bronze plaque only*	N/A	560	300	N/A	None
Baptist	Monument / Headstone & Base	2400x1200	2400	1200	2500	None
BTGW Lawn	Bronze plaque only	N/A	560	300	N/A	None
BTW Lawn	Bronze plaque only	N/A	560	300	N/A	None
Children's Lawn CA-CD	Bronze plaque only	N/A	380	220	N/A	Common
Church of England	Monument / Headstone & Base	2400x1200	2400	1200	2500	None
Independent	Monument / Headstone & Base	2400x1200	2400	1200	2500	None
North East Lawn	Bronze plaque only	N/A	560	300	N/A	None
North South Lawn	Bronze plaque only	N/A	560	300	N/A	None
Presbyterian	Monument / Headstone & Base	2400x1200	2400	1200	2500	None
Roman Catholic	Monument / Headstone & Base	2400x1200	2400	1200	2500	None
Salvation Army	Monument / Headstone & Base	2400x1200	2400	1200	2500	None
Lawn V, Y, Z	Bronze plaque only	N/A	560	300	N/A	Common
Wesleyan	Monument / Headstone & Base	2400x1200	2400	1200	2500	None

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information

Lilydale Memorial Park

Lilydale Memorial Park has a long and proud history of meeting the diverse and growing needs of the community. Throughout the park, indigenous fauna and flora have been preserved and integrated with themed garden areas, resulting in a tranquil and natural environment.

Area		Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Mana Gum Lawn		Bronze plaque only	N/A	560	300	N/A	Beams
Monumental Vaults	ED: 18-23	Monuments	2400x1200	2400	1150	2500	Common
	ED: 15-17	Monuments	2750x1200	2700	1150	2500	Common
Paperbark Lawn		Bronze plaque only	N/A	560	300	N/A	Beams
Pavilion Garden	EE: 1-2,3-4, 5-6, 9-10, 15-16, 21-22	Headstone garden bed	N/A	400	1000	1200	Common
	EE:7-8, 13-14, 17-20, 23-26	Bronze plaque only	N/A	560	300	N/A	Beams
Sanctuary Garden		Baby section plaques	N/A	560	300	N/A	Beams
Spotted Gum		Bronze plaque only	N/A	560	300	N/A	Beams
Yarra Gum		Bronze plaque only	N/A	560	300	N/A	Beams
Yellow Gum	DAN: 1-2, 7-8, 11-12, 15-15A, 17-18, 21-22	Headstone garden bed	N/A	400	1000	1000	Common
	DAW: 1-8	Headstone garden bed	N/A	400	1000	1000	Common
	DA: 1-2, 7-8, 11-12, 17-18, 21-22, 27-28	Headstone garden bed	N/A	400	1000	1000	Common
	DAE: 1-8	Headstone garden bed	N/A	400	1000	1000	Common
	DAN: 3-6, 9-10, 13-14, 16-16a, 19-20, 23-26	Bronze plaque only	N/A	560	300	N/A	Beams
	DA: 3-6, 9-10, 13-16, 19-20, 23-26	Bronze plaque only	N/A	560	300	N/A	Beams
	CB: 6-9, 18-21	Monuments	2700x1200	2700	1150	1500	Common

Please note there is a mausoleum option at Lilydale Memorial Park, contact customer care for further information

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information

Northern Memorial Park

The vision for Northern Memorial Park is for a beautiful cemetery landscape in harmony with its natural surrounds. Set between Merlynston and Campbellfield Creeks, with lakes and waterways throughout, Northern Memorial Park is home to many varieties of plant and bird life, creating a rare sanctuary for quiet reflection in the busy urban environment.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Bass (Lawn)	Headstone & Base	N/A	400	1150	1200	Common
Bass Monumental AQ -AT 33 - 45	Full Monument	2700x1200	2650	1150	2500	Common
Burke (Lawn)	Bronze plaque*	N/A	560	300	N/A	Common
Burke (Lawn)	Granite plaque	N/A	560	300	30-70	Common
Edendale	Headstone & Base	N/A	600	1200	1800	None
Collins (Lawn)	Bronze plaque*	N/A	560	300	N/A	Common
Flinders (Lawn)	Bronze plaque*	N/A	560	300	N/A	Common
Flinders (Lawn)	Granite plaque	N/A	560	300	30-70	Common
Henty (Lawn)	Bronze plaque*	N/A	560	300	N/A	Common
Henty B (Lawn)	Headstone & Base	N/A	300	825	1200	Common
Hoddle A	Full Monument	2400x1200	2350	1150	2500	None
Hoddle A 202 - 246	Full Monument	2400x1200	2350	1150	2500	Common
Hoddle Baby Section	Bronze plaque*	1800x1200	560	320	N/A	None
Hoddle C	Full Monument	2400x1200	2350	1150	2500	None
Hoddle D	Full Monument	2700x1200	2650	1150	2500	Common
Hume (Mont'L)	Full Monument	2700x1200	2650	1150	2500	Common
LaTrobe (Mont'l)	Full Monument	2700x1200	2650	1150	2500	Common
Lonsdale	Headstone & Base	N/A	400	900	1000	None
Mawson (Lawn)	Bronze plaque*	N/A	560	300	N/A	Common
Mitchell (M'Mt)	Full Monument	2700x1200	2650	1150	2500	Common
Murray (Lawn)	Headstone & Base	N/A	400	1150	1200	Common
Snow Gum	Full Monument	2700x1200	2600	1150	2500	Common
Sturt (Mont'L)	Full Monument	2700x1200	2650	1150	2500	Common
Wills (Lawn)	Bronze plaque*	N/A	560	300	N/A	None
Wills (Lawn)	Granite plaque	N/A	560	300	30-70	Common
Sugar Gum	Full Monument	2700x1200	2600	1150	2500	Common

Please note there is a mausoleum option at Northern Memorial Park, contact customer care for further information

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information

Preston Cemetery

Preston Cemetery is located approximately 10km north of Melbourne and opened in December 1864. Currently only those who have pre-purchased graves have access to burial options at Preston Cemetery.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Area E, M	Monumental	2400x1200	2350	1150	2500	None
Area A, B, K	Monumental	2500x1200	2400	1150	2500	None
Area C, D, F-H, J, N, O, OS, T	Monumental	2450x1200	2400	1150	2500	None
Area GA, JA, P, PA, TA, XA, ZA	Monumental	2450x1200	2400	1150	2500	None
Area V, W, X	Headstone & Base	N/A	400	1150	1200	None
Area MP, MY	Monumental	2450x1200	2400	1150	2500	Common
Area U	Monumental	2700x1200	2400	1150	2500	None
Area Q Vaults	Monumental	2800x1200	2700	1150	2500	None
Area S	Monumental	2600x1200	2500	1150	2500	None
Strathallan	Monumental	2450x1200	2400	1150	2500	None

Please note there is a mausoleum option at Preston Cemetery, contact customer care for further information

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information

Templestowe Cemetery

Established in 1858, Templestowe Cemetery has been serving the Victorian community for over 150 years, providing a place of rest that is renowned for its beauty and peaceful surroundings.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Aumann Lawn	Bronze plaque*	N/A	380	280	N/A	None
Chivers Child L	Bronze plaque*	N/A	250	160	N/A	None
Chivers Lawn	Bronze plaque*	N/A	380	280	N/A	None
Church Of England	Monumental	2450x1200	2400	1150	2500	None
Clay Beam	Headstone & Base	N/A	300	1150	1200	Common
Clay Lawn	Bronze plaque*	N/A	380	280	N/A	None
Clay Monumental	Monumental	2450x1200	2400	1150	2500	None
Eastern Monumental	Monumental	2450x1200	2400	1150	2500	None
Harding Childrens Corner	Bronze plaque*	N/A	380	280	N/A	None
Harding Lawn	Bronze plaque*	N/A	380	280	N/A	None
Harding Monumental	Monumental	2450x1200	2400	1150	2500	None
Harle Lawn	Bronze plaque*	N/A	380	280	N/A	None
Jenkins Lawn	Bronze plaque*	N/A	380	280	N/A	None
Jenkins Monumental	Monumental	2450x1200	2400	1150	2500	None
Lutheran Monumental	Monumental	2450x1200	2400	1150	2500	None
McGahy Lawn	Bronze plaque*	N/A	380	280	N/A	None
Mitchell Lawn	Bronze plaque*	N/A	380	280	N/A	None
Mullens Lawn	Bronze plaque*	N/A	380	280	N/A	None
Mullens Monumental	Monumental	2450x1200	2400	280	N/A	None
Mundy Lawn	Bronze plaque	N/A	380	280	N/A	None
Mundy Monumental	Vault	2400x1200	2350	1150	2500	None
Newman Lawn	Bronze plaque*	N/A	380	280	N/A	None
Other Denominations	Monumental	2450x1200	2400	1150	2500	None
Presbyterian Monumental	Monumental	2400x1200	2350	1150	2500	None
Read Lawn	Bronze plaque*	N/A	380	280	N/A	None
Roman Catholic Monumental	Monumental	2400x1200	2350	1150	2500	None

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information



Truganina Cemetery

In 1865 Truganina cemetery was gazetted, the second district public cemetery.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
All areas	Monumental	2400 x 1200	2350	1150	2500	None
All areas	Headstone & Base	2400 x 1200	450	1150	1200	None



Werribee Cemetery

The early history of the Werribee Cemetery is associated with the development of the Wyndham (now Werribee) township in the early 1860s after the establishment of the Wyndham District Road Board in 1862 and the creation of Wyndham Shire in March 1864.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Childrens	Bronze plaque lawn	N/A	560	300	N/A	None
Childrens C	Headstone & Base	N/A	400	680	1100	Common
Childrens C	Plaque*	N/A	560	300	N/A	Common
Church of England E	Monumental	2400x1200	2350	1150	2500	None
Church of England F	Monumental	2400x1200	2350	1150	2500	None
Plaque Lawn, 1, 2, 3, 2A, 4, 5	Bronze plaque lawn	N/A	560	300	N/A	Common
Lawn 6	Headstone & Base	N/A	400	1150	1200	Common
Methodist G	Monumental	2400x1200	2350	1150	2500	None
Methodist H	Monumental	2400x1200	2350	1150	2500	None
Orthodox section	Monumental	2400x1200	2350	1150	2500	None
Presbyterian A, B	Monumental	2400x1200	2350	1150	2500	None
Roman Catholic C, D	Monumental	2400x1200	2350	1150	2500	None

Please note there is a mausoleum option at Werribee Cemetery, contact customer care for further information

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information

Williamstown Cemetery

Williamstown Cemetery was opened in 1858 and is listed in the Register of the National Trust of Australia (Victoria). The cemetery provides a link to Melbourne's maritime history through its memorials to lives lost at sea and to those connected with maritime services.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Baptist A -B	Monumental	2400x1200	2350	1150	2500	None
Church of England A- V- X	Monumental	2400x1200	2350	1150	2500	None
Church of England X row 1	Monumental	2700x1200	2650	1150	2500	Common
Vaults / Crypt AA BB	Monumental	2700x1200	2650	1150	2500	Common
Headstone D, E, F, G	Headstone & Base	N/A	400	1150	1200	Common
Independant A - D - F	Monumental	2400x1200	2350	1150	2500	None
Lawn A - C	Bronze plaque*	N/A	560	300	N/A	None
Methodist A - I	Monumental	2400x1200	2350	1150	2500	None
Monumental A	Monumental	2700x1200	2650	1150	2500	Common
Monumental B	Monumental	2700x1200	2650	1150	2500	Common
Orthodox A - B	Monumental	2400x1200	2350	1150	2500	None
Orthodox C - E	Monumental	2700x1200	2650	1150	2500	Common
Presbyterian A - I K - M	Monumental	2400x1200	2350	1150	2500	None
Roman Catholic A - I, K - M, O	Monumental	2400x1200	2350	1150	2500	None
Roman Catholic N	Monumental	2700x1200	2650	1150	2500	Common
Salvation Army	Monumental	2400x1200	2350	1150	2500	None

Please note there is a mausoleum option at Williamstown Cemetery, contact customer care for further information

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information



Yarra Glen Cemetery

Yarra Glen Cemetery is a small, grassed cemetery set in a tranquil native setting reflective of a typical Australian bush landscape. The special appeal of this cemetery is its open aspect which captures the immensity of the sky and mountains, and views of the stunning Yarra Valley.

Area	Memorial type	Plot size	Length (mm)	Width (mm)	Height (mm)	Foundations
Anglican	Monument / Headstone & Base	2400x1200	2400	1200	2500	None
Presbyterian	Monument / Headstone & Base	2400x1200	2400	1200	2500	None
Roman Catholic	Monument / Headstone & Base	2400x1200	2400	1200	2500	None
Lawn Mixed	Bronze plaque*	N/A	560	300	N/A	Common
Lawn Mixed	Granite plaque*	N/A	560	300	30-70	Common
Wesleyan	Monument / Headstone & Base	2400x1200	2400	1200	2500	None

*Sizes of plaques may vary, contact customer care on 1300 022 298 or email enquiries@gmct.com.au for further information



We would like to thank the following departments across the Eastern, Northern and Western regions from The Greater Metropolitan Cemeteries Trust for their contributions towards the development of this guide, as well as The Stone Mason Association of Victoria:

- Operations
- Sales
- Bookings
- Future Built Environment
- Strategic Communications and;
- Stone Masons department

FOR MORE INFORMATION
PLEASE CONTACT GMCT AT:

 1300 022 298
 enquiries@gmct.com.au
 P.O. Box 42, Fawkner VIC 3060
 www.gmct.com.au

Printed on recycled paper.