

wework GO

Purpose built space
when you're *on-the-go*.

Technical Product Information





All-in-one system with low maintenance

- Integrated ventilation system
- Built-in occupancy lights
- Adjustable ventilation, light strength, and temperature
- Adjustable feet and castor wheels
- Self closing hinges
- Eco-friendly materials and packaging
- Easily cleaned
- Two-way acoustic privacy
- Moisture-resistant materials
- Rooftop fire suppression (optional)
- Seismic footplates (optional)

Work without distraction

Engineered to reduce speech disruption in open environments

Tested to ISO 23351 methodology for speech level reduction



Better air, better focus

Low-emission materials support healthier indoor environments.



Certified to GREENGUARD GOLD (UL 2818)

Clarity where it matters

Balanced internal acoustics for calls and meetings

Optimized for clear, natural speech



Built to recognized standards

Developed in alignment with BIFMA LEVEL sustainability frameworks

UL Listed to UL 962

Lighting that works with you

Even and comfortable lighting for video and focused work

Designed for all-day usability



Workplace wellness

Aligned with leading workplace wellbeing frameworks

Pod manufacturer is a member of the International WELL Building Institute (IWBI), with products licensed under the Works With WELL program

wework GO


Technical Information for Single Occupancy Pod





- 1 Seismic footplates**
Built-in footplates for safety (optional)
- 2 Dual-sided glass walls**
High-clarity glass panels maximize natural light
- 3 Remote lock mechanism**
Standalone lock with BLUENet wireless and mobile credentials for easy, phone-based access
- 4 Booking guidance**
Walk-up bookings with QR code reservations via WeWork Go app
- 5 Occupancy light**
View availability on the pod via green and red indicator lights
- 6 Power compatibility**
Requiring only a single 110 volt duplex outlet to power the unit
- 7 WiFi**
WeWork Go Peplink connection available for customers
- 8 Customizable air flow**
User controlled double redundancy fans
- 9 Integrated charging**
Built-in AC outlet and USB port
- 10 Dimmable lighting**
36w, 3000-6000k temperature, CRI of 92
- 11 Motion sensor**
Automatic light and air flow activation system
- 12 Furnishings**
Upholstered banquette seat, HPL meeting table, and coat hook
- 13 Media display**
Enhance user experience with screen mount inside the pod (optional)


Finishes



Certifications



Technical Drawings






Technical Information for
ADA-Compatible Pod





- 1 Seismic footplates**
Built-in footplates for safety (optional)
- 2 Dual-sided glass walls**
High-clarity glass panels maximize natural light
- 3 Remote lock mechanism**
Standalone lock with BLUENet wireless and mobile credentials for easy, phone-based access
- 4 Booking guidance**
Walk-up bookings with QR code reservations via WeWork Go app
- 5 Occupancy light**
View availability on the pod via green and red indicator lights
- 6 Power compatibility**
Requiring only a single 110 volt duplex outlet to power the unit
- 7 WiFi**
WeWork Go Peplink connection available for customers
- 8 Customizable air flow**
User controlled double redundancy fans
- 9 Integrated charging**
Built-in AC outlet and USB port
- 10 Dimmable lighting**
36w, 3000-6000k temperature, CRI of 92
- 11 Motion sensor**
Automatic light and air flow activation system
- 12 Media display**
Enhance user experience with screen mount inside the pod (optional)
- 13 Accessible furnishings**
Armless task chair and work surface that folds down to free up floor space
- 14 Full ADA accessibility**
60" turning radius inside pod per ADA guidelines

Finishes




Exterior Black **Interior** #DK-86 **Interior** #DIA 37 **Desk** #TM02



Flooring Open Air 106772

Technical Drawings



Certifications






Technical Information for
Four-Person Occupancy Pod






- 1 Seismic footplates**
Built-in footplates for safety (optional)
- 2 Dual-sided glass walls**
High-clarity glass panels maximize natural light
- 3 Remote lock mechanism**
Standalone lock with BLUENet wireless and mobile credentials for easy, phone-based access
- 4 Booking guidance**
Walk-up bookings with QR code reservations via WeWork Go app
- 5 Occupancy light**
View availability on the pod via green and red indicator lights
- 6 Power compatibility**
Requiring only a single 110 volt duplex outlet to power the unit
- 7 WiFi**
WeWork Go Peplink connection available for customers
- 8 Customizable air flow**
User controlled double redundancy fans
- 9 Integrated charging**
Built-in AC outlet and USB port
- 10 Dimmable lighting**
36w, 3000-6000k temperature, CRI of 92
- 11 Motion sensor**
Automatic light and air flow activation system
- 12 Furnishings**
2 upholstered banquette seats, HPL meeting table, and coat hook
- 13 Media display**
Enhance user experience with screen mount inside the pod (optional)

Finishes



Technical Drawings



Certifications

