



DIRECT HIRE
0344 892 1878



TOOL & EQUIPMENT HIRE **2018/19**



GROOVE-IT | THREAD-IT | PRESS-IT | HIRE-IT



**AC0203
PRESS TOOL**

7



**BSPT THREADING
MACHINE**

23



**CENTO & DUE CENTO
PIPE CUTTER**

36



**HEAVY DUTY
ROLL GROOVER**

47



GENERATORS

96



**ARMORGARD
BARROBOX BB2**

103



EXACT PIPECUT 220E

36



BUTT FUSION MACHINES

57



INSPECTION CAMERAS

63

CONTENTS

Hire-It Extra	4
5-Star Safety Service	5
Accidental Damage and Loss Waiver	6
Press It	7
Thread It	21
Bench It, Wrench It & Grip It	27
Cut It & Prep It	33
Bend It, Groove It & Weld It	43
Fuse It & Expand It	51
Freeze It, Flush It, Test It & Inspect It	59
Access It	65
Powered Access	73
Break It, Drill It & Fix It	87
Power It & Light It	95
Secure It & Handle It	101
General Equipment	109
Building & Contracting	115
Excavators & Dumpers	121
Waste Management	125
Branch Directory	131
SafeHire	134
Index	135

HIRE-IT EXTRA

Our Hire-It Extra Service means that we can supply a full range of products for hire to our customers.

In addition to our extensive stocked range of hire equipment, we can quickly source a wider range of equipment using our preferred partners. This gives you one point of contact for all your hire needs, making your day to day running of business as easy as possible.



- Saves you time and money sourcing equipment
- Use your existing BSS account
- Competitive rates
- One point of contact
- Accidental damage/loss waiver available on all Hire-It Extra products
- Weekly on hire report available
- Full range of equipment hire
- Quality equipment from leading brands

Look out for the Hire-It Extra logo throughout the guide and talk to your local branch to discuss your requirements or contact our direct hire team on **0344 892 1878**

Our **5-Star** Safety Service

Safety is our top priority at BSS. You can rest assured that every piece of equipment you hire from us has been fully and regularly serviced, maintained and tested. Our staff are always up to date with the latest Health & Safety legislation and will be pleased to provide all the safety advice and guidance you need.

Our 5-Star Safety Service includes:

- Working demonstrations of equipment controls and features
- Full, written safety instructions
- Practical safety advice for using your hire tools
- Guidance on safety clothing and PPE
- Circuit breakers for all 240V equipment



Safety Helmets*
Protection against overhead obstacles and moving objects



Dust/Spray Mask*
Full range available, from fabric nuisance to fine particle filter



Protective Gloves*
In all styles and materials to suit the job



Eye Protection*
A range of certified eye protection to EN 166B. Welding masks are supplied as standard with all welding equipment



Ear Defenders*
Both general purpose ear defenders and earplugs



Residual Circuit Breakers**
For safer use of all 240V electrical tools



Protective Footwear*
A range of styles and materials to suit the job and working conditions



*Sale or Return
**Hire or Sale

Choosing the right PPE

Your safety is important, so we want to ensure you choose the right Personal Protective Equipment (PPE) for the tools you're working with. We have used the following symbols throughout this catalogue as a recommendation of the PPE we think you will need with each item. Your local branch can supply all of these items.

ACCIDENTAL DAMAGE AND LOSS WAIVER

A NEW OFFER AVAILABLE FROM HIRE-IT AT BSS

HIRE-IT

TOOL & EQUIPMENT HIRE



Our Accidental Damage & Loss Waiver option gives you more protection and more peace of mind with everything you hire.

For an extra 15% of the hire cost, we'll take responsibility for any accidental damage or loss of an individual purchase to the value of £50,000*.

All non account contracts, where the total value of the equipment exceeds £5,000, will automatically have the Accidental Damage & Loss Waiver applied.

Examples of what we WILL pay for:

- Theft
- Malicious damage and vandalism
- Fire damage
- Individual items with a purchase value of up to £50,000*

Examples of what we WILL NOT pay for:

- The first 10% of any loss subject to a minimum £100 and a maximum of £500
- Damage by paint or over spray
- Damage to tracks
- Corrosion caused by chemicals and any corrosive agents
- Damage due to overloading
- Any damage caused by misuse or negligence
- Damage by fire where adequate preventative measures were not taken
- Theft where adequate precautions were not taken to secure the machine
- Damage to third party property or injury to any person whilst off a Public Highway, racing or whilst carrying persons for hire or reward

FAQs

Here are some frequently asked questions that may help to clarify our accidental damage and loss waiver.

Q. Is BSS' Damage Waiver an insurance policy?

A. No, it is a protection scheme operated by BSS.

Q. Is accidental damage covered?

A. Yes, subject to the Terms and Conditions of the scheme.

Q. Is there an 'excess' to be paid in the event of a claim?

A. Yes, there is an excess of 10% of any loss subject to a minimum £100 and maximum £500.

*Accidental damage and loss cover for individual items with a purchase value of £50,000 - £100,000 is charged at 20% of the hire rate. All claims are subject to a customer excess payment. Excess is calculated at 10% of the total claim value, with a minimum excess of £100 and up to a maximum of £500.

Contact your local



branch for details

Head Office: Lodge Way House, Lodge Way, Northampton. NN5 7UG

Tel: 01604 752424



PRESS IT

GEBERIT MAPRESS MINI BATTERY PRESS TOOL 15MM- 35MM



- Suitable for use up to 35mm copper and steel and 40mm plastic and multi-layer pipe
- LED Signal - under start button gives battery status information
- Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen and tube cutter



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2245	ACO 102	76	2.5	12v	7kg	£70.56	£94.08	£117.00
2230	AFP 101	68	2.5	12v	7kg	£70.56	£94.08	£117.00
2234	15mm - 35mm M Profile Jaw Set	-	-	-	6kg	£30.87	£41.16	£51.00
2265	18mm M Profile Jaw	-	-	-	2kg	£20.16	£26.88	£33.00

OPTIONAL EXTRAS

9989	240v RCD 13amp	See page 98
2224	28mm Curvo pipe bender	See page 44

GEBERIT MAPRESS BATTERY PRESS TOOL 15MM - 54MM



- Suitable for use up to 67mm copper and 54mm steel and plastic pipe systems
- Status indicator provides you with current status of battery
- Pressing speed significantly increased from that of older models for greater efficiency
- Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen and tube cutter



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2001	ACO 203	77	2.5	18v	7kg	£77.49	£103.32	£129.20
2232	ACO 202	77	2.5	18v	7kg	£77.49	£103.32	£130.00
2235 or 2210	15mm - 35mm M Profile Jaw Set	-	-	-	10kg	£43.47	£57.96	£73.00
2266	18mm M Profile Jaw	-	-	-	2kg	£32.76	£43.68	£55.00
2301	42mm - 54mm M Profile Collar Set	-	-	-	5kg	£81.27	£108.36	£135.00
2302	67mm M Profile Collar (Copper only)	-	-	-	2.5kg	£45.36	£60.48	£75.00
2305	42mm - 67mm Mapress Collar Adaptor	-	-	-	1.5kg	£45.36	£60.48	£75.00

OPTIONAL EXTRAS

2489	Cento pipe cutter 54mm-108mm	See page 36
2224	28mm Curvo pipe bender	See page 44
2081	Tri Stand chain vice	See page 30
9989	240v RCD 13amp	See page 98

Technical information and rates are subject to trade terms where applicable

GEBERIT MAPRESS 110 VOLT PRESS TOOL 15MM - 54MM



- Suitable for use up to 67mm copper and 54mm steel and plastic pipe systems
- Powerful 450 Watt motor
- Pressing speed significantly increased from that of older models for greater efficiency
- Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen and tube cutter



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2231	ECO 202	79	2.5	110V	6kg	£85.68	£114.24	£143.00
2235 or 2210	15mm - 35mm M Profile Jaw Set	-	-	-	10kg	£43.47	£57.96	£73.00
2266	18mm M Profile Jaw	-	-	-	2kg	£32.76	£43.68	£55.00
2301	42mm - 54mm M Profile Collar Set	-	-	-	5kg	£81.27	£108.36	£135.00
2302	67mm M Profile Collar (Copper Only)	-	-	-	2.5kg	£45.36	£60.48	£75.00
2305	42mm - 67mm Mapress Collar Adaptor	-	-	-	1.5kg	£45.36	£60.48	£75.00

OPTIONAL EXTRAS

2489	Cento pipe cutter 54mm-108mm	See page 36
2224	28mm Curvo pipe bender	See page 44
2081	Tri Stand chain vice	See page 30
5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25mtr	See page 98

GEBERIT MEPLA JAWS & COLLARS



- Mepla jaws and collars suitable for use with the AC02 and ECO2 series pressing tools
- Each mepla set comes complete with deburrer and marking pencil and tube cutter except 75mm which has no cutter



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2237	20mm - 50mm Mepla Jaw Set	-	-	-	12kg	£61.74	£82.32	£103.00
2243	63mm Mepla Collar Set	-	-	-	9kg	£42.21	£56.28	£70.00
2244	75mm Mepla Collar Set	-	-	-	9kg	£90.09	£120.12	£150.00

OPTIONAL EXTRAS

2509	15mm - 40mm Multilayer pipe cutter	See page 38
9989	240v RCD 13amp	See page 98

Technical information and rates are subject to trade terms where applicable

GEBERIT MAPRESS 110 VOLT PRESS TOOL 15MM - 108MM



- Suitable for use up to 108mm copper, steel and plastic piping systems
- Powerful 560 Watt motor
- Pressing speed significantly increased from that of older models for greater efficiency
- Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen and tube cutter



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2233	ECO 301	75	2.5	110v	7kg	£223.65	£298.20	£372.00
2236	15mm - 35mm M Profile Jaw Set	-	-	-	11kg	£107.73	£143.64	£180.00
2267	18mm M Profile Jaw	-	-	-	2kg	£45.36	£60.48	£75.00
2301	42mm - 54mm M Profile Collar Set	-	-	-	5kg	£81.27	£108.36	£135.00
2302	67mm M Profile Collar	-	-	-	2.5kg	£45.36	£60.48	£75.00
2306	42mm - 67mm Mapress Collar Adaptor (3)	-	-	-	2.5kg	£45.36	£60.48	£75.00
2240	76mm - 89mm M Profile Collar / Adaptor	-	-	-	7kg	£56.70	£75.60	£94.00
2242	76mm-108mm First Press Adaptor	-	-	-	5kg	£48.51	£64.68	£80.00
2241	108mm M Profile Collar & Second Press Adaptor	-	-	-	11kg	£107.73	£143.64	£179.00

OPTIONAL EXTRAS

2489	Cento pipe cutter 54mm-108mm	See page 36
2224	28mm Curvo pipe bender	See page 44
2081	Tri Stand chain vice	See page 30
5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25mtr	See page 98

Technical information and rates are subject to trade terms where applicable

GEBERIT MAPRESS BATTERY PRESS TOOL 15MM - 108MM



- Suitable for use up to 108mm copper, steel and 110mm plastic pipe systems
- Rotatable head making it easier to work in confined spaces
- Finger protection and visual error indication for safe working
- Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen and tube cutter



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2318	ACO 203XL	78	2.5	18v	7kg	£223.65	£298.20	£372.00
2235 or 2210	15mm - 35mm M Profile Jaw Set	-	-	-	11kg	£43.47	£57.96	£73.00
2266	18mm - M Profile Jaw	-	-	-	2kg	£32.76	£43.68	£55.00
2301	42mm - 54mm M Profile Collar Set	-	-	-	5kg	£81.27	£108.36	£135.00
2302	67mm M Profile Collar	-	-	-	3kg	£45.36	£60.48	£75.00
2305	42mm - 54mm Mapress Collar Adaptor	-	-	-	3kg	£45.36	£60.48	£75.00
2240	76mm-89mm M Profile Collar / Adaptor	-	-	-	5kg	£56.70	£75.60	£94.00
2241	108mm M Profile Collar Set	-	-	-	11kg	£107.73	£143.64	£179.00
2007	67mm - 108mm First Press Adaptor ZB221	-	-	-	5kg	£45.99	£61.32	£76.00
2008	108mm Second Press Adaptor ZB222	-	-	-	5kg	£45.99	£61.32	£76.00

OPTIONAL EXTRAS

2489	Cento pipe cutter 54mm-108mm	See page 36
2224	28mm Curvo pipe bender	See page 44
2081	Tri Stand chain vice	See page 30

Technical information and rates are subject to trade terms where applicable

PEGLER XPRESS MINI BATTERY PRESS TOOL 15MM- 35MM



- Suitable for use on up to 35mm copper and steel and 40mm plastic and multi-layer pipe
- LED Signal - under start button gives battery status information
- Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen and tube cutter



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2270	ACO 102	76	2.5	12v	7kg	£70.56	£94.08	£117.00
2274	15mm - 35mm M Profile Jaw Set	-	-	-	6kg	£30.87	£41.16	£51.50
2265	18mm M Profile Jaw	-	-	-	2kg	£20.16	£26.88	£33.00

OPTIONAL EXTRAS

9989	240v RCD 13amp	See page 98
2224	28mm Curvo pipe bender	See page 44

PEGLER XPRESS BATTERY PRESS TOOL 15MM - 54MM



- Suitable for use up to 67mm copper and 54mm steel and plastic pipe systems
- Status indicator provides you with current status of battery
- Pressing speed significantly increased from that of older models for greater efficiency
- Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen and tube cutter



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2005	ACO 203	77	2.5	18v	7kg	£77.49	£103.32	£129.00
2271	ACO 202	77	2.5	18v	7kg	£77.49	£103.32	£129.50
2275	15mm - 35mm M Profile Jaw Set	-	-	-	10kg	£43.47	£57.96	£72.00
2266	18mm - M Profile Jaw	-	-	-	2kg	£32.76	£43.68	£55.00
2277	42mm - 54mm M Profile Collar Set with Adaptor	-	-	-	10kg	£81.27	£108.36	£135.00

OPTIONAL EXTRAS

2489	Cento pipe cutter 54mm-108mm	See page 36
2224	28mm Curvo pipe bender	See page 44
2081	Tri Stand chain vice	See page 30
9989	240v RCD 13amp	See page 98

Technical information and rates are subject to trade terms where applicable

PEGLER XPRESS BATTERY PRESS TOOL 15MM - 108MM



- Suitable for use up to 108mm copper, steel and 110mm plastic pipe systems
- Rotatable head making it easier to work in confined spaces
- Finger protection and visual error indication for safe working
- Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen and tube cutter



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2340	ACO 203XL	78	2.5	18v	7kg	£107.73	£143.64	£179.00
2006	ACO 202XL	78	2.5	18v	7kg	£223.65	£298.20	£372.00
2275	15mm - 35mm M Profile Jaw Set	-	-	-	10kg	£43.47	£57.96	£72.00
2266	18mm - M Profile Jaw	-	-	-	2kg	£32.76	£43.68	£55.00
2278	42mm - 54mm M Profile Collar Set	-	-	-	10kg	£81.27	£108.36	£135.00
2282	67mm M Profile Collar	-	-	-	2kg	£45.36	£60.48	£75.50
2279	76mm-89mm M Profile Collar / Adaptor	-	-	-	5kg	£56.70	£75.60	£94.50
2280	108mm M Profile Steel Collar Set	-	-	-	11kg	£107.73	£143.64	£179.00
2209	108mm M Profile Copper Collar Set	-	-	-	11kg	£107.73	£143.64	£179.00
2007	67mm - 108mm First Press Adaptor	-	-	-	5kg	£45.99	£61.32	£76.00
2008	108mm Second Press Adaptor	-	-	-	5kg	£45.99	£61.32	£76.00

OPTIONAL EXTRAS

2489	Cento pipe cutter 54mm-108mm	See page 36
2224	28mm Curvo pipe bender	See page 44
2081	Tri Stand chain vice	See page 30

Technical information and rates are subject to trade terms where applicable

PEGLER XPRESS 110 VOLT PRESS TOOL 15MM - 108MM



- Suitable for use up to 108mm copper, steel and plastic piping systems
- Powerful 560 Watt motor
- Pressing speed significantly increased from that of older models for greater efficiency
- Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen and tube cutter



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2273	ECO 301	75	2.5	110v	7kg	£223.65	£298.20	£372.00
2276	15mm - 35mm M Profile Jaw Set	-	-	-	10kg	£107.73	£143.64	£180.00
2267	18mm M Profile Jaw	-	-	-	2kg	£45.36	£60.48	£75.00
2278	42mm - 54mm Profile Collar Set	-	-	-	11kg	£81.27	£108.36	£135.00
2282	67mm M Profile Collar	-	-	-	2kg	£45.36	£60.48	£75.50
2281	67mm - 108mm First Press Adaptor	-	-	-	4kg	£45.36	£60.48	£75.00
2279	76mm-89mm M Profile Collar / Adaptor	-	-	-	7kg	£56.70	£75.60	£94.50
2280	108mm M Profile Steel Collar Set	-	-	-	11kg	£107.73	£143.64	£179.00
2209	108mm M Profile Copper Collar Set	-	-	-	11kg	£107.73	£143.64	£179.00

OPTIONAL EXTRAS

2489	Cento pipe cutter 54mm-108mm	See page 36
2224	28mm Curvo pipe bender	See page 44
2081	Tri Stand chain vice	See page 30
5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25mtr	See page 98

PEGLER XPRESS LARGE SIZE BATTERY PRESS TOOL



- Suitable for pressing 139.7mm and 168.3mm
- Battery status indication
- Ergonomic handles and 180° rotatable head
- Permanently installed adaptor jaw



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2113	AC0 401	91	2.5	18v	16kg	£447.30	£596.40	£745.00
2114	139.7mm collar	-	-	-	13kg	£215.46	£287.28	£359.00
2115	168.3mm collar	-	-	-	13kg	£269.33	£359.10	£448.00

Technical information and rates are subject to trade terms where applicable



Pipeline & Heating Solutions

NATIONAL NETWORK OF **TOOL HIRE CENTRES** FOR ALL YOUR TOOL HIRE NEEDS



From pipe threading
to access platforms
we have the tools to
do the job!

MINI PRESS TOOL FOR MLCP



Compact 9.6v battery operated press tool.

- Suitable for Uponor metal and composite press fittings
- Supplied with 16, 20, 25 and 32mm mini jaws (one of each)
- Complete with 2 x 9.6v 2.0Ah batteries and battery charger



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2283	16-32mm	70	2.5	9.6v	15kg	£74.97	£99.96	£125.00

OPTIONAL EXTRAS

2509	15mm - 40mm Multilayer pipe cutter	See page 38
9989	240v RCD 13amp	See page 98

UP75 PRESS TOOL FOR MLCP



12v battery operated press tool.

- Supplied with 16, 20, 25, 32mm jaws (one of each)
- Complete with 2 x 12v 3.0Ah batteries and battery charger
- Can be used with collars up to 110mm



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2284	16-32mm	70	2.5	12v	15kg	£94.50	£126.00	£157.00

OPTIONAL EXTRAS

2509	15mm - 40mm Multilayer pipe cutter	See page 38
9989	240v RCD 13amp	See page 98

Technical information and rates are subject to trade terms where applicable

JAWS AND COLLARS FOR UP75 PRESS TOOL



Range of jaws, collars and adaptor for use with UP75 press tool.

- 63mm - 110mm collars to be used in conjunction with the adaptor.



See page 5 for further details

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2286	40mm Jaw	-	4kg	£49.77	£66.36	£83.00
2264	50mm Jaw	-	4kg	£49.77	£66.36	£83.00
2287	63mm Collar	-	3kg	£49.77	£66.36	£83.00
2288	75mm Collar	-	3kg	£49.77	£66.36	£83.00
2289	90mm Collar	-	4kg	£49.77	£66.36	£83.00
2290	110mm Collar	-	5kg	£49.77	£66.36	£83.00
2285	63 - 110mm Adaptor	-	4kg	£26.46	£35.28	£44.00
OPTIONAL EXTRAS						
2509	15mm - 40mm Multilayer pipe cutter	See page 38				
9989	240v RCD 13amp	See page 98				

Technical information and rates are subject to trade terms where applicable

MINI-PRESS ACC 14.4V TOOL



Ultra compact, battery operated pressing tool.

- Supplied with 15, 18, 22, 28 & 35mm M-profile jaws
- Powerful 420 Watt motor
- Complete with 2 x Li-Ion 14.4v-16.Ah batteries



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2248	15-35mm	84	2.5	14.4v	12kg	£98.28	£131.04	£163.00

OPTIONAL EXTRAS

9989	240v RCD 13amp	See page 98
2224	28mm Curvo pipe bender	See page 44

MINI-PRESS ACC 22V TOOL



Super small, low weight, battery operated pressing tool.

- Supplied with 15, 22, 28 & 35mm M-profile jaws
- Powerful 380 Watt motor
- Complete with 2 x Li-Ion 21.6v-1.5Ah batteries



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2201	15 - 35mm	84	2.5	21.6v	12kg	£93.24	£124.32	£155.50

OPTIONAL EXTRAS

9989	240v RCD 13amp	See page 98
2224	28mm Curvo pipe bender	See page 44

Technical information and rates are subject to trade terms where applicable

AKKU PRESS TOOL



Large diameter, battery operated press tool.

- Supplied with 15, 18, 22, 28 & 35mm M-profile jaws
- Powerful 380 Watt motor
- Li-Ion 14.4v-3.2Ah battery




See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2255	15-35mm	85	2.5	14.4v	14kg	£120.33	£160.44	£200.00

OPTIONAL EXTRAS

9989	240v RCD 13amp	See page 98
2224	28mm Curvo pipe bender	See page 44

JAW SETS FOR AKKU PRESS TOOL



Pressing ring set for use with AKKU press tool.

- 42mm - 54mm



See page 5 for further details

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2246	Collars and Tongs 42-54mm	-	35kg	£56.07	£74.76	£94.00

OPTIONAL EXTRAS

9989	240v RCD 13amp	See page 98
2224	28mm Curvo pipe bender	See page 44

Technical information and rates are subject to trade terms where applicable

HIRE-IT

TOOL & EQUIPMENT HIRE



Uponor
UP75 Press Tool

BRING YOUR KIT TO US WE'LL MANAGE IT FOR YOU

Ensure maximum protection of your **uponor** tools with our exclusive service and calibration offering, available through our network of BSS tool hire branches.

FAST AND EFFICIENT TURNAROUND

Working in partnership with **Uponor** offering the full package for your tools.

**Uponor
tools also
available
for hire**



Uponor
Mini32 Press Tool



RIDGID

THREAD IT

1/2" - 2" BSPT HANDHELD THREADER



1/2" - 2" BSPT Manual Pipe Threader.

- Supplied in metal carry case
- 1/2" - 2" dies included



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2200	-	-	-	-	18kg	£42.21	£56.28	£70.00

OPTIONAL EXTRAS

182777	Ridgid cutting oil spray	
2081	Tri stand chain vice	See page 30

1/2" - 1 1/4" BSPT HANDHELD THREADER



Portable handheld, powered threader.

- 1/2" - 1 1/4" BSPT
- Dies included
- Ideal for use on in-situ pipework or with pipe vice
- Oil available for purchase



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2101	-	80	2.5	110v	15kg	£64.26	£85.68	£108.00

OPTIONAL EXTRAS

182777	Ridgid cutting oil spray	
2081	Tri stand chain vice	See page 30
5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

Technical information and rates are subject to trade terms where applicable

1/2" - 2" BSPT HANDHELD THREADER



Portable handheld, powered threader.

- 1/2" - 2" BSPT
- Dies included
- Ideal for use on in-situ pipework or with pipe vice
- Oil available for purchase



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2102	-	80	2.5	110v	25kg	£89.46	£119.28	£149.00

OPTIONAL EXTRAS

182777	Ridgid cutting oil spray	
2081	Tri stand chain vice	See page 30
5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

1/2" - 2" BSPT THREADING MACHINE



- 1/2" - 2" BSPT
- Dies included
- Collapsible stand for easy transportation
- Speed chuck with replaceable inserts
- Footswitch for easy operation
- Bucket oiler included
- Oil available for purchase



See page 5 for further details


CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2100	-	80	-	110v	95kg	£141.12	£188.16	£235.00

OPTIONAL EXTRAS

1671	Drip tray	
2203	Barricade	See page 106
2105	Extra die head	
2508	Ball stand	See page 25
5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98
736530	Ridgid cutting oil 5L	

Technical information and rates are subject to trade terms where applicable

1/2" - 3" BSPT THREADING MACHINE



- 1/2" - 3" BSPT
- Dies included
- Compact and lightweight for easy transportation
- 250 collapsible stand included
- Triple filtration oil system / oil flow regulator
- Footswitch for easy operation
- Oil available for purchase



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2104	-	80	-	110v	81kg	£160.02	£213.36	£266.00
2080	Stand	-	-	-	21kg	£5.00	£5.00	£5.00

OPTIONAL EXTRAS

1671	Drip tray							
2203	Barricade			See page 106				
2105	Extra die head							
2508	Ball stand			See page 25				
5860	3kVA Transformer			See page 97				
5942	16amp 110v Extension reel 25m			See page 98				
736530	Ridgid cutting oil 5L							

4" BSPT THREADING MACHINE



- 2 Die heads included
- 3 sets of dies 1/2" - 4" dies included
- Stand included



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2103	-	80	-	110v	220kg	£178.29	£237.72	£297.00
2297	Stand	-	-	-	47kg	£46.62	£62.16	£77.00

OPTIONAL EXTRAS

1671	Drip tray							
2203	Barricade			See page 106				
2508	Ball stand			See page 25				
5860	3kVA Transformer			See page 97				
5942	16amp 110v Extension reel 25m			See page 98				
736530	Ridgid cutting oil 5L							

Technical information and rates are subject to trade terms where applicable

PIPE SUPPORT



Fully adjustable pipe support for use with threading and roll grooving machines.

- 12" Pipe capacity



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2508	-	-	-	-	13kg	£12.60	£16.80	£21.00

1/2"-2" HANDHELD PIPE THREADER



- 1/2" - 2" Threading capability
- Includes 6 threading dies
- Supplied in metal carry case



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2599	REMS eva	n/a	n/a	n/a	17.5kg	£80.40	£107.20	£134.00

Technical information and rates are subject to trade terms where applicable




Pipeline & Heating Solutions

NATIONAL NETWORK OF **TOOL HIRE CENTRES** FOR ALL YOUR TOOL HIRE NEEDS



From pipe threading
to access platforms
we have the tools to
do the job!



**BENCH IT,
WRENCH IT
& GRIP IT**

WORKBENCH



Heavy duty construction workbench.

- Suitable for mounting chain and engineers vices
- Tough wood surface treated to resist water and dust
- Simple to erect and dismantle
- Easy to transport



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2507	-	-	-	-	40kg	£63.00	£84.00	£105.00

ARMORGARD MOBILE TUFFBENCH BH1270M-W



- Sitebox & workbench in one - the perfect solution
- Fitted with heavy duty wheels
- Secure section underneath
- Wooden work surface



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
2205	1200 x 700 x 940mm	97.5kg	£67.41	£89.88	£112.50

Technical information and rates are subject to trade terms where applicable

4" BENCH MOUNTED CHAIN VICE



Bench chain vices for use with heavy duty workbenches.

- Rugged cast iron construction
- Hardened alloy steel jaws
- Handy pipe rest and bender
- 1/8" - 4" Pipe capacity



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2299	-	-	-	-	7kg	£10.08	£13.44	£17.00

4" ENGINEERS VICE



Heavy duty engineers vice.

- All forged steel construction
- Built-in pipe jaws
- Measuring scale
- 1/2" - 4" Pipe capacity
- Large hardened anvil



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2298	-	-	-	-	25kg	£10.08	£13.44	£17.00

Technical information and rates are subject to trade terms where applicable

TRI-STAND CHAIN VICE



Collapsible tri-stand with chain vice.

- Ceiling brace screw
- 1/8" - 6" Pipe capacity
- Larger work area for increased pipe capacity
- Easy to transport



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2081	-	-	-	-	21kg	£37.80	£50.40	£63.00

STAND CHAIN VICE



- Handy portable stand chain vice with tool tray
- Assembly with 1 1/4" steel tube to the desired height and length
- 1/8" - 5" Pipe capacity



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2292	-	-	-	-	12kg	£27.09	£36.12	£45.00

Technical information and rates are subject to trade terms where applicable

PIPE WRENCH



Cast iron pipe wrench.

- Full floating hook jaw for easy ratcheting action
- Handy pipe scale
- Knurled adjustment nut for single hand operation



See page 5 for further details

CODE	ADDITIONAL INFORMATION	PIPE CAPACITY	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2392	24"	3"/80mm	-	-	5kg	£13.86	£18.48	£23.00
2395	36"	5"/125mm	-	-	9kg	£18.27	£24.36	£30.00
2009	48"	6"/150mm	-	-	16kg	£20.16	£26.88	£33.00

ALUMINIUM PIPE WRENCH



Aluminium pipe wrench.

- Full floating hook jaw for easy ratcheting action
- Handy pipe scale
- Knurled adjustment nut for single hand operation
- 40% Lighter than cast iron models



See page 5 for further details

CODE	ADDITIONAL INFORMATION	PIPE CAPACITY	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2390	24"	3"/80mm	-	-	3kg	£26.50	£26.50	£26.50
2393	36"	5"/125mm	-	-	5kg	£21.42	£28.56	£36.00
2010	48"	6"/150mm	-	-	9kg	£20.16	£26.88	£33.00

Technical information and rates are subject to trade terms where applicable

CHAIN WRENCH

- Heavy duty chain wrench
- A double jaw gives fast ratchet like action in either direction



See page 5 for further details

CODE	ADDITIONAL INFORMATION	PIPE CAPACITY	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2391	24"	3"/80mm	-	-	4kg	£17.64	£23.52	£30.00
2394	36"	4"/100mm	-	-	7kg	£22.05	£29.40	£36.00

Technical information and rates are subject to trade terms where applicable



**CUT IT
& PREP IT**

VARIABLE SPEED RECIPROCATING SAW



Professional heavy duty reciprocating saw.

- Electronic speed control 800 - 2400RPM
- Blades sold separately



See page 5 for further details

CODE	PIPE CAPACITY	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2503	6"	89	16	110v	10kg	£63.00	£84.00	£105.00
1784	5"	104	16	110v	4kg	£38.40	£51.20	£64.00

OPTIONAL EXTRAS

5860	3kVA Transformer			See page 97
5942	16amp 110v Extension reel 25m			See page 98
736533	6" Ridgid recip saw blade 88187040			
736534	8" Ridgid recip saw blade 88187051			
736535	12" Ridgid recip saw blade 88187062			
971002	150mm Bosch recip saw blade metal 24TPI 07550425			
776933	150mm Bosch recip saw blade metal 8-14TPI 07550414			
550658	150mm Bosch recip saw blade metal 14TPI 07550447			
971003	225mm Bosch recip saw blade metal 14TPI 07550458			
971004	225mm Bosch recip Saw blade metal 24TPI 07550436			

FIXED SPEED RECIPROCATING SAW



- Fixed speed 2400RPM



See page 5 for further details

CODE	PIPE CAPACITY	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2514	6"	96	18.3	110v	3kg	£63.00	£84.00	£105.00

OPTIONAL EXTRAS

5860	3kVA Transformer			See page 97
5942	16amp 110v Extension reel 25m			See page 98
582866	8" REMS Recip saw blade steel upto 4" 01611576			
971008	8" REMS Recip saw blade flexible 01611606			

Technical information and rates are subject to trade terms where applicable

CORDLESS RECIPROCATING SAW



Versatile cordless saw for cutting wood, plastic, sheet materials and steel piping.

- Stroke length of 28mm
- Ideal for use in awkward to reach areas
- Fast and accurate cutting
- Ideal when working away from power supply



See page 5 for further details

CODE	PIPE CAPACITY	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
1711	130mm	98	10.4	18v	4kg	£39.60	£52.80	£66.00

OPTIONAL EXTRAS

5860	3kVA Transformer		See page 97
5942	16amp 110v Extension reel 25m		See page 98
971002	150mm Bosch recip saw blade metal 24TPI 07550425		
776933	150mm Bosch recip saw blade metal 8-14TPI 07550414		
550658	150mm Bosch recip saw blade metal 14TPI 07550447		
971003	225mm Bosch recip saw blade metal 14TPI 07550458		
971004	225mm Bosch recip saw blade metal 24TPI 07550436		

DRY CUT SAW



- Produces a clean and virtually burr free cut on steel, copper, aluminium and plastic pipe with max 6mm wall thickness
- 14" Tungsten carbide tipped blade
- 45 & 90 Degree adjustable cutting angle
- Quick action clamping system for fast operation



See page 5 for further details

CODE	PIPE CAPACITY	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2504	130mm	113	-	110v	23kg	£71.19	£94.92	£118.00

OPTIONAL EXTRAS

5860	3kVA Transformer		See page 97
5942	16amp 110v Extension reel 25m		See page 98
736545	14" TCT Dry cut saw blade 88179263		
971001	14" TCT Evolution Raptor saw blade 07510519		

Technical information and rates are subject to trade terms where applicable

PIPE CUTTER



Ultra lightweight, powered cutter.

- The REMS Cento will cut up to 108mm in copper, stainless steel, carbon steel and multilayer pipes
- The REMS Duecento will cut steel, carbon, st/st, copper, cast iron, plastic & multilayer composite pipes up to 225mm
- Dry cutting and burr free
- Blades sold separately
- REMS Cento Stand R0018 available on request
- Ideally suited for use with press fitting systems



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2489	REMS CENTO	87	2.5	110v	20kg	£69.93	£93.24	£116.00
2488	Stand	-	-	-	11kg	£33.90	£45.20	£56.50
3405	REMS DUECENTO	87	2.5	110v	37kg	£139.86	£186.48	£233.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98
174972	REMS Cutting wheel for carbon press & push systems 01621785	
174974	REMS Cutting wheel for copper, carbon & st/st press systems 01619688	
174975	REMS Cutting wheel for steel and cast iron 01619740	
174976	REMS Cutting wheel for multilayer pipes 01619699	

EXACT PIPECUT 220E



- Suitable for cutting steel, copper, cast iron, stainless steel, acid resistant steel, multilayer and plastic pipes from 15mm - 220mm
- Blades sold separately
- Supplied with 4 floor mounted roller supports
- TCT 140 blade cuts steel, copper and plastics
- Diamond 140 blade cuts cast iron



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2526	EXACT 220E	105	0.35	110v	6kg	£141.75	£189.00	£236.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98
776932	TCT 140 Exact saw blade 170,220 & 360	
582893	Diamond 140 exact saw blade	

Technical information and rates are subject to trade terms where applicable

HOLE CUTTER



- Quickly mounts onto 1/4" to 8" diameter pipe
- Engineered for 1/4" - 4 3/4" continuous dry or oiled hole cutting
- Dual sided controls provides easy operation
- Built in level for multiple hole alignment



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2525	Ridgid HC-450	104	-	110v	19kg	£115.29	£153.72	£192.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

ANGLE GRINDERS



Cuts and grinds masonry, concrete and metal.

- Cuts to a depth of 25mm
- Can be fitted with surface grinding wheel for facing and grinding
- Powerful 1000W or 2000W grinder



See page 5 for further details


CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
1297 or 1292	125mm Mini Grinder	97	7.5	110v	2.5kg	£21.00	£28.00	£35.00
1293, 1295 or 1299	230mm Angle Grinder	100	2.5	110v	6kg	£28.20	£37.60	£47.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98
971009	115mm Cutting disc 1.6mm thick 01803102	
582871	115mm Grinding disc 6mm thick 01802015	
776941	230mm Cutting disc 3mm thick 01801057	
582872	230mm Grinding disc 6mm thick 01802070	

Technical information and rates are subject to trade terms where applicable

BENCH TOP CUT OFF SAW



High powered 356mm steel cut off saw designed for cutting steel or alloy tube, angle and plate.

- Capable of cutting round pipe up to 115mm and shaped steel 115 x 130mm
- Portable machine



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
1795	-	99	4	110v	18kg	£74.40	£99.20	£124.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98
776950	350mm Chop saw blade 01803017	

MULTILAYER PIPE CUTTER



Battery powered plastic and multilayered cutter.

- 3mm - 42mm capacity
- Dual trigger instantly changes blade direction (forward and reverse)
- Replace cutting blade in seconds without the use of tools



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2509	-	70	-	12v	2kg	£18.90	£25.20	£31.50

OPTIONAL EXTRAS

9989	RCD Circuit breaker	See page 98
------	---------------------	-------------

Technical information and rates are subject to trade terms where applicable

ELECTRO-HYDRAULIC HEAVY DUTY PIPE CUTTER



Power pipe cutter 2 1/2" - 8" pipe capacity.

- Cuts both long and short lengths easily
- 4" Pipe can be cut in 60 seconds
- Single person operation
- Gives square cut with minimal burr
- No abrasive dust, sparks or open flame
- Max wall thickness 8.2mm
- Complete with two ball transfer pipe supports



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2502	-	98	2.5	110v	57kg	£204.75	£273.00	£341.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

CUTTING STATION SS3



- Unique mobile unit for cutting lengths of material
- Reduces noise and dust while cutting
- 3 x 110v sockets supplied
- Connection points for dust extractor



See page 5 for further details

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2206	1320 x 800 x 1820mm	110v	151kg	£102.69	£136.92	£171.00

Technical information and rates are subject to trade terms where applicable

2" HEAVY DUTY PIPE CUTTER



- Can be used as a 3-wheel cutter for close quarter applications
- Pipe capacity 1/8" - 2"



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2500	-	-	-	-	4kg	£18.90	£25.20	£31.50

4" HEAVY DUTY PIPE CUTTER



- Single or two person operation
- Pipe capacity 2" - 4"



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2501	-	-	-	-	9kg	£22.05	£29.40	£37.00

CAST IRON PIPE CUTTER



- Cuts clay, cast iron and cement pipes easily
- Pipe capacity 1 1/2" - 6"



See page 5 for further details



CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2490	-	-	-	-	12kg	£48.51	£64.68	£80.00

Technical information and rates are subject to trade terms where applicable

CONNECT + CONTROL



Pegler Yorkshire



FOR A FASTER CONNECTION

PUSH OR PRESS

WITH PEGLER YORKSHIRE



For a comprehensive range of quality, innovative plumbing and heating products backed by a superb technical support service, make sure you connect with Pegler Yorkshire.

FREE Phone: **0800 156 0010**
email: **uk.sales@pegleryorkshire.co.uk**
www.pegleryorkshire.co.uk



Pipeline & Heating Solutions

OUR FRIENDLY TRADE COUNTER STAFF ARE READY FOR YOUR VISIT



 ROTHENBERGER

 Flamco

 Defender
POWER AND LIGHT

 BOSS

 RIDGID

 scruffs
PAINT PROTECTANT

 TERRAIN

 GRUNDFOS

 Multikwik
Condensate Overflow Adapter



We have a trade counter in every branch for face to face friendly service



**BEND IT,
GROOVE IT &
WELD IT**

ELECTRIC PIPE & TUBE BENDER



40mm Compact electric pipe bender.

- Universal cold bending up to 180 degrees
- For use anywhere, without a vice
- Suitable up to:
 - 35mm copper
 - 28mm stainless and carbon steel
 - 40mm multilayer composite tubes
- Comes complete with formers up to 28mm



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2224	-	82	2.5	110v	15kg	£82.53	£110.04	£137.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

ELECTRIC / HYDRAULIC PIPE BENDER



3/8" - 2" Tip-up wing, electrically operated hydraulic pipe bender.

- Ideal for on-site applications
- Complete with formers
- Suitable for use on steel tube to EN10255



See page 5 for further details


CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2223	-	93	-	110v	100kg	£100.17	£133.56	£166.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

Technical information and rates are subject to trade terms where applicable

VICTAULIC GROOVE IN-PLACE



- Enhanced tracking rolls allow bi-directional grooving
- Model VE26S handles BSEN10241, Schedule 40 steel and stainless steel
- Model VE26C handles BSEN1057 copper tubing 54mm - 159mm
- Roll grooves DN50 - DN150/60.3mm - 168.3 mm/2" - 6" pipe



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2520	VE26C	-	-	-	12kg	£74.97	£99.96	£125.00
2521	VE26S	-	-	-	12kg	£74.97	£99.96	£125.00

SELF CONTAINED VICTAULIC ROLL GROOVER



- Completely self contained unit with integral gear motor, safety guards, safety foot switch and power cord
- Roll grooves DN50-DN300 / 2"-12" steel tube
- For copper and stainless steel applications please contact your local Hire It



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2523	VE270	88	-	110v	155kg	£229.95	£306.60	£383.50

OPTIONAL EXTRAS

2502	Electro-hydraulic heavy duty pipe cutter 2½" - 8"	See page 39
5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

Technical information and rates are subject to trade terms where applicable

VICTAULIC ROLL GROOVER



- Hand pump operation with a unique pivot arm design reduces handle effort
- Roll grooves 50mm-300mm / 2"-12" steel pipe
- Power requirements: VPD752/VPD753 or Ridgid 300 power drive
- For copper and stainless steel applications please contact your local Hire It



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2519	VE272	-	-	110v	115kg	£222.39	£296.52	£370.50

OPTIONAL EXTRAS

2100	Ridgid 300 power drive (required for VE272 roll groover)	See page 23
2502	Electro-hydraulic heavy duty pipe cutter 2½" - 8"	See page 39
5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

SELF CONTAINED VICTAULIC ROLL GROOVER



- Roll grooves 50mm-400mm / 2" -16" steel pipe
- Groove depth adjuster provides precise groove dimensions and allows for easy adjustment for initial groove diameter
- Equipped with pipe stabilizer for 6"-16" pipe
- For copper and stainless steel applications please contact your local Hire It



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2522	VE416FSD	80	-	110v	155kg	£304.29	£405.72	£508.00

OPTIONAL EXTRAS

2502	Electro-hydraulic heavy duty pipe cutter 2½" - 8"	See page 39
5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

Technical information and rates are subject to trade terms where applicable

PORTABLE ROLL GROOVER



Heavy duty 2" - 6" roll grooving machine.

- Suitable for use with 300 Power Drive unit (as illustrated)
- Suitable for use on steel tube to EN10255



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2505	-	-	-	-	20kg	£97.02	£129.36	£161.00
2100	Power drive	80	-	110v	95kg	£141.12	£188.16	£235.00

OPTIONAL EXTRAS

2502	Electro-hydraulic heavy duty pipe cutter 2½" - 8"	See page 39
5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

HEAVY DUTY ROLL GROOVER



Heavy duty 2" -12" roll grooving machine.

- Suitable for use with 300 Power Drive unit (as illustrated)
- Suitable for use on steel tube to EN10255
- 8"-12" roller set available as an optional extra which will roll groove steel tube with a max wall thickness of 7.1mm



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2506	-	-	-	-	59kg	£163.80	£218.40	£273.00
2100	Power drive	80	-	110v	95kg	£141.12	£188.16	£235.00

OPTIONAL EXTRAS

2112	8"-12" roller set to suit Ridgid 918	
2502	Electro-hydraulic heavy duty pipe cutter 2½" - 8"	See page 39
5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

Technical information and rates are subject to trade terms where applicable

COMBO ROLL GROOVER



The Ridgid 975 combo roll groover is two tools in one.

- Can be mounted on the Ridgid 300 power drive unit
- Also can be used manually to groove in place
- Suitable for steel tube to EN10255 1.1/4"-6"



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2516	-	-	-	-	16kg	£74.97	£99.96	£125.00

OPTIONAL EXTRAS

2502	Electro-hydraulic heavy duty pipe cutter 2½" - 8"	See page 39
2100	Ridgid 300 power drive (required for 975 roll groover)	See page 23
5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

DIESEL WELDER



Diesel driven 200amp welder / generator mounted on portable wheelbarrow trolley.

- Network Rail approved
- Super silenced operation - reduced noise pollution
- Welding up to 4.0mm electrodes
- Excellent arc characteristics for all types of manual arc electrodes, including cellululosic types
- Auto idle giving up to 10 hours operation without the need to refuel



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
3400	Diesel	91	-	110v	225kg	£146.16	£194.88	£244.00

OPTIONAL EXTRAS

3370	Welding screen	See page 50
5999	32amp 110v Extension lead	
5942	16amp 110v Extension reel 25m	See page 98
0470	14v Hilti cordless impact wrench 1/2" drive	See page 90
1359	Fume extractor c/w 15m of ducting	See page 50
981147	2.5mm BOSS weld electrodes 240 pcs 84651106	
981148	3.2mm BOSS weld electrodes 140 pcs 84651117	
971024	4mm BOSS weld electrodes 85 pcs 84651128	

Technical information and rates are subject to trade terms where applicable

PETROL WELDER



Compact petrol driven 165 amp welder / generator.

- Network Rail approved
- Super silenced operation - reduced noise pollution
- Welding up to 4.0mm electrodes
- Smooth welding characteristics with air force control for all types of manual metal arc electrodes, including cellulose types



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
3401	-	93	-	110v	85kg	£107.73	£143.64	£179.00

OPTIONAL EXTRAS

3370	Welding screen	See page 50
5999	32amp 110v Extension lead	
5942	16amp 110v Extension reel 25m	See page 98
0470	14v Hilti Cordless impact wrench 1/2" drive	See page 90
1359	Fume extractor c/w 15m of ducting	See page 50
981147	2.5mm BOSS weld electrodes 240 pcs 84651106	
981148	3.2mm BOSS weld electrodes 140 pcs 84651117	
971024	4mm BOSS weld electrodes 85 pcs 84651128	

INVERTER WELDER



Portable and versatile dual voltage unit, enabling superb MMA performance with all electrode types.

- 110-230v dual voltage
- 150 amp welding operation
- Duty cycle 100% at 40°C



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
3402	-	-	-	110 - 240v	16kg	£82.53	£110.04	£138.00

OPTIONAL EXTRAS

3370	Welding screen	See page 50
5999	32amp 110v Extension lead	
5885	5kVA Transformer	See page 97
0470	14v Hilti Cordless impact wrench 1/2" drive	See page 90
1359	Fume extractor c/w 15m of ducting	See page 50
981147	2.5mm BOSS weld electrodes 240 pcs 84651106	
981148	3.2mm BOSS weld electrodes 140 pcs 84651117	
971024	4mm BOSS weld electrodes 85 pcs 84651128	

Technical information and rates are subject to trade terms where applicable

FUME EXTRACTOR



Extractor for cooling, ventilation and fume extraction.

- Supplied with up to 15m of ducting
- Additional hose available



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	POWER	DIAMETER	WEIGHT	FIRST DAY	TWO DAY	WEEK
1359	Up to 3250m ³ /hr Flow Rate	70	110v	410mm(W) x 500mm(D) x 420mm(H)	20kg	£88.20	£117.60	£147.00

WELDING SCREEN



2m x 2m portable welding screen.



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
3370	-	9kg	£27.09	£36.12	£45.00

Technical information and rates are subject to trade terms where applicable



POLYFUSE+

POLYFUSE+
OK
SUPPLY
103V 52Hz
CAL DATE: 12/09/2015
DATA LOG MEMORY 20 OF 1024 USED

This equipment is ready for
control point
ENABLED

START

STOP



OPTIONS

1	ABC	DEF
GHI	JKL	MNO
PQRS	TUV	WXYZ
*	0	#

DATA

**FUSE IT
& EXPAND IT**

Q&E M12 EXPANDER TOOL SET



Battery operated, suitable for Uponor Q&E PEX system

- Supplied with 16, 20 and 25mm expander heads
- Auto-rotating head
- 230v 50Hz fast 40 minute battery charger
- Complete with 2 x 12v 1.5Ah batteries



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2207	-	70	-	12v	7kg	£67.41	£89.88	£112.50

OPTIONAL EXTRAS

9989	240v RCD 13amp	See page 98
2509	Multilayer pipe cutter 3mm-42mm	See page 38

Q&E M18 EXPANDER TOOL SET



Battery operated, suitable for Uponor Q&E PEX system

- Supplied with 16, 20, 25, 32 and 40mm expander heads
- Auto-rotating head
- 230v 50Hz fast 40 minute battery charger
- Complete with 2 x 18v 2.0Ah batteries



See page 5 for further details


CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2208	-	70	-	18v	8kg	£91.35	£121.80	£152.50

OPTIONAL EXTRAS

9989	240v RCD 13amp	See page 98
2509	Multilayer pipe cutter 3mm-42mm	See page 38

Technical information and rates are subject to trade terms where applicable

REHAU G1 HYDRAULIC RAUTOOL KIT



- Expansion tool for Rehau Everloc compression sleeves
- Suitable for 40mm-63mm pipe sizes
- Complete with manual pipe cutter



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2261	-	-	-	-	21kg	£129.78	£173.04	£216.00

REHAU 12V BATTERY RAUTOOL KIT



- Expansion tool for Rehau Everloc compression sleeves
- Suitable for 16mm-32mm pipe sizes
- complete with manual pipe cutter and battery charger



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2268	-	70	-	18v	9kg	£119.07	£158.76	£198.50

OPTIONAL EXTRAS

9989	240v RCD 13amp	See page 98
------	----------------	-------------

REHAU H1 HYDRAULIC RAUTOOL KIT



- Expansion tool for Rehau Everloc compression sleeves
- Suitable for 16mm-32mm pipe sizes
- Complete with manual pipe cutter



See page 5 for further details

CODE	WEIGHT	FIRST DAY	TWO DAY	WEEK
2269	13kg	£89.46	£119.28	£149.00

Technical information and rates are subject to trade terms where applicable

ELECTROFUSION CONTROL UNIT



Suitable for water and gas pressure fittings 40v Electro Fusion box

- Up to 800mm
- Datalog up to 1000 welds
- Barcode option available



See page 5 for further details

CODE	ADDITIONAL INFORMATION	VOLTAGE	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
3380	Polyfuse 40v	40v	110v	28kg	£89.46	£119.28	£149.00
3403	Scanner, Voltage - n/a	n/a	n/a	2kg	£30.24	£40.32	£50.00

OPTIONAL EXTRAS

5999	32amp Extension lead 110v						
5760	5Kva TIN 12 Petrol generator			See page 96			
2401	Rotary pipe scraper 63mm-250mm			See page 54			
2257	Straight alignment clamp 16mm - 63mm			See page 55			
2259	Adjustable alignment clamp 0-90 Deg 16mm-63mm			See page 55			
2398	Adjustable alignment clamp 0-90 Deg 63mm-180mm			See page 55			
2402	Top loading tee G clamp 63mm-250mm			See page 55			
2403	Top loading tee strap clamp 63mm-500mm			See page 55			
2400	Pop up pipework & operating shelter			See page 56			

MANUAL WELDING KIT 110 VOLT



- 16-63 Manual welding kit 110V 800W
- Welding stones included in set




See page 5 for further details

CODE	ADDITIONAL INFORMATION	VOLTAGE	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2331	Manual Welding Kit 16-63	800W	100v	10kg	£12.60	£16.80	£21.00
2332	Manual Welding Kit 50-125	1400W	110v	20kg	£15.75	£21.00	£26.00

Technical information and rates are subject to trade terms where applicable

ROTARY PIPE SCRAPER



For preparation of PE pipe welding



See page 5 for further details

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2401	63mm - 250mm	-	5kg	£55.44	£73.92	£92.00

RESTRAINING CLAMPS



- 2257 Compact straight alignment clamp for 16mm-63mm couplings and reducers
- 2259 This universal clamp covers 16mm-63mm and offers adjustment for 45° and 90° elbows. It is also suitable for straight couplers and reducers
- 2398 63mm-180mm alignment clamp is adjustable for 45° and 90° elbows and is also suitable for straight and reducing couplings.



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
2257	16mm-63mm EFC63 Straight clamp	1kg	£34.65	£46.20	£58.00
2259	16mm-63mm EFRC Adjustable clamp	1.5kg	£40.95	£54.60	£68.50
2398	63mm-180mm EFC180 Alignment and re-rounding clamp	3kg	£14.49	£19.32	£24.00

TOP LOADING TEE CLAMPS



Use to clamp top tee service fittings during fusion.



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
2402	63 - 250mm G clamp	4kg	£34.65	£46.20	£57.00
2403	63mm-500mm Top tee strap	5kg	£34.65	£46.20	£57.00

Technical information and rates are subject to trade terms where applicable

PIPEWORK AND OPERATING SHELTER



Pop up design complete with carry bag.



See page 5 for further details

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2400	1.8m x 1.8m x 2.1m	-	15kg	£25.20	£33.60	£42.00
2399	UMB 8 non conductive umbrella 8ft (2.4m)	-	10kg	£14.49	£19.32	£24.00

AW315G SIPHONIC DRAINAGE

Automatic, universal electrofusion welding unit



- Electrofusion box supplied with the standard yellow lead to fuse 32mm-160mm fittings. The red, blue and brown leads are an optional extra if required



See page 5 for further details

LEAD COLOUR & SIZE	GEBERIT	WAVIN WAVIDUO	AKATHERM	VALSIR	POLYPIPE TERRAIN
Yellow (32 - 160mm)	✓	✓	✓	✓	✓
Blue (200 - 315mm)			✓	✓	✓
Red (200 - 315mm)	✓				
Brown (200 - 315mm)		✓			

CODE	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
3381	110v	17kg	£89.46	£119.28	£149.00

OPTIONAL EXTRAS

5999	32amp Extension lead 110v	
5760	5Kva TIN 12 Petrol generator	See page 96
703739	Manual pipe scraper (sale item)	
6799 or 6778	Air compressor 110v	See page 63
2320	5mtr Air compressor hose kit	
582882	100mm Drain test bag 87801216	
582883	150mm Drain test bag 87801238	
711994	Hand pump for test bags 87801282	
2317	Red lead 200mm-315mm	
2316	Blue lead 200mm-315mm	
2315	Brown lead 200mm-315mm	
388815	200mm-300mm Drain test bag 87801260	

Technical information and rates are subject to trade terms where applicable

BUTT FUSION MACHINES



- Compact and robust machine on a sheet metal base makes it easy to carry
- Suitable for Butt fusing HDPE, PE, PB,PP,PVDF
- Electric facing cutter unit to ensure square machining of pipe ends
- Quick clamping device also suitable for angular branches
- Adjustable temperature 180-290 Deg c, preset for PE pipes including HDPE



See page 5 for further details

CODE	PIPE CAPACITY	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2527	40mm - 160mm	85	2.5	110v	112kg	£236.25	£315.00	£393.00
2319	90mm - 315mm	85	2.5	110v	158kg	£472.50	£630.00	£787.00

OPTIONAL EXTRAS

5860	3kva Transformer	See page 97
5942	16amp 110v extension reel 25m	See page 98

BUTT FUSION HOT PLATE



- Suitable for Butt fusing up to 180mm HDPE, PE, PB,PP,PVDF
- Adjustable temperature 180-290 Deg c, preset for PE pipes
- Mounted on a support stand which can also be secured to a work bench
- Supplied with a protection cover for the heating element



See page 5 for further details

CODE	PIPE CAPACITY	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
3369	Up to 180mm	70	2.5	110v	2.5kg	£80.64	£107.52	£134.00

OPTIONAL EXTRAS

5860	3kva Transformer	See page 97
5942	16amp 110v extension reel 25m	See page 98
2507	Workbench	See page 28

Technical information and rates are subject to trade terms where applicable

ENFUSION



For welding Vulcathene chemical waste fittings.

- Vulcathene pipe clamps should be used during installation. Please see below for sizes available.



See page 5 for further details

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
3383	-	110v	16kg	£119.07	£158.76	£198.00

OPTIONAL EXTRAS

5999	32amp Extension lead 110v	
5760	5Kva TIN 12 Petrol generator	See page 96
703739	Manual pipe scraper (sale item)	
2321	38mm L261 Vulcathene pipe clamp 72654005	
2322	51mm L261 Vulcathene pipe clamp 72654016	
2323	76mm L261 Vulcathene pipe clamp 72654027	
2324	102mm L261 Vulcathene pipe clamp 72654038	
2507	Workbench	See page 28
2299	Chain vice	See page 29

INSTAFLEX MACHINE

For interior building services.

- Hot & cold water services
- Heating systems
- Chilled water
- Compressed airlines



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2405	16 - 110mm	72	-	110/240V	68kg	£154.35	£205.80	£257.00

OPTIONAL EXTRAS

5999	32amp Extension lead 110v	
5885	5kva Transformer	See page 97

Technical information and rates are subject to trade terms where applicable



**FREEZE IT,
FLUSH IT,
TEST IT &
INSPECT IT**

PIPE FREEZER KIT - 42mm



Enables you to repair plumbing systems without the need to drain down.

- Portable electric pipe freezing kit
- Freezes pipes between 15mm to 42mm in diameter
- Ensure cold water in pipes is not flowing prior to use



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2453	15mm - 42mm	-	-	110v	23kg	£88.20	£117.60	£147.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

PIPE FREEZER KIT - 61mm



Enables you to repair plumbing systems without the need to drain down.

- Portable electric pipe freezing kit
- Freezes pipes between 8mm to 61mm in diameter
- Ensure cold water in pipes is not flowing prior to use



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2454	8mm - 61mm	-	-	110v	27kg	£107.73	£143.64	£179.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

Technical information and rates are subject to trade terms where applicable

HEATING SYSTEM POWER FLUSH UNIT



A professional flushing unit designed to remove corrosion, sludge and scale from heating systems.

- Each kit comes complete with all fittings, hoses and bucket
- De-scale boilers
- Over come boiler noise and circulation problems



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	CAPACITY	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
8698	520(Dia.) x 970(H) mm	65	50L	240v	37kg	£88.80	£118.40	£148.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98
776956	BOSS vexo x-po40 De-sludging agent 10L 16910371	
971028	BOSS vexo x-po20 De-scaling agent 10L 16910327	
582891	BOSS vexo x-po10 Commercial inhibitor 10L 16910574	
388824	BOSS vexo x-po10 Commercial inhibitor 5L 16910563	
-	Dosing rate 1L per 25KW of boiler power	

SOLAR FLUSHING UNIT



Ideal for solar power systems, ground heat systems and under floor/wall heating.

- With proven 860W condenser motor for quiet running, complete with an on/off switch
- High transport volume up to 36L min for fast filling and efficient flushing and venting of closed systems and filling tanks
- Pumping capacity at 40m vertical pumping height at 16L min
- Pumping volume up to 36L with a pumping pressure of 5.5BAR



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2517	-	70	2.5	110v	19kg	£97.02	£129.36	£162.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

Technical information and rates are subject to trade terms where applicable

MANUAL PRESSURE TEST PUMP



Up to 50BAR pressure test pump.

- Two stage lever action for fast filling of system and pressurisation
- Pressure maintained automatically - no valve to close manually
- Very low effort required



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2510	-	-	-	-	7kg	£37.80	£50.40	£63.00

ELECTRIC PRESSURE TEST PUMP



Electric pressure test pump up to 40BAR.

- Rapid and accurate testing of pipework and systems up to 40BAR in one operation
- Multiple tests can be carried out with optional 'lock off' gauges



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
2512	-	68	-	110v	17kg	£93.24	£124.32	£155.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98

Technical information and rates are subject to trade terms where applicable

AIR COMPRESSORS



- Up to 7 cubic feet per minute capacity
- Compact design make them easy to move around on site
- 110v and 240v models available
- 5mtr Air hose kit available separately



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
6778	Makita	79	-	110v	27kg	£74.40	£99.20	£124.00
6799	Clarke	78	-	110v	21kg	£84.00	£112.00	£140.00
6779	Clarke	88	-	240v	26kg	£84.00	£112.00	£140.00
2320	5m Air Hose Kit	-	-	-	5kg	£9.45	£12.60	£16.00

OPTIONAL EXTRAS

5860	3kVA Transformer	See page 97
5942	16amp 110v Extension reel 25m	See page 98
9989	RCD Circuit breaker	See page 98

INSPECTION CAMERA



- The 9896 compact 2 camera has a 30m reel designed for drain pipes from 40mm - 150mm
- Self leveling camera for a crisp, clear in pipe image that is always upright
- Recording to USB
- 9897 Micro Drain has a 10m reel and is designed to operate in pipes 30mm - 75mm



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
9896	-	-	-	18v	11kg	£235.62	£314.16	£392.00
9897	-	-	-	3.7v	4kg	£134.82	£179.76	£225.00

Technical information and rates are subject to trade terms where applicable

HIRE-IT

TOOL & EQUIPMENT HIRE



Uponor
UP75 Press Tool

BRING YOUR KIT TO US WE'LL MANAGE IT FOR YOU

Ensure maximum protection of your **uponor** tools with our exclusive service and calibration offering, available through our network of BSS tool hire branches.

FAST AND EFFICIENT TURNAROUND

Working in partnership with **Uponor** offering the full package for your tools.

**Uponor
tools also
available
for hire**



Uponor
Mini32 Press Tool



ACCESS IT

BOSS ALLOY TOWERS



The premium aluminium modular tower system with integral ladders.

- Slip resistant deck platforms for increased safety
- Easy to use toe board system
- Lightweight
- Snap and click braces for easy assembly
- Conforms to EN1004 regulations

OPTIONAL EXTRAS

762543	Scafftag Pk10 holders, 20 inserts, 1 pen	
686516	Scafftag insert Mk1	



See page 5 for further details

Single Width

CODE	DIMENSIONS	WIDTH	WEIGHT	WEEK
5083	1.8 X 3.2m High (3T)	850mm	152kg	£165.00
5084	1.8 x 3.7m High (3T)	850mm	159kg	£177.00
5085	1.8 x 4.2m High (3T)	850mm	165kg	£183.00
5086	1.8 x 4.7m High (3T)	850mm	185kg	£188.00
5088	1.8 x 5.2m High (3T)	850mm	198kg	£199.00
5089	1.8 x 5.7m High (3T)	850mm	204kg	£218.00
5090	1.8 x 6.2m High (3T)	850mm	210kg	£230.00
5091	1.8 x 6.7m High (3T)	850mm	245kg	£235.00
5093	1.8 x 7.2m High (3T)	850mm	258kg	£248.00

Double Width

5054	1.8 X 3.2m High (3T)	1450mm	174kg	£165.00
5055	1.8 x 3.7m High (3T)	1450mm	182kg	£177.00
5056	1.8 x 4.2m High (3T)	1450mm	188kg	£183.00
5058	1.8 x 4.7m High (3T)	1450mm	208kg	£188.00
5059	1.8 x 5.2m High (3T)	1450mm	223kg	£199.00
5060	1.8 x 5.7m High (3T)	1450mm	231kg	£218.00
5061	1.8 x 6.2m High (3T)	1450mm	237kg	£230.00
5063	1.8 x 6.7m High (3T)	1450mm	257kg	£235.00
5064	1.8 x 7.2m High (3T)	1450mm	258kg	£248.00

Technical information and rates are subject to trade terms where applicable

BOSS ALLOY TOWERS - AGR



The BoSS Camlock Advanced Guardrail System offers an alternative build method for BoSS Ladderspan towers, offering the following features:

- Fewer components - quicker & simpler to build
- Safety - Guardrail in place before user ascends tower
- Tower rigidity - created by positive Camlock action

OPTIONAL EXTRAS

762543	Scafftag PK10 holders, 20 inserts, 1 pen	
686516	Scafftag insert Mk1	



See page 5 for further details

Single Width

CODE	DIMENSIONS	WIDTH	WEIGHT	WEEK
6104	1.8 x 2.7m High (AGR)	850mm	144kg	£153.00
6105	1.8 x 3.7m High (AGR)	850mm	168kg	£177.00
6107	1.8 x 3.7m High (AGR)	850mm	172kg	£183.00
6108	1.8 x 4.2m High (AGR)	850mm	190kg	£188.00
6109	1.8 x 5.7m High (AGR)	850mm	213kg	£218.00
6111	1.8 x 6.2m High (AGR)	850mm	217kg	£230.00
6112	1.8 x 6.7m High (AGR)	850mm	235kg	£235.00
6114	1.8 x 7.7m High (AGR)	850mm	259kg	£270.00

Double Width

6146	1.8 x 2.7m High (AGR)	1450mm	164kg	£153.00
6148	1.8 x 3.7m High (AGR)	1450mm	205kg	£177.00
6149	1.8 x 4.2m High (AGR)	1450mm	209kg	£183.00
6150	1.8 x 4.7m High (AGR)	1450mm	227kg	£188.00
6152	1.8 x 5.7m High (AGR)	1450mm	254kg	£218.00
6153	1.8 x 6.2m High (AGR)	1450mm	271kg	£230.00
6154	1.8 x 6.7m High (AGR)	1450mm	289kg	£235.00
6156	1.8 x 7.7m High (AGR)	1450mm	329kg	£270.00

Technical information and rates are subject to trade terms where applicable

COMBINATION LADDERS



Ideal for gaining access and carrying out maintenance work. Conforms to EN131 regulations.

- Quick and simple to adapt to each work mode
- Easy to transport and use
- Stabiliser bar and restraining straps for extra safety
- Multi functional design: extension ladder, step ladder, extension step ladder and stairway ladder
- Lightweight
- Versatile



See page 5 for further details

CODE	ADDITIONAL INFORMATION	SWL	WEIGHT	WEEK
5267	Step ladder 1.8m, extension ladder 3.4m, extending step ladder 2.6m, stairway ladder 2.6m	110kg	11kg	£60.00
5265	Step ladder 2.4m, extension ladder 5.1m, extending step ladder 3.7m, stairway ladder 3.2m	110kg	17kg	£64.00
5266	Step ladder 2.9m, extension ladder 6.7m, extending step ladder 4.8m, stairway ladder 3.7m	110kg	23kg	£68.00

INDUSTRIAL BUILDERS STEPS



Industrial standard builders steps made from tough, durable aluminium.

- Sturdy locking bar between front and rear sections
- Robust feet
- Class 1 industrial
- Slip resistant treads
- Broad base for added stability



See page 5 for further details

CODE	ADDITIONAL INFORMATION	SWL	WEIGHT	WEEK
5486	6 Tread, top height 1.27m	130kg	5kg	£42.00
5499	8 Tread, top height 1.69m	130kg	7kg	£45.00
5497	10 Tread, top height 2.10m	130kg	10kg	£49.00
5498	12 Tread, top height 2.52m	130kg	12kg	£58.00

Technical information and rates are subject to trade terms where applicable

BUILDERS STEPS GRP



Fiberglass ladder for working around electricity.

- Split resistant treads
- Single handed operation
- Strong and stable
- Conforms to EN131
- Non conductive to 30,000 volts



See page 5 for further details

CODE	ADDITIONAL INFORMATION	SWL	WEIGHT	WEEK
5490	6 Tread, top height 1.67m	150kg	8kg	£42.00
5491	8 Tread, top height 2.23m	150kg	11kg	£45.00
5494	10 Tread, top height 2.79m	150kg	16kg	£49.00

WORKING AT HEIGHT

It's important when working at any height to select the right equipment so that it gives you all the access you require, safely and within current regulations.



We recommend that risk assessments are carried out when using all types of Access Equipment.

Technical information and rates are subject to trade terms where applicable

PODIUM STEPS



Low level work platform, safe to use by one operative.

- Fully folding flat pack design
- PAS: 250 Compliant
- Fitted with stabiliser kit to provide maximum stability during use
- Anti surf
- Lightweight and robust
- Fully folding flat pack design so it fits through most standard doorways



See page 5 for further details

CODE	ADDITIONAL INFORMATION	PLATFORM HEIGHT	WEIGHT	FIRST DAY	TWO DAY	WEEK
5305	P1000	0.94m/0.71m	29kg	-	-	£96.00
5304	P1500	1.44m/1.21m	39kg	-	-	£96.00

TELESCOPIC FOLDING PLATFORMS



The ultimate telescopic platform ladder.

- Use on flat ground or stairways
- Simple height adjustment rung by rung
- Double guardrail and positive locking gate
- Deep draining tool tray
- Automatic locking deck lock clip for added security



See page 5 for further details

CODE	ADDITIONAL INFORMATION	PLATFORM HEIGHT	WEIGHT	FIRST DAY	TWO DAY	WEEK
5473	4 - 6 Rung	1.08m or 1.63m	37kg	£57.00	£76.00	£98.00
	5 - 8 Rung	1.4m/1.6m/1.9m/2.2m	42kg	£72.00	£96.00	£120.00
	7 - 8 Rung	1.9m/2.45m	50kg	£90.00	£120.00	£150.00

Technical information and rates are subject to trade terms where applicable

ROOM-MATE FOLDING INDOOR SCAFFOLD



Heavy duty platform and tower system suitable for internal and external use.

- The 5016 Room-Mate can be used internally without stabilisers up to 3.8m working height
- Base pack, when folded, fits through standard doorways and down corridors
- Easy to transport and store
- Versatile 260mm stepped height platform adjustment
- Includes snap click fittings for easy assembly and locking castors to hold the tower in place when in use
- 250mm easy climb rung



See page 5 for further details

CODE	ADDITIONAL INFORMATION	SWL	DIMENSIONS	WEIGHT	WEEK
5015	800mm Platform height	275kg	775mm(W) - Platform size: 600mm x 1800mm	63kg	£58.00
5016	1800mm Platform height	275kg	775mm(W) - Platform size: 600mm x 1800mm	90kg	£88.00
5017	3500mm Platform height	275kg	775mm(W) - Platform size: 600mm x 1800mm	161kg	£108.00
5648	6050mm Platform height	275kg	775mm(W) - Platform size: 600mm x 1800mm	235kg	£305.00

STAIRMAX TOWER



A safe, portable access solution for domestic and commercial staircases.

- Conforms to EN1004 regulations
- Easy to transport in the back of a small van or hatchback
- Frames are walkthrough
- Can be built up to a height of 2.2m from lowest stair
- Fast and easy assembly



See page 5 for further details

CODE	SWL	WEIGHT	DIMENSIONS	WEEK
5649	275kg	60kg	Platform size: 0.7m x 1.3m	£155.00

Technical information and rates are subject to trade terms where applicable



Pipeline & Heating Solutions

ANY SHAPE, ANY SIZE WE HAVE
OVER 2,000 MILES OF TUBE IN
STOCK, READY FOR YOUR ORDER



Our National Tube
Distribution Centre
supplies our
branches daily



**POWERED
ACCESS**

SCISSOR LIFTS - ELECTRIC



Call
0344 892 1878
for a quote



- 90° Steering allows for easy manoeuvrability in tight areas
- IPAF training available
- Safety harnesses available for hire or sale

- 90° Steering allows for easy manoeuvrability in tight areas
- IPAF training available
- Safety harnesses available for hire or sale



See page 5 for further details

CODE	ADDITIONAL INFORMATION
------	------------------------

S268999 | 19E

REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)
--------------	-----------------	-----------------

7.8m | 5.8m | 1.78m

CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY
------------------------	-------	------------------

1.75m | 0.81m | 227kg

ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY
-------------------	--------	--------------

0.9m | 1170kg | Battery

CODE	ADDITIONAL INFORMATION
------	------------------------

S675199 | 26NE

REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)
--------------	-----------------	-----------------

9.9m | 7.9m | 2.32m

CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY
------------------------	-------	------------------

1.94m | 0.84m | 227kg

ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY
-------------------	--------	--------------

0.9m | 1864kg | Battery

We recommend that risk assessments are carried out when using all types of Access Equipment.

Technical information and rates are subject to trade terms where applicable

SCISSOR LIFTS - ELECTRIC



• Safety harnesses available for hire or sale

• Safety harnesses available for hire or sale



See page 5 for further details

CODE	ADDITIONAL INFORMATION
------	------------------------

S269006 | 32E

REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)
--------------	-----------------	-----------------

11.7m | 9.7m | 2.31m

CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY
------------------------	-------	------------------

1.96m | 1.17m | 318kg

ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY
-------------------	--------	--------------

0.9m | 2300kg | Battery

CODE	ADDITIONAL INFORMATION
------	------------------------

S269009 | 40E

REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)
--------------	-----------------	-----------------

14.19m | 12.19m | 3.1m

CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY
------------------------	-------	------------------

2.01m | 1.75m | 360kg

ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY
-------------------	--------	--------------

0.91m | 5300kg | Battery

All machine specifications are intended as a guide only and should be confirmed at the time of hire.

Technical information and rates are subject to trade terms where applicable

SCISSOR LIFTS - DIESEL



Call
0344 892 1878
for a quote



- Expanded platform and lift capacity
- Safety harnesses available for hire or sale

- Expanded platform and lift capacity
- Safety harnesses available for hire or sale



See page 5 for further details

CODE	ADDITIONAL INFORMATION
S268983	26D

REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)
9.75m	7.92m	2.67m

CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY
1.7m	1.73m	567kg

ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY
1.43m	2971kg	Diesel

CODE	ADDITIONAL INFORMATION
S268988	32D

REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)
11.58m	9.75m	2.67m

CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY
1.83m	1.73m	454kg

ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY
1.43m	3411kg	Diesel

We recommend that risk assessments are carried out when using all types of Access Equipment.

Technical information and rates are subject to trade terms where applicable

SCISSOR LIFTS - DIESEL



Call
0344 892 1878
for a quote



• Safety harnesses available for hire or sale

• Safety harnesses available for hire or sale



See page 5 for further details

CODE	ADDITIONAL INFORMATION
------	------------------------

S268994 | 43D

REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)
--------------	-----------------	-----------------

15.11m | 13.11m | 3.98m

CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY
------------------------	-------	------------------

2.25m | 2.29m | 680kg

ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY
-------------------	--------	--------------

1.93/1.63m | 5936kg | Diesel

CODE	ADDITIONAL INFORMATION
------	------------------------

S675203 | 53D

REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)
--------------	-----------------	-----------------

18m | 16m | 4.92m

CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY
------------------------	-------	------------------

2.47m | 2.29m | 680kg

ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY
-------------------	--------	--------------

1.93/1.63m | 7888kg | Diesel

All machine specifications are intended as a guide only and should be confirmed at the time of hire.

Technical information and rates are subject to trade terms where applicable

BOOM LIFTS - BI-FUEL



Call
0344 892 1878
for a quote

- Narrow design only 1.2m wide
- Safety harnesses available for hire or sale

- Lightweight model
- Safety harnesses available for hire or sale



See page 5 for further details

CODE	ADDITIONAL INFORMATION
------	------------------------

S269027 | 300AJP

REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
11.14m	9.14m	6.25m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
5.59m	2.01m	1.22m
TURNING RADIUS	ROTATION	CAGE DIMENSIONS
1.52m	360°	1.22 x 0.76m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
230kg	7052kg	Battery

CODE	ADDITIONAL INFORMATION
------	------------------------

2674202 | HR12N

REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
12m	10m	6.1m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
3.99m	1.9m	1.5m
TURNING RADIUS	ROTATION	CAGE DIMENSIONS
2.22m	360°	1.1 x 0.85m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
200kg	3000kg	Bi-fuel

Technical information and rates are subject to trade terms where applicable

BOOM LIFTS - BI-FUEL



Call
0344 892 1878
for a quote



- Dual harness points
- Safety harnesses available for hire or sale

- Safety harnesses available for hire or sale



See page 5 for further details

CODE	ADDITIONAL INFORMATION
------	------------------------

S674210 | HR15N

REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
15.6m	13.6m	9.6m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
5.94m	1.95m	1.5m
TURNING RADIUS	ROTATION	CAGE DIMENSIONS
1.21m	360°	1.4 x 0.85m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
225kg	6400kg	Bi-fuel

CODE	ADDITIONAL INFORMATION
------	------------------------

S269012 | Z45/25BE

REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
15.8m	13.8m	7.5m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
5.5m	2m	1.8m
TURNING RADIUS	ROTATION	CAGE DIMENSIONS
1.52m	360°	1.83 x 0.76m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
227kg	7031kg	Bi-fuel

Technical information and rates are subject to trade terms where applicable

BOOM LIFTS - DIESEL



- Safety harnesses available for hire or sale

- Minimal tall swing
- Safety harnesses available for hire or sale



See page 5 for further details

CODE	ADDITIONAL INFORMATION
------	------------------------

S269020 | Z60/34

REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
20.1m	18.3m	10.4m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
7.9m	2.5m	2.29m
TURNING RADIUS	ROTATION	CAGE DIMENSIONS
3.3m	360°	1.82 x 0.76m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
227kg	9929kg	Diesel/Bi-fuel

CODE	ADDITIONAL INFORMATION
------	------------------------

S269016 | Z45/25RT

REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
15.8m	13.8m	7.5m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
5.5m	2.08m	2.24m
TURNING RADIUS	ROTATION	CAGE DIMENSIONS
1.37m	360°	1.83 x 0.76m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
227kg	6350kg	Diesel

Technical information and rates are subject to trade terms where applicable

BOOM LIFTS - DIESEL



Call
0344 892 1878
for a quote



• Safety harnesses available for hire or sale

• Safety harnesses available for hire or sale



See page 5 for further details

CODE	ADDITIONAL INFORMATION
------	------------------------

S269023 | S45

REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
--------------	-----------------	---------------------

15.72m | 13.72m | 11.18m

LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
-----------------	------------------------	-------

8.48m | 2.49m | 2.3m

TURNING RADIUS	CAGE DIMENSIONS	LIFTING CAPACITY
----------------	-----------------	------------------

2m | 1.83 x 0.76m | 227kg

WEIGHT	POWER SUPPLY
--------	--------------

6709kg | Diesel

CODE	ADDITIONAL INFORMATION
------	------------------------

S269021 | Z80

REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
--------------	-----------------	---------------------

25.6m | 23.6m | 18.29m

LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
-----------------	------------------------	-------

11.27m | 3m | 2.49m

TURNING RADIUS	CAGE DIMENSIONS	LIFTING CAPACITY
----------------	-----------------	------------------

4.42m | 2.44 x 0.91m | 227kg

WEIGHT	POWER SUPPLY
--------	--------------

17010kg | Diesel

Technical information and rates are subject to trade terms where applicable

LOW LEVEL ACCESS



Call
0344 892 1878
for a quote



- Safety harnesses available for hire or sale



See page 5 for further details

CODE	ADDITIONAL INFORMATION
S675196	Power Tower

REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)
5.1m	3.1m	1.52m

CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY
1.8m	0.78m	250kg

ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY
-	310kg	Battery

CODE	ADDITIONAL INFORMATION
S675197	The Whizz

REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)
4.9m	2.9m	1.22m

CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY
1.69m	0.76m	180kg

ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY
0.59m	450kg	Battery

We recommend that risk assessments are carried out when using all types of Access Equipment.

Technical information and rates are subject to trade terms where applicable

LOW LEVEL ACCESS



• Safety harnesses available for hire or sale



See page 5 for further details

CODE		ADDITIONAL INFORMATION	
S269002		GR20	
REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)	
8.07m	6.07m	1.35m	
CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY	
1.98m	0.8m	159kg	
ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY	
-	1112kg	Battery	

SAFE, FAST & FLEXIBLE

- Comprehensive range of powered access equipment available to hire
- All our hire equipment is regularly serviced and maintained for safety and reliability
- We can offer advice on safety issues and training courses plus, we can also provide safety harnesses for all equipment.



We recommend that risk assessments are carried out when using all types of Access Equipment.

Technical information and rates are subject to trade terms where applicable

PECO LIFT



LOW LEVEL ACCESS - NANO



Call
0344 892 1878
for a quote



• Safety harnesses available for hire or sale

• Safety harnesses available for hire or sale



CODE	ADDITIONAL INFORMATION
------	------------------------

S240653 Peco

REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)
--------------	-----------------	-----------------

3.50m 1.50m 985mm

HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY
-----------------	-------	------------------

1.55m 700mm 125kg

WEIGHT

180kg

CODE	ADDITIONAL INFORMATION
------	------------------------

S600907 Nano

REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)
--------------	-----------------	-----------------

4.5m 2.5m 1.20m

CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY
------------------------	-------	------------------

1.56m 0.75m 200kg

ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY
-------------------	--------	--------------

- 285kg Battery

Technical information and rates are subject to trade terms where applicable

VEHICLE MOUNTED PLATFORMS



Call
0344 892 1878
for a quote

- Safety harnesses available for hire or sale

Up to 72m reach heights are available

- Safety harnesses available for hire or sale



See page 5 for further details

CODE	ADDITIONAL INFORMATION
S674125	T20

REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
20m	18m	9.9m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
7.45m	3.1m	2m
WIDTH (WORKING)	LIFTING CAPACITY	CAGE DIMENSIONS
2.6m	200kg	1.2 x 0.8m
WEIGHT		
3500kg		

CODE	ADDITIONAL INFORMATION
S674178	T44 HD

REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
44m	42m	30m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
10.8m	4m	2.5m
WIDTH (FULLY JACKED)	WIDTH (ONE SIDE JACKED)	LIFTING CAPACITY
6m	4.5m	400kg
CAGE DIMENSIONS	WEIGHT	
0.9 x 3.6m	32000kg	

Technical information and rates are subject to trade terms where applicable

VEHICLE MOUNTED PLATFORMS



CODE	ADDITIONAL INFORMATION
------	------------------------

S674159	T34
---------	-----

REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
--------------	-----------------	---------------------

34m	32m	24.7m
-----	-----	-------

LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
-----------------	------------------------	-------

9.5m	3.7m	2.5m
------	------	------

WIDTH (FULLY JACKED)	WIDTH (ONE SIDE JACKED)	LIFTING CAPACITY
----------------------	-------------------------	------------------

5.1m	3.8m	280kg
------	------	-------

CAGE DIMENSIONS	WEIGHT
-----------------	--------

1 x 1.8m	18000kg
----------	---------

Up to 72m reach heights are available

- Safety harnesses available for hire or sale



See page 5 for further details

Technical information and rates are subject to trade terms where applicable



**BREAK IT,
DRILL IT &
FIX IT**

DRY DIAMOND DRILL



For dry coring in brick, sand-lime block and aerated concrete.

- Suitable for dry drilling only
- Vari-speed trigger ensures a clean start and finish
- Drill rigs available
- Bored holes up to 162mm in diameter

DRILL: 28-162mm (Dia.)



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
0592	DD110	95	6	110v	5.3kg	£99.00	£132.00	£165.00

DRY DIAMOND CORE BITS


Range of core bits available for use with dry diamond drills.
Other sizes available.

- Wear charges apply

CODE	DIAMETER	LENGTH	WEEK
2038	38mm	165mm	£12.00
2048	48mm	165mm	£14.00
2052	52mm	165mm	£15.00
2065	65mm	165mm	£16.00
2091	91mm	165mm	£24.00
2107	107mm	165mm	£26.00
2117	117mm	165mm	£29.00
2127	127mm	165mm	£29.00
2132	132mm	165mm	£31.00
2152	152mm	165mm	£31.00

Technical information and rates are subject to trade terms where applicable

DIAMOND CORE DRILLING RIG



Powerful coring system for wet drilling in concrete for pipes, heating & air conditioning, cable trays and plumbing jobs.

- Suitable for wet drilling only
- Extension bars are available

DRILL: 25-450mm (Dia.)



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
0594	DD200	105	2.5	110v	27kg	£218.40	£291.20	£364.00

WET DIAMOND CORE BITS

Range of core bits available for use with wet diamond drills. Wear charges apply. Other sizes available.

CODE	DIAMETER	LENGTH	WEEK
2300	28mm	350mm	£11.00
2342	32mm	350mm	£14.00
2280	52mm	350mm	£15.00
2351	91mm	450mm	£24.00
2352	102mm	450mm	£26.00
2282	107mm	450mm	£27.00
2283	127mm	450mm	£29.00
2355	132mm	450mm	£30.00
2357	152mm	450mm	£31.00
2359	178mm	450mm	£45.00
2361	200mm	450mm	£49.00

Technical information and rates are subject to trade terms where applicable

CORDLESS IMPACT WRENCH



A powerful cordless impact wrench with ½" drive.

- Full hammering frequency 3400 impacts/minute
- 3 speed settings
- Tightening standard bolts max diameter 16mm



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
0470	SIW14-A	93	7.5	14v	2kg	£33.00	£44.00	£55.00

CORDLESS DRILL



SDS hammer for drilling concrete, stone, masonry and also metals and wood.

- Ideal when working away from power supply
- Drill bits available to purchase
- Versatile drill
- Drills holes up to 20mm in diameter in concrete
- 35mm in diameter in wood, and 13mm in diameter in steel



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
0128	TE6-A (Li-ion)	99	9	36v	4.7kg	£53.40	£71.20	£89.00

Technical information and rates are subject to trade terms where applicable

LIGHT DUTY ROTARY HAMMER DRILL



Ideal for light/medium duty drilling in concrete, stone and masonry. Also suitable for light chiselling on brick, block or concrete.

- Variable speed for screw driving with clutch for safety

WOOD:	32mm (Dia.)
CONCRETE:	25mm (Dia.)
STEEL:	13mm (Dia.)



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
0392	TE30 C-AVR	100	12	110v	4.2kg	£47.40	£63.20	£79.00

MEDIUM DUTY ROTARY HAMMER DRILL



Suitable for drilling in concrete, stone and masonry.

- Hammer drilling in concrete, masonry and natural stone up to 24mm
- Light chiselling work on concrete and masonry

MAX DRILL:	24mm
------------	------



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
0171	TE40-AVR	105	10.7	110v	6kg	£46.80	£62.40	£78.00

Technical information and rates are subject to trade terms where applicable

HEAVY DUTY ROTARY HAMMER DRILL



Designed for drilling in concrete, stone and masonry as well as heavy chiselling in concrete.

- Breaks up to 100mm thick concrete
- Various points, chisels & drills available for hire or purchase
- Resharpener charges applicable

CONCRETE OR MASONRY: 40mm drill (Dia)
CONCRETE: 100mm breaking



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	VIBRATION LEVEL M/S ²	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
0121	TE80 C-ATC	100	8.8	110v	11kg	£50.40	£67.20	£84.00

DUST EXTRACTION UNIT



For use with a wide range of surface preparation equipment where keeping dust to a minimum is critical or where hazardous or toxic debris is being collected.

- Anti-static safe bagging system
- Three powerful motors
- Swivel castors for extra manoeuvrability
- Ideal for decontamination projects when used with Hepa filters
- Automatic filter cleaning



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
1393	HILTI VC-20UM	74	110v	14kg	£96.00	£128.00	£160.00

Technical information and rates are subject to trade terms where applicable

DIESEL COMPRESSORS



- Road towing
- Quiet running
- Fuel efficient
- Portable
- Simple key start sequence
- Larger sizes available on request



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	POWER	WEIGHT
S219307	Single Tool	99	Diesel	430kg
S219308	Twin Tool	99	Diesel	535kg

DEMOLITION PICK



Ideal for horizontal work in brick, mortar and light concrete. It is a popular choice for renovation, demolition and structural alteration jobs.



See page 5 for further details

CODE

S342467



Technical information and rates are subject to trade terms where applicable

HEAVY DUTY DEMOLITION PICK



Demolition hammer for use on paths, roads and other hard work areas. Generates powerful blow rates, which make normally hard and intensive work very easy.

- Powerful blow rates
- Makes hard or intensive work easy



See page 5 for further details



CODE

S342468

AIR HOSE



- Flexible hose for connecting air tools and equipment



See page 5 for further details

CODE	ADDITIONAL INFORMATION
S342525	18mm x 14m
S342526	25mm x 14m
S342527	50mm x 14m

Technical information and rates are subject to trade terms where applicable



**POWER IT
& LIGHT IT**

GENERATORS



A range of portable power generators available for site work. Only use in well ventilated areas.

- TIN12 Generators suitable for use with fusion machines
- Petrol and diesel models available
- Robust frame
- Wheeled and easy to move
- Silenced option available

RUN TIME (APPROX)

5760	4kW 3.5 hour @ 75% load
5757	2.7kW 3 hour @ 75% load
5743	3.2kW 13 hour @ 75% load
5747	4.8kW 17 hour @ 75% load
5742	9.0kW 7 hour @ 75% load



See page 5 for further details

CODE	ADDITIONAL INFORMATION	POWER FACTOR	DECIBEL LEVEL	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
5760	5kVA TIN12- 690mm(L) x 480mm(W) x 540mm(H)	4.0kW	71 @7m	Petrol	70kg	£121.20	£161.60	£202.00
5757	3kVA - 610mm(L) x 420mm(W) x 410mm(H)	2.7kW	71 @7m	Petrol	38kg	£75.60	£100.80	£126.00
5743	4kVA - Silenced - 775mm(L) x 675mm(W) x 710mm(H)	3.2kW	71 @7m	Diesel	178kg	£132.00	£176.00	£220.00
5747	6kVA - Silenced - 1285mm(L) x 655mm(W) x 900mm(H)	4.8kW	66 @7m	Diesel	196kg	£175.20	£233.60	£292.00
5742	10kVA - Silenced - 1400mm(L) x 650mm(W) x 975mm(H)	9.0kW	68 @7m	Diesel	325kg	£231.00	£308.00	£385.00

SITE GENERATORS



Ensure suitable earth grounding is in place.

- Acoustic housing



See page 5 for further details



CODE	POWER FACTOR
S343151	20kVA
S343155	30kVA
S343161	45kVA 3 Phase
S343163	60kVA 3 Phase

What Size Generator Do I Need?

Power Factor is the true output of the generator. A 3kVA generator has a power factor of 2.7kw, or 2700w.

- Some common power tool products:**
- Heavy Rotary Hammer - 1150 watts
 - 125mm Mini Grinder - 1050 watts
 - Heavy Duty Breaker - 1700 watts
 - Submersible Pump - 400 watts

Therefore a 3kVA generator will run all of the above tools (individually).

TRANSFORMER



Convert power from 240v to 110v.

- Multiple outlets
- 16 and 32 amp outlets

SAFETY NOTES

5892
10kVA
Transformer

Must be hard wired in on site by a competent electrician. Comes with forklift points and lifting rings. Protected by MCB's



See page 5 for further details

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	DIMENSIONS	FIRST DAY	TWO DAY	WEEK
5860	3kVA	240v	18kg	190mm(L) x 240mm(W) x 260mm(H)	£15.00	£20.00	£25.00
6394	3kVA Vented for Heaters & Dehumidifiers	240v	35Kg	220mm(L) x 280mm(W) x 380mm(H)	£33.00	£44.00	£55.00
5885	5kVA - 3kVA Continuous	240v	40kg	315mm(L) x 355mm(W) x 275mm(H)	£33.00	£44.00	£55.00
5892	10kVA Site Transformer	240v	86kg	545mm(L) x 430mm(W) x 370mm(H)	£58.80	£78.40	£98.00

4 WAY JUNCTION BOX



Allows up to four tools to be operated from a single power source.

- Rugged, weatherproof design
- Four 16 amp sockets

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
9982 or 9990	16amp, 3m Long Cable	110v	3kg	£16.80	£22.40	£28.00

Technical information and rates are subject to trade terms where applicable

EXTENSION REEL



- Dual outlet
- Completely uncoil before use
- Multiple outlets



See page 5 for further details

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
5942	25m Cable Length	110v	6kg	£13.50	£18.00	£22.50
5947	25m Cable Length	240v	6kg	£13.50	£18.00	£22.50

RCD CIRCUIT BREAKER



Essential for use with all 240v power tools and electrical equipment.

- Instantly cuts out if fault occurs

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
9989	13amp	240v	2kg	£10.50	£14.00	£17.50

Technical information and rates are subject to trade terms where applicable

FLUORESCENT UPLIGHT



Ideal for use as emergency or outside lighting.

- 36w fluorescent tube mounted on a self righting base
- Suitable for internal or external use
- High output, low energy light
- Ideal for plasterers

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
6085	Uplight Stick	110v	6kg	£31.20	£41.60	£52.00

FLUORESCENT TRIPOD LIGHT



Delivers shadow-free lighting for plastering, painting and decorating.

- Waterproof
- High impact
- Complete with linking sockets/power take-off

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
6080	2 x 110v 16amp power take off sockets	110v	9kg	£31.20	£41.60	£52.00

Technical information and rates are subject to trade terms where applicable

FLOODLIGHT



Halogen tripod mounted floodlights.

- High impact
- Dual power available



See page 5 for further details

CODE	ADDITIONAL INFORMATION	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
6070	500w single head	110v	6kg	£19.80	£26.40	£33.00
6096	5m tower light 4 x 500w heads	110v	33kg	£66.00	£88.00	£110.00

**BSS GIVES
YOU ACCESS
TO THE
TOP BRANDS!**



Technical information and rates are subject to trade terms where applicable



 **armorgard**
tuffbank™

**SECURE IT &
HANDLE IT**

ARMORGARD TUFFBANK TB2



- Heavy duty site security box
- Gas arms to assist lid opening & closing
- Twin 5 lever deadlocks
- Complete with wheels



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
9980	1275 x 665 x 660mm	89kg	£42.60	£56.80	£71.00

ARMORGARD TUFFBANK TBC4



- Heavy duty site security chest
- Gas arms to assist lid opening & closing
- Twin 5 lever deadlocks
- Complete with wheels



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
9981	1275 x 675 x 1270mm	159kg	£42.60	£56.80	£71.00

Technical information and rates are subject to trade terms where applicable

ARMORGARD BARROBOX BB2



- Secure mobile site box with retractable wheels
- Unique wheelwinder converts the box from mobile to static in seconds
- Twin 5 lever deadlocks, gas arms
- Ideal for keeping your tools close by your side



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
2601	740 x 1095 x 720mm	65kg	£22.05	£29.40	£37.00

ARMORGARD PIPESTOR PS3.0



- Ideal for securing long lengths of material
- Door on one end with a deadlock
- Mobile - fitted with 6 wheels
- Beats the 'copper thieves'!
- 6m model also available



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
2603	575 x 3205 x 785mm	130kg	£33.39	£44.52	£55.00
2109	Pipestore Extender Pack	133kg	£34.65	£46.20	£58.00

Technical information and rates are subject to trade terms where applicable

ARMORGARD FITTINGSTOR FC3



- Secure & mobile cabinet for storing fittings
- 15 individual compartment bins on 3 levels
- Storage section for other tools & equipment
- Twin 5 lever deadlocks



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
2602	1200 x 580 x 1750mm	160kg	£44.10	£58.80	£74.00

ARMORGARD MOBILE PIPE RACK PR2



- Tested & certified to take 2 tonnes
- Ideal for storing & transporting 3m lengths
- Keeps material off the floor
- Linking kit available for 6m lengths



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
2604	1000 x 1500 x 545mm	120kg	£36.54	£48.72	£60.00
2108	Linking kit	15kg	£26.46	£35.28	£44.00

Technical information and rates are subject to trade terms where applicable

ARMORGARD MOBILE TUFFBENCH BH1270M-W



- Sitebox & workbench in one - the perfect solution
- Fitted with heavy duty wheels
- Secure section underneath
- Wooden work surface



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
2205	1200 x 700 x 940mm	98kg	£67.41	£89.88	£112.50

FOR ALL YOUR HIRE NEEDS

0344 892 1878

Technical information and rates are subject to trade terms where applicable

ARMORGARD V-KART VK2




- Pipe Bogey 500kg SWL
- Rubber grips to hold the load
- 300mm diameter pneumatic wheels
- Robust construction



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
2202	850 x 800 x 450mm	33kg	£44.10	£58.80	£73.50

ARMORGARD BARRICADE BAR1



- Steel expandable safety barrier
- Expands up to 4m
- Heavy duty construction
- Fire resistant



See page 5 for further details

CODE	ADDITIONAL INFORMATION	WEIGHT	FIRST DAY	TWO DAY	WEEK
2203	450 x 300 x 950mm folded	25kg	£23.94	£31.92	£40.00

Technical information and rates are subject to trade terms where applicable

PALLET TRUCK



Hydraulic pallet truck



See page 5 for further details

CODE	SWL	WEIGHT	FIRST DAY	TWO DAY	WEEK
9829	2000kg	85kg	£46.80	£62.40	£78.00

GENIE SUPERLIFTS



Lightweight and portable materials lift. Extension forks, pipe cradles and drum carriers available at an additional cost.

- Suitable for construction and industrial site applications
- Ideal for drum stacking or pouring and loading/unloading of heavy materials
- To be used on smooth even ground



See page 5 for further details

CODE	ADDITIONAL INFORMATION	SWL	LIFT HEIGHT	WEIGHT	WIDTH	FIRST DAY	TWO DAY	WEEK
4299	SLA10	454kg	10ft	118kg	630mm	£127.20	£169.60	£212.00
4297	SLA15	363kg	15ft	144kg	630mm	£132.00	£176.00	£220.00
4300	SLA20	363kg	20ft	184kg	630mm	£138.00	£184.00	£230.00
4301	SLA25	295kg	25ft	204kg	630mm	£144.00	£192.00	£240.00

Technical information and rates are subject to trade terms where applicable



Pipeline & Heating Solutions

THE LARGEST RANGE OF VALVES IN
THE UK INCLUDING **OVER 13,000**
BOSS™ PRODUCTS IN STOCK
READY FOR YOU TO ORDER



Market leading quality
products with over
100 years experience



**GENERAL
EQUIPMENT**

VACUUM CLEANERS



We have a range of commercial vacuum cleaners for both wet and dry surfaces.

- 23 - 80 litre holding capacity available
- Ideal for a wide range of commercial and industrial applications
- Dust bags available in branch

CAPACITY	
7402	80 Litre
7398	Dry - 23 Litre, Wet - 15 Litre
7399	9 Litre



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	POWER	MOTOR	WEIGHT	FIRST DAY	TWO DAY	WEEK
7402	Dry 560(L) x 660(W) x 1075(H) mm	89	110v	Triple	32.5kg	£72.00	£96.00	£120.00
7398	Wet/Dry 415(L) x 415(W) x 645(H) mm	68	110v	Single	13.6kg	£72.00	£96.00	£120.00
7399	Henry-Dry 360(L) x 340(W) x 370(H) mm	72	110v	2 Speed	8.1kg	£72.00	£96.00	£120.00

INFRARED HEATER



Provides localised heat. Ideal for offices, shops, draughty locations and for drying out damp walls.

- Heat/energy is only released when it detects a solid mass
- Fume-free
- Fitted with wheels for ease of transportation
- If extension lead required, use maximum of 1 x 14m
- Only use 110v with 3kVA Continuous Vented Transformer – see page 97



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DIMENSIONS	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
6272	2 x 1.4kW Infrared Elements	500mm(L) x 460mm(W) x 1000mm(H)	110v / 240v	14kg	£69.60	£92.80	£116.00

Technical information and rates are subject to trade terms where applicable

DEHUMIDIFIER



Quickly and efficiently dries out buildings.

- Suitable for drying out areas after flooding or burst pipes
- Larger machines can extract up to 30 litres of moisture in 24 hours
- EC085 is insurance rated

TYPICAL EXTRACTION

6403	12 litres per day
6405	30 litres per day
6404	30 litres per day - Only use a 3kva Continuous Vented Transformer - see page 97



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	POWER	WEIGHT	FIRST DAY	TWO DAY	WEEK
6403	Small-EC70 508mm(H) x 305mm(D) x 305mm(W)	47	110v / 240v	25kg	£81.00	£108.00	£135.00
6405	EC0 85 700mm(H) x 480mm(W) x 390mm(D)	52	110v / 240v	42kg	£118.80	£158.40	£198.00
6404	Large-EC150 915mm(H) x 610mm(W) x 692mm(D)	73	110v / 240v	80kg	£118.80	£158.40	£198.00

FUME EXTRACTOR



Extractor for cooling, ventilation and fume extraction.

- Supplied with up to 15m of ducting
- Additional hose available



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	POWER	DIAMETER	WEIGHT	FIRST DAY	TWO DAY	WEEK
1359	Up to 3250m ³ /hr Flow Rate	70	110v	410mm(W) x 500mm(D) x 420mm(H)	12kg	£88.20	£117.60	£147.00

Technical information and rates are subject to trade terms where applicable

SUBMERSIBLE PUMP



Ideal for emptying deep clear water from drains, wells, basements and swimming pools.

- Electrically operated and fully submersible
- Features 12m head
- Additional hose lengths available



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	POWER	WEIGHT	DIMENSIONS	FIRST DAY	TWO DAY	WEEK
7469	250 Litres/minute Pump Speed. W/w 50mm x 6m Outlet Hose	65	110v	16kg	220(L) x 150(W) x 420(H) mm	£67.20	£89.60	£112.00

RESIDUE SUBMERSIBLE PUMP



Fully submersible electric pump will reduce water levels to within 2mm of the floor level.

- Maximum head 11m



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	POWER	WEIGHT	DIMENSIONS	FIRST DAY	TWO DAY	WEEK
7499	180 Litres/Minute Pump Speed. 25mm x 6m Outlet Hose	65	110v	15kg	167(L) x 167(W) x 370(H) mm	£67.80	£90.40	£113.00

Technical information and rates are subject to trade terms where applicable

CENTRIFUGAL PUMP



A pump that is versatile enough to cope with most water pumping jobs. Ideal for emptying swimming pools, foundations and flooded areas.

- Supplied complete with 6m suction hose and strainer
- Petrol and diesel engines available
- Extra hose available
- Lightweight
- Portable



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	POWER	WEIGHT	DIMENSIONS	FIRST DAY	TWO DAY	WEEK
7454	620 Litres/Minute Pump Speed	82	Petrol	24kg	362(L) x 468(W) x 415(H) mm	£66.00	£88.00	£110.00

NOISE REGULATIONS


Continuous exposure to excessive noise can damage your hearing permanently. By following the Control of Noise at Work Regulations and using the right ear defenders you can protect yourself.



Technical information and rates are subject to trade terms where applicable

Uponor

The Complete Project Solution



MLC Press-Fit

- Sizes 12mm to 110mm
- Suitable for 10 bar @ 80°C heating + 10 bar @ 70°C domestics
- Lightweight, formstable and easy to install
- No hot works required
- Applications include Healthcare/ Education/Residential

Q&E Shrink-Fit

- Sizes 12mm to 63mm
- Suitable for 6 bar @ 80°C heating + 6 bar @ 70°C domestics
- Lightweight and easy to install
- No hot works required
- Extensive range of manifolds available
- Applications include Healthcare/ Education/Residential



www.uponor.co.uk



**BUILDING &
CONTRACTING**

ANTI VANDAL SECURITY STORES



Full steel, secure storage containers.

- Hardwood floors
- Swing cargo doors
- Comes with racking or shelving if required



CODE	DIMENSIONS
S344154	10' x 8'
S344155	12' x 8'

CODE	DIMENSIONS
S344156	16' x 8'
S344157	21' x 9'

CODE	DIMENSIONS
S344158	24' x 9'
S344159	32' x 10'

ANTI VANDAL CANTEN UNITS



Steel accommodation unit that is ideal for use on sites where temporary accommodation and cooking facilities are required.

- Can be supplied with oil filled radiators, water heater, worktops, sink unit, cooker and fridge



CODE	DIMENSIONS
S344121	10' x 8'
S344122	12' x 8'

CODE	DIMENSIONS
S344123	16' x 8'
S344124	21' x 9'

CODE	DIMENSIONS
S344125	24' x 9'
S344126	32' x 10'

Technical information and rates are subject to trade terms where applicable

ANTI VANDAL OFFICE UNITS



Secure steel portable office range combining the strength and security of steel, whilst giving the space and comfort of more traditional portable offices.



CODE	DIMENSIONS
S344111	10' x 8'
S344112	12' x 8'

CODE	DIMENSIONS
S344113	16' x 8'
S344114	21' x 9'

CODE	DIMENSIONS
S344115	24' x 9'
S344116	32' x 10'

PORTABLE TOILET



Range of portable toilet units available for use on building sites, outdoor events or other locations where temporary toilet facilities are required.

- Mains fed and self contained units available



CODE	DIMENSIONS
S288352	4' x 4'

Technical information and rates are subject to trade terms where applicable

SOUNDEX ACOUSTIC CURTAINS



Soundex 'H' type Acoustic Curtains can be used for suspending of HERAS fencing or scaffolding for internal and external applications. Three 'H' type curtains are required for each standard fence panel.

- Lightweight
- High acoustic efficiency, up to 32dB reduction
- Weatherproof
- Flame retardant



CODE	ADDITIONAL INFORMATION
S111176	'H' type curtain
S111177	Quilt

TRAFFIC LIGHTS



For use where temporary traffic management is required. 2 way radios.

- Range up to 3km
- 24 channels
- Rechargeable- 11 hour use
- Durable and robust



See page 5 for further details

CODE	ADDITIONAL INFORMATION
S343665	2 Way Set
S888817	3 Way Set

CODE	ADDITIONAL INFORMATION
S888818	4 Way Set
S343666	Acoustic Set

CODE	ADDITIONAL INFORMATION
S343667	Silent Knight Light
S343668	Traffic Light Set LPG
S343316	2 Way Radios

Technical information and rates are subject to trade terms where applicable

TELEHANDLERS



For onsite lifting and material requirements, such as placing bricks, roofing materials and trusses.



See page 5 for further details

CODE	ADDITIONAL INFORMATION
S267987	5m 4W/D
S267988	7m 4W/D

CODE	ADDITIONAL INFORMATION
S267989	9m 4W/D
S342081	12m 4W/D

CODE	ADDITIONAL INFORMATION
S267990	13m 4W/D
S267991	14m 4W/D
S342090	17m 4W/D

DIESEL BOWSERS



Recommended for refuelling of site equipment.

- Fully bunded
- Legal for towing up to 950 litres of diesel on the road



See page 5 for further details

CODE	ADDITIONAL INFORMATION
S342544	250G Site Tow
S342545	250G Highway Tow

CODE	ADDITIONAL INFORMATION
S342548	500G Site Tow
S342549	500G Highway Tow

Technical information and rates are subject to trade terms where applicable



**THE RIGHT TOOL
DELIVERED TO YOU**



PS5000

**EXCAVATORS
& DUMPERS**

MINI EXCAVATORS



A tracked mini excavator which is suitable for all trenching work up to a depth of 2m.

- Various bucket sizes available: 300mm, 450mm and 600mm
- Models available to dig up to 2044mm in depth

Various bucket sizes available on request



See page 5 for further details

CODE	ADDITIONAL INFORMATION	DECIBEL LEVEL	POWER	OPERATING WEIGHT	DIMENSIONS	FIRST DAY	TWO DAY	WEEK
S218001	0.75t	90	Diesel	950kg	2310mm(H) x 700mm(W) x 2682mm (L) with dipper (1165mm(L) without)	£288.00	£384.00	£480.00
S218002	1.5t	94	Diesel	1634kg	2318mm (H), 980mm (W), 3346mm (L) with dipper (1384mm (L) without)	£307.20	£409.60	£512.00

SKIDSTEER LOADER



Fixed frame and 4-wheel drive enable the Skidsteer Loader to turn 360° within its own length, making it ideal for loading vehicles in tight areas.

CODE	ADDITIONAL INFORMATION
S268038	1.0t

*Subject to trade terms where applicable

CODE	ADDITIONAL INFORMATION
S268039	1.6t
S268040	2.4t

Technical information and rates are subject to trade terms where applicable

ACCESSORIES FOR SKIDSTEER LOADER

**HIRE-IT
EXTRA**



See page 5 for further details

CODE	ADDITIONAL INFORMATION
S268043	Pallet Forks
S268041	4 in 1 Bucket

CODE	ADDITIONAL INFORMATION
S268045	Auger Attachment
S268044	Brush Attachment

CODE	ADDITIONAL INFORMATION
S268042	Muck Fork & Grapple
S268046	Planer Attachment

DUMPERS



Range of 4-wheel drive, diesel powered dumpers suitable for moving materials around a range of job sites.

- 4-wheel drive
- Suitable for use on construction sites and large landscaping jobs
- Swivel action allows for use in tight locations



See page 5 for further details

CODE	ADDITIONAL INFORMATION
S267485	3t Swivel Diesel

CODE	ADDITIONAL INFORMATION
S267499	6t Swivel Diesel
S267503	9t Diesel

Technical information and rates are subject to trade terms where applicable

DOUBLE DRUM RIDE-ON ROLLERS



Powerful ride-on-rollers available for compacting on larger applications including paths and roads.



See page 5 for further details

CODE	ADDITIONAL INFORMATION
S268061	800mm rolling width
S268065	1200mm rolling width

NOISE REGULATIONS

Continuous exposure to excessive noise can damage your hearing permanently. By following the Control of Noise at Work Regulations and using the right ear defenders you can protect yourself.



Technical information and rates are subject to trade terms where applicable



**WASTE
MANAGEMENT**

WASTE MANAGEMENT SOLUTIONS



Range of skips sizes available for a wide variety of waste categories and applications.

Suitable for almost any general and non hazardous waste requirements, range of sizes available as well as wait and load services, tipper vehicles and roll on roll off skips.

- Road permitting service available

CODE	ADDITIONAL INFORMATION
S517194	Small (2-3 yards)
S517218	Medium (3.5-4 yards)
S517231	Builder (5-6 yards)
S517244	Large Builder (7-8 yards)
S517247	Roll on/off (15-20 yards)
S517248	Roll on/off (25-30 yards)
S517252	Roll on/off (35-40 yards)

Muckaway Service Available

A professional service to collect and dispose of waste material when a single or multiple skips will not suffice. Grab and Tipper lorries are available, however please note a Tipper lorry will need to be loaded by an excavator (please see page 122 for excavators).

SIZE	SUITABLE FOR
2 – 3 yards (approx 20 – 30 black bin bags)	Low volume waste projects such as kitchen and bathroom refits
3 – 4 yards (approx 30 – 40 black bin bags)	Medium volume waste projects such as shop refits and small building projects
6 – 8 yards (approx 50 – 60 black bin bags)	Very economical skip, the type usually seen on the road side. Suitable for most waste including heavy waste
10 – 14 yards (approx 70 – 80 black bin bags)	For larger projects and commercial work. Not suitable for heavy waste such as soils

Technical information and rates are subject to trade terms where applicable

WAIT AND LOAD SERVICE



This option is suitable for sites where a skip permit may be difficult to obtain or on sites where waste disposal is highly restrictive.



SIZE	SUITABLE FOR
Up to 40 yards	Shop fitters, property developers, builders and contractors on urban sites

ROLL ON ROLL OFF SKIPS



Available as open/enclosed and compactor bins.



SIZE	SUITABLE FOR
Up to 15-40 yards	Large industrial jobs such as building waste, packaging waste and recyclables such as cardboard, paper, wood, metals and plastics.

Technical information and rates are subject to trade terms where applicable

HIPPOBAGS

You can position it up to 4m from the roadside and start filling it straight away.

All common waste types accepted; but if you have any further queries, please email us at:

wastemanagement@bssgroup.com

Bags can be collected from behind walls and fences provided they are less than 6ft tall and we can gain access to the bag.

Arrange a collection and get a quote, call

0344 892 2575

All Hippobags will be collected within 5 days of the booking

You don't even need to be in, providing access is available to the bag.



MIDIBAG



- 1 cubic yard
- 90 x 90 x 90cm
- Holds up to 1 tonne
- Ideal for household, garden and general building waste
- Perfect for the segregation of waste on larger building sites

SIZE	WEIGHT ALLOWED
1 yd ³ 90cm x 90cm x 90cm	1 tonne

Technical information and rates are subject to trade terms where applicable

MEGABAG



- 1.5 cubic yards
- 180 x 90 x 70cm
- Holds up to 1.5 tonnes
- Takes an entire bathroom suite

SIZE	WEIGHT ALLOWED
1.5 yd ³ 180cm x 90cm x 90cm	1.5 tonnes

HIPPOSKIP



- 4.5 cubic yards
- 210 x 165 x 100cm
- Holds up to 1.5 tonnes
- Ideal for bulky, light waste - will contain the waste from a standard kitchen rip-out

SIZE	WEIGHT ALLOWED
4.5yd ³ 210cm x 165cm x 100cm	1.5 tonnes

Technical information and rates are subject to trade terms where applicable

WHEELIE BINS



We hire a range of bins to suit your needs, from 2 wheel, workplace varieties to larger front end loading units. Suitable for general waste, dry mixed recycling, paper, card and plastic, food waste, compactible building waste. Not suitable for hazardous waste.



SIZE	HEIGHT	WIDTH	DEPTH
240 ltrs	1.10m	0.60m	0.75m
1100 ltrs	1.37m	1.28m	0.98m

FRONT END LOADERS



Front End Loaders are lockable steel bins with easily operated lids, providing significant accessibility advantages. These are static bins and are not easily moved without industrial lifting equipment. Designed for significant volumes of waste, Front End Loaders are suitable for General Waste, Dry Mixed Recycling, Paper, Card, Plastic and Compactible waste on a scheduled collection round. Ranging from 4m³ to 12m³ in size.



CAPACITY	DIMENSIONS
350kg - 400kg limit - Around 50 black bags	6.1 Cubic metre FEL (2.45 x 1.87 x 1.89)
350kg - 400kg limit - Around 50 black bags	4 Cubic metre FEL (1.96 x 1.87 x 1.89)

Technical information and rates are subject to trade terms where applicable

BRANCH DIRECTORY

BRANCH	ADDRESS	POSTCODE	TELEPHONE
Aberdeen	Unit 5a, South Middleton Base, Greenwell Road, East Tullos Industrial Estate, Aberdeen	AB12 3AX	01224 292 920
Barking*	Unit 5, New England Trading Estate, Gascoigne Road, Barking	IG11 7NZ	0208 477 8888
Birmingham Minworth*	Unit E2, Stockton Close, Minworth Trading Estate, Minworth, Birmingham	B76 1DH	0121 313 0835
Birmingham Smethwick	Units 2 & 4 Crystal Drive, Sandwell Business Park, Smethwick, West Midlands	B66 1QG	0121 543 2818
Borehamwood*	Chester Road, Borehamwood, Hertfordshire	WD6 1LT	0208 327 4100
Bournemouth*	Unit 3B, Broom Road Business Park, Broom Road, Poole	BH12 4PA	01202 711 300
Brentford	Transport Avenue, Brentford, Middlesex	TW8 9HF	0208 232 2770
Bristol	Albert Road, St Philips, Bristol	BS2 0BS	0117 972 7930
Cambridge	Units 6-8, College Business Park, Coldhams Lane, Cambridge	CB1 3HD	01223 404 030
Cardiff	Unit 3, Trident Trade Park, Glass Avenue, Ocean Way, Cardiff	CF24 5EP	02920 432 440
Carlisle*	Unit 2A, Port Road Business Park, Carlisle	CA2 7AF	01228 517 600
Colchester*	Unit 6, Smeaton Close, Severalls Industrial Park, Colchester, Essex	C04 9QY	01206 754 720
Coventry*	Unit 17 Maguire Industrial Estate, 219 Torrington Avenue, Coventry	CV4 9HN	02476 694 744
Crawley*	Unit 2, Whittle Road, Crawley	RH10 9RW	01293 610 170
Croydon*	Units 3-4, Ashworth Industrial Estate, Beddington Lane, Croydon	CR0 4YZ	0208 662 2300
Dartford*	Unit 11 Orbital One, Green Street Green Road, Dartford, Kent	DA1 1QG	01322 289 039
Derby	Riverside Road, Pride Park, Derby	DE24 8HH	01332 685 616
Dundee*	Unit 1-3, Rutherford Road, Dryburgh Industrial Estate, Dundee	DD2 3XH	01382 823 700
Edinburgh	Unit 2A, Pentland Industrial Estate, Loanhead, Midlothian, Edinburgh	EH20 9QH	01314 405 920
Exeter*	Unit 6 Otter Court, Manaton Close, Matford Business Park, Exeter	EX2 8PF	01392 457 500
Glasgow	Unit A, 91 Vermont Street, Kinning Park, Glasgow	G41 1LU	0141 418 4422
Gloucester	Unit C1, Eastbrook Road, Gloucester	GL4 3DB	01452 872 220
Grimsby*	Appian Way, Europa Park, Grimsby	DN31 2FD	01472 265 100
Hull	Copenhagen Road, Sutton Fields Industrial Estate, Hull	HU7 0YH	01482 625 815
Inverness*	25 Harbour Road, Inverness	IV1 1SY	01463 701 810
Kings Cross	Unit 2, 1 Brewery Road, Islington, London	N7 9QJ	0207 619 7626
Leeds	Unit 5, City Park Industrial Estate, Gelderd Road, Leeds	LS12 6DR	0113 203 2230
Leicester*	66 Cobden Street, Leicester	LE1 2LB	0116 242 7800
Lewes	Unit 5, Southdown Business Park, Brooks Road, Lewes, East Sussex	BN7 2FB	01273 485 010
Lincoln*	Units 3/4 Crofton Drive, Allenby Industrial Estate, Lincoln	LN3 4NR	01522 565 700

BRANCH	ADDRESS	POSTCODE	TELEPHONE
Liverpool	82/94 Great Howard Street, Liverpool	L3 7AX	0151 482 2520
London Docklands*	Units 6 & 7, Thomas Road Industrial Estate, Limehouse, London	E14 7BN	0207 531 3900
Luton	Unit 1A, Multi Trade Park, 214 Dallow Road, Luton	LU1 1SR	01582 875 620
Maidstone	Unit 5, Wood Close, Quarry Wood Industrial Estate, Aylesford, Kent	ME20 7UB	01622 713 626
Manchester	Unit 1 Columbus Way, Off Broadway, Salford, Manchester	M50 1UU	0161 888 6450
Newcastle	Sanderson Street, Newcastle-upon-Tyne	NE4 7PJ	0191 256 5130
Northampton*	Riverside Way, Bedford Road, Northampton	NN1 5NX	01604 251 400
Norwich	Unit 13, Alston Road, Hellesdon Park Industrial Estate, Norwich, Norfolk	NR6 5DS	01603 253 211
Nottingham*	Unit 3, Longwall Avenue, Queens Drive Industrial Estate, Nottingham	NG2 1NA	0115 943 5900
Oldham*	Constantine Street, Oldham, Lancashire	OL4 3AD	0161 624 4621
Oxford*	Unit C Taurus, Peterley Road, Horspath Industrial Estate, Cowley, Oxford	OX4 2TZ	01865 398 870
Peterborough*	Unit 2a, Centurion Business Centre, Sturrock Way, Bretton, Peterborough	PE3 8YB	01733 336 000
Plymouth	Block G, St.Modwen Road, Parkway Industrial Estate, Plymouth, Devon	PL6 8LH	01752 675 320
Portsmouth*	Unit D4 Discovery, Voyager Park, Portfield Road, Airport Industrial Estate, Hilssea, Portsmouth	P03 5FL	02392 658 740
Preston*	Units 1 & 2, Brookfield Street, Preston	PR1 1NR	01772 557 800
Reading	Units A2 & A3, Worton Drive, Worton Grange Industrial Estate, Reading	RG2 0TG	0118 923 8930
Romford	King George Close, Eastern Avenue West, Romford, Essex	RM7 7PS	01708 771 818
Sheffield	Unit 15, Oakham Drive, Parkwood Industrial Estate, Sheffield	S3 9QX	0114 289 3929
Slough*	557 Ipswich Road, Slough, Berks	SL1 4EP	01753 537 999
Southampton	Unit 1A, Parham Drive, Boyatt Wood Trading Estate, Eastleigh, Hampshire	SO50 4NU	02380 683 730
Stockton	Teesway, North Tees Industrial Estate, Stockton on Tees	TS18 2RS	01642 665 525
Stoke*	Units 6 & 7, Etruria Trading Estate, Etruria Way, Basford, Stoke on Trent	ST4 6JQ	01782 382 382
Swansea*	Unit 2, Century Park, Swansea Enterprise Park, Swansea	SA6 8RP	01792 762 300
Swindon*	Unit 4A, Euroway Industrial Estate, Blagrove, Swindon	SN5 8YW	01793 601 500
Wandsworth*	Unit 5, 307-309 Merton Road, Wandsworth, London	SW18 5JS	0208 877 9191
Wigan*	Unit 2, Lockflight Buildings, Wheatlea Industrial Estate, Wheatlea Road, Wigan	WN3 6XP	01942 405 540
Wirral*	Rossmore Road East., Rossmore Industrial Estate, Ellesmere Port, Wirral, Cheshire	CH65 3DD	0151 348 5400

Alternatively, you can call 0344 892 1878 or visit us online at www.bssindustrial.co.uk

*Order by 5pm for next day delivery / collection

NATIONAL COVERAGE

Next day delivery and collection available from every branch



SAFEHIRE & HIRE ASSOCIATION EUROPE MEMBER



BSS is accredited with the Contractors Health and Safety Assessment Scheme (CHAS) having demonstrated compliance with, and sound management of, basic health and safety legislation in organisational management standards, management functions, management processes and systems and customer service & safe provisions.



Details of the accreditation can be found at www.safehire.org.uk

Organisational Management Standards

- Organisational management & corporate social responsibility
- Risk management
- Financial control

Management Processes & Systems

- Quality management
- Occupational health
- Sustainability
- Health, safety & welfare
- Environmental impacts
- Document control & data protection

Management Functions

- Responsibilities & accountability (all employees)
- Training & development
- Managing employees
- Communication

Customer Service & Safe Provision

- Customer service standards
- Control of hazardous substances
- Supply of hire equipment (point of hire)
- Transport & distribution

INDEX

A

Accessories for Skidsteer Loader	123
Air Compressors	63
Air Hose	94
Aluminium Pipe Wrench	31
Angle Grinders	37

B

Barricade	106
Barrobox	103
Boom Lifts -	
Bi-Fuel	78 - 79
Diesel	80 - 81
Boss Alloy Towers	66
Boss Alloy Towers - AGR	67
Builders Steps GRP	69
Butt Fusion Hot Plate	57
Butt Fusion Machines	57

C

Cameras	63
Canteen Units	116
Cast Iron Pipe Cutter	40
Chain Vice	29
Chain Wrench	32
Chop Saw	38
Clamps	55
Cleaning - Vacuum	110
Combination Ladders	68
Cutting Station	39

D

Dehumidifier	111
Demolition Picks	93 - 94
Diesel Bowsers	119
Diesel Compressors	93
Drills -	
Cordless	90
Diamond Core	89
Dry Diamond	88
Dry Cut Saw	35
Dumpers	123
Dust Extraction Unit	92

E

Electrofusion Control Unit	54
Electro-Hydraulic Heavy Duty Pipe Cutter	39
Enfusion	58
Engineers Vice	29
Exact Pipecut	36
Expander Tool Sets	52
Extension Reel	98

F

FittingStor	104
Floodlight	100
Fluorescent Tripod Light	99
Fluorescent Uplight	99
Flushing Units	61
Folding Indoor Scaffold	71
Front End Loaders	130
Fume Extractor	50, 111

G

G Clamp	55
Generators	96
Genie Superlifts	107
Grinders	37
Groove In-Place	45, 48

H

Handheld Threaders	22 - 23
Heating - Infrared	110
Heating System Power Flush Unit	61
Hippobags	128 - 129
Hipposkip	129
Hole Cutter	37

I

Impact Wrench	90
Industrial Builders Steps	68
Infrared Heater	110
Inspection Cameras	63
Instaflex Machine	58

J

Junction Box, 4 Way	97
---------------------	----

L

Low Level Access	82 - 84
------------------	---------

M

Manual Pipe Cutters	40
Megabag	129
Midibag	128
Mini Excavators	122
Mini Grinder	37
Mobile Pipe Rack	104
Mobile Tuffbench	105
Multilayer Pipe Cutter	38

O

Office Units	117
--------------	-----

P

Pallet Truck	107
Peco Lift	84
Pipe Benders	44
Pipe Bogey	106
Pipe Cutters	36, 40
Pipe Freezer Kits	60
Pipe Rack	104
Pipe Supports	25
Pipe Wrench	31
PipeStor	103
Pipework and Operating Shelter	56
Podium Steps	70
Portable Toilets	117
Press Tools	7 - 20
Pressure Test Pumps -	
Electric	62
Manual	62
Pump -	
Centrifugal	113
Submersible	112
Submersible Residue	112

R

RCD Circuit Breaker	98
Reciprocating Saws	34 - 35
Rehau Expansion Tools	53
Restraining Clamps	55
Roll Groovers -	45 - 48
Heavy Duty	47
Portable	47
Roll on Roll off Skips	127
Rollers - Double Drum Ride-On	124
Rotary Hammer Drills -	
Heavy Duty	92
Light Duty	91
Medium Duty	91
Rotary Pipe Scraper	54

S

Saw -	
Bench Top Cut Off	38
Reciprocating	34 - 35
Scissor Lifts -	
Diesel	76 - 77
Electric	74 - 75
Security Stores	116
Siphonic Drainage	56
Site Boxes	102 - 103
Skidsteer Loader	122
Solar Flushing Unit	61
Soundex Acoustic Curtains	118
Stairmax Tower	71

T

Telehandlers	119
Telescopic Folding Platforms	70
Threading Machines	21 - 25
Top-Screw Stand Chain Vice	30
Traffic Lights	118
Transformer	97
Tri-Stand Chain Vice	30
Tuffbanks	102
Tuffbench	28, 105

V

Vacuum Cleaner	110
Vehicle Mounted Platforms	85 - 86
Vices	29 - 30
V-Kart	106

W

Wait and Load Service	127
Waste Management Solutions	126
Welders -	48 - 49
Diesel	48
Inverter	49
Petrol	49
Welding Screen	50
Wheelie Bins	130
Workbench	28
Wrenches	31 - 32

TERMS & CONDITIONS

1 INTERPRETATION

1.1 In these conditions the following words have the following meanings:

"Contract" means a contract which incorporates these conditions and made between you and us for the hire of Hire Goods;

"Deposit" means any advance payment required by us in relation to the Hire Goods which is to be held by us as security;

"Force Majeure" means any event outside a party's reasonable control including but not limited to acts of God, war, flood, fire, labour disputes, strikes, sub-contractors, lock-outs, riots, civil commotion, malicious damage, explosion, terrorism, governmental actions and any other similar events;

"Hire Goods" means any machine, article, tool and/or device, together with any accessories specified in a Contract which are hired to you;

"Hire Period" means the period commencing when you hold the Hire Goods on hire (including Saturdays Sundays and Bank Holidays) and ending upon the happening of any of the following events: (i) the physical return of the Hire Goods by you into our possession; or (ii) the physical repossession or collection of Hire Goods by us;

"Liability" means liability for any and all damages, claims, proceedings, actions, awards, expenses, costs and any other losses and/or liabilities;

"Rental" means our charging rate for the hire of the Hire Goods which is current from time to time during the Hire Period;

"Services" means the services and/or work (if any) to be performed by us for you in conjunction with the hire of Hire Goods including any delivery and/or collection.

"We" or "us" means any member company of the Travis Perkins plc Group, as specified in the Contract and will include its employees, agents and/or duly authorised representatives;

"You" means the person, firm, company or other organisation hiring Hire Goods, and "your" shall be construed accordingly;

2 BASIS OF CONTRACT

2.1 Hire Goods are hired subject to them being available for hire at the time required by you. We will not be liable for any loss suffered by you because the Hire Goods are unavailable for hire where this is due to circumstances beyond our control.

2.2 If you are an individual and the hire would be covered by the Consumer Credit Act 1974 the Hire Period shall not exceed 3 months, after which time the Contract shall be deemed to have automatically terminated. Accordingly the hire of any Hire Goods is not covered by the Consumer Credit Act 1974.

2.3 Nothing in this Contract shall exclude or limit any of your statutory rights to the extent they may not be excluded or limited because you are acting as a consumer. Where you are acting as a consumer any provision which is marked with an asterisk (*) may, subject to determination by the Courts or any applicable legislation, have no force or effect and if any provision is under the applicable law of the Contract unenforceable in whole or in part or shall have no force or effect the Contract shall be deemed not to include such provisions but this shall not effect the enforceability of the remainder of the Contract. For further information about your statutory rights contact your local authority Trading Standards Department or Citizens Advice Bureau.

3 PAYMENT

3.1 The amount of any Deposit, Rental and/or charges for any Services shall be as quoted to you or otherwise as shown in our current price list from time to time. Where a Deposit is required, it must be paid in advance of you hiring the Hire Goods. We may also require an initial payment on account of the Rental in advance of you hiring the Hire Goods.

3.2 You shall pay to us the Rental, charges for any Services, and/or any other sums payable under the Contract at the time and in the manner agreed. Our prices are, unless otherwise stated, exclusive of any applicable VAT which you shall also be liable to pay.

3.3 Payments by you on time are an essential condition of the Contract. Payment shall not be deemed to be made until we have received either cash or cleared funds in respect of the full amount outstanding.

3.4 *If you fail to make any payment in full on the due date we may charge you interest (both before and after judgment) on the amount unpaid at the rate implied by law under the Late Payment of Commercial Debts (Interest) Act 1998 (where applicable) or at the rate of 4% above the base rate from time to time of National Westminster Bank plc whichever is higher. This interest shall be compounded with quarterly rests.

3.5 *You shall pay all sums due to us without any set-off, deduction, counterclaim and/or any other withholding of monies.

3.6 We may set a reasonable credit limit for you. We reserve the right to terminate or suspend the Contract if allowing it to continue would result in you exceeding your credit limit or the credit limit is already exceeded.

3.7 We reserve the right to store your credit card details on our password protected customer account system and further reserve the right to use such details to collect payment for future Rentals made by you.

4 RISK OWNERSHIP AND INSURANCE

4.1 Risk in the Hire Goods will pass immediately to you when they leave our physical possession or control.

4.2 Risk in the Hire Goods will not pass back to us until they are back in our physical possession. This shall apply even if we have agreed to cease charging the Rental.

4.3 Ownership of the Hire Goods remains with us at all times. You have no right, title or interest in the Hire Goods except that they are hired to you.

4.4 You must not deal with the ownership or any interest in the Hire Goods. This includes but is not limited to selling, assigning, mortgaging, pledging, charging, securing, hiring, withholding, exerting any right to withhold, disposing of and/or lending. However you may re-hire the Hire Goods to a third party with our prior written consent.

4.5 We may provide reasonably priced insurance in respect of the Hire Goods at additional cost to the Rental. Alternatively we may require you to insure the Hire Goods on such reasonable terms and for such reasonable risks as we may specify. The proceeds of any such insurance shall be held by you in trust for us and be paid to us on demand. You must not compromise any claim in respect of the Hire Goods and/or any associated insurance without our written consent.

5 DELIVERY, COLLECTION AND SERVICES

5.1 It is your responsibility to collect the Hire Goods from us and return them to us at the end of the Hire Period. If we agree to deliver or collect the Hire Goods to and/or from you, we will do so at our standard delivery cost and such delivery and/or collection will form part of the Services.

5.2 Where we provide Services the persons performing the Services are deemed to be your servants or agents and they are under your direction and control. You shall be solely responsible for any instruction, guidance and/or advice given by you to any such person and for any damage which occurs as a result of such person following your instructions, guidance and/or advice except to the extent that such person is negligent.

5.3 You will allow and/or procure sufficient access to and from the relevant site and sufficient unloading space, facilities, equipment and access to power supplies and utilities for our employees, sub-contractors and/or agents to allow them to carry out the Services. You will ensure that the site where the Services are to be performed is, where necessary, cleared and prepared before the Services are due to commence.

5.4 If any Services are delayed, postponed and/or cancelled due to you failing to comply with your obligations you will be liable to pay our additional standard

charges from time to time for such delay, postponement and/or cancellation except where you are acting as a consumer and the delay is due to a Force Majeure event.

6 CARE OF HIRE GOODS

6.1 You shall:-

- 6.1.1 not remove any labels from and/or interfere with the Hire Goods, their working mechanisms or any other parts of them and take reasonable care of the Hire Goods and only use them for their proper purpose in a safe and correct manner in accordance with any operating and/or safety instructions provided or supplied to you;
 - 6.1.2 notify us immediately after any breakdown, loss and/or damage to the Hire Goods;
 - 6.1.3 take adequate and proper measures to protect the Hire Goods from theft, damage and/or other risks;
 - 6.1.4 notify us of any change of your address and upon our request provide details of the location of the Hire Goods;
 - 6.1.5 permit us at all reasonable times to inspect the Hire Goods including procuring access to any property where the Hire Goods are situated;
 - 6.1.6 keep the Hire Goods at all times in your possession and control and not remove the Hire Goods from the United Kingdom without our prior written consent;
 - 6.1.7 be responsible for the conduct and cost of any testing, examinations and/or checks in relation to the Hire Goods required by any legislation, best practice and/or operating instructions except to the extent that we have agreed to provide them as part of any Services;
 - 6.1.8 not do or omit to do any thing which will or may be deemed to invalidate any policy of insurance related to the Hire Goods which is notified to you;
 - 6.1.9 not continue to use Hire Goods where they have been damaged and will notify us immediately if the Hire Goods are involved in an accident resulting in damage to the Hire Goods, other property and/or injury to any person;
 - 6.1.10 where the Hire Goods require fuel, oil and/or electricity ensure that the proper type and/or voltage is used and that, where appropriate, the Hire Goods are properly installed by a qualified and competent person; and
 - 6.1.11 ensure that any employees, agents or contractors that operate the Hire Goods are, if applicable, adequately and sufficiently qualified and trained to operate the Hire Goods in accordance with all current and applicable legislation.
- 6.2 The Hire Goods must be returned by you in good working order and condition (fair wear and tear excepted) and in a clean condition together with all insurance policies, licences, registration and other documents relating to the Hire Goods.

7 BREAKDOWN

- 7.1 Allowance will be made in the Rental for any non-use of the Hire Goods due to breakdown caused by an inherent fault and/or fair wear and tear on condition that you inform us as soon as practicable of the breakdown and we are unable to repair or replace the Hire Goods within a reasonable time.
- 7.2 You shall be responsible for all expenses, loss (including loss of Rental) and/or damage suffered by us arising from any breakdown of the Hire Goods due to your negligence, misdirection and/or misuse of the Hire Goods.
- 7.3 We will at our cost carry out all routine maintenance and repairs to the Hire Goods during the Hire Period and all repairs which are required due to fair wear and tear and/or an inherent fault in the Hire Goods. You will be responsible for the cost of all repairs necessary to Hire Goods during the Hire Period which arise otherwise than as a result of fair wear and tear, an inherent fault and/or our negligence while carrying out routine maintenance and/or repairs.
- 7.4 You must not repair or attempt to repair the Hire Goods unless authorised to do so by us in writing.

8 LOSS OR DAMAGE TO THE HIRE GOODS

- 8.1 If the Hire Goods are returned in damaged, unclean and/or defective state except where due to fair wear and tear and/or an inherent fault, you shall be liable to pay us for the cost of any repair and/or cleaning required to return the Hire Goods to a condition fit for re-hire and to pay the Rental, in accordance with clause 8.3, until such repairs and/or cleaning have been completed.
- 8.2 You will pay to us the new replacement cost of any Hire Goods, which are lost, stolen and/or damaged beyond economic repair during the Hire Period less the amount paid to us under any policy of insurance taken out in accordance with these conditions.
- 8.3 You shall pay the Rental up to and including the date you notify us that the Hire Goods have been lost, stolen and/or damaged beyond economic repair. From that date until we have replaced such Hire Goods you shall pay, as a genuine pre-estimate of lost rental profit, a sum as liquidated damages equal to two thirds of the Rental that would have applied for such Hire Goods for that period. We shall use our reasonable commercial endeavours to purchase replacements for such Hire Goods as quickly as possible using the monies paid under clause 8.2.

9 TERMINATION BY NOTICE

- 9.1 If the Hire Period has a fixed duration, subject to clause 10 neither we nor you may terminate the Contract before the expiry of that fixed period unless you and we agree.
- 9.2 If the Hire Period does not have a fixed duration either you or we may terminate the Contract upon giving to the other party any agreed period of notice.
- 9.3 If no period of notice has been agreed or specified you may terminate the Hire Period by the physical return of the Hire Goods to us and we may terminate the contract by giving not less than 14 days' notice to you.

10 DEFAULT

10.1 If you:-

- 10.1.1 fail to make any payment to us when due without just cause;
- 10.1.2 breach the terms of the Contract and, where the breach is capable of remedy, have not remedied the breach within 14 days of receiving notice requiring the breach to be remedied;
- 10.1.3 persistently breach the terms of the Contract;
- 10.1.4 provide incomplete, materially inaccurate or misleading facts and/or information in connection with the Contract;
- 10.1.5 pledge, charge or create any form of security over any Hire Goods, or cease or threaten to cease to carry on business, or propose to compound with your creditors, create a trust deed for your creditors, apply for an interim moratorium in respect of claims and/or proceedings, any distress/diligence, execution or other legal process is levied on any of your property, have a Bankruptcy Petition/Petition for Sequestration presented against you or you take or suffer any similar action in any jurisdiction;
- 10.1.6 being a company, cease or threaten to cease to carry on business, enter into voluntary or compulsory liquidation, have a receiver, administrator or administrative receiver or in the Republic of Ireland an examiner appointed over all or any of your assets, any attachment order/arrestment is made against you, any distress, execution or other legal process is levied on any of your property or you take or suffer any similar action in any jurisdiction;
- 10.1.7 appear reasonably to us due to your credit rating to be financially inadequate to meet your obligations under the Contract; and/or
- 10.1.8 appear reasonably to us to be about to suffer any of the above events;
then we shall have the right, without prejudice to any other remedies, to exercise any or all of the rights set out in clause 10.2 below.
- 10.2 If any of the events set out in clause 10.1 above occurs in relation to you then:-
 - 10.2.1 except where you are acting as a consumer we may enter, without prior notice, any of your premises (or premises of third parties with their consent) where Hire Goods may be and repossess any Hire Goods;
 - 10.2.2 we may withhold the performance of any Services and cease any Services in progress under this and/or any other Contract with you;
 - 10.2.3 we may immediately cancel, terminate and/or suspend without Liability to you the Contract and/or any other contract with you; and/or
 - 10.2.4 *all monies owed by you to us shall immediately become due and payable.

- 10.3 Any repossession of the Hire Goods shall not affect our right to recover from you any monies due under the Contract and/or any damages in respect of any breach which occurred prior to repossession of the Hire Goods.
- 10.4 Upon termination of the Contract you shall immediately:
- 10.4.1 return the Hire Goods to us or make the Hire Goods available for collection by us as requested by us; and
- 10.4.2 pay to us all arrears for Rentals, charges for any Services, and/or any other sums payable under the Contract.
- 11 LIMITATIONS OF LIABILITY**
- 11.1 *All warranties, representations, terms, conditions and duties implied by law relating to fitness, quality and/or adequacy are excluded to the fullest extent permitted by law.
- 11.2 *If we are found to be liable in respect of any loss or damage to your property the extent of our Liability will be limited to the retail cost of replacement of the damaged property.
- 11.3 Any defective Hire Goods must be returned to us for inspection if requested by us before we will have any Liability for defective Hire Goods.
- 11.4 *We shall have no Liability to you if, without just cause, any monies due in respect of the Hire Goods and/or the Services has not been paid in full by the due date for payment.
- 11.5 We shall have no Liability for additional damage, loss, liability, claims, costs or expenses caused or contributed to by your continued use of defective Hire Goods and/or Services after a defect has become apparent or suspected or should reasonably have become apparent to you.
- 11.6 You shall give us a reasonable opportunity to remedy any matter for which we are liable before you incur any costs and/or expenses in remedying the matter. If you do not do so we shall have no Liability to you.
- 11.7 *We shall have no Liability to you to the extent that you are covered by any policy of insurance arranged as a result of the Contract and you shall ensure that your insurers waive any and all rights of subrogation they may have against us.
- 11.8 We shall have no Liability to you for any of the following losses (whether direct or indirect):-
- 11.8.1 *consequential losses (including loss of profits and/or damage to goodwill);
- 11.8.2 economic and/or other similar losses;
- 11.8.3 special damages and indirect losses; and/or
- 11.8.4 business interruption, loss of business, contracts and/or opportunity.
- 11.9 *Our total Liability to you under and/or arising out of any Contract shall not exceed 5 times the amount of the Rental and charges for Services (if any) under that Contract or the sum of £1,000 (or Euro equivalent) whichever is the higher. To the extent that any Liability of us to you would be met by any insurance held by us then our Liability shall be extended to the extent that such Liability is met by such insurance.
- 11.10 Each of the limitations and/or exclusions in this Contract shall be deemed to be repeated and apply as a separate provision for each of:
- 11.10.1 Liability for breach of contract;
- 11.10.2 *Liability in tort (including negligence); and
- 11.10.3 *Liability for breach of statutory and/or common law duty; except clause 11.9 above which shall apply once only in respect of all the said types of Liability.
- 11.11 Nothing in this Contract shall exclude or limit our Liability for fraud, death or personal injury due to our negligence nor exclude or limit any other type of Liability which it is not permitted to exclude or limit as a matter of law.
- 12 GENERAL**
- 12.1 Upon termination of the Contract the provisions of clauses 3.2, 3.4, 3.5, 6.8.1, 8.2 and 8.3 shall continue in full force and effect.
- 12.2 Each hire of an item of Hire Goods shall form a distinct Contract which shall be separate to any other Contract relating to other Hire Goods.
- 12.3 You shall be liable for the acts and/or omissions of your employees, agents, and/or subcontractors as though they were your own acts and/or omissions under this Contract.
- 12.4 *You agree to indemnify and keep indemnified us against any and all losses, lost profits, damages, claims, costs (including legal costs on a full indemnity basis), actions and any other losses and/or liabilities suffered by us and arising from any breach of contract, any tortious/delictual act and/or omission and/or any breach of statutory duty by you.
- 12.5 *No waiver by us of any breach of this Contract shall be considered as a waiver of any subsequent breach of the same or any other provision. If any provision is held by any competent authority to be unenforceable in whole or in part the validity of the other provisions and the remainder of the affected provision shall be unaffected and shall remain in full force and effect.
- 12.6 We shall have no Liability to you for any delay and/or non performance of a Contract to the extent that such delay is due to any Force Majeure event. If we are affected by any such event then time for performance shall be extended for a period equal to the period that such event delayed such performance.
- 12.7 All third party rights are excluded and no third parties shall have any rights to enforce the Contract. This shall not apply to any finance company with whom we have an outstanding finance agreement relating to the Hire Goods. Such finance company shall, subject to our consent, have the right to enforce this Contract as if they were us. This Contract is governed by and interpreted in accordance with English law and we and you agree to submit to the non-exclusive jurisdiction of the English courts.
- 13 ADDITIONAL TERMS FOR WASTE DISPOSAL SERVICES**
- These additional terms shall apply to the hire of any article of waste disposal, including skips, bins, bags or other waste receptacles:
- 13.1 You shall be responsible for obtaining all necessary licences and permissions for the placing of the Hire Goods on any public land or other land not owned by you. You shall comply with all conditions of any licence and maintain such licence until the Hire Goods are removed by us (or our agent or subcontractor). In the event that we obtain a licence for you, you shall be responsible for complying with and maintaining that licence.
- 13.2 You shall ensure that adequate space is available for the delivery and collection of the Hire Goods. You shall not move the Hire Goods without our written permission.
- 13.3 You shall place adequate cones around any Hire Goods on public land and will ensure it is well lit after dark so as to avoid damage or injury to third parties so far as possible.
- 13.4 You shall ensure there is suitable access to the land on which the Hire Goods are to be placed and that the land is suitable to hold the Hire Goods when filled with waste and the vehicle delivering/collecting the Hire Goods. You shall ensure that all driveways and drains are adequately protected to prevent damage to them.
- 13.5 You must comply with all instructions and guidance given to you (or contained on the Hire Goods) as to the types of waste, maximum weight and fill level for the relevant Hire Goods. You shall not place any hazardous waste (including asbestos, gypsum, liquid waste, fridges, tyres and batteries) in any Hire Goods, unless we have agreed to take such waste in writing in advance.
- 13.6 You shall sign the waste transfer note declaring the type of waste, which will pass ownership of the waste to us (or our agent or subcontractor, as appropriate). You shall indemnify us, our agents and subcontractors against all cost and liabilities arising from the waste not being as described or agreed.
- 13.7 No fires shall be lit in the Hire Goods nor shall any corrosive acid, noxious substance, liquid cement or concrete be placed in the Hire Goods.

March 2018

HIRE-IT

TOOL & EQUIPMENT HIRE



DIRECT HIRE
0344 892 1878



DOWNLOAD THE APP ON
ANDROID, IPHONES AND IPADS



VISIT YOUR
LOCAL BRANCH



EMAIL US
HIREIT@BSSGROUP.COM

Registered Office: Lodge Way House, Lodge Way, Northampton, NN5 7UG Tel: 01604 752424

The information (including price) contained in this publication is believed to be correct and complete at the time of printing. Due to the limitations in the printing process images may not be representative of their true colours. Stock may vary from branch to branch and is subject to availability. All photographs are as a guide only and do not necessarily represent the products available. BSS reserves the right to change product details without prior notice.

Travis Perkins plc is the owner of the registered trademark BSS. E&OE. JB 1825082 BSSHIRE 01/18