

**HIRE-IT**

TOOL & EQUIPMENT HIRE



# **TOOL & EQUIPMENT HIRE** GUIDE 2020/21



0344 892 1878



[directhirebss@bssgroup.com](mailto:directhirebss@bssgroup.com)



[bssindustrial.co.uk](http://bssindustrial.co.uk)

# REASONS TO HIRE FROM BSS

### ONE STOP SHOP

BSS are able to support you with all site requirements, from pipe fitting and tooling to lifting and access.

### COST EFFECTIVE

For occasional use, it's much cheaper to hire than it is to buy. This is particularly important to smaller businesses where cashflow is tighter.

### EXPERT ADVICE

If you're not sure which tool is the right one, don't worry. We're experts at this and we can recommend the best product to get the job done.

### TOOL FAMILIARISATION

If you're not familiar with how to use the tool, you can get advice on how it works and how to get the best results from the tool.

### MAINTENANCE AND REPAIR

Getting a tool repaired or calibrated can mean being without it for some time. Hired tools are maintained for you and can be instantly replaced in case of breakdown.

### ADDITIONAL COVER FOR THEFT AND DAMAGE

Minimise the risk to your business. These items are expensive and sometimes do break down or get stolen or lost. Your hire agreement covers you against these problems.

### THE LATEST TECHNOLOGY

Some tools are regularly superseded by newer models. If you hire, you can be assured of the latest technology to make the job as easy as possible.

### 5 STAR SAFETY

Different tools require different PPE. With every hire, you can be assured that the right PPE is available to you as part of our 5 star safety guideline.

### NATIONAL COVERAGE

Our extensive branch network ensures national coverage for next day delivery or collection.

### NEXT DAY DELIVERY

We offer a next day delivery service on our hire products when ordered before 5pm.\*

### INDUSTRY ACCREDITATIONS

BSS ensure we're working to the highest standards by obtaining specific industry accreditations to support your business.

### SUSTAINABILITY

BSS are ever evolving to ensure we are sustainable in many areas across the business from recycling to vehicle emissions. We're also working with our partners to achieve this mutual goal.

### QUALITY TOOLS AND A YOUNG FLEET

Our tools are maintained to the highest quality with regular calibration and servicing as standard. We are constantly adding new products to our range reacting to customer demand and requirement.

\*subject to availability



**TOOL & EQUIPMENT HIRE**

# **WAYS TO HIRE**

**CALL OR EMAIL US  
CONTACT OUR DEDICATED HIRE TEAM**



**0344 892 1878**



**directhirebss@bssgroup.com**



## **YOUR LOCAL BRANCH**

*Drop into your local branch and  
speak to the experts face to face.  
Find your nearest branch on our website.*



## **VISIT US ONLINE**

*We know that getting a quote quickly helps  
with your workload, so now you can see the wide  
range of products available to hire from BSS on  
our website and you can build a quote basket online.  
Just select the products that you need, select the  
dates that you will need them for and add them to  
your basket.*

*The quotes go straight to our experts who are there  
to provide the best prices for you. With collection  
from your local branch or on site delivery available.*

**[WWW.BSSINDUSTRIAL.CO.UK](http://WWW.BSSINDUSTRIAL.CO.UK)**

## TOOL & EQUIPMENT HIRE

# ACCIDENTAL LOSS & DAMAGE WAIVER

**OUR ACCIDENTAL DAMAGE AND LOSS WAIVER  
OPTION PROVIDES YOU PROTECTION AND PEACE  
OF MIND AGAINST UNFORESEEN CHARGES.**

**15%** OF THE HIRE COST PROTECTS YOU AGAINST ANY ACCIDENTAL DAMAGE OR  
LOSS TO THE PURCHASE VALUE OF £50,000, PER CLAIM, PER INCIDENT.

**20%** OF THE HIRE COST PROTECTS YOU AGAINST ANY ACCIDENTAL DAMAGE  
OR LOSS TO THE PURCHASE VALUE BETWEEN £50,000 AND £100,000,  
PER CLAIM, PER INCIDENT. ABOVE £100,000 IS BY EXCEPTION ONLY AND MUST BE  
AGREED PRIOR TO ANY HIRE. ASK IN BRANCH FOR DETAILS.

## PEACE OF MIND, PROTECTION WITH EVERYTHING YOU HIRE

ALL CLAIMS ARE SUBJECT TO A CUSTOMER EXCESS PAYMENT. EXCESS  
IS CALCULATED AT 10% OF THE TOTAL CLAIM VALUE, WITH A MINIMUM  
EXCESS OF £100 AND UP TO A MAXIMUM OF £500.

STOLEN EQUIPMENT MUST BE NOTIFIED TO A BRANCH AND MUST  
INCLUDE THE NOTIFIED POLICE STATION AND CRIME REF NO.

### CASH CUSTOMER

- » Accidental Damage and Loss Waiver is automatically applied on all hires when the total value of the equipment exceeds £5,000.

### ACCOUNT CUSTOMERS

- » Accidental Damage and Loss Waiver will be automatically applied when the total value of equipment exceeds £5,000
- » Exception when self-insured
- » Valid insurance must be shown and have over 30 days renewal notice remaining.

Note: Claims could be rejected where inadequate preventative measures were not taken.  
Recovery charges incurred are not covered within the waiver scheme.  
Values are correct at time of print but may be subject to change.



# **CONTENTS**

<b>REASONS TO HIRE</b>	<b>02</b>
<b>WAYS TO HIRE</b>	<b>03</b>
<b>ACCIDENTAL LOSS &amp; DAMAGE WAIVER</b>	<b>04</b>
<b>5-STAR SAFETY SERVICE</b>	<b>06</b>
<b>PRESSING TOOLS</b>	<b>08</b>
<b>THREADING TOOLS</b>	<b>26</b>
<b>BENCHES, VICES &amp; WRENCHES</b>	<b>34</b>
<b>CUTTING &amp; PREPARATION TOOLS</b>	<b>42</b>
<b>BENDING, GROOVING &amp; WELDING TOOLS</b>	<b>52</b>
<b>FUSION &amp; EXPANSION TOOLS</b>	<b>62</b>
<b>INSPECTION &amp; TESTING KIT</b>	<b>72</b>
<b>ACCESS EQUIPMENT</b>	<b>78</b>
<b>POWERED ACCESS</b>	<b>86</b>
<b>DRILLING &amp; BREAKING EQUIPMENT</b>	<b>100</b>
<b>POWER &amp; LIGHTING</b>	<b>110</b>
<b>SITE STORAGE &amp; MOVING EQUIPMENT</b>	<b>118</b>
<b>GENERAL EQUIPMENT</b>	<b>126</b>
<b>BUILDING &amp; CONTRACTING</b>	<b>132</b>
<b>WASTE MANAGEMENT</b>	<b>144</b>
<b>BRANCH DIRECTORY</b>	<b>148</b>
<b>INDEX</b>	<b>150</b>
<b>TERMS &amp; CONDITIONS</b>	<b>152</b>

# **FIVE STAR SAFETY**

**SAFETY IS OUR TOP PRIORITY AT BSS. YOU CAN REST ASSURED THAT EVERY PIECE OF EQUIPMENT YOU HIRE FROM US HAS BEEN FULLY AND REGULARLY SERVICED, MAINTAINED AND TESTED**

**OUR STAFF ARE ALWAYS UP TO DATE WITH THE LATEST HEALTH & SAFETY LEGISLATION AND WILL BE PLEASED TO PROVIDE ALL THE SAFETY ADVICE AND GUIDANCE YOU NEED.**

## **OUR 5-STAR SAFETY SERVICE INCLUDES:**



**1**

**FAMILIARISATION  
OF EQUIPMENT  
CONTROLS AND  
FEATURES**



**2**

**FULL, WRITTEN  
SAFETY  
INSTRUCTIONS**



**3**

**PRACTICAL  
SAFETY ADVICE  
FOR USING YOUR  
HIRE TOOLS**



**4**

**GUIDANCE ON  
SAFETY CLOTHING  
AND PPE**



**5**

**CIRCUIT  
BREAKERS  
FOR ALL 240V  
EQUIPMENT**



### SAFETY HELMETS

Protection against overhead obstacles and moving objects



### EYE PROTECTION

A range of certified eye protection to EN 166B. Welding masks are supplied as standard with all welding equipment



### DUST/SPRAY MASK

Full range available, from fabric nuisance to fine particle filter



### EAR DEFENDERS

Both general purpose ear defenders and earplugs



### PROTECTIVE GLOVES

In all styles and materials to suit the job



### RESIDUAL CIRCUIT BREAKERS

For safer use of all 240V electrical tools



### PROTECTIVE FOOTWEAR

A range of styles and materials to suit the job and working conditions

## CHOOSING THE RIGHT PPE

Your safety is important, so we want to ensure you choose the right Personal Protective Equipment (PPE) for the tools you're working with. We have used the following symbols throughout this catalogue as a recommendation of the PPE we think you will need with each item. Your local branch can supply all of these items.



# PRESSING TOOLS



## **PRESSING TOOLS**

*Our nationwide Hire-It service means you can get hold of the tools you need to fit the products we sell. So whenever you're buying your tube, you can pick up a press tool to finish the job at the same time.*

*We offer a wide range of approved pressing tools with solutions for pressing copper, carbon steel, stainless steel and plastics.*

 **GEBERIT**

**PEGLER**   
Valve technology

**REMS**

**uponor**

  
CONNECT TO BETTER

**novopress**

## GEBERIT MAPRESS MINI BATTERY PRESS TOOL 15MM - 35MM



- » Suitable for use up to 35mm copper, steel, stainless steel and plastic pipe systems
- » LED Signal - under start button gives battery status information
- » Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen, tube cutter and deburrer
- » Compatibility 1



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2245	ACO 102 Press Tool	76	2.5	12v	7kg
2234	15mm - 35mm M Profile Jaw Set	-	-	-	6kg
2265	18mm M Profile Jaw	-	-	-	2kg

### OPTIONAL EXTRAS

2489	Cento pipe cutter 22mm-108mm	See page 46
2488	Cento pipe stand	See page 46
2508	Ball transfer stand	See page 32

## GEBERIT MAPRESS BATTERY PRESS TOOL 15MM - 67MM



- » Suitable for use up to 67mm copper, steel, stainless steel and plastic pipe systems
- » Status indicator provides you with current status of battery
- » Pressing speed significantly increased from that of older models for greater efficiency
- » Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen, tube cutter and deburrer
- » Compatibility 2



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2001	ACO 203 Press Tool	77	2.5	18v	7kg
2232	ACO 202 Press Tool	77	2.5	18v	7kg
2235 or 2210	15mm - 35mm M Profile Jaw Set	-	-	-	10kg
2238	42mm - 67mm M Profile Collar Set	-	-	-	5kg
2266	18mm M Profile Jaw	-	-	-	2kg

### OPTIONAL EXTRAS

2489	Cento pipe cutter 22mm-108mm	See page 46
2488	Cento pipe stand	See page 46
2508	Ball transfer stand	See page 32

## GEBERIT MAPRESS 110 VOLT PRESS TOOL 15MM - 67MM



- » Suitable for use up to 67mm copper, steel, stainless steel and plastic pipe systems
- » Powerful 450 Watt motor
- » Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen, tube cutter and deburrer
- » Compatibility 2



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2231	ECO 202 Press Tool	79	2.5	110V	6kg
2235 or 2210	15mm - 35mm M Profile Jaw Set	-	-	-	10kg
2266	18mm M Profile Jaw	-	-	-	2kg
2238	42mm - 67mm M Profile Collar Set	-	-	-	5kg

### OPTIONAL EXTRAS

2489	Cento pipe cutter 22mm-108mm	See page 46
2488	Cento pipe stand	See page 46
2508	Ball transfer stand	See page 32
5880	3KVA Transformer	See page 113

## GEBERIT MEPLA JAWS & COLLARS



- » Mepla jaws and collars suitable for use with the AC01, AC02 and ECO2 series pressing tools
- » Each mepla set comes complete with deburrer and marking pencil and tube cutter except 75mm which has no cutter
- » Compatibility 1 and 2



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2228	16mm - 40mm Mepla Jaw Set	11kg
2237	20mm - 50mm Mepla Jaw Set	12kg
2243	63mm Mepla Collar Set	9kg
2244	75mm Mepla Collar Set	9kg

### OPTIONAL EXTRAS

2509	15mm - 40mm Multilayer pipe cutter	See page 48
------	------------------------------------	-------------

■ GEBERIT

GEBERIT PRESSING  
TOOL TECHNOLOGY

# AN EASY AND RELIABLE INSTALLATION



**KNOW  
HOW  
INSTALLED**

Geberit provide pressing tools for pressing systems in 12-108mm. Pressing tools with highly efficient electro-hydraulic functions are recommended for quick and efficient results on all dimensions, hand-operated pressing tools are also available. With BSS you can claim £50 off a purchase or hire of Geberit Mapress tooling, when you spend £500 on Mapress pipe and fittings. Your £50 can be claimed back from Geberit. Please contact your local Geberit TSM for more information. Offer only valid when Geberit Mapress and tooling is purchased via BSS and the offer is valid for one claim only.

[geberit.co.uk/products/piping-systems-supply/geberit-pressing-tools/](http://geberit.co.uk/products/piping-systems-supply/geberit-pressing-tools/)

## GEBERIT MAPRESS 110 VOLT PRESS TOOL 15MM - 108MM



- » Suitable for use up to 108mm copper, steel, stainless steel and plastic pipe systems
- » Powerful 560 Watt motor
- » Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen, tube cutter and deburrer
- » Compatibility 3



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2233	ECO 301 Press Tool	75	2.5	110v	7kg
2236	15mm - 35mm M Profile Jaw Set	-	-	-	11kg
2267	18mm M Profile Jaw	-	-	-	2kg
2239	42mm - 67mm M Profile Collar Set	-	-	-	5kg
2240	76mm - 89mm M Profile Collar	-	-	-	7kg
2242	76mm - 108mm First Press Adaptor	-	-	-	5kg
2241	108mm M Profile Collar	-	-	-	11kg
2018	108mm second press adaptor	-	-	-	5kg

### OPTIONAL EXTRAS

2489	Cento pipe cutter 22mm-108mm	See page 46
2488	Cento pipe stand	See page 46
2508	Ball transfer stand	See page 32
5885	3 - 5KVA Continuous Transformer	See page 113

## GEBERIT MAPRESS BATTERY PRESS TOOL 15MM - 108MM



- » Suitable for use up to 108mm copper, steel, stainless steel and plastic pipe systems
- » Rotatable head, makes it easier to work in confined spaces
- » Finger protection and visual error indication for safe working
- » Each 15mm - 35mm jaw set comes complete with a depth guide, marker pen, tube cutter and deburrer
- » Compatibility 2 XL



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2318	ACO 203XL Press Tool	78	2.5	18v	7kg
2235 or 2210	15mm - 35mm M Profile Jaw Set	-	-	-	11kg
2266	18mm - M Profile Jaw	-	-	-	2kg
2238	42mm - 67mm M Profile Collar Set	-	-	-	5kg
2240	76mm - 89mm M Profile Collar	-	-	-	5kg
2241	108mm M Profile Collar Set	-	-	-	11kg
2007	67mm - 108mm First Press Adaptor	-	-	-	5kg
2008	108mm Second Press Adaptor	-	-	-	5kg

### OPTIONAL EXTRAS

2489	Cento pipe cutter 22mm-108mm	See page 46
2488	Cento pipe stand	See page 46
2508	Ball transfer stand	See page 32

## PRESSING TOOLS

### NOVOPRESS AC0103 BLUETOOTH PRESS TOOL 15MM - 35MM



- » Suitable for use up to 35mm copper, steel, stainless steel and plastic pipe systems
- » Powerful lithium-ion batteries
- » Status indicator with LED display
- » Bluetooth technology, data can be requested by the NovoCheck app
- » Compatibility 1



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
3000	AC0103 Bluetooth press tool	76	2.5	12v	7kg
2595	15 - 35mm jaw set M profile	-	-	-	6kg

### NOVOPRESS AC0203 BLUETOOTH PRESS TOOL 15MM - 54MM



- » Suitable for use up to 54mm copper, steel, stainless steel and plastic pipe systems
- » Powerful lithium-ion batteries
- » Status indicator with LED display
- » Bluetooth technology, data can be requested by the NovoCheck app
- » Compatibility 2



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
3002	AC0203 Bluetooth Press tool	89	2.5	18v	7kg
2596	15 - 35mm jaw set M profile	-	-	-	10kg
2597	42 - 54mm jaw set M profile	-	-	-	10kg

### NOVOPRESS AC0203XL BLUETOOTH PRESS TOOL 15MM -



- » Suitable for use up to 108mm copper, steel, stainless steel and plastic pipe systems
- » Powerful lithium-ion batteries
- » Status indicator with LED display
- » Bluetooth technology, data can be requested by the NovoCheck app
- » Compatibility 2 XL



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
3001	AC0203XL Bluetooth press tool	89	2.5	18v	7kg
2596	15 - 35mm jaw set M profile	-	-	-	10kg
2597	42 - 54mm jaw set M profile	-	-	-	10kg
2598	76-89mm collar	-	-	-	5kg
2530	108mm collar	-	-	-	11kg
2007	76 - 108mm First Press Adaptor	-	-	-	5kg
2008	108mm Second Press Adaptor	-	-	-	5kg

## NOVOPRESS AC0102 PRESS TOOL 15MM - 35MM



- » Suitable for use up to 35mm copper, steel, stainless steel and plastic pipe systems
- » Powerful lithium-ion batteries
- » Status indicator with LED display



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2220	AC0102 Press tool	76	2.5	12v	7kg
2595	15 - 35mm jaw set M profile	-	-	-	6kg

## NOVOPRESS AC0202 XL PRESS TOOL 15MM - 108MM



- » Suitable for use up to 108mm copper, steel, stainless steel and plastic pipe systems
- » Powerful lithium-ion batteries
- » Status indicator with LED display



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2221	AC0202 XL press tool	89	2.5	18v	7kg
2596	15 - 35mm jaw set M profile	-	-	-	10kg
2597	42 - 54mm jaw set M profile	-	-	-	10kg
2598	76-89mm collar	-	-	-	5kg
2530	108mm collar	-	-	-	11kg
2007	76 - 108mm First Press Adaptor	-	-	-	5kg
2008	108mm Second Press Adaptor	-	-	-	5kg

### OPTIONAL EXTRAS

2489	Cento pipe cutter 22mm-108mm	See page 46
2488	Cento pipe stand	See page 46
2508	Ball transfer stand	See page 32

## WAVIN TIGRIS K1 CALIBRATION TOOL



- » Suitable for Tigris K1 wavin multi-layer pipe
- » Tigris K1 pipe ends must be calibrated and deburred using the wavin calibration tool, the pipe can then safely inserted and connected to fittings
- » Calibration tool to be used prior to pressing with compatible jaws



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
3004	16mm - 32mm calibration set	1kg
3005	40mm calibration mandrel	0.5kg
3006	50mm calibration mandrel	0.5kg
3007	63mm calibration mandrel	0.5kg
3008	75mm calibration mandrel	0.5kg

## TIGRIS K1 COMPATIBLE JAWS



- » To be used in conjunction with the above calibration tools
- » U profile jaws suitable for Tigris K1 fittings
- » To be used with Novopress compatibility 2 tool



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2609	16mm - 32mm U Profile jaw set	10kg
2610	40mm U Profile jaw	3kg
2611	50mm U Profile jaw	3kg
2612	63mm U Profile jaw	3kg
6213	75mm U Profile Collar	3kg
6214	75mm - 100mm adapter	3kg

# Quality ensures your success

## Novopress pressing tools



- Covering the full pressing range and common profiles for metal and plastic systems
- Functional tool features:  
Fully automatic pressing cycle,  
log book, battery-empty-detection,  
illumination of the press area

- Equipped with Bluetooth® technology in order to offer a wide range of service features
- Analysis of the pressing unit's performance via NovoCheck app



For more information  
please see:  
[www.novopress.com](http://www.novopress.com)



**novopress**  
because quality matters

## PRESSING TOOLS

### PEGLER XPRESS MINI BATTERY PRESS TOOL 15MM - 35MM



- » Suitable for use on up to 35mm copper, steel, stainless steel and plastic pipe systems
- » LED Signal - under start button gives battery status information
- » Compatibility 1



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2270	ACO 102 Press Tool	76	2.5	12v	7kg
2274	15mm - 35mm M Profile Jaw Set	-	-	-	6kg

#### OPTIONAL EXTRAS

2489	Cento pipe cutter 22mm-108mm	See page 46
2488	Cento pipe stand	See page 46
2508	Ball transfer stand	See page 32

### PEGLER XPRESS BATTERY PRESS TOOL 15MM - 54MM



- » Suitable for use up to 54mm copper, steel, stainless steel and plastic pipe systems
- » Status indicator provides you with current status of battery
- » Compatibility 2



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2005	ACO 203 Press Tool	77	2.5	18v	7kg
2271	ACO 202 Press Tool	77	2.5	18v	7kg
2275	15mm - 35mm M Profile Jaw Set	-	-	-	10kg
2277	42mm - 54mm M Profile Collar Set	-	-	-	10kg

#### OPTIONAL EXTRAS

2489	Cento pipe cutter 22mm-108mm	See page 46
2488	Cento pipe stand	See page 46
2508	Ball transfer stand	See page 32

## PEGLER XPRESS BATTERY PRESS TOOL 15MM - 108MM



- » Suitable for use up to 108mm copper, steel, stainless steel and plastic pipe systems
- » Rotatable head making it easier to work in confined spaces
- » Finger protection and visual error indication for safe working
- » Compatibility 2 XL



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2340	ACO 203XL Press Tool	78	2.5	18v	7kg
2275	15mm - 35mm M Profile Jaw Set	-	-	-	11kg
2277	42mm - 54mm M Profile Collar Set	-	-	-	5kg
2282	67mm M Profile Collar	-	-	-	3kg
2279	76mm - 89mm M Profile Collar	-	-	-	5kg
2280	108mm M Profile Collar Set	-	-	-	11kg
2007	67mm - 108mm First Press Adaptor	-	-	-	5kg
2008	108mm Second Press Adaptor	-	-	-	5kg
2209	108mm M Profile copper collar	-	-	-	5kg

### OPTIONAL EXTRAS

2489	Cento pipe cutter 22mm-108mm	See page 46
2488	Cento pipe stand	See page 46
2508	Ball transfer stand	See page 32

## PRESSING TOOLS

### PEGLER XPRESS 110 VOLT PRESS TOOL 42MM - 108MM



- » Suitable for use up to 108mm copper, steel, stainless steel and plastic pipe systems
- » Powerful 560 Watt motor
- » Pressing speed significantly increased from that of older models for greater efficiency
- » Compatibility 3



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2273	ECO 301 Press Tool	75	2.5	110v	7kg
2278	42mm - 54mm Profile Collar Set	-	-	-	11kg
2282	67mm M Profile Collar	-	-	-	2kg
2281	67mm - 108mm M First Press Adaptor	-	-	-	4kg
2279	76mm-89mm M Profile Collar	-	-	-	7kg
2280	108mm M Profile Steel Collar Set	-	-	-	11kg
2209	108mm M Profile Copper Collar Set	-	-	-	11kg
2019	108mm Second Press Adaptor	-	-	-	5kg

#### OPTIONAL EXTRAS

2489	Cento pipe cutter 22mm-108mm	See page 46
2488	Cento pipe stand	See page 46
2508	Ball transfer stand	See page 32
5885	3 - 5KVA Continuous Transformer	See page 113

### PEGLER XPRESS LARGE SIZE BATTERY PRESS TOOL



- » Suitable for pressing 139.7mm and 168.3mm
- » Battery status indication
- » Ergonomic handles and 180° rotatable head
- » Permanently installed adaptor jaw



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2113	ACO 401 Press Tool	91	2.5	18v	16kg
2114	139.7mm collar	-	-	-	13kg
2115	168.3mm collar	-	-	-	13kg

1/2" - 2" POWER PRESS JAW SETS



- » Suitable for 1/2 - 2" Steel
- » To be used with a compatibility 2 press tool e.g AC0202, 203 or XL tool
- » DW Profile Jaw Set



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2130	1/2" - 1" Power press jaw set	4kg
2131	1 1/4" - 2" Power press jaw set	4kg

## PRESSING TOOLS

### UPONOR MINI PRESS TOOL FOR MLCP



#### COMPACT 9.6V BATTERY OPERATED PRESS TOOL.

- » Suitable for Uponor metal and composite press fittings
- » Supplied with 16, 20, 25 and 32mm mini jaws (one of each)
- » Complete with 2 x 9.6v 2.0Ah batteries and battery charger



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2283	16-32mm	70	2.5	9.6v	15kg

### UPONOR UP110 / UP75 PRESS TOOL FOR MLCP



#### 12V BATTERY OPERATED PRESS TOOL.

- » Supplied with 16, 20, 25, 32mm jaws (one of each)
- » Complete with 2 x 12v 3.0Ah batteries and battery charger
- » Can be used with collars up to 110mm



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2284	16-32mm UP75 Press Tool	70	2.5	12v	15kg
2210	16-32mm UP110 Press Tool	70	2.5	12v	15kg

## UPONOR JAWS AND COLLARS FOR UP75 AND UP110 PRESS TOOL



- » 63mm - 110mm collars to be used in conjunction with the adaptor.



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2286	40mm Jaw	4kg
2264	50mm Jaw	4kg
2287	63mm Collar	3kg
2288	75mm Collar	3kg
2289	90mm Collar	4kg
2290	110mm Collar	5kg
2285	63 - 110mm Adaptor	4kg

## ROMAX TOOL AND MAXI PRO JAWS



- » Imperial sizing most commonly used in air conditioning and refrigeration
- » Supplied with 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1 1/8" jaws
- » B Profile jaw set



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2605	Romax Press Tool	89	2.5	18v	5kg
2600	Maxi pro jaw set	-	-	-	4kg

## PRESSING TOOLS

### MINI-PRESS ACC 14.4V TOOL



**ULTRA COMPACT, BATTERY OPERATED PRESSING TOOL.**

- » Supplied with 15, 18, 22, 28 & 35mm M-profile jaws
- » Powerful 420 Watt motor
- » Complete with 2 x Li-Ion 14.4v-16.Ah batteries



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2248	15-35mm	84	2.5	14.4v	12kg

### MINI-PRESS ACC 22V TOOL



**SUPER SMALL, LOW WEIGHT, BATTERY OPERATED PRESSING TOOL.**

- » Supplied with 15, 22, 28 & 35mm M-profile jaws
- » Powerful 380 Watt motor
- » Complete with 2 x Li-Ion 21.6v-1.5Ah batteries



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2201	16-32mm	70	2.5	12v	15kg

## AKKU PRESS TOOL



### LARGE DIAMETER, BATTERY OPERATED PRESS TOOL.

- » Supplied with 15, 18, 22, 28 & 35mm M-profile jaws
- » Powerful 380 Watt motor
- » Li-Ion 14.4v-3.2Ah battery



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2255	15-35mm	70	2.5	9.6v	15kg

## JAW SET FOR AKKU PRESS TOOL



### PRESSING RING SET FOR USE WITH AKKU PRESS TOOL.

- » 42mm - 54mm



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2246	Collars and Tongs 42-54mm	35kg



# THREADING TOOLS



## ***THREADING TOOLS***

*A range of threading tools from 1/2" - 4" in manual or electric are available to hire across all of our BSS branches.*

**RIDGID**

**REMS**

## THREADING TOOLS

### 1/2" - 2" BSPT HANDHELD THREADER



#### 1/2" - 2" BSPT MANUAL PIPE THREADER.

- » Supplied in metal carry case
- » Dies Included: 1/2", 3/4", 1", 1 1/4", 1 1/2" & 2"



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2200	Handheld Threader	18kg

#### OPTIONAL EXTRAS

182777	Ridgid cutting oil spray	—
2081	Tri stand chain vice	See page 38

### 1/2" - 2" HANDHELD PIPE THREADER



#### 1/2" - 2" MANUAL PIPE THREADER.

- » Supplied in metal carry case
- » Oil available for purchase
- » Dies Included: 1/2", 3/4", 1", 1 1/4", 1 1/2" & 2"



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2599	REMS eva	17.5kg

#### OPTIONAL EXTRAS

182777	Ridgid cutting oil spray	—
2081	Tri stand chain vice	See page 38

## 1/2" - 1 1/4" BSPT HANDHELD THREADER



### PORTABLE HANDHELD, POWERED THREADER.

- » 1/2" - 1 1/4" BSPT
- » Ideal for use on in-situ pipework or with pipe vice
- » Ridgid Oil available for purchase
- » Dies Included: 1/2", 3/4", 1" & 1 1/4"



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2101	1/2" - 1 1/4" Handheld Threader	80	2.5	110v	15kg

### OPTIONAL EXTRAS

182777	Ridgid cutting oil spray	—
2081	Tri stand chain vice	See page 38
5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114

## 1/2" - 2" BSPT HANDHELD THREADER



### PORTABLE HANDHELD, POWERED THREADER.

- » Ideal for use on in-situ pipework or with pipe vice
- » Ridgid Oil available for purchase
- » Dies Included: 1/2", 3/4", 1", 1 1/4", 1 1/2" & 2"



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2102/2106	1/2" - 2" Handheld Threader	80	2.5	110v	25kg

### OPTIONAL EXTRAS

182777	Ridgid cutting oil spray	—
2081	Tri stand chain vice	See page 38
5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114

## THREADING TOOLS

### 1/2" - 2" BSPT THREADING MACHINE



#### COMPLETE 300 THREADING MACHINE.

- » Collapsible stand for easy transportation
- » Speed chuck with replaceable inserts
- » Footswitch for easy operation
- » Bucket oiler included
- » Ridgid Oil available for purchase
- » Dies Included: 1/2" - 3/4" & 1" - 2"



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2100	1/2" - 2" Bspt Threading Machine	80	110v	95kg

#### OPTIONAL EXTRAS

2105	Extra die head	—
2508	Ball transfer stands	See page 32
5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
736530	Ridgid cutting oil 5L	—

### 1/2" - 2" BSPT THREADING MACHINE



#### COMPACT 300 THREADING MACHINE.

- » Compact and lightweight for easy transportation
- » 250 collapsible stand included
- » Collapsible to wheeled
- » Triple filtration oil system / oil flow regulator
- » Footswitch for easy operation
- » Ridgid Oil available for purchase
- » Self oiling
- » Dies Included: 1/2" - 3/4" & 1" - 2"



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2606	1/2" - 2" Threading Machine self oiling	80	110v	73kg

#### OPTIONAL EXTRAS

2105	Extra die head	—
2508	Ball transfer stands	See page 32
5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
736530	Ridgid cutting oil 5L	—

## 1/2" - 3" BSPT THREADING MACHINE



- » Compact and lightweight for easy transportation
- » 250 collapsible stand included
- » Collapsible to wheeled
- » Triple filtration oil system / oil flow regulator
- » Footswitch for easy operation
- » Self oiling
- » Ridgid Oil available for purchase
- » Dies Included: 1/8" - 2" & 2 1/2" - 3"



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2104	1/2" - 3" Threading Machine	80	110v	81kg

OPTIONAL EXTRAS		
2105	Extra die head	—
2508	Ball transfer stands	See page 32
5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
736530	Ridgid cutting oil 5L	—

## 4" BSPT THREADING MACHINE



- » Stand included
- » Ridgid Oil available for purchase
- » Self oiling
- » Dies Included: 1/2" - 3/4", 1" - 2" & 2 1/2" - 4"



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2103	4" Threading Machine	80	110v	220kg

OPTIONAL EXTRAS		
2508	Ball transfer stands	See page 32
5885	3 - 5KVA Continuous Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
736530	Ridgid cutting oil 5L	—

## THREADING TOOLS

### BALL TRANSFER STAND



**FULLY ADJUSTABLE PIPE SUPPORT FOR USE WITH THREADING AND ROLL GROOVING MACHINES.**

» 12" Pipe capacity



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2508	Ball Transfer Stand	13kg

### AVOID OIL SPILLS

Drip Trays available upon request





### REMS Mini-Press 22V ACC

Cordless radial press with automatic circuit control for producing pipe pressing joints Ø 10–40 mm, Ø ½–1½". Battery Li-Ion, rapid charger Li-Ion. In sturdy steel case.  
Art.-No. 578010 R220



### REMS Akku-Press 22V ACC Basic-Pack

Cordless radial press with automatic circuit control and pressure monitoring for making press joints Ø 10–108 (110) mm, Ø ½–4". Battery Li-Ion, rapid charger Li-Ion. In sturdy steel case.  
Art.-No. 576010 R220



### REMS Amigo 2 Set R ½-¾-1-1¼-1½-2

Electric die stock with quick-change die heads. For pipe threads ½–2", 16–50 mm, bolt threads 6–30 mm, ¼–1".  
Art.-No. 540020 R220



### REMS Aquila 3B

Pipe workstation with chain pipe vice for clamping pipes, solid material, Ø 10–165 mm, Ø ½–6". Folding tripod stand with shelf plate. Load capacity ≤ 450 kg. In a carton.  
Art.-No. 120270 R

### REMS E-Push 2

Electric pressure testing pump with pressure gauge for pressure and leak testing of pipe systems and tanks up to 6 MPa/60 bar/870 psi, with adjustable pressure limiting. In a carton.  
Art.-No. 115500 R220



### REMS Push

Manual pressure testing pump with pressure gauge, p ≤ 6 MPa/60 bar/870 psi, for pressure and leak testing of pipe systems and tanks up to 6 MPa/60 bar/870 psi. In a carton.  
Art.-No. 115000 R



### REMS Akku-Tiger 22V VE Set

Cordless pipe reciprocating saw with Vario Electronics (VE) for effortless, fast, right-angled sawing with guide holder and for free-hand sawing. Hexagon key. Guide support 2". 2 pcs. REMS special saw blades 2"/140-3.2. In sturdy steel case.  
Art.-No. 560053 R220

### REMS Cento Basic

Pipe cutting machine for fast, right angled cutting of pipes Ø 8–115 mm, without outer burr. Safety foot switch. Ring spanner. Without cutting wheel. In a carton.  
Art.-No. 845001 R220

### REMS Akku-Cento 22V Basic

Cordless pipe cutting machine for fast, right angled cutting of pipes Ø 8–115 mm, without outer burr. Safety foot switch. Battery Li-Ion, rapid charger Li-Ion. Ring spanner. Without cutting wheel. In a carton.  
Art.-No. 845002 R220

### REMS Frigo 2 Upgrade kit 1½–2" / 54–60 mm

Art.-No. 131160 R


### REMS SSM 160KS

Heating element butt welding machine for plastic tubes and mouldings made of PB, PE, PP, PVDF. PE Ø 40–90 mm SDR ≥ 6, PE Ø 40–110 mm SDR ≥ 9, PE Ø 40–125 mm SDR ≥ 11, PE Ø 40–140 mm SDR ≥ 17, PE Ø 40–160 mm SDR ≥ 21. Sheet steel base with installed drawer. Operating key. Closed sheet steel underframe = transport box.  
Art.-No. 252046 R110G

### REMS Herkules XL 12"

Height adjustable, fold-up for pipes, solid material Ø 1¼–12", Ø 42–324 mm. Load capacity ≤ 450 kg. In a carton.  
Art.-No. 120125 R

**REMS**  
for Professionals



# **BENCHES, VICES & WRENCHES**





## ***BENCHES, VICES AND WRENCHES***

*Need a workstation close to the job? We have a selection of benches and vices available for hire, with a range of wrenches to ease heavy work.*

*Ask your local branch for more information on these items today!*

 **armorgard**  
ticking every box.

**RIDGID**  


### WORKBENCH



#### HEAVY DUTY CONSTRUCTION WORKBENCH.

- » Suitable for mounting chain and engineers vices
- » Tough wood surface treated to resist water and dust
- » Simple to erect and dismantle
- » Easy to transport



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2507	Workbench	40kg

### ARMORGARD TUFFBENCH BH1080WH



#### TUFFBENCH BH1080.

- » Wheeled bench with handles
- » Simple to erect and dismantle
- » Easy to transport
- » Vices are an optional extra



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2204	Tough Bench	31kg

### 4" BENCH MOUNTED CHAIN VICE



**BENCH CHAIN VICES FOR USE WITH HEAVY DUTY WORKBENCHES.**

- » Rugged cast iron construction
- » Hardened alloy steel jaws
- » Handy pipe rest and bender
- » 1/8" - 4" Pipe capacity



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2299	4" Bench Mounted Chain Vice	7kg

### 4" ENGINEERS VICE



**HEAVY DUTY ENGINEERS VICE.**

- » All forged steel construction
- » Built-in pipe jaws
- » 1/2" - 4" Pipe capacity
- » Large hardened anvil



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2298	4" Engineers Vice	25kg

### TRI-STAND CHAIN VICE



#### COLLAPSIBLE TRI-STAND WITH CHAIN VICE.

- » Ceiling brace screw
- » 1/8" - 6" Pipe capacity
- » Larger work area for increased pipe capacity
- » Easy to transport



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2081	Tri-Stand Chain Vice	21kg

### STAND CHAIN VICE



- » Handy portable stand chain vice with tool tray
- » Assembly with 1 1/4" steel tube to the desired height and length
- » 1/8" - 5" Pipe capacity
- » **Tube legs and supports not included**



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2292	Stand Chain Vice	12kg

## PIPE WRENCH



### CAST IRON PIPE WRENCH.

- » Full floating hook jaw for easy ratcheting action
- » Handy pipe scale
- » Knurled adjustment nut for single hand operation



See page 7 for further details

CODE	DESCRIPTION	PIPE CAPACITY	WEIGHT
2392	24"	3"/80mm	5kg
2395	36"	5"/125mm	9kg
2009	48"	6"/150mm	16kg

## ALUMINIUM PIPE WRENCH



### ALUMINIUM PIPE WRENCH.

- » Full floating hook jaw for easy ratcheting action
- » Handy pipe scale
- » Knurled adjustment nut for single hand operation
- » 40% Lighter than cast iron models



See page 7 for further details

CODE	DESCRIPTION	PIPE CAPACITY	WEIGHT
2390	24"	3"/80mm	3kg
2393	36"	5"/125mm	5kg
2010	48"	6"/150mm	9kg

### CHAIN WRENCH



- » Heavy duty chain wrench
- » A double jaw gives fast ratchet like action in either direction



See page 7 for further details

CODE	DESCRIPTION	PIPE CAPACITY	WEIGHT
2391	24"	3"/80mm	4kg
2394	36"	4"/100mm	7kg


BSS have everything you need  
to secure your pipe safely



***OUR DEDICATED  
DIRECT HIRE TEAM  
MAKES IT FAST  
AND EASY TO  
SOURCE ALL YOUR  
TOOL, EQUIPMENT  
AND ACCESS NEEDS  
NATIONWIDE.***

***Just call 0344 892 1878  
or email [directhirebss@bssgroup.com](mailto:directhirebss@bssgroup.com)***

# **CUTTING & PREPARATION TOOLS**



## CUTTING AND PREPARATION TOOLS

*Whether you're cutting in situ, on the floor, bench mounted or on a designated cutting station we can hire you the products you need. Our wide range of cutters and saws offer you the best solution for any material.*

*Don't forget your PPE, we have all of the recommended safety equipment highlighted with the tool ranges so that you can stay safe!*

The Ridgid logo, featuring the word "RIDGID" in a bold, black, sans-serif font with a red horizontal line underneath.The REMS logo, featuring the word "REMS" in a bold, black, sans-serif font with a yellow horizontal line underneath.The Makita logo, featuring the word "Makita" in a stylized, italicized, black font with a red horizontal line underneath.The exact Pipe Cutting System logo, featuring the word "exact" in a bold, black, sans-serif font with a blue horizontal line underneath, and the words "Pipe Cutting System" in a smaller, black, sans-serif font below it.The armorgard logo, featuring a red shield icon with a white 'A' inside, followed by the word "armorgard" in a bold, black, sans-serif font, and the tagline "ticking every box." in a smaller, black, sans-serif font below it.

## CUTTING & PREPARATION TOOLS

### VARIABLE SPEED RECIPROCATING SAW



#### PROFESSIONAL HEAVY DUTY RECIPROCATING SAW.

- » Electronic speed control 800 - 2400RPM
- » Blades sold separately



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2503	Pipe Capacity 6"	89	16	110v	10kg
1784	Pipe Capacity 5"	104	16	110v	4kg

#### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
736533	6" Ridgid recip saw blade 88187040 (for 2503)	—
736534	8" Ridgid recip saw blade 88187051 (for 2503)	—
736535	12" Ridgid recip saw blade 88187062 (for 2503)	—
7802100	150mm x 14 - TPI x 5 Sabre Recip Saw Blade (for 1784)	—
7802111	230mm x 14 - TPI x 5 Sabre Recip Saw Blade (for 1784)	—

### FIXED SPEED RECIPROCATING SAW



- » Fixed speed 2400RPM
- » Blades sold separately



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2514	Rems - pipe capacity 6"	96	18.3	110v	3kg

#### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
582866	8" REMS Recip saw blade steel upto 4" 01611576	—
971008	8" REMS Recip saw blade flexible 01611606	—

## CORDLESS RECIPROCATING SAW



**VERSATILE CORDLESS SAW FOR CUTTING WOOD, PLASTIC, SHEET MATERIALS AND STEEL PIPING.**

- » Stroke length of 28mm
- » Ideal for use in awkward to reach areas
- » Fast and accurate cutting
- » Ideal when working away from power supply
- » A variety of Milwaukee blades available to purchase



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
0151	Hilti Cordless Recip Saw	82	16	–	3.8kg
1711	Makita - Pipe Capacity 130mm	98	10.4	18v	4kg

### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
7802100	150mm x 14 - TPI x 5 Sabre Recip Saw Blade	–
7802111	230mm x 14 - TPI x 5 Sabre Recip Saw Blade	–

## DRY CUT SAW



- » Produces a clean and virtually burr free cut on steel, copper, aluminium and plastic pipe with max 6mm wall thickness
- » 14" Tungsten carbide tipped blade
- » 45 & 90 Degree adjustable cutting angle
- » Quick action clamping system for fast operation



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2504	Pipe Capacity 130mm	113	110v	23kg

### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
736545	14" TCT Dry cut saw blade 88179263	–
971001	14" TCT Evolution Raptor saw blade 07510519	–
2206	Cutting station	See page xx

## CUTTING & PREPARATION TOOLS

### PIPE CUTTER REMS CENTO



#### ULTRA LIGHTWEIGHT, POWERED CUTTER.

- » The REMS Cento will cut from 22mm to 108mm in copper, stainless steel, carbon steel and multilayer pipes
- » The REMS DueCento will cut steel, carbon, st/st, copper, cast iron, plastic & multilayer composite pipes 40mm to 225mm
- » Dry cutting and burr free
- » Blades sold separately
- » REMS Cento Stand R0018 available on request
- » Ideally suited for use with press fitting systems



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2489	REMS Cento	87	2.5	110v	20kg
2488	Stand	-	-	-	11kg
3405	REMS DueCento	87	2.5	110v	37kg

#### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
174972	REMS Cutting wheel for carbon press & push systems 01621785	-
174974	REMS Cutting wheel for copper, carbon & st/st press systems 01619688	-
174975	REMS Cutting wheel for steel and cast iron 01619740	-
174976	REMS Cutting wheel for multilayer pipes 01619699	-
2508	Ball transfer stand	See page 32

### EXACT PIPECUT 220E



- » Suitable for cutting steel, copper, cast iron, stainless steel, acid resistant steel, multilayer and plastic pipes from 15mm - 220mm
- » Blades sold separately
- » Supplied with 4 floor mounted roller supports
- » TCT 140 blade cuts steel, copper and plastics only
- » Diamond 140 blade cuts cast iron



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2526	EXACT 220E	105	0.35	110v	6kg

#### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
776932	TCT 140 Exact saw blade 170,220 & 360	-
582893	Diamond 140 exact saw blade cast iron	-

## HOLE CUTTER



- » Quickly mounts onto 11/4" to 8" diameter pipe
- » Engineered for 1/4" - 43/4" continuous dry or oiled hole cutting
- » Dual sided controls provides easy operation
- » Built in level for multiple hole alignment
- » Hole saws not included



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2525	Ridgid HC-450	104	110v	19kg

### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114

## ANGLE GRINDERS



### CUTS AND GRINDS MASONRY, CONCRETE AND METAL.

- » Cuts to a depth of 25mm
- » Can be fitted with surface grinding wheel for facing and grinding
- » Powerful 1000W or 2000W grinder



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S²	POWER	WEIGHT
1297 or 1292	125mm Mini Grinder	97	7.5	110v	2.5kg
1293, 1295 or 1299	230mm Angle Grinder	100	2.5	110v	6kg

### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
776941	230mm Cutting disc 3mm thick 01801057	—
582872	230mm Grinding disc 6mm thick 01802070	—

## CUTTING & PREPARATION TOOLS

### BENCH TOP CUT OFF SAW



**HIGH POWERED 356MM STEEL CUT OFF SAW DESIGNED FOR CUTTING STEEL OR ALLOY TUBE, ANGLE AND PLATE.**

- » Capable of cutting round pipe up to 115mm and shaped steel 115 x 130mm
- » Portable machine



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
1795	Bench Top Cut Off Saw	99	4	110v	18kg

#### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
776950	350mm Chop saw blade 01803017	—

### NOISE REGULATIONS

Continuous exposure to excessive noise can damage your hearing permanently. By following the Control of Noise at Work Regulations and using the right ear defenders you can protect yourself.



## RIDGID ELECTRO-HYDRAULIC HEAVY DUTY PIPE CUTTER



### POWER PIPE CUTTER 2 1/2" - 8" PIPE CAPACITY.

- » Cuts both long and short lengths easily
- » 4" Pipe can be cut in 60 seconds
- » Single person operation
- » Gives square cut with minimal burr
- » No abrasive dust, sparks or open flame
- » Max wall thickness 8.2mm
- » Complete with two ball transfer pipe supports



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2502	Electro-Hydraulic Heavy Duty Pipe Cutter	98	2.5	110v	57kg

### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114

## CUTTING STATION



- » Unique mobile unit for cutting lengths of material
- » Reduces noise and dust while cutting
- » 3 x 110v sockets supplied
- » Connection points for dust extractor
- » **Saw is an optional extra**
- » Models may vary from image



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
2206	1320 x 800 x 1820mm	110v	151kg

### OPTIONAL EXTRAS

0148	36ltr Dust Extraction Unit	See page 106
------	----------------------------	--------------

## CUTTING & PREPARATION TOOLS

### 2" HEAVY DUTY PIPE CUTTER



- » Can be used as a 3-wheel cutter for close quarter applications
- » Pipe capacity 1/8" - 2"



See page 7 for further details

CODE	WEIGHT
2500	4kg

### 4" HEAVY DUTY PIPE CUTTER



- » Single or two person operation
- » Pipe capacity 2" - 4"



See page 7 for further details

CODE	WEIGHT
2501	9kg

### CAST IRON PIPE CUTTER



- » Cuts clay, cast iron and cement pipes easily
- » Pipe capacity 1 1/2" - 6"



See page 7 for further details

CODE	WEIGHT
2490	12kg

# ACCREDITATIONS

*Details of the Safehire accreditation can be found at [www.safehire.org.uk](http://www.safehire.org.uk)*



BSS is accredited with the Contractors Health and Safety Assessment Scheme (CHAS) having demonstrated compliance with, and sound management of, basic health and safety legislation in organisational management standards, management functions, management processes and systems and customer service & safe provisions.

BSS are proud to have been awarded the Fors Gold accreditation once again.

## **Organisational Management Standards**

- » Organisational management & corporate social responsibility
- » Risk management
- » Financial control

## **Management Processes & Systems**

- » Quality management
- » Occupational health
- » Sustainability
- » Health, safety & welfare
- » Environmental impacts
- » Document control & data protection

## **Management Functions**

- » Responsibilities & accountability (all employees)
- » Training & development
- » Managing employees
- » Communication

## **Customer Service & Safe Provision**

- » Customer service standards
- » Control of hazardous substances
- » Supply of hire equipment (point of hire)
- » Transport & distribution



# **BENDING GROOVING & WELDING TOOLS**



## ***BENDING, GROOVING & WELDING TOOLS***

*We guarantee accuracy and reliability when it is needed most, through our range of high quality tooling.*

**RIDGID**<sup>®</sup>

 **JASIC**  
The power in inverter technology



## BENDING, GROOVING & WELDING TOOLS

### ELECTRIC PIPE & TUBE BENDER



#### COMPACT ELECTRIC PIPE BENDER.

- » Universal cold bending up to 180 degrees
- » For use anywhere, without a vice
- » Suitable up to:  
28mm copper  
28mm stainless and carbon steel
- » Comes complete with formers up to 28mm



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2224	Compact Electric Pipe Bender	82	2.5	110v	15kg

#### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	25m Extension Reel - 16amp	See page 114

### ELECTRIC / HYDRAULIC PIPE BENDER



#### 3/8" - 2" TIP-UP WING, ELECTRICALLY OPERATED HYDRAULIC PIPE BENDER.

- » Ideal for on-site applications
- » Complete with formers
- » Suitable for use on steel tube to EN10255




See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2223	Electric / Hydraulic Pipe Bender	93	110v	100kg

#### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	25m Extension Reel - 16amp	See page 114

## VICTAULIC GROOVE IN-PLACE



- » Enhanced tracking rolls allow bi-directional grooving
- » Model VE26S handles BSEN10241, Schedule 40 steel and stainless steel
- » Model VE26C handles BSEN1057 copper tubing 54mm - 159mm
- » Roll grooves DN50 - DN150/60.3mm - 168.3 mm/2" - 6" pipe



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2520	Pipe Capacity VE26C	12kg
2521	Pipe Capacity VE26S	12kg

## SELF CONTAINED VICTAULIC ROLL GROOVER



- » Completely self contained unit with integral gear motor, safety guards, safety foot switch and power cord
- » Roll grooves DN50-DN300 / 2"-12" steel tube



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2523	Pipe Capacity VE270	88	110v	155kg

### OPTIONAL EXTRAS

2502	Electro-hydraulic heavy duty pipe cutter 21/2" - 8"	See page 49
5860	3kVA Transformer	See page 113
5942	25m Extension Reel - 16amp	See page 114

## BENDING, GROOVING & WELDING TOOLS

### VICTAULIC ROLL GROOVER



- » Suitable for use with 300 Power Drive unit (as illustrated)
- » Hydraulic pump operation with a unique pivot arm design reduces handle effort
- » Roll grooves 50mm-300mm / 2" - 12" steel pipe
- » Power requirements: Ridgid 300 power drive



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2519	VE272	99.7	110v	115kg
2607	Ridgid 300 power drive	80	110v	73kg

#### OPTIONAL EXTRAS

2502	Electro-hydraulic heavy duty pipe cutter 21/2" - 8"	See page 49
5860	3kVA Transformer	See page 113
5942	25m Extension Reel - 16amp	See page 114
2508	Ball transfer stands	See page 32

### SELF-CONTAINED VICTAULIC ROLL GROOVER



- » Suitable for use with 300 Power Drive unit (as illustrated)
- » Roll grooves 50mm-400mm / 2" - 16" steel pipe
- » Groove depth adjuster provides precise groove dimensions and allows for easy adjustment for initial groove diameter
- » Equipped with pipe stabilizer for 6" - 16" pipe



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2526	VE416FSD	80	110v	155kg
2607	Ridgid 300 power drive	80	110v	73kg

#### OPTIONAL EXTRAS

2502	Electro-hydraulic heavy duty pipe cutter 21/2" - 8"	See page 49
5860	3kVA Transformer	See page 113
5942	25m Extension Reel - 16amp	See page 114
2508	Ball transfer stands	See page 32

## PORTABLE ROLL GROOVER



### HEAVY DUTY 2" - 6" ROLL GROOVING MACHINE.

- » Suitable for use with 300 Power Drive unit (as illustrated)
- » Suitable for use on steel tube to EN10255



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2505	Portable Roll Groover	80	-	20kg
2607	Ridgid 300 power drive	80	110v	73kg

### OPTIONAL EXTRAS

2502	Electro-hydraulic heavy duty pipe cutter 21/2" - 8"	See page 49
5860	3kVA Transformer	See page 113
5942	25m Extension Reel - 16amp	See page 114
2508	Ball transfer stands	See page 32

## HEAVY DUTY ROLL GROOVER



### HEAVY DUTY 2" - 12" ROLL GROOVING MACHINE.

- » Suitable for use with 300 Power Drive unit (as illustrated)
- » Suitable for use on steel tube to EN10255
- » 8"- 12" roller set available as an optional extra which will roll groove steel tube with a max wall thickness of 7.1mm



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2506	Heavy Duty Roll Groover	83	-	59kg
2607	Ridgid 300 power drive	80	110v	73kg

### OPTIONAL EXTRAS

2112	8"-12" roller set to suit Ridgid 918	-
2502	Electro-hydraulic heavy duty pipe cutter 21/2" - 8"	See page 49
5860	3kVA Transformer	See page 113
5942	25m Extension Reel - 16amp	See page 114
2508	Ball transfer stands	See page 32

## BENDING, GROOVING & WELDING TOOLS

### COMBO ROLL GROOVER



**THE RIDGID 975 COMBO ROLL GROOVER IS TWO TOOLS IN ONE.**

- » Can be mounted on the Ridgid 300 power drive unit
- » Also can be used manually to groove in place
- » Suitable for steel tube to EN10255 1.1/4"-6"



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2516	Combo Roll Groover	16kg

#### OPTIONAL EXTRAS

2607	Ridgid 300 power drive (required for VE272 roll groover)	See page 57
2502	Electro-hydraulic heavy duty pipe cutter 2 1/2" - 8"	See page 49
5860	3kVA Transformer	See page 113
2508	Ball transfer stands	See page 32

### DIESEL WELDER



**DIESEL DRIVEN 200AMP WELDER / GENERATOR MOUNTED ON PORTABLE WHEELBARROW TROLLEY.**

- » Network Rail approved
- » Super silenced operation - reduced noise pollution
- » Welding up to 4.0mm electrodes
- » Excellent arc characteristics for all types of manual arc electrodes, including cellulosic types
- » Auto idle giving up to 10 hours operation without the need to refuel



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
3400	200amp diesel welder	91	110v	225kg

#### OPTIONAL EXTRAS

3370	Welding screen	See page 60
5999	14m Extension lead - 32 amp	See page 114
5942	25m Extension Reel - 16amp	See page 114
1359	Fume extractor c/w 15m of ducting	See page 60
981147	2.5mm BOSS weld electrodes 240 pcs 84651106	-
981148	3.2mm BOSS weld electrodes 140 pcs 84651117	-

## PETROL WELDER



### COMPACT PETROL DRIVEN 165 AMP WELDER / GENERATOR.

- » Network Rail approved
- » Super silenced operation - reduced noise pollution
- » Welding up to 4.0mm electrodes
- » Smooth welding characteristics with air force control for all types of manual metal arc electrodes, including cellulosity types



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
3401	Petrol Welder	93	110v	85kg

#### OPTIONAL EXTRAS

3370	Welding screen	See page 60
5999	14m Extension lead - 32 amp	See page 114
5942	25m Extension Reel - 16amp	See page 114
1359	Fume extractor c/w 15m of ducting	See page 60
981147	2.5mm BOSS weld electrodes 240 pcs 84651106	-
981148	3.2mm BOSS weld electrodes 140 pcs 84651117	-

## INVERTER WELDER



### PORTABLE AND VERSATILE DUAL VOLTAGE UNIT, ENABLING SUPERB MMA PERFORMANCE WITH ALL ELECTRODE TYPES.

- » 110-230v dual voltage
- » 160 amp welding operation
- » Duty cycle 100% at 40°C



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
3402/3384	Inverter Welder	110 - 240v	16kg

#### OPTIONAL EXTRAS

3370	Welding screen	See page 60
5999	14m Extension lead - 32 amp	See page 114
5942	25m Extension Reel - 16amp	See page 114
1359	Fume extractor c/w 15m of ducting	See page 60
3386	Self contained fume extractor	See page 60
981147	2.5mm BOSS weld electrodes 240 pcs 84651106	-
981148	3.2mm BOSS weld electrodes 140 pcs 84651117	-

## BENDING, GROOVING & WELDING TOOLS

### FUME EXTRACTOR



**EXTRACTOR FOR COOLING, VENTILATION AND FUME EXTRACTION.**

- » Supplied with up to 10m of ducting
- » Additional hose available



See page 7 for further details

CODE	DESCRIPTION	DIAMETER	DECIBEL LEVEL	POWER	WEIGHT
1359	Up to 3250m <sup>3</sup> /hr Flow Rate	410mm(W) x 500mm(D) x 420mm(H)	70	110v	20kg

### WELDING FUME EXTRACTOR UNIT WHEELED



- » Extraction of welding fumes with medium to low concentrations of pollutants in enclosed or difficult to reach environments
- » 2m flexible extraction arm
- » Clogged filter indicator



See page 7 for further details

CODE	DESCRIPTION	DIAMETER	DECIBEL LEVEL	POWER	WEIGHT
3386	Fume extractor	835mm(W) x 550mm(D) x 856mm(H)	73	110v	98kg

### WELDING SCREEN



- » 2m x 2m portable welding screen
- » Supplied in a bag



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
3370	Welding Screen	9kg

### 300 POWERDRIVE UNIT



- » Compact and lightweight for easy transportation
- » Collapsible stand
- » Foot switch for easy operation
- » To be used with compatible roll groovers - see page 56 / 57



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2607	Powerdrive unit	80	110v	73kg

# FUSION & EXPANSION TOOLS





## ***FUSION & EXPANSION TOOLS***

*We guarantee accuracy and reliance for all of your plastic application needs with our range of maintained and calibrated tools.*

**uponor**

**REMS**

 **REHAU**  
Unlimited Polymer Solutions

**Milwaukee**

**dp Durapipe**

## FUSION & EXPANSION TOOLS

### Q&E M12 EXPANDER TOOL SET



**BATTERY OPERATED, SUITABLE FOR UPONOR Q&E PEX SYSTEM.**

- » Supplied with 16, 20 and 25mm expander heads
- » Auto-rotating head
- » 230v 50Hz fast 40 minute battery charger
- » Complete with 2 x 12v 1.5Ah batteries



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2207	M12 Expander Tool Set	70	12v	7kg

### Q&E M18 EXPANDER TOOL SET



**BATTERY OPERATED, SUITABLE FOR UPONOR Q&E PEX SYSTEM.**

- » Supplied with 16, 20, 25 and 32mm expander heads
- » Auto-rotating head
- » 230v 50Hz fast 40 minute battery charger
- » Complete with 2 x 18v 2.0Ah batteries



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2208	M18 Expander Tool Set	70	18v	8kg

### Q&E M18 VLD EXPANDER TOOL



**BATTERY OPERATED, SUITABLE FOR UPONOR Q&E PEX SYSTEM.**

- » Supplied with 40,50 and 63mm expander heads
- » Auto rotating head
- » 230v 50hz
- » Fast 40 minute battery charger



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2263	M18 VLD Expander Tool	70	18v	21kg

## REHAU 12V BATTERY RAUTOOL KIT



- » Expansion tool for RehaU Everloc compression sleeves
- » Suitable for 16mm-32mm pipe sizes
- » Complete with manual pipe cutter and battery charger



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2268	12v Battery Rautool Kit	70	18v	9kg

## REHAU H1 HYDRAULIC RAUTOOL KIT



- » Expansion tool for RehaU Everloc compression sleeves
- » Suitable for 16mm-32mm pipe sizes
- » Complete with manual pipe cutter and battery charger



See page 7 for further details

CODE	WEIGHT
2269	13kg

## REHAU G1 HYDRAULIC RAUTOOL KIT



- » Expansion tool for RehaU Everloc compression sleeves
- » Suitable for 40mm-63mm pipe sizes
- » Complete with manual pipe cutter



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2261	Hydraulic Rautool Kit	21kg

## ELECTROFUSION CONTROL UNIT



### SUITABLE FOR WATER AND GAS PRESSURE FITTINGS 40V ELECTRO FUSION BOX

- » Up to 800mm
- » Datalog up to 1000 welds
- » Barcode option available
- » Suitable with MDPE and GPS Protecta Line
- » Larger generator required for fusing 200mm plus



See page 7 for further details

CODE	DESCRIPTION	VOLTAGE	POWER	WEIGHT
3380	Polyfuse 40v	40v	110v	28kg
3403	Scanner, Voltage	–	–	2kg

### OPTIONAL EXTRAS

5760	5Kva TIN 12 Petrol generator	See page 112
2401	Rotary pipe scraper 63mm-250mm	See page 67
2257	Straight alignment clamp 16mm - 63mm	See page 68
2259	Adjustable alignment clamp 0-90 Deg 16mm-63mm	See page 68
2398	Adjustable alignment clamp 0-90 Deg 63mm-180mm	See page 68
2402	Top loading tee G clamp 63mm-250mm	See page 68
2403	Top loading tee strap clamp 63mm-500mm	See page 68
2400	Pop up pipework & operating shelter	See page 68
5768	6KVA Generator	See page 112
5885	3 - 5KVA Continuous Transformer	See page 113

## MANUAL WELDING KIT 110 VOLT



### SOCKET FUSION MANUAL WELD


- » 16-63 Manual welding kit 110V 800W
- » Welding stones included in set



See page 7 for further details

CODE	DESCRIPTION	VOLTAGE	POWER	WEIGHT
2331	Manual Welding Kit 16-63	800W	100v	10kg
2332	Manual Welding Kit 50-125	1400W	110v	20kg

## ROTARY PIPE SCRAPER



### FOR PREPARATION OF PE PIPE WELDING

- » Rotary pipe scraper 63mm - 250mm
- » Not suitable for use on Protecta Line pipe



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2401	63mm - 250mm	5kg

## FUSION & EXPANSION TOOLS

### PIPE CLAMPS




- » 2257 Compact straight alignment clamp for 16mm-63mm couplings and reducers
- » 2259 This universal clamp covers 16mm-63mm and offers adjustment for 45° and 90° elbows. It is also suitable for straight couplers and reducers
- » 2398 63mm-180mm alignment clamp is adjustable for 45° and 90° elbows and is also suitable for straight and reducing couplings



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2257	16mm-63mm EFC63 Straight clamp	1kg
2259	16mm-63mm EFRC Adjustable clamp	1.5kg
2398	63mm-180mm EFC180 Alignment and re-rounding clamp	3kg

### TOP LOADING TEE CLAMPS



USE TO CLAMP TOP TEE SERVICE FITTINGS DURING FUSION.



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2402	63 - 250mm G clamp	4kg
2403	63mm-500mm Top tee strap	5kg

### PIPEWORK & OPERATING SHELTER



POP UP DESIGN COMPLETE WITH CARRY BAG.

- » Suitable for fusion welding only
- » Not fire retardant



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2400	1.8m x 1.8m x 2.1m	15kg
2399	UMB 8 non conductive umbrella 8ft (2.4m)	10kg

## AW315G SIPHONIC DRAINAGE



### AUTOMATIC, UNIVERSAL ELECTROFUSION WELDING UNIT

- » Electrofusion box supplied with the standard yellow lead to fuse 32mm-160mm fittings
- » Suitable for use with HDPE
- » **The red, blue and brown leads are an optional extra if required**



See page 7 for further details

LEAD COLOUR & SIZE	GEBERIT	WAVIN WAVIDUO	AKATHERM	VALSIR	POLYPIPE TERRAIN
Yellow (32 - 160mm)	✓	✓	✓	✓	✓
Blue (200 - 315mm)			✓	✓	✓
Red (200 - 315mm)	✓				
Brown (200 - 315mm)		✓			

CODE	POWER	WEIGHT
3381	110v	17kg

### OPTIONAL EXTRAS

5885	3 - 5KVA Continuous Transformer	See page 113
5768	6KVA Generator	See page 112
5760	5KVA TIN 12 Petrol generator	See page 112
703739	Manual pipe scraper (sale item)	-

## ENFUSION



### FOR WELDING VULCATHENE CHEMICAL WASTE FITTINGS.

- » Vulcathene pipe clamps should be used during installation. Please see below for sizes available
- » Suitable for pipe 38mm - 102mm



See page 7 for further details


CODE	DESCRIPTION	POWER	WEIGHT
3383	Enfusion	110v	16kg

### OPTIONAL EXTRAS

5760	5KVA TIN 12 Petrol generator	See page 112
703739	Manual pipe scraper (sale item)	-
2321	38mm L261 Vulcathene pipe clamp 72654005	-
2322	51mm L261 Vulcathene pipe clamp 72654016	-
2323	76mm L261 Vulcathene pipe clamp 72654027	-
2324	102mm L261 Vulcathene pipe clamp 72654038	-
2507	Workbench	See page 36
5885	3 - 5KVA Continuous Transformer	See page 113

## FUSION & EXPANSION TOOLS

### BUTT FUSION HOT PLATE



- » Suitable for Butt fusing up to 180mm HDPE, PE, PB,PP,PVDF
- » Adjustable temperature 180-290 Deg c, preset for PE pipes
- » Mounted on a support stand which can also be secured to a work bench
- » Supplied with a protection cover for the heating element



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
3369	Pipe Capacity – Up to 180mm	0	0	110v	2.5kg

#### OPTIONAL EXTRAS

5860	3kva Transformer	See page 113
5942	25m Extension Reel - 16amp	See page 114
2507	Workbench	See page 36

### BUTT FUSION MACHINES



- » Compact and robust machine on a sheet metal base makes it easy to carry
- » Suitable for Butt fusing HDPE, PE, PB,PP,PVDF
- » Electric facing cutter unit to ensure square machining of pipe ends
- » Quick clamping device also suitable for angular branches
- » Adjustable temperature 180-290 Deg c, preset for PE pipes including HDPE



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
2527	Pipe Capacity 40mm - 160mm	85	2.5	110v	112kg
2319	Pipe Capacity 90mm - 315mm	85	2.5	110v	158kg

#### OPTIONAL EXTRAS

5885	3 - 5KVA Continous Transformer	See page 113
5942	25m Extension Reel - 16amp	See page 114

**uponor**

# Hire Uponor tools at your local BSS branch



Uponor  
M12 – Q&E  
expander tool  
16-25mm

Uponor  
VLD – Q&E expander  
tool 40-63mm



Uponor  
M18 – Q&E  
expander tool  
16-32mm



Uponor  
MLC pressing  
tool – UP 110  
16-110mm



Uponor  
MLC pressing  
tool – Mini 32  
16-32mm



Please visit your local BSS branch for further details.  
Subject to terms and conditions\*

# INSPECTION & TESTING KIT





## **INSPECTION & TESTING KIT**

*Whether inspecting, cutting into or testing pipework systems we can hire you the right tool for the job.*



## INSPECTION & TESTING KIT

### PIPE FREEZER KIT - 61MM



**ENABLES YOU TO REPAIR PLUMBING SYSTEMS WITHOUT THE NEED TO DRAIN DOWN.**

- » Portable electric pipe freezing kit
- » Freezes pipes between 8mm to 61mm in diameter
- » Ensure cold water in pipes is not flowing prior to use
- » Suitable for copper, lead, stainless steel and poly



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
2453	15mm - 42mm	110v	23kg
2454	8mm - 61mm	110v	27kg

#### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114

### HEATING SYSTEM POWER FLUSH UNIT



**A PROFESSIONAL FLUSHING UNIT DESIGNED TO REMOVE CORROSION, SLUDGE AND SCALE FROM HEATING SYSTEMS.**

- » Each kit comes complete with all fittings and hoses
- » De-scale boilers
- » Over come boiler noise and circulation problems



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	CAPACITY	POWER	WEIGHT
8698	Fernox 520(Dia.) x 970(H) mm	65	50L	240v	37kg
8697	Rothenberger Power Flush	65	40L	230v	32kg

#### OPTIONAL EXTRAS

9989	RCD Circuit breaker	See page 114
776956	BOSS vexo x-po40 De-sludging agent 10L 16910371	—
971028	BOSS vexo x-po20 De-scaling agent 10L 16910327	—
582891	BOSS vexo x-po10 Commercial inhibitor 10L 16910574	—
388824	BOSS vexo x-po10 Commercial inhibitor 5L 16910563	—

## SOLAR FLUSHING UNIT



**IDEAL FOR SOLAR POWER SYSTEMS, GROUND HEAT SYSTEMS AND UNDER FLOOR/WALL HEATING.**

- » With proven 860W condenser motor for quiet running
- » High transport volume up to 36L min for fast filling and efficient flushing and venting of closed systems and filling tanks
- » Pumping capacity at 40m vertical pumping height at 16L min
- » Pumping volume up to 36L with a pumping pressure of 5.5BAR



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S²	POWER	WEIGHT
2517	Solar Flushing Unit	70	2.5	110v	19kg

OPTIONAL EXTRAS		
5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114

## MANUAL PRESSURE TEST PUMP



**UP TO 50BAR PRESSURE TEST PUMP.**

- » Two stage lever action for fast filling of system and pressurisation
- » Pressure maintained automatically
- » Very low effort required



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2510	Manual Pressure Test Pump	7kg

## INSPECTION & TESTING KIT

### ELECTRIC PRESSURE TEST PUMP



#### ELECTRIC PRESSURE TEST PUMP UP TO 100BAR.

- » Rapid and accurate testing of pipework and systems up to 100BAR in one operation
- » Multiple tests can be carried out with optional 'lock off' gauges
- » Self Priming



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
2534	Electric Pressure Test Pump	82	110v	36kg

#### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114

### AIR COMPRESSORS



- » Up to 7 cubic feet per minute capacity
- » Compact design make them easy to move around on site
- » 110v and 240v models available
- » 5mtr Air hose kit included



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
6778	Makita	79	110v	27kg
6799	Clarke	78	110v	21kg
6779	Clarke	88	240v	26kg
6770	Clarke	79	110v	22kg

#### OPTIONAL EXTRAS

5860	3kVA Transformer	See page 113
5942	16amp 110v Extension reel 25m	See page 114
9989	RCD Circuit breaker	See page 114

## INSPECTION CAMERA



- » The 9896 compact 3 camera has a 30m reel designed for drain pipes from 40mm - 150mm
- » Self leveling camera for a crisp, clear in pipe image that is always upright
- » Recording to USB
- » 9897 Micro Drain has a 10m reel and is designed to operate in pipes 30mm - 75mm



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
9896	Compact 3 camera	18v	11kg
9897	micro drain CA300 10m	3.7v	4kg

## MANOMETER



### COMDRONIC AC6-HP MANOMETER.

- » Electronic Manometer measures differential pressures within the range of 1 kPa to 600 kPa
- » Allows direct reading of flowrate, differential pressure, percentage of design flow and percentage of target flow
- » Display backlight to ensure the on-screen data is always easy to read, even in the darkest of areas



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2350	Comdronic AC6-HP Manometer	1kg

# **ACCESS EQUIPMENT**



## **ACCESS EQUIPMENT**

*Health and safety is a high priority especially when working at height. We provide a range of step ladders, podium steps and alloy towers to meet your needs.*

**YOUNGMAN®**

**WERNER®**

## BOSS ALLOY TOWERS



### THE PREMIUM ALUMINIUM MODULAR TOWER SYSTEM WITH INTEGRAL LADDERS.

- » Slip resistant deck platforms for increased safety
- » Easy to use toe board system
- » Lightweight
- » Snap and click braces for easy assembly
- » Conforms to EN1004 regulations
- » Pasma training available on request

Dimensions based on platform height



See page 7 for further details

### SINGLE WIDTH

CODE	DIMENSIONS	WIDTH	WEIGHT
5083	1.8 X 3.2m High (3T)	850mm	152kg
5084	1.8 x 3.7m High (3T)	850mm	159kg
5085	1.8 x 4.2m High (3T)	850mm	165kg
5086	1.8 x 4.7m High (3T)	850mm	185kg
5088	1.8 x 5.2m High (3T)	850mm	198kg
5089	1.8 x 5.7m High (3T)	850mm	204kg
5090	1.8 x 6.2m High (3T)	850mm	210kg
5091	1.8 x 6.7m High (3T)	850mm	245kg
5093	1.8 x 7.2m High (3T)	850mm	258kg

### DOUBLE WIDTH

CODE	DIMENSIONS	WIDTH	WEIGHT
5054	1.8 X 3.2m High (3T)	1450mm	174kg
5055	1.8 x 3.7m High (3T)	1450mm	182kg
5056	1.8 x 4.2m High (3T)	1450mm	188kg
5058	1.8 x 4.7m High (3T)	1450mm	208kg
5059	1.8 x 5.2m High (3T)	1450mm	223kg
5060	1.8 x 5.7m High (3T)	1450mm	231kg
5061	1.8 x 6.2m High (3T)	1450mm	237kg
5063	1.8 x 6.7m High (3T)	1450mm	257kg
5064	1.8 x 7.2m High (3T)	1450mm	258kg

### OPTIONAL EXTRAS

762543	Scafftag Pk10 holders, 20 inserts, 1 pen
686516	Scafftag insert Mk1

## BOSS ALLOY TOWERS - AGR



**THE BOSS CAMLOCK ADVANCED GUARDRAIL SYSTEM OFFERS AN ALTERNATIVE BUILD METHOD FOR BOSS LADDERSPAN TOWERS.**

- » Fewer components - quicker & simpler to build
- » Safety - Guardrail in place before user ascends tower
- » Tower rigidity - created by positive Camlock action
- » Pasma training available on request

**Dimensions based on platform height**



See page 7 for further details

### SINGLE WIDTH

CODE	DIMENSIONS	WIDTH	WEIGHT
6104	1.8 x 2.7m High (AGR)	850mm	144kg
6105	1.8 x 3.7m High (AGR)	850mm	168kg
6107	1.8 x 3.7m High (AGR)	850mm	172kg
6108	1.8 x 4.2m High (AGR)	850mm	190kg
6109	1.8 x 5.7m High (AGR)	850mm	213kg
6111	1.8 x 6.2m High (AGR)	850mm	217kg
6112	1.8 x 6.7m High (AGR)	850mm	235kg
6114	1.8 x 7.7m High (AGR)	850mm	259kg

### DOUBLE WIDTH

CODE	DIMENSIONS	WIDTH	WEIGHT
6146	1.8 x 2.7m High (AGR)	1450mm	164kg
6148	1.8 x 3.7m High (AGR)	1450mm	205kg
6149	1.8 x 4.2m High (AGR)	1450mm	209kg
6150	1.8 x 4.7m High (AGR)	1450mm	227kg
6152	1.8 x 5.7m High (AGR)	1450mm	254kg
6153	1.8 x 6.2m High (AGR)	1450mm	271kg
6154	1.8 x 6.7m High (AGR)	1450mm	289kg
6156	1.8 x 7.7m High (AGR)	1450mm	329kg

### OPTIONAL EXTRAS

762543	Scafftag Pk10 holders, 20 inserts, 1 pen
686516	Scafftag insert Mk1

### COMBINATION LADDERS



**IDEAL FOR GAINING ACCESS AND CARRYING OUT MAINTENANCE WORK. CONFORMS TO EN131 REGULATIONS.**


- » Quick and simple to adapt to each work mode
- » Easy to transport and use
- » Stabiliser bar and restraining straps for extra safety
- » Multi functional design: extension ladder, step ladder, extension step ladder and stairway ladder
- » Lightweight
- » Versatile



See page 7 for further details

CODE	DESCRIPTION	SWL	WEIGHT
5267	Step ladder 1.8m, extension ladder 3.4m, extending step ladder 2.6m, stairway ladder 2.6m	110kg	11kg
5265	Step ladder 2.4m, extension ladder 5.1m, extending step ladder 3.7m, stairway ladder 3.2m	110kg	17kg
5266	Step ladder 2.9m, extension ladder 6.7m, extending step ladder 4.8m, stairway ladder 3.7m	110kg	23kg

### INDUSTRIAL BUILDERS STEPS



**INDUSTRIAL STANDARD BUILDERS STEPS MADE FROM TOUGH, DURABLE ALUMINIUM.**

- » Sturdy locking bar between front and rear sections
- » Robust feet
- » Class 1 industrial
- » Slip resistant treads
- » Broad base for added stability



See page 7 for further details

CODE	DESCRIPTION	SWL	WEIGHT
5486	6 Tread, top height 1.27m	130kg	5kg
5499	8 Tread, top height 1.69m	130kg	7kg
5497/5494	10 Tread, top height 2.10m	130kg	10kg
5498	12 Tread, top height 2.52m	130kg	12kg

## BUILDERS STEPS GRP



### FIBREGLASS LADDER FOR WORKING AROUND ELECTRICITY.

- » Split resistant treads
- » Single handed operation
- » Strong and stable
- » Conforms to EN131
- » Non conductive to 30,000 volts



See page 7 for further details

CODE	DESCRIPTION	SWL	WEIGHT
5490	6 Tread, top height 1.67m	150kg	8kg
5491	8 Tread, top height 2.23m	150kg	11kg
5562	10 Tread, top height 2.79m	150kg	16kg

## WORKING AT HEIGHT

It's important when working at any height to select the right equipment so that it gives you all the access you require, safely and within current regulations.



We recommend that risk assessments are carried out when using all types of Access Equipment.

### PODIUM STEPS



**LOW LEVEL WORK PLATFORM, SAFE TO USE BY ONE OPERATIVE.**

- » Fully folding flat pack design
- » PAS: 250 Compliant
- » Fitted with stabiliser kit to provide maximum stability during use
- » Anti surf
- » Lightweight and robust
- » Fully folding flat pack design so it fits through most standard doorways



See page 7 for further details

CODE	DESCRIPTION	PLATFORM HEIGHT	WEIGHT
5305	P1000	0.94m/0.71m	29kg
5304	P1500	1.44m/1.21m	39kg

### DELTA DECK LOW ACCESS PLATFORM



**LOW LEVEL WORK PLATFORM**

- » 5 platform heights 450mm, 530mm, 600mm, 730mm, 870mm
- » Full guarded rail to ensure safety
- » Access and egress from either end of the platform



See page 7 for further details

CODE	DESCRIPTION	PLATFORM HEIGHT	SWL	WEIGHT
6421	Delta deck	1100mm x 600mm	200kg	26.5kg

## ROOM-MATE FOLDING INDOOR SCAFFOLD



**HEAVY DUTY PLATFORM AND TOWER SYSTEM SUITABLE FOR INTERNAL AND EXTERNAL USE.**

- » The 5016 Room-Mate can be used internally without stabilisers up to 3.8m working height
- » Base pack, when folded, fits through standard doorways and down corridors
- » Easy to transport and store
- » Versatile 260mm stepped height platform adjustment
- » Includes snap click fittings for easy assembly and locking castors to hold the tower in place when in use
- » 250mm easy climb rung



See page 7 for further details

CODE	DESCRIPTION	DIMENSIONS	SWL	WEIGHT
5015	800mm Platform height	775mm(W) Platform size: 600mm x 1800mm	275kg	63kg
5016	1800mm Platform height	775mm(W) Platform size: 600mm x 1800mm	275kg	90kg
5017	3500mm Platform height	775mm(W) Platform size: 600mm x 1800mm	275kg	161kg
5648	6050mm Platform height	775mm(W) Platform size: 600mm x 1800mm	275kg	235kg

## STAIRMAX TOWER



**A SAFE, PORTABLE ACCESS SOLUTION FOR DOMESTIC AND COMMERCIAL STAIRCASES.**

- » Conforms to EN1004 regulations
- » Easy to transport in the back of a small van or hatchback
- » Frames are walkthrough
- » Can be built up to a height of 2.2m from lowest stair
- » Fast and easy assembly



See page 7 for further details

CODE	DESCRIPTION	SWL	WEIGHT
5649	Platform size: 0.7m x 1.3m	275kg	60kg

# **POWERED ACCESS**





## **POWERED ACCESS**

*Low-level or high-reach, for lifting a person or equipment – we offer a full range of solutions either from your local branch or by calling our Direct Hire team on 0344 892 1878.*

 **snorkel**

**POWER  
TOWER**

# POWERED ACCESS

## LOW LEVEL ACCESS



**POWER TOWER PTE51**

- » Safety harness available to purchase
- » Push around access



See page 7 for further details

CODE		ADDITIONAL INFORMATION	
5639		POWER TOWER	
REACH HEIGHT	PLATFORM HEIGHT	CAGE DIMENSIONS	
5.10m	3.10m	1.5 x 0.76m	
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH	
1.2m	1.56m	0.76m	
LIFTING CAPACITY	WEIGHT	POWER SUPPLY	
250kg	342kg	12 volt battery. 110v	
OPTIONAL EXTRAS			
5880	3KVA Transformer		See page 112



**NANO**

- » Safety harness available to purchase
- » Push around access



See page 7 for further details

CODE		ADDITIONAL INFORMATION	
5638		NANO	
REACH HEIGHT	PLATFORM HEIGHT	CAGE DIMENSIONS	
4.5m	2.50m	1.0 x 0.73m	
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH	
1.2m	1.56m	0.75m	
LIFTING CAPACITY	WEIGHT	POWER SUPPLY	
200kg	285kg	12 volt battery. 110v	
OPTIONAL EXTRAS			
5880	3KVA Transformer		See page 112

**ALL MACHINE SPECIFICATIONS ARE INTENDED AS A GUIDE ONLY AND SHOULD BE CONFIRMED AT THE TIME OF HIRE.**

## LOW LEVEL ACCESS



### ECO LIFT

- » Safety harness available to purchase
- » Push around access



See page 7 for further details

CODE		ADDITIONAL INFORMATION	
5636		ECO LIFT	
REACH HEIGHT	PLATFORM HEIGHT	CAGE DIMENSIONS	
4.2m	2.20m	0.85 x 0.64m	
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH	
1.28m	1.94m	0.7m	
LIFTING CAPACITY		WEIGHT	POWER SUPPLY
155kg		305kg	manual

### PECO LIFT

- » Safety harness available to purchase
- » Push around access



See page 7 for further details

CODE		ADDITIONAL INFORMATION	
5637		PECO LIFT	
REACH HEIGHT	PLATFORM HEIGHT	CAGE DIMENSIONS	
3.5m	1.50m	0.72 x 0.60m	
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH	
0.99m	1.5m	0.7m	
LIFTING CAPACITY		WEIGHT	POWER SUPPLY
150kg		180kg	manual

ALL MACHINE SPECIFICATIONS ARE INTENDED AS A GUIDE ONLY AND SHOULD BE CONFIRMED AT THE TIME OF HIRE.

## LOW LEVEL ACCESS



### SNORKEL S3010P

- » Safety harness available to purchase
- » Push around access



See page 7 for further details

CODE		ADDITIONAL INFORMATION
2300		SNORKEL S3010P
REACH HEIGHT	PLATFORM HEIGHT	CAGE DIMENSIONS
5.0m	3.0m	1.05 x 0.57m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
1.21m	1.8m	0.7m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
240kg	349kg	12 volt battery. 110v
OPTIONAL EXTRAS		
5880	3KVA Transformer	See page 112

**PASMA & IPAF TRAINING  
AVAILABLE ON REQUEST**



ALL MACHINE SPECIFICATIONS ARE INTENDED AS A GUIDE ONLY AND SHOULD BE CONFIRMED AT THE TIME OF HIRE.

## SCISSOR LIFTS - ELECTRIC



» Safety harness available to purchase



» Safety harness available to purchase



See page 7 for further details

CODE		ADDITIONAL INFORMATION	
S268999		19E	
REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)	
7.8m	5.8m	1.78m	
CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY	
1.75m	0.81m	227kg	
ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY	
0.9m	1170kg	Battery	



See page 7 for further details

CODE		ADDITIONAL INFORMATION	
S675199		26NE	
REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)	
9.9m	7.9m	2.32m	
CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY	
1.94m	0.84m	227kg	
ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY	
0.9m	1864kg	Battery	

**ALL MACHINE SPECIFICATIONS ARE INTENDED AS A GUIDE ONLY AND SHOULD BE CONFIRMED AT THE TIME OF HIRE.**

## POWERED ACCESS

### SCISSOR LIFTS - ELECTRIC



» Safety harness available to purchase



» Safety harness available to purchase



See page 7 for further details

CODE		ADDITIONAL INFORMATION	
S269006		32E	
REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)	
11.7m	9.7m	2.31m	
CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY	
1.96m	1.17m	318kg	
ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY	
0.9m	2300kg	Battery	



See page 7 for further details

CODE		ADDITIONAL INFORMATION	
S269009		40E	
REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)	
14.19m	12.19m	3.1m	
CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY	
2.01m	1.75m	360kg	
ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY	
0.91m	5300kg	Battery	

**ALL MACHINE SPECIFICATIONS ARE INTENDED AS A GUIDE ONLY AND SHOULD BE CONFIRMED AT THE TIME OF HIRE.**

## SCISSOR LIFTS - DIESEL



» Safety harness available to purchase

» Safety harness available to purchase



See page 7 for further details

CODE		ADDITIONAL INFORMATION	
S268983		26D	
REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)	
9.75m	7.92m	2.67m	
CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY	
1.7m	1.73m	567kg	
ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY	
1.43m	2971kg	Diesel	



See page 7 for further details

CODE		ADDITIONAL INFORMATION	
S268988		32D	
REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)	
11.58m	9.75m	2.67m	
CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY	
1.83m	1.73m	454kg	
ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY	
1.43m	3411kg	Diesel	

**ALL MACHINE SPECIFICATIONS ARE INTENDED AS A GUIDE ONLY AND SHOULD BE CONFIRMED AT THE TIME OF HIRE.**

## SCISSOR LIFTS - ELECTRIC



» Safety harness available to purchase



» Safety harness available to purchase



See page 7 for further details

CODE		ADDITIONAL INFORMATION	
S268994		43D	
REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)	
15.11m	13.11m	3.98m	
CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY	
2.25m	2.29m	680kg	
ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY	
1.93/1.63m	5936kg	Diesel	



See page 7 for further details

CODE		ADDITIONAL INFORMATION	
S675203		53D	
REACH HEIGHT	PLATFORM HEIGHT	LENGTH (STOWED)	
18m	16m	4.92m	
CLOSED HEIGHT (STOWED)	WIDTH	LIFTING CAPACITY	
2.47m	2.29m	680kg	
ROLL OUT DECK EXT	WEIGHT	POWER SUPPLY	
1.93/1.63m	7888kg	Diesel	

**ALL MACHINE SPECIFICATIONS ARE INTENDED AS A GUIDE ONLY AND SHOULD BE CONFIRMED AT THE TIME OF HIRE.**

## BOOM LIFTS - BI-FUEL



» Safety harness available to purchase

» Safety harness available to purchase



See page 7 for further details



See page 7 for further details

CODE		ADDITIONAL INFORMATION
S269027		G30N
REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
11.14m	9.14m	6.25m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
5.59m	2.01m	1.22m
TURNING RADIUS	ROTATION	CAGE DIMENSIONS
1.52m	360°	1.22 x 0.76m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
230kg	7052kg	Battery

CODE		ADDITIONAL INFORMATION
2674202		HR12N
REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
12m	10m	6.1m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
3.99m	1.9m	1.5m
TURNING RADIUS	ROTATION	CAGE DIMENSIONS
2.22m	360°	1.1 x 0.85m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
200kg	3000kg	Bi-fuel

**ALL MACHINE SPECIFICATIONS ARE INTENDED AS A GUIDE ONLY AND SHOULD BE CONFIRMED AT THE TIME OF HIRE.**

## POWERED ACCESS

### BOOM LIFTS - BI-FUEL



» Safety harness available to purchase

» Safety harness available to purchase



See page 7 for further details

CODE		ADDITIONAL INFORMATION
S674210		HR15N
REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
15.6m	13.6m	9.6m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
5.94m	1.95m	1.5m
TURNING RADIUS	ROTATION	CAGE DIMENSIONS
1.21m	360°	1.4 x 0.85m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
225kg	6400kg	Bi-fuel



See page 7 for further details

CODE		ADDITIONAL INFORMATION
S269012		Z45/25BE
REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
15.8m	13.8m	7.5m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
5.5m	2m	1.8m
TURNING RADIUS	ROTATION	CAGE DIMENSIONS
1.52m	360°	1.83 x 0.76m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
227kg	7031kg	Bi-fuel

**ALL MACHINE SPECIFICATIONS ARE INTENDED AS A GUIDE ONLY AND SHOULD BE CONFIRMED AT THE TIME OF HIRE.**

## BOOM LIFTS - DIESEL



» Safety harness available to purchase



» Safety harness available to purchase



See page 7 for further details

CODE		ADDITIONAL INFORMATION
S269020		Z60/34
REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
20.1m	18.3m	10.4m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
7.9m	2.5m	2.29m
TURNING RADIUS	ROTATION	CAGE DIMENSIONS
3.3m	360°	1.82 x 0.76m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
227kg	9929kg	Diesel/Bi-fuel



See page 7 for further details

CODE		ADDITIONAL INFORMATION
S269016		Z45/25RT
REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
15.8m	13.8m	7.5m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
5.5m	2.08m	2.24m
TURNING RADIUS	ROTATION	CAGE DIMENSIONS
1.37m	360°	1.83 x 0.76m
LIFTING CAPACITY	WEIGHT	POWER SUPPLY
227kg	6350kg	Diesel

**ALL MACHINE SPECIFICATIONS ARE INTENDED AS A GUIDE ONLY AND SHOULD BE CONFIRMED AT THE TIME OF HIRE.**

## BOOM LIFTS - DIESEL



» Safety harness available to purchase



» Safety harness available to purchase



See page 7 for further details

CODE		ADDITIONAL INFORMATION
S269023		S45
REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
15.72m	13.72m	11.18m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
8.48m	2.49m	2.3m
TURNING RADIUS	CAGE DIMENSIONS	LIFTING CAPACITY
2m	1.83 x 0.76m	227kg
WEIGHT		POWER SUPPLY
6709kg		Diesel



See page 7 for further details

CODE		ADDITIONAL INFORMATION
S269021		Z80
REACH HEIGHT	PLATFORM HEIGHT	HORIZONTAL OUTREACH
25.6m	23.6m	18.29m
LENGTH (STOWED)	CLOSED HEIGHT (STOWED)	WIDTH
11.27m	3m	2.49m
TURNING RADIUS	CAGE DIMENSIONS	LIFTING CAPACITY
4.42m	2.44 x 0.91m	227kg
WEIGHT		POWER SUPPLY
17010kg		Diesel

**ALL MACHINE SPECIFICATIONS ARE INTENDED AS A GUIDE ONLY AND SHOULD BE CONFIRMED AT THE TIME OF HIRE.**

# **SAFE, FAST & FLEXIBLE**

- **COMPREHENSIVE RANGE OF POWERED ACCESS EQUIPMENT AVAILABLE TO HIRE**
- **ALL OUR HIRE EQUIPMENT IS REGULARLY SERVICED AND MAINTAINED FOR SAFETY AND RELIABILITY**
- **WE CAN OFFER ADVICE ON SAFETY ISSUES AND TRAINING COURSES PLUS, WE CAN ALSO PROVIDE SAFETY HARNESSES FOR ALL EQUIPMENT.**



We recommend that risk assessments are carried out when using all types of Access Equipment.

# **DRILLING & BREAKING EQUIPMENT**





## ***DRILLING & BREAKING EQUIPMENT***

*Whatever your job, our range of drilling and breaking equipment will provide the versatility you need.*

**HILTI**

## DRILLING & BREAKING EQUIPMENT

### DRY DIAMOND DRILL



**FOR DRY CORING IN BRICK, SAND-LIME BLOCK AND AERATED CONCRETE.**

- » Suitable for dry drilling only
- » Vari-speed trigger ensures a clean start and finish
- » Drill rigs available
- » Bored holes up to 162mm in diameter
- » Drill: 28-162mm (Dia.)
- » Dust extraction available upon request



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
0142/0592	DD110	93	7	110	8.2kg

### DRY DIAMOND CORE BITS

**RANGE OF CORE BITS AVAILABLE FOR USE WITH DRY DIAMOND DRILLS. OTHER SIZES AVAILABLE.**

» Wear charges apply

CODE	DIAMETER	LENGTH
2038	38mm	165mm
2048	48mm	165mm
2052	52mm	165mm
2065	65mm	165mm
2091	91mm	165mm
2107	107mm	165mm
2117	117mm	165mm
2127	127mm	165mm
2132	132mm	165mm
2152	152mm	165mm

OPTIONAL EXTRAS		
5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114
0147	21ltr Dust Extraction unit	See page 106

## DIAMOND CORE DRILLING RIG



**POWERFUL CORING SYSTEM FOR WET DRILLING IN CONCRETE FOR PIPES, HEATING & AIR CONDITIONING, CABLE TRAYS AND PLUMBING JOBS.**

- » Suitable for wet and dry drilling
- » Extension bars are available
- » Drill: 25-300mm (Dia.)



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
0144	DD250	93	2.5	110	15.3kg

## WET DIAMOND CORE BITS

**RANGE OF CORE BITS AVAILABLE FOR USE WITH WET DIAMOND DRILLS. OTHER SIZES AVAILABLE.**

- » Wear charges apply

CODE	DIAMETER	LENGTH
2300	28mm	300mm
2342	32mm	300mm
2280	52mm	300mm
2351	91mm	300mm
2352	102mm	300mm
2282	107mm	300mm
2283	127mm	300mm
2355	132mm	300mm
2357	152mm	300mm
2359	178mm	300mm
2361	200mm	300mm

OPTIONAL EXTRAS		
5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114
0153	Vacuum pump	—
8587	2019 - Diamond core water attachment	—

## DRILLING & BREAKING EQUIPMENT

### CORDLESS IMPACT WRENCH



**A POWERFUL CORDLESS IMPACT WRENCH WITH 1/2" DRIVE.**

- » Full hammering frequency 3400 impacts/minute
- » 3 speed settings
- » Tightening standard bolts max diameter 16mm



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
0470	SIW14-A	93	7.5	14v	2kg

### CORDLESS DRILL



**SDS HAMMER FOR DRILLING CONCRETE, STONE, MASONRY AND ALSO METALS AND WOOD.**

- » Ideal when working away from power supply
- » Drill bits available to purchase
- » Versatile drill
- » Drills holes up to 20mm in diameter in concrete
- » 35mm in diameter in wood, and 13mm in diameter in steel



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
0128	TE6-A (Li-ion)	99	9	36v	4.7kg

## LIGHT DUTY ROTARY HAMMER DRILL



**IDEAL FOR LIGHT/MEDIUM DUTY DRILLING IN CONCRETE, STONE AND MASONRY. ALSO SUITABLE FOR LIGHT CHISELLING ON BRICK, BLOCK OR CONCRETE.**

- » Variable speed for screw driving with clutch for safety
- » Wood: 32mm (Dia.)
- » Concrete: 25mm (Dia.)
- » Steel: 13mm (Dia.)



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S²	POWER	WEIGHT
0392	TE30 C-AVR	100	12	110v	4.2kg

### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

## MEDIUM DUTY ROTARY HAMMER DRILL



**SUITABLE FOR DRILLING IN CONCRETE, STONE AND MASONRY.**

- » Hammer drilling in concrete, masonry and natural stone up to 24mm
- » Light chiselling work on concrete and masonry
- » Max Drill: 24mm



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S²	POWER	WEIGHT
0171	TE40-AVR	105	10.7	110v	6kg

### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

## DRILLING & BREAKING EQUIPMENT

### HEAVY DUTY ROTARY HAMMER DRILL



**DESIGNED FOR DRILLING IN CONCRETE, STONE AND MASONRY AS WELL AS HEAVY CHISELLING IN CONCRETE.**

- » Breaks up to 100mm thick concrete
- » Various points, chisels & drills available for hire or purchase
- » Resharpener charges applicable
- » Concrete or masonry: 40mm drill (Dia.)
- » Concrete: 100mm breaking



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	VIBRATION LEVEL M/S <sup>2</sup>	POWER	WEIGHT
0121	TE80 C-ATC	100	8.8	110v	11kg

#### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

### DUST EXTRACTION UNIT



**FOR USE WITH A WIDE RANGE OF SURFACE PREPARATION EQUIPMENT WHERE KEEPING DUST TO A MINIMUM IS CRITICAL OR WHERE HAZARDOUS OR TOXIC DEBRIS IS BEING COLLECTED.**

- » Anti-static safe bagging system
- » Three powerful motors
- » Swivel castors for extra manoeuvrability
- » Ideal for decontamination projects when used with Hepa filters
- » Automatic filter cleaning
- » Wet and dry vac attachment available on request



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
0147	21ltr Dust Extraction Unit	74	110v	14kg
0148	36ltr Dust Extraction Unit	74	110v	14kg

#### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
------	------------------	--------------

## DIESEL COMPRESSORS



- » Quiet running
- » Fuel efficient
- » Simple key start sequence
- » Larger sizes available on request
- » Portable road tow



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
S219307	Single Tool	99	Diesel	430kg
S219308	Twin Tool	99	Diesel	535kg

## LIGHT DUTY HILTI BREAKER



### LIGHT DUTY HILTI BREAKER.

- » TE500 AVR
- » Tool chuck type: TE YSDS max
- » Active vibration reduction
- » Supplied with point, chisel & wide chisel attachments



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
0193	TE500	84	110v	6.3kg

### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

## HILTI MEDIUM DUTY BREAKER



**HILTI MEDIUM BREAKER TE40.**

- » 110 volt
- » Tool chuck type: SDS
- » Active vibration reduction
- » Not supplied with attachments.
- » Uses SDS Bits, Available to purchase



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
0133	TE40 AVR	86	110v	5.6kg

### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

## HILTI HEAVY DUTY BREAKER



**HILTI HEAVY DUTY BREAKER TE1000.**

- » 110 Volt
- » Tool chuck type: FE-S
- » Active vibration reduction
- » Supplied with point, chisel & bolster attachments



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
0139	TE1000 AVR	85	110v	12.5kg

### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

# **BSS MAGNA PARK**

**MAGNA PARK IS OUR HIRE HUB. OUR TEAM OF TRAINED ENGINEERS TEST, CALIBRATE AND REPAIR TOOLS TO ENSURE EVERYTHING IN OUR FLEET IS OF THE HIGHEST QUALITY AND RELIABILITY. NOT ONLY THAT, OUR LARGE TOOL STORAGE FACILITY AS WELL AS OUR NEXT DAY DELIVERY SERVICE MEANS THE TOOL YOU NEED CAN BE YOURS WHEN YOU NEED IT.**



# **POWER & LIGHTING**



## **POWER & LIGHTING**

*Poor lighting or lack of power can no longer hinder your work schedule with our range of power and lighting solutions available for hire.*



**Defender**  
POWER AND LIGHT



**Milwaukee**



**STEPHILL**  
GENERATORS

## GENERATORS



**A RANGE OF PORTABLE POWER GENERATORS AVAILABLE FOR SITE WORK. ONLY USE IN WELL VENTILATED AREAS.**

- » TIN12/CTE Generators suitable for use with fusion machines
- » Petrol and diesel models available
- » Robust frame
- » Wheeled and easy to move
- » Silenced option available



See page 7 for further details

CODE	DESCRIPTION	POWER FACTOR	RUN TIME (APPROX)	DECIBEL LEVEL	POWER	WEIGHT
5760	5kVA TIN12 - 690mm(L) x 480mm(W) x 540mm(H)	4.0kW	3.5 hours @ 75% load	71 @7m	Petrol	70kg
5757	3kVA - 610mm(L) x 420mm(W) x 410mm(H)	2.7kW	3 hours @ 5% load	71 @7m	Petrol	38kg
5747	6kVA - Silenced - 1285mm(L) x 655mm(W) x 900mm(H)	4.8kW	17 hours @ 75% load	66 @7m	Diesel	196kg
5742	10kVA - Silenced - 1400mm(L) x 650mm(W) x 975mm(H)	9.0kW	7 hours @ 75% load	68 @7m	Diesel	325kg
<b>NEW</b> 5768	6KVA CTE - 818mm (L) x 603mm (W) x 690mm (H)	9.0kW	2.7 hours @ 75% load	72 @7m	Petrol	80kg

## SITE GENERATORS



**ENSURE SUITABLE EARTH GROUNDING IS IN PLACE.**

- » Acoustic housing



See page 7 for further details

CODE	POWER FACTOR
S343151	20kVA
S343155	30kVA
S343161	45kVA 3 Phase
S343163	60kVA 3 Phase

### WHAT SIZE GENERATOR DO I NEED?

Power Factor is the true output of the generator. A 3kVA generator has a power factor of 2.7kw, or 2700w.

#### SOME COMMON POWER TOOL PRODUCTS:

- » Heavy Rotary Hammer - 1150 watts
- » 125mm Mini Grinder - 1050 watts
- » Heavy Duty Breaker - 1700 watts
- » Submersible Pump - 400 watts

Therefore a 3kVA generator will run all of the above tools (individually).

## TRANSFORMER



### CONVERT POWER FROM 240V TO 110V.

- » Multiple outlets
- » 5KVA Transformers come with a 16amp socket
- » 3KVA Transformers come with both 32amp & 16amp sockets



See page 7 for further details

CODE	DESCRIPTION	DIMENSIONS	POWER	WEIGHT
5860	3KVA Transformer	190mm(L) x 240mm(W) x 260mm(H)	240v	18kg
6394	3kVA Vented for Heaters & Dehumidifiers	220mm(L) x 280mm(W) x 380mm(H)	240v	35Kg
5885	5kVA - 3kVA Continuous	315mm(L) x 355mm(W) x 275mm(H)	240v	40kg
5892	10kVA Site Transformer	545mm(L) x 430mm(W) x 370mm(H)	240v	86kg

### SAFETY NOTES

5892 10kVA Transformer: Must be hard wired in on site by a competent electrician. Comes with forklift points and lifting rings. Protected by MCB's

## 4 WAY JUNCTION BOX



### ALLOWS UP TO FOUR TOOLS TO BE OPERATED FROM A SINGLE POWER SOURCE.

- » Rugged, weatherproof design
- » Four 16 amp sockets



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
9982 or 9990	16amp, 3m Long Cable	110v	3kg

### EXTENSIONS REELS AND LEADS



- » Dual outlet
- » Completely uncoil before use
- » Multiple outlets



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
5942/5900	25m Extension Reel - 16amp	110v	6kg
5988/5999	14m Extension lead - 32 amp	110v	6kg

### RCD CIRCUIT BREAKER



**ESSENTIAL FOR USE WITH ALL 240V POWER TOOLS  
AND ELECTRICAL EQUIPMENT.**

- » Instantly cuts out if fault occurs

CODE	DESCRIPTION	POWER	WEIGHT
9989	13amp	240v	2kg

## FLUORESCENT UPLIGHT



**IDEAL FOR USE AS EMERGENCY OR OUTSIDE LIGHTING.**

- » 36w fluorescent tube mounted on a self righting base
- » Suitable for internal or external use
- » High output, low energy light
- » Ideal for plasterers
- » Uplight junction box and uplight stick required as per picture



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
6085	Uplight Stick	110v	6kg
9991	Uplight junction box vc110	110v	10kg

### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

## FLUORESCENT TRIPOD LIGHT



**DELIVERS SHADOW-FREE LIGHTING FOR PLASTERING, PAINTING AND DECORATING.**

- » Waterproof
- » High impact
- » Complete with linking sockets/power take-off



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
6080	2 x 110v 16amp power take off sockets	110v	9kg

### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

## FLOODLIGHT



### LED TRIPOD MOUNTED FLOODLIGHTS.

- » High impact
- » Dual power available



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
6078	500w twin head	110v	6kg
6096	5m tower light 4 x 500w heads	110v	33kg

### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

## COMPACT SITE LIGHT / CHARGER



- » Dual power, powered by either the M18 red lithium-ion battery pack or 110v 2.5m hardwire cord
- » Optimised brightness and run time by adjusting the light output from 0 - 9000 lumens
- » AC outlet gives possibility to string multiple lights together



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
6063	Compact Site Light / charger	18v/110v	12.1kg

### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

## STAND LIGHT / CHARGER



- » Dual power, powered by either the M18 red lithium-ion battery pack or 110v 2.5m hardwire cord
- » Optimised brightness and run time by adjusting the light output from 0 - 3000 lumens
- » Extendable mast from 1.1m - 2.15m



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
6064	Stand Light / Charger	18/110v	8.5kg

### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

## COMPACT SITE LIGHT



### COMPACT SITE LIGHT.

- » Dual power, powered by either the M18 red lithium-ion battery pack or 110v 2.5m hardwire cord
- » Optimised brightness and run time by adjusting the light output from 0 - 4400 lumens
- » AC outlet gives possibility to string multiple lights together



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
6066	Compact Site Light	18v/110v	5.4kg

### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

## STAND LIGHT 18VOLT



### STAND LIGHT 18VOLT.

- » Powered by M18 red lithium battery packs, sealed battery compartment for up to two batteries to extend run time
- » Optimised brightness and run time by adjusting the light output from 0 - 5400 lumens
- » Height change from 0.5m - 1.65m



See page 7 for further details

CODE	DESCRIPTION	POWER	WEIGHT
6067	Stand Light 18volt	18v	9.1kg

# **SITE STORAGE & MOVING EQUIPMENT**





## ***SITE STORAGE & MOVING EQUIPMENT***

*Security and movement of tools and equipment around a site is made easy with our range of storage and MHE equipment.*

 **armorgard**  
ticking every box.

**Genie**  
A TEREX BRAND

## SITE STORAGE & MOVING EQUIPMENT

### ARMORGARD TUFFBANK TB2



- » Heavy duty site security box
- » Gas strut arms to assist lid opening & closing
- » Twin 5 lever deadlocks
- » Available with wheels



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
9980	1275 x 665 x 660mm	89kg

### ARMORGARD TUFFBANK TBC4



- » Heavy duty site security chest
- » Gas strut arms to assist lid opening & closing
- » Twin 5 lever deadlocks
- » Available with wheels



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
9981	1275 x 675 x 1270mm	159kg

### ARMORGARD BARROBOX BB2



- » Secure mobile site box with retractable wheels
- » Unique wheelwinder converts the box from mobile to static in seconds
- » Twin 5 lever deadlocks, gas arms
- » Ideal for keeping your tools close by your side



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2601	740 x 1095 x 720mm	65kg

### ARMORGARD PIPESTOR PS3.0



- » Ideal for securing long lengths of material
- » Door on one end with a deadlock
- » Mobile - fitted with 6 wheels
- » 3m pipestor extends to 6m with additional extender pack



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2603	575 x 3205 x 785mm	130kg
2109	Pipestor Extender Pack	133kg

## SITE STORAGE & MOVING EQUIPMENT

### ARMORGARD FITTINGSTOR FC3



- » Secure & mobile cabinet for storing fittings
- » 15 individual compartment bins on 3 levels
- » Storage section for other tools & equipment
- » Twin 5 lever deadlocks



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2602	1200 x 580 x 1750mm	160kg

### ARMORGARD MOBILE PIPE RACK PR2



- » Tested & certified to take 2 tonnes
- » Ideal for storing & transporting 3m lengths
- » Keeps material off the floor
- » Linking kit available to extend to 6m



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2604	1000 x 1500 x 545mm	120kg
2108	Linking kit	15kg

## ARMORGARD MOBILE TUFFBENCH BH1270M-W



- » Sitebox & workbench in one - the perfect solution
- » Fitted with heavy duty wheels
- » Secure section underneath
- » Wooden work surface



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2205	1200 x 700 x 940mm	98kg

## ARMORGARD BATTERY BANK/POWER STATION



- » 6 x separate compartments with individual locks
- » Double socket in each compartment
- » 230volt RCD protected plug
- » All steel construction
- » 300 x 450 x 1800mm total
- » 295 x 425 x 275mm per compartment



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
5660	Armogaurd Power station	27kg

### ARMORGARD V-KART VK2



- » Pipe Bogey 500kg SWL
- » Rubber grips to hold the load
- » 300mm diameter pneumatic wheels
- » Robust construction



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2202	v-kart 850 x 800 x 450mm	33kg

### ARMORGARD BARRICADE BAR1



- » Steel expandable safety barrier
- » Expands up to 4m
- » Heavy duty construction
- » Fire resistant



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
2203	450 x 300 x 950mm folded	25kg

## PALLET TRUCK



- » Hydraulic pallet truck



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
9829	Pallet truck 2000kg	85kg

## GENIE SUPERLIFTS



**LIGHTWEIGHT AND PORTABLE MATERIALS LIFT. EXTENSION FORKS, PIPE CRADLES AVAILABLE AT AN ADDITIONAL COST.**

- » Suitable for construction and industrial site applications
- » Ideal for stacking or pouring and loading/unloading of heavy materials
- » To be used on smooth even ground



See page 7 for further details

CODE	DESCRIPTION	SWL	LIFT HEIGHT	WEIGHT	WIDTH
4299	SLA10	454kg	10ft	118kg	630mm
4297	SLA15	363kg	15ft	144kg	630mm
4300	SLA20	363kg	20ft	184kg	630mm
4301	SLA25	295kg	25ft	204kg	630mm
4302	SLA Pipe Cradles	-	-	-	-
4303	SLA Forks	*	-	-	-

\*safe working load dependent on position of forks

# **GENERAL EQUIPMENT**





## **GENERAL EQUIPMENT**

*We offer a range of general equipment which makes health and safety the top priority.*

**HILTI**

**RHINO**

**Ebac**  
DEHUMIDIFIERS

### INFRARED HEATER



**PROVIDES LOCALISED HEAT. IDEAL FOR OFFICES, SHOPS, DRAUGHTY LOCATIONS AND FOR DRYING OUT DAMP WALLS.**

- » Heat/energy is only released when it detects a solid mass
- » Fume-free
- » Fitted with wheels for ease of transportation
- » If extension lead required, use maximum of 1 x 14m
- » Only use 110v with 3KVA Continuous Vented Transformer



See page 7 for further details

CODE	DESCRIPTION	DIMENSIONS	POWER	WEIGHT
6271	2 x 1.4kW Infrared Elements	500mm(L) x 460mm(W) x 1000mm(H)	110v / 240v	14kg

#### OPTIONAL EXTRAS

6394	3KVA vented transformer	See page 113
------	-------------------------	--------------

### DEHUMIDIFIER



**QUICKLY AND EFFICIENTLY DRIES OUT BUILDINGS.**

- » Suitable for drying out areas after flooding or burst pipes
- » Larger machines can extract up to 30 litres of moisture in 24 hours
- » ECO85 is insurance rated



See page 7 for further details

CODE	DESCRIPTION	DECIBEL LEVEL	POWER	WEIGHT
6404	Large-EC150 915mm(H) x 610mm(W) x 692mm(D)	73	110v / 240v	80kg

#### OPTIONAL EXTRAS

5885	3 - 5KVA Continous Transformer	See page 113
9989	RCD Circuit breaker	See page 114

## HILTI LASER LEVEL - POINT & LINE



### PM4-M LASER LEVEL.

- » Multi line plumbing point laser with red beam
- » Accuracy 2mm at 10m
- » Max operating distance (diameter); 20m (lines)
- » 100m (lines with receiver)
- » Max operating time 8 hours
- » Complete with stand



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
0157	PM4-M laser	5kg

## HILTI LASER LEVEL - ROTATING



### PR3-HVSG ROTATING LASER LEVEL.

- » Robust green beam rotating laser featuring 360 degree impact protection
- » Suitable for all interior applications
- » Accuracy 1mm at 10m
- » Operating range with receiver (diameter): 2-150m
- » Class 2 laser
- » Complete with stand and staff



See page 7 for further details

CODE	DESCRIPTION	WEIGHT
0180	PR3-HVSG Laser	5kg

## NOISE REGULATIONS

Continuous exposure to excessive noise can damage your hearing permanently. By following the Control of Noise at Work Regulations and using the right ear defenders you can protect yourself.



## GENERAL EQUIPMENT

### SUBMERSIBLE PUMP



**IDEAL FOR EMPTYING DEEP CLEAR WATER FROM DRAINS, WELLS, BASEMENTS AND SWIMMING POOLS.**

- » Electrically operated and fully submersible
- » Features 12m head
- » Additional hose lengths available



See page 7 for further details

CODE	DESCRIPTION	DIMENSIONS	DECIBEL LEVEL	POWER	WEIGHT
7469	250 Litres/minute Pump Speed. W/w 50mm x 6m Outlet Hose	220(L) x 150(W) x 420(H) mm	65	110v	16kg

#### OPTIONAL EXTRAS

5880	3KVA Transformer	See page 113
5900	25m Extension Reel - 16amp	See page 114

### CENTRIFUGAL PUMP



**A PUMP THAT IS VERSATILE ENOUGH TO COPE WITH MOST WATER PUMPING JOBS. IDEAL FOR EMPTYING SWIMMING POOLS, FOUNDATIONS AND FLOODED AREAS.**

- » Supplied complete with 6m suction hose and strainer
- » Petrol and diesel engines available
- » Extra hose available
- » Lightweight
- » Portable



See page 7 for further details

CODE	DESCRIPTION	DIMENSIONS	DECIBEL LEVEL	POWER	WEIGHT
S343517	620 Litres/Minute Pump Speed	362(L) x 468(W) x 415(H) mm	82	Petrol	24kg

# SUSTAINABILITY IS IMPORTANT TO BSS

## SUSTAINABILITY REMAINS AT THE FOREFRONT OF OUR SERVICE PROPOSITION.

- » ISO 14001 accredited
- » Industry recognition for our fleet (FORS Gold) and safety (ROSPA Gold) achievements
- » Year on year continued reduction in waste to landfill
- » Site clearance facility
- » Backhauling to reduce fuel consumption
- » Branch waste recycling through our own central warehouse
- » New route planning technology to reduce road miles for delivery fleet
- » Supplier collaboration to minimise carbon footprint in supply chain



# ***BUILDING & CONTRACTING***





---

## ***BUILDING & CONTRACTING***

*Whatever the size of your job, the BSS Direct Hire team can arrange the equipment to suit your needs. Speak to the team directly on 0344 892 1878.*

### ANTI VANDAL SECURITY STORES



#### FULL STEEL, SECURE STORAGE CONTAINERS.

- » Hardwood floors
- » Swing cargo doors
- » Comes with racking or shelving if required

CODE	DIMENSIONS
S344154	10' x 8'
S344155	12' x 8'
S344156	16' x 8'

CODE	DIMENSIONS
S344157	21' x 9'
S344158	24' x 9'
S344159	32' x 10'

### ANTI VANDAL CANTEEN UNITS



#### STEEL ACCOMMODATION UNIT THAT IS IDEAL FOR USE ON SITES WHERE TEMPORARY ACCOMMODATION AND COOKING FACILITIES ARE REQUIRED.

- » Can be supplied with oil filled radiators, water heater, worktops, sink unit, cooker and fridge

CODE	DIMENSIONS
S344121	10' x 8'
S344122	12' x 8'
S344123	16' x 8'

CODE	DIMENSIONS
S344124	21' x 9'
S344125	24' x 9'
S344126	32' x 10'

## ANTI VANDAL OFFICE UNITS



**SECURE STEEL PORTABLE OFFICE RANGE COMBINING THE STRENGTH AND SECURITY OF STEEL, WHILST GIVING THE SPACE AND COMFORT OF MORE TRADITIONAL PORTABLE OFFICES.**

CODE	DIMENSIONS
S344111	10' x 8'
S344112	12' x 8'
S344113	16' x 8'

CODE	DIMENSIONS
S344114	21' x 9'
S344115	24' x 9'
S344116	32' x 10'

## PORTABLE TOILET



**RANGE OF PORTABLE TOILET UNITS AVAILABLE FOR USE ON BUILDING SITES, OUTDOOR EVENTS OR OTHER LOCATIONS WHERE TEMPORARY TOILET FACILITIES ARE REQUIRED.**

» Mains fed and self contained units available

CODE	DIMENSIONS
S288352	4' x 4'

### SOUNDEX ACOUSTIC CURTAINS



**SOUNDEX 'H' TYPE ACOUSTIC CURTAINS CAN BE USED FOR SUSPENDING OF HERAS FENCING OR SCAFFOLDING FOR INTERNAL AND EXTERNAL APPLICATIONS. THREE 'H' TYPE CURTAINS ARE REQUIRED FOR EACH STANDARD FENCE PANEL.**

- » Lightweight
- » High acoustic efficiency, up to 32dB reduction
- » Weatherproof
- » Flame retardant

CODE	DESCRIPTION
S111176	'H' type curtain
S111177	Quilt

### HERAS FENCING



**TEMPORARY FENCING FOR USE ON A MULTITUDE OF SITES**

- » Individual panels approx 3.5m wide x 2m tall
- » Each panel is made up of a metal tubing frame, that's feet slot into concrete or synthetic blocks

CODE	DIMENSIONS
S343343	3.5m x 2m approx

## CROWD BARRIERS



### PEDESTRIAN BARRIERS PERFECT FOR SITE SOLUTIONS OR EVENTS

- » The crowd barrier feet are welded to galvanised frame, making them ideal for stacking

CODE	DIMENSIONS
S343436	2.3m(w) x 1.1m(h) (approx)

## CHAPTER 8 BARRIERS / PLASTIC BARRIERS



### HIGHLY VISIBLE 2M LONG PLASTIC BARRIERS, USED FOR PLACING AROUND TEMPORARY WORKS OR CORDONED OFF AREAS

- » Designed to be linked together
- » Conform to Chapter 8 regulations.

CODE	DIMENSIONS
S711305	2m(w) x 1m(h) (approx)

## TRAFFIC LIGHTS



**FOR USE WHERE TEMPORARY TRAFFIC MANAGEMENT IS REQUIRED.  
2 WAY RADIOS.**

- » Range up to 3km
- » 24 channels
- » Rechargeable- 11 hour use
- » Durable and robust



See page 7 for further details

CODE	DESCRIPTION
S343665	2 Way Set
S888817	3 Way Set
S888818	4 Way Set
S343666	Acoustic Set

CODE	DESCRIPTION
S343667	Silent Knight Light
S343668	Traffic Light Set LPG
S343316	2 Way Radios

## TELEHANDLERS



**FOR ONSITE LIFTING AND MATERIAL REQUIREMENTS, SUCH AS PLACING  
BRICKS, ROOFING MATERIALS AND TRUSSES.**



See page 7 for further details

CODE	DESCRIPTION
S267987	5m 4W/D
S267988	7m 4W/D
S267989	9m 4W/D
S342081	12m 4W/D

CODE	DESCRIPTION
S267990	13m 4W/D
S267991	14m 4W/D
S342090	17m 4W/D

## BOWSERS



### RECOMMENDED FOR REFUELLING OF SITE EQUIPMENT.

- » Fully bunded
- » Water and diesel bowsters available



See page 7 for further details

CODE	DESCRIPTION
S342544	250G Site Tow
S342545	250G Highway Tow

CODE	DESCRIPTION
S342548	500G Site Tow
S342549	500G Highway Tow

## MINI EXCAVATORS



### A TRACKED MINI EXCAVATOR WHICH IS SUITABLE FOR ALL TRENCHING WORK UP TO A DEPTH OF 2M.

- » Various bucket sizes available: 300mm, 450mm and 600mm
- » Models available to dig up to 2044mm in depth



See page 7 for further details

CODE	DESCRIPTION	DIMENSIONS	DECIBEL LEVEL	POWER	OPERATING WEIGHT
S218001	0.75t	2310mm(H) x 700mm(W) x 2682mm (L) with dipper (1165mm(L) without)	90	Diesel	950kg
S218002	1.5t	2318mm (H), 980mm (W), 3346mm (L) with dipper (1384mm (L) without)	94	Diesel	1634kg

## DUMPERS



**RANGE OF 4-WHEEL DRIVE, DIESEL POWERED DUMPERS SUITABLE FOR MOVING MATERIALS AROUND A RANGE OF JOB SITES.**

- » 4-wheel drive
- » Suitable for use on construction sites and large landscaping jobs
- » Swivel action allows for use in tight locations



See page 7 for further details

CODE	DESCRIPTION
S267485	3t Swivel Diesel
S267499	6t Swivel Diesel

CODE	DESCRIPTION
S267503	9t Diesel

## COILED PIPE TRAILERS



**A WIDE RANGE OF COILED PIPE TRAILERS AVAILABLE BASED ON YOUR REQUIREMENTS**

- » Contact our Direct Hire Team for more information



See page 7 for further details

CODE	DESCRIPTION
S344070	Pipe Trailer

## POWERED STAIR CLIMBER



### DESIGNED FOR MOVING ITEMS UP AND DOWN THE STAIRS

- » Powered stair climbers available in a range of safe working loads, depending on your requirement
- » Great for moving larger items around your site



See page 7 for further details

CODE	DESCRIPTION
S267960	Powered stair climber

## TEMPORARY BOILERS



### PORTABLE BOILERS FOR EMERGENCY HIRE

- » Site surveys available on request
- » Boiler provided based on specific site requirements
- » Available for temporary heating and hot water
- » For further information please contact the Direct Hire Team



See page 7 for further details

DESCRIPTION
Temporary boiler

### GASCOSEEKER



#### **GASCOSEEKER GAS DETECTOR USED FOR MEASURING % LEL AND % VOLUME FLAMMABLE HYDROCARBONS**

- » Accurate and extremely reliable low cost instrument
- » LCD display of gas readings
- » 15 hour run time (approx)



See page 7 for further details

CODE	DESCRIPTION
VX7485	Gas Detector

### GAS PURGE KIT



#### **150MM GAS PURGING KIT**

- » Used for purging pipework
- » Supplied with the purging fan and 'gascoseeker' gas monitor
- » Supplied in a case making them easy to transport
- » Supplied with 2 lengths of 5m hose



See page 7 for further details

CODE	DESCRIPTION
XC9042	Gas Purge Kit

### NOISE REGULATIONS

Continuous exposure to excessive noise can damage your hearing permanently. By following the Control of Noise at Work Regulations and using the right ear defenders you can protect yourself.



# **OPEN A CREDIT ACCOUNT TODAY!**

**IT'S NEVER BEEN EASIER TO OPEN AN ACCOUNT  
WITH BSS TO ACCESS OUR LATEST HIRE RATES  
ACROSS THE ENTIRE BSS BRANCH NETWORK.  
YOU CAN ALSO BROWSE OUR ONLINE PRODUCT  
SELECTOR AND REQUEST A QUOTE FOR THE  
ITEMS YOU SELECT.**

**[BSSINDUSTRIAL.CO.UK](http://BSSINDUSTRIAL.CO.UK)**



Hire available at a select range of BSS branches for non account customer, please enquire. T's and c's apply. See website for details: [bssindustrial.co.uk](http://bssindustrial.co.uk)

# **WASTE MANAGEMENT**





---

## **WASTE MANAGEMENT**

*In addition to our extensive stocked range of hire equipment, we can quickly source a wider range of equipment using our preferred partners giving you one point of contact for all your hire needs. This covers a variety of storage, waste and site solutions. Speak to your local branch or call our Direct Hire team on 0344 892 1878.*

## WASTE MANAGEMENT SOLUTIONS



Range of skips sizes available for a wide variety of waste categories and applications.

Suitable for almost any general and non hazardous waste requirements, range of sizes available as well as wait and load services, tipper vehicles and roll on roll off skips.

» Road permitting service available

### MUCKAWAY SERVICE AVAILABLE

A professional service to collect and dispose of waste material when a single or multiple skips will not suffice. Grab and Tipper lorries are available, however please note a Tipper lorry will need to be loaded by an excavator (please see page 139 for excavators).

CODE	DESCRIPTION	CODE	DESCRIPTION
S517194	Small (2-3 yards)	S517247	Roll on/off (15-20 yards)
S517218	Medium (3.5-4 yards)	S517248	Roll on/off (25-30 yards)
S517231	Builder (5-6 yards)	S517252	Roll on/off (35-40 yards)
S517244	Large Builder (7-8 yards)		

SIZE	SUITABLE FOR
2 – 3 yards (approx 20 – 30 black bin bags)	Low volume waste projects such as kitchen and bathroom refits
3 – 4 yards (approx 30 – 40 black bin bags)	Medium volume waste projects such as shop refits and small building projects
6 – 8 yards (approx 50 – 60 black bin bags)	Very economical skip, the type usually seen on the road side. Suitable for most waste including heavy waste
10 – 14 yards (approx 70 – 80 black bin bags)	For larger projects and commercial work. Not suitable for heavy waste such as soils

**WAIT & LOAD SERVICE**



This option is suitable for sites where a skip permit may be difficult to obtain or on sites where waste disposal is highly restrictive.

SIZE	SUITABLE FOR
Up to 40 yards	Shop fitters, property developers, builders and contractors on urban sites

**ROLL ON ROLL OFF SKIPS**



Available as open/enclosed and compactor bins.

SIZE	SUITABLE FOR
Up to 16-40 yards	Large industrial jobs such as building waste, packaging waste and recyclables such as cardboard, paper, wood, metals and plastics.

## BRANCH DIRECTORY

BRANCH	ADDRESS	POST CODE	TELEPHONE
Aberdeen	Unit 5a, South Middleton Base, Greenwell Road, East Tullos Industrial Estate, Aberdeen	AB12 3AX	01224 292929
Barking	Unit 5, New England Trading Estate, Gascoigne Road, Barking	IG11 7NZ	0208 477 8888
Belfast	36-38 Duncrue Road, Duncrue Industrial Estate, Belfast, Northern Ireland	BT3 9BP	028 9078 4000
Birmingham Minworth	Unit E2, Stockton Close, Minworth Trading Estate, Minworth, Birmingham	B76 1DH	0121 313 0835
Birmingham Smethwick	Units 2 & 4 Crystal Drive, Sandwell Business Park, Smethwick, West Midlands	B66 1QG	0121 552 6000
Borehamwood	Chester Road, Borehamwood, Hertfordshire	WD6 1LT	020 8327 4100
Bournemouth	Unit 3B, Broom Road Business Park, Broom Road, Poole	BH12 4PA	01202 711300
Brentford	Transport Avenue, Brentford, Middlesex	TW8 9HF	020 8232 2727
Bristol	Albert Road, St Philips, Bristol	BS2 0BS	0117 972 7900
Cambridge	Units 6-8, College Business Park, Coldhams Lane, Cambridge	CB1 3HD	01223 404040
Cardiff	Unit 3, Trident Trade Park, Glass Avenue, Ocean Way, Cardiff	CF24 5EP	029 2043 2400
Carlisle	Unit 2A, Port Road Business Park, Carlisle	CA2 7AJ	01228 517600
Colchester	Unit 6, Smeaton Close, Severalls Industrial Park, Colchester, Essex	C04 9QY	01206 754720
Coventry	Unit 17, 219 Torrington Avenue, Coventry	CV4 9HN	024 7669 4744
Crawley	Unit 2, Whittle Road, Crawley	RH10 9RW	01293 610170
Croydon	Units 3&4 Ashworth Industrial Estate, Beddington Lane, Croydon, Surrey	CR0 4YZ	0208 662 2300
Dartford	Unit 11 Orbital One, Green Street Green Road, Dartford, Kent	DA1 1QG	01322 289039
Derby	Riverside Road, Pride Park, Derby	DE24 8HH	01332 685600
Dublin	White Heather Industrial Estate, 301 South Circular Road, Dublin 8		+353 14 165100
Dundee	Unit 1-3, Rutherford Road, Dryburgh Industrial Estate, Dundee	DD2 3XH	01382 823700
Edinburgh	Unit 2A, Pentland Industrial Estate, Loanhead, Midlothian	EH20 9QH	0131 440 5900
Exeter	Unit 6 Otter Court, Manaton Close, Matford Business Park, Exeter	EX2 8PF	01392 457500
Glasgow	Unit A, 91 Vermont Street, Kinning Park, Glasgow	G41 1LU	0141 418 4444
Gloucester	Unit C1, Eastbrook Road, Gloucester	GL4 3DB	01452 872200
Grimsby	Appian Way, Europa Park, Grimsby	DN31 2FD	01472 265100
Hull	Copenhagen Road, Sutton Fields Industrial Estate, Hull	HU7 0YH	01482 625800
Inverness	25 Harbour Road, Inverness	IV1 1SY	01463 701 810
Kings Cross	Unit 2, 1 Brewery Road, Islington, London	N7 9QJ	020 7619 7600
Leeds	Unit 5 City Park Industrial Estate, Gelderd Road, Leeds	LS12 6DR	0113 203 2203
Leicester	Unit 11, West Moreland Avenue, Thurmaston, Leicester	LE4 8PH	0116 242 7800

## BRANCH DIRECTORY

BRANCH	ADDRESS	POST CODE	TELEPHONE
Lewes	Unit 5, Southdown Business Park, Brooks Road, Lewes, East Sussex	BN7 2FB	01273 485000
Lincoln	Units 3/4 Crofton Drive, Allenby Industrial Estate, Lincoln	LN3 4NR	01522 565700
Liverpool	82/94 Great Howard Street, Liverpool	L3 7AX	0151 482 2500
London Docklands	Units 6 & 7, Thomas Road Industrial Estate, Limehouse, London	E14 7BN	020 7531 3914
Luton	Unit 1A, Multi Trade Park, 214 Dallow Road, Luton	LU1 1SR	01582 875 600
Maidstone	Unit 5, Wood Close, Quarry Wood Industrial Estate, Aylesford, Kent	ME20 7UB	01622 713600
Manchester	Unit 1 Columbus Way, Off Broadway, Salford, Manchester	M50 1UU	0161 888 6464
Newcastle	Sanderson Street, Newcastle-upon-Tyne	NE4 7PJ	0191 256 5100
Northampton	Riverside Way, Bedford Road, Northampton	NN1 5NX	01604 251400
Norwich	Unit 13, Alston Road, Hellesdon Park Industrial Estate, Norwich, Norfolk	NR6 5DS	01603 253200
Nottingham	Unit 3, Longwall Avenue, Queens Drive Industrial Estate, Nottingham	NG2 1NA	0115 943 5900
Oldham	Castle Park Industrial Estate, Bower Street, Oldham, Lancashire	OL1 3LN	0161 624 4621
Oxford	Units 1&2 Nuffield Industrial Estate, Ledgers Close, Littlemore, Oxford	OX4 6JS	01865 398870
Peterborough	Unit 2a, Centurion Business Centre, Sturrock Way, Bretton, Peterborough	PE3 8YB	01733 336000
Plymouth	Block G, St.Modwen Road, Parkway Industrial Estate, Plymouth, Devon	PL6 8LH	01752 675300
Portsmouth	Unit D4 Discovery, Voyager Park, Portfield Road, Airport Industrial Estate, Hilsea, Portsmouth	P03 5FL	023 9265 8740
Preston	Units 1 & 2, Brookfield Street, Preston	PR1 1NR	01772 557800
Reading	Units A2 & A3, Worton Drive, Worton Grange Industrial Estate, Reading	RG2 0TG	0118 923 8900
Romford	King George Close, Eastern Avenue West, Romford, Essex	RM7 7PS	01708 771800
Sheffield	Unit 15, Oakham Drive, Parkwood Industrial Estate, Sheffield	S3 9QX	0114 289 3900
Slough	557 Ipswich Road, Slough, Berks	SL1 4EP	01753 537 999
Southampton	Unit 1A, Parham Drive, Boyatt Wood Trading Estate, Eastleigh, Hampshire	SO50 4NU	023 8068 3700
Stockton	Teesway, North Tees Industrial Estate, Stockton on Tees	TS18 2RS	01642 665500
Stoke	Units 6 & 7, Etruria Trading Estate, Etruria Way, Basford, Stoke on Trent	ST4 6JQ	01782 382382
Swansea	Unit 2, Century Park, Swansea Enterprise Park, Swansea	SA6 8RP	01792 762300
Swindon	Unit 4A, Euroway Industrial Estate, Blagrove, Swindon	SN5 8YW	01793 601500
Wandsworth	Units 2-3, Kimber Centre, 54 Kimber Road, Wandsworth, London	SW18 4PP	020 8877 9191
Wigan	Unit 2, Lockflight Buildings, Wheatlea Industrial Estate, Wheatlea Road, Wigan	WN3 6XP	01942 405540
Wirral	Rossmore Road East, Rossmore Industrial Estate, Ellesmere Port, Wirral, Cheshire	CH65 3DD	0151 348 5400

# INDEX

<b>A</b>		
Air Compressors	76	
Aluminium Pipe Wrench	39	
Angle Grinders	47	
Armorgard Tough Bench	36	
<b>B</b>		
Barricade	124	
Barriers	137	
Barrobox	121	
Bluetooth press gun	8 - 25	
Boom Lifts -		
Bi-Fuel	95 - 96	
Diesel	97 - 98	
Boss Alloy Towers	80	
Boss Alloy Towers - AGR	81	
Breakers	100 - 108	
Builders Steps GRP	83	
Butt Fusion Hot Plate	70	
Butt Fusion Machines	69	
<b>C</b>		
Cameras	77	
Canteen Units	134	
Cast Iron Pipe Cutter	50	
Chain Vice	37	
Chain Wrench	40	
Chop Saw	48	
Clamps	68	
Coiled Pipe Trailers	140	
Combination Ladders	82	
Cutting Station	49	
<b>D</b>		
Dehumidifier	128	
Delta Deck platform	84	
Diesel Bowzers	139	
Diesel Compressors	107	
Drills - Cordless	104	
Diamond Core	103	
Dry Diamond	102	
Dry Cut Saw	45	
Dumpers	140	
Dust Extraction Unit	106	
<b>E</b>		
Electrofusion Control Unit	66	
Electro-Hydraulic Heavy	49	
Duty Pipe Cutter	70	
Enfusion	37	
Engineers Vice	46	
Exact Pipecut	64	
Expander Tool Sets	114	
Extensions Reels and Leads	122	
<b>F</b>		
FittingStor	116	
Floodlight	115	
Fluorescent Tripod Light	115	
Fluorescent Uplight	74	
Flushing Units	85	
Folding Indoor Scaffold	60	
Fume Extractor	129	
<b>G</b>		
G Clamp	142	
Gas Purge Kit	142	
GASCO Seeker	112	
Generators	125	
Genie Superlifts	47	
Grinders	55	
Groove In-Place		
<b>H</b>		
Handheld Threaders	28 - 29	
Heating - Infrared	128	
Heating System Power		
Flush Unit	74	
Heras Fencing	136	
Hilti Breakers	107-108	
Hole Cutter	47	
<b>I</b>		
Impact Wrench	104	
Industrial Builders Steps	82	
Infrared Heater	128	
Inspection Cameras	77	
<b>J</b>		
Junction Box, 4 Way	113	
<b>L</b>		
Laser Levels	129	
Low Access Platform	90	
Low Level Access	88 - 90	

## M

Manual Pipe Cutters  
Mini Excavators  
Mini Grinder  
Mobile Pipe Rack  
Mobile Tuffbench  
Multilayer Pipe Cutter

## O

Office Units

## P

Pallet Truck  
Pipe Benders  
Pipe Cutters  
Pipe Freezer Kit  
Pipe Rack  
Pipe Supports  
Pipe Wrench  
PipeStor  
Pipework and Operating Shelter  
Podium Steps  
Portable Toilets  
Powered Stair Climbers  
Powerdrive unit  
Press Tools  
Pressure Test Pumps -  
    Electric  
    Manual  
Pump -  
    Centrifugal  
    Submersible

## R

RCD Circuit Breaker  
Reciprocating Saws  
Rehau Expansion Tools  
Restraining Clamps  
Roll Groovers -  
    Heavy Duty  
    Portable  
Roll on Roll off Skips  
Rotary Hammer Drills -  
    Heavy Duty  
    Light Duty  
    Medium Duty  
Rotary Pipe Scraper

## S

Saw -  
    Bench Top Cut Off  
    Reciprocating  
Scissor Lifts -  
    Diesel  
    Electric  
Security Stores  
Siphonic Drainage  
Site Boxes  
Solar Flushing Unit  
Soundex Acoustic Curtains  
Stairmax Tower

## T

Telehandlers  
Temporary Boilers  
Threading Machines  
Top-Screw Stand Chain Vice  
Traffic Lights  
Transformer  
Tri-Stand Chain Vice  
Tuffbanks  
Tuffbench

## V

Vices  
V-Kart

## W

Wait and Load Service  
Waste Management Solutions  
Welders -  
    Diesel  
    Inverter  
    Petrol  
Welding Fume Extractor Unit  
Welding Screen  
Workbench  
Wrenches

# TERMS & CONDITIONS

## 1 INTERPRETATION

### 1.1 In these conditions the following words have the following meanings:

"Contract" means a contract which incorporates these conditions and made between you and us for the hire of Hire Goods;

"Deposit" means any advance payment required by us in relation to the Hire Goods which is to be held by us as security;

"Force Majeure" means any event outside a party's reasonable control including but not limited to acts of God, war, flood, fire, labour disputes, strikes, sub-contractors, lock-outs, riots, civil commotion, malicious damage, explosion, terrorism, governmental actions and any other similar events;

"Hire Goods" means any machine, article, tool and/or device, together with any accessories specified in a Contract which are hired to you;

"Hire Period" means the period commencing when you hold the Hire Goods on hire (including Saturdays Sundays and Bank Holidays) and ending upon the happening of any of the following events: (i) the physical return of the Hire Goods by you into our possession; or (ii) the physical repossession or collection of Hire Goods by us;

"Liability" means liability for any and all damages, claims, proceedings, actions, awards, expenses, costs and any other losses and/or liabilities;

"Rental" means our charging rate for the hire of the Hire Goods which is current from time to time during the Hire Period;

"Services" means the services and/or work (if any) to be performed by us for you in conjunction with the hire of Hire Goods including any delivery and/or collection.

"We" or "us" means any member company of the Travis Perkins plc Group, as specified in the Contract and will include its employees, agents and/or duly authorised representatives;

"You" means the person, firm, company or other organisation hiring Hire Goods, and "your" shall be construed accordingly;

## 2 BASIS OF CONTRACT

### 2.1 Hire Goods are hired subject to them being available for hire at the time required by you. We will not be liable for any loss suffered by you because the Hire Goods are unavailable for hire where this is due to circumstances beyond our control.

### 2.2 If you are an individual and the hire would be covered by the Consumer Credit Act 1974 the Hire Period shall not exceed 3 months, after which time the Contract shall be deemed to have automatically terminated. Accordingly the hire of any Hire Goods is not covered by the Consumer Credit Act 1974.

### 2.3 Nothing in this Contract shall exclude or limit any of your statutory rights to the extent they may not be excluded or limited because you are acting as a consumer. Where you are acting as a consumer any provision which is marked with an asterisk (\*) may, subject to determination by the Courts or any applicable legislation, have no force or effect and if any provision is under the applicable law of the Contract unenforceable in whole or in part or shall have no force or effect the Contract shall be deemed not to include such provisions but this shall not effect the enforceability of the remainder of the Contract.

For further information about your statutory rights contact your local authority Trading Standards Department or Citizens Advice Bureau.

## 3 PAYMENT

### 3.1 The amount of any Deposit, Rental and/or charges for any Services shall be as quoted to you or otherwise as shown in our current price list from time to time. Where a Deposit is required, it must be paid in advance of you hiring the Hire Goods. We may also require an initial payment on account of the Rental in advance of you hiring the Hire Goods.

### 3.2 You shall pay to us the Rental, charges for any Services, and/or any other sums payable under the Contract at the time and in the manner agreed. Our prices are, unless otherwise stated, exclusive of any applicable VAT which you shall also be liable to pay.

### 3.3 Payments by you on time are an essential condition of the Contract. Payment shall not be deemed to be made until we have received either cash or cleared funds in respect of the full amount outstanding.

### 3.4 \*If you fail to make any payment in full on the due date we may charge you interest (both before and after judgment) on the amount unpaid at the rate implied by law under the Late Payment of Commercial Debts (Interest) Act 1998 (where applicable) or at the rate of 4% above the base rate from time to time of National Westminster Bank plc whichever is higher. This interest shall be compounded with quarterly rests.

### 3.5 \*You shall pay all sums due to us without any set-off, deduction, counterclaim and/or any other withholding of monies.

### 3.6 We may set a reasonable credit limit for you. We reserve the right to terminate or suspend the Contract if allowing it to continue would result in you exceeding your credit limit or the credit limit is already exceeded.

### 3.7 We reserve the right to store your credit card details on our password protected customer account system and further reserve the right to use such details to collect payment for future Rentals made by you.

## 4 RISK OWNERSHIP AND INSURANCE

### 4.1 Risk in the Hire Goods will pass immediately to you when they leave our physical possession or control.

### 4.2 Risk in the Hire Goods will not pass back to us until they are back in our physical possession. This shall apply even if we have agreed to cease charging the Rental.

### 4.3 Ownership of the Hire Goods remains with us at all times. You have no right, title or interest in the Hire Goods except that they are hired to you.

### 4.4 You must not deal with the ownership or any interest in the Hire Goods. This includes but is not limited to selling, assigning, mortgaging, pledging, charging, securing, hiring, withholding, exerting any right to withhold, disposing of and/or lending. However you may re-hire the Hire Goods to a third party with our prior written consent.

### 4.5 We may provide reasonably priced insurance in respect of the Hire Goods at additional cost to the Rental. Alternatively we may require you to insure the Hire Goods on such reasonable terms and for such reasonable risks as we may specify. The proceeds of any such insurance shall be held by you in trust for us and be paid to us on demand. You must not compromise any claim in respect of the Hire Goods and/or any associated insurance without our written consent.

**5 DELIVERY, COLLECTION AND SERVICES**

- 5.1 It is your responsibility to collect the Hire Goods from us and return them to us at the end of the Hire Period. If we agree to deliver or collect the Hire Goods to and/or from you, we will do so at our standard delivery cost and such delivery and/or collection will form part of the Services.
- 5.2 Where we provide Services the persons performing the Services are deemed to be your servants or agents and they are under your direction and control. You shall be solely responsible for any instruction, guidance and/or advice given by you to any such person and for any damage which occurs as a result of such person following your instructions, guidance and/or advice except to the extent that such person is negligent.
- 5.3 You will allow and/or procure sufficient access to and from the relevant site and sufficient unloading space, facilities, equipment and access to power supplies and utilities for our employees, sub-contractors and/or agents to allow them to carry out the Services. You will ensure that the site where the Services are to be performed is, where necessary, cleared and prepared before the Services are due to commence.
- 5.4 If any Services are delayed, postponed and/or cancelled due to you failing to comply with your obligations you will be liable to pay our additional standard charges from time to time for such delay, postponement and/or cancellation except where you are acting as a consumer and the delay is due to a Force Majeure event.

**6 CARE OF HIRE GOODS**

- 6.1 You shall:-
- 6.1.1 not remove any labels from and/or interfere with the Hire Goods, their working mechanisms or any other parts of them and take reasonable care of the Hire Goods and only use them for their proper purpose in a safe and correct manner in accordance with any operating and/or safety instructions provided or supplied to you;
- 6.1.2 notify us immediately after any breakdown, loss and/or damage to the Hire Goods;
- 6.1.3 take adequate and proper measures to protect the Hire Goods from theft, damage and/or other risks;
- 6.1.4 notify us of any change of your address and upon our request provide details of the location of the Hire Goods;
- 6.1.5 permit us at all reasonable times to inspect the Hire Goods including procuring access to any property where the Hire Goods are situated;
- 6.1.6 keep the Hire Goods at all times in your possession and control and not remove the Hire Goods from the United Kingdom without our prior written consent;
- 6.1.7 be responsible for the conduct and cost of any testing, examinations and/or checks in relation to the Hire Goods required by any legislation, best practice and/or operating instructions except to the extent that we have agreed to provide them as part of any Services;
- 6.1.8 not do or omit to do any thing which will or may be deemed to invalidate any policy of insurance related to the Hire Goods which is notified to you;
- 6.1.9 not continue to use Hire Goods where they have been damaged and will notify us immediately if the Hire Goods are involved in an accident resulting in damage to the Hire Goods, other property and/or injury to any person;
- 6.1.10 where the Hire Goods require fuel, oil and/or electricity ensure that the proper type and/or voltage is used and that, where appropriate, the Hire Goods are properly installed by a qualified and competent person; and
- 6.1.11 ensure that any employees, agents or contractors that operate the Hire Goods are, if applicable, adequately and sufficiently qualified and trained to operate the Hire Goods in accordance with all current and applicable legislation.
- 6.2 The Hire Goods must be returned by you in good working order and condition (fair wear and tear excepted) and in a clean condition together with all insurance policies, licences, registration and other documents relating to the Hire Goods.

**7 BREAKDOWN**

- 7.1 Allowance will be made in the Rental for any non-use of the Hire Goods due to breakdown caused by an inherent fault and/or fair wear and tear on condition that you inform us as soon as practicable of the breakdown and we are unable to repair or replace the Hire Goods within a reasonable time.
- 7.2 You shall be responsible for all expenses, loss (including loss of Rental) and/or damage suffered by us arising from any breakdown of the Hire Goods due to your negligence, misdirection and/or misuse of the Hire Goods.
- 7.3 We will at our cost carry out all routine maintenance and repairs to the Hire Goods during the Hire Period and all repairs which are required due to fair wear and tear and/or an inherent fault in the Hire Goods. You will be responsible for the cost of all repairs necessary to Hire Goods during the Hire Period which arise otherwise than as a result of fair wear and tear, an inherent fault and/or our negligence while carrying out routine maintenance and/or repairs.
- 7.4 You must not repair or attempt to repair the Hire Goods unless authorised to do so by us in writing.

**8 LOSS OR DAMAGE TO THE HIRE GOODS**

- 8.1 If the Hire Goods are returned in damaged, unclean and/or defective state except where due to fair wear and tear and/or an inherent fault, you shall be liable to pay us for the cost of any repair and/or cleaning required to return the Hire Goods to a condition fit for re-hire and to pay the Rental, in accordance with clause 8.3, until such repairs and/or cleaning have been completed.
- 8.2 You will pay to us the new replacement cost of any Hire Goods, which are lost, stolen and/or damaged beyond economic repair during the Hire Period less the amount paid to us under any policy of insurance taken out in accordance with these conditions.
- 8.3 You shall pay the Rental up to and including the date you notify us that the Hire Goods have been lost, stolen and/or damaged beyond economic repair. From that date until we have replaced such Hire Goods you shall pay, as a genuine pre-estimate of lost rental profit, a sum as liquidated damages equal to two thirds of the Rental that would have applied for such Hire Goods for that period. We shall use our reasonable commercial endeavours to purchase replacements for such Hire Goods as quickly as possible using the monies paid under clause 8.2.

# TERMS & CONDITIONS

## 9 TERMINATION BY NOTICE

- 9.1 If the Hire Period has a fixed duration, subject to clause 10 neither we nor you may terminate the Contract before the expiry of that fixed period unless you and we agree.
- 9.2 If the Hire Period does not have a fixed duration either you or we may terminate the Contract upon giving to the other party any agreed period of notice.
- 9.3 If no period of notice has been agreed or specified you may terminate the Hire Period by the physical return of the Hire Goods to us and we may terminate the contract by giving not less than 14 days' notice to you.

## 10 DEFAULT

- 10.1 If you:-
  - 10.1.1 fail to make any payment to us when due without just cause;
  - 10.1.2 breach the terms of the Contract and, where the breach is capable of remedy, have not remedied the breach within 14 days of receiving notice requiring the breach to be remedied;
  - 10.1.3 persistently breach the terms of the Contract;
  - 10.1.4 provide incomplete, materially inaccurate or misleading facts and/or information in connection with the Contract;
  - 10.1.5 pledge, charge or create any form of security over any Hire Goods, or cease or threaten to cease to carry on business, or propose to compound with your creditors, create a trust deed for your creditors, apply for an interim moratorium in respect of claims and/or proceedings, any distress/diligence, execution or other legal process is levied on any of your property, have a Bankruptcy Petition/Petition for Sequestration presented against you or you take or suffer any similar action in any jurisdiction;
  - 10.1.6 being a company, cease or threaten to cease to carry on business, enter into voluntary or compulsory liquidation, have a receiver, administrator or administrative receiver or in the Republic of Ireland an examiner appointed over all or any of your assets, any attachment order/arrestment is made against you, any distress, execution or other legal process is levied on any of your property or you take or suffer any similar action in any jurisdiction;
  - 10.1.7 appear reasonably to us due to your credit rating to be financially inadequate to meet your obligations under the Contract; and/or
  - 10.1.8 appear reasonably to us to be about to suffer any of the above events; then we shall have the right, without prejudice to any other remedies, to exercise any or all of the rights set out in clause 10.2 below.
- 10.2 If any of the events set out in clause 10.1 above occurs in relation to you then:-
  - 10.2.1 except where you are acting as a consumer we may enter, without prior notice, any of your premises (or premises of third parties with their consent) where Hire Goods may be and repossess any Hire Goods;
  - 10.2.2 we may withhold the performance of any Services and cease any Services in progress under this and/or any other Contract with you;
  - 10.2.3 we may immediately cancel, terminate and/or suspend without Liability to you the Contract and/or any other contract with you; and/or
  - 10.2.4 \*all monies owed by you to us shall immediately become due and payable.
- 10.3 Any repossession of the Hire Goods shall not affect our right to recover from you any monies due under the Contract and/or any damages in respect of any breach which occurred prior to repossession of the Hire Goods.
- 10.4 Upon termination of the Contract you shall immediately:
  - 10.4.1 return the Hire Goods to us or make the Hire Goods available for collection by us as requested by us; and
  - 10.4.2 pay to us all arrears for Rentals, charges for any Services, and/or any other sums payable under the Contract.

## 11 LIMITATIONS OF LIABILITY

- 11.1 \*All warranties, representations, terms, conditions and duties implied by law relating to fitness, quality and/or adequacy are excluded to the fullest extent permitted by law.
- 11.2 \*If we are found to be liable in respect of any loss or damage to your property the extent of our Liability will be limited to the retail cost of replacement of the damaged property.
- 11.3 Any defective Hire Goods must be returned to us for inspection if requested by us before we will have any Liability for defective Hire Goods.
- 11.4 \*We shall have no Liability to you if, without just cause, any monies due in respect of the Hire Goods and/or the Services has not been paid in full by the due date for payment.
- 11.5 We shall have no Liability for additional damage, loss, liability, claims, costs or expenses caused or contributed to by your continued use of defective Hire Goods and/or Services after a defect has become apparent or suspected or should reasonably have become apparent to you.
- 11.6 You shall give us a reasonable opportunity to remedy any matter for which we are liable before you incur any costs and/or expenses in remedying the matter. If you do not do so we shall have no Liability to you.
- 11.7 \*We shall have no Liability to you to the extent that you are covered by any policy of insurance arranged as a result of the Contract and you shall ensure that your insurers waive any and all rights of subrogation they may have against us.
- 11.8 We shall have no Liability to you for any of the following losses (whether direct or indirect):-
  - 11.8.1 \*consequential losses (including loss of profits and/or damage to goodwill);
  - 11.8.2 economic and/or other similar losses;
  - 11.8.3 special damages and indirect losses; and/or
  - 11.8.4 business interruption, loss of business, contracts and/or opportunity.
- 11.9 \*Our total Liability to you under and/or arising out of any Contract shall not exceed 5 times the amount of the Rental and charges for Services (if any) under that Contract or the sum of £1,000 (or Euro equivalent) whichever is the higher. To the extent that any Liability of us to you would be met by any insurance held by us then our Liability shall be extended to the extent that such Liability is met by such insurance.

- 11.10 Each of the limitations and/or exclusions in this Contract shall be deemed to be repeated and apply as a separate provision for each of:
- 11.10.1 Liability for breach of contract;
  - 11.10.2 \*Liability in tort (including negligence); and
  - 11.10.3 \*Liability for breach of statutory and/or common law duty; except clause 11.9 above which shall apply once only in respect of all the said types of Liability.
- 11.11 Nothing in this Contract shall exclude or limit our Liability for fraud, death or personal injury due to our negligence nor exclude or limit any other type of Liability which it is not permitted to exclude or limit as a matter of law.

## 12 GENERAL

- 12.1 Upon termination of the Contract the provisions of clauses 3.2, 3.4, 3.5, 6 8.1, 8.2 and 8.3 shall continue in full force and effect.
- 12.2 Each hire of an item of Hire Goods shall form a distinct Contract which shall be separate to any other Contract relating to other Hire Goods.
- 12.3 You shall be liable for the acts and/or omissions of your employees, agents, and/or subcontractors as though they were your own acts and/or omissions under this Contract.
- 12.4 \*You agree to indemnify and keep indemnified us against any and all losses, lost profits, damages, claims, costs (including legal costs on a full indemnity basis), actions and any other losses and/or liabilities suffered by us and arising from any breach of contract, any tortious/delictual act and/or omission and/or any breach of statutory duty by you.
- 12.5 \*No waiver by us of any breach of this Contract shall be considered as a waiver of any subsequent breach of the same or any other provision. If any provision is held by any competent authority to be unenforceable in whole or in part the validity of the other provisions and the remainder of the affected provision shall be unaffected and shall remain in full force and effect.
- 12.6 We shall have no Liability to you for any delay and/or non performance of a Contract to the extent that such delay is due to any Force Majeure event. If we are affected by any such event then time for performance shall be extended for a period equal to the period that such event delayed such performance.
- 12.7 All third party rights are excluded and no third parties shall have any rights to enforce the Contract. This shall not apply to any finance company with whom we have an outstanding finance agreement relating to the Hire Goods. Such finance company shall, subject to our consent, have the right to enforce this Contract as if they were us. This Contract is governed by and interpreted in accordance with English law and we and you agree to submit to the non-exclusive jurisdiction of the English courts.

## 13 ADDITIONAL TERMS FOR WASTE DISPOSAL SERVICES

These additional terms shall apply to the hire of any article of waste disposal, including skips, bins, bags or other waste receptacles:

- 13.1 You shall be responsible for obtaining all necessary licences and permissions for the placing of the Hire Goods on any public land or other land not owned by you. You shall comply with all conditions of any licence and maintain such licence until the Hire Goods are removed by us (or our agent or subcontractor). In the event that we obtain a licence for you, you shall be responsible for complying with and maintaining that licence.
- 13.2 You shall ensure that adequate space is available for the delivery and collection of the Hire Goods. You shall not move the Hire Goods without our written permission.
- 13.3 You shall place adequate cones around any Hire Goods on public land and will ensure it is well lit after dark so as to avoid damage or injury to third parties so far as possible.
- 13.4 You shall ensure there is suitable access to the land on which the Hire Goods are to be placed and that the land is suitable to hold the Hire Goods when filled with waste and the vehicle delivering/collecting the Hire Goods. You shall ensure that all driveways and drains are adequately protected to prevent damage to them.
- 13.5 You must comply with all instructions and guidance given to you (or contained on the Hire Goods) as to the types of waste, maximum weight and fill level for the relevant Hire Goods. You shall not place any hazardous waste (including asbestos, gypsum, liquid waste, fridges, tyres and batteries) in any Hire Goods, unless we have agreed to take such waste in writing in advance.
- 13.6 You shall sign the waste transfer note declaring the type of waste, which will pass ownership of the waste to us (or our agent or subcontractor, as appropriate). You shall indemnify us, our agents and subcontractors against all cost and liabilities arising from the waste not being as described or agreed.
- 13.7 No fires shall be lit in the Hire Goods nor shall any corrosive acid, noxious substance, liquid cement or concrete be placed in the Hire Goods.



0344 892 1878



[directhirebss@bssgroup.com](mailto:directhirebss@bssgroup.com)



[bssindustrial.co.uk](http://bssindustrial.co.uk)

---

**Registered Office: Lodge Way House, Lodge Way, Northampton. NN5 7UG Tel: 01604 752424**

The information (including price) contained in this publication is believed to be correct and complete at the time of printing. Due to the limitations in the printing process images may not be representative of their true colours. Stock may vary from branch to branch and is subject to availability. All photographs are as a guide only and do not necessarily represent the products available. BSS reserves the right to change product details without prior notice. Travis Perkins plc is the owner of the registered trademark BSS. E&OE. BSSHIRE 01/20

---